UNIVERSITY OF LONDON LIBRARY

THIS BOOK
MUST NOT BE REMOVED
FROM THE LIBRARY


University of London

606190

REPORTS

FROM

COMMISSIONERS:

TWENTY-TWO VOLUMES.

—(5.)—

BIRTHS, DEATHS, AND MARRIAGES;
BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND);
MARRIAGES, BIRTHS, AND DEATHS (IRELAND).

Session

10 *December* 1868 — 11 *August* 1869.

VOL. XVI.

REPORTS FROM COMMISSIONERS:

1868-9.

TWENTY-TWO VOLUMES:—CONTENTS OF THE

FIFTH VOLUME.

N.B.—*THE* Figures *at the* beginning of the line, *correspond with the* N° *at the foot of each* Report; *and the* Figures *at the* end of the line, *refer to the* MS. Paging *of the Volumes arranged for The House of Commons.*

BIRTHS, DEATHS, AND MARRIAGES:

146.] Thirtieth Annual Report of the Registrar General of Births, Deaths, and Marriages in England (Abstracts of 1867) - - - p. 1

BIRTHS, DEATHS, MARRIAGES, AND VACCINATION (SCOTLAND):

122.] Fourteenth Annual Report of the Registrar General of Births, Deaths, and Marriages in Scotland, during the Year 1868; and Fourth Annual Report on Vaccination - - - - 361

122–I.] Twelfth detailed Annual Report of the Registrar General of Births, Deaths, and Marriages in Scotland - - - - - 409

MARRIAGES, BIRTHS, AND DEATHS (IRELAND):

137.] First Annual Report of the Registrar General of Marriages, Births, and Deaths in Ireland, 1864 - - - - - - 665

THIRTIETH

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

(ABSTRACTS OF 1867.)

Presented to both Houses of Parliament by Command of Her Majesty.

LONDON:
PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

1869.

23651.

CONTENTS.

PAGE

REPORT:—

MARRIAGES, BIRTHS, and DEATHS; their Numbers and Proportions to the Population, during the YEAR 1867 . . . . . i–iv

MARRIAGES in 1867. Number celebrated according and *not* according to the Rites of the Established Church iv

Buildings registered for the Solemnization of Marriages, and Certified Places of Worship . . . . . iv–v

Re-marriages v

Marriages of minors, and AGES of Persons married . . v–vii

Signatures of Marriage Registers . . . . . vii–ix

BIRTHS in 1867. Birth-rate; Sex; Seasons; Children born *in* and *out of* Wedlock . . . . . ix–xvi

DEATHS in 1867. Death-rate, Seasons, and Meteorology; Sex; Death-rate in town, country, and in counties; Ages . . . . . xvi–xxii

UNITED KINGDOM: Population, Marriages, Births, and Deaths . . xxii–xxiii

FOREIGN STATES: FRANCE, AUSTRIA, ITALY, and SPAIN; Population, Marriages, Births, and Deaths . . . . . xxiv–xxvi

THE BRITISH ARMY: STRENGTH and MORTALITY of the ARMY at HOME and ABROAD . . . . . xxvi–xxix

BIRTHS and DEATHS of BRITISH SUBJECTS at SEA; MORTALITY of MERCHANT SEAMEN . . . . . xxix–xxx

MARINE REGISTER BOOK xxx

PROGRESS OF REGISTRATION. Aggregate Number of NAMES ON THE REGISTERS, and the annual Number of SEARCHES FOR REGISTERS at the CENTRAL OFFICE . . . . . xxxi–xxxii

TITLES of REGISTERS and RECORDS deposited in the GENERAL REGISTER OFFICE . . . . . xxxii–xxxiii

SUMMARY of the QUARTERLY REPORTS, 1867:—

FIRST QUARTER, ending March 31st . . . . . xxxiv–xxxvii

SECOND QUARTER, ending June 30th . . . . . xxxvii–xl

THIRD QUARTER, ending September 30th . . . . . xl–xlvi

FOURTH QUARTER, ending December 31st . . . . xlvii–lii

HEALTH of LONDON in 1867 . . . . . liii–lvi

LONDON: Annual Rate of Mortality, 1840–67, in five groups of Districts lvii

ANNUAL RATE of MORTALITY in THIRTEEN LARGE TOWNS of the UNITED KINGDOM in each week of 1867 lviii

EMIGRATION FROM THE UNITED KINGDOM . . . . . lix–lxi

NUMBER, AGES, RATINGS, and CAUSES OF DEATH of MERCHANT SEAMEN in 1867 lxii

POPULATION, and LOGARITHMS of the POPULATION of the UNITED KINGDOM, estimated to the middle of the Years 1801, 1811, 1821, 1831, 1841, 1851, 1861, 1866, 1867, 1868, and 1869, *including* the Army, Navy, and Merchant Seamen abroad and belonging thereto . lxiii

ESTIMATED POPULATION of the UNITED KINGDOM at Home, distinguishing ENGLAND and WALES, SCOTLAND and IRELAND, in each of the Years 1801–1869 . . . . . lxiv–lxv

ARRANGEMENTS respecting REGISTRATION in the BRITISH COLONIES . lxvi–lxxx

ABSTRACTS:—

MARRIAGES Registered in England in each of the Divisions, Counties, and Districts in 1867; distinguishing those according and those *not* according to the Rites of the Established Church; and distinguishing also Persons married according to their conjugal Condition, Minority, and Signature of the Register by marks 2–25

AGES of 238,346 Persons married in 1867, distinguishing those of Bachelors, Spinsters, Widowers, Widows . . 26–27

PAGE

ABSTRACTS—*continued.*

MARRIAGES, BIRTHS, and DEATHS Registered in each of the Divisions, Counties, and Districts in 1867; also BIRTHS and DEATHS and EXCESS of BIRTHS over DEATHS in each of the Sub-districts of England; distinguishing the Sexes and Illegitimate Births throughout 28–82

DEATHS in 1867 in the principal Public Institutions in London . . 83–84

BIRTHS Registered in the DIVISIONS and COUNTIES (distinguishing Males and Females) in each of the Four Quarters of 1867 . . . 86–89

BIRTHS of Children born out of Wedlock Registered in the DIVISIONS and COUNTIES (distinguishing Males and Females) in each of the Four Quarters of 1867 90–93

DEATHS Registered in each of the Four Quarters of 1867 (distinguishing Males and Females), in DIVISIONS and COUNTIES . . . 94–97

DEATHS of Males and Females at different AGES Registered in 1867 in DIVISIONS, COUNTIES, and DISTRICTS 98–119

CAUSES of DEATH of Males and Females in ENGLAND, at different Periods of Life, in 1867 120–125

SUPPLEMENTARY TABLE of CAUSES of DEATH of Males and Females, in England at different Periods of Life, in 1867 126–129

CAUSES of DEATH of Males and Females in LONDON, at different Periods of Life, in 1867 130–135

CAUSES of DEATH of Males and Females in ENGLAND, and in each of the DIVISIONS and COUNTIES, in 1867 136–159

DEATHS from SEVERAL ZYMOTIC and OTHER CAUSES in 1867, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND . . . 160–171

CHANGES in the CONSTITUTION of DISTRICTS during 1867 . . . 172

OCCASIONAL TABLES.

VIOLENT DEATHS in ENGLAND in the Five Years 1863–67, distinguishing SEX and AGES 174–185

VIOLENT DEATHS in each of the ELEVEN DIVISIONS of ENGLAND in the Five Years 1863–67, distinguishing SEX 186–191

DEATHS returned as having occurred from SUICIDE in ENGLAND in the Five Years 1863–67, distinguishing SEX and AGES 192–194

DEATHS returned as having occurred from SUICIDE in each of the ELEVEN DIVISIONS of ENGLAND in the Five Years 1863–67, distinguishing SEX . 195–196

DEATHS returned as having occurred from MURDER and INFANTICIDE in ENGLAND in the Five Years 1863–67, distinguishing SEX and AGES . 197–199

DEATHS returned as having occurred from MURDER and INFANTICIDE in each of the ELEVEN DIVISIONS of ENGLAND in the Five Years 1863–67, distinguishing SEX 200

DEATHS returned as having occurred from MANSLAUGHTER in ENGLAND in the Five Years 1863–67, distinguishing SEX and AGES 201–203

DEATHS returned as having occurred from MANSLAUGHTER in each of the ELEVEN DIVISIONS of ENGLAND in the Five Years 1863–67, distinguishing SEX 204

APPENDIX.

LETTER TO THE REGISTRAR-GENERAL ON THE CAUSES OF DEATH IN ENGLAND IN 1867, by WILLIAM FARR, ESQ., M.D., F.R.S.:—

I. CAUSES OF DEATH 207–211

(1) *Zymotic Diseases* 211–221

(2) *Constitutional Diseases* 221

(3) *Local Diseases* 221–222

(4) *Developmental Diseases* 222–225

(5) *Violent Deaths* 225–226

TABLES 227–248

INDEX of DISTRICTS, SUB-DISTRICTS, and of certain TOWNS, referring by Numbers to the several TABLES of ABSTRACTS 249–263

ALPHABETICAL INDEX to REPORT, TABLES, and APPENDIX 264–274

REPORT

TO

The Right Honourable HENRY AUSTIN BRUCE, M.P., Her Majesty's Principal Secretary of State for the Home Department, &c. &c. &c.

General Register Office, Somerset House,
31st March 1869.

SIR,

I HAVE the honour to submit to you my Annual Report for the year 1867.

The population is estimated to have reached 21,429,508 in the middle of the year 1867, being an increase of 219,488 over that of the previous year; 10,365,688 of the total number living are males and 11,063,820 are females.

The natural increase of population as represented by the excess of births over deaths is 297,276 or 814 per day, a number much above the average. 195,953 emigrants left the shores of the United Kingdom at the rate of 537 daily; of these 57,866 were of English origin, 13,317 of Scotch,

TABLE 1.—Estimated **Population**, with the Number of **Marriages**, **Births**, and **Deaths** registered in **England**, in each **Year** from **1838** to **1867**.

YEARS ended Dec. 31st	Estimated POPULATION in ENGLAND in the Middle of the Years.*	MARRIAGES.	PERSONS MARRIED.	BIRTHS (exclusive of Still-born).	DEATHS (exclusive of Still-born).	EXCESS OF BIRTHS OVER DEATHS.
1838	15,312,256	118,067	236,134	463,787	342,760	121,027
1839	15,515,296	123,166	246,332	492,574	338,984	153,590
1840	15,721,029	122,665	245,330	502,303	359,687	142,616
1841	15,929,492	122,496	244,992	512,158	343,847	168,311
1842	16,123,793	118,825	237,650	517,739	349,519	168,220
1843	16,320,479	123,818	247,636	527,325	346,445	180,880
1844	16,519,565	132,249	264,498	540,763	356,933	183,830
1845	16,721,081	143,743	287,486	543,521	349,366	194,155
1846	16,925,051	145,664	291,328	572,625	390,315	182,310
1847	17,131,512	135,845	271,690	539,965	423,304	116,661
1848	17,340,492	138,230	276,460	563,059	399,833	163,226
1849	17,552,020	141,883	283,766	578,159	440,839	137,320
1850	17,766,129	152,744	305,488	593,422	368,995	224,427
1851	17,982,849	154,206	308,412	615,865	395,396	220,469
1852	18,193,206	158,782	317,564	624,012	407,135	216,877
1853	18,404,368	164,520	329,040	612,391	421,097	191,294
1854	18,616,310	159,727	319,454	634,405	437,905	196,500
1855	18,829,000	152,113	304,226	635,043	425,703	209,340
1856	19,042,412	159,337	318,674	657,453	390,506	266,947
1857	19,256,516	159,097	318,194	663,071	419,815	243,256
1858	19,471,291	156,070	312,140	655,481	449,656	205,825
1859	19,686,701	167,723	335,446	689,881	440,781	249,100
1860	19,902,713	170,156	340,312	684,048	422,721	261,327
1861	20,119,314	163,706	327,412	696,406	435,114	261,292
1862	20,336,467	164,030	328,060	712,684	436,566	276,118
1863	20,554,137	173,510	347,020	727,417	473,837	253,580
1864	20,772,308	180,387	360,774	740,275	495,531	244,744
1865	20,990,946	185,474	370,948	748,069	490,909	257,160
1866	21,210,020	187,776	375,552	753,870	500,689	253,181
1867	21,429,508	179,154	358,308	768,349	471,073	297,276

* The Population of each of the years since 1851 is deduced from the ascertained rate of increase observed in the twenty years, 1841–61; and an allowance is made for the decrease in the rate during the latter ten years. On another hypothesis the numbers would differ slightly from the estimate here given, but as the rates of births, deaths, and marriages have been calculated on these numbers it is not considered advisable to give any other estimate of Population.

92,204 of Irish, 32,566 were foreigners: 7,778 persons whose birth-places were not distinguished are proportionally distributed in this statement.

The United States attracted 159,275 of the emigrants, while 15,503 went to the British North American colonies, the unusually small number of 14,466 to the Australian colonies, and 6,709 to various other places; the total shows a large reduction on the numbers emigrating in the four preceding years. Details showing the occupations, sex, and ages of the emigrants are given in tables at pages lix–lxi.

Emigration is considerably promoted by the sums annually remitted by residents in North America, either in the form of prepaid passage orders or in cash, to their friends in the United Kingdom. In the year 1867 the amount thus remitted was 543,029*l.*; this return is necessarily imperfect, and was obtained by the Emigration Commissioners through the courtesy of bankers, merchants, and shipowners through whom the remittances are made.

The number of persons married in England and Wales was 358,308; 768,349 children were born alive and registered; 471,073 persons died during the year; and the national registers have thus received an addition of one million five hundred and ninety-seven thousand seven hundred and thirty names, raising the aggregate number since the commencement of registration in 1837 to *forty millions four hundred and thirty-one thousand four hundred and eighty-two.*

The meteorology of the year presents some remarkable features which are described in the summary of the quarterly reports, pp. xxxiv–lii; the mean temperature of the air was 48°·6, or 0°·6 below the average; 28·4 inches of rain fell, being 4·2 inches above the average.

The price of wheat continued to rise; it was 60*s.* 7*d.* per quarter in the first three months, 63*s.* 11*d.* in the next three months, 65*s.* 4*d.* in the three following months, and 67*s.* 11*d.* in the last quarter, the average price during the year being 64*s.* 5*d.* per quarter, compared with 49*s.* 11*d.*

TABLE 2.—**Proportion** of **Marriages, Births,** and **Deaths** to the **Population** of **England,** in each **Year** from **1838** to **1867.**

Years ended Dec. 31st	To 1000 Persons living.				The Number of Persons living			
	Marriages.	Persons Married.	Births.	Deaths.	To one Marriage.	To one Person Married.	To one Birth.	To one Death.
1838	7·71	15·42	30·29	22·38	130	65	33	45
1839	7·94	15·88	31·75	21·85	126	63	31	46
1840	7·80	15·60	31·95	22·88	128	64	31	44
1841	7·69	15·38	32·15	21·59	130	65	31	46
1842	7·37	14·74	32·11	21·68	136	68	31	46
1843	7·59	15·18	32·31	21·23	132	66	31	47
1844	8·01	16·02	32·73	21·61	125	62	31	46
1845	8·60	17·20	32·51	20·89	116	58	31	48
1846	8·61	17·22	33·83	23·06	116	58	30	43
1847	7·93	15·86	31·52	24·71	126	63	32	40
1848	7·97	15·94	32·47	23·06	125	63	31	43
1849	8·06	16·16	32·94	25·12	124	62	30	40
1850	8·69	17·20	33·40	20·77	116	58	30	48
1851	8·58	17·16	34·25	21·99	117	58	29	45
1852	8·73	17·46	34·30	22·38	115	57	29	45
1853	8·94	17·88	33·27	22·88	112	56	30	44
1854	8·58	17·16	34·08	23·52	117	58	29	43
1855	8·08	16·16	33·73	22·61	124	62	30	44
1856	8·37	16·74	34·53	20·51	119	60	29	49
1857	8·26	16·52	34·43	21·80	121	61	29	46
1858	8·02	16·04	33·66	23·09	125	62	30	43
1859	8·52	17·04	35·04	22·39	117	59	29	45
1860	8·55	17·10	34·37	21·24	117	58	29	47
1861	8·14	16·28	34·61	21·63	123	61	29	46
1862	8·07	16·14	35·04	21·47	124	62	29	47
1863	8·44	16·88	35·39	23·05	118	59	28	43
1864	8·68	17·36	35·64	23·86	116	58	28	42
1865	8·84	17·68	35·64	23·39	113	57	28	43
1866	8·85	17·70	35·54	23·61	113	57	28	42
1867	8·36	16·72	35·85	21·98	113	57	28	45
Mean . .	8·26	16·53	33·64	22·41	121	61	30	45

NOTE.—The Table may be read thus:—In the year 1838 to every 100,000 persons living there were 771 marriages or 1542 persons married, 3029 births, 2238 deaths; the number of persons living to every marriage, persons married, birth or death, was 130, 65, 33, and 45 respectively. A correction for increase of population has been made in calculating the above results; no correction, however, has been made for leap years.

during the previous year. The wholesale price of potatoes rose from 89*s.* 6*d.* per ton in 1866 to 138*s.* per ton in 1867. The returns of pauperism show a considerable increase, and the average numbers on the last day of each week amounted to 139,565 in-door and 782,390 out-door recipients of relief against 129,914 in-door and 736,839 out-door poor in the previous year.

TABLE 3.—**Marriages** registered in **England** in each **Year** from **1841** to **1867.**

Years ended 31st December	Total Marriages.	According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
		Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	Total not in Established Church.	In Registered Places. Roman Catholics.	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
1841	122,496	13	15,792	78,015	972	19,579	114,371	8,125	5882		2064	66	113
1842	118,825	9	14,935	75,744	944	18,415	110,047	8,778	6200		2357	58	163
1843	123,818	8	14,544	79,849	1222	18,014	113,637	10,181	7152		2817	61	151
1844	132,249	10	14,930	85,176	1558	18,335	120,009	12,240	2280	6284	3446	55	175
1845	143,743	10	16,013	92,867	1706	18,919	129,515	14,228	2816	7181	3977	74	180
1846	145,664	14	17,135	92,995	1862	18,503	130,509	15,155	3027	7669	4167	68	224
1847	135,845	14	17,052	84,863	1968	16,979	120,876	14,969	2961	7483	4258	83	184
1848	138,230	13	16,896	86,519	2170	15,871	121,469	16,761	3658	8060	4790	67	186
1849	141,883	18	16,637	90,644	2593	13,230	123,182	18,701	4199	8662	5558	53	229
1850	152,744	8	17,413	98,669	3136	11,733	130,959	21,785	5623	9626	6207	69	260
1851	154,206	8	17,781	99,406	3351	10,412	130,958	23,248	6570	9540	6813	65	260
1852	158,782	8	19,461	106,497	3610	4,306	133,882	24,900	7479	10017	7100	57	247
1853	164,520	8	20,624	109,166	3814	4,430	138,042	26,478	8375	10149	7598	68	288
1854	159,727	15	21,048	105,050	3811	4,185	134,109	25,618	7813	9873	7593	52	287
1855	152,113	14	20,886	99,546	3804	4,001	127,751	24,362	7344	9296	7441	57	224
1856	159,337	9	21,336	104,280	4045	3,949	133,619	25,718	7527	9710	8097	72	312
1857	159,097	9	21,250	102,062	3748	3,962	131,031	28,066	7360	10686	9642	67	311
1858	156,070	15	19,858	100,432	3787	3,990	128,082	27,988	6643	11094	9952	79	220
1859	167,723	19	20,345	107,737	4204	3,905	136,210	31,513	7756	12519	10844	70	324
1860	170,156	14	20,742	108,685	4243	3,686	137,370	32,786	7800	13342	11257	75	312
1861	163,706	16	20,090	102,955	4048	3,588	130,697	33,009	7782	13182	11725	58	262
1862	164,030	18	19,486	102,870	3966	3,393	129,733	34,297	7345	13870	12723	59	300
1863	173,510	19	19,298	109,572	4312	3,542	136,743	36,767	8095	14714	13589	51	318
1864	180,387	12	19,874	113,564	4257	3,376	141,083	39,304	8659	15627	14611	58	349
1865	185,474	23	20,722	116,745	4170	3,444	145,104	40,370	8742	16429	14792	54	353
1866	187,776	17	20,297	118,274	4281	3,171	146,040	41,736	8911	17215	15246	63	301
1867	179,154	17	19,395	112,533	3981	3,004	138,930	40,224	7918	16865	15058	68	315

Years ended 31st December	Marriages contracted between: Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Re-married. Widowers.	Widows.	Under Age. Men.	Women.	Signed the Marriage Register with Marks. Men.	Women.	Marriages in which both Signed with Marks.	Marriages in which one Signed with Marks.
1841	—	—	—	—	—	—	5362	16,285	39,954	59,680		
1842	—	—	—	—	15,619	10,579	5387	16,003	38,031	56,965		
1843	—	—	—	—	16,305	10,811	5511	16,403	40,520	60,715		
1844	—	—	—	—	16,941	11,183	5515	17,410	42,912	65,073		
1845	119,589	6028	11,835	6341	18,176	12,369	6287	19,376	47,665	71,229		
1846	121,324	5997	12,212	6131	18,343	12,128	6313	20,001	47,488	70,145	—	—
1847	112,576	5705	11,667	5897	17,564	11,602	5556	18,118	42,429	61,877	32,622	39,062
1848	113,284	5920	12,702	6324	19,026	12,244	6092	19,436	43,166	62,771	32,974	39,989
1849	116,134	6102	13,155	6492	19,647	12,594	6650	21,105	44,027	65,135	—	—
1850	124,081	6575	14,558	7580	22,138	14,155	7453	23,109	47,572	70,606	—	—
1851	126,018	6625	14,313	7250	21,563	13,875	7737	24,286	47,439	69,812	36,186	44,879
1852	130,672	6696	14,044	7370	21,414	14,066	8551	26,978	48,421	70,772	36,636	45,921
1853	135,023	7139	14,730	7619	22,338	14,758	9131	29,219	49,983	72,201	37,345	47,497
1854	131,141	6826	14,189	7371	21,700	14,397	9210	28,797	47,843	68,175	35,255	45,508
1855	123,398	6775	14,280	7660	21,940	14,435	8386	27,207	44,846	62,672	32,139	43,240
1856	129,960	7163	14,462	7752	22,214	14,915	9120	29,218	45,900	64,133	32,238	45,557
1857	130,317	6908	14,293	7579	21,872	14,487	8885	28,798	44,013	61,765	30,518	44,742
1858	127,165	6711	14,547	7644	22,191	14,355	9145	28,664	42,141	58,733	28,781	43,312
1859	137,005	7058	15,493	8161	23,654	15,219	10397	32,041	44,807	63,127	30,574	46,786
1860	139,440	7098	15,338	8260	23,618	15,358	10797	32,927	43,401	61,677	28,904	47,270
1861	133,712	7034	15,067	7893	22,960	14,927	10415	31,927	40,204	56,770	26,333	44,308
1862	134,727	6846	14,566	7891	22,457	14,737	10615	32,464	38,801	54,405	25,075	43,056
1863	142,934	7082	15,269	8225	23,494	15,307	11475	34,527	41,262	57,416	26,626	45,426
1864	147,914	7511	16,117	8845	24,962	16,356	11934	36,235	41,998	58,402	26,582	47,236
1865	151,742	7887	16,590	9255	25,845	17,142	12410	37,260	41,664	57,328	26,216	47,060
1866	153,658	7990	16,467	9661	26,128	17,651	12569	37,610	40,609	56,395	25,169	46,666
1867	145,570	7917	16,304	9363	25,667	17,280	12299	36,144	37,879	51,606	22,664	44,157

* In the case of mixed marriages between Protestants and Roman Catholics some couples are married twice, and are counted twice in the Registers.

Marriages.

The number of marriages during the year was 179,154; of these 138,930, or 77·5 per cent., were solemnized according to the rites of the Established Church, and 40,224, or 22·5 per cent., *not* according to the rites of the Established Church. 19,395 marriages were by licence, 112,533 after banns, and 3,981 on superintendent registrar's certificate, while in 3004 instances the clergy omitted to state under which head the marriage should be recorded. 7918 marriages took place in Roman Catholic chapels, and 16,865 in the registered places of other Christian denominations, and 15,058 in the offices of Superintendent Registrars. There were 68 marriages among Quakers and 315 among Jews, both showing an increase on the preceding year.

Compared with 1866 there is a decline in the marriage rate to the extent of one person married in every 1000 of the population, the proportions being 17·70 per 1000 in 1866 and 16·72 in 1867, the diminished tendency to marry thus reflecting the continued and severe commercial depression, which commenced in 1866, combined with the increased cost of the chief articles of food.

Of the bachelors who married 145,570 were united to spinsters and 7917 to widows, while 16,304 widowers contracted marriage with spinsters and 9363 allied themselves to widows.

33 persons, 22 men and 11 women, were married after having been previously divorced; 21 of the divorced men married spinsters and one divorced man married a widow, 6 divorced women were married to bachelors and 5 divorced women were married to widowers; these numbers show an increase over the previous year, when 23 divorced persons were married.

Buildings registered for Marriages.—Of the 5780 buildings for the solemnization of marriages, which were on the register at the end of the year 1867, 1710 belonged to Independents, 1188 to Baptists, 1400 to the various orders of Wesleyan Methodists, of which 824 were of the original connection; 639 belonged to Roman Catholics, 290 to Calvinistic Methodists, and 173 to Presbyterians.

Table 4.—To every 1,000 **unmarried Males** living, and every 1,000 **unmarried Females** living, in **England** and **Wales**, the proportion who **married** at **each Age** in the **Year 1867.**

AGES.	To 1,000 living UNMARRIED the	
	Number of MALES MARRIED in 1867.	Number of FEMALES MARRIED in 1867.
15 - -	—	·24
16 - -	·04	2·24
17 - -	·50	11·51
18 - -	5·34	42·18
19 - -	22·98	76·69
20–25 - -	118·57	134·81
25–30 - -	147·63	100·91
30–35 - -	109·81	60·77
35–40 - -	80·99	42·17
40–45 - -	63·77	31·32
45–50 - -	43·14	22·48
50–55 - -	31·89	12·41
55–60 - -	23·00	6·88
60–65 - -	16·50	3·97
65–70 - -	9·24	·97
70–75 - -	5·07	·38
75–80 - -	1·66	·06
80–85 - -	·61	—

Note.—The Table may be read thus:—To 1,000 unmarried men living in England and Wales at the age 25 and under 30 years, 147·63 married in the year 1867; and to 1,000 unmarried women living at the same age—25 and under 30 years—100·91 married in the year 1867, and so on for other ages. The persons marrying without stating their ages have been distributed proportionally over all the ages in the Table.

Exclusive of churches 16,545 places of meeting for public worship in England and Wales were on the register on 31st December 1867; it is an increase of 566 during the year.

Re-marriages.—The number of widowers and widows who married was 25,667 and 17,280 respectively.

Marriages of Minors.—Of persons under the age of 21 years who contracted marriage during the year 12,299 were men and 36,144 were women. Thus in every 100 alliances 6·87 males and 20·17 females were legally infants at the time of marriage. These proportions reach a maximum in Bedfordshire, where 15 males and 27 females in every 100 were under age when married; Staffordshire, Leicestershire, Buckinghamshire, Hertfordshire, Northamptonshire, and Nottinghamshire furnish the next high proportions.

Ages of Persons married.—The total number of marriages solemnized in the year 1867 was 179,154, and the precise ages of both parties were returned in 119,173 instances. In the other 59,981 cases the column of the register in which the age should be recorded is filled in by the officiating minister or registrar of marriages with the words "of full age," "minor," "under age," as the case may be, thus losing the additional means of identification afforded by a precise statement of the age of persons at the time of marriage. The ages of the husbands in combination with the ages of their wives are shown in a series of tables which will be studied with interest. (pp. 26 and 27.)

Ten men aged 80 and under 85 were married, two of them to women between the ages 25 and 30, four to women between the ages 35 and 60, and four of the brides were aged 65 and upwards.

The mean age of the persons who married in 1867, including those re-marrying, was 28·0 years for the men and 25·8 years for the women. Excluding the widowers and widows the mean age of those contracting marriage for the first time was 25·8 years for the bachelors and 24·5 for the spinsters who married in the year.

TABLE 5.—**Marriages** in **England**. The Proportion per Cent. of **Minors** of each Sex, of Males and Females who **signed the Register with Marks**, and of Persons who were **Widowers** or **Widows**, in each **Year** from **1841** to **1867**.

Years ended 31st December	To 100 Marriages.								
	The Proportion under 21 Years of Age.			The Proportion who signed the Marriage Register with Marks.			The Proportion who were		
	Males.	Females.	Mean.	Males.	Females.	Mean.	Widowers.	Widows.	Mean.
1841 –	4·38	13·29	8·83	32·7	48·8	40·8	*12·20	*8·99	*10·95
1842 –	4·53	13·47	9·00	32·0	47·9	40·0	13·14	8·90	11·02
1843 –	4·45	13·25	8·85	32·7	49·0	40·9	13·17	8·73	10·95
1844 –	4·17	13·16	8·67	32·4	49·2	40·8	12·81	8·46	10·63
1845 –	4·37	13·48	8·93	33·2	49·6	41·4	12·64	8·60	10·62
1846 –	4·33	13·73	9·03	32·6	48·2	40·4	12·59	8·33	10·46
1847 –	4·09	13·34	8·72	31·2	45·5	38·4	12·93	8·54	10·74
1848 –	4·41	14·06	9·24	31·2	45·4	38·3	13·76	8·86	11·31
1849 –	4·69	14·88	9·79	31·0	45·9	38·5	13·85	8·88	11·37
1850 –	4·88	15·13	10·01	31·1	46·2	38·7	14·49	9·27	11·88
1851 –	5·02	15·75	10·39	30·8	45·3	38·1	13·98	9·00	11·49
1852 –	5·39	16·99	11·19	30·5	44·6	37·6	13·49	8·86	11·18
1853 –	5·55	17·76	11·66	30·4	43·9	37·2	13·59	8·97	11·28
1854 –	5·77	18·03	11·90	30·0	42·7	36·4	13·62	9·01	11·32
1855 –	5·51	17·89	11·70	29·5	41·2	35·4	14·42	9·49	11·96
1856 –	5·72	18·34	12·03	28·8	40·2	34·5	13·94	9·36	11·65
1857 –	5·58	18·10	11·84	27·7	38·8	33·3	13·75	9·11	11·43
1858 –	5·86	18·37	12·12	27·0	37·6	32·3	14·22	9·20	11·71
1859 –	6·20	19·10	12·65	26·7	37·6	32·2	14·10	9·07	11·59
1860 –	6·35	19·35	12·85	25·5	36·2	30·9	13·88	9·03	11·46
1861 –	6·36	19·50	12·93	24·6	34·7	29·7	14·03	9·12	11·58
1862 –	6·47	19·79	13·13	23·7	33·2	28·5	13·69	8·98	11·34
1863 –	6·61	19·90	13·26	23·8	33·1	28·5	13·54	8·82	11·18
1864 –	6·62	20·09	13·36	23·3	32·4	27·9	13·84	9·07	11·46
1865 –	6·69	20·08	13·39	22·5	31·2	26·9	13·93	9·24	11·59
1866 –	6·69	20·03	13·36	21·6	30·0	25·8	13·91	9·40	11·66
1867 –	6·87	20·17	13·52	21·1	28·8	25·0	14·33	9·65	11·99

* The proportion of Widowers and Widows in the Year 1841 is for the September and December quarters only.

Of every 1000 unmarried men of the ages 20 and under 25 living in 1867, there were 118·6 who married during the year; of 1000 unmarried women of the same ages living 134·8 became wives; in the next quinquennial period of age (25–30) 147·6 per 1000 unmarried men and 100·9 unmarried women contracted marriage in the year; in each succeeding

---

TABLE 6.—**Proportional Number** of **Persons Married** in the several **Counties** of **England** during the **Year 1867**; of Persons who **signed their Names**; of Persons not of **full Age**; and of the **Re-marriages** of **Widowers** and **Widows.**

No.	REGISTRATION COUNTIES.	Persons married to 1,000 persons living.	Signed their Names in Writing.		Persons not of full Age.		Re-marriages.	
							Widowers.	Widows.
			Of 100 Men Married.	Of 100 Women Married.	In 100 Men Married.	In 100 Women Married.	In 100 Men Married.	In 100 Women Married.
	ENGLAND	16·72	78·9	71·2	6·87	20·17	14·33	9·65
	I.—LONDON	20·56	90·7	85·5	3·51	14·83	14·24	9·86
	II.—SOUTH EASTERN COUNTIES.							
1	Surrey (*extra-metropolitan*)	13·46	84·0	88·4	3·16	16·07	10·93	7·90
2	Kent (*extra-metropolitan*)	15·18	81·1	82·1	5·49	23·69	11·99	9·67
3	Sussex	15·98	82·2	86·7	6·83	19·19	13·09	8·58
4	Hampshire	16·12	83·8	83·8	4·64	20·79	12·65	10·18
5	Berkshire	14·84	76·5	81·8	5·37	15·92	14·30	9·84
	III.—SOUTH MIDLAND COUNTIES.							
6	Middlesex (*extra-metropolitan*)	11·02	84·1	86·3	4·42	16·42	11·44	7·97
7	Hertfordshire	13·20	68·0	73·9	10·04	24·64	10·55	6·41
8	Buckinghamshire	14·24	73·3	72·9	11·16	21·67	13·53	8·04
9	Oxfordshire	13·80	77·0	80·5	5·57	17·13	13·00	8·78
10	Northamptonshire	13·90	78·2	76·6	10·89	22·54	12·90	6·86
11	Huntingdonshire	13·86	69·9	75·3	9·63	27·90	14·32	7·16
12	Bedfordshire	15·64	67·2	60·6	15·47	26·83	12·43	5·90
13	Cambridgeshire	15·88	69·9	72·2	8·47	24·91	12·85	7·39
	IV.—EASTERN COUNTIES.							
14	Essex	12·16	71·1	78·2	7·04	25·58	12·91	9·37
15	Suffolk	14·20	67·0	76·4	8·83	21·46	14·14	8·25
16	Norfolk	14·62	68·8	73·1	9·07	19·63	14·75	8·49
	V.—SOUTH WESTERN COUNTIES.							
17	Wiltshire	13·86	73·7	78·7	8·10	17·77	14·84	8·98
18	Dorsetshire	14·04	75·5	80·5	7·86	18·52	12·30	7·47
19	Devonshire	15·72	82·7	78·6	6·05	16·81	12·88	8·48
20	Cornwall	11·76	74·2	67·1	7·09	18·40	12·27	7·37
21	Somersetshire	13·98	75·3	76·4	7·90	16·66	15·33	8·36
	VI.—WEST MIDLAND COUNTIES.							
22	Gloucestershire	17·68	80·6	78·7	7·80	17·75	15·63	8·86
23	Herefordshire	11·90	68·8	75·1	3·82	16·47	14·26	9·71
24	Shropshire	12·40	69·9	68·4	3·81	12·31	14·63	9·52
25	Staffordshire	15·78	64·8	55·3	11·09	29·71	13·90	11·27
26	Worcestershire	14·82	73·9	70·1	8·64	21·64	12·96	7·97
27	Warwickshire	15·00	76·5	71·4	8·31	22·41	14·94	9·61
	VII.—NORTH MIDLAND COUNTIES.							
28	Leicestershire	18·22	78·6	71·7	12·51	23·45	14·39	7·89
29	Rutlandshire	14·24	79·0	87·4	1·80	10·78	17·37	6·59
30	Lincolnshire	15·58	78·6	79·6	4·68	16·68	14·41	8·31
31	Nottinghamshire	16·04	74·9	66·8	10·34	23·18	16·02	9·11
32	Derbyshire	15·34	79·6	72·8	7·99	22·18	15·49	8·80
	VIII.—NORTH WESTERN COUNTIES.							
33	Cheshire	16·00	79·7	66·1	5·60	16·47	17·26	9·69
34	Lancashire	19·04	76·8	56·0	8·45	21·10	15·75	11·11
	IX.—YORKSHIRE.							
35	West Riding	18·64	78·6	62·3	8·69	25·59	15·52	10·26
36	East Riding (with York)	18·90	83·1	76·2	5·62	23·13	14·69	10·12
37	North Riding	14·54	84·0	79·2	3·81	19·84	13·61	8·23
	X.—NORTHERN COUNTIES.							
38	Durham	15·96	75·9	63·3	7·45	30·64	12·95	11·51
39	Northumberland	18·16	84·3	74·4	4·52	17·97	12·61	9·05
40	Cumberland	15·00	82·7	70·8	4·76	16·87	11·91	9·34
41	Westmorland	11·38	89·1	85·2	3·63	13·41	11·73	6·15
	XI.—MONMOUTHSHIRE AND WALES.							
42	Monmouthshire	16·60	63·1	57·1	7·35	23·93	13·23	11·46
43	South Wales	15·80	69·1	51·9	6·71	17·95	14·44	9·32
44	North Wales	14·10	68·4	57·6	4·39	12·39	15·14	9·71

The Table may be read thus by omitting the decimal points:—In England, among every 100,000 persons living 1,672 persons were married; of 1,000 men married 789, of 1,000 women 712, signed the marriage register by writing their names; of 10,000 men married 687 were not of full age, of 10,000 women married 2017 were not of full age; of 10,000 men married 1433 were Widowers, of the same number of women married 965 were Widows.

quinquennial age the proportions decrease more rapidly in the case of females; at the ages 30–35 the numbers were 109·8 per 1000 males and 60·8 females, at ages 35–40 there were 81·0 males and 42·2 females, at ages 40–45 there were 63·8 males and 31·3 females. The probability of unmarried women of these last ages marrying during the year is about half that of the unmarried men. At the quinquennial periods of age after 45 the proportion per 1000 of bachelors who became husbands decreased as follows: 43·1, 31·9, 23·0, 16·5, 9·2, 5·1; and 1·7 at the advanced ages 75 and under 80. The chances of the spinsters becoming wives during the year diminished more rapidly at the same periods of age, the proportions per 1000 being respectively 22·5, 12·4, 6·9, 4·0, 1·0, ·4, and ·1 at the extreme ages 75 and under 80.

Signature of Marriage Registers.—37,879, or 21·1 per cent., of the men and 51,606, or 28·8 per cent., of the women who married during the year 1867 signed the marriage register with marks. These proportions show that a continuous though slow progress in elementary education is made, and they furnish a favourable contrast with educational acquirement 21 years ago, when 32·6 per cent. of the men and 48·2 of the women who married were unable to write their names. As might be expected, London shows the highest proportion of those able to attach their signature to the register of marriage, 90·7 men and 85·5 women in every 100 having signed their names. In Westmorland the proportions were respectively 89·1 and 85·2, in Surrey 84·0 and 88·4, in Middlesex 84·1 and 86·3, in Northumberland 84·3 and 74·4, and in Hampshire, where the brides and bridegrooms wrote their names in exactly equal proportions, 83·8 per cent. The lowest amount of education as tested by signatures presents itself in Staffordshire, where only 64·8 in 100 males, and 55·3 in 100 females who married were able to sign their names; in Monmouthshire only 63·1 per cent. of males and 57·1 of females; in Bedfordshire the proportions were

---

TABLE **7.**—**Number** and **Annual Rate per 1000 living** of **Marriages** in **England** in each **Quarter** of the Years **1838-67.**

YEARS.	MARRIAGES REGISTERED. In the Quarters ending the last day of				ANNUAL MARRIAGE RATE. In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 –	23,201	29,801	27,764	37,301	6·18	7·83	7·19	9·63
1839 –	24,679	31,339	29,887	37,261	6·49	8·12	7·64	9·49
1840 –	26,395	30,786	29,221	36,268	6·77	7·87	7·37	9·11
1841 –	24,447	32,551	29,397	36,101	6·26	8·22	7·31	8·95
1842 –	25,860	30,048	27,288	35,629	6·54	7·49	6·71	8·74
1843 –	25,285	31,113	28,847	38,573	6·32	7·67	7·01	9·34
1844 –	26,387	34,268	31,675	39,919	6·44	8·34	7·60	9·55
1845 –	29,551	35,300	35,003	43,889	7·21	8·49	8·30	10·38
1846 –	31,417	37,111	35,070	42,066	7·57	8·82	8·22	9·83
1847 –	27,480	35,197	32,439	40,729	6·55	8·26	7·51	9·40
1848 –	28,398	34,721	32,995	42,116	6·61	8·05	7·55	9·61
1849 –	23,429	35,844	33,874	43,736	6·61	8·22	7·66	9·86
1850 –	30,567	39,204	37,636	45,337	7·02	8·88	8·40	10·10
1851 –	32,724	38,635	37,316	45,531	7·41	8·63	8·22	10·00
1852 –	32,977	40,092	38,400	47,313	7·30	8·85	8·36	10·27
1853 –	35,149	40,446	39,899	49,026	7·78	8·83	8·59	10·52
1854 –	33,234	40,518	38,182	47,793	7·27	8·74	8·13	10·14
1855 –	29,186	38,549	37,308	47,070	6·31	8·22	7·85	9·88
1856 –	33,427	38,820	39,089	48,001	7·07	8·19	8·13	9·96
1857 –	33,321	41,267	38,669	45,840	7·05	8·61	7·96	9·40
1858 –	29,918	39,890	38,599	47,663	6·26	8·23	7·85	9·67
1859 –	35,382	42,042	39,803	50,496	7·32	8·58	8·01	10·13
1860 –	35,150	43,777	40,541	50,688	7·11	8·83	8·07	10·06
1861 –	33,274	42,012	39,884	48,536	6·73	8·39	7·85	9·53
1862 –	33,953	40,853	40,600	48,624	6·80	8·07	7·91	9·45
1863 –	35,528	44,146	41,932	51,904	7·04	8·63	8·08	9·98
1864 –	37,988	44,599	44,675	53,125	7·36	8·62	8·52	10·11
1865 –	36,807	45,827	45,852	56,988	7·14	8·77	8·66	10·73
1866 –	37,579	48,577	46,257	55,363	7·21	9·20	8·64	10·32
1867 –	36,441	45,589	44,086	53,038	6·92	8·54	8·15	9·78
Mean Annual Rate per 1000 in each quarter – –					6·89	8·41	7·92	9·80

67·2 and 60·6 per cent. respectively, in Suffolk 67·0 and 76·4, in North Wales 68·4 and 57·6, in Hertfordshire 68·0 and 73·9, in Norfolk 68·8

TABLE 8.—Showing the **Number** of **Buildings registered** for the **Solemnization** of **Marriages**, and on the Register on **31st December 1867.**

	ENGLAND: DIVISIONS AND REGISTRATION COUNTIES.	TOTAL.	PRESBYTERIANS.			Independents.	Baptists.	United Brethren or Moravians.	Roman Catholics.	Unitarians.	WESLEYAN METHODISTS.						CALVINISTIC METHODISTS.		New Jerusalem Church.	Catholic and Apostolic Church.	All others.
			Church of Scotland.	United Presbyterians.	Presbyterian Church in England.						Original Connexion.	New Connexion.	Primitive Methodists.	Bible Christians.	Wesl. Meth. Asso. and Wesl. Reformers, generally forming the United Meth. Free Ch.	Other Wesleyan Methodists.	Calvinistic Methodists.	Countess of Huntingdon's Connexion.			
	ENGLAND - -	5780	19	74	80	1716	1188	17	639	171	824	86	249	42	187	12	251	39	23	18	151
	DIVISIONS.																				
1	LONDON - - - - -	394	3	8	10	124	81	2	52	10	41	1	5	-	8	-	3	2	3	6	35
2	SOUTH EASTERN COUNTIES -	470	2	1	4	170	105	-	55	16	67	-	11	9	4	-	-	11	1	3	11
3	SOUTH MIDLAND COUNTIES -	432	-	-	-	145	165	3	29	4	59	-	9	-	5	-	-	3	-	2	8
4	EASTERN COUNTIES - -	323	-	-	-	119	93	-	24	7	36	1	18	-	8	1	-	1	1	-	14
5	SOUTH WESTERN COUNTIES -	601	-	-	2	181	122	3	36	27	116	2	22	32	25	-	1	2	1	1	28
6	WEST MIDLAND COUNTIES -	601	-	1	9	161	118	3	95	18	98	16	37	1	11	-	3	14	1	3	12
7	NORTH MIDLAND COUNTIES -	361	-	-	-	87	90	-	30	11	70	8	32	-	24	-	-	1	1	1	6
8	NORTH WESTERN COUNTIES -	793	5	13	19	188	85	3	170	44	113	25	34	-	37	9	10	4	11	1	22
9	YORKSHIRE - - - -	562	-	3	3	154	69	2	58	18	126	24	47	-	45	2	-	-	3	1	7
10	NORTHERN COUNTIES - -	324	9	48	32	49	17	1	58	4	47	8	28	-	18	-	-	-	1	-	4
11	MONMOUTHSHIRE AND WALES	919	-	-	1	332	243	-	32	12	51	1	6	-	2	-	234	1	-	-	4
	I.—LONDON.																				
	Middlesex (*part of*) - -	273	3	7	7	83	47	2	39	8	30	-	4	-	6	-	3	2	3	5	29
	Surrey (*part of*) - - -	83	-	1	1	20	24	-	9	2	7	1	1	-	2	-	-	-	-	1	5
	Kent (*part of*) - - -	38	-	-	2	12	10	-	4	-	4	-	-	-	-	-	-	-	-	-	1
	II.—SOUTH EASTERN COUNTIES.																				
1	Surrey (*extra-metropolitan*) -	54	-	-	-	28	7	-	10	1	4	-	-	-	1	-	-	1	-	-	2
2	Kent (*extra-metropolitan*) -	140	1	-	1	43	36	-	17	4	28	-	2	1	1	-	-	4	-	1	1
3	Sussex - - - - -	92	1	-	-	35	21	-	8	5	10	-	2	-	-	-	-	3	-	1	6
4	Hampshire - - - -	126	-	1	3	48	28	-	11	4	16	-	4	6	1	-	-	1	1	1	1
5	Berkshire - - - -	58	-	-	-	16	13	-	9	2	9	-	5	-	1	-	-	2	-	-	1
	III.—SOUTH MIDLAND COUNTS.																				
6	Middlesex (*extra-metropol.*) -	52	-	-	-	21	12	-	9	-	5	-	-	-	-	-	-	1	-	1	3
7	Hertfordshire - - - -	60	-	-	-	31	17	-	3	1	6	-	-	-	-	-	-	1	-	-	1
8	Buckinghamshire - - -	49	-	-	-	19	21	-	2	-	5	-	1	-	1	-	-	-	-	-	-
9	Oxfordshire - - - -	47	-	-	-	12	14	-	9	1	7	-	2	-	2	-	-	-	-	-	-
10	Northamptonshire - - -	78	-	-	-	27	31	1	3	1	12	-	1	-	1	-	-	-	-	-	1
11	Huntingdonshire - - -	26	-	-	-	4	16	-	-	-	4	-	-	-	-	-	-	-	-	-	2
12	Bedfordshire - - - -	54	-	-	-	11	25	2	1	-	11	-	3	-	-	-	-	-	-	-	1
13	Cambridgeshire - - -	66	-	-	-	20	29	-	2	1	9	-	2	-	1	-	-	1	-	1	-
	IV.—EASTERN COUNTIES.																				
14	Essex - - - - -	110	-	-	-	56	21	-	11	-	14	-	-	-	-	-	-	-	1	-	7
15	Suffolk - - - - -	99	-	-	-	38	37	-	5	3	8	-	6	-	-	1	-	-	-	-	1
16	Norfolk - - - - -	114	-	-	-	25	35	-	8	4	14	1	12	-	8	-	-	1	-	-	6
	V.—SOUTH WESTERN COUNTIES.																				
17	Wiltshire - - - - -	97	-	-	-	34	35	-	4	2	9	-	8	-	1	-	-	-	-	-	4
18	Dorsetshire - - - -	55	-	-	-	22	4	-	8	4	11	-	6	-	-	-	-	-	-	-	-
19	Devonshire - - - -	195	-	-	2	61	41	1	9	14	32	-	1	15	5	-	1	-	-	-	13
20	Cornwall - - - - -	94	-	-	-	10	7	-	6	-	37	2	3	13	14	-	-	1	-	-	1
21	Somersetshire - - - -	160	-	-	-	54	35	2	9	7	27	-	4	4	5	-	-	1	1	1	10
	VI.—WEST MIDLAND COUNTIES.																				
22	Gloucestershire - - -	155	-	1	2	50	46	1	10	3	21	1	5	1	4	-	-	7	-	-	3
23	Herefordshire - - - -	27	-	-	-	5	6	1	2	-	3	-	8	-	-	-	-	1	-	-	1
24	Shropshire - - - -	75	-	-	-	28	10	1	10	1	7	2	11	-	1	-	2	1	-	1	-
25	Staffordshire - - - -	159	-	-	3	33	17	-	38	4	39	9	10	-	3	-	-	1	-	1	1
26	Worcestershire - - - -	65	-	-	2	12	12	-	11	5	13	3	1	-	1	-	-	3	-	-	2
27	Warwickshire - - - -	120	-	-	2	33	27	-	24	5	15	1	2	-	2	-	1	1	1	1	5
	VII.—NORTH MIDLAND COUNTS.																				
28	Leicestershire - - - -	80	-	-	-	22	31	-	8	3	10	1	2	-	1	-	-	-	-	-	2
29	Rutlandshire - - - -	8	-	-	-	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1
30	Lincolnshire - - - -	115	-	-	-	21	25	-	6	3	31	2	19	-	8	-	-	-	-	-	-
31	Nottinghamshire - - -	65	-	-	-	16	20	-	5	2	11	4	3	-	2	-	-	-	-	1	1
32	Derbyshire - - - -	93	-	-	-	25	11	-	11	3	17	1	8	-	13	-	-	1	1	-	2
	VIII.—NORTH WESTERN COS.																				
33	Cheshire - - - - -	135	-	5	3	36	11	-	19	12	22	7	6	-	7	1	4	-	-	-	2
34	Lancashire - - - -	658	5	8	16	152	74	3	151	32	91	18	28	-	30	8	6	4	11	1	20
	IX.—YORKSHIRE.																				
35	West Riding - - - -	422	-	2	2	121	59	2	36	15	88	22	26	-	40	1	-	-	3	1	4
36	East Riding (with York) -	78	-	-	-	19	7	-	10	2	19	2	13	-	2	1	-	-	-	-	3
37	North Riding - - - -	62	-	1	1	14	3	-	12	1	19	-	8	-	3	-	-	-	-	-	-
	X.—NORTHERN COUNTIES.																				
38	Durham - - - - -	132	-	15	5	19	7	-	29	2	24	7	14	-	9	-	-	-	-	-	1
39	Northumberland - - -	116	8	27	23	10	8	-	19	1	7	1	5	-	5	-	-	-	1	-	1
40	Cumberland - - - -	57	1	5	4	15	1	-	9	-	13	-	6	-	2	-	-	-	-	-	1
41	Westmorland - - - -	19	-	1	-	5	1	1	1	1	3	-	3	-	2	-	-	-	-	-	1
	XI.—MONMOUTHSH. AND WALES.																				
42	Monmouthshire - - -	118	-	-	-	36	55	-	10	-	8	-	2	-	1	-	5	-	-	-	1
43	South Wales - - - -	504	-	-	1	210	157	-	13	11	24	-	4	-	1	-	80	1	-	-	2
44	North Wales - - - -	297	-	-	-	86	31	-	9	1	19	1	-	-	-	-	149	-	-	-	1

and 73·1, and in Herefordshire 68·8 per cent. of men and 75·1 per cent. of women. The respective proportions of males and females who sign the marriage register vary considerably in different counties. Thus in Lancashire, where, of men, 76·8 per cent. wrote their names, only 56·0 women were able to sign otherwise than by a cross. In Oxfordshire, however, the brides excelled the bridegrooms, for while 77·0 per cent. of the latter wrote their names the former wrote them in the proportion of 80·5 per cent. In Cambridgeshire and several other counties the females also signed the register in greater proportion than the males.

Excepting London, Surrey, Middlesex, and Westmorland, no county in England reached the educational standard implied by the numbers writing their names in the marriage registers of Scotland, where 88·8 per cent. men and 78·0 per cent. women signed by writing in 1867.

As marriage is contracted on an average at the age of 27, the returns show the state of education among the marrying men and women of the country; and it is evident that the schools now existing will produce no effect whatever on the great mass of the youthful population above the school age, who will in the next 12 years become the fathers and mothers of the following generations. We shall endure all the evil consequences of their ignorance. They form an immense mass of the existing population. The number of men and women of the ages 15 and under 27, amounts to about 4,731,388; and allowing for their possible superiority over those who married in the last year, at least *a million* of them are not able to write their names. The number who do not write, estimated by the standard of 1867, is 1,182,849. When we consider that many who write their names can scarcely read, and know little of the elements of arithmetic, to say nothing of any other learning, it becomes a question whether the country ought not to make a strenuous effort to educate this great mass of the youthful adult population. A generation would thus be partially saved.

No existing school system provides for the instruction of adults; and they could not be taught as children; but many plans have been partially tried, and by careful adjustment might no doubt be rendered successful. The soldiers and sailors might all be taught to read and write; so may the artisans of the country. The agricultural labourer too might in some way be taught.

TABLE 9.—**Births** in the **Years 1845-67** in **England,** distinguishing the **Legitimate** and **Illegitimate,** and the Proportion of **Males born** to every 100 **Females born.**

YEARS.	BIRTHS REGISTERED.			Males born to every 100 Females born.	Males born *in Wedlock* to every 100 Females so born.	Males born *out of Wedlock* to every 100 Females so born.	Children born *out of Wedlock* to every 100 Births.
	TOTAL BIRTHS.	LEGITIMATE.	ILLEGITIMATE.				
1845	543,521	505,280	38,241	—	—	—	—
1846	572,625	534,096	38,529	—	—	—	—
1847	539,965	503,840	36,125	—	—	—	—
1848	563,059	526,312	36,747	—	—	—	—
1849	578,159	538,825	39,334	—	—	—	—
1850	593,422	553,116	40,306	—	—	—	—
1851	615,865	573,865	42,000	104·7	104·7	103·9	6·8
1852	624,012	581,530	42,482	104·6	104·6	104·8	6·8
1853	612,391	572,628	39,763	105·1	105·1	104·6	6·5
1854	634,405	593,664	40,741	104·4	104·3	106·1	6·4
1855	635,043	594,260	40,783	104·1	104·1	104·8	6·4
1856	657,453	614,802	42,651	104·2	104·3	103·1	6·5
1857	663,071	620,069	43,002	105·2	105·3	104·1	6·5
1858	655,481	612,176	43,305	104·5	104·4	106·2	6·6
1859	689,881	645,130	44,751	104·6	104·5	105·7	6·5
1860	684,048	640,355	43,693	104·7	104·8	102·9	6·4
1861	696,406	652,249	44,157	104·6	104·5	106·1	6·3
1862	712,684	667,462	45,222	104·1	104·1	103·4	6·3
1863	727,417	680,276	47,141	104·7	104·6	106·3	6·5
1864	740,275	692,827	47,448	104·2	104·2	104·4	6·4
1865	748,069	701,484	46,585	104·0	104·0	103·9	6·2
1866	753,870	708,369	45,501	104·3	104·3	104·8	6·0
1867	768,349	723,163	45,186	104·3	104·2	105·7	5·9

Births.

The births of living children have never been so numerous in any previous year; the number registered was 768,349; 392,224 were males and 376,125 were females. There were 35·85 births to every 1000 persons, or one birth to every 28 persons, living in 1867. The average since the commencement of registration is 33·64 per 1000, or one in every 30 persons living.

Table 10.—Number and Proportion of Male and Female Children born in and out of Wedlock in the several Counties of England during the Year 1867.

No.	Registration Counties.	Male Children born.	Female Children born.	Born in Wedlock. Males.	Born in Wedlock. Females.	Born out of Wedlock. Males.	Born out of Wedlock. Females.	Males born to every 100 Females born.	Males born *in Wedlock* to every 100 Females so born.	Males born *out of Wedlock* to every 100 Females so born.	Children born *out of Wedlock* to every 100 Births.
	ENGLAND	392,224	376,125	369,006	354,157	23,218	21,968	104·3	104·2	105·7	5·9
	I.—London	57,608	55,083	55,191	52,867	2417	2216	104·6	104·4	109·1	4·1
	II.—South Eastern Counties.										
1	Surrey (*extra-metropolitan*)	5237	5299	5003	5103	234	196	98·8	98·0	119·4	4·1
2	Kent (*extra-metropolitan*)	10557	10226	10060	9704	497	522	103·2	103·7	95·2	4·9
3	Sussex	6284	6063	5944	5719	340	344	103·6	103·9	98·8	5·5
4	Hampshire	8238	7663	7831	7270	407	393	107·5	107·7	103·6	5·0
5	Berkshire	3566	3317	3341	3081	225	236	107·5	108·4	95·3	6·7
	III.—South Midland Counties.										
6	Middlesex (*extra-metropolitan*)	3946	3967	3792	3811	154	156	99·5	99·5	98·7	3·9
7	Hertfordshire	3069	3081	2867	2880	202	201	99·6	99·5	100·5	6·6
8	Buckinghamshire	2729	2475	2581	2339	148	136	110·3	110·3	108·8	5·5
9	Oxfordshire	2848	2732	2666	2551	182	181	104·2	104·5	100·6	6·5
10	Northamptonshire	4340	4023	4116	3793	224	230	107·9	108·5	97·4	5·4
11	Huntingdonshire	936	903	875	847	61	56	103·7	103·3	108·9	6·4
12	Bedfordshire	2745	2639	2525	2440	220	199	104·0	103·5	110·6	7·8
13	Cambridgeshire	2998	3018	2782	2836	216	182	99·3	98·1	118·7	6·6
	IV.—Eastern Counties.										
14	Essex	6915	6747	6553	6384	362	363	102·5	102·6	99·7	5·3
15	Suffolk	5633	5511	5232	5119	401	392	102·2	102·2	102·3	7·1
16	Norfolk	6911	6720	6202	6062	709	658	102·8	102·3	107·8	10·0
	V.—South Western Counties.										
17	Wiltshire	3794	3578	3557	3349	237	229	106·0	106·2	103·5	6·3
18	Dorsetshire	2960	2964	2800	2803	160	161	99·9	99·9	99·4	5·4
19	Devonshire	9601	9224	9048	8695	553	529	104·1	104·1	104·5	5·7
20	Cornwall	5934	5645	5527	5282	407	363	105·1	104·6	112·1	6·6
21	Somersetshire	7449	7139	7040	6739	409	400	104·3	104·5	102·3	5·5
	VI.—West Midland Counties.										
22	Gloucestershire	7925	7408	7492	7021	433	387	107·0	106·7	111·9	5·3
23	Herefordshire	1639	1596	1483	1467	156	129	102·7	101·1	120·9	8·8
24	Shropshire	4313	4180	3899	3795	414	385	103·2	102·7	107·5	9·4
25	Staffordshire	17819	17136	16766	16114	1053	1022	104·0	104·0	103·0	5·9
26	Worcestershire	5728	5403	5365	5105	363	298	106·0	105·1	121·8	5·9
27	Warwickshire	11154	10859	10567	10327	587	532	102·7	102·3	110·3	5·1
	VII.—North Midland Counties.										
28	Leicestershire	4875	4641	4546	4314	329	327	105·0	105·4	100·6	6·9
29	Rutlandshire	373	361	352	329	21	32	103·3	107·0	65·6	7·2
30	Lincolnshire	6900	6593	6375	6067	525	526	104·7	105·1	99·8	7·8
31	Nottinghamshire	5913	5633	5413	5205	500	428	105·0	104·0	116·8	8·0
32	Derbyshire	5793	5628	5416	5274	377	354	102·9	102·7	106·5	6·4
	VIII.—North Western Counties.										
33	Cheshire	9008	8696	8439	8119	569	577	103·6	103·9	98·6	6·5
34	Lancashire	53050	50 07	50051	47883	2999	2884	104·5	104·5	104·0	5·7
	IX.—Yorkshire.										
35	West Riding	33825	32689	31753	30791	2072	1898	103·5	103·1	109·2	6·0
36	East Riding (with York)	5063	4833	4681	4488	382	345	104·8	104·3	110·7	7·3
37	North Riding	3934	3762	3584	3420	350	342	104·6	104·8	102·3	9·0
	X.—Northern Counties.										
38	Durham	14126	13236	13415	12533	711	703	106·7	107·0	101·1	5·2
39	Northumberland	6884	6575	6412	6110	472	465	104·7	104·9	101·5	7·0
40	Cumberland	3862	3539	3453	3126	409	413	109·1	110·5	99·0	11·1
41	Westmorland	978	911	859	817	119	94	107·4	105·1	126·6	11·3
	XI.—Monmouthshire and Wales.										
42	Monmouthshire	3887	3840	3698	3662	189	178	101·2	101·0	106·2	4·7
43	South Wales	13768	13091	12918	12300	850	791	105·2	105·0	107·5	6·1
44	North Wales	7109	6731	6536	6216	573	515	105·6	105·1	111·3	7·9

The birth-rate was highest (41·81 per 1000) in Durham; next follows the West Riding of Yorkshire (40·18); it was 39·78 in Staffordshire, 38·88 in Leicestershire, 38·19 in Lancashire, 37·72 in Monmouthshire, 37·68 in Bedfordshire, 36·59 in Northumberland, 36·56 in London, and 35·74 in Cumberland. The lowest birth-rate is shown in Herefordshire, where it reached only 28·29 per 1000 living, in Cornwall only 31·17, in Rutlandshire 31·29, in Shropshire 31·33, in Somersetshire 31·46, in Huntingdonshire 31·49, in Devonshire 31·75, and in Wiltshire 31·84 per 1000 living.

TABLE **11.**—**Number** and **Proportion** of **Male** and **Female Children** born in the several **Counties** of **England** in each of the TEN YEARS **1858–67.**

No.	REGISTRATION COUNTIES.	AVERAGE ANNUAL NUMBER of CHILDREN born in the 10 Years 1858–67.		MALES BORN TO EVERY 100 FEMALES BORN.										
		Males.	Females.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	Mean of the 10 Years 1858–67.
	ENGLAND	366,532	351,116	104·5	104·6	104·7	104·6	104·1	104·7	104·2	104·0	104·3	104·3	104·4
	I.—LONDON.	51,061	49,255	103·9	103·8	104·1	103·4	101·9	104·9	104·3	102·5	103·4	104·6	103·7
	II.—SOUTH EASTERN COUNTIES.													
1	Surrey (*extra-metropolitan*)	4,540	4,398	100·6	103·9	106·5	102·2	104·8	103·3	104·6	103·5	104·8	98·8	103·3
2	Kent (*extra-metropolitan*)	9,558	9,079	109·2	104·2	106·6	107·8	103·6	102·0	105·5	106·9	104·7	103·2	105·4
3	Sussex	5,901	5,647	105·4	103·8	103·6	106·8	105·2	104·0	104·3	104·7	103·8	103·6	104·5
4	Hampshire	7,620	7,291	104·5	104·8	104·3	104·7	103·1	102·1	105·1	104·1	105·0	107·5	104·5
5	Berkshire	3,361	3,255	100·4	103·6	104·7	100·5	103·3	99·7	101·8	106·7	104·6	107·5	103·3
	III.—SOUTH MIDLAND COUNTIES.													
6	Middlesex (*extra-metropol.*)	3,185	3,085	99·5	97·5	108·1	103·2	101·6	108·3	102·9	104·6	104·8	99·5	103·3
7	Hertfordshire	2,916	2,841	104·0	101·0	107·2	105·5	105·5	101·2	98·4	99·8	105·4	99·6	102·8
8	Buckinghamshire	2,560	2,472	97·0	107·4	105·2	104·4	100·6	103·8	101·8	102·1	102·8	110·3	103·5
9	Oxfordshire	2,928	2,775	108·9	106·3	109·9	101·1	108·5	102·7	105·2	103·8	105·0	104·2	105·6
10	Northamptonshire	4,279	4,037	101·6	106·5	107·6	104·9	111·1	103·3	103·3	107·9	106·1	107·9	106·0
11	Huntingdonshire	1,020	966	105·3	110·1	105·3	102·3	113·8	109·8	98·7	104·1	103·3	103·7	105·6
12	Bedfordshire	2,561	2,438	106·6	104·7	105·6	104·5	103·3	106·6	103·8	107·5	104·1	104·0	105·1
13	Cambridgeshire	3,096	2,966	105·5	108·8	102·5	107·4	102·7	100·7	105·4	103·7	108·1	99·3	104·4
	IV.—EASTERN COUNTIES.													
14	Essex	6,537	6,287	104·9	103·4	102·3	101·8	103·7	107·5	103·7	103·1	106·9	102·5	104·0
15	Suffolk	5,668	5,399	109·6	107·5	105·4	103·6	103·7	107·7	102·2	102·3	105·9	102·2	105·0
16	Norfolk	7,105	6,727	106·1	108·5	105·3	107·3	107·3	105·6	103·6	104·0	105·7	102·8	105·6
	V.—SOUTH WESTERN COUNTIES.													
17	Wiltshire	3,852	3,714	105·5	101·4	104·6	105·0	104·0	102·2	101·5	103·0	104·0	106·0	103·7
18	Dorsetshire	2,996	2,893	106·8	103·4	105·0	101·4	99·9	102·8	103·5	106·7	106·8	99·9	103·6
19	Devonshire	9,414	8,979	106·2	106·1	104·7	106·6	106·4	104·2	102·7	103·1	104·7	104·1	104·9
20	Cornwall	6,472	6,107	105·3	107·0	105·1	105·7	106·3	106·9	102·9	106·2	109·3	105·1	106·0
21	Somersetshire	7,313	7,047	100·7	107·2	102·4	99·9	103·4	104·7	107·3	103·1	104·8	104·3	103·8
	VI.—WEST MIDLAND COUNTIES.													
22	Gloucestershire	7,379	7,075	102·0	102·8	103·3	104·9	103·9	104·4	105·5	104·7	104·2	107·0	104·3
23	Herefordshire	1,638	1,578	106·1	100·6	105·9	104·5	103·3	108·1	98·6	103·2	105·8	102·7	103·9
24	Shropshire	4,295	4,129	105·6	107·7	107·4	106·2	102·8	102·3	104·1	105·9	103·0	103·2	104·8
25	Staffordshire	16,563	15,948	103·7	104·4	104·9	102·3	103·9	105·0	104·3	103·8	102·3	104·0	103·9
26	Worcestershire	5,366	5,137	101·0	106·3	105·1	104·8	102·8	105·3	103·8	105·4	103·7	106·0	104·4
27	Warwickshire	10,738	10,365	105·2	103·4	103·8	103·2	104·3	101·1	105·0	104·1	103·3	102·7	103·6
	VII.—NORTH MIDLAND COUNTIES.													
28	Leicestershire	4,520	4,283	105·6	109·2	104·0	107·7	107·9	102·8	106·0	104·7	103·0	105·0	105·6
29	Rutlandshire	375	363	98·7	111·3	99·5	109·8	97·0	99·5	114·6	101·3	98·9	103·3	103·4
30	Lincolnshire	6,894	6,604	104·6	105·1	102·1	106·7	106·0	103·9	104·8	104·0	102·1	104·7	104·4
31	Nottinghamshire	5,849	5,620	105·2	104·6	105·6	103·3	103·7	103·3	106·1	102·8	101·4	105·0	104·1
32	Derbyshire	5,451	5,227	105·0	101·3	105·9	104·3	109·6	106·0	101·9	104·0	102·6	102·9	104·4
	VIII.—NORTH WESTERN COUNTIES.													
33	Cheshire	8,723	8,318	108·6	104·6	101·2	104·4	105·4	108·6	104·3	104·2	104·2	103·6	104·9
34	Lancashire	48,454	46,368	104·9	104·1	105·0	105·3	103·7	103·9	104·0	104·7	105·0	104·5	104·5
	IX.—YORKSHIRE.													
35	West Riding	30,667	29,450	103·4	103·9	104·8	104·4	104·1	105·1	103·6	104·5	104·1	103·5	104·1
36	East Riding (with York)	4,937	4,727	101·0	104·4	105·8	106·7	106·3	107·6	102·1	105·3	100·7	104·8	104·5
37	North Riding	3,708	3,586	99·7	104·0	105·4	106·3	105·8	99·6	106·1	101·7	101·2	104·6	103·4
	X.—NORTHERN COUNTIES.													
38	Durham	12,385	11,757	104·8	104·8	106·7	107·0	104·8	103·6	105·3	103·7	106·4	106·7	105·4
39	Northumberland	6,539	6,203	105·5	105·1	104·3	108·2	104·4	106·6	106·5	104·1	104·9	104·7	105·4
40	Cumberland	3,622	3,447	102·5	104·7	99·4	102·5	103·8	111·8	103·8	109·4	103·6	109·1	105·1
41	Westmorland	957	909	116·0	104·4	102·4	105·4	102·8	109·1	95·9	106·3	105·3	107·4	105·6
	XI.—MONMOUTHSHIRE AND WALES.													
42	Monmouthshire	3,791	3,602	105·3	107·4	105·2	103·2	105·4	111·0	104·5	104·7	104·9	101·2	105·3
43	South Wales	12,994	12,444	106·7	104·4	103·9	103·3	102·7	105·8	105·9	101·7	104·8	105·2	104·4
44	North Wales	6,719	6,325	105·1	104·9	105·1	106·7	105·6	109·2	105·8	105·9	107·4	105·6	106·2

males were fewer than those of females, the respective proportions in each of these counties being 98·8, 99·5, 99·6, 99·3, and 99·9 males born to every 100 females born in 1867.

In conformity with mathematical theory the least variation in the results year by year is shown in those counties which contribute the greatest number of facts, and the proportions given in Table 11 should be examined in connexion with the columns showing the average annual number of births registered in each county.

In England the proportion of males born is lower than in the other parts of the Kingdom. In the year 1867 there were in Scotland 105·5, and in Ireland 106·4 males born to every 100 females born. In France, on an average of 44 years, 106 males were born to 100 females.

Seasons.—Winter is the season most prolific in births. They are usually most numerous in the quarter ending 31st March, and they then decrease in numbers during each succeeding quarter of the year. In 1867, however, a departure from the ordinary rule is observed, as the births were most numerous in the spring quarter, ending 30th June. The numbers registered in the quarterly periods were 194,763, 199,660, 190,782, and 183,144 respectively.

Taking 1000 as a quarterly unit of comparison, there were registered in the first three months of the year 1028 births, in the second quarter 1041, in the third quarter 985, and in the last three months the minimum number of 946 births.

Children born out of wedlock.—The births of 45,186 children born out of wedlock were registered in 1867 ; of these 23,218 were of males, and 21,968 of females. In every 1000 births registered in England, 59 were

---

TABLE **15.—Annual Rate of Mortality** of Males and of Females in **England, 1838–67.**

YEARS.	DEATHS.		DEATHS OF MALES TO 100 DEATHS OF FEMALES.	OF EQUAL NUMBERS LIVING, THE NUMBER OF MALE DEATHS TO EVERY 100 DEATHS OF FEMALES.
	OF MALES TO 1000 MALES LIVING.	OF FEMALES TO 1000 FEMALES LIVING.		
1838	23·42	21·46	105	109
1839	22·77	20·97	104	109
1840	23·72	22·04	103	108
1841	22·38	20·83	103	107
1842	22·39	20·98	102	107
1843	21·99	20·47	103	107
1844	22·38	20·83	103	107
1845	21·66	20·11	103	108
1846	23·90	22·21	103	108
1847	25·41	23·80	103	107
1848	23·87	22·24	103	107
1849	25·78	24·45	101	105
1850	21·42	20·13	102	106
1851	22·76	21·24	103	107
1852	23·24	21·55	103	108
1853	23·83	21·97	104	108
1854	24·41	22·67	103	108
1855	23·51	21·74	104	108
1856	21·36	19·69	104	108
1857	22·57	21·07	102	107
1858	23·90	22·33	102	107
1859	23·27	21·55	103	108
1860	22·18	20·34	104	109
1861	22·68	20·63	104	110
1862	22·49	20·49	104	110
1863	24·24	21·93	105	111
1864	25·14	22·64	105	111
1865	24·77	22·08	106	112
1866	24·96	22·34	105	112
1867	23·40	20·65	106	113
Average of 30 years, 1838–67	23·33	21·51	104	108

The Table may be read thus :—In the year 1838 to every 1000 males living there were 23·42 deaths of males ; to every 1000 females living there were 21·46 deaths of females ; and to every 100 females who died there were 105 deaths of males. The last column shows the *relative* mortality of *males* and *females;* and that out of equal *numbers living* the deaths of males were 109 to every 100 deaths of females in 1838.

illegitimate, a proportion which it is gratifying to observe is the lowest recorded since the commencement of registration. In the previous year there were 60 illegitimate births in every 1000; in 1865 there were 62, in 1864 there were 64, and in 1863 there were 65 in every 1000 births, so that a gradual improvement is perceptible year by year. The average proportions for the whole kingdom are largely exceeded in several counties; thus in Westmorland as many as 113 in 1000 children are born out

---

TABLE **16.—Annual Rate of Mortality** per 1000 in the several **Counties** of **England** during each of the **Years 1857–67.**

No.	REGISTRATION COUNTIES.	DEATHS TO 1000 PERSONS LIVING. 1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	Average Annual Rate, 1857–66.	1867.
	ENGLAND	21·80	23·09	22·39	21·24	21·63	21·47	23·05	23·86	23·39	23·61	22·55	21·98
	I.—LONDON	22·41	23·90	22·69	22·49	23·18	23·56	24·47	26·53	24·56	26·48	24·03	23·01
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	16·48	18·77	18·13	17·67	17·43	16·62	18·82	19·02	18·39	18·22	17·96	16·83
2	Kent (*extra-metropolitan*)	19·83	21·29	20·49	18·63	19·92	17·90	20·69	20·28	20·46	19·32	19·95	19·38
3	Sussex	17·43	20·70	20·58	18·81	18·19	18·28	19·37	20·51	20·78	19·24	19·39	19·37
4	Hampshire	19·89	20·67	20·36	19·02	17·96	18·75	19·65	20·42	20·73	19·74	19·72	18·52
5	Berkshire	18·69	21·32	20·43	19·72	18·92	18·76	20·44	20·86	21·14	20·41	20·07	19·71
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropolitan*)	20·09	20·01	20·47	19·98	19·81	19·26	21·62	22·44	20·36	20·86	20·49	20·06
7	Hertfordshire	19·55	19·38	19·27	19·47	18·20	17·98	20·49	22·52	20·19	18·74	19·58	19·42
8	Buckinghamshire	20·34	21·21	21·63	19·81	20·97	19·33	20·62	22·40	20·84	19·63	20·68	20·28
9	Oxfordshire	20·31	22·49	20·90	19·66	18·66	18·79	21·42	22·35	20·58	19·37	20·45	19·87
10	Northamptonshire	20·43	20·91	23·08	21·37	21·03	18·97	22·27	23·09	22·95	19·41	21·35	20·35
11	Huntingdonshire	21·08	20·50	19·78	18·67	20·33	19·92	23·32	22·33	21·73	18·59	20·63	17·81
12	Bedfordshire	21·01	19·71	20·65	20·17	19·02	18·76	21·18	24·54	22·35	21·74	20·91	21·13
13	Cambridgeshire	20·65	20·07	20·21	19·59	21·17	20·23	22·56	22·56	22·06	20·31	20·93	20·22
	IV.—EASTERN COUNTIES.												
14	Essex	20·11	20·87	20·81	18·64	19·01	19·03	21·25	21·00	19·86	20·06	20·06	18·58
15	Suffolk	20·03	21·21	20·36	19·71	20·73	18·30	22·88	20·93	20·25	18·97	20·34	19·40
16	Norfolk	21·10	23·92	20·95	21·02	22·31	20·03	21·87	22·20	22·42	20·70	21·65	19·62
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire	19·09	20·81	21·12	20·01	17·87	18·55	20·83	21·70	20·81	19·01	19·98	19·54
18	Dorsetshire	19·01	21·85	20·72	18·68	16·92	17·64	19·81	20·23	20·94	18·89	19·47	17·83
19	Devonshire	19·48	20·67	20·92	19·71	18·91	19·24	20·26	21·30	20·66	22·60	20·38	19·72
20	Cornwall	19·70	20·74	20·19	20·40	19·91	20·04	25·32	21·47	19·43	19·05	20·63	19·31
21	Somersetshire	18·48	21·53	20·33	19·63	19·21	17·57	21·14	22·33	20·60	20·16	20·15	18·91
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire	19·83	22·45	21·22	19·51	20·58	19·47	23·20	22·68	21·19	21·11	21·12	20·03
23	Herefordshire	19·49	20·85	22·12	19·12	19·09	17·90	18·70	22·35	21·34	17·45	19·84	16·50
24	Shropshire	20·03	20·84	20·87	21·12	20·92	19·11	20·62	21·10	21·43	19·67	20·57	18·41
25	Staffordshire	26·19	24·64	26·05	21·94	21·10	23·43	23·71	25·18	23·02	23·99	23·93	21·38
26	Worcestershire	20·43	20·61	22·62	18·78	18·91	18·63	20·95	22·90	19·98	19·81	20·36	18·71
27	Warwickshire	24·05	24·23	23·70	20·43	21·12	21·85	23·07	24·60	22·80	22·12	22·80	22·41
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire	22·41	24·50	22·92	19·62	21·69	20·49	25·14	23·30	23·11	21·95	22·51	23·04
29	Rutlandshire	15·33	20·46	19·56	19·09	17·69	16·45	22·51	20·46	19·52	17·82	18·89	17·65
30	Lincolnshire	18·26	21·16	21·68	19·36	19·26	18·02	20·03	20·52	21·55	19·01	19·89	19·01
31	Nottinghamshire	21·96	24·66	25·48	20·54	21·36	20·49	21·77	22·63	21·67	21·31	22·19	19·47
32	Derbyshire	21·04	23·56	22·64	21·03	21·71	19·84	20·82	21·67	21·11	21·35	21·48	20·40
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire	22·69	22·67	21·69	21·73	21·64	22·46	23·96	23·00	23·28	25·38	22·85	22·52
34	Lancashire	26·28	27·19	24·54	23·71	25·92	25·60	26·29	27·18	28·32	30·16	26·52	26·83
	IX.—YORKSHIRE.												
35	West Riding	23·68	24·91	23·96	23·60	23·21	23·64	25·73	26·56	26·67	26·84	24·88	24·43
36	East Riding (with York)	23·46	23·49	22·71	21·85	23·33	22·51	25·29	22·53	24·15	22·40	23·17	22·07
37	North Riding	19·19	19·39	21·78	20·27	20·01	20·52	21·04	20·71	20·66	20·33	20·39	20·05
	X.—NORTHERN COUNTIES.												
38	Durham	23·86	24·04	23·13	20·98	22·56	22·20	23·55	22·84	24·00	23·68	23·08	24·41
39	Northumberland	21·67	21·89	21·61	22·18	23·88	22·85	23·17	22·73	23·72	25·77	22·95	25·50
40	Cumberland	19·86	20·64	21·99	22·42	21·46	22·56	23·83	23·39	23·81	22·33	22·23	24·78
41	Westmorland	16·61	17·70	19·74	19·75	17·77	20·86	17·35	18·20	17·16	17·41	18·26	18·77
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire	21·61	24·65	24·12	20·26	21·00	21·06	21·25	26·56	23·87	22·57	22·70	21·34
43	South Wales	20·04	24·12	22·89	21·16	20·52	19·97	20·50	23·10	23·89	22·43	21·86	19·78
44	North Wales	19·38	20·26	20·47	22·25	20·98	21·89	21·71	22·14	22·07	23·65	21·48	22·02

of wedlock, in Cumberland 111, in Norfolk 100, in Shropshire 94, in the North Riding of Yorkshire 90, in Herefordshire 88, in Nottinghamshire 80, in North Wales 79, and in Lincolnshire 78 in every 1000 births. The counties having the lowest rate in 1867, were Middlesex (extra-metropolitan) 39, London and the extra-metropolitan parts of Surrey each 41, Monmouthshire 47, Kent 49, and Hampshire 50 per 1000 births.

Deaths.

In a population of 21,429,508, as estimated for the middle of the year 1867, the number of persons who died in that year, exclusive of still-born children, was 471,073. This sum of mortality was less than the amount in any previous year since 1862, and it was considerably less than that of the cholera year 1866, when the deaths rose to more than half a million. In thirty years six millions have been added to the English population, and the deaths in 1867 were more numerous than they had been in 1838 by about 130,000.

The rate of mortality was 21·98 per 1000 of the estimated population against an average annual rate of 22·55 in the ten years 1857–66; or it may be stated that the number of persons living to one who died was in the proportion of 45·5 in 1867, whereas in the preceding ten years the average annual proportion of the living was 44·3.

The extreme rates of mortality experienced in the course of thirty years occurred in 1856, when the result was as low as 20·51, and in 1849, when, under the pressure of a fierce cholera epidemic, the death-rate rose to 25·12 per 1000.

The Seasons.—The temperature of the air in its fluctuations from low to high and high to low, now steady or moderate, now fickle or extreme, produces effects on human health and sickness, which, if not more certain and striking than those caused by some other physical agents, are most of

---

Table **17.**—ENGLAND. **Mortality** per 1000 at different Ages.—**Males.***

YEARS.	AGES.—MALES.												
	All Ages.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
	MEAN OF 30 YEARS.												
1838-67	23·33	72·42	8·79	4·95	7·90	9·93	13·03	18·16	31·53	68·54	147·74	309·22	446·87
	MEANS OF 10 YEARS.												
1841-50	23·12	71·53	9·20	5·13	8·22	9·91	12·75	18·43	31·88	67·11	148·32	306·12	440·51
1851-60	23·10	73·04	8·56	4·90	7·72	9·53	12·61	17·85	30·73	66·53	146·77	303·11	437·10
	MEANS OF 5 YEARS.												
(3 Years.) 1838-40	23·30	72·31	9·61	5·24	8·35	10·24	12·98	18·45	32·50	67·56	144·07	293·81	433·80
(5 Years.) 1841-45	22·16	68·98	8·85	4·86	7·81	9·35	12·06	17·42	30·42	65·30	143·76	299·05	431·77
1846-50	24·08	74·07	9·56	5·40	8·62	10·48	13·43	19·43	33·35	68·92	152·88	313·19	449·25
1851-55	23·55	74·18	8·78	5·16	8·06	9·91	12·86	18·61	31·50	66·84	150·83	305·02	449·63
1856-60	22·66	71·89	8·33	4·64	7·37	9·15	12·36	17·08	29·97	66·21	142·71	301·20	424·56
1861-65	23·86	73·66	8·57	4·73	7·49	10·04	13·71	17·94	31·57	71·98	147·42	320·99	464·02

* For mode of reading this Table, see Note to Table 18.

Note.—The Population used in the above calculations is now deduced from the ascertained rate of increase observed in the 20 Years 1841-61.

all the subject of daily and hourly observation. The year 1867 cannot be described as generally in its course a period of warmth. June and July were cold months; the weather was changeful, with much cloud and little sunshine, and in the latter month the rain was greatly in excess. In each of the first three quarters, according to the observations at Greenwich, the mean temperature of the air did not exceed or hardly exceeded its average, and in the last quarter it fell decidedly below the standard. Eleven inches of rain fell in the third or summer quarter, an amount which is 4 inches in excess for the same period.

In the winter quarter (ending 31st March) the deaths were 134,008, in the next 112,355, in the third 108,513, and in the fourth or autumn quarter 116,197. These numbers imply the following death-rates successively, 25·5 per 1000, 21·1, 20·1, and 21·4. Out of 1000 deaths in the whole year the proportional numbers are for the first quarter 284, for the second 239, for the third and fourth quarters respectively 230 and 247. The rate of mortality in the winter and the average for the winter season were almost identical, the mean temperature at Greenwich having been

---

TABLE **18.**—ENGLAND. **Annual Rates** of **Mortality** per 1000 of **Males** at different Ages, **1838–67.**

YEARS.	DEATHS TO 1000 LIVING. AGES.—MALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
1838	23·42	70·12	8·99	5·19	8·53	10·78	13·58	19·45	34·13	70·53	148·10	298·70	456·95
1839	22·77	71·49	9·03	5·12	8·20	9·94	12·65	17·95	31·94	64·99	139·08	279·95	396·94
1840	23·72	75·33	10·82	5·42	8·32	9·99	12·70	17·95	31·43	67·15	145·04	302·78	447·52
1841	22·38	68·43	9·56	5·10	8·11	9·78	12·17	17·85	31·37	64·82	142·66	296·50	431·64
1842	22·39	70·55	9·01	5·01	7·82	9·26	11·93	17·34	30·41	65·66	145·65	294·10	431·42
1843	21·99	69·10	8·45	4·78	7·72	9·19	12·12	17·23	30·07	65·25	140·67	287·08	426·51
1844	22·38	70·00	8·98	4·73	7·62	9·33	12·17	17·52	30·50	66·65	146·19	316·44	405·89
1845	21·66	66·83	8·23	4·66	7·80	9·19	11·93	17·18	29·73	64·13	143·65	301·14	463·40
1846	23·90	77·81	8·26	5·07	8·58	10·16	12·62	18·02	31·28	66·73	150·32	321·27	491·69
1847	25·41	76·08	9·71	5·50	9·27	10·91	14·25	20·67	36·48	76·03	172·84	354·62	543·29
1848	23·87	74·18	10·44	5·30	8·57	10·18	12·95	18·66	32·65	67·22	149·54	305·52	410·95
1849	25·78	75·26	11·25	6·46	9·50	12·36	15·73	22·64	36·53	71·86	151·62	299·25	419·16
1850	21·42	67·01	8·15	4·67	7·16	8·77	11·62	17·17	29·79	62·78	140·06	285·27	381·17
Mean of 30 Years (1838–67).	23·33	72·42	8·79	4·95	7·90	9·93	13·03	18·16	31·53	68·54	147·74	309·22	446·87
1851	22·76	72·98	8·69	4·91	7·76	9·48	12·36	17·87	30·31	63·96	140·55	282·45	419·37
1852	23·24	75·00	9·08	5·22	8·02	9·72	12·32	18·07	30·56	62·89	142·03	286·59	445·39
1853	23·83	73·32	8·50	5·08	8·33	10·21	13·18	19·35	32·36	69·19	159·68	320·97	497·32
1854	24·41	77·70	9·40	5·55	8·42	10·39	13·55	19·28	31·65	66·84	149·13	290·93	414·26
1855	23·51	71·89	8·22	5·03	7·78	9·74	12·88	18·48	32·60	71·32	162·76	344·15	471·81
1856	21·36	67·53	7·22	4·56	7·36	9·04	11·89	16·44	28·79	61·63	130·99	280·92	367·01
1857	22·57	72·54	7·83	4·70	7·37	9·18	12·15	17·02	29·52	64·61	143·82	302·29	403·74
1858	23·90	76·83	10·52	5·03	7·66	9·28	12·53	17·34	30·45	67·96	146·96	317·71	477·26
1859	23·27	74·99	9·26	4·78	7·36	9·20	12·55	17·35	30·18	66·44	140·19	293·76	437·47
1860	22·18	67·58	6·83	4·14	7·12	9·05	12·70	17·25	30·91	70·42	151·59	311·33	437·32
1861	22·68	71·76	6·74	4·33	7·28	9·23	12·65	16·90	30·08	68·90	146·54	310·92	448·35
1862	22·49	69·63	7·70	4·44	7·17	9·36	12·83	17·29	30·31	67·57	140·60	298·46	365·79
1863	24·24	77·43	10·31	5·03	7·39	9·68	13·30	17·29	30·55	69·24	140·84	312·45	488·48
1864	25·14	75·35	9·93	5·03	7·80	10·75	14·93	19·01	33·85	77·56	154·13	343·40	532·46
1865	24·77	74·13	8·16	4·81	7·81	11·16	14·82	19·19	33·08	76·65	154·99	339·78	485·03
1866	24·96	73·81	7·94	4·68	7·89	11·68	15·45	19·47	32·82	78·38	154·55	342·64	487·10
1867	23·40	67·98	6·60	4·07	7·26	10·80	14·34	17·61	31·59	73·91	157·44	355·38	521·54

The Table may be read thus:—Of 1000 males living of the age 35 and under 45, 13·58 died in 1838, 12·65 in 1839, and 11·62 in 1850; the average annual rate in the 30 years, 1838–67, among the aggregate of males in this decennial period of age was 13·03.

38·9°, which is also near its average, although on three nights in the first week of January the thermometer fell to 6·6°, 7·7°, and 10·4°. In the spring the rate of mortality was below the average, the mean temperature of the period (53·5°) having been slightly in excess of its average value. In the summer mortality there was a close approximation to the average, the mean temperature having been 59·7°, and almost exactly corresponding with the average. And the mortality of autumn was under the average, although the air was cold, the mean temperature having been 42·5°, which is 2·1° below the average. The mean temperature of 1867 was 48·6°, a general result which indicates nothing unusual as regards climatic condition.

But any investigation of the laws of health and sickness, life and death, in connexion with meteorological phenomena, which is confined in its scope to *mean* temperatures, must be imperfect, and can hardly be expected to be crowned with any important results. The facts observed were entities ; they had an actual existence, and they produced actual effects ; but the mean forces derived from them exist only in the tables of the meteorologist. Two periods of equal length might be compared as regards the mean force of the wind, and two amounts might be obtained exactly equal. One of those periods, though generally marked by tranquillity of the air, might in one or two short intervals have given birth to hurricanes, and in this latter mood the noblest trees may have been uprooted, the ocean strewed with wrecks, buildings overthrown, and their inhabitants buried under them. Throughout the second period the movement of the air, undisturbed by convulsions, may have sufficed only to maintain a healthy and agreeable freshness. The character of the two periods, estimated, by total work done in each, by the anemometer, would be the same ; the facts on which it was based, and the effects produced by these on the face of nature, would be entirely different. The temperature, weight, humidity of the atmosphere, and other physical forces should not be masked under mean values, but laboriously traced throughout their course from day to day, and, if it were possible, from morning to night and from night to morning, and observed in connexion with the contemporaneous facts that relate to human life, as these also are successively

TABLE **19.**—ENGLAND. **Mortality** per 1000 at different Ages.—**Females.**

YEARS.	AGES.—FEMALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
	MEAN OF 30 YEARS.												
1838-67	21·51	62·46	8·67	5·10	8·22	10·15	12·30	15·67	28·56	57·52	135·36	283·07	432·05
	MEANS OF 10 YEARS.												
1841-50	21·61	61·35	9·10	5·33	8·53	10·63	12·79	15·89	28·22	61·34	135·06	283·76	444·45
1851-60	21·42	63·31	8·44	5·09	8·14	9·96	11·98	15·14	27·47	56·93	133·55	281·25	428·16
	MEANS OF 5 YEARS.												
(3 Years.) 1838-40	21·49	61·80	9·83	5·47	8·55	10·27	12·80	16·01	28·82	57·64	132·60	267·85	386·82
(5 Years.) 1841-45	20·64	58·78	8·86	5·00	8·17	9·95	12·11	15·04	27·04	59·43	131·23	280·19	420·45
1846-50	22·57	63·91	9·33	5·66	8·90	11·30	13·47	16·74	29·41	63·24	138·90	287·32	468·44
1851-55	21·83	64·05	8·54	5·34	8·44	10·40	12·37	15·58	27·85	58·97	136·23	283·59	440·06
1856-60	21·00	62·57	8·34	4·84	7·84	9·51	11·59	14·69	27·08	54·89	130·88	278·91	416·26
1861-65	21·55	63·80	8·33	4·79	7·76	9·65	11·72	15·67	29·92	53·08	136·32	286·65	442·52

recorded, if the sway which they exercise is to be appreciated in its full significance.

Sex.—Of the total number of deaths, viz., 471,073, those of males were 242,588, those of females 228,485. The mortality of males was 23·40 per 1000 of males living; the mortality of females was 20·65 out of a 1000 females living. The difference of results in relation to the sexes is remarkable. The mortality of the year bore more heavily on males than it did on females, for the average mortality of the former is 23·33 per 1000, that of the latter is 21·51.

To a hundred deaths of females the proportion of deaths of males was 106; the average is 104. But in the population as constituted in England the number belonging to the female sex preponderates over the number of males. If the latter had been as numerous as the former they would have supplied 113 deaths (instead of 108, the average) for every hundred deaths that occurred in females.

To persons who are accustomed to engage in biological researches it may be proposed as a question whether there can be ascertained in the climatic constitution of 1867 any adverse elements by which the male sex can be supposed to have suffered, while females were comparatively protected from their operation.

TABLE **20.**—ENGLAND. **Annual Rates** of **Mortality** per **1000** of **Females** at different Ages, **1838–67.**

YEARS.	DEATHS TO 1000 LIVING. AGES.—FEMALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
1838	21·46	60·07	8·99	5·40	8·51	10·44	13·19	16·75	30·37	58·75	135·16	265·99	370·84
1839	20·97	61·13	9·37	5·33	8·47	10·06	12·51	15·58	27·64	55·29	126·55	253·22	364·01
1840	22·04	64·20	11·14	5·69	8·68	10·32	12·71	15·71	28·45	58·87	136·08	284·35	425·62
1841	20·83	58·61	9·63	5·20	8·42	10·07	12·27	15·42	27·40	58·41	133·75	282·55	427·06
1842	20·98	60·32	9·24	5·13	8·31	10·05	12·19	15·23	27·31	60·23	130·31	284·05	402·16
1843	20·47	59·13	8·47	4·86	7·85	9·77	12·25	14·79	26·70	58·94	129·44	276·97	442·17
1844	20·83	59·06	9·00	5·04	8·11	10·07	11·97	15·18	27·43	60·76	133·67	283·56	426·17
1845	20·11	56·80	7·98	4·78	8·16	9·81	11·85	14·59	26·35	58·83	128·96	274·82	404·71
1846	22·21	67·04	8·11	5·35	8·71	10·49	12·38	15·50	27·47	61·85	136·40	302·50	506·33
1847	23·80	65·80	9·48	5·79	9·20	11·75	14·18	17·79	31·86	69·96	157·73	320·03	519·95
1848	22·24	64·19	9·95	5·68	8·79	10·91	12·98	15·81	28·29	60·96	134·76	275·47	460·30
1849	24·45	65·06	11·00	6·55	10·01	13·48	16·14	19·90	33·28	66·16	139·27	279·69	428·56
1850	20·13	57·47	8·10	4·92	7·78	9·88	11·68	14·70	26·13	57·26	126·33	258·92	427·05
Mean of 30 Years (1838–67).	21·51	62·46	8·67	5·10	8·22	10·15	12·30	15·67	28·56	57·52	135·36	283·07	432·05
1851	21·24	62·99	8·60	5·27	8·18	10·05	11·93	15·19	26·79	58·54	128·18	263·57	450·17
1852	21·55	64·41	8·77	5·39	8·37	10·32	12·09	15·08	26·53	56·58	131·64	276·23	413·48
1853	21·97	63·42	8·10	5·43	8·67	10·64	12·39	15·82	28·30	60·17	140·72	293·50	472·06
1854	22·67	67·80	9·20	5·64	8·68	11·02	13·09	16·43	28·34	58·07	132·97	269·50	421·56
1855	21·74	61·63	8·01	4·97	8·28	9·98	12·35	15·37	29·31	61·50	147·63	315·17	443·03
1856	19·69	58·85	7·32	4·55	7·59	9·33	11·33	14·03	25·12	51·19	119·77	242·66	366·92
1857	21·07	63·77	7·69	4·66	7·92	9·42	11·52	14·62	27·11	55·81	131·16	281·41	454·50
1858	22·33	67·52	10·43	5·35	8·24	9·77	11·85	14·79	27·59	57·26	137·75	296·97	458·45
1859	21·55	65·23	9·37	5·26	7·94	9·66	11·74	15·07	27·01	53·89	129·20	276·35	404·55
1860	20·34	57·46	6·91	4·39	7·50	9·39	11·53	14·96	28·56	56·28	136·51	297·14	396·90
1861	20·63	61·98	6·78	4·36	7·76	9·33	11·17	14·72	28·17	52·46	131·23	266·13	444·78
1862	20·49	60·16	7·45	4·58	7·51	9·28	11·37	14·91	28·45	52·34	129·80	271·72	397·25
1863	21·93	67·15	9·98	5·21	7·66	9·55	11·61	15·05	28·97	50·91	131·37	289·22	435·65
1864	22·64	65·37	9·53	5·13	7·95	10·11	12·24	16·77	32·35	56·52	145·40	305·78	448·51
1865	22·08	64·35	7·91	4·65	7·92	9·99	12 19	16·89	31·65	53·17	143·80	300·38	486·42
1866	22·34	64·56	7·39	4·56	7·97	10·34	12·72	17·31	32·71	53·86	146·93	306·14	420·01
1867	20·65	58·41	6·29	3·91	7·33	9·31	11·49	16·10	31·14	51·19	148·42	299·25	442·22

Locality.—The death-rates in English counties exhibit a range which is of considerable width, though necessarily less than what is shown in the comparison of town and country. Herefordshire attained the highest point of salubrity in the year, and there the rate of mortality was as low as 16·50 per 1000. Surrey in its extra-metropolitan parts was next, where the rate was 16·83 per 1000. These furnish the only instances in which the rate was lower than 17·00. Rutlandshire, Huntingdonshire, and Dorsetshire produced death-rates varying from 17·65 in the first to 17·83 in the last. London and Leicestershire experienced equal mortality, namely, 23·0 per 1000. But all the highest rates occurred in the thick populations of northern counties, where children abound, and mining, manufactures, and traffic are fertile of accidents. In Durham county and the West Riding of Yorkshire the death-rate was 24·4; in Cumberland 24·78; in Northumberland 25·5; and it culminated in Lancashire, where it was 26·83. Such differences, probably, are little, if in any degree, the effect of various clime. The people scattered at the foot of the Cheviots, and doubtless those of many rural spots in Lancashire over which the smoky veil that wraps its large towns has not been drawn, are as healthy as the populations that breathe the warmer and milder air of the southern counties.

Towns.—London and Bristol, in which the death-rate was 23 per 1000, were the healthiest of 10 large towns in 1867. In Birmingham and Sheffield the mortality was above 24; in Hull 25. In Liverpool it was nearly 30; in Newcastle-on-Tyne it was nearly 31; and in Manchester it was as high as 31·4.

Death-rates at different ages.—It was remarked above that the mortality of males exceeded the average, while that of females was below it. But this statement holds good not in the early periods of life but in the more advanced, as the following results will show. From birth to five years of age the death-rate of males was 67·98 per 1000 against a mean rate derived from the returns of 30 years (1838–67) of 72·42. The death-rate

TABLE 21.—**Proportional Number** of **Deaths** in each **Quarter** to **1000 Deaths** in the **Average Quarter** of each Year, **1838–67.**

YEARS.	NUMBER OF DEATHS IN THE AVERAGE QUARTER.	PROPORTIONAL NUMBER OF DEATHS				
		In the AVERAGE QUARTER (assumed to be 1000).	FIRST QUARTER ending March 31.	SECOND QUARTER ending June 30.	THIRD QUARTER ending Sept. 30.	FOURTH QUARTER ending Dec. 31.
1838	85,690	1000	1145	1061	850	944
1839	84,746	1000	1059	1038	900	1003
1840	89,922	1000	1100	1005	899	997
1841	85,962	1000	1152	1002	878	968
1842	87,380	1000	1102	990	942	965
1843	86,611	1000	1096	1007	887	1010
1844	89,233	1000	1132	956	893	1018
1845	87,342	1000	1198	1021	857	924
1846	97,579	1000	917	925	1042	1116
1847	105,826	1000	1131	1008	883	978
1848	99,958	1000	1201	998	877	925
1849	110,210	1000	961	927	1227	885
1850	92,249	1000	1067	1007	931	996
1851	93,849	1000	1066	1006	926	1002
1852	101,784	1000	1045	989	986	980
1853	105,274	1000	1122	1022	876	980
1854	109,476	1000	1036	940	1031	993
1855	106,426	1000	1280	1001	816	903
1856	97,627	1000	1061	1031	928	980
1857	104,954	1000	1050	955	950	1045
1858	112,414	1000	1134	955	865	1046
1859	110,195	1000	1118	961	938	983
1860	105,680	1000	1166	1054	812	968
1861	108,778	1000	1129	990	923	958
1862	109,142	1000	1133	986	839	1042
1863	118,460	1000	1095	999	942	964
1864	123,883	1000	1159	949	901	991
1865	122,727	1000	1159	946	916	979
1866	125,172	1000	1118	1029	924	929
1867	117,768	1000	1153	956	914	978

of females at the same age was 58·41 against 62·46. At the age of 5 years and under 10, males died at the rate of 6·60 per 1000, the mean rate being 8·79; and females at that of 6·29, the mean being 8·67. At the age 10–15 years the lowest mortality occurred; it was 4·07 in the male sex against the mean 4·95; and it was 3·91 in females against the mean 5·10. In the period 15–25 years the rate in males was 7·26, the mean 7·90; in females 7·33, the mean 8·22. In the period 25–35 years the rate in males was 10·80, the mean 9·93; in females 9·31, the mean 10·15. In the period 35–45 the rate in males was 14·34, the mean 13·03; in females 11·49, the mean 12·30. In the age 45–55 years the rate in males was 17·61, the mean 18·16; in females 16·10, the mean 15·67. In the period 55–65 years, the rate in males 31·59, the mean 31·53; in females 31·14, the mean 28·56. In the period 65–75, the rate in males 78·91, the mean 68·54; in females 51·19, the mean 57·52. In the period 75–85 the rate in males rose to 157·44, the mean 147·74; in females it was 148·42, the mean 135·36. In the period 85–95 years the rate in males was 355·38, the mean 309·22; in females 299·25, the mean 283·07. At the age 95 and upwards men died at the rate of 521·54, the mean 446·87; while among women the proportion was 442·22; the mean being 432·05. Thus of persons living at this extreme age nearly a half sunk under the load of years.

From these facts it appears that the mortality of males in all the above quinquennial or decennial stages of life was higher than that of females, except in the period 15–25 years.

TABLE 22.—**Number** and **Annual Rate** per 1000 living of **Deaths** in **England** during each **Quarter** of the Years **1838–67.**

YEARS.	DEATHS. In the Quarters ending the last day of				ANNUAL DEATH RATE.* In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 –	98,152	90,877	72,877	80,854	26·15	23·87	18·87	20·86
1839 –	89,740	87,969	76,280	84,995	23·59	22·80	19·49	21·64
1840 –	98,896	90,339	80,822	89,630	25·38	23·10	20·38	22·52
1841 –	99,069	86,134	75,440	83,204	25·37	21·74	18·77	20·63
1842 –	96,314	86,538	82,339	84,328	24·36	21·58	20·25	20·67
1843 –	94,926	87,234	76,792	87,493	23·73	21·49	18·66	21·19
1844 –	101,024	85,337	79,708	90,864	24·67	20·77	19·13	21·75
1845 –	104,664	89,149	74,872	80,681	25·54	21·44	17·76	19·08
1846 –	89,484	90,230	101,664	108,937	21·57	21·44	23·82	25·45
1847 –	119,672	106,718	93,435	103,479	28·50	25·06	21·63	23·89
1848 –	120,032	99,727	87,638	92,436	27·94	23·13	20·05	21·08
1849 –	105,870	102,153	135,227	97,589	24·62	23·41	30·57	21·99
1850 –	98,430	92,871	85,849	91,845	22·61	21·07	19·17	20·45
1851 –	105,359	99,458	91,499	99,080	23·87	22·22	20·16	21·76
1852 –	106,358	100,625	100,382	99,770	23·55	22·22	21·86	21·66
1853 –	118,119	107,647	92,201	103,130	26·14	23·49	19·85	22·14
1854 –	111,843	102,586	113,843	109,633	24·47	22·13	24·23	23·26
1855 –	134,542	106,493	87,646	97,022	29·10	22·72	18·44	20·36
1856 –	103,014	100,099	91,155	96,238	21·79	21·11	18·96	19·97
1857 –	108,665	100,046	100,528	110,576	22·98	20·87	20·68	22·69
1858 –	125,319	107,142	98,142	118,553	26·31	22·10	19·97	24·06
1859 –	121,580	105,631	104,216	109,354	25·15	21·55	20·97	21·95
1860 –	122,617	110,869	86,312	102,923	24·81	22·37	17·18	20·43
1861 –	121,215	107,558	101,232	105,109	24·53	21·47	19·94	20·64
1862 –	122,019	107,392	92,381	114,774	24·43	21·21	18·00	22·30
1863 –	128,096	118,121	112,504	115,116	25·38	23·08	21·69	22·13
1864 –	142,977	116,880	112,223	123,451	27·72	22·60	21·41	23·49
1865 –	140,410	115,892	113,362	121,245	27·23	22·17	21·40	22·83
1866 –	138,136	128,551	116,650	117,352	26·52	24·34	21·79	21·87
1867 –	134,008	112,355	108,513	116,197	25·46	21·06	20·06	21·43
Mean Annual Rate per 1000 in each Quarter –					25·12	22·25	20·50	21·81

* These rates may be read thus, without reference to the decimal points:—In the March quarter of the year 1838, to 100,000 of the population of England there were 2,615 deaths registered. The three months January, February, March, contain 90, in Leap year 91 days; the three months April, May, June, 91 days; each of the two last quarters of the year 92 days. For this inequality a correction has been made in the calculation.

It appears further, that amongst males the mortality was under the mean in the first four stages, to wit, up to the age of 25 years, as also at the age 45–55 years, and that it was below the mean at all other stages. On the other hand, in the female sex the rate of mortality was below the average up to the age of 45 years, and afterwards, with the exception of 65–75 years, was above it, though that excess was not so great as in males, and did not countervail the decrease in the earlier periods of life in such degree as to raise the total mortality of the female sex above its average.

The number of boys who died in the year under five years of age was 101,502, out of a total number at all ages amounting to 242,588. The proportion which these numbers imply is that of 10 to 24. The number of men who died at the age of 85 and under 95 years was 4407; that of men at still more advanced ages was 212, among whom were 17 centenarians.

The number of females who died in the year under 5 years of age was 87,096, out of a total number at all ages of 228,487. These figures exhibit a proportion of 10 to 26. The number of women who died at the age 85–95 years was 5926. The number of still greater age was 438, in which number 53 centenarians are included.

Further details relating to marriages, births, and deaths that occurred in 1867, with remarks on the sanitary condition of districts, and other matters, will be found in the summary of quarterly reports that are appended to this letter, and which were published within a month after the expiration of each quarter.

The United Kingdom.

The population of the United Kingdom estimated for the middle of the year 1867 was 30,157,473, of which, besides the 21,429,508 in England and Wales, there was 3,170,769 in Scotland and 5,557,196 in Ireland. The English marriages were 179,154, the Scotch 22,521, the Irish (corrected for defect of registration) 46,459; the total number 248,134. The births were in England 768,349, in Scotland 114,115, and in Ireland 199,252 (corrected); total number 1,081,716. The deaths were 471,073 in England, 69,024 in Scotland, and in Ireland (after correction) the number was 122,161. Total number of deaths in the three divisions 662,258.

The English people married at the rate of 16·72 to 1000 of the population; the Irish probably at the same rate; the Scotch at a rate of lower activity, 14·20.

Table **23.**—Estimated **Population, Marriages, Births,** and **Deaths** in the **United Kingdom,** in the Year **1867.**

	Area in Statute Acres.	Estimated Population in the middle of the Year 1867.	Marriages.	Persons Married.	Births.	Deaths.
United Kingdom	77,286,901	30,157,473	248,134	496,268	1,081,716	662,258
Great Britain – –	56,964,260	24,600,277	201,675	403,350	882,464	540,097
England and Wales –	37,324,883	21,429,508	179,154	358,308	768,349	471,073
Scotland – – –	19,639,377	3,170,769	22,521	45,042	114,115	69,024
Ireland – – –	20,322,641	5,557,196	46,459	92,918	199,252	122,161

Note.—The *registered* Marriages, Births, and Deaths for Ireland were 29,796, 144,318, and 93,911 respectively. By the authority of the Registrar-General of Ireland these numbers have been corrected in the above table for defective registration. It has been assumed that the marriages, births, and deaths in Ireland in the year 1867 were in the same proportion to population as the marriages, births, and deaths in England.

Births in England occurred at the rate of 35·85 per 1000 of the population; in Ireland probably at the same rate; and in Scotland at a rate slightly higher, 35·99.

The people of England died at the rate of 21·98 per 1000; the death-rate in Ireland was probably little different. In Scotland it was 21·77.

TABLE **24.—Proportion** per **1000** of **Marriages, Births,** and **Deaths** to the Population of the **United Kingdom,** in the Year **1867.**

	Acres to a Person.	To 1000 Persons Living.			
		Marriages.	Persons Married.	Births.	Deaths.
United Kingdom	2·56	8·23	16·46	35·87	21·96
Great Britain	2·32	8·20	16·40	35·87	21·95
England and Wales	1·74	8·36	16·72	35·85	21·98
Scotland	6·19	7·10	14·20	35·99	21·77
Ireland	3·66	8·36	16·72	35·85	21·98

Note.—The total area of a country, divided by its population, gives the average area to each person. The reciprocal gives the "density" of the population, or the population to each acre, square mile, or other measure.

TABLE **25.—Population, Births,** and **Deaths** in the **Islands** in the **British Seas.**

Years.	Islands in the British Seas.		Isle of Man.		Island of Jersey.		Guernsey and adjacent Islands.	
	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.
1851	4,114	3,681	1,494	1,440	1,696	1,258	924	983
1852	4,301	2,906	1,530	837	1,768	1,423	1,003	646
1853	4,010	2,741	1,439	1,008	1,676	1,091	895	642
1854	4,239	3,118	1,552	1,249	1,639	1,201	1,048	668
1855	3,871	2,873	1,397	965	1,524	1,241	960	667
1856	3,949	2,534	1,431	849	1,582	1,112	936	573
1857	3,810	2,716	1,431	931	1,424	1,154	955	631
1858	4,004	2,671	1,442	965	1,566	1,110	996	596
1859	3,953	2,947	1,575	949	1,451	1,273	927	725
1860	3,812	2,667	1,409	948	1,557	985	846	734
1861	3,962	2,662	1,541	904	1,562	1,132	859	626
1862	3,857	2,552	1,492	850	1,542	1,114	823	588
1863	4,128	2,681	1,647	944	1,676	1,135	805	602
1864	3,975	3,094	1,629	1,356*	1,543	1,166	803	572
1865	4,006	3,426	1,644	1,466*	1,604	1,240	769	720
1866	3,897	3,341	1,559	1,203*	1,611	1,486	727	652
1867	3,805	3,189	1,573	921	1,502	1,507	730	761
Population.								
Enumerated 1851	143,126		52,387		57,020		33,719	
1861	143,447		52,469		55,613		35,365	
Estimated 1867	147,811		55,000*		57,721		35,090†	
1868	148,028		55,600		58,178		34,250	
Area in Statute Acres.								
—	226,684		180,000		28,717		17,967	

Note.—The above numbers have been compiled from returns furnished to the Registrar-General by Lieutenant-Colonel J. F. Murray, Government Secretary of Jersey, Lieutenant-Colonel W. Bell, Government Secretary of Guernsey, &c., and by Mr. J. T. Clucas, Clerk to Council and Secretary to Lieutenant-Governor of the Isle of Man. The returns for Guernsey and adjacent islands are imperfect owing to certain denominations neglecting to register the births and deaths.

* The increase in the number of deaths in each of the years 1864-66 is attributable to the prevalence of fever and small-pox. The Island is visited by a considerable number of persons, and it is estimated that on 1st August 1867 there were 64,000 persons on it.

† The decrease of population in 1867 is confined to Alderney, and is attributed to the discharge of men from the Government works.

Foreign States.

In France marriages were celebrated to the number of 299,521. The proportion to the population of persons married (599,042) was 15·68 per 1000 against 16·72 in England. The French births were 1,002,621; the birth-rate 26·24 per 1000 that of England being 35·85. The French deaths were 866,366; the death-rate 22·68, while in England the mortality was 21·98 per 1000.

The population of France estimated for the middle of 1867 is 38,204,696.

The population of Italy, including Venetia, was at the same time 25,404,723. The marriages were 170,456; the births 927,396; the deaths 866,865. The proportionate results derived from these numbers are :—of persons married there were 13·44 per 1000; of births 36·51; of deaths 34·12.

The first of these results is low as compared with the English or French marriage-rate; the second is high; the third enormous.

Table **26.—Estimated Population** of **England, France,** and of **Austria, 1853** to **1867.**

Years.	England and Wales.	France.*	Austria.‡
1853	18,404,368	36,225,000	31,328,874
1854	18,616,310	35,910,496	31,493,583
1855	18,829,000	35,974,930	31,200,576
1856	19,042,412	36,039,364	31,425,385
1857	19,256,516	36,154,398	32,053,235
1858	19,471,291	36,236,322	32,361,905
1859	19,686,701	36,331,642	32,750,697
1860	19,902,713	36,522,404	33,108,529
1861	20,119,314	37,386,313†	33,399,945
1862	20,336,467	37,521,486†	33,719,823
1863	20,554,137	37,657,134†	23,078,057‡
1864	20,772,308	37,793,278†	23,317,544‡
1865	20,990,946	37,929,918†	20,876,643‡
1866	21,210,020	38,067,064†	20,835,008‡
1867	21,429,508	38,204,696†	20,986,536‡

* M. Legoyt, director of the Statistical Department of France, has favoured the Registrar General with the returns of France for the years 1853–61 and for the year 1866. The population in the four years 1862–65, and in the year 1867 has been estimated by means of the average annual rate observed between the two enumerations of 1861 and 1866.

† Including the three newly annexed departments, viz., Savoie, Savoie (Haute), and Alpes-Maritimes.

‡ Dr. Ficker, chief of the Statistical Department of Austria, has favoured the Registrar General with the returns of Austria. The population returned above includes Hungary, Croatia, Slavonia, and Transylvania from 1853 to 1862 inclusive. From 1863–67 inclusive the population of Hungary, Croatia, Slavonia, and Transylvania is excluded. From 1853 to 1864 the States of Italy are included; from 1865 to 1867 they are excluded. It is to be hoped that the Hungarians will no longer neglect the statistics of their country.

TABLE 27.—Number and Proportion per 1000 to Population of Marriages, Births, and Deaths in England, France, and in Austria, 1853–67.

(The returns relating to France are supplied by M. LEGOYT, Director of the Statistical Department of France. Those relating to Austria are supplied by DR. FICKER, Chief of the Statistical Department of Austria.)

YEARS.	NUMBER of MARRIAGES, BIRTHS, and DEATHS.			PROPORTIONS per 1000 of MARRIAGES, BIRTHS, and DEATHS to the POPULATION.		
	England.	**France.***	**Austria.†**	**England.**	**France.***	**Austria.†**
	MARRIAGES.					
1853	164,520	280,609	263,627	8·94	7·75	8·41
1854	159,727	270,896	241,799	8·58	7·54	7·68
1855	152,113	283,335	228,515	8·08	7·88	7·32
1856	159,337	284,401	295,970	8·37	7·89	9·42
1857	159,097	295,510	281,643	8·26	8·17	8·79
1858	156,070	307,056	280,558	8·02	8·47	8·67
1859	167,723	298,417	242,371	8·52	8·21	7·40
1860	170,156	288,936	289,119	8·55	7·91	8·73
1861	163,706	305,203	286,244	8·14	8·16	8·57
1862	164,030	303,514	304,188	8·07	8·09	9·02
1863	173,510	301,376	199,833†	8·44	8·00	8·67†
1864	180,387	299,579	194,837	8·68	7·93	8·36
1865	185,474	298,838	167,004	8·84	7·88	8·00
1866	187,776	301,390	141,072	8·85	7·92	6·77
1867	179,154	299,521	187,079	8·36	7·84	8·91
	PERSONS MARRIED.					
1853	329,040	561,218	527,254	17·88	15·50	16·82
1854	319,454	541,792	483,598	17·16	15·08	15·36
1855	304,226	566,670	457,030	16·16	15·76	14·64
1856	318,674	568,802	591,940	16·74	15·78	18·84
1857	318,194	591,020	563,286	16·52	16·34	17·58
1858	312,140	614,112	561,116	16·04	16·94	17·34
1859	335,446	596,834	484,742	17·04	16·42	14·80
1860	340,312	577,872	578,238	17·10	15·82	17·46
1861	327,412	610,406	572,488	16·28	16·32	17·14
1862	328,060	607,028	608,376	16·14	16·18	18·04
1863	347,020	602,752	399,666†	16·88	16·00	17·34†
1864	360,774	599,158	389,674	17·36	15·86	16·72
1865	370,948	597,676	334,008	17·68	15·76	16·00
1866	375,552	602,780	282,144	17·70	15·84	13·54
1867	358,308	599,042	374,158	16·72	15·68	17·82
	BIRTHS.					
1853	612,291	936,967	1,279,226	33·27	25·87	40·75
1854	634,405	923,461	1,208,353	34·08	25·72	38·38
1855	635,043	902,336	1,151,039	33·73	25·08	36·89
1856	657,453	952,116	1,245,330	34·53	26·42	39·63
1857	663,071	940,709	1,373,988	34·43	26·02	42·87
1858	655,481	969,343	1,364,905	33·66	26·75	42·18
1859	689,281	1,017,896	1,413,983	35·04	28·02	43·17
1860	684,043	956,875	1,342,992	34·37	26·20	40·56
1861	696,406	1,005,078	1,334,727	34·61	26·88	39·96
1862	712,684	995,167	1,358,116	35·04	26·52	40·28
1863	727,417	1,012,794	920,439†	35·39	26·90	39·88†
1864	740,275	1,005,880	942,826	35·64	26·62	40·43
1865	748,069	1,006,753	816,753	35·64	26·54	39·12
1866	753,870	994,288	817,346	35·54	26·12	44·18
1807	768,349	1,002,621	729,037	35·85	26·24	34·74
	DEATHS.					
1853	421,097	795,607	1,096,119	22·88	21·96	34·99
1854	437,905	992,779	1,177,888	23·52	27·65	37·40
1855	425,703	937,942	1,435,949	22·61	26·07	46·02
1856	390,506	837,082	1,002,068	20·51	23·23	31·89
1857	419,315	858,785	947,317	21·80	23·75	29·57
1858	449,656	874,186	1,036,148	23·09	24·12	32·02
1859	440,781	979,333	1,004,295	22·39	26·96	30·66
1860	422,721	781,635	986,928	21·24	21·40	29·81
1861	435,114	866,597	1,048,016	21·63	23·18	31·38
1862	436,566	812,978	1,043,403	21·47	21·67	30·94
1863	473,837	846,917	693,016†	23·05	22·49	31·10†
1864	495,531	860,330	703,339	23·86	22·76	30·16
1865	490,909	921,887‡	646,980	23·39	24·31‡	30·99
1866	500,689	885,559‡	846,991§	23·61	23·26‡	33·32§
1867	471,073	866,366‡	590,352	21·98	22·68‡	28·15

* The returns for France in the years 1861 to 1866 include the three newly annexed departments. The deaths of Frenchmen abroad—civil or military—are registered in the books of the commune in which was their last domicile. M. Legoyt has revised the population and the numbers of marriages, births, and deaths for the years 1853–65.

† The returns for Austria include Hungary, Croatia, Slavonia, and Transylvania from 1853 to 1862 inclusive. From 1863–67 inclusive the returns are exclusive of Hungary, Croatia, Slavonia, and Transylvania. From 1853 to 1864 the States of Italy are included; from 1865 to 1867 they are excluded. For the years 1860–62 the numbers for Hungary and its annexed territories have been estimated.

‡ In France in 1865 and 1866 cholera was prevalent.—(*M. Legoyt.*)

§ Dr. Ficker attributes the excessive mortality in the year 1866 to cholera and war.

The British Army.

His Royal Highness the General Commanding-in-Chief has favoured me with a Return which exhibits the strength and mortality of the army at home and abroad in the year now under review. At home the average strength in 1867 was 87,607 officers and men, abroad 112,728; total 200,335. In England and the Channel Islands the strength was 60,344; in Scotland 3517; in Ireland 23,746. In the total strength at home the deaths were,—of officers 49, of non-commissioned officers and men 901, representing a mortality in the former of 10·95 per 1000, and in the latter of 10·84 per 1000. In Great Britain the death-rate of officers was

---

Table **28.—Italy** (inclusive of Venetia). **Population, Numbers,** and **Proportions** per 1000 of **Marriages, Births,** and **Deaths,** and **still-born,** in each of the Years **1863** to **1867.**

(Supplied by Dr. Maestri, Chief of the Statistical Department of Italy.)

Years.	Numbers.					Proportions per 1000 to Population.			
	Estimated Population, 31st Dec.	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths.	Marriages.	Persons Married.	Births.	Deaths.
1863	24,680,974	201,225	402,450	964,137	760,164	8·17	16·34	39·06	30·78
1864	24,882,633	189,759	379,518	938,795	737,136	8·02	16·04	37·73	29·62
1865	25,097,182	226,458	452,916	961,234	746,685	9·23	18·46	38·30	29·75
1866	25,344,192	142,024*	284,048	980,200	733,190	5·37	10·74	38·67	28·93
1867	25,404,723	170,456	340,912	927,396	866,865	6·72	13·44	36·51	34·12

* The new law which in 1866 removed civil registration from the parochial authorities to the communes, caused a marked decrease in the number of Marriages. Although the decrease is generally attributable to this cause it should be stated that a large number of Marriages were contracted in the previous year, in order to evade the law which was about to come into operation. On the other hand it should not be forgotten that in 1866 many of the Marriages continued to be celebrated at church without being registered, and are consequently not taken into account in the statistical department.

Note.—Dr. Maestri, writing on the 7th December 1868, adds: "Two facts are to be observed in the Tables of 1867 — "The decrease of births and the remarkable increase of deaths. The cause of the former may possibly be found in the "dearness of provisions, produced by the failure of the harvest in many states of Europe, from the effects of which Italy "also suffered by rebound of the disaster. In respect to the increase of deaths, we perceive in that fact the influence of "cholera, from which about 117,000 persons died in 1867."

Table **29.—Spain. Population, Numbers** and **Proportions** per 1000 of **Births** and **Deaths** in each of the Years **1861** to **1867.**

(Supplied by His Excellency José Emilio de Santos, Vice-President of the Junta General de Estadistica, Madrid.)

Years.	Numbers.			Proportions per 1000 to Population.	
	Estimated Population.	Births.	Deaths.	Births.	Deaths.
1861	15,879,868	624,096	417,764	39·30	26·30
1862	16,065,124	615,919	430,663	38·33	26·80
1863	16,210,263	606,800	461,661	37·43	28·47
1864	16,340,323	629,546	499,486	38·52	30·56
1865	16,423,793	622,050	538,580	37·87	37·29
1866	16,579,090	618,981	463,634	37·33	27·96
1867	16,716,151	624,212	487,151	37·34	29·14

Note.—The Population enumerated at the Census of 1860 was 15,673,536. The estimated Population for the Years 1861-7 has been deduced from the Excess of Births over Deaths in each Year. This method of estimating the population is sanctioned by the Junta General de Estadistica.

12·55; in Ireland 6·62 per 1000. In Great Britain the death-rate of men was 12·06; in Ireland 7·54.

TABLE **30.—Annual Rate of Mortality** per 1000 in **Great Britain, England, France, Austria,** and in **Italy,** *including* the **Deaths of Soldiers at Home and Abroad, 1857** to **1867.**

YEARS.	GREAT BRITAIN.	ENGLAND and WALES.	FRANCE.	AUSTRIA.	ITALY.
1857	21·69	21·84	23·75	29·49	—
1858	22·97	23·23	24·12	31·94	—
1859	22·18	22·44	26·96	30·68	—
1860	21·42	21·27	21·40	29·82	—
1861	21·47	21·64	23·18	31·21	—
1862	21·50	21·46	21·67	30·78	—
1863	23·03	23·03	22·49	31·01	30·78
1864	23·83	23·84	22·76	31·66	29·62
1865	23·27	23·38	24·31	29·98	29·75
1866	23·45	23·58	23·26	32·07	28·93
1867	21·95	21·98	22·68	27·53	34·12

TABLE **31.—Average Strength** of the **Army at Home,** in the Year **1867.** (Furnished to the Registrar General by direction of H.R.H. the General Commanding in Chief.)

	UNITED KINGDOM.		ENGLAND, WALES, AND CHANNEL ISLANDS.		SCOTLAND.		IRELAND.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry - -	784	12,570	508	8,109	35	546	241	3,915
Infantry - -	2,707	53,145	1,723	34,357	120	2,325	864	16,463
Artillery - -	638	14,748	553	12,471	9	356	76	1,916
Engineers - -	347	2,673	310	2,313	9	117	28	243
Total - -	4,476	83,131	3,094	57,250	173	3,344	1,209	22,537

	Officers and Men.
British Army at Home in 1867 - - -	87,607
„ Abroad „ - - -	112,728
Total - -	200,335

TABLE **32.—Average Strength, Deaths,** and **Annual Rate of Mortality** per 1000 of the **Army** in the **United Kingdom** in **1867.**

	AVERAGE STRENGTH.		DEATHS.		ANNUAL RATE OF MORTALITY PER 1000.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
UNITED KINGDOM - -	4,476	83,131	49	901	10·95	10·84
Great Britain - -	3,267	60,594	41	731	12·55	12·06
Ireland - - - -	1,209	22,537	8	170	6·62	7·54

The strength of the army abroad in 1867 was 112,728 ; the deaths were 81 of officers and 2203 of men, representing a mortality of 13·33 per 1000

TABLE **33.** — **Return** showing the **Average Strength** of the **British Army Abroad** in each of the Years **1864–1867.** (Furnished to the Registrar General by the Adjutant-General by direction of H.R.H. the General Commanding in Chief.)

	1864		1865		1866		1867	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry - -	386	6,207	393	6,083	413	6,283	400	5,653
Infantry - -	4,572	98,865	4,409	92,672	4,192	85,882	4,112	82,976
Artillery - -	818	19,143	965	17,519	1,216	17,347	1,177	16,444
Engineers -	391	1,825	388	1,775	431	1,753	389	1,577
Total -	6,167	126,040	6,155	118,049	6,252	111,265	6,078	106,650

TABLE **34.** — **Number** of **Deaths** in the **British Army** during each of the Years **1864–186** (Furnished to the Registrar General by the Adjutant-General by direction of H.R.H. the General Com manding in Chief.)

Corps.	1864						1865						1866						1867					
	Great Britain.		Ireland.		Abroad.		Great Britain.		Ireland.		Abroad.		Great Britain.		Ireland.		Abroad.		Great Britain.		Ireland.		Abroad.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry and Infantry -	17	613	3	192	92	1,920	21	529	2	191	75	1,990	17	576	13	218	67	1,381	27	598	8	149	69	1,82
Artillery -	9	157	-	11	12	416	12	162	1	18	17	468	13	181	2	20	9	316	10	120	-	18	10	3
Engineers	1	13	-	1	3	50	1	22	-	-	5	23	4	11	-	1	3	26	4	13	-	3	2	
Total -	27	783	3	204	107	2,386	34	713	3	209	97	2,481	34	768	15	239	79	1,723	41	731	8	170	81	2,20

TABLE **35.** — **Annual Rate of Mortality** per 1000 amongst the OFFICERS and NON-COMMISSIONED OFFICERS and MEN in the **Army Abroad**, in each of the Years **1858–67.** (Deduced from the Strength and Deaths as given in the two preceding Tables.)

YEARS.	OFFICERS.	NON-COMMISSIONED OFFICERS and MEN.
1858	35·13	67·01
1859	21·11	33·96
1860	16·39	26·03
1861	15·74	25·67
1862	13·46	19·81
1863	15·86	16·82
1864	17·35	18·93
1865	15·76	21·02
1866	12·64	15·49
1867	13·33	20·66

in officers, and 20·66 in men. In 1865 the mortality of men abroad was 21·02; in 1866 it fell as low as 15·49 per 1000.

The deaths of the English and Welsh soldiers (officers and men) in the army abroad in 1867 may be estimated at 1298.

Births and Deaths of British Subjects at Sea.

The number of seamen reported to the Registrar-General of Seamen as having died in the merchant service in 1867 is 5283. When this is compared with the mercantile marine force, amounting to 196,340, it yields a proportionate mortality of 26·9 per 1000. The deaths from each separate

---

Table **36.—Army serving at Home and Abroad.**

	1861
Officers and Men born in England - - -	130,469
„ „ Scotland - - -	20,901
„ „ Ireland - - -	71,556
„ „ Foreign Parts -	6,635
Total - - - - - -	229,561

Table **37.—Deaths** of **Officers and Men** in the **Army Abroad,** and Estimated Numbers belonging to **Great Britain** and to **England and Wales,** in each of the Years **1858–1867.**

Years.	Deaths of Officers and Men in the Army Abroad.	Estimated Numbers in Col. 2. belonging to	
		Great Britain.	England and Wales.
1	2	3	4
1858	7,363	4,275	3,486
1859	4,150	2,409	1,965
1860	3,293	1,912	1,559
1861	3,097	2,042	1,760
1862	2,544	1,677	1,445
1863	2,209	1,457	1,255
1864	2,493	1,644	1,417
1865	2,578	1,700	1,465
1866	1,802	1,188	1,024
1867	2,284	1,506	1,298

The number of Deaths in the cols. 3 and 4 were estimated on the assumption that the soldiers abroad belonged to the different parts of the British Empire in the proportions indicated in the Table 36.

Table **38.—Austria. Annual Rate** of **Mortality** per 1,000 in the **Army** in each of the Years **1857–67.** (Dr. Ficker.)

Years.	Estimated Strength.	Deaths.	Annual Rate of Mortality per 1,000.
1857	379,374	8,646	22·79
1858	347,696	8,577	24·67
1859	527,772	16,638	31·52
1860	384,302	11,903	30·97
1861	459,300	8,763	19·08
1862	400,895	6,800	16·96
1863	467,154	5,811	12·44
1864	559,599	6,928	12·38
1865	552,148	5,261	9·53
1866	646,636	11,942	18·46
1867	615,409	4,482	7·22

disease, compiled from a return furnished by the Registrar General of Seamen, are given in page lxii.

There were 367 deaths of sailors from typhus, 214 from dysentery, 212 from cholera, 346 from yellow fever, 1808 by shipwreck, 1105 by other accidental drowning. Nearly half of the deaths of seamen occurred in the period of life 20–30 years.

Excluding seamen, soldiers, and marines, the deaths of British subjects at sea were 655. And to the same class of passengers 339 children were born.

Marine Register Book.

It is required by the Registration Act and the Passengers' Act that captains or commanding officers of British vessels should transmit to me the particulars of all births and deaths that occur at sea amongst English subjects. The entries for 1867 in the Marine Register Book which is kept by me are 114 births and 172 deaths; but the returns are far from complete.

Table 39.—Number of Births and Deaths of British* Subjects at Sea, exclusive of Soldiers, Marines, invalided Seamen from the Royal Navy, and Seamen on Ships' Articles, in the Years **1856–1867**, reported by the Captains or Commanding Officers of Vessels to the Registrar General of Seamen at the Termination of their respective Voyages in Ports of the United Kingdom.— (Furnished to the Registrar General by the Registrar General of Seamen.)

		Males.	Females.	Total.
Births at Sea	1856 (imperfect)	71	66	137
	1857	168	142	310
	1858	132	117	249
	1859	135	132	267
	1860	136	114	250
	1861	110	108	218
	1862	146	148	294
	1863	159	185	344
	1864	203	177	380
	1865	210	202	412
	1866	213	202	415
	1867	162	177	339
	Total	1,845	1,770	3,615
†Deaths at Sea	1856 (imperfect)	121	78	199
	1857	238	140	378
	1858	253	182	435
	1859	524	303	827
	1860	241	156	397
	1861	213	121	334
	1862	221	148	369
	1863	347	231	578
	1864	379	210	589
	1865	483	315	798
	1866	690	363	1,053
	1867	441	214	655
	Total	4,151	2,461	6,612

* British *subjects* are not particularly described in these returns, but foreign names have been excluded. A column headed *Place of Birth* was formerly contained in these returns, for the purpose of distinguishing passengers as British subjects or Foreigners, but in many cases it was not filled up by masters, in consequence of their inability to obtain the information after the death had taken place. British and Foreign *seamen* are distinguished.

† The deaths of soldiers, marines, and seamen from the Royal Navy, who were passengers in British Merchant Ships, were 33 in 1856, 59 in 1857, 156 in 1858, 196 in 1859, 196 in 1860, 69 in 1861, 122 in 1862, 116 in 1863, 96 in 1864, 140 in 1865, 184 in 1866, and 97 in 1867. The number is 1,464 in twelve years, which, if added to the 6,612 above, makes 8,076, the total number of deaths of British subjects at sea in 1856–67, exclusive of those of merchant seamen.

Names on the Registers, and Searches.

The names of all persons whose marriages, births, and deaths in the 30½ years (from the middle of 1837 to the end of 1867) have been recorded in the registers amounted at the end of that period to the number of 40,431,482, of which 1,597,730 were entered in the last year of the series. Respecting facts recorded of this immense accumulated list of persons enquiries are daily made at this office with the view to procure evidence of births, deaths, or marriages.

The number of searches for registers at the Central Office continued to increase during 1867. In the indexes prepared under the Registration Act 11,306 searches were made, and 9517 certificates were given; the searches for non-parochial registers were 1030, and the certificates granted 757. The total amount received in fees for searches and certificates, and paid into the Exchequer was 1,906*l.* 16*s.* 6*d.* The numerous searches for registers of births for purposes connected with the Factory Acts, being made without charge, are not included in the above.

In addition to the 11,306 searches for registers on payment of the fee of 1*s.* each under the Registration Act, 566 registers were searched for and found upon the production of copies under the hands of clergymen or registrars, making 11,872 searches in all. Of these 4756 were for registers of births, 5293 of deaths, and 1823 of marriages.

The certificates of births are applied for in the largest proportion of cases when the individuals have recently attained the age of 21 years. Thus nearly one-third of the birth searches concerned persons who were born in the five years ended in 1846, the number for that year being more than double the average of the period. The searches for births registered in the first 10½ years of the civil registration, namely, from 1st July 1837

Table 40.—**Mortality** of **Merchant Seamen at Sea,** in the 16 Years **1852-67.***

Years.	Strength.	Deaths.	Annual Rate of Mortality. To 1000 living.
1852	159,563	2,205	13·8
1853	172,525	3,276	19·0
1854	162,416	2,772	17·1
1855	168,537	3,318	19·7
1856	173,918	3,549	20·4
1857	176,387	3,444	19·5
1858	177,832	3,486	19·6
1859	172,506	3,430	19·9
1860	171,592	3,760	21·9
1861	171,957	3,580	20·8
1862	173,863	3,620	20·8
1863	184,727	3,380	18·3
1864	195,756	3,893	19·9
1865	197,643	4,600	23·3
1866	196,371	4,866	25·8
1867	196,340	5,283	26·9
In the 16 years 1852-67	2,851,933	58,462	20·5

* Deduced from a return of the number of accounts of wages and effects of seamen (exclusive of masters) dying before the termination of the voyage, received by the Registrar General of Seamen. This return does *not include seamen dying ashore in foreign parts*, whose wages and effects are delivered to the consuls or officers of the hospitals to which such men are sent; accounts of their effects are sent direct to the Board of Trade.

If a seaman dies on the passage from Sunderland to Calcutta, his death is reported at Calcutta, and his wages and effects are accounted for and transmitted home, if the vessel is not to return direct to the United Kingdom. But if a *passenger* dies on board a ship which does not return to a British port immediately, but trades for a time in foreign parts, considerable delay may occur before his death is reported. In all cases, however, the date is given, and in the accompanying tables the births and deaths are classed according to the years in which they occurred. In some passenger-ships women are employed as stewardesses, and are counted as part of the crew. They therefore form part of the strength in this Table, and if the death of a stewardess occurs in the course of a voyage, it is included in the column of Deaths.

When a ship is lost with all persons on board, the owners return the number and names of the crew, and the names of the passengers, when known, to the Registrar-General of Seamen.

to 31st December 1847, were 2588; for those registered in the next 10 years, 1499; and for those registered in the 10 years ended 31st December 1867, only 669. It appears, therefore, that until the age for apprenticeship is reached a certificate of birth is not often required.

The certificates of deaths are applied for in the largest proportion of instances where the individual has not been many years deceased. The searches for deaths registered in the first 10½ years of registration were 903; in the succeeding 10 years, 1476; and in the decenniad ended 31st December 1867 they were 2914, and of these 1862 concerned persons deceased in the five years 1863–67.

Of the 1823 marriage registers searched for 498 concerned parties married or supposed to have been married before the end of 1847; 516 had reference to the 10 years ended 1857, and the remaining 809 to the 10 years ended 1867. Many speculative searches are made with a view of discovering whether a marriage has taken place or not, and the proportion of unsuccessful searches for very recent *alleged* marriages is about one-fourth of the whole number searched for.

The following are the registers and records deposited in my custody at this Office for public use on payment of the statutory fees, viz., 1*s.* for search, and 2*s.* 6*d.* for certificate or certified extract:—

1. Registers of Births and Deaths registered in England and Wales on and after 1st July 1837.
2. Registers of Marriages registered in England and Wales on and after 1st July 1837, after solemnization in Churches of the Established Church, in registered Roman Catholic and Dissenting Places of Worship, and in District Register Offices; also of Quakers and of Jews.
3. Registers of Births and Deaths at Sea registered since 1st July 1837.

Table **41.—Aggregate Number of Names on the Registers** at the End of each Year **1837–67**; also the **Number of Searches for Registers** at the **Central Office** (exclusive of Searches in Non-parochial Registers).

Years.	Aggregate Number				Number of Searches for Registers at the Central Office.
	Of Persons married.	Of Births.	Of Deaths.	Of Names Registered.	
1837	116,958	164,116	148,701	429,775	
1838	353,092	627,903	491,461	1,472,456	
1839	599,424	1,120,477	830,445	2,550,346	Not
1840	844,754	1,622,780	1,190,132	3,657,666	known.
1841	1,089,746	2,134,938	1,533,979	4,758,663	
1842	1,327,396	2,652,677	1,883,498	5,863,571	
1843	1,575,032	3,180,002	2,229,943	6,984,977	620
1844	1,839,530	3,720,765	2,586,876	8,147,171	705
1845	2,127,016	4,264,286	2,936,242	9,327,544	744
1846	2,418,344	4,836,911	3,326,557	10,581,812	881
1847	2,690,034	5,376,876	3,749,861	11,816,771	941
1848	2,966,494	5,939,935	4,149,694	13,056,123	1,030
1849	3,250,260	6,518,094	4,590,533	14,358,887	1,162
1850	3,555,748	7,111,516	4,959,528	15,626,792	1,228
1851	3,864,160	7,727,381	5,354,924	16,946,465	1,442
1852	4,181,724	8,351,333	5,762,059	18,295,176	1,658
1853	4,510,764	8,963,784	6,183,156	19,657,704	1,676
1854	4,830,218	9,598,189	6,621,061	21,049,468	2,340
1855	5,134,444	10,233,232	7,046,764	22,414,440	2,492
1856	5,453,118	10,890,685	7,437,270	23,781,073	2,853
1857	5,771,312	11,553,756	7,857,085	25,182,153	2,965
1858	6,083,452	12,209,237	8,306,741	26,599,430	4,063
1859	6,418,898	12,899,118	8,747,522	28,065,538	5,052
1860	6,759,210	13,583,166	9,170,243	29,512,619	5,636
1861	7,086,622	14,279,572	9,605,357	30,971,551	6,133
1862	7,414,682	14,992,256	10,041,923	32,448,861	7,297
1863	7,761,702	15,713,673	10,515,760	33,997,135	7,715
1864	8,122,476	16,459,948	11,011,291	35,593,715	8,346
1865	8,493,424	17,208,017	11,502,200	37,203,641	9,016
1866	8,868,976	17,961,887	12,002,889	38,833,752	10,970
1867	9,227,284	18,730,236	12,473,962	40,431,482	11,306

Note.—The numbers registered in 1837 are for the Half Year ending December 31st.

4. Non-Parochial Registers of Baptisms or Births, Burials or Deaths, and (in a few instances) of Marriages, being the Registers or Records kept by various bodies and congregations of Nonconformists prior to the general system of registration commenced in 1837 ;—comprising amongst others the Registers kept at *Dr. Williams' Library* from 1742 ; *Bunhill Fields Burial Ground* from 1713 ; the registers of *French Protestant and other Foreign Churches* in England ; the registers of the *Society of Friends*, &c.
5. Registers of Marriages of British Subjects in Foreign Countries, pursuant to the Act 12 & 13 Vict. c. 68. [The Marriages under this Act are those solemnized since July 1849, at British Consulates abroad.]
6. Registers of Marriages in India, pursuant to 14 & 15 Vict. c. 40. [The Marriages under this Act are those solemnized since 1st January 1852, in the presence of Registrars in India ; the Marriages by Clergymen of the Church of England are not included.]
7. Register of Buildings certified to the Registrar General as Places of Religious Worship (18 & 19 Vict. c. 81.)
8. Returns of Places of Worship certified to Diocesan Registrars, Clerks of the Peace, &c. prior to 1st July 1852 (19 & 20 Vict. c. 119. s. 24.)
9. Fleet and May Fair Registers of Marriages.
10. Registers of Births and Deaths of British Subjects received from Her Majesty's Consuls and from other authorities in Foreign Countries.

Numerous applications respecting registers in the British colonial possessions being made to me, I have obtained, through the courtesy of the Secretary of State for the Colonies, information as to the arrangements for registration now in force in most of the colonial possessions, and it has appeared to be desirable to give a *précis* of the particulars in this Report.

A full Report on the Causes of Death in England, addressed to me by Dr. Farr, will be found in the Appendix, and accompanying the usual abstracts are detailed tables of considerable interest relating to the violent deaths registered during each of the last five years.

I have the honour to be,
Sir,
Your faithful servant,
GEORGE GRAHAM,
Registrar-General.

Summary of the Quarterly Reports, 1867.

First Quarter.—January, February, March.

The United Kingdom.—The Registers of the United Kingdom show that the births of 260,284 children, and the deaths of 184,445 persons of both sexes, were registered in the three months ending on March 31st.

The registered marriages of the United Kingdom in the quarter ending March 31st, 1867, were 54,589.

The death-rate of the United Kingdom differs little from that prevailing in England and Wales. The several facts concerning the other divisions of the Kingdom are set forth in the reports of the Registrar General of Scotland and the Registrar General of Ireland.

The resident population of England, Scotland, and Ireland in the middle of 1867 is estimated at about 30,157,473. The corrected death-rate of the quarter is 25·5 per 1000.

England.—The returns are on the whole satisfactory. The marriages and the births are above the average numbers. The death-rate is exactly the average of the season, but it is lower than it was in any of the three previous winters. Had it not been for the intense cold weather in January, which proved fatal to many old people, and for epidemics of whooping-cough, small-pox, and measles, the results would have been still more favourable. Cholera was only epidemic in Durham, and there it has subsided. Prices are high, and the scarcity of potatoes is likely again to give rise to scurvy unless other antiscorbutics are resorted to.

Marriages.—72,882 persons were married in the three months of January, February, and March; and thus the annual marriage-rate of the season, in which it is invariably lowest, was 13·8 per 1000, the average of the three months being 14·0. The decline of marriages in Cornwall was remarkable, and the emigration from the mining districts of that county is spoken of as an exodus. Marriages in Durham and Northumberland in the Northern Division were depressed; but the marriages in the other divisions showed little variation from the average.

Births.—The number of children born in the winter quarter (Jan., Feb., Mar.) of the present year was 194,763 against 196,753 in the winter of last year. In London the births in three March quarters (1865–7) were successively 27,824, 28,410, and 28,933, showing a constant increase. In Yorkshire they were in the same times 20,740, 20,871, and 20,477, showing a decrease.

The annual birth-rate of last quarter was 37·1 per 1000 against an average of ten winter quarters of 36·6.

By comparing the birth-rates of certain large towns it is found that the highest was in Leeds, where the rate reached 43·5 per 1000. In Glasgow it was 42·6; in Sheffield 41·8; in Liverpool 41·4; in Birmingham 40·7; in Bristol 39·8; in London 38·4; in Edinburgh 36·5.

Increase of Population.—The deaths in the March quarter were 134,008, and the births, as has been stated, were 194,763. These numbers show a balance, amounting to 60,755, which represents natural increase of population.

This result is affected by the daily flow of emigrants. Of these the total number from all ports in the United Kingdom, where emigration officers are stationed, was 26,753 in the quarter ended 31st March.

Distinguishing the emigrants in respect to origin, this number consisted of about 8000 English, 1200 Scotch, 14,000 Irish, 3000 foreigners. There went to the United States nearly 7000 English, 900 Scotch, 13,000 Irish. 2000 persons of various origin went to the Australian colonies, less than 100 to British North America.

In the March quarter of the three years 1865–6–7 the total emigration was 27,513, 39,672, and 26,753.

Prices, Pauperism, and the Weather.—Wheat rose from 56*s.* 8*d.* per quarter, its price in the last three months of 1866, to 60*s.* 7*d.* in the first quarter of the present year. Beef, as sold by the carcase at Leadenhall and Newgate Markets, was from $4\frac{3}{4}$*d.* per lb. for inferior quality to 7*d.* for superior quality. The same prices have ruled for the last six months. Mutton was decidedly cheaper than it had been for some time previously. The worse and better qualities were 5*d.* and $7\frac{1}{4}$*d.* But potatoes were very dear; the best at waterside market, Southwark, having ranged from 115*s.* to 160*s.* per ton. The mean price was 137*s.* 6*d.*; that of the March quarter in last year was 72*s.* 6*d.*

Pauperism exhibits a marked increase, as is shown in the following average numbers of persons relieved on the last day of each week in three winter quarters:—

Quarter ending 31st March.	Indoor.	Outdoor.
1865	142,329	813,371
1866	139,546	759,402
1867	147,620	832,364

The month of January opened with a severe frost which continued till the 5th, and the defect of temperature was great, particularly on the 4th. The thermometer fell to zero at many places, and below that point at others. Snow fell frequently all over the country, and in such amount that traffic by road or railway was rendered difficult, and in some places was quite suspended. This severity of weather was succeeded by a sudden thaw, and by heavy gales of wind from the west and south-west. The snow was cleared away rapidly, and its sudden melting caused rivers to overflow their banks in many parts of the country. From January 6th to 10th the average excess of daily temperature above the average was 7 degrees. On the 11th another period of frost set in and continued till January 22d, during which there were several very heavy falls of snow, especially in the northern parts of the kingdom. Cases were reported of persons who perished in the snow. The average daily deficiency of temperature on those twelve days was nearly 10 degrees. On the morning of the 23d a sudden change took place; the temperature was no less than 20 degrees higher than that of the preceding day, and a period of warmth almost unprecedented for the season commenced, which lasted for thirty-five days. The average excess of temperature during this period was 7 degrees daily, and it is necessary to go back as far as 1779 for a period of higher temperature and of equally prolonged duration. The melting of the snow and heavy falls of rain produced inundations which were extensive in some parts of Yorkshire and Lincolnshire. From February 27th to the end of March the weather, except on a few days, was cold and wintry; snow and sleet were frequent all over the country. In the first three weeks of March the average daily defect of temperature at Greenwich was nearly 7 degrees. January and March will be distinguished in meteorology for their severe frosts and snow-falls, February by its high temperature, and the whole quarter by an unusual succession of heavy gales. In February the excess of rain and the floods impeded agricultural operations, while in March vegetation was checked and growing crops damaged by the protracted wintry character of the season.

At Greenwich the mean temperature of January was 34°·2; of February 44°·7; of March 37°·7; of the quarter 38°·9. The rain-fall in the three months was 6·3 inches, which is an inch and a half above the average.

Deaths; and the State of the Public Health.—The deaths in the three months that ended in March amounted to 134,008; and the annual rate of mortality was nearly 26 per 1000 for the winter, which is now in England the most fatal of the four seasons. The death-rate was 27 in the town, 23 in the country districts. In the thirteen great towns of the United Kingdom the winter death-rate was 29. Hull had the lowest rate, 25; Newcastle-on-Tyne the highest, 37. It may be desirable to inquire into the causes of the singular insalubrity of this city of the Tyne, for which nature has done so much, and for which the municipal authorities appear to be still incapable of procuring the conditions of healthy existence. If coals are dear that is scarcely a disadvantage to Newcastle, which supplies the country with that article and obtains its artificial heat at much cheaper rates than London. The dwellings, the water supply, the drainage, the scavenging, the disinfection of the sick, the habits of the people, demand effectual measures of reform; and then Newcastle, now classed among the great towns of the kingdom, will no longer be the worst hot-bed of epidemics amongst them.

In one parish of Newcastle there are seventeen unpaved streets, together with a large number of back lanes: in the cellars or underground kitchens stood seven or eight inches of water and liquid filth; the upstairs rooms were all occupied by four and five families in each house. The Registrar of Westgate, after noticing that the mortality has been very great, says that "it would have been much worse but for the strenuous exertions of the public health committee," who collected information, and instituted house-to-house visitation.

Thirty-five persons, including 22 males and 13 females, died of cholera, 19 of diarrhœa, in the sub-district of St. Nicholas, Durham; and there the epidemic had apparently subsided at the end of the quarter.

The deaths by two terrible colliery explosions appear in the returns; the one at the Oaks Colliery, where the deaths of 320 colliers were registered, while a number not exceeding 50 still remain unregistered; at Talk-o'-the-Hill Colliery, the other raised the deaths of the district up to 155, the births remaining only 83.

In the South Eastern Division the mortality was at the rate of 22 per 1000; in the South Midland, 24. The deaths of Southampton have fallen from 330 to 216 on the last winter; and the mitigation of the heavy mortality hitherto prevailing in this important town is ascribed to the alteration of the drainage under the supervision of the sanitary committee. Diphtheria was fatal to seven persons in the Soham sub-district of Newmarket. Oxford has been much healthier than Cambridge during the quarter; the deaths having been 86 in the Oxford district, 184 in the Cambridge district. The Oxford workhouse is in Headington, but the mortality of the two districts together is at the annual rate of 21, while that of Cambridge is 28. No explanation is given of the ill-health of Cambridge. The health had improved in both places in the decenniad 1851–60; and it is very desirable that Cambridge should not be deprived of the hygienic improvements on which vigor as well as health depends. Since the epidemics of 1863 Cambridge instead of improving has retrograded.

The mortality of the Eastern Counties was at the rate of 22 in 1000, or one less than it was in the previous winter. Scarlatina had disappeared in South Yarmouth; and the decline in the mortality of Norwich is remarkable: in the three last winters the deaths there were 564, 575, and 436.

The mortality of the South-western Counties was at the rate of 24 per 1000; precisely the same as it was in the previous winter. Emigration from Cornwall is still going on, and at Redruth unusual distress has arisen from the depressed state of mining.

Eight deaths of men belonging to a Swedish brig, and 11 deaths of men belonging to a Norwegian barque, were registered in Cornwall, and may be held with others to be some set-off against the unregistered loss of English lives on foreign strands.

The mortality in the West Midland Counties was 24 (per 1000 per annum is always understood); in the North Midland Counties, 23; in both below the rates of the previous winter. Wolverhampton with the surrounding districts is healthier than it was; but it is still not out of danger, and yet we are told deprives itself of the services of a health officer.

In the North Western Division, Lancashire and Cheshire, the mortality was 29; in Yorkshire 27, still high, but not so high as in the previous winter. We have a right to expect that these great and aspiring counties will no longer remain the unhealthiest communities in the United Kingdom. The authorities know what is required, and can do it.

The two Northern Counties of Durham and Northumberland are unhealthier than they ever were; and the mortality of the winter quarter of the Northern Division was 27. The mortality has been exceptionally high in the Morpeth district during the last three months; and the deaths were 208. All the exertions of the Board of Health are required in the area over which its jurisdiction extends; and for the future no exertions should be spared to prevent the invasion of epidemics.

Wales experienced a mortality at the rate of 24 annually to 1000 living.

Second Quarter.—April, May, June.

The United Kingdom.—The Registers of the United Kingdom show that the births of 270,092 children, and the deaths of 154,053 persons of both sexes, were registered in the three months ending on June 30th. The recorded natural increase was 116,039; the emigrants were 60,876.

The registered marriages of the United Kingdom in the quarter ending June 30th, 1867, were 56,357.

The death-rate of the United Kingdom differs little from that prevailing in England and Wales. The several facts concerning the other divisions of the Kingdom are set forth in the reports of the Registrar General of Scotland and the Registrar General of Ireland.

The resident population of England, Scotland, and Ireland in the middle of 1867 is estimated at 30,157,473. The corrected death-rate of the quarter is 21·0 per 1000; the birth-rate 37·3; the marriage-rate 15·4.

England.—The spring quarter has been in every respect genial. The births exceeded the average number of the season, and the low mortality presented a striking contrast to that prevailing in the previous spring. Sanitary work was accelerated last year by the impending epidemic of Asiatic cholera, and the fruits of the efforts then made are reaped now. The marriage-rate was below the average in the winter quarter, and reflected the prevailing depression of certain classes of industry.

Marriages.—In the quarter ending 30th June the number of persons married was 90,924, or 6,122 fewer than were married in the same period of the previous year. The returns confirm previous experience, and show that times of commercial depression and higher prices of wheat and potatoes are quickly followed by a decrease in the number of persons contracting marriage. The annual rate during the quarter was 170 to ten thousand of the population, which is 1·4 less than the average of the

season, and 13·4 less than the corresponding three months of 1866, when trade disasters and the consequent diminution of employment were commencing, but had not yet influenced the marriage returns.

The tables show that each of the eleven great divisions of England contributed more or less to the deficiency of marriages, as compared with the same quarter of 1866; in the counties the numbers exhibit fluctuations, and the following even show an increase, namely, Hants, Bucks, Northampton, Bedford, Cambridge, Norfolk, Dorset, Rutland, Lincoln, and Cheshire.

Births.—199,660 living children were registered in the months of April, May, and June. The increase of births is constant, and the excess in this quarter over the numbers of the previous spring quarter was 7233. The birth-rate of the quarter was 37·4, which is the highest rate on record. The increase of births was greatest in London and in the North-western Counties.

Increase of Population.—As the births were in number 199,660, the deaths 112,355, the natural increase of the people in the quarter was 87,305, or 959 daily.

Against this increase is to be put the loss by the emigration of 16,718 persons of English origin; 11,980 to the United States, 2028 to British North America, 2142 to the Australian Colonies, and 568 to other places. The internal movements of the population of the United Kingdom are unrecorded. The spring emigration has been for the last five years stationary or declining.

Prices and the Weather.—Wheat rose in the three months from 60*s.* 7*d.* to 63*s.* 11*d.* a quarter, potatoes from 77*s.* 6*d.* a ton to 155*s.* The price of this important esculent was doubled, and its use was greatly diminished. Mutton fell from its extremely high price, but beef remained dear.

At Greenwich the mean temperature of the air in the shade was 53°·5 during the spring quarter; it was 1°·3 above the average of 96 years. Of every month the temperature was above the average; but the variations were so unusually great as to seriously affect plants of every kind. April was unsettled, windy, rainy, and warmer than usual. May, after the first few days, covered the earth with brilliant sunshine; the heat of summer filled the air, and vegetation shot out luxuriantly. Then came a great change; the sky grew cloudy, the weather cold, the nights frosty. The ground and the tender shoots of plants were frozen. Flowers were in blossom, the cuckoo, the swallow, and the nightingale had come, but it was winter weather. The young shoots of holly, ivy, walnut, beech, and even oak, were injured in many places. Strawberries and peas in flower were nipped; potatoes were damaged. At the end of May and in the beginning of June came warmth and rain, followed by cooler days to the end of the month. The hay crop was good, and was stacked in good condition. No signs of the potato disease were visible.

The rainfall at Greenwich was 6·3 inches, which is about half an inch above the average. The wind blew at a velocity of 17 miles an hour during April, 9¾ miles an hour during May and June.

Deaths; and the State of the Public Health.—112,355 deaths were registered during the three months of April, May, and June. The mortality was at the rate of 21·1 per 1000; the average death-rate of the quarter being 22.

The great towns of the country have executed a certain number of useful sanitary works. They are procuring better waters, providing drainage, adopting measures for the restoration of impurities as soil to the earth, by police measures regulating lodging-houses and dwellings; and now the towns appear to be realizing some of the results in the diminished mortality of the population. Sickness has declined. There is scarcely a

trace of the threatened cholera epidemic, which is still ravaging parts of Europe. Nothing in this country, perhaps, so well deserves the attention of the Sultan of Turkey and the Pacha of Egypt as the great fact that England, which was once ravaged by the plague that preys on the East, is free from that pestilence, and has now learnt how to disarm the terrible cholera of its malignancy.

The town districts in England contained eleven millions of people at the last census. Their average mortality in the last quarter was at the annual rate of 21 in 1000 ; in the ten corresponding quarters that preceded, the mortality was 24 in 1000. It is chiefly in the large town districts that the reduced mortality of the kingdom is observed, but in the country districts there was also a slight decline of death.

In the thirteen principal cities of the United Kingdom, containing about 6,187,764 people, the mortality was at the rate of 23 in 1000. The rates of the great cities stand thus : London 20, Bristol 21, Birmingham 20, Liverpool 26, Manchester 28, Salford 25, Sheffield 22, Leeds 25, Hull 22, Newcastle-on-Tyne 27, Edinburgh 29, Glasgow 29, Dublin 27. In health, Birmingham has had the best, Edinburgh the worst of it during the season. Even Glasgow is beat by Liverpool. In addition to her excellent water Glasgow will now get for its people the other complementary requirements of salubrity ; but Manchester in these measures as in the water supply may take the lead.

London presents a striking contrast in health to its condition in the spring quarter of last year ; the mortality now 20 was then at the rate of 25. To every five funerals in that quarter four only were performed in this quarter. Cholera at the close of the previous June had broken out in the region of the East London Water supply ; in the last June no traces remained of its malignant type.

The South Eastern was the healthiest Division ; the mortality was at the rate of 18. The Registrar of Croydon observes that the death-rate of the district was 17, of the parish 16. The preventible diseases, he says, have been at a minimum. In a few days time the town will be again in possession of a constant supply of water. The thorough ventilation of the sewers has greatly checked the appearance of fever of a low typhoid type, only one case having been registered during the quarter. This is one of the serious complications of watercloset drains ; under that system every house is put into communication with every other house, so that the zymotic volatile stuff of disease has a chance of finding its way from house to house through this artificial channel, the only barrier being in the most favourable circumstances a film of a few inches of water. This system is an improvement on that of cesspools ; but it deprives houses of the safeguards of isolation, the utility of which is evident to the grossest observation in such cases as the cattle plague. The chief security against the evils incidental to this system is to be sought in an abundant supply of water, with a fall sufficient to carry off the refuse beyond the limits of the towns where it is still liable to infect the rivers, or to surcharge the air with impurities.

The earth is one of the best known disinfectants ; and in the dry state it has some of those physical properties of water, which led to the invention now so common. To a scientific clergyman of the Church of England it is due that by mechanical adaptions the earth-closet system has been constructed, which promises to be as useful in the departments of public health and national agriculture as the Reverend Edward Cartwright's invention is in the cotton manufacture. The Reverend Henry Moule, M.A., vicar of Fordington, has shown how, in the easiest and cheapest way, soil in houses and towns can be disinfected, converted into mould, and delivered back to the uses of agriculture, whilst leaving fields uncontaminated and rivers unpolluted.

The mortality of the South Midland and of the North Midland Counties was 20, in the Eastern, South Western, and West Midland Counties 19, in 1000. The three Northern Divisions are still by far the unhealthiest, not by nature, but by the negligence of the authorities, and defaults of the inhabitants; but in these counties the evidence of improvements is encouraging to the public spirit of their promoters. The mortality of the spring quarter in Cheshire and Lancashire was at the rate of 24, in Yorkshire 23, in the northern counties 24, in 1000.

In Wales and Monmouthshire the mortality is still high, but it is lower than it was in the spring quarter of last year.

In the sub-district of Winterton, Glandford Brigg, Lincolnshire, fever is still prevailing. The Registrar says :—

I have again to report the great prevalence of fever in Winterton. In the month of April the average number of cases of typhus and typhoid fever daily attended by me was 60, in May 50, and in June 30; altogether 100 were fresh cases of fever; which, in addition to 150 cases in the previous quarter, makes 250 cases of fever attended by myself since the 1st of January last. There have been 7 deaths from fever this quarter in Winterton. I am glad to report that there have been no fresh cases of fever in the last 10 days; and I have only 10 cases to attend at present, which, with one exception, are doing well. In addition to the above there have been many cases attended by two other medical men.

The condition of Northallerton in the North Riding of Yorkshire is unsatisfactory. The Registrar reports :—

The deaths have increased since the commencement of the quarter: April, 13; May, 20; and June, 22 deaths. The greatest mortality has been amongst children under two years. During the whole quarter the district has been in a very unhealthy state. At the commencement whooping-cough and measles were prevalent; at the same time the mortality from pneumonia and bronchitis was greatly above the average. Next followed low fever and typhus, the latter causing one death; afterwards small-pox, which prevails at the present time, but so far has only proved fatal in one case. Diarrhœa is now very prevalent.

Winterton derives its water from springs and wells in the town itself, which is drained but not efficiently by porous pipes. Cesspools and privies abound; only four or five closets empty themselves into the sewers. A full churchyard, with bodies lying above the road adds to the danger. Northallerton is drained by sewers, but has no organized system of water-supply; it has neither earth nor water closets. These two places pay a costly tribute to death.

Towns neglecting their sanitary defences, and exposed to diarrhœa, are in danger of falling the victims of some local eruption of cholera, which it must be borne in mind is still prevalent as an epidemic in Europe.

Third Quarter.—July, August, September.

The United Kingdom.—The Registers of the United Kingdom show that the *births* of 252,918 children, and the *deaths* of 142,168 persons of both sexes, were registered in the three months ending on *September* 30th. The recorded natural increase was 110,750; the native emigrants were 45,278.

The registered marriages of the United Kingdom in the quarter ending *September* 30th, 1867, were 54,669.

The death-rate of the United Kingdom differs little from that prevailing in England and Wales. The several facts concerning the other divisions of the Kingdom are set forth in the quarterly reports of the Registrar General of Scotland and the Registrar General of Ireland.

The resident population of the United Kingdom in the middle of 1867 is estimated at 30,157,473; that of England and Wales amounting to 21,429,508, of Scotland to 3,170,769, and of Ireland to 5,557,196. The corrected death-rate of the quarter is 19·5 per 1000; the birth-rate 34·7; the marriage-rate 15·2.

This Return comprises the Births and Deaths registered by 2200 Registrars in all the districts of England during the quarter that ended on September 30th, 1867; and the Marriages in 12,975 churches or chapels, about 5663 registered places of worship unconnected with the Established Church, and 641 Superintendent Registrars' offices, in the quarter that ended on June 30th, 1867.

England.—The marriage returns show that taking the increase of population into account the number of alliances formed has been below the average. The returns of births and deaths may be regarded with satisfaction; during the nine months ending 30th September the births have exceeded and the deaths have been below the average numbers.

Marriages.—In the summer quarter, ended 30th September, 88,172 persons were married. The marriages were 44,086; they were about 46,000 in the same period of each of the two previous years. In London the marriages were 8537 against 9038 in the corresponding three months of 1866; in the West Midland Counties they were 4948 against 5288; in the North-western Counties they were 7715 against 8067; and in Yorkshire 4792 against 5020. And by carrying the comparison of results through the eleven divisions of the kingdom, it will be seen that the marriage-rate was depressed by influences operating more or less powerfully almost everywhere, but chiefly in those parts that are the seats of manufacturing and mining industry.

The annual marriage-rate of the quarter was 16·3 per 1,000 (viz. persons married to 1000 of the population). The average marriage-rate for the corresponding period in ten previous years (1857–66) is also 16·3 per 1000.

Births.—The births of 190,782 children were registered in England during the summer quarter (July, August, September), a number greater than has ever been recorded during the same period, and 11,686 more than were registered in the summer of 1866. The average annual birth-rate of the season is 335 for ten thousand of the population; in the last quarter it reached the high proportion of 353. The increase is spread over each of the eleven divisions of the country, and the only counties which show a decrease are Northampton, Cambridge, Cornwall, Northumberland, and Monmouth.

A comparison of the birth-rates in certain large towns shows that the highest was in Leeds, where it reached 433 in ten thousand of population. In Sheffield it was 409; in Salford 396; in Glasgow 394; in Liverpool 388; in Birmingham 377; and in Manchester 376.

Increase of Population.—The natural increase of population, as represented by the excess of births over deaths, amounted to 82,269 in the quarter, or an average of 894 daily.

A considerable number of persons, however, left these shores for various parts of the globe, and the returns from all ports in the United Kingdom, at which there are government emigration officers, show that 45,278 (or an average of 492 daily) persons of native origin emigrated during the three months. Of these 34,853 went to the United States, 5,340 to British North America, 4,155 to the Australian Colonies, and 930 to all other places. 17,983 of the emigrants were of English origin, 4,485 of Scotch, 22,810 of Irish. The number who left ports of the United Kingdom in the summer of 1867 exceeds by 8,654 the number who emigrated in the same period of 1866.

Prices, Pauperism, and the Weather.—A marked increase in the price of wheat has taken place during the three months, the average price per quarter having been 65*s.* 4*d.* as compared with 51*s.* in the summer of 1866, and 43*s.* 3*d.* in the same season of 1865; this represents a rise of 28 per cent. and 51 per cent. respectively. Potatoes are also 31 per cent. higher in price than in the summer of 1866. Influenced by the cessation

of the cattle plague, and probably also by a smaller consumption consequent on the diminished earnings of the labouring classes, the wholesale price of meat, at Leadenhall and Newgate markets, has fallen since the quarter ending 30th September 1866; the average price of beef has been $5\frac{3}{4}d.$ per lb., and mutton $6d.$ per lb. during the quarter just ended; this is a decrease of 6 per cent. in beef and 11 per cent. in mutton compared with the same period of 1866. As some compensation for the higher price of bread and potatoes it may be hoped that consumers will obtain the full benefit of the diminished cost of meat.

Pauperism continues to show a considerable increase in the number of persons receiving in-door and out-door relief; the average numbers relieved on the last day of each week in three summer quarters were—

	In-door.	Out-door.
Quarter ending 30th September 1865	117,172	719,589
" " 1866	120,955	717,553
" " 1867	129,838	743,977

Many interesting facts on the meteorological character of the past summer are related in detail by Mr. Glaisher in his Report, which is subjoined. He states that "the cold period, which set in on 3d June, "continued throughout July, and extended to 7th August; the weather

---

Table 42.—Annual Rate of Mortality per 1000 in Town and Country Districts of England in each Quarter of the Years 1857–1867.

	Area in Statute Acres.	Population enumerated. 1851.	Population enumerated. 1861.	Quarters ending	Annual Rate of Mortality per 1000 in each Quarter of the Years 1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	Mean 1857–66	1867.
In 142 Districts and 56 Sub-districts comprising the Chief Towns	3,287,151	9,155,964	10,930,841	March	25·06	27·57	26·51	26·17	26·58	26·55	27·06	29·80	28·83	29·66	27·38	27·23
				June	22·43	23·56	22·49	23·16	22·71	22·67	24·70	24·12	23·46	26·39	23·57	21·99
				Sept.	23·74	22·45	22·84	18·43	21·93	19·84	24·10	23·86	23·88	25·13	22·62	22·47
				Dec.	25·57	27·24	23·58	22·85	22·91	25·25	24·22	26·15	25·65	24·39	24·78	23·92
				Year	24·20	25·21	23·86	22·65	23·53	23·58	25·02	25·98	25·46	26·39	24·59	23·90
In the remaining Districts and Sub-districts of England and Wales comprising chiefly Small Towns and Country Parishes	34,037,732	8,771,645	9,135,383	Year	19·16	20·77	20·77	19·51	19·38	18·90	20·57	21·07	20·81	20·08	20·10	19·54
				March	20·72	24·97	23·63	23·26	22·10	21·84	23·23	25·12	25·22	22·50	23·26	23·16
				June	19·18	20·49	20·51	21·48	19·99	19·40	21·00	20·70	20·35	21·71	20·50	19·84
				Sept.	17·27	17·17	18·84	15·73	17·53	15·72	18·62	18·33	18·24	17·49	17·49	16·93
				Dec.	19·48	20·44	20·08	17·57	17·90	18·64	19·44	20·14	19·23	18·60	19·15	18·21

The following are the names of the 139 Districts and 56 Sub-districts comprising the Chief Towns:—All the 37 Districts of London; Croydon, Kingston, Richmond, Gravesend, Medway, Tunbridge; *West and East Maidstone Sub-districts* (Maidstone); Canterbury; *Minster Sub-district* (Sheppey); Thanet, Dover, Hastings, Brighton; *Shoreham Sub-district* (Steyning); Portsea Island, Alverstoke, Southampton; *Winchester Sub-district* (Winchester); Reading, Brentford, Edmonton; *St. Clement Sub-district* (Headington); Oxford, Northampton; *Peterborough Sub-district* (Peterborough); *Bedford and Kempston, and Bedford and Cardington Sub-districts* (Bedford); *Luton Sub-district* (Luton); Cambridge, West Ham, Colchester, Bury St. Edmunds, Ipswich, Yarmouth, Norwich, King's Lynn, Melksham, Salisbury; *Weymouth Sub-district* (Weymouth); Exeter; *Torquay Sub-district* (Newton Abbott); Plymouth, East Stonehouse, Stoke Damerel, Truro, Redruth; *St. Mary Magdalen and St. James Sub-districts* (Taunton); *Bridgwater Sub-district* (Bridgwater); Bath; *Bedminster Sub-district* (Bedminster); Bristol, Clifton; *St. Nicholas and St. John Baptist Sub-districts* (Gloucester); Cheltenham; *Hereford City Sub-district* (Hereford); Madeley, Shrewsbury; *Stafford Sub-district* (Stafford); *Newcastle-under-Lyme Sub-district* (Newcastle-under-Lyme); Wolstanton, Stoke-upon-Trent; *Burton-on-Trent Sub-district* (Burton-on-Trent); Wolverhampton, Walsall, West Bromwich, Dudley, Stourbridge; *Kidderminster and Lower Mitton Sub-districts* (Kidderminster); Worcester, Birmingham, Aston, Coventry, Warwick; *Loughborough Sub-district* (Loughborough); Leicester; *Boston Sub-district* (Boston); *Lincoln Home Sub-district* (Lincoln); *Great Grimsby Sub-district* (Caistor); Radford, Nottingham; *Newark Sub-district* (Newark); Derby, Hayfield, Stockport; *East and West Macclesfield and Sutton Sub-districts* (Macclesfield); *Runcorn Sub-district* (Runcorn); *Congleton Sub-district* (Congleton); *Chester Castle and Chester Cathedral Sub-districts* (Great Boughton); Birkenhead, Liverpool, West Derby, Prescot, Wigan, Warrington, Leigh, Bolton, Bury, Barton-upon-Irwell, Chorlton, Salford, Manchester, Ashton, Oldham, Rochdale, Haslingden, Burnley, Blackburn; *Chorley Sub-district* (Chorley); Preston; *Lancaster Sub-district* (Lancaster); Keighley, Todmorden, Huddersfield, Halifax, Bradford, Kirkstall, Hunslet, Holbeck, Bramley, Leeds, Dewsbury, Wakefield, Barnsley, Ecclesall Bierlow, Sheffield; *Doncaster Sub-district* (Doncaster); *Bootham, Micklegate, and Walmgate Sub-districts* (York), Sculcoates, Hull; *Scarborough Sub-district* (Scarborough); *Darlington Sub-district* (Darlington); Stockton, Hartlepool; *St. Oswald and St. Nicholas Sub-districts* (Durham); Houghton-le-Spring, Sunderland, South Shields, Gateshead, Newcastle-upon-Tyne, Tynemouth; *St. Cuthbert and St. Mary Sub-districts* (Carlisle); *Whitehaven Sub-district* (Whitehaven); *Kendal Sub-district* (Kendal); *Newport Sub-district* (Newport); *Cardiff Sub-district* (Cardiff); Merthyr Tydfil; *Llangafelach and Swansea Sub-districts* (Swansea); *Llanelly Sub-district* (Llanelly); *Pembroke Sub-district* (Pembroke).

Note.—The three months January, February, March, contain 90, in leap year 91 days; the three months April, May, June, 91 days; each of the last two quarters of the year, 92 days. For this inequality a correction has been made in the calculations, also for the difference between 365 and 365·25 days, and 366 and 365·25 days in leap year.

" was changeable and very unsettled, there was little sunshine, and during
" the first week of August the temperature was unseasonably cold, and

TABLE 43.—The **Average Prices** of **Consols**, of **Wheat**, of **Meat**, and of **Potatoes**, and also the **Average Number** of **Paupers relieved** on the *last day* of each Week, in each of the **Years** and in each **Quarter** of the **Years 1857–1867.**

—	Average Price of Consols (for Money).	Average Price of Wheat per Quarter in England and Wales.	Pauperism. Average Number of Paupers relieved on the *last day* of each week.		Average Prices of Meat per lb. at Leadenhall and Newgate Markets (by the Carcase).				Best Potatoes per Ton at Waterside Market, Southwark.	
					Beef.		Mutton.			
			In-door.	Out-door.	Range of Prices.	Mean.	Range of Prices.	Mean.	Range of Prices.	Mean.
YEARS.	£	s. d.			d.	d.	d.	d.	s.	s. d.
1857	91 7/8	56 5	121,669	737,287	4 1/2—6 1/2	5 3/8	4 3/4—7	5 7/8	108—134	120 8
1858	97	44 3	120,140	751,031	4 1/2—6 1/4	5 1/4	4 1/2—6 3/4	5 1/8	104—136	120 0
1859	95	43 10	110,703	705,590	4 1/2—6 1/2	5 1/2	4 3/4—7	5 7/8	79—109	94 0
1860	94	53 3	110,603	687,763	4 —6 3/8	5 3/8	5 —7 1/8	6	120—145	132 6
1861	92	55 4	122,600	720,366	4 —6 1/2	5 1/4	5 —7 1/4	6 1/8	114—134	124 0
1862	93 1/2	55 5	130,974	820,953	4 —6 1/2	5 1/8	5 —6 3/4	5 7/8	125—149	137 0
1863	92 7/8	44 8	129,934	859,751	4 1/2—6 1/2	5 1/4	4 3/4—7	5 7/8	90—110	100 0
1864	90 3/8	40 2	126,753	788,689	4 1/2—6 1/2	5 1/8	5 3/8—7	6 1/16	64— 86	75 0
1865	89 5/8	41 9	127,589	758,199	4 1/2—7	5 1/4	5 1/4—8 1/4	7	75—101	88 5
1866	87 7/8	49 11	129,914	736,839	4 3/4—7	5 3/8	5 1/2—8	6 3/4	69—109	89 6
1867	93 1/8	64 5	139,565	782,390	4 3/4—6 3/4	5 3/4	5 —7	6	115—161	138 0
QUARTERS ending										
1857:—										
March	93 1/2	56 10	135,121	777,426	4 1/2—6 3/4	5 3/4	5 1/4—7 1/4	6 1/2	100—120	110 0
June	93 3/8	56 9	119,241	732,284	4 1/2—6 1/2	5 1/8	4 3/4—6 3/4	5 1/4	105—150	127 6
Sept.	90 7/8	59 11	109,371	702,644	4 1/4—6 1/2	5 1/8	4 3/4—7	5 1/4	95—115	105 0
Dec.	89 1/2	52 0	122,942	736,794	4 1/2—6 1/2	5 1/8	4 1/2—7	5 3/4	130—150	140 0
1858:—										
March	96 1/8	46 5	138,376	835,641	4 1/2—6 1/2	5 1/2	4 3/4—7	5 7/8	130—175	152 6
June	97 1/8	44 1	119,234	752,278	4 1/4—6	5 1/8	4 1/2—6 1/2	5 1/2	140—185	162 6
Sept.	96 1/2	44 7	107,197	705,301	4 1/4—6 1/2	5 1/4	4 1/2—6 1/2	5 1/2	65— 90	77 6
Dec.	98 1/4	41 9	115,751	710,904	4 —6 1/2	5 1/2	4 1/4—6 3/4	5 1/2	80— 95	87 6
1859:—										
March	95 5/8	40 8	123,071	743,517	4 1/2—6 3/4	5 3/4	4 3/4—7	5 7/8	80—100	90 0
June	92 7/8	47 3	109,350	710,968	4 1/2—6 1/2	5 1/2	5 —7	6	85—110	97 6
Sept.	95 3/8	44 0	100,770	683,423	4 1/4—6 1/2	5 1/4	4 3/4—6 3/4	5 3/4	65—105	85 0
Dec.	96 1/8	43 4	109,623	684,454	4 —6 1/2	5 1/4	4 1/2—6 3/4	5 3/4	85—120	102 6
1860:—										
March	94 5/8	44 5	118,523	717,269	3 3/4—6 1/2	5 1/4	4 1/2—6 3/4	5 3/4	115—145	130 0
June	94 1/8	52 8	107,050	692,384	4 1/2—6 3/4	5 1/2	5 1/2—7 1/2	6 1/2	125—160	142 6
Sept.	93 1/4	59 1	101,680	667,680	4 1/4—7	5 5/8	5 1/4—7 1/2	6 3/8	125—145	135 0
Dec.	93 1/4	56 9	115,161	673,721	3 1/2—6 1/4	4 7/8	4 3/4—6 3/4	5 3/4	115—130	122 6
1861:—										
March	91 3/4	55 1	131,138	757,950	4 —6 1/4	5 1/8	5 1/2—7 3/4	6 5/8	140—155	147 6
June	91 3/4	54 9	117,801	713,786	4 1/4—6 1/2	5 3/8	5 1/4—7 1/4	6 1/2	120—140	130 0
Sept.	91 3/8	52 1	112,930	693,631	4 1/4—6 1/2	5 3/8	4 3/4—7	5 7/8	85—110	97 6
Dec.	93 1/4	59 3	128,533	716,096	4 —6 1/2	5 1/4	4 1/2—6 3/4	5 3/4	110—130	120 0
1862:—										
March	93 1/2	60 1	143,772	804,268	4 —6 1/2	5 1/2	4 3/4—6 1/2	5 5/8	130—155	142 6
June	93 3/4	56 8	127,861	782,113	4 —6	5	5 —7	6	180—200	190 0
Sept.	93 1/4	56 10	119,600	789,917	4 1/4—6 1/4	5 1/4	5 1/4—7	6 1/8	100—130	115 0
Dec.	93 5/8	48 2	132,663	907,514	4 —6 1/2	5 1/8	5 1/4—6 3/4	6	90—110	100 0
1863:—										
March	92 1/2	46 7	142,257	943,324	4 —6 1/4	5 1/8	5 —7	6	120—130	125 0
June	93 1/4	46 2	127,063	873,503	4 1/4—6 1/2	5 1/4	4 3/4—6 3/4	5 3/4	110—130	120 0
Sept.	93	45 7	120,343	817,238	4 1/2—6 1/4	5 3/8	4 3/4—6 3/4	5 3/4	70—105	87 6
Dec.	92 7/8	40 6	130,072	804,940	4 —6 1/4	5 1/8	5 —7	6	60— 80	70 0
1864:—										
March	91	40 4	139,606	855,776	4 1/2—6 1/2	5 1/2	5 1/2—7	6 1/2	55— 70	62 6
June	91 1/2	39 7	122,883	786,863	4 1/4—6 1/2	5 1/4	5 1/4—7	6 1/2	40— 60	50 0
Sept.	89 1/2	42 3	116,198	740,210	4 1/4—6 1/2	5 1/2	5 1/4—7	6 1/2	80—120	100 0
Dec.	89 5/8	38 5	128,326	771,908	4 1/2—7	5 3/4	5 1/2—7 1/4	6 1/4	80— 95	87 6
1865:—										
March	89 3/8	38 4	140,517	819,898	4 1/2—7	5 3/4	5 1/2—7 1/4	6 1/4	85— 97	91 0
June	90 5/8	40 6	123,760	768,496	4 1/2—6 3/4	5 3/4	6 1/4—8 1/2	7 3/8	90—115	102 6
Sept.	89 5/8	43 3	117,221	719,611	4 1/2—7	5 3/4	6 1/4—8 1/4	7 1/2	65—100	85 0
Dec.	88 5/8	44 10	128,858	724,792	4 1/4—7	5 5/8	5 1/2—8 1/2	6 7/8	60— 90	75 0
1866:—										
March	87	45 6	139,541	759,400	4 1/2—6 3/4	5 5/8	5 1/2—7 1/4	6 5/8	55— 90	72 6
June	86 1/4	46 6	125,044	734,748	4 1/2—7	5 7/8	5 1/2—8 1/2	7	60— 95	77 6
Sept.	88 1/2	51 0	120,985	717,555	5 1/4—7 1/4	6 1/8	5 1/2—8 1/4	6 3/4	75—120	97 6
Dec.	89 1/8	56 8	134,086	735,654	4 1/4—7	5 5/8	5 1/4—7 1/2	6 3/8	85—130	107 6
1867:—										
March	90 7/8	60 7	148,280	834,681	4 1/2—7	5 7/8	5 —7 1/2	6 1/8	115—160	137·6
June	92 1/4	63 11	134,233	779,158	4 1/2—6 3/4	5 1/4	5 1/2—7 1/2	6 1/2	135—175	155·0
Sept.	94 3/8	65 4	129,860	743,965	4 1/2—6 1/2	5 1/2	5 —7	6	100—155	127·6
Dec.	94 3/8	67 11	145,886	771,754	4 1/2—6 3/4	5 5/8	4 1/2—6 1/2	5 1/2	110—155	132·6

" some of the nights frosty." The mean temperature at Greenwich was 59°·7, or about the average of the same season of 96 years. The rainfall was 11·3 inches in the three months, which is 3·9 inches above the average of 52 summer quarters.

Deaths; and the State of the Public Health.—The number of deaths registered in the three months that ended on 30th September was 108,513; and the annual rate of mortality was 20·1 in a thousand; the average rate of the season is 20·3, and in the same three months of 1866, when cholera was epidemic in London and other places, the rate was 21·8 per thousand. Fewer deaths have been registered, and the rate of mortality has been lower than in any corresponding quarter since 1862.

The summer has been favourable to health, and there has been no recurrence of epidemic cholera, although its prevalence has been remarked in some continental cities.

The death-rate experienced by about eleven millions of people inhabiting the chief towns was 22 per 1000, while rather more than nine millions of persons residing in the small towns and country parishes had a mor-

TABLE 44.—**Mean Annual Value** of **Meteorological Elements**

NAMES OF STATIONS.	Elevation in feet above the Sea Level.	Latitude.	Barometer.		Thermometer.						Mean Temperature	
			Mean.	Mean Monthly Range.	Mean of the highest Monthly Readings.	Mean of the lowest Monthly Readings.	Mean Monthly Range of Readings.	Mean of all the highest Daily Readings.	Mean of all the lowest Daily Readings.	Mean Daily Range.	Of the Air.	Of the Dew-point.
	feet.	° ′ ″ N.	in.	in.	°	°	°	°	°	°	°	°
Guernsey	204	49 20 0	29·684	1·028	64·9	39·7	25·2	56·0	47·0	9·0	50·3	45·6
Helston	106	50 7 0	29·667	1·092	67·3	39·0	28·3	59·2	46·7	12·5	51·7	48·1
Truro	43	50 17 0	29·697	1·097	66·9	31·6	35·3	58·6	45·3	13·3	50·3	45·0
Sidmouth	30	50 41 0	29·711	1·134	65·8	33·7	32·1	57·3	43·4	13·9	49·3	44·0
Eastbourne	11	50 44 0	29·689	0·998	66·9	32·4	34·5	58·7	43·5	13·2	49·5	44·3
Osborne	172	50 45 0	29·662	1·073	70·6	32·9	37·7	58·7	42·4	16·3	49·4	46·3
Bournemouth	125	..	..	1·100	65·8	33·1	32·7	56·9	43·2	13·7	..	..
Worthing	25	50 47 0	29·667	0·974	64·9	34·8	30·1	56·1	44·1	12·0	49·4	45·4
Wilton House	150	51 4 0	29·647	1·068	68·8	26·8	42·0	58·0	38·8	19·2	48·0	43·5
Barnstaple	43	51 5 0	29·657	1·112	68·1	33·2	34·9	57·7	44·5	13·2	..	..
Aldershot Camp	325	51 15 0	29·620	1·027	68·9	29·7	39·2	57·2	41·1	16·1	48·5	43·5
Bath	86	51 23 0	29·652	1·146	67·4	30·4	37·0	56·1	42·7	13·4	48·8	43·5
Marlborough College	456	51 25 0	..	1·116	68·7	26·6	42·1	55·3	39·4	15·9	47·0	..
Clifton (Bristol)	228	51 28 0	29·684	1·174	67·8	33·0	34·8	56·1	43·1	13·0	48·6	43·5
Royal Observ., Greenwich	159	51 29 0	29·687	1·132	69·7	30·8	38·9	57·3	41·8	15·5	48·6	43·0
Streatley Vicarage	152	51 30 0	..	..	..	..	..	..	..	..	..	..
Camden Town	100	51 32 0	29·652	1·097	69·2	30·7	38·5	57·8	42·7	15·1	49·6	43·7
Oxford	210	51 45 0	29·636	1·132	67·4	29·6	37·8	55·9	42·1	13·8	48·8	44·3
Gloucester	100	51 55 0	29·685	1·174	70·2	31·3	38·9	58·3	42·7	15·6	49·7	42·7
Royston	269	52 2 0	29·692	1·102	70·3	30·4	39·9	57·4	41·5	15·9	48·1	43·3
Cardington	100	52 7 0	29·673	1·106	68·8	28·3	40·5	56·8	40·9	15·9	48·4	42·8
Wisbech	14	52 41 0	29·626	1·105	69·2	30·1	39·1	57·2	41·7	15·5	48·7	45·1
Llandudno	100	..	..	..	68·1	36·5	31·6	56·2	44·3	11·9	49·6	43·7
Grantham	181	52 55 0	..	..	..	..	..	..	..	..	..	..
Derby	174	52 55 0	29·647	1·124	67·3	31·4	35·9	55·9	41·7	14·2	47·4	43·3
Holkham	39	52 57 0	29·642	1·127	66·7	29·6	37·1	55·1	42·1	13·0	47·7	42·8
Boston	20	52 59 0	29·614	1·220	68·1	31·3	36·8	55·9	41·9	14·0	47·8	44·0
Hawarden	270	53 11 0	29·643	1·222	..	35·2	..	..	44·1	..	48·1	43·3
Kingsley	194	53 16 0	29·652	1·208	68·0	29·3	38·7	56·1	41·2	14·9	47·8	42·6
Liverpool	212	53 24 0	..	1·172	66·8	35·2	31·6	54·8	43·3	11·5	47·9	44·5
Manchester	123	53 29 0	29·654	1·213	69·0	30·7	38·3	55·9	40·8	15·1	47·4	41·7
Eccles	145	53 29 0	29·642	1·165	67·6	30·1	37·5	54·3	41·2	13·6	47·4	42·1
Wakefield	115	53 41 0	29·667	1·222	68·7	27·7	41·0	57·1	35·2	21·9	48·1	40·9
Halifax	660	..	29·628	1·179	62·5	31·5	31·0	49·9	41·1	8·8	45·0	40·6
Leeds	133	53 48 0	..	1·172	69·1	32·8	36·3	56·9	41·7	15·2	48·6	42·9
Stonyhurst	881	53 51 0	29·634	1·218	65·6	29·9	35·7	54·1	41·2	12·9	46·7	41·9
Otley	205	53 54 0	29·605	1·196	63·0	34·1	28·9	52·4	43·2	9·2	46·5	41·5
York	50	53 58 0	29·594	1·207	64·3	31·2	33·1	53·3	..	..	46·8	44·4
Ripon	146	54 8 0	29·653	1·208	67·2	27·6	39·6	55·1	39·7	15·4	46·8	40·2
Cockermouth	148	54 39 0	29·625	1·274	65·3	29·7	35·6	54·5	43·2	11·3	47·5	42·1
Allenheads	1360	54 49 0	29·611	1·190	63·6	26·5	32·1	49·8	37·8	12·0	42·3	37·8
Silloth	28	54 52 0	29·590	1·321	66·5	30·9	35·6	55·7	42·2	13·5	40·6	42·7
Carlisle	114	54 53 0	29·649	1·305	66·3	28·0	38·3	54·2	40·3	13·9	46·5	43·0
North Shields	124	55 0 0	29·691	1·239	62·0	32·6	29·4	51·7	41·6	10·1	45·4	41·2
Miltown (Ireland)	200	54 23 0	29·617	1·305	64·3	28·8	35·5	54·8	40·9	13·9	47·1	41·5
Culloden (Scotland)	104	57 31 0	29·739	1·415	59·6	33·1	26·5	50·4	41·5	8·9	45·1	41·7

tality of somewhat less than 17 per 1000; it is far from being the case that this latter population lives under conditions so favourable to health as not to be capable of improvement, but the higher mortality in the towns shows that much sanitary work remains there to be performed before a satisfactory state of public health can be attained.

In London and twelve other great towns in the United Kingdom the annual death-rate during the quarter was 24 per thousand; it was highest in Manchester 32, and lowest in Bristol 19 per thousand; in London it was 21, Birmingham 26, Liverpool 29, Salford 28, Sheffield 24, Leeds 29, Hull 26, Newcastle-upon-Tyne 30, Edinburgh 23, Glasgow 24, and Dublin 23. The Registrars in many of these towns allude to the prevalence of diarrhœa, measles, scarlatina, typhus, and whooping-cough.

The unhealthy condition of Newcastle-upon-Tyne, with its numerous unpaved streets, its cellars and underground kitchens standing seven or eight inches under water and liquid filth, has been referred to in previous reports, and, notwithstanding the sanitary improvements instituted by the newly appointed Health Committee, zymotic diseases have been fatally

---

in the **Year 1867.** By JAMES GLAISHER, Esq., F.R.S.

Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean degree of Humidity of the Air (Saturation=100).	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	E.	S.	W.	Mean Amount of Cloud (0–10).	Rain. Number of Days it fell.	Rain. Amount collected.	NAMES OF STATIONS.
in.	grs.	gr.		grs.							days.	in.	
·314	3·6	0·7	84	541	1·5	99	69	84	113	5·2	169	37·1	Guernsey.
·343	3·9	0·6	87	541	2·2	80	95	73	117	6·5	181	38·3	Helston.
·306	3·5	0·8	82	543	2·2	108	77	67	113	7·0	200	..	Truro.
·299	3·4	0·7	83	545	1·8	116	64	78	107	3·7	177	36·5	Sidmouth.
·305	3·4	0·7	83	545	0·6	82	63	80	140	..	185	29·6	Eastbourne.
·327	3·7	0·5	89	542	0·4	90	63	92	120	6·3	134	27·7	Osborne.
..	..	..	..	..	..	106	34	82	143	..	133	27·4	Bournemouth.
·316	3·5	0·7	86	545	0·8	95	55	92	123	4·5	141	23·9	Worthing.
·297	3·4	0·6	85	544	1·5	112	61	100	92	6·0	180	31·6	Wilton House.
..	..	..	..	..	..	74	71	98	122	3·9	..	..	Barnstaple.
·293	3·4	0·8	84	539	1·5	89	59	81	136	7·3	178	25·9	Aldershot Camp.
·290	3·3	0·8	82	544	1·6	85	73	67	140	7·2	181	30·3	Bath.
..	..	..	..	..	..	99	79	70	117	6·7	195	32·9	Marlborough College.
·293	3·3	0·8	83	542	0·6	86	68	83	128	6·3	216	33·6	Clifton (Bristol).
·289	3·3	0·8	81	543	0·5	80	63	105	117	7·0	163	28·6	Royal Observ., Greenwich.
..	..	..	..	..	..	..	..	..	..	..	140	26·6	Streatley Vicarage.
·293	3·3	0·9	81	543	..	..	..	..	..	4·5	152	26·2	Camden Town.
·300	3·4	0·7	84	541	1·2	94	51	91	129	7·4	161	27·2	Oxford.
·285	3·3	1·2	78	543	..	90	81	70	124	6·2	131	24·0	Gloucester.
·290	3·3	0·7	84	541	..	85	37	95	148	6·6	182	24·9	Royston.
·286	3·2	0·8	81	544	1·0	90	65	77	133	6·8	..	23·2	Cardington.
·314	3·6	0·6	87	545	0·4	77	66	90	132	6·6	155	26·0	Wisbech.
·293	3·3	0·8	81	542	0·5	65	79	18	203	6·5	168	32·0	Llandudno.
..	..	..	..	..	..	..	..	..	..	..	189	25·0	Grantham.
·290	3·3	0·6	85	543	..	78	71	61	155	..	168	29·5	Derby.
·285	3·2	0·7	83	545	1·7	107	39	128	91	6·9	..	25·7	Holkham.
·300	3·4	0·6	86	545	1·5	88	62	71	144	6·1	204	25·0	Boston.
·290	3·3	0·7	83	541	2·1	95	50	86	134	6·9	170	27·5	Hawarden.
·285	3·2	0·7	84	542	0·7	65	69	108	123	6·9	180	29·1	Kingsley.
·295	3·3	0·7	86	543	..	..	..	..	..	6·5	..	..	Liverpool.
·274	3·1	0·7	81	544	..	53	76	148	88	7·0	188	34·6	Manchester.
·276	3·2	0·8	83	544	0·2	101	73	59	132	6·6	210	35·6	Eccles.
·262	3·0	1·0	77	544	1·4	70	53	73	159	6·3	178	27·3	Wakefield.
·258	2·9	0·6	85	536	0·8	80	75	73	137	7·5	..	24·0	Halifax.
·288	3·3	0·8	81	540	1·6	103	53	75	131	7·0	163	21·0	Leeds.
·276	3·2	0·7	84	539	0·7	80	69	80	136	7·8	222	43·2	Stonyhurst.
·270	3·1	0·6	84	543	1·4	80	54	53	178	6·8	..	23·5	Otley.
·305	3·5	0·4	91	545	..	..	..	..	..	..	156	25·2	York.
·257	2·9	0·9	78	544	1·0	115	65	53	132	5·8	149	25·8	Ripon.
·276	3·2	0·7	83	543	0·5	56	62	79	168	5·0	185	38·3	Cockermouth.
·239	2·7	0·5	84	525	1·7	63	55	96	151	7·0	267	45·3	Allenheads.
·288	3·2	0·7	82	544	1·2	40	97	64	164	5·8	171	26·4	Silloth.
·290	3·3	0·5	88	545	0·2	47	81	94	143	8·3	184	23·8	Carlisle.
·267	3·1	0·5	85	547	1·5	96	61	79	129	6·1	188	23·5	North Shields.
·269	3·2	0·7	81	542	2·3	77	57	107	104	5·4	212	32·1	Miltown (Ireland).
·272	3·1	0·5	87	545	0·3	58	84	86	137	6·2	206	26·3	Culloden (Scotland).

prevalent; in the All Saints sub-district, out of 229 deaths registered during the quarter, no less than 147 were those of children not exceeding 5 years of age; the hard working poor are described as crowding together, and in want of proper house accommodation; diseases generated in these localities spread among all classes of the population. The local authorities of this important town will probably see the necessity of appointing a permanent Medical Officer of Health.

Salisbury continues to furnish an instance of the advantages resulting from good hygienic arrangements; it is more than six years since the census was taken, and the present population of towns can only be approximately estimated, but, assuming that Salisbury has increased in population since 1861 in the same annual ratio as in the previous ten years, then the mortality during the quarter has been at the low rate of 10 per 1000 annually, a result as creditable to the authorities as it is satisfactory to the citizens, whose years of life are prolonged; that the healthiness of this city is mainly owing to the sanitary system now in operation, and not chiefly to advantages of situation, is proved by the fact that during the ten years 1841–50 the average annual number of deaths was 28 per thousand living, and in the following ten years it was 24 per thousand; it also suffered severely from epidemic cholera in 1849.

The Registrar of the Lockwood sub-district of Huddersfield states that—

> The health of the inhabitants is very much improved by the Local Government Boards of Lockwood and Linthwaite partially carrying out the beneficial provisions of the Local Government Act, 1858, and other Acts incorporated therewith. This quarter there have been no cases of small-pox, measles, scarlatina, or whooping-cough.

This gratifying result should incite the authorities of other towns to endeavour to place the inhabitants beyond the reach of epidemic diseases.

Sickness is frequently induced by families occupying recently built houses before the walls have had time to get sufficiently dry; the Registrar of the Chadderton sub-district of Oldham furnishes an instance of this practice resulting fatally; he says:—

> Dwelling houses are in such demand that parties go to reside in them whilst the plastering is still wet; in one house a family did so, the plaster being in a state that you might take marbles and imbed them in it; the whole of the family were seized with fever, and 2 deaths from typhoid fever occurred in the house.

Of the eleven great divisions of England the rate of mortality during the quarter was lowest (15·9 per 1000) in the South Western Counties, and highest (23·8 per 1000) in Cheshire and Lancashire; the Tables show the proportion in each of the other Divisions.

TABLE **45.—Mean Annual Value** of **Meteorological Elements**

PARALLELS of LATITUDE.	Mean Elevation in Feet above the Sea Level.	Barometer.		Thermometer.						Mean Temperature	
		Mean.	Mean of Monthly Range.	Mean of the highest Monthly Readings.	Mean of the lowest Monthly Readings.	Mean Monthly Range of Readings.	Mean of all the highest Daily Readings.	Mean of all the lowest Daily Readings.	Mean Daily Range.	Of the Air.	Of the Dew-point.
	feet.	in.	in.	°	°	°	°	°	°	°	°
Between the latitudes,—											
49° and 50°	204	29·684	1·028	64·9	39·7	25·2	56·0	47·0	9·0	50·3	45·6
50° and 51°	73	29·632	1·067	66·9	33·9	33·0	57·6	44·1	13·5	49·9	45·5
51° and 52°	186	29·674	1·118	68·6	30·2	38·4	57·0	41·9	15·1	48·6	43·5
52° and 53°	112	29·650	1·131	68·4	31·1	37·3	56·4	42·0	14·4	48·2	43·6
53° and 54°	227	29·635	1·198	66·5	31·3	35·2	54·7	41·0	13·7	47·3	42·4
54° and 55°	109	29·629	1·277	66·3	29·1	37·2	54·9	41·4	13·5	45·4	42·0
Allenheads	1360	29·611	1·190	58·6	26·5	32·1	49·8	37·8	12·0	42·3	37·8
North Shields	124	29·691	1·239	62·0	32·6	29·4	51·7	41·6	10·1	45·4	41·2
Miltown (Ireland)	200	29·617	1·305	64·3	28·8	35·5	54·8	40·9	13·9	47·1	41·5
Culloden (Scotland)	104	29·739	1·415	59·6	33·1	26·5	50·4	41·5	8·9	45·1	41·7
Between the latitudes,—											
49° and 58°	270	29·661	1·197	64·6	31·6	33·0	54·3	41·9	12·4	47·0	42·5

Fourth Quarter.—October, November, December.

The United Kingdom.—The Registers of the United Kingdom show that the births of 243,488 children, and the deaths of 153,342 persons of both sexes, were registered in the three months ending on December 31st. The recorded natural increase was 90,146; the native emigrants were 30,453.

The registered marriages of the United Kingdom in the quarter ending December 31st, 1867, were 65,856.

The death-rate of the United Kingdom differs little from that prevailing in England and Wales. The several facts concerning the other divisions of the Kingdom are set forth in the quarterly reports of the Registrar General of Scotland and the Registrar General of Ireland.

The resident population of the United Kingdom in the middle of 1867 is estimated at 30,157,473; that of England and Wales amounting to 21,429,508, of Scotland to 3,170,769, and of Ireland to 5,557,196. The corrected death-rate of the quarter is 21·4 per 1000; the birth-rate 33·9; the marriage-rate for the quarter 18·3.

England.—In each of the four quarters of 1867 the marriage-rate suffered depression; it was in a marked degree less active than it had been in the three previous years. The condition of the people supplied less encouragement than it had done to form fresh family ties. The birth-rate, which had been high during three fourths of the year, was well maintained to its close; and another feature of the returns, which will be observed with gratification, is the unusually low rate of mortality last quarter. As compared with the four previous years, 1863–66, the whole of 1867 must be classed as healthy.

Marriages.—The marriages in England in the last (or autumnal) quarter of 1867 were 53,038; they were less than in the autumn of the previous year, when 55,363 were registered, and they were, in a greater degree, less than in that of 1865, when they numbered 56,988. Comparative infrequency of marriages was the rule over the kingdom; but was apparently due to causes of discouragement which operated chiefly on centres of trade and commerce. The following numbers, being the marriages in the three consecutive autumnal quarters of 1865–66–67, will show the decline in a few selected parts of the country:—In London 9738, 9103, 8527. In the South Western counties 3961, 3824, 3661. In the West Midland counties 6981, 6386, 6100. In Cheshire and Lancashire 8583, 8653, 8052. In Yorkshire 6285, 6129, 5905. In the

---

in the **Year 1867** for different **Parallels** of **Latitude.**

Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean Degree of Humidity of the Air. Saturation = 100.	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	Wind. Relative Proportion of E.	Wind. Relative Proportion of S.	Wind. Relative Proportion of W.	Mean Amount of Cloud (0–10).	Rain. Number of Days it fell.	Rain. Amount collected.	Parallels of Latitude.
in.	grs.	gr.		grs.							days.	in.	
·314	3·6	0·7	84	541	1·5	99	69	84	113	5·2	169	37·1	Between the latitudes,— 49° and 50°
·316	3·6	0·7	85	543	1·3	97	64	81	123	5·6	164	30·6	50° and 51°
·292	3·3	0·8	82	542	1·1	90	67	85	123	6·3	170	28·7	51° and 52°
·294	3·3	0·7	84	544	1·0	84	60	77	144	6·6	178	26·4	52° and 53°
·280	3·2	0·7	84	542	1·1	81	64	85	135	6·9	183	29·1	53° and 54°
·278	3·2	0·7	83	544	0·7	65	76	73	151	6·2	172	28·7	54° and 55°
·239	2·7	0·5	84	525	1·7	63	55	96	151	7·0	267	45·3	Allenheads.
·267	3·1	0·5	85	547	1·5	96	61	79	129	6·1	188	23·5	North Shields.
·269	3·2	0·7	81	542	2·3	77	57	126	105	5·4	212	32·1	Miltown (Ireland).
·272	3·1	0·5	87	545	0·3	58	84	86	137	6·2	206	26·3	Culloden (Scotland).
·282	3·2	0·7	84	542	1·3	81	66	87	131	6·2	191	30·8	Between the latitudes,— 49° and 58°

Northern Counties 3284, 3013, 3004. In Monmouthshire and Wales 3552, 3477, 3297.

The annual marriage-rate for the quarter, viz., proportion of persons married to people living, was 19·6 per 1000 against an average of 20·0. It was lower than in any previous autumn since 1862. The habits and circumstances of the people make the fourth quarter of the year more convenient for marriage than any other season; and the celebrations of the rite are in consequence most numerous at that time. The marriage-rate in the year 1867 was 16·7 per 1000 against an average of 16·9.

Births.—Of children born in the December quarter the number was 183,144, which is about 2450 less than it had been in the fourth quarter of the previous year. Fluctuations in the absolute numbers of births are seen in the seasons as they change with one another; but it is seldom that there is a decrease in one year as compared with its predecessor; and when the comparison is extended further, the progress is steady and striking.

In particular districts a decrease in the number of births registered is assigned by the registrars to want of work; as amongst Cornish miners, many of whom have emigrated for that reason to America. Depression in the coal and iron trade had caused many persons to leave West Bromwich for other districts; and Darlaston (Walsall) had also lost part of its population this way.

The annual birth-rate of the quarter was 33·8 per 1000 persons living. The average derived from ten previous quarters (in 1857–66) is 33·4 per 1000.

In large towns the birth-rate is higher than that obtained for England. But Bristol, where it was only 33·6 per 1000, formed an exception to the rule. In London it was 35·3, in Edinburgh 36·9, in Liverpool 38·3, in Glasgow 39·5, in Hull 39·9.

Increase of Population.—The births in the last quarter exceeded the deaths that occurred in the same time by 66,947; and this excess is the natural increase of population, a certain portion of which is required to fill the vacant places of those whom death spared but opportunity removed to other parts of the world.

The number of emigrants in the quarter that ended 31st December from ports in the United Kingdom where there are Emigration Officers was 35,472, of whom about 12,151 were persons of English origin, 2938 were of Scotch, and 15,364 of Irish origin. Four-fifths of the aggregate movement went to the United States.

TABLE 46.—Meteorology of Greenwich

YEARS.	Mean Weekly Movement of the Air in Miles.*	Departure from Average.	Fall of Rain in Inches.	Departure from Average.	Mean Dryness of Atmosphere.	Departure from Average.	Mean TEMPERATURE of the AIR.	Departure from Average.
	Miles.	Miles.	Inches.	Inches.	°	°	°	°
1849	1808	+ 95	23·9	− 0·3	6·6	+ 0·8	50·0	+ 0·7
1850	1841	+128	19·7	− 4·5	6·1	+ 0·3	49·3	0·0
1851	1730	+ 17	21·6	− 2·6	6·5	+ 0·7	49·2	− 0·1
1852	1781	+ 68	34·2	+10·0	7·4	+ 1·6	50·6	+ 1·3
1853	1597	−116	29·0	+ 4·8	6·2	+ 0·4	47·7	− 1·6
1854	1731	+ 18	18·7	− 5·5	4·7	− 1·1	48·9	− 0·4
1855	1659	− 54	21·1	− 3·1	4·5	− 1·3	47·1	− 2·2
1856	1775	+ 62	22·2	− 2·0	5·6	− 0·2	49·0	− 0·3
1857	1562	−151	21·4	− 2·8	5·2	− 0·6	51·0	+ 1·7
1858	1626	− 87	17·8	− 6·4	6·5	+ 0·7	49·2	− 0·1
1859	1598	−115	25·9	+ 1·7	6·0	+ 0·2	50·7	+ 1·4
1860	1676	− 37	32·0	+ 7·8	4·6	− 1·2	47·0	− 2·3
1861	1666	− 47	20·8	− 3·4	5·0	− 0·8	49·4	+ 0·1
1862	1680	− 33	26·2	+ 2·0	4·7	− 1·1	49·5	+ 0·2
1863	1775	+ 62	20·0	− 4·2	6·0	+ 0·2	50·3	+ 1·0
1864	1597	−116	16·7	− 7·5	7·0	+ 1·2	48·5	− 0·8
1865	1553	−160	29·0	+ 4·8	6·2	+ 0·4	50·3	+ 1·0
1866	1917	+204	30·7	+ 6·5	5·6	− 0·2	49·8	+ 0·5
1867	1981	+268	28·4	+ 4·2	5·6	− 0·2	48·6	− 0·6
Average	1713	—	24·2	—	5·8	—	49·3	—

* Approximated to the results of Robinson's Anemometer by reductions from Whewell's up to 1859.

Prices, Pauperism, and the Weather.—The price of wheat has been rising steadily in the last two years, and its average price in the four successive quarters of 1867 was 60*s.* 7*d.*, 63*s.* 11*d.*, 65*s.* 4*d.*, and 67*s.* 11*d.* per quarter. Potatoes were also dear last year, and the mean price last quarter (132*s.* per ton) for the best quality at the waterside market in Southwark was nearly twice as high as it was at the end of 1865. Beef as sold by the carcase at Leadenhall and Newgate markets varied little in price last year, and last quarter it averaged 4½*d.* per lb. for inferior quality and 6¾*d.* for the best. Mutton became cheaper in the latter half of the year, and in the last quarter the mean price ranged from 4½*d.* to 6½*d.* per lb. according to quality.

Mr. Glaisher's Meteorological Tables prepared from returns obtained from more than fifty stations, and his comments, are published with this Report. The weather was cold with much fog from the 1st October to the 13th October; from the latter day the weather was warm everywhere for five days, and rain fell daily; during the rest of the month the weather was generally mild with frequent rain and dampness of the atmosphere. In November the temperature was sometimes above but chiefly below the average; the month was one of the finest Novembers that have ever been known, with little fog, and with less rain than has fallen in that month for fifty years. A sudden change occurred in the first week of December. Rain, hail, sleet, and snow fell in various parts, and a hurricane caused great destruction by sea and land. On the 11th the frost vanished, and for seven days the weather was very warm, and afterwards till the close of the year it was changeable, with clouds and fogs, and much rain all over the country. The mean temperature at Greenwich was below the average in each of the three months; that of the quarter was 42°·5, which is 2°·5 below the average of the same period in 26 years. The rainfall was 4·5 inches, which is 2·6 inches below the average. It was in defect in October, defective by 2 inches in November, and slightly in excess in December.

The returns of pauperism are heavy: the average numbers relieved on the last day of each week in the quarter were in-door 146,237, out-door 771,230. In the December quarter of 1865 the respective numbers were 129,036 and 725,259.

Deaths; and the State of the Public Health.—In the three months that ended 31st December, 116,197 deaths were registered in England. In the same period of 1866 the number was 117,352, in that of 1865 it was 121,245. To find at two intervals a decrease of deaths in an increased

---

in the Nineteen Years **1849–1867.**

Mean Temperatures of the Air in the Quarters ending the last day of								Years.
March.	Departure from Average.	June.	Departure from Average.	Sept.	Departure from Average.	Dec.	Departure from Average.	
°	°	°	°	°	°	°	°	
41·9	+ 2·2	51·7	− 1·0	61·0	+ 0·9	44·8	+ 0·2	1849
39·4	− 0·3	53·5	+ 0·8	59·6	− 0·5	44·7	+ 0·1	1850
41·9	+ 2·2	51·5	− 1·2	59·8	− 0·3	43·7	− 0·9	1851
41·4	+ 1·7	51·2	− 1·5	61·8	+ 1·7	48·1	+ 3·5	1852
38·1	− 1·6	51·8	− 0·9	58·5	− 1·6	42·3	− 2·3	1853
40·8	+ 1·1	51·7	− 1·0	59·8	− 0·3	43·7	− 0·9	1854
34·1	− 5·6	50·5	− 2·2	60·4	+ 0·3	42·7	− 1·9	1855
40·0	+ 0·3	52·3	− 0·4	59·9	− 0·2	44·2	− 0·4	1856
39·2	− 0·5	53·8	+ 1·1	63·3	+ 3·2	47·9	+ 3·3	1857
37·8	− 1·9	54·3	+ 1·6	61·0	+ 0·9	43·8	− 0·8	1858
43·3	+ 3·6	53·7	+ 1·0	62·8	+ 2·7	43·3	− 1·3	1859
38·8	− 0·9	50·5	− 2·2	56·2	− 3·9	42·6	− 2·0	1860
39·9	+ 0·2	51·8	− 0·9	60·4	+ 0·3	45·5	+ 0·9	1861
41·0	+ 1·3	53·3	+ 0·6	58·8	− 1·3	45·0	+ 0·4	1862
42·6	+ 2·9	53·1	+ 0·4	58·8	− 1·3	46·8	+ 2·2	1863
37·9	− 1·8	53·1	+ 0·4	59·4	− 0·7	43·7	− 0·9	1864
36·5	− 3·2	56·2	+ 3·5	62·5	+ 2·4	46·0	+ 1·4	1865
41·2	+ 1·5	53·0	+ 0·3	58·9	− 1·2	46·2	+ 1·6	1866
38·9	− 0·8	53·5	+ 0·8	59·7	− 0·4	42·5	− 2·1	1867
39·7	—	52·7	—	60·1	—	44·6	—	Average.

population is a satisfactory circumstance. The south-western counties, and chiefly Devonshire and Somersetshire, appear advantageously in the Tables. The northern counties, consisting of Durham, Northumberland, Cumberland, and Westmorland, were ravaged by scarlatina, and consequently yield less favourable results.

The deaths in London were 18,526. In four of the thirteen weeks they were above the average (corrected for population); in the remaining nine they were below it. There was more than the usual amount of bronchitis in some weeks of November and December, when the temperature was low, but zymotic diseases showed no extraordinary prevalence.

The annual rate of mortality in England in the last quarter was 21·4 per 1000 (deaths to 1000 living), against an average for ten December quarters (1857–66) of 22·2 per 1000. It was lower than it had been in any quarter of that series except those of 1860–61.

Both town and country districts experienced the reduction of the death-rate, for in the former the mortality was 23·8 against an average of 24·8, and in the latter it was 18·2 against 19·2. The south-western counties, the south-eastern, and the eastern were the three healthiest divisions, their respective rates of mortality having been 17·7, 18·1, and 18·4. The division comprising Monmouthshire and Wales was remarkably healthy, for the death-rate in it was also under 19; but its mining districts, it is not improbable, have been seriously thinned by emigration. In the northern and north-western counties, dotted with large town populations, it rose to 24·7 and 26·3 per 1000.

By comparing the THIRTEEN LARGE TOWNS of the United Kingdom it is seen that in four, namely, Salford, Newcastle-on-Tyne, Liverpool, and Manchester, the death-rate ranged from 29·2 per 1000 in the first to 32·6 in the last; in Birmingham, Hull, and Edinburgh it was 26 and under 27, and in Glasgow 27·8. In London it fell to 23·6; which is but slightly in excess of that which was obtained for Dublin. The late Mr. Bryson, the town surveyor of Newcastle, in his report to his Committee, while admitting that great improvement in the sanitary condition of the borough has been effected, states that "much still remains to be done," and strongly laments the want of good accommodation for the working classes, without which he does not expect that the death-rate can be materially reduced. Mr. Errington, registrar, writes, in corroboration of this report, that many of the houses in the overcrowded parts of Newcastle are wholly unfit to be inhabited by human beings.

A summary review of the national registers furnishes proof of a favourable state of the public health viewed in comparison with that of former seasons; but there are exceptional facts that cannot be regarded with like com-

TABLE **47.**— **Average Annual Rate** of **Mortality** to **1000** of the **Population** in the **11 Divisions** of **England** in the **10 Years 1851-60**, and in the Year **1867.**

DIVISIONS.	AVERAGE ANNUAL RATE of MORTALITY to 1000 LIVING in the YEAR 1867.					
	10 Years 1851-60.	Year.	Winter Quarter.	Spring Quarter.	Summer Quarter.	Autumn Quarter.
I. LONDON - - - - - -	23·63	22·98	26·65	20·38	21·27	23·61
II. SOUTH EASTERN COUNTIES -	19·55	18·90	21·87	18·02	17·64	18·07
III. SOUTH MIDLAND COUNTIES -	20·44	20·32	24·02	19·87	18·34	19·03
IV. EASTERN COUNTIES - - -	20·58	19·33	22·27	19·43	17·24	18·38
V. SOUTH WESTERN COUNTIES -	20·01	19·13	23·83	19·13	15·89	17·65
VI. WEST MIDLAND COUNTIES -	22·35	20·70	24·20	19·49	18·82	20·30
VII. NORTH MIDLAND COUNTIES -	21·10	20·31	23·44	19·92	18·63	19·25
VIII. NORTH WESTERN COUNTIES -	25·51	25·89	29·44	24·06	23·76	26·31
IX. YORKSHIRE - - - - -	23·09	23·64	26·58	23·45	22·65	21·89
X. NORTHERN COUNTIES - -	21·99	24·73	27·23	23·83	23·19	24·67
XI. MONMOUTHSHIRE AND WALES	21·28	20·68	24·19	21·85	17·82	18·85

Note.—The above mortality for the *year* 1867 is the mean of the quarterly rates.

placency ; for it is impossible that the elements of nature, however happily blended to constitute a fine autumn, can successfully contend with human ignorance and neglect, can suddenly counteract poisonous emanations from drains and from marsh lands covered with hovels, or sweeten well water that has been contaminated with sewage. It is found that in different situations there were outbreaks of fever which the local officers attribute to overcrowding, bad drainage, or otherwise defective sanitary condition ; they were not confined to towns, but occurred equally in the purer atmosphere of the country. Such outbreaks are at all times numerous enough, and if they were all reported would probably be found more numerous still. They occur in the secluded hamlets of thinly-peopled districts, where inspectors of nuisances are unknown ; where the doctor, when summoned, is too busy with his patients to explore their surrounding conditions ; and where, as fevers may be prevalent without being fatal, it is obvious that even an intelligent registrar living at a distance, it may be of some miles, has but imperfect means of acquainting himself with authenticated facts. Epidemic disease is rapid in its origin and progress ; the art of sanitation, as applied by public bodies, is slow and often difficult. What may be done with the present consent of all, and the prospect of certain benefit in the end, is the wide diffusion of sanitary knowledge among all classes, not excepting the rich. People must be taught to protect themselves. If wells in the neighbourhood of drains are fraught with danger, the fact should be made familiar to all ; and if there be a simple and ready means of detecting pollution in water, that too should be universally known.* Short and easy lessons on the physical forces, on animal and vegetable physiology, on health and longevity, should be interspersed in elementary school books, with sketches in natural history, narratives of adventure, and other more attractive matter.

In the parish of Terling, in the sub-district of Witham, Essex, with a population of about 900, typhoid fever broke out, and there have been about 180 cases. The Registrar reports that from the 14th to the 31st December there were 12 deaths from it, 11 of which occurred in nine days. The ages of the 12 persons who died ranged from four to forty-four years, and 9 of them were females.

The Registrar of Tamworth writes :—

"Deaths 48. There is an increase of 16 over those of the corresponding quarter of last year. There has been much fever in the borough of Tamworth in the last quarter, and I have registered 8 deaths from it. The town is in a very bad state, abounding with nuisances, none of which are ever removed by the authorities. The mortality bears but a small proportion to the amount of sickness occasioned by the extremely filthy condition of the town."

The Registrar of the sub-district of Northowram (Halifax) says :—

"Deaths 123. 9 were from measles, 10 from typhoid fever, and one from typhus. In the last general return, attention was called to the prevalence of typhoid fever in the northern portion of the district, within the jurisdiction of the Queensbury Board of Health. I regret to say that the fever continues there."

It appears that in the six months from 23d April to 23d October 29 persons had died of the fever, and probably 500 or 600 had been attacked. Well water is drunk, and it is stated that the drainage is exceedingly bad.

The Registrar of Earsdon (Tynemouth) remarks :—

"Deaths 74. Scarlatina has been very prevalent during the past quarter, and 29 deaths have been registered from this cause. The cottages for the occupation of workmen employed at the collieries (in part of my sub-district) have been erected in low and marshy situations, and evidently without any regard to sunlight or drainage. Recent legislation has, however, had the effect of drawing the attention of the colliery proprietors to the sanitary state of their cottages ; and those now being erected by Mr. H. Taylor at East Holywell colliery are so placed as to receive the largest amount of sunlight. The drainage, ashpit, and other accommodation are excellent, and an ample supply of pure water is provided."

---

* See letter in the *Times* of the 18th January 1868 by Mr. Attfield.

Typhus or typhoid fever was reported in the parishes of Therfield and Guilden Morden, Hertfordshire; in that of Sutton St. James, Lincolnshire; at Winterton in the same county; at Westhoughton (Bolton); and is attributed to the existence of nuisance or other sanitary wrong. Scarlatina prevailed fatally in the sub-district of Kessingland, Suffolk; at Leek, where it caused a third part of the 96 deaths; at Stourbridge; in Birmingham and Stockport; in Ormskirk; at Wigan, where out of 377 deaths 87 were caused by that disease; at Hulme (Chorlton), where it caused 91 out of 614 deaths; at Manchester, Ashton-under-Lyne, Royton (Oldham), where it has been severe and caused 28 out of 78 deaths; at Towlaw in Durham and other parts of the same county; at Tynemouth, Bedlington, Penrith, Carlisle, Cockermouth. At Workington 53 deaths out of 125, and at Kendal 41 out of 106 were from scarlatina.

An eruption of fever occurred in the Royal Marines' Barracks of East Stonehouse, which is stated to have arisen from polluted water of a well supplied from a large natural cavern, on the top of which, or near it, houses had been built.

Health of London in 1867.

The Weekly Returns of London for the year 1867, a summary of which is now presented, contain the Births, Deaths, and Causes of Death in a population which is estimated to have been at the middle of that year 3,082,372. This great and unrivalled aggregation of human beings, living in high and low degrees of density, covered a surface of 122 square miles, intersected by the river, which separates 51 square miles, with about three fourths of the whole population, on its northern bank, from 71 square miles, with the remaining fourth of the inhabitants, on its southern side. Over this area were scattered 46 workhouses, 12 prisons, 4 military and naval asylums, 31 civil hospitals, 8 military and naval hospitals, and 19 lunatic asylums. The facts were collected and recorded by 135 registrars.

During the year 112,691 births and 70,924 deaths were registered. The male births and the male deaths were in excess of the female births and deaths respectively, notwithstanding the preponderance of the female element in the population of the metropolis, which is as 114 to 100. The year 1866 was fatal to nearly 10,000 persons above the number who died in 1867.

The rate of mortality was 23·0 per 1000 persons living (in males 25·3, in females 20·9). This rate can be advantageously compared with those of the previous five years, which were successively 23·6, 24·5, 26·5, 24·6, and 26·5 per 1000.

If the rising and falling rate of mortality be taken as the criterion of health, the year 1867 was the healthiest that London has enjoyed since 1860. Through the four years that followed 1860 the annual mortality uninterruptedly rose, and reached 26·5 per 1000 in 1864. It then began to decline, and probably the decrease would have continued in 1866 if cholera had not attacked London in that year. In 1867 it was, as has been stated, 23·0, against an average of 24·4.

When the metropolis as a whole is compared with the principal northern towns, its three millions have reason to be satisfied with the position it holds in the mortality tables. If its worst districts, such as St. Giles, St. Luke, East London, Whitechapel, St. George-in-the-East, Southwark, are compared with the worst of the English provincial towns, the comparison is not unfavourable, though it is in a much less degree advantageous to the sanitary reputation of London. In Birmingham the death-rate of 1867 was 24·3, in Sheffield 24·7, in Liverpool 29·6, in Newcastle-on-Tyne 30·8, in Manchester 31·4. In Dublin it was 27·1, in Edinburgh nearly the same, in Glasgow 28·5. It has been stated that "nothing but "the great quantity of rain that falls in Manchester makes residence "within that city tolerable: it washes down the noxious products with

Table **48.**—LONDON.—**Births** and **Deaths** in the Thirteen Years **1855** to **1867.**

YEARS.	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
BIRTHS - - -	85532	87430	89577	89012	92909	93414	97064	97850	102119	102625	106803	108665	112691
DEATHS - - -	61942	57274	59103	64093	61860	62309	65251	67371	71060	78238	73531	80453	70924
Excess of Births over Deaths -	23590	30156	30474	24919	31049	31105	31813	30479	31059	24387	33272	28212	41767
Births - Males -	43501	44410	45885	45347	47330	47645	49335	49382	52277	52383	54051	55249	57608
Births - Females -	42031	43020	43692	43665	45579	45769	47729	48468	49842	50242	52752	53416	55083
Deaths - Males -	31354	29076	29769	32579	31577	31657	33105	34288	36354	39551	37578	41092	36378
Deaths - Females -	30588	28198	29334	31514	30283	30652	32146	33083	34706	38687	35953	39361	34546
Annual Mortality per 1000 - -	24·31	22·09	22·41	23·90	22·69	22·49	23·18	23·56	24·47	26·53	24·56	26·48	23·01

" which the atmosphere is charged." In a comparison of thirteen large towns in 1867 Manchester shows the highest mortality, and also, with exception of Salford and Glasgow, the highest amount of rain (34·9 in.) The rain of Liverpool measured only 25·4 in. last year ; that of Glasgow the enormous amount of 45·8 in. The five leading Divisions of London, viz., the West, North, Central, East, and South groups of districts, also exhibit differences of death-rate ; all of those large areas being planted wholly or partially with thick populations, and those being the healthiest that are endowed most liberally with open space. The Central Group, which includes St. Giles, Strand, Holborn, Clerkenwell, St. Luke, East and West London, and City, suffered a mortality of 24·4 per 1000. The Eastern Districts, comprising Shoreditch, Bethnal Green, Whitechapel, St. George-in-the-East, Stepney, Mile End Old Town, and Poplar, had a death-rate almost the same, namely, 24·2. In the Northern Group, Marylebone, Hampstead, Pancras, Islington, and Hackney, it was decidedly less, having been 23·1. The Western Division, which includes Kensington, Chelsea, St. George Hanover-square, Westminster, St. Martin-in-the-Fields, and St. James Westminster, was, in the four years 1863–6, the healthiest of all the five divisions, but last year its death-rate was in excess, though only in the slightest degree, of that which prevailed in the South Districts. In the West the rate was 22·1 ; in the South 22·0.

This last Division, stretching on the Surrey side of the river from its western limit at Putney to Greenwich and Woolwich in Kent, has an area almost six times as great as the East and Central Divisions together, but a population which does not equal that of these two divisions combined. In it there is still abundance of uncovered ground ; there are also compact masses of population, chiefly where Lambeth, St. George Southwark, St. Saviour, St. Olave, Bermondsey, and Newington lie within the northward sweep of the river. Wandsworth, Camberwell, Rotherhithe, Greenwich, Lewisham, complete the South Division. A review of the Tables apparently justifies the observation that in none of the London divisions are the signs of sanitary improvement more legible than in this extensive southern section. In the four quinquennial periods between 1845 and 1864, the rates of mortality were consecutively 28·2, 25·8, 22·9 and 23·3. Last year the mortality declined, as already mentioned, to 22·0. Within these 20 years the water supplied to the South districts, the previous quality of which was exceedingly bad, has been much improved. When extensive clearances have been made for new railways, the formation of streets, or other operations, the hardship inflicted on the working classes by ejectment from their dwellings in central and confined districts such as Clerkenwell and Somers Town, would, it may be conjectured, be less

TABLE 49.—LONDON.—**Deaths in Public Institutions, 1855-67.**†

	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
TOTAL DEATHS IN PUBLIC INSTITUTIONS	11310	10381	(53 weeks) 10079	10004	9633	9550	10276	11313	(53 weeks) 11112	12731	12116	13054	12002
IN WORKHOUSES	6552	5797	5714	5535	5228	5161	5757	6401	6187	7055	6715	7088	6829
PRISONS	71	81	71	57	40	41	46	53	64	125	99	95	90
MILITARY AND NAVAL ASYLUMS	299	304	285	317	307	272	251	307	289	315	278	195	147
GENERAL HOSPITALS	2956	2859	3008	3094	2927	3039	3234	3167	3169	3558	3354	3813	3291
HOSPITALS FOR SPECIAL DISEASES	441	612	332	272	431	413	335	690	827	982	1002	1167	929
LYING-IN HOSPITALS — Women	27	14	11	11	35	34	38	35	11	24	26	22	31
LYING-IN HOSPITALS — Children	40	31	23	32	51	57	58	40	37	48	42	50	51
MILITARY AND NAVAL HOSPITALS	404	282	180	211	187	173	223	236	203	215	176	146	177
HOSPITALS AND ASYLUMS FOR FOREIGNERS	64	61	63	53	46	47	58	74	61	82	71	96	100
LUNATIC ASYLUMS	456	340	392	422	381	313	276	310	264	327	353	382	357

† This Table is compiled from the Weekly Returns made by the Registrars of London, and relates to the 52 or 53 weeks of each year.

severe, and less attended with dangerous overcrowding, in those on the south side of the river, where the population had ampler room to expand, and house accommodation was less difficult to be obtained. In estimating the fruits of sanitary labours in the older neighbourhoods, it should not be forgotten that the condition of populations increasing rapidly within fixed boundaries has a constant tendency to deterioration,—that the rate of mortality uncontrolled must rise; and if there be reasonable ground to believe that the great engineering works that have been undertaken in the interest of the public health have checked this tendency, and, though they have not extirpated epidemic diseases, have to some extent quelled their fury, this result must be regarded with satisfaction and hope.

The highest weekly number of births registered in London in 1867 was 2,489 in the last week of March; the lowest numbers of births were 1,910 in the third week of July, and 1,701 in the fifty-second week of the year, when Christmas shortened the period available for registration.

The highest weekly number of deaths registered was 1,891, and occurred in the second week of the year; the return rose again nearly as high (1,880) in the fourth week, but it exceeded 1,700 in only two other instances. The lowest number of deaths was 1,052, near the middle of June. In the first week of January the mean temperature of the air was 25°·2, and the mean of the lowest thermometrical readings was 17°·2. The mean temperature of the second week of June was 59°·9, and the mean of the lowest readings 51°. The difference between winter's cold and summer's heat caused a loss or saving of eight hundred lives in a week. But it does not follow that the prolongation of those temperatures through many successive weeks would produce effects of proportional magnitude. The third quarter of the year is the warmest, but in it the mortality is higher than in the second.

The great changes that have taken place within the metropolitan area in recent years in the demolition of old structures, the extension of thoroughfares, and migration of families into the suburbs, may be very

---

TABLE 50.—LONDON.—**Deaths** and **Meteorology, 1849-67.**

YEARS.	Total Number of Deaths.	Mean Temperature of Air.	Dryness of Atmosphere.	Fall of Rain in Inches.	Mean *Weekly* Amount of Horizontal Movement of the Air, approximated to the results of Robinson's Anemometer by reductions from Whewell's to 1859.*
		°	°	in.	miles.
1849	68756	50·0	6·6	23·9	1808
1850	48950	49·3	6·1	19·7	1841
1851	55488	49·2	6·5	21·6	1730
1852	54638	50·6	7·4	34·2	1781
1853	60069	47·7	6·2	29·0	1597
1854	73697	48·9	4·7	18·7	1731
1855	61942	47·1	4·5	21·1	1659
1856	57274	49·0	5·6	22·2	1775
1857	59103	51·0	5·2	21·4	1562
1858	64093	49·2	6·5	17·8	1626
1859	61860	50·7	6·0	25·9	1598
1860	62309	47·0	4·6	32·0	1676
1861	65251	49·4	5·0	20·8	1666
1862	67371	49·5	4·7	26·2	1680
1863	71060	50·3	6·0	20·0	1775
1864	78238	48·5	7·0	16·7	1597
1865	73531	50·3	6·2	29·0	1553
1866	80453	49·8	5·6	30·7	1917
1867	70924	48·6	5·6	28·6	1981

WEEKLY AVERAGE OF 1867.

1867	Number of Deaths weekly.	Mean Temperature of Air.	Average daily Range of Temperature.	Dryness of Atmosphere.	Fall of Rain in Inches.	Amount of Horizontal Movement of the Air in each Week.†
		°	°	°	in.	miles.
First Quarter	1572	38·9	11·2	4·8	6·3	2352
Second Quarter	1201	53·5	19·2	7·4	6·3	2030
Third Quarter	1261	59·7	19·3	6·8	11·4	1685
Fourth Quarter	1410	42·5	12·6	3·5	4·6	1855

* For the years 1849-59 the results are only approximative, having been reduced to Robinson's Anemometer from observations made with Whewell's.

† By Robinson's Anemometer.

legibly traced in the Table of Deaths in the thirty-seven districts of London in each of the last ten years. In the three City Districts the decrease in absolute numbers of deaths is very conspicuous. St. Martin-in-the-Fields and others are nearly stationary; St. Saviour Southwark and St. Olave show a great decrease. The mortality of Kensington has increased from 3,500 deaths in a year to 5,000. There is an increase in Marylebone but it is less remarkable. Hampstead, which registered 300 deaths ten years ago, now registers 400 annually. Pancras has suffered an addition of at least 500. In Islington the annual average was nearly 3,000 in the years 1858–60; it now approximates to 5,000; and Hackney exhibits an increase which is proportionably as great. The deaths in Lewisham, which were about a thousand, are now 1,400.

The total deaths in the year were 70,924, and of 70,586 of these deaths the causes were more or less fully and accurately described and recorded. Zymotic diseases, in which class the chief heads are typhus, small-pox, measles, scarlatina, whooping-cough, and diarrhœa, were fatal in 15,301 cases, which is more than a fifth part of the whole. This aggregate result was, however, considerably less than it had been in any previous year since 1860; and the only disease in this class which displayed increased activity was small-pox, the deaths from which were 1,345. This complaint was prevalent chiefly in the March quarter, and in the remaining nine months declined. Part of Lambeth suffered from it; but its chief points of attack were apparently Limehouse, Bow, Poplar, Bermondsey, Deptford, and Greenwich. Whooping-cough carried off many children all over London; and diarrhœa, which was the most fatal of the zymotic class, caused 2,969 deaths. Cholera, chiefly *cholera infantum*, was fatal in 240 cases; typhus, typhoid fever, &c., in 2,184 against 3,232 and 2,681 in the two previous years.

There were 7,613 deaths from bronchitis, 3,700 from pneumonia, 8,928 from phthisis, 2,993 from heart disease, 46 from privation, 118 from purpura and scurvy, 170 from delirium tremens and intemperance, 2,191 from accident or negligence, 108 from homicide, 259 from suicide, 3 public executions, 47 other violence not described.

The thorough systematic cleansing of the streets and the regulation of the traffic on them are subjects which urgently claim public attention. 164 deaths from injuries caused by horses or vehicles in the streets were recorded in 1867. 10 persons were killed by horses, 3 by carriages, 7 by omnibuses, 17 by cabs, 32 by waggons, 5 by drays, 43 by carts, and 47 by vehicles not described.

TABLE **51.—Population; Births** and **Deaths; Annual Birth** and **Death Rates; Mean Temperature** and **Rainfall,** in the Year **1867,** in LONDON and TWELVE other LARGE TOWNS.

CITIES, &c.	ESTIMATED POPULATION in the Middle of the Year 1867.	BIRTHS in 52 Weeks ending 28th Dec. 1867.	DEATHS in 52 Weeks ending 28th Dec. 1867.	ANNUAL RATE to 1000 living during the 52 Weeks ending 28th Dec. 1867.		MEAN TEMPERATURE in 52 Weeks ending 28th Dec. 1867.	RAINFALL in inches in 52 Weeks ending 28th Dec. 1867.
				Births.	Deaths.		
TOTAL - - - -	6,187,764	230,199	155,943	37·33	25·29	47°·7	30·6
LONDON - (Metropolis) -	3,082,372	112,264	70,588	36·55	22·98	48·6	28·4
BRISTOL - - (City) -	163,572	6,004	3,721	36·39	23·08	48·7	33·9
BIRMINGHAM - (Borough) -	343,948	13,029	8,318	38·01	24·27	48·5	30·4
LIVERPOOL - (Borough) -	492,439	19,561	14,511	39·86	29·57	48·8	25·4
MANCHESTER - (City) -	362,823	13,365	11,354	36·96	31·40	47·4	34·9
SALFORD - (Borough) -	115,013	4,517	3,267	39·41	28·50	46·8	35·9
SHEFFIELD - (Borough) -	225,199	9,264	5,537	41·28	24·67	46·9	33·3
LEEDS - (Borough) -	232,428	10,254	6,246	44·27	26·96	48·0	26·2
HULL - - (Borough) -	106,740	4,142	2,655	38·94	24·96	..	..
NEWCASTLE-ON-TYNE (Borough)	124,960	4,815	3,834	38·66	30·79	46·8	21·7
EDINBURGH - (City) -	176,081	6,422	4,760	36·60	27·13	46·8	26·9
GLASGOW - (City) -	440,979	18,322	12,543	41·69	28·54	46·4	45·8
DUBLIN (City and some suburbs)	319,210	8,240	8,609	25·90	27·06	49·2	24·5

TABLE **52.**—LONDON. **Annual Rate** of **Mortality, 1840-1867,** in FIVE GROUPS of DISTRICTS.

——	LONDON.	WEST DISTRICTS.	NORTH DISTRICTS.	CENTRAL DISTRICTS.	EAST DISTRICTS.	SOUTH DISTRICTS.
Area in Square Miles .	121·8	16·8	21·1	3·0	9·7	71·2
Annual Increase of Population per Cent., 1851–61	1·73	2·10	2·34	—·39 (decrease).	1·63	2·28
Population, 1861 . .	2,803,989	463,388	618,210	378,058	571,158	773,175
YEARS.	ANNUAL RATE OF MORTALITY PER 1000.					
1840 . . .	24·98	24·08	23·94	24·47	25·71	25·89
1841 . . .	24·04	22·36	22·41	24·96	25·06	24·40
1842 . . .	23·52	22·56	22·55	23·61	24·43	23·92
1843 . . .	24·66	23·26	23·08	25·28	26·39	24·75
1844 . . .	25·00	23·87	23·30	24·44	25·86	25·60
1845 . . .	23·19	22·53	21·01	24·02	24·63	23·76
1846 . . .	23·30	21·58	21·85	22·92	24·14	24·63
1847 . . .	26·95	24·50	25·37	27·89	29·35	27·71
1848 . . .	25·82	23·61	23·38	25·33	28·67	27·18
1849 . . .	30·14	26·13	23·68	27·91	31·76	37·62
1850 . . .	21·04	19·64	19·80	21·14	21·68	21·92
1851 . . .	23·38	22·02	22·16	24·07	24·28	24·04
1852 . . .	22·61	21·53	21·22	23·93	23·32	23·01
1853 . . .	24·41	22·29	22·37	25·13	26·47	25·35
1854 . . .	29·43	28·51	24·36	27·44	29·98	34·83
1855 . . .	24·31	23·00	23·28	25·09	25·46	24·61
1856 . . .	22·09	21·46	21·09	23·03	23·31	21·84
1857 . . .	22·41	21·19	21·50	23·77	24·63	21·49
1858 . . .	23·90	22·37	22·88	24·46	25·78	23·96
1859 . . .	22·69	21·44	21·67	24·14	23·95	22·60
1860 . . .	22·49	22·17	21·17	23·34	24·08	22·14
1861 . . .	23·18	22·42	22·33	25·03	24·02	22·79
1862 . . .	23·56	22·30	22·00	25·83	25·98	22·68
1863 . . .	24·47	23·24	23·77	26·51	26·48	23·33
1864 . . .	26·53	24·89	25·37	29·26	29·03	25·36
1865 . . .	24·56	22·96	24·53	26·79	26·40	23·16
1866 . . .	26·48	22·95	25·32	26·77	34·01	24·11
1867 . . .	23·01	22·12	23·14	24·35	24·24	22·04
Average Number living to One Death annually (1840–67) . .	41	44	44	40	38	40

NOTE.—The Annual Rate of Mortality in this Table is deduced from the Population at the Censuses of 1841, 1851, and 1861, and from the Deaths registered in London in each of the several years.

The Mortality for LONDON in each year, 1840–67 is calculated on the Deaths for the complete years, instead of for 52 or 53 weeks.

LONDON.—**Mean Mortality per 1000.**

YEARS.	LONDON.	WEST DISTRICTS.	NORTH DISTRICTS.	CENTRAL DISTRICTS.	EAST DISTRICTS.	SOUTH DISTRICTS.
	MEAN OF 28 YEARS.					
1840–1867 . . .	24·36	22·89	22·80	25·03	26·04	24·81
	MEANS OF 10 YEARS.					
1840–9 . . .	25·16	23·45	23·06	25·08	26·60	26·55
1850–9 . . .	23·63	22·35	22·03	24·22	24·89	24·36
	MEANS OF 5 YEARS.					
1840–4 . . .	24·44	23·23	23·06	24·55	25·49	24·91
1845–9 . . .	25·88	23·67	23·06	25·61	27·71	28·18
1850–4 . . .	24·17	22·80	21·98	24·34	25·15	25·83
1855–9 . . .	23·08	21·89	22·08	24·10	24·63	22·90
1860–4 . . .	24·05	23·00	22·93	25·99	25·92	23·26

TABLE 53.—Temperature at the **Royal Observatory, Greenwich,** and **Annual Rate of Mortality** per 1000 in THIRTEEN LARGE TOWNS of the UNITED KINGDOM, in each Week of **1867.**

WEEKS ENDING.	TEMPERATURE at the Royal Observatory, Greenwich.			ANNUAL RATE OF MORTALITY PER 1000.												
	Mean.	Highest.	Lowest.	TOTAL OF 13 LARGE TOWNS.	LONDON.	BRISTOL.	BIRMINGHAM.	LIVERPOOL.	MANCHESTER.	SALFORD.	SHEFFIELD.	LEEDS.	HULL.	NEWCASTLE-ON-TYNE.	EDINBURGH.	GLASGOW.	DUBLIN.
	°	°	°														
YEAR (of 52 Weeks ending 28 Dec. 1867.)	48·6	89·0	6·6	25	23	23	24	30	31	28	25	27	25	31	27	29	27
March Quarter	38·9	59·1	6·6	29	27	26	25	33	34	31	27	29	25	37	30	34	35
June „	53·5	83·6	30·5	23	20	21	20	26	28	25	22	25	22	27	29	29	27
September „	59·7	89·0	35·5	24	21	19	26	29	32	28	24	29	26	30	23	24	22
December „	42·5	66·7	21·2	26	24	25	26	30	33	29	25	24	26	29	27	28	22
January 5	25·2	41·9	6·6	27	24	24	24	35	31	29	22	30	28	44	31	33	2
„ 12	39·3	54·4	22·5	33	32	25	25	36	38	39	32	31	29	42	33	37	3
„ 19	26·0	34·9	13·9	31	29	29	29	38	38	29	27	28	28	42	31	35	3
„ 26	37·2	54·5	22·0	35	32	35	28	41	48	40	31	29	30	43	32	42	4
February 2	46·0	55·0	35·0	30	28	31	26	30	32	31	29	32	30	32	30	35	4
„ 9	43·4	54·8	32·9	28	27	25	24	32	30	27	26	28	29	44	30	32	3
„ 16	46·7	57·1	37·9	26	24	23	24	31	30	28	26	28	25	37	28	30	3
„ 23	46·5	56·9	39·0	25	23	22	22	28	29	27	25	26	23	43	22	30	3
March 2	39·0	52·3	28·2	25	22	22	25	30	29	23	25	31	18	31	26	29	3
„ 9	35·3	48·7	27·6	27	24	24	23	33	30	34	29	29	18	30	27	32	3
„ 16	34·1	44·8	24·5	29	27	24	23	33	37	33	28	31	26	31	33	33	3
„ 23	35·5	55·1	26·1	31	29	23	26	36	34	36	31	29	23	37	28	35	3
„ 30	46·6	59·1	34·4	29	27	25	31	29	34	30	24	30	21	27	33	34	4
April 6	48·6	62·1	30·5	27	25	26	25	29	28	28	25	30	24	30	28	34	2
„ 13	46·7	58·9	34·5	25	23	18	22	28	29	29	22	23	17	25	30	34	3
„ 20	50·9	64·8	42·5	23	21	24	18	27	22	24	22	29	28	27	30	29	2
„ 27	48·7	64·8	39·0	23	22	21	20	24	31	22	24	20	19	32	25	28	2
May 4	51·5	68·4	35·3	23	21	19	20	26	27	26	25	26	22	28	24	31	2
„ 11	63·4	83·6	43·7	24	21	26	20	27	30	28	23	23	25	28	37	29	2
„ 18	46·8	63·0	34·9	22	19	17	21	25	29	25	18	24	22	30	33	25	3
„ 25	45·7	68·0	31·9	22	19	20	20	25	26	22	16	25	23	26	29	33	2
June 1	59·0	77·5	46·5	24	21	24	19	30	28	30	24	28	20	29	33	28	3
„ 8	56·8	79·7	46·0	22	19	20	19	24	26	21	23	25	24	26	36	30	2
„ 15	59·9	82·1	44·4	22	19	21	19	26	27	24	23	25	25	28	28	24	2
„ 22	55·3	72·1	44·5	20	18	20	17	24	26	28	22	24	20	23	21	25	2
„ 29	59·1	80·9	40·5	21	19	17	17	25	28	19	20	26	21	23	26	26	2
July 6	61·9	81·5	45·9	21	19	18	19	24	27	26	16	24	22	22	27	26	2
„ 13	60·0	75·3	45·0	22	21	21	18	26	29	29	22	23	19	23	27	24	2
„ 20	59·0	74·3	51·2	23	21	16	24	27	29	25	18	24	22	23	29	27	1
„ 27	59·2	74·1	45·8	24	23	22	21	27	34	27	21	24	20	26	23	23	2
August 3	55·0	70·2	40·9	24	22	23	24	29	28	28	22	26	22	27	26	24	2
„ 10	60·1	75·9	49·1	23	22	14	27	28	28	24	22	29	22	24	21	21	2
„ 17	66·1	89·0	50·2	24	24	17	24	27	26	28	24	29	23	28	22	25	2
„ 24	63·7	79·6	49·5	24	21	23	27	30	29	26	22	33	22	33	19	24	2
„ 31	61·7	77·6	46·3	24	22	20	32	30	32	29	28	26	25	40	22	22	2
September 7	63·2	79·9	52·4	25	22	23	32	31	38	29	28	30	37	27	20	23	2
„ 14	60·1	73·2	49·1	26	21	17	33	33	39	36	31	36	38	42	19	26	2
„ 21	54·8	68·3	44·2	24	19	20	28	29	35	33	28	37	40	34	21	22	2
„ 28	53·0	67·6	35·5	24	20	16	26	31	38	29	26	32	29	34	23	25	2
October 5	48·2	66·7	30·8	23	20	19	26	26	29	28	20	29	22	29	26	24	2
„ 12	43·7	58·4	31·2	24	21	19	28	31	34	29	24	24	35	33	23	24	2
„ 19	52·5	64·8	39·6	25	23	26	24	31	31	30	27	28	27	29	21	28	1
„ 26	52·1	63·9	35·8	23	21	22	25	25	26	31	23	23	24	32	24	24	2
November 2	48·5	64·0	33·0	23	20	27	22	29	33	27	24	23	25	30	20	24	2
„ 9	41·9	53·5	30·2	23	20	20	25	26	26	27	24	24	28	29	27	27	2
„ 16	45·0	59·8	33·3	26	25	24	24	32	31	27	28	24	28	28	24	24	2
„ 23	39·6	46·8	32·8	26	24	28	26	32	35	34	21	22	18	33	33	27	2
„ 30	37·7	47·7	27·5	28	27	29	25	32	34	33	33	23	23	25	27	33	2
December 7	35·7	55·2	26·1	29	27	28	29	34	36	29	27	24	27	30	31	33	2
„ 14	38·4	50·8	21·2	30	29	23	28	33	36	30	28	24	27	32	33	33	2
„ 21	41·0	53·9	24·6	28	26	33	30	33	35	31	23	23	31	22	29	28	2
„ 28	37·2	49·9	29·4	26	24	21	29	32	32	23	29	25	26	27	30	32	2

Emigration from the United Kingdom.

(From the Twenty-eighth Report of the Emigration Commissioners.)

Table **54.**—**Emigration** in each of the Fifty-three **Years** from **1815** to **1867** inclusive.

Years.	North American Colonies.	United States.	Australian Colonies and New Zealand.	All other Places.	Total.
1815	680	1,209	*	192	2,081
1816	3,370	9,022	*	118	12,510
1817	9,797	10,280	*	557	20,634
1818	15,136	12,429	*	222	27,787
1819	23,534	10,674	*	579	34,787
1820	17,921	6,745	*	1,063	25,729
1821	12,955	4,958	*	384	18,297
1822	16,013	4,137	*	279	20,429
1823	11,355	5,032	*	163	16,550
1824	8,774	5,152	*	99	14,025
1825	8,741	5,551	485	114	14,891
1826	12,818	7,063	903	116	20,900
1827	12,648	14,526	715	114	28,003
1828	12,084	12,817	1,056	135	26,092
1829	13,307	15,678	2,016	197	31,198
1830	30,574	24,887	1,242	204	56,907
1831	58,067	23,418	1,561	114	83,160
1832	66,339	32,872	3,733	196	103,140
1833	28,808	29,109	4,093	517	62,527
1834	40,060	33,074	2,800	288	76,222
1835	15,573	26,720	1,860	325	44,478
1836	34,226	37,774	3,124	293	75,417
1837	29,884	36,770	5,054	326	72,034
1838	4,577	14,332	14,021	292	33,222
1839	12,658	33,536	15,786	227	62,207
1840	32,293	40,642	15,850	1,958	90,743
1841	38,164	45,017	32,625	2,786	118,592
1842	54,123	63,852	8,534	1,835	128,344
1843	23,518	28,335	3,478	1,881	57,212
1844	22,924	43,660	2,229	1,873	70,686
1845	31,803	58,538	830	2,330	93,501
1846	43,439	82,239	2,347	1,826	129,851
1847	109,680	142,154	4,949	1,487	258,270
1848	31,065	188,233	23,904	4,887	248,089
1849	41,367	219,450	32,191	6,490	299,498
1850	32,961	223,078	16,037	8,773	280,849
1851	42,605	267,357	21,532	4,472	335,966
1852	32,873	244,261	87,881	3,749	368,764
1853	34,522	230,885	61,401	3,129	329,937
1854	43,761	193,065	83,237	3,366	323,429
1855	17,966	103,414	52,309	3,118	176,807
1856	16,378	111,837	44,584	3,755	176,554
1857	21,001	126,905	61,248	3,721	212,875
1858	9,704	59,716	39,295	5,257	113,972
1859	6,689	70,303	31,013	12,427	120,432
1860	9,786	87,500	24,302	6,881	128,469
1861	12,707	49,764	23,738	5,561	91,770
1862	15,522	58,706	41,843	5,143	121,214
1863	18,083	146,813	53,054	5,808	223,758
1864	12,721	147,042	40,942	8,195	208,900
1865	17,211	147,258	37,283	8,049	209,801
1866	13,255	161,000	24,097	6,530	204,882
1867	15,503	159,275	14,466	6,709	195,953
Total	1,301,523	3,918,064	943,648	139,110	6,302,345

Average annual emigration from the United Kingdom — From 1815 to 1867 - 118,912; For the 10 years ending 1867 - 161,915

* The Customs returns do not record any emigration to Australia during these 10 years, but it appears from other sources that there went out in 1821, 320; in 1822, 875; in 1823, 543; in 1824, 780; and in 1825, 458 persons. These numbers have not been included in the totals of this Table.

Table 55.—Emigration in 1867.

Destination.	Age, Sex, &c. of Emigrants embarked.										Total.	Native Country of Emigrants.				
	Adults.				Children, from 1 to 12 Years.		Infants.		Not distinguished as to Age.			English.	Scotch.	Irish.	Foreigners.	Not distinguished.
	Married.		Single.													
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
To the United States	15,523	17,522	61,125	30,288	11,697	10,670	3,243	2,682	4,123	2,402	159,275	38,231	8,249	79,571	26,632	6,592
To British North America	1,761	1,884	6,492	1,937	1,313	1,128	370	325	198	95	15,503	5,476	2,102	4,582	3,050	293
To Australasia	1,357	1,619	5,050	4,095	1,031	971	175	168	–	–	14,466	7,783	2,156	4,084	443	–
To all other places	853	816	2,776	684	265	295	85	52	651	232	6,709	4,004	359	385	1,068	893
To all places from ports at which there are Government Emigration Officers	18,747	21,244	73,489	36,561	14,082	12,801	3,790	3,188	4,972	2,729	191,603	52,509	12,749	88,340	30,227	7,778
To all places from other ports	747	597	1,954	443	224	263	83	39	–	–	4,350	2,985	117	282	966	–
Total	19,494	21,841	75,443	37,004	14,306	13,064	3,873	3,227	4,972	2,729	195,953	55,494	12,866	88,622	31,193	7,778

Table 56.—Occupations, Sex, and general Destination of the Emigrants in 1867.

Occupation.	United States.	British North America.	Australasia.	All other Places.	Total.
Adult Males.					
Agricultural Labourers, Gardeners, Carters, &c.	150	75	601	121	947
Bakers, Confectioners, &c.	125	16	32	2	175
Blacksmiths and Farriers	64	12	55	2	133
Bookbinders and Stationers	6	—	3	—	9
Boot and Shoe Makers	305	17	55	—	377
Braziers, Tinsmiths, Whitesmiths, &c.	71	7	7	—	85
Brick and Tile Makers, Potters, &c.	45	3	2	3	53
Bricklayers, Masons, Plasterers, Slaters, &c.	450	17	32	—	499
Builders	25	—	2	—	27
Butchers, Poulterers, &c.	47	1	21	1	70
Cabinet Makers and Upholsterers	62	7	12	—	81
Carpenters and Joiners	1,818	187	108	4	2,117
Carvers and Gilders	47	2	2	—	51
Clerks	435	133	161	64	793
Clock and Watch Makers	22	2	12	1	37
Coach Makers and Trimmers	6	2	5	—	13
Coal Miners	29	—	—	—	29
Coopers	62	5	1	1	69
Cutlers	37	1	—	—	38
Domestic Servants	131	18	51	53	253
Dyers	43	2	2	—	47
Engine Drivers, Stokers, &c.	9	6	6	4	25
Engineers	140	31	39	47	257
Engravers	14	—	3	2	19
Farmers	4,979	1,302	529	93	6,903
Gentlemen, Professional Men, Merchants, &c.	4,135	1,195	1,273	989	7,592
Jewellers and Silversmiths	13	4	7	—	24
Labourers, General	42,503	2,789	1,722	148	47,162

TABLE showing the OCCUPATIONS, SEX, and general DESTINATION of the EMIGRANTS in 1867—*continued.*

OCCUPATION.	UNITED STATES.	BRITISH NORTH AMERICA.	AUSTRAL-ASIA.	ALL OTHER PLACES.	TOTAL.
ADULT MALES—*continued.*					
Locksmiths, Gunsmiths, &c.	5	—	—	—	5
Millers, Maltsters, &c.	29	6	7	—	42
Millwrights	6	—	—	2	8
Miners and Quarrymen	4,407	1,005	204	25	5,641
Painters, Paperhangers, Plumbers, and Glaziers	181	8	22	1	212
Pensioners	—	1	1	1	3
Printers	46	5	5	—	56
Rope Makers	4	1	1	—	6
Saddlers and Harness Makers	13	—	9	2	24
Sail Makers	3	—	2	1	6
Sawyers	12	2	7	—	21
Seamen	200	92	39	8	339
Shipwrights	17	7	3	5	3
Shopkeepers, Shopmen, Warehousemen, &c.	237	29	83	15	364
Smiths, General	1,267	58	17	9	1,351
Spinners and Weavers	433	36	3	—	472
Sugar Bakers, Boilers, &c.	33	2	—	—	35
Surveyors	4	—	7	2	13
Tailors	634	141	36	1	812
Tallow Chandlers and Soap Makers	—	—	—	—	—
Tanners and Curriers	7	2	8	—	17
Turners	19	4	4	1	28
Wheelwrights	18	1	7	—	26
Wool Combers and Sorters	10	2	1	—	13
Trades and Professions not before specified	2,476	692	291	124	3,583
Not distinguished	10,814	325	907	1,897	13,943
ADULT FEMALES.					
Domestic and Farm Servants, Nurses, &c.	5,577	187	2,665	170	8,599
Gentlewomen and Governesses	557	188	223	119	1,087
Milliners, Dressmakers, and Needlewomen	232	2	118	2	354
Married Women	17,522	1,884	1,619	816	21,841
Shopwomen	2	—	6	—	8
Trades and Professions not before specified	79	3	15	2	99
Not distinguished	23,841	1,557	1,068	391	26,857
CHILDREN.					
Male Children, 1 to 12 years	11,697	1,313	1,031	265	14,306
Female do. do.	10,670	1,123	971	295	13,064
Infants, Males	3,243	370	175	85	3,873
Do. Females	2,682	325	168	52	3,227
Not distinguished as to age, Males	4,123	198	—	651	4,972
Do. Do. Females	2,402	95	—	232	2,729
TOTAL	159,275	15,503	14,466	6,709	195,953

RETURN of the NUMBER, AGES, RATINGS, and CAUSES of DEATHS of SEAMEN reported to the REGISTRAR GENERAL of SEAMEN as having died in the BRITISH MERCHANT SERVICE in the year 1867.

Class I.

ORDER I.

	Deaths.
Smallpox	21
Measles	1
Quinsy	4
Typhus	367
Erysipelas	4
Influenza	5
Dysentery	214
Diarrhœa	38
Cholera	212
Ague	21
Remittent fever	5
Yellow fever	346
Rheumatism	7

ORDER II.

Syphilis	11
Stricture of Urethra	2

ORDER III.

Privation	1
Purpura and Scurvy	52
Alcoholism — Delirium Tremens	8
Alcoholism — Intemperance	6

Class II.

ORDER I.

Dropsy	24
Cancer	3
Mortification	5

ORDER II.

Scrofula	1
Phthisis	151

Class III.

ORDER I.

Cephalitis	1
Apoplexy	45
Paralysis	5
Insanity	3
Epilepsy	17
Convulsions	1
Brain disease, &c.	21

ORDER II.

Aneurism	2
Heart disease, &c.	91

ORDER III.

Laryngitis	1
Bronchitis	12
Pleurisy	4
Pneumonia	5
Asthma	7
Lung disease, &c.	24

ORDER IV.

Gastritis	3
Enteritis	11
Peritonitis	7
Ulceration of Intestines	2
Hernia	6
Ileus	3
Fistula	1
Stomach disease, &c.	2
Hepatitis	3
Jaundice	1
Liver disease, &c.	17
Spleen disease, &c.	1

ORDER V.

Ischuria	2
Nephria	1
Stone	4
Kidney disease, &c.	7

ORDER VIII.

Ulcer	1

Class IV.

ORDER IV.

Atrophy and Debility	48

Class V.

ORDER I.
(ACCIDENT OR NEGLIGENCE.)

Fractures and Contusions	3
Drowning — by accident	1,105
Drowning — by wreck	1,808
Suffocation	2
Otherwise	272

ORDER III.
(HOMICIDE.)

Murder and Manslaughter	16

ORDER IV.
(SUICIDE.)

Means not stated	16
TOTAL specified Causes	5,090
Causes not specified	193
TOTAL	5,283

RATING.

Mates	434	Surgeons	11	Firemen	117
Midshipmen	3	Stewards	207	Stowaways	7
Quartermasters	11	Cooks	153	Unknown	686
Boatswains	160	Carpenters	170		
Able seamen	2015	Sailmakers	37	TOTAL	5,283
Ordinary seamen	612	Minor capacities	163		
Apprentices and boys	433	Engineers	64		

AGES.

Under 20 years	932	Over 60 years	7
20—30 years	2,442	Unknown	651
31—40 years	799		
41—50 years	353	TOTAL	5,283
51—60 years	99		

TABLE 57.

POPULATION OF THE UNITED KINGDOM,

with Army, Navy, and Merchant Seamen abroad belonging thereto.*

Middle of Years.	PERSONS.	MALES.	FEMALES.
1801 -	**16,302,410**	8,096,082	8,206,328
1811 -	**18,532,522**	9,194,348	9,338,174
1821 -	**21,300,573**	10,519,256	10,781,317
1831 -	**24,423,588**	12,004,025	12,419,563
1841 -	**27,077,095**	13,325,889	13,751,206
1851 -	**27,764,034**	13,656,998	14,107,036
1861 -	**29,358,927**	14,397,427	14,961,500
(Estimated.) 1866 -	**30,339,861**	14,784,947	15,554,914
1867 -	**30,551,276**	14,864,733	15,686,543
1868 -	**30,774,590**	14,950,520	15,824,070
1869 -	**31,015,234**	15,043,923	15,971,311

* In estimating the number of men in the Army, Navy, and Merchant Service abroad, a certain proportion belonging to foreign countries and the colonies has been excluded. In 1811 the troops and seamen were 640,500, but as this number included natives of colonies and foreign parts, only 502,536 were taken.

[The above numbers (1801–61) have been deduced by raising the enumerated population of the United Kingdom, including the islands in the British Seas, (*see* Table 9. p. 84. of Vol. III. Census of England and Wales, 1861,) up to the middle of the respective Census years. In 1866–1869 the numbers have been estimated by adding the population enumerated in the islands in the British Seas in 1861, and the number of men in the Army, Navy, and Merchant Service abroad, (*see* Tables 3. and 16. pp. 81. and 87. Vol. III. Census 1861,) to the population for 1866–7–8 and 9, returned in Table 59. pp. lxiv–lxv.

TABLE 58.—Logarithms of the above Population of the UNITED KINGDOM.

Middle of Years.	PERSONS.	MALES.	FEMALES.
1801 - -	7·2122518	6·9082749	6·9141489
1811 - -	7·2679345	6·9635210	6·9702620
1821 - -	7·3283913	7·0219850	7·0326718
1831 - -	7·3878095	7·0793269	7·0941063
1841 - -	7·4326020	7·1246962	7·1383408
1851 - -	7·4434825	7·1353552	7·1494358
1861 - -	7·4677402	7·1582849	7·1749751
1866 - -	7·4820136	7·1698198	7·1918676
1867 - -	7·4850293	7·1721571	7·1955273
1868 - -	7·4881923	7·1746563	7·1993182
1869 - -	7·4915751	7·1773611	7·2033406

TABLE 59.—**Population** of the **United Kingdom** estimated to the **middle** of
and **Merchant**

YEARS.	UNITED KINGDOM.			ENGLAND AND WALES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1801	15,902,322	7,743,246	8,154,076	9,060,993	4,404,490	4,656,503
1802	16,059,507	7,826,658	8,232,849	9,129,636	4,441,131	4,688,505
1803	16,254,224	7,921,956	8,332,268	9,234,649	4,494,127	4,740,522
1804	16,477,279	8,029,902	8,447,377	9,366,826	4,559,230	4,807,596
1805	16,715,637	8,145,199	8,570,438	9,513,111	4,631,137	4,881,974
1806	16,951,925	8,258,482	8,693,443	9,656,119	4,700,476	4,955,643
1807	17,184,902	8,370,728	8,814,174	9,794,594	4,768,221	5,026,373
1808	17,410,054	8,479,565	8,930,489	9,924,001	4,831,985	5,092,016
1809	17,639,472	8,583,409	9,051,063	10,056,421	4,895,182	5,161,239
1810	17,866,908	8,697,020	9,169,888	10,185,578	4,957,559	5,228,019
1811	18,103,492	8,811,499	9,291,993	10,322,592	5,025,212	5,297,380
1812	18,366,908	8,941,561	9,425,347	10,479,871	5,103,251	5,376,620
1813	18,644,377	9,082,277	9,562,100	10,649,743	5,191,211	5,458,532
1814	18,923,845	9,224,893	9,698,952	10,820,112	5,280,331	5,539,781
1815	19,218,341	9,374,727	9,843,614	11,004,012	5,375,916	5,628,096
1816	19,520,488	9,526,546	9,993,942	11,196,156	5,474,848	5,721,308
1817	19,814,027	9,673,857	10,140,170	11,377,841	5,568,195	5,809,646
1818	20,104,922	9,819,981	10,284,941	11,555,054	5,659,313	5,895,741
1819	20,388,744	9,964,535	10,424,209	11,723,379	5,747,842	5,975,537
1820	20,686,389	10,117,002	10,569,387	11,903,722	5,843,289	6,060,433
1821	21,007,386	10,278,540	10,728,846	12,105,614	5,946,821	6,158,793
1822	21,338,890	10,437,930	10,900,960	12,320,360	6,050,929	6,269,431
1823	21,666,344	10,596,147	11,070,197	12,529,518	6,153,157	6,376,361
1824	21,977,412	10,745,695	11,231,717	12,720,736	6,246,003	6,474,733
1825	22,281,164	10,891,074	11,390,090	12,903,059	6,333,955	6,569,104
1826	22,575,495	11,032,473	11,543,022	13,074,286	6,417,196	6,657,090
1827	22,872,049	11,173,727	11,698,322	13,247,277	6,500,546	6,746,731
1828	23,190,529	11,325,793	11,864,736	13,438,474	6,591,959	6,846,515
1829	23,504,943	11,475,573	12,029,370	13,625,045	6,681,424	6,943,621
1830	23,814,667	11,622,656	12,192,011	13,805,041	6,767,221	7,037,820
1831	24,135,422	11,776,491	12,358,931	13,994,460	6,859,085	7,135,375
1832	24,372,051	11,896,932	12,475,119	14,164,696	6,943,932	7,220,764
1833	24,602,698	12,012,203	12,590,495	14,328,471	7,023,322	7,305,149
1834	24,861,899	12,141,056	12,720,843	14,520,297	7,116,031	7,404,266
1835	25,133,468	12,275,028	12,858,440	14,724,063	7,213,625	7,510,438
1836	25,406,281	12,408,238	12,998,043	14,928,477	7,310,074	7,618,403
1837	25,650,426	12,527,350	13,123,076	15,103,778	7,392,191	7,711,587
1838	25,903,697	12,651,465	13,252,232	15,287,699	7,479,021	7,808,678
1839	26,200,106	12,796,609	13,403,497	15,514,255	7,586,593	7,927,662
1840	26,487,026	12,937,181	13,549,845	15,730,813	7,689,301	8,041,512
1841	26,751,199	13,065,536	13,685,663	15,929,492	7,784,883	8,144,609
1842	27,004,417	13,194,189	13,810,228	16,130,326	7,887,620	8,242,706
1843	27,255,699	13,321,297	13,934,402	16,332,228	7,990,370	8,341,858
1844	27,525,119	13,456,832	14,068,287	16,535,174	8,093,100	8,442,074
1845	27,776,364	13,582,614	14,193,750	16,739,136	8,195,776	8,543,360
1846	28,002,094	13,694,941	14,307,153	16,944,092	8,298,360	8,645,732
1847	27,972,537	13,675,994	14,296,543	17,150,018	8,400,820	8,749,198
1848	27,820,088	13,593,648	14,226,440	17,356,882	8,503,116	8,853,766
1849	27,669,579	13,512,837	14,156,742	17,564,656	8,605,212	8,959,444
1850	27,523,694	13,436,128	14,087,566	17,773,324	8,707,074	9,066,250
1851	27,393,337	13,369,095	14,024,242	17,982,849	8,808,662	9,174,187
1852	27,448,257	13,394,542	14,053,715	18,193,206	8,909,938	9,283,268
1853	27,542,588	13,441,288	14,101,300	18,404,368	9,010,866	9,393,502
1854	27,658,704	13,496,584	14,162,120	18,616,310	9,111,410	9,504,900
1855	27,821,730	13,574,202	14,247,528	18,829,000	9,211,523	9,617,472
1856	28,011,034	13,661,616	14,349,418	19,042,412	9,311,182	9,731,230
1857	28,188,280	13,739,458	14,448,822	19,256,516	9,410,334	9,846,182
1858	28,389,770	13,828,357	14,561,413	19,471,291	9,508,949	9,962,342
1859	28,590,224	13,915,802	14,674,422	19,686,701	9,606,982	10,079,719
1860	28,778,411	13,997,137	14,781,274	19,902,713	9,704,394	10,198,319
1861	28,974,362	14,084,642	14,889,720	20,119,314	9,801,152	10,318,162
1862	29,204,983	14,184,718	15,020,265	20,336,467	9,897,217	10,439,250
1863	29,395,051	14,261,081	15,133,970	20,554,137	9,992,537	10,561,600
1864	29,566,316	14,326,608	15,239,708	20,772,308	10,087,086	10,685,222
1865	29,768,089	14,408,029	15,360,060	20,990,946	10,180,821	10,810,125
1866	29,946,058	14,468,451	15,477,607	21,210,020	10,273,700	10,936,320
1867	30,157,473	14,548,237	15,609,236	21,429,508	10,365,688	11,063,820
1868	30,380,787	14,634,024	15,746,763	21,649,377	10,456,743	11,192,634
1869	30,621,431	14,727,427	15,894,004	21,869,607	10,546,829	11,322,778

NOTE.—The above Table has been constructed by the Registrar-General of England i
islands in the Britis

each Year 1801-69, exclusive of the portions of the Army, Navy, Seamen Abroad.

Scotland.			Ireland.			Years.
Persons.	Males.	Females.	Persons.	Males.	Females.	
1,625,000	751,998	873,002	5,216,329	2,591,758	2,624,571	1801
1,643,877	760,616	883,261	5,285,994	2,624,911	2,661,083	1802
1,662,981	769,341	893,640	5,356,594	2,658,488	2,698,106	1803
1,682,318	778,178	904,140	5,428,135	2,692,494	2,735,641	1804
1,701,890	787,126	914,764	5,500,636	2,726,936	2,773,700	1805
1,721,701	796,188	925,513	5,574,105	2,761,818	2,812,287	1806
1,741,750	805,361	936,389	5,648,558	2,797,146	2,851,412	1807
1,762,045	814,653	947,392	5,724,008	2,832,927	2,891,081	1808
1,782,587	824,063	958,524	5,800,464	2,869,164	2,931,300	1809
1,803,384	833,596	969,788	5,877,946	2,905,865	2,972,081	1810
1,824,434	843,250	981,184	5,956,466	2,943,037	3,013,429	1811
1,851,003	857,627	993,376	6,036,034	2,980,683	3,055,351	1812
1,877,966	872,255	1,005,711	6,116,668	3,018,811	3,097,857	1813
1,905,352	887,136	1,018,216	6,198,381	3,057,426	3,140,955	1814
1,933,141	902,275	1,030,866	6,281,188	3,096,536	3,184,652	1815
1,959,229	915,552	1,043,677	6,365,103	3,136,146	3,228,957	1816
1,986,045	929,399	1,056,646	6,450,141	3,176,263	3,273,878	1817
2,013,552	943,776	1,069,776	6,536,316	3,216,892	3,319,424	1818
2,041,720	958,652	1,083,068	6,623,645	3,258,041	3,365,604	1819
2,070,523	973,996	1,096,527	6,712,144	3,299,717	3,412,427	1820
2,099,945	989,793	1,110,152	6,801,827	3,341,926	3,459,901	1821
2,125,822	1,002,327	1,123,495	6,892,708	3,384,674	3,508,034	1822
2,152,017	1,015,019	1,136,998	6,984,809	3,427,971	3,556,838	1823
2,178,536	1,027,872	1,150,664	7,078,140	3,471,820	3,606,320	1824
2,205,383	1,040,889	1,164,494	7,172,722	3,516,230	3,656,492	1825
2,232,639	1,054,068	1,178,571	7,268,570	3,561,209	3,707,361	1826
2,259,072	1,066,418	1,192,654	7,365,700	3,606,763	3,758,937	1827
2,287,924	1,080,935	1,206,989	7,464,131	3,652,899	3,811,232	1828
2,316,020	1,094,524	1,221,496	7,563,878	3,699,625	3,864,253	1829
2,344,662	1,108,485	1,236,177	7,664,964	3,746,950	3,918,014	1830
2,373,561	1,122,526	1,251,035	7,767,401	3,794,880	3,972,521	1831
2,397,777	1,134,485	1,263,292	7,809,578	3,818,515	3,991,063	1832
2,422,239	1,146,585	1,275,654	7,851,988	3,842,296	4,009,692	1833
2,446,968	1,158,798	1,288,170	7,894,634	3,866,227	4,028,407	1834
2,471,889	1,171,097	1,300,792	7,937,516	3,890,306	4,047,210	1835
2,497,167	1,183,629	1,313,538	7,980,637	3,914,535	4,066,102	1836
2,522,653	1,196,245	1,326,408	8,023,995	3,938,914	4,085,081	1837
2,548,402	1,208,997	1,339,405	8,067,596	3,963,447	4,104,149	1838
2,574,413	1,221,884	1,352,529	8,111,438	3,988,132	4,123,306	1839
2,600,692	1,234,910	1,365,782	8,155,521	4,012,970	4,142,551	1840
2,621,854	1,242,689	1,379,165	8,199,853	4,037,964	4,161,889	1841
2,653,165	1,258,690	1,394,475	8,220,926	4,047,879	4,173,047	1842
2,683,639	1,274,223	1,409,416	8,239,832	4,056,704	4,183,128	1843
2,713,318	1,289,265	1,424,053	8,276,627	4,074,467	4,202,160	1844
2,742,167	1,303,795	1,438,372	8,295,061	4,083,043	4,212,018	1845
2,770,154	1,317,792	1,452,362	8,287,848	4,078,789	4,209,059	1846
2,797,245	1,331,236	1,466,009	8,025,274	3,943,938	4,081,336	1847
2,823,406	1,344,105	1,479,301	7,639,800	3,746,427	3,893,373	1848
2,848,609	1,356,381	1,492,228	7,256,314	3,551,244	3,705,070	1849
2,872,821	1,368,045	1,504,776	6,877,549	3,361,009	3,516,540	1850
2,896,015	1,379,080	1,516,935	6,514,473	3,181,353	3,333,120	1851
2,918,162	1,389,469	1,528,693	6,336,889	3,095,135	3,241,754	1852
2,939,236	1,399,196	1,540,040	6,198,984	3,031,226	3,167,758	1853
2,959,211	1,408,246	1,550,965	6,083,183	2,976,928	3,106,255	1854
2,978,065	1,416,606	1,561,459	6,014,665	2,946,068	3,068,597	1855
2,995,771	1,424,261	1,571,510	5,972,851	2,926,173	3,046,678	1856
3,012,310	1,431,200	1,581,110	5,919,454	2,897,924	3,021,530	1857
3,027,665	1,437,414	1,590,251	5,890,814	2,881,994	3,008,820	1858
3,041,812	1,442,890	1,598,922	5,861,711	2,865,930	2,995,781	1859
3,054,738	1,447,622	1,607,116	5,820,960	2,845,121	2,975,839	1860
3,066,633	1,451,707	1,614,926	5,788,415	2,831,783	2,956,632	1861
3,083,989	1,459,144	1,624,845	5,784,527	2,828,357	2,956,170	1862
3,101,345	1,466,581	1,634,764	5,739,569	2,801,963	2,937,606	1863
3,118,701	1,474,018	1,644,683	5,675,307	2,765,504	2,909,803	1864
3,136,057	1,481,455	1,654,602	5,641,086	2,745,753	2,895,333	1865
3,153,413	1,488,892	1,664,521	5,582,625	2,705,859	2,876,766	1866
3,170,769	1,496,329	1,674,440	5,557,196	2,686,220	2,870,976	1867
3,188,125	1,503,766	1,684,359	5,543,285	2,673,515	2,869,770	1868
3,205,481	1,511,203	1,694,278	5,546,343	2,669,395	2,876,948	1869

conjunction with the Registrars-General of Scotland and Ireland. The population of the Seas is not included.

ARRANGEMENTS respecting the **Registration** of BIRTHS, DEATHS, and MARRIAGES in the **British Colonies** and **Possessions.**

Letter from the Registrar-General to the Under Secretary of State, Colonial Office.

General Register Office, Somerset House, London,
SIR, 5th April, 1867.

IT not unfrequently happens that applications are made to me by persons who require for legal purposes connected with the succession of property, or for life insurance, certificates or other documentary evidence of Births, Deaths, and Marriages which have taken place in British Colonies and Possessions of the Crown ; applicants addressing themselves to me in the belief that I am able to assist them in procuring the required documents, or at least to furnish them with information as to the steps they should take to obtain them.

In the case of the Australian Colonies, being aware that a system of registration of these events has been established under a Registrar-General in each colony, I have had no difficulty in advising the applicants how to proceed ; but with respect to other colonies, I have been unable, from want of information, to render them any assistance.

It appears to me desirable that this department, to which persons naturally resort in such cases, should possess information as to the existing arrangements for recording Births, Deaths, and Marriages in the colonies.

I have therefore to request that you will submit to the Secretary of State whether his Grace will be pleased to direct that a list be furnished to me of the names of the officers in the several colonies charged with the duty of superintending the registration of these events, together with any further information on the subject which his Grace may see fit to place at my disposal.

I have, &c.,
(Signed) GEORGE GRAHAM,
Registrar-General.

To the Under Secretary of State,
Colonial Office, Whitehall.

Letter from the Under Secretary of State, Colonial Office, to the Registrar-General.

SIR, Downing Street, 24th April, 1867.

I HAVE laid before the Duke of Buckingham and Chandos your letter of the 5th instant, and I am directed to acquaint you in reply, that it is difficult to furnish with accuracy from the records of this office the information which you desire with regard to the officers in the several colonies (Australia excepted) who may be charged with the duty of superintending the records of Births, Deaths, and Marriages. His Grace will address a circular despatch to the governors of those colonies, directing them to send home in each case an authentic return, and any information which may assist you ; and in the meantime I transmit to you, for immediate use, such information as it has been possible to supply in this office with reference to the North American and African Colonies, and Malta. No information can at present be supplied with regard to the West India Colonies.*

I am, Sir,
Your most obedient Servant,
FREDERIC ROGERS.

The Registrar-General,
Somerset House.

---

* A précis of the information subsequently obtained and forwarded to the Registrar General by the Secretary of State is given at pp. lxxv–vi, *post.*

AUSTRALIAN COLONIES.

VICTORIA.—By an Act of the Legislative Council passed in 1853, the registration of births, deaths, and marriages was established, and a department for that purpose was organized under the direction of the present able Registrar-General, Mr. W. H. Archer. The schedules in use in Victoria were drawn up in accordance with the recommendations of the Registration Committee of the Statistical Society of London,* and the records of marriage, birth, and death contain, therefore, many more details than are given in the English schedules. The law in respect of the registration of births and deaths differs from that in force in England in some respects. Thus the amended Registration Act, passed in 1865, requires parents or occupiers to give notice of a birth *within sixty days*, of a death *within fifteen days*, to the Registrar, under a penalty not exceeding 10*l.* Registration of birth after the expiration of sixty days is permitted, under special regulation, but after the lapse of *twelve months* no birth can be registered unless the child was born at sea. No dead body may be buried without a certificate of registry or of inquest, unless notice thereof be given to the registrars within one month; and undertakers are required (under a penalty of 5*l.*) to forward to the registrars certificates of all burials performed by them, as by section 31 of the Act "no "entry of the register of any death shall be received as evidence of the fact of "such death unless there shall also be an entry of the register of burial." The Act makes no mention of *medical practitioners*, and any legal informant can state the "cause of death"; the registrar being further unauthorized to question the qualification of any practitioner who certifies the cause of death. All registers of births and deaths are to be made in duplicate, and of marriages in triplicate, each copy bearing the original signatures of the informants, parties, witnesses, &c. No provision is made in the schedules for still-born cases, but the deputy registrars are instructed to procure information of such cases wherever possible, and to report their number to the Registrar-General periodically. The allowance paid to the deputy registrars by Government is the uniform sum of 2*s.* 6*d.* for each correct entry of birth and death; certificates of birth and death are given by the deputy registrars on payment by applicants of 2*s.* 6*d.*, in addition to a fee of 5*s.* for the search: this last fee is not required in cases of very recent birth or death, when the indexes do not need to be referred to. Marriages, whether in places of religious worship, in registrars' offices, or in private dwellings, are regulated by the provisions of "An Act to consolidate the Laws relating to Marriage, and to de-"serted Wives and Children, and to Divorce and Matrimonial Causes" (28 Vict. No. 268.), and are registered by the minister, Registrar-General, or other officer by whom they are celebrated. The schedules (in specimen) for Marriages, Births, and Deaths used in Victoria are appended.

Form of Marriage Declaration before Minister, Registrar-General, or other Officer.

I, *Charles Brown, of Russell Street, Melbourne, Storekeeper*, being duly sworn, make oath and say [*or if objecting to take an oath*, "do solemnly and sincerely declare and affirm"], that I am a *bachelor*, and am *above* the age of twenty-one years, and that I have no knowledge of any just impediment or lawful objection, by reason of any kindred, relationship, or alliance, or any former marriage, or the want of consent of parents or guardians, or any other lawful cause whatever, to my being married to *Charlotte Simpson, of Howard Street, North Melbourne, Dressmaker*, daughter of *John Simpson, late of Sydney, Mariner:* And I hereby further declare that I have full knowledge that in swearing or affirming falsely in this matter I am guilty of perjury, and liable to the pains and penalties thereof.

I, *Charlotte Simpson, of Howard Street, North Melbourne, Dressmaker*, being duly sworn, make oath and say [*or if objecting to take an oath*, "do solemnly and sincerely declare and affirm"], that I am a *spinster*, and am *under* the age of twenty-one years, and that I have no knowledge of any just impediment or lawful objection, by reason of any kindred, relationship, or alliance, or any former marriage, or the want of consent of parents or guardians, or any other lawful cause whatever, to my being married to *Charles Brown, of Russell Street, Melbourne, Storekeeper*, son of *Henry Charles Brown, of Exeter, England, Ironmonger:* And I hereby further declare that I have full knowledge that in swearing or affirming falsely in this matter I am guilty of perjury, and liable to the pains and penalties thereof.

Signatures { *Charles Brown.* / *Charlotte Simpson.*

Declared and sworn [*or* "affirmed"] by both the parties named, this *first* day of *June*, 1865.

Signature and designation, whether Minister, Registrar-General, or other Officer. } *James Smith, Registrar of Marriages.*

* Vide *Journal of the Statistical Society of London.* Vol. xi. p. 282 (1848).

MARRIAGES SOLEMNIZED IN THE DISTRICT OF *MELBOURNE*, IN THE COLONY OF VICTORIA.

No. in Register.	When and where married.	Name and Surname of the Parties.	Condition of the Parties.			Birthplace.	Rank or Profession.	Ages.	Residence.		Parents.	
			Bachelor or Spinster. If a Widower or Widow, Date of Decease of former Wife or Husband.	Children by each former Marriage.					Present.	Usual.	Names. [Mother's Maiden Name.]	Father's Rank or Profession.
				Living.	Dead.							
8	*First June*, 1865, *At the Office of the Registrar of Marriages, Melbourne.* [Or if at a private dwelling, state the locality.]	*Charles Brown.*	*Widower, January* 1860.	1	—	*Exeter, Devonshire, England.*	*Storekeeper*	30	33, *Russell Street, Melbourne.*	*Kyneton*	*Henry Charles Brown* and *Sarah Brown* [Maiden Name, *Henley.*]	*Iron-monger.*
		Charlotte Simpson.	*Spinster.*	—	—	*Melbourne, Victoria.*	*Dressmaker*	20	*Howard Street, North Melbourne.*	*Howard Street, North Melbourne.*	*John Simpson* and *Ellen Simpson* [Maiden Name, *White.*]	*Mariner.*

I, *James Smith*, being *Registrar of Marriages for the District of Melbourne*, do hereby certify that I have this day, *at my office at Melbourne*, duly celebrated Marriage between *Charles Brown, of Russell Street, Melbourne, Storekeeper*, and *Charlotte Simpson, of Howard Street, North Melbourne, Dressmaker*, after notice and declaration duly made and published, as by law required (and with the written consent of *the father of the bride*).

Dated this *first* day of *June*, 1865.

Signature of Minister, Registrar-General, or other Officer. *James Smith.*

Marriage, *after notice and declaration duly made*, was solemnized between us according to the *provisions of the* 28 *Vict. No.* 268. } *Charles Brown.* *Charlotte Simpson.*

Witnesses { *Jos. Geo. Thompson.* *Mary Miller.*

MARRIAGES SOLEMNIZED IN THE DISTRICT OF *BOURKE*, IN THE COLONY OF VICTORIA.

No. in Register.	When and where married.	Name and Surname of the Parties.	Condition of the Parties.			Birthplace.	Rank or Profession.	Ages.	Residence.		Parents.	
			Bachelor or Spinster. If a Widower or Widow, Date of Decease of former Wife or Husband.	Children by each former Marriage.					Present.	Usual.	Names [Mother's Maiden Name.]	Father's Rank or Profession.
				Living.	Dead.							
8	*First June*, 1865. *St. James's Church, Melbourne.*	*Charles Brown.*	*Widower, January* 1860.	1	—	*Exeter, Devonshire, England.*	*Storekeeper*	30	33, *Russell Street, Melbourne.*	*Kyneton*	*Henry Charles Brown* and *Sarah Brown* [Maiden Name, *Henley.*]	*Iron-monger.*
	[Or if at a private dwelling, state the locality.]	*Charlotte Simpson.*	*Spinster*	—	—	*Melbourne, Victoria.*	*Dressmaker*	20	*Howard Street, North Melbourne.*	*Howard Street, North Melbourne.*	*John Simpson* and *Ellen Simpson* [Maiden Name, *White.*]	*Mariner.*

I, *James Richards*, being *Curate of St. James's Church, Melbourne*, do hereby certify that I have this day, at *St. James's Church, Melbourne*, duly celebrated marriage between *Charles Brown, of Russell Street, Melbourne, Storekeeper*, and *Charlotte Simpson, of Howard Street, North Melbourne, Dressmaker*, after notice and declaration duly made and published, as by law required (and with the written consent of *the father of the bride*).

Dated this *first* day of *June*, 1865.

Signature of Minister, Registrar-General, or other Officer. *James Richards.*

Marriage, *after banns* [*or by licence*], was solemnized between us according to the *rites of the Church of England.* } *Charles Brown.* *Charlotte Simpson.*

Witnesses { *Jos. Geo. Thompson.* *Mary Miller.*

Births in the District of *Melbourne*, in Victoria.

Registered by *John Williams*.

No.	Child.			Parents.			Informant.	Witnesses.	Registrar.		Name, if added after Registration of Birth.
				Father.		Mother.					
	When and where Born.	Name, and whether present or not.	Sex.	(1) Name and Surname, Rank or Profession of the Father. (2) Age, and (3) Birthplace.	(1) When and where Married. (2) Previous Issue living and deceased.	(1) Name and Maiden Surname of the Mother. (2) Age, and (3) Birthplace.	Signature, Description, and Residence of Informant.	(1) Accoucheur. (2) Nurse by whom certified, and (3) Names of Occupiers, or other Witnesses.	When registered, and where.	Signature of Deputy Registrar.	
1	10*th February*, 1864, 29, *Bourke Street East, Melbourne.*	*James (not present).*	*Male.*	(1) *Edward Jones, Grocer,* (2) 30, (3) *Gravesend, Kent, England.*	(1) 10*th January*, 1859, *Melbourne,* (2) *George*, 4 *years, Ann, deceased, Jane*, 1 *year.*	(1) *Rebecca Jones, m.n. Thompson, late Williamson,* (2) 27, (3) *London.*	*Edward Jones, Father,* 29, *Bourke Street East, Melbourne.*	(1) *Dr. Harvey.* (2) *Mrs. Smith.* (3) *Mrs. White.*	14*th February*, 1864, *Melbourne.*	*John Williams.*	
2	12*th February*, 1864, 20, *Swanston Street, Melbourne.*	(*Present.*)	*Female.*	(1) *Henry Monk, Merchant,* (2) 45, (3) *Lea, Wiltshire, England.*	(1) 30*th December*, 1860, *Melbourne,* (2) *Mary*, 2 *years. By a former Marriage: John*, 10 *years, Henry*, 8 *years, Agnes, deceased, Harriet*, 4 *years, William, deceased.*	(1) *Mary Monk, formerly Everest,* (2) 38, (3) *Stroud, Gloucestershire, England.*	*Sarah Everest, Aunt,* 5, *Lonsdale Street, Melbourne.*	(1) *Dr. Hill.* (2) *Mrs. Vincent.* (3) (*Not any.*)	15*th February*, 1864, *Melbourne.*	*John Williams.*	
3	25*th February*, 1864, 205, *Flinders Lane East, Melbourne.*	*Evelyn (not present).*	*Female.*			(1) *Maria Ann Green,* (2) 22, (3) *Boston, Lincolnshire.*	*Maria Ann her + mark Green, Mother,* 205, *Flinders Lane East, Melbourne.*	(1) *Dr. Hallam.* (2) *Mrs. Bourke.*	27*th February*, 1864, *Melbourne.*	*John Williams.*	

Deaths in the District of *Melbourne*, in Victoria.

Registered by *John Williams*.

No.	When and where Died.	Name and Surname, Rank or Profession.	Sex and Age.	(1) Cause of Death. (2) Duration of last Illness. (3) Medical Attendant by whom certified, and (4) When he last saw deceased.	Name and Surname of Father and Mother, Maiden Name, if known, with Rank or Profession.	Signature, Description, and Residence of Informant.	(1) Signature of Deputy Registrar, (2) Date, and (3) Where registered.	If Burial registered. When and where Buried. Undertaker by whom certified.	If Burial registered. Name and Religion of Minister, or Names of Witnesses of Burial.	Where Born, and how long in the Australian Colonies, stating which.	If Deceased was married. (1) Where, and at what (2) Age, and to (3) Whom.	If Deceased was married. Issue in order of Birth, their Names, and Ages.
1	23*rd February*, 1864. 23, *Collins Street East, Melbourne.*	*William John Nicholls,* *Carpenter.*	*Male,* 30 *years.*	(1) *Phthisis.* (2) 4 *months.* (3) *J. Hutchins.* (4) 22*nd February* 1864.	*William Henry Nicholls,* *Carpenter.* *Lucy Nicholls,* *formerly Mercer.*	*C. Nicholls, Brother,* *Melbourne.*	(1) *John Williams.* (2) 24*th February*, 1864. (3) *Melbourne.*	25*th February*, 1864. *General Cemetery, Melbourne.* *John Daly.*	*James Broughton,* *Church of England.*	*Manchester, England.* 2 *years in New South Wales,* 3 *years in Victoria.*	(1) *Melbourne, Victoria.* (2) 25. (3) *Fanny Bright.*	*John,* 4 *years.* *Thomas (dead).* *Helen,* 1 *year.*

Deaths in the District of *Ballarat*, in Victoria.

Registered by *Henry Burns*.

No.	When and where Died.	Name and Surname, Rank or Profession.	Sex and Age.	(1) Cause of Death. (2) Duration of last Illness. (3) Medical Attendant by whom certified, and (4) When he last saw deceased.	Name and Surname of Father and Mother, Maiden Name, if known, with Rank or Profession.	Signature, Description, and Residence of Informant.	(1) Signature of Deputy Registrar, (2) Date, and (3) Where registered.	If Burial registered. When and where Buried. Undertaker by whom certified.	If Burial registered. Name and Religion of Minister, or Names of Witnesses of Burial.	Where Born, and how long in the Australian Colonies, stating which.	If Deceased was married. (1) Where, and at what (2) Age, and to (3) Whom.	If Deceased was married. Issue in order of Birth, their Names, and Ages.
2	24*th February*, 1864. *Sebastopol Reef, Ballarat.*	*Thomas King,* *Miner.*	*Male,* 40 *years.*	(1) *Earth falling on him in a drive whilst engaged in mining.* (2) *Sudden death, Verdict at Inquest, held by J. Wilson, Coroner, on* 25*th February* 1864.	(*Not known.*)	*Henry Nolan, Sergeant of Police, Present at Inquest, Ballarat.*	(1) *Henry Burns.* (2) 25*th February*, 1864. (3) *Ballarat.*	26*th February*, 1864. *Cemetery, Ballarat.* *Henry Harris.*	*John Jones.* *Henry Arnold.*	*Lewes, Sussex.* 10 *years in Victoria.*	(1) *Generally reported to have been married, particulars not known.* (2) *Not known.* (3) *Not known.*	*Not known.*

I (A.B.), Minister of or Deputy Registrar of do hereby certify that I have this day baptized by the name of Thomas (*or that the name of Thomas hath this day been given to*) a male child produced to me by Edward Jones as the son of Edward Jones and Rebecca Jones, and declared by the said Edward Jones to have been born at on the day of 186 .

Witness my hand this day of 186 .

A.B., Minister,
or
C.D., Deputy Registrar.

INFORMATION OF INQUESTS OR MAGISTERIAL INQUIRIES.

(Pursuant to *The Registration of Births, Deaths, and Marriages Statute*, 1865, No. 2.)

For the Registrar-General [*or* the Deputy Registrar of Births and Deaths in the District of]

Deceased's name and surname ...	
Rank or profession	
Date of death	
Place of death	
Age	
Sex	
Cause of death (as the result of inquest or inquiry)	
Date of inquest or inquiry	
Where born?	
And how long in the Australian colonies (stating which)	
Father's and mother's surnames (if known)	
If deceased was married:	
Where?	
At what age?	
To whom?	
Issue?	
Remarks as to any "mark" or "scar," or other particulars, which by being recorded might prove useful for identification	

Place and Date

Signature of Coroner or Magistrate

I (A.B.), Deputy Registrar of Births and Deaths in the District of do hereby certify that the death of "*Robert Taylor*" was duly registered b me on the day of 186 .

Witness my hand this day of 186 .

(Signed) A.B.,
Deputy Registrar.

I (A.B.), Coroner for the District of (*or Justice of the Peace of*) do hereby order the burial of the body now shown to the Inquest Jury (*or to me*) as the body of Thomas Jones.
Witness my hand this day of 186 .
A.B., Coroner,
or J.P. (*as the case may be.*)

I (A.B.), of Undertaker, do hereby certify that the body of "*Robert Taylor*" was on the day of 186 duly buried at in my presence.
Witness our hands this day of 186 .
A.B., Undertaker.
G.H., Minister.
or
C.D., Householder.
E.F., Householder.

New South Wales
Queensland
Tasmania
South Australia
New Zealand
} Registration system similar to that of *Victoria.*

NORTH AMERICAN COLONIES.

Upper Canada (*June* 1867).—A Board of Registration and Statistics exists in Canada, composed of the Minister of Agriculture, the Receiver-General, and the Provincial Secretary. Returns of births, deaths, and marriages are annually forwarded to this Board. The Act of the Consolidated Statutes of Upper Canada (cap. 72.) provides that every clergyman or minister who celebrates a marriage in Upper Canada shall enter in a book a true record of the marriage, and shall, on or before the 1st of February in each year, return a complete list of all marriages solemnized by him during the year ending 31st December next preceding to the registrar of the county in which the marriages have taken place. The Act of the Consolidated Statutes of Canada (cap. 331.) respecting the Census provides that each clergyman, teacher, or minister duly authorized by law to baptize, marry, or perform the funeral service in Upper Canada shall keep a registry showing the persons whom he has baptized or married, or who have died within his care, and belonging to his congregation; and the said registry is to be forwarded by him to the clerk of the peace of the county, or clerk of the city or town council of the city or town where he resides or officiates at the time, or is within five days after the 1st day of January in each year. Where there is no minister, then the head of the family is required to notify any such births, marriages, or deaths which have taken place in his family to the clerk of the township in which he resides, or, if there be none, to the nearest township officer. The clerk of the township is required to forward the returns to the clerk of the peace, and that officer must send them on to the Board of Census and Statistics on or before the 1st of January in each year.

From the report of the Select Committee on the Registration of Births, Marriages, and Deaths in Upper Canada (dated 11th September 1865) it appears that the returns required by the first-mentioned Act (cap. 72.) have been transmitted by the clergymen generally with considerable regularity, especially during recent years; but that the returns under the Census Act are so irregularly made as to be utterly worthless. This committee recommended that the duty of preparing returns of births, marriages, and deaths in each township should be assigned to the township clerks and assessors in each township, and that the clerks should report to the registrars of the county, who should transmit an abstract of those returns to the Board of Census and Statistics.

Lower Canada (*May* 1867).—The clergy of the various denominations in their respective districts or counties are required to deposit a copy of their registers of baptisms, marriages, and burials at the close of each year with the prothonotaries and clerks of circuit courts. These officers send to the Government every year an abstract statement of the numbers of baptisms, marriages, and burials recorded in the registers so deposited; but they keep no index of names nor possess any

facilities for referring to names, so that an inquirer must be acquainted with the name of the denomination which deposited the register, the year when deposited, and the prothonotary or clerk of circuit court with whom deposited.

Nova Scotia (*October* 1867).—The Secretary of the Board of Statistics, in the Department of the Financial Secretary, is *de facto* the Registrar-General of the Province. The deputy registrars for the registration of births, deaths, and marriages send quarterly returns to the Board of Statistics of the entries and records made by them in their respective districts. Registration is conducted under the "Amended Registration Act" (passed on 7th May 1866), which requires that particulars of marriage shall be recorded by clergymen and deputy registrars; that parents or occupiers, or some person present at the birth, shall give notice of birth to the deputy registrar, that the birth shall be registered *within sixty days* under a penalty of two dollars for non-compliance, and that births at sea shall be recorded in a special register; that information of death shall be given before the interment of the body, or within ten days after, to the deputy registrar; that coroners shall communicate in writing the finding of juries in all cases of inquest to the deputy registrar within seven days after such inquests have been held; that "every medical practitioner who shall have been in attendance during the last "illness and until the death of any person shall, within seven days after the "death of such person, transmit to the nearest deputy registrar a certificate under "his signature of the cause of death, according to a form to be provided by the "deputy registrar; and it shall be the duty of every qualified medical practitioner "to apply for blank forms for this purpose;" and that deaths at sea shall be recorded in a special register.

Newfoundland (*June* 1867).—By an old law of 1833 marriages are registered in the office of the Colonial Secretary, who is empowered to grant certificates. The Colonial Secretary's department is charged with the general registry, the system of which is unsatisfactory and imperfect.

Bermuda (*May* 1867).—By Act No. 4 of 1865 the registration of births, marriages, and deaths was established, and a Registrar-General and district registrars were appointed, whose duties, fees, &c. were prescribed by the Act. Alphabetical indexes were to be made and kept to facilitate reference to the registers, and the Registrar-General was to compile and publish every year a summary of births, marriages, and deaths registered. Clause 7 of the Act (defining the obligations of the registrars and of the public in relation to registration) enacts that officiating ministers shall give information of marriages performed by them, and parents or occupiers shall give information of birth or death to the registrar, *within fourteen days* after such marriage, birth, or death shall have taken place. Coroners are required to furnish the registrar with particulars of inquests *within twenty-four hours* after they have terminated. Registration is permitted up to a limit of *twenty-eight days*, on payment of a special fee. Neglect to furnish information of marriages, births, and deaths as required by the Act is punishable by a penalty not exceeding 5*l.*, or imprisonment in default. "Provided "nevertheless, that notwithstanding the neglect of any such person as aforesaid "to give the proper information to the registrar, it shall be the duty of the regis- "trar, after the expiration of 28 days or earlier, if for any reason he shall deem it "necessary or expedient, to procure by all means in his power the best and most "accurate information respecting any birth, marriage, or death which may have "occurred within his district, but not to enter the birth, marriage, or death on "such information until after the expiration of the time last mentioned."

New Brunswick (*May* 1867).—The Provincial Secretary states that "there are "no persons appointed to keep records of births or deaths. The clerks of the "peace in the several counties are required to keep a record of marriages."

Prince Edward Island (*December* 1867).—The Lieutenant Governor writes: "There is not any record of births and deaths kept in this colony. By the Local "Act 2 William IV. cap. 14. the parties authorized to solemnize matrimony are "required to submit, within a period of six months, a certificate of the celebration "of each marriage solemnized by them to the surrogate of the island, and the "surrogate is required to record such certificates."

British Columbia (*May* 1868).—No provision is made by law for the registration of births and deaths. Marriages should be registered, but the Marriage Ordinance is said to be defective, and contains no provision for the appointment of a registrar-general of marriages. The Governor of the Colony states (11th August 1868) that under present circumstances a general system of registration could not be worked satisfactorily on account of the scattered population, and the conditions under which many of them are living.

Falkland Islands (*August* 1867).—Registration was established by an ordinance in 1853. Clergymen are required to keep registers of baptisms, burials, and marriages, and to send copies of all the marriage entries to the registrar.

WEST INDIAN COLONIES.

Jamaica (*June* 1867).—The Bishop's Registrar records all the births, deaths, and marriages occurring among the Episcopalian community; the marriages of Dissenters, Roman Catholics, and Presbyterians are recorded in the Secretary's office, but no record is kept of births and deaths occurring in those denominations.

British Honduras (*June* 1868).—There is no general registration of marriages, births, or deaths in the colony, but a register of baptisms, marriages, and burials has been kept in the parish church of St. John in Belize since 1812, and a similar register is also now kept in the district church of St. Mary: these registers are not kept in duplicate, and are liable to destruction at any moment. By Acts of the local legislature (14, 15, and 18 Vict.) records of marriages and burials performed by nonconformist ministers and others at Belize or elsewhere are to be transmitted periodically to the Colonial Secretary.

Turks Island (*June* 1867).—Registration of births, baptisms, marriages, deaths, and burials is provided for by an ordinance; returns are made by the registrars to the Colonial Secretary, in whose office the records are kept.

British Guiana (*June* 1868).—Ordinance No. 10 of 1868, providing for the registration of births and deaths, is framed upon the model of the Irish Registration Act (26 & 27 Vict. c. 11.) The registration of marriages is provided for under an Order in Council.

Bahamas (*May* 1867).—For the purposes of registration the colony is divided into districts, and the registrars of births and deaths are required to inform themselves of every birth and death which takes place. Marriage officers are appointed in the out-islands where no clergyman of the Church of England or other minister resides, whose duty it is to solemnize marriages, and to transmit to the office of registry certified copies of the entries made by him. The general custody of the records of birth, death, and marriage in the colony is with the "Registrar of Records" at Nassau.

Trinidad (*December* 1867).—There appears to be a Registrar-General who is charged with the duty of superintending the records of births, deaths, and marriages in the colony.

Barbados (*May* 1867).—The only registration records are those of baptisms, marriages, and burials solemnized according to the rites of the Church of England; copies of these registers are sent in by the officiating ministers to the Colonial Secretary, under whose superintendence they are arranged and indexed, and in whose custody they remain.

St. Vincent (*June* 1867).—Births and deaths are registered under an Act passed in 1864, and the Colonial Secretary is *ex officio* the Registrar-General, having charge of the records. There is no registration of marriages.

Grenada (*June* 1867).—The Colonial Secretary is the Registrar-General of births, deaths, and marriages.

St. Lucia (*July* 1868).—An ordinance for the registration of births and deaths was passed in March 1868. The records of marriage are very imperfectly kept, under the provisions of two ordinances dated 1667 and 1838.

Antigue (*November* 1868).—An Act for registering births and deaths came into operation in August 1856; no provision was made therein for a general registration of marriages, but those solemnized by ministers not belonging to the Church of England continued to be recorded under an Act passed in 1844. An Act for the complete registration of births, marriages, and deaths has, however, been passed by the legislature, to come into operation on 1st January 1869.

Montserrat (*July* 1867).—By an Act passed in October 1861, the registration of marriages, births, and deaths was established. Registrars are required to inform themselves of every birth and death happening within their districts, and to register them in due course. Parent or occupier must personally give information of birth to the registrar, within 21 days, under a penalty of 20*s.*; and some person present at the death, or other qualified informant, must within eight days personally give notice to the registrar of the death, under a penalty of 20*s.* Persons solemnizing marriage are required to send certificates to registrar. Indexes to the registers are kept at the office of the Registrar-General.

St. Kitts (*October* 1868).—Births and deaths are registered under an Act passed in 1858, and marriages are recorded by the several ministers of religion under an Act passed in 1845.

Nevis (*June* 1867). The system of registration of births and deaths established by law has been in operation since 1st January 1862. The Colonial Secretary acts as the Registrar General, and there are five local Registrars who receive 1*s.* for each birth or death recorded.

Virgin Islands (*November* 1867).—The Colonial Secretary is *ex officio* the Registrar-General of births, deaths, and marriages.

Dominica (*June* 1868).—An Act for the registration of births, marriages, and deaths was passed in 1860, and is now in operation. By that Act the registration of every marriage, birth, and death is enforced under a penalty of 2*l.* Certified copies of all entries by registrars and ministers of religion are required to be sent periodically to the Registrar-General of the island.

Tobago (*June* 1867).—There is no civil registration of births, deaths, and marriages, and the only information obtainable in reference to those events is in the hands of the ministers of religion, who register the baptisms, funerals, and marriages which they perform.

MEDITERRANEAN AND AFRICAN COLONIES.

Gibraltar (*May* 1867).—There is an officer charged with the duty of superintending the records of births and marriages. An ordinance for the registration of deaths was promulgated on the 13th December 1868.

Malta (*May* 1867).—The registration of births, marriages, and deaths was provided for by an ordinance (No. 2.) in 1862, and the records are kept in the Public Registry offices of Malta and Gozo. The ordinance specifies in detail the various regulations for the performance of registration, the duties of the officers and the public, and the penalties for non-compliance. Alphabetical indexes to the registers are to be kept. Notice of birth is to be given within five days to the registrar, whether the child be living or still-born; children born at sea and foundlings are also to be enrolled in the registers. Illegitimate children may be legitimated *per subsequens matrimonium*, or by decree of the competent authority. Certificates ("acts") of marriage are to be presented to the registrar within 15 days, for entry in the register, under pain of punishment of the parties; but registration is declared "not necessary for the validity of marriage." Secret marriages (*matrimonia conscientiæ*), which, according to the existing laws and usages, are not entered in the parochial registers, are not subject to the obligation of registration prescribed by the ordinance. Notice is to be given "without delay" to the registrar of the occurrence of a death, and a certificate of the cause of death is to be given by the medical man in attendance during the last illness; the cause of death is, however, not entered in the "act" or certificate of death. Certain persons are exempted from the provisions of this ordinance.

Sierra Leone (*May* 1867).—There is a Registrar-General who keeps registers of births, deaths, and marriages.

Gambia (*May* 1867).—Registers of births and deaths are kept by a registrar.

Lagos (*June* 1868).—A registrar of births, deaths, and marriages has been appointed.

Cape of Good Hope.—A death register is kept in the office of the Master of the Supreme Court.

St. Helena (*November* 1868).—The laws providing for the registration of births, deaths, and marriages were framed from and are similar to the registration Acts in England.

Heligoland (*July* 1867).—The clergyman superintendent of Heligoland has charge of the records of births, deaths, and marriages occurring in the colony.

EASTERN COLONIES.

Ceylon (*February* 1868).—By Ordinance No. 6 of 1847 provision was made for the better registration of marriages, births, and deaths. The provisions in relation to the registration of marriages were amended by Ordinance No. 13 of 1863, and further by Ordinance No. 8 of 1865. Notice of intended marriage must be given to the registrar of the district for publication in his office and elsewhere, and at any time between 21 days and three months after the entry of the notice the registrar is required to issue the certificate for marriage, except in cases where it is forbidden by some one whose consent is necessary. Marriages may be solemnized in registered places of worship, or contracted in the offices of the registrars. Particulars of marriages to be sent by ministers to registrars for enrolment in the registers. Legal marriage between parties legitimate children of same parties before marriage. The registration of births and deaths is now provided for by Ordinance No. 18 of 1867, which amends previous ordinance relating thereto. Registrars are required to inform themselves of births and deaths; parents and occupiers must give notice of births to registrar *within three months*; and no birth can be registered after the lapse of *two years*. Some person present at the death, or the occupier of the house in which it occurs, must within *eight days* after the death takes place give information to the registrar, and any person neglecting or refusing to give such information is subject to a penalty not exceeding 5*l*. The Registrar-General of the colony keeps certified copies of all the registers of marriages, births, and deaths occurring therein.

Hong Kong (*September* 1868).—The Governor states that reliable statistics of marriages, births, and deaths are not procurable. He considers that the measures adopted in Ceylon are inapplicable in Hong Kong, and he deems it "inexpedient " to run the risk of further exciting the suspicions and wounding the prejudices " of the large Chinese population, without the prospect of any better result than " the compilation of inaccurate statistics."

Mauritius (*July* 1867).—The system of registration of births, deaths, and marriages is similar to that of France, and information may be obtained relative to these matters from the Civil Status Office, or the Governor of the colony.

Letter from the Registrar-General to the Under Secretary of State, Colonial Office.

General Register Office,
Somerset House, London, 31st March 1868.

Sir,

Referring to your letter of the 30th January last, and previous communications, transmitting to me documents received from Colonial Governments relating to the existing arrangements for the Registration of Births, Deaths, and Marriages in British Colonies and Possessions, I have to request that you will do me the favour to express to the Duke of Buckingham and Chandos my thanks for the useful information with which his Grace has been pleased to furnish me, enabling me to answer without further trouble to the applicants or to the Colonial Office inquiries which are daily being made here by the public.

With reference to his Grace's desire to receive any suggestions which, on consideration of these various communications, may occur to me as calculated to improve the existing system of Colonial Registration, I have the honour to submit the following remarks:

I observe with satisfaction that the same considerations of public and private advantage which have led to the establishment of a system of registration in the United Kingdom and in the different continental states, have had equal weight, with few exceptions, in the colonial dependencies of this country. Amongst the exceptions, however, are some colonies in which it is evident, from the documents before me, that no sufficient provisions for the attainment of this object has yet been made. As instances I may refer to the colonies of New Brunswick, Prince Edward's Island, the Cape of Good Hope, British Honduras, and Jamaica; partial but insufficient arrangements appear to exist in Lower Canada, Antigua, St. Lucia, Barbados, Tobago, and British Guiana.

In some of these colonies attention has apparently been directed to the subject, but the endeavours made to improve the present defective arrangements have hitherto been attended with little success.

Perhaps it may be convenient if I take the liberty of stating, for the consideration of his Grace, what in my opinion are the principal objects to be kept in view in any local legislation on this subject, due regard being had to the circumstances of the locality.

I think they are—

1st. To provide a system of civil registration of Births, Deaths, and Marriages, including all classes and all religious persuasions.

2nd. That the forms adopted for registers should be such as, avoiding needless multiplications of statements, would clearly establish the identity of the persons recorded, and assist medical and statistical inquirers in useful research.

3rd. That registration districts should be formed where necessary, and a registrar appointed for each of such districts.

4th. That all registers should be kept in duplicate, one to be retained by the registrar, and the other to be transmitted periodically to a central office, where a superior authority should exist, and alphabetical indexes and abstracts should be prepared. If preferred, certified copies might be sent to the central office instead of making duplicate registers.

5th. The registration of Births, Deaths, and Marriages should be enforced by suitable penalties. The essential feature of the registers should be to make provision for the registering of all ranks of society, without interference with the institutions and rights of religionists of any class.

I observe that in Ceylon an excellent system of registration is now in force, which appears to me to be worthy of imitation.*

I have, &c.

(Signed) GEORGE GRAHAM,
Registrar-General.

To the Under Secretary of State,
Colonial Office.

[MEM.—A copy of this letter, together with a copy of the Ceylon Ordinances, appears to have been sent by direction of his Grace the Duke of Buckingham and Chandos to the governors of certain colonies in a circular to which some replies have recently been received.]

INDIA.

Letter from Registrar-General to the Under Secretary of State, India Office.

General Register Office, Somerset House, London,
5th April 1867.

SIR,

UNDER the provisions of the Act 14 & 15 Vict. c. 40., certificates of certain marriages in India are transmitted to me here periodically for the purpose of being deposited with the other records of the same character in this office.

It frequently happens that applications are made to me respecting certificates or other documentary proof of the births and deaths of Europeans in India, as also of marriages not celebrated in pursuance of the above-mentioned statute, such certificates being required for legal purposes connected with the succession of property, or for life insurance,

* This remark had reference only to the documents then under consideration and did not include any papers relating to the highly effective arrangements in force in Victoria and other Australian colonies.

&c., the applicants addressing themselves to me in the belief that I am able to assist them in procuring the required documents, or at least to furnish them with information as to the proper course to be taken to obtain them.

It appears to me desirable that this department, to which persons naturally resort in such cases, should be acquainted with the nature of the existing arrangements for recording the births, deaths, and marriages of Europeans in India, and for procuring certificates in proof of those events, in order that proper information on the subject may be given, when necessary, to the public.

I have therefore to request you to submit to the Secretary of State for India in Council, whether he will be pleased to direct that a list of the names of the officers charged with the duty of superintending the registration of these events may be furnished to me, together with any other information on the subject which he may see fit to place at my disposal.

I have, &c.

(Signed) GEORGE GRAHAM,
Registrar-General.

To the Under Secretary of State,
India Office.

Letter from the Under Secretary of State, India Office, to the Registrar-General.

SIR, India Office, 8th April 1867.

I AM directed by the Secretary of State for India in Council to acknowledge the receipt of your letter of 5th instant, and to acquaint you in reply, that the Official Agent to the Administrators-General has charge of all ecclesiastical registers, including those to which you refer, and that all written applications for certificates are acknowledged by a printed letter, a copy of which is enclosed.*

I have the honour to be,
Sir,
Your obedient servant,
J. COSMO MELVILL.

Major George Graham,
&c. &c. &c.

---

* India Office,
Westminster, S.W.,
18 .

I HAVE to acknowledge receipt of your letter
and to inform you in reply, that, prior to complying with your request, the fee of must be paid personally or by

according to the scale laid down by an Order of the Secretary of State for India in Council, dated 21st July 1862.

I am,
Your obedient servant,
M. HORNIDGE.

Scale of Fees.	*s.*	*d.*
Special search	1	0
General search	2	6
Certificate of birth, &c.	10	0
Copy of will, &c. per sheet of 600 words	10	0

ISLANDS IN BRITISH SEAS.

Jersey.—By an Act of the States of the Island, which was ratified by an Order in Council of the 27th April 1842, the registration of marriages, births, and deaths was established on the basis of the English Registration Act. A superintendent registrar (whose office is at St. Helier's) and subordinate registrars were appointed. Searches for entries may be made and certified copies obtained on payment of the following fees: for a general search 5*s.*, for a special search 1*s.*, and for a certified copy 2*s.* These regulations as to fees apply equally to all records of marriage, birth, or death, whether in the custody of the superintendent registrar, the registrars, rectors, vicars, or other persons.

Guernsey.—The ordinance of 24th October 1840 established a registration of marriages, births, and deaths conformably to the spirit and intention of the English law thereon. The chief registrar is required to provide indexes of the registers in his custody, and to allow searches to be made of such indexes and registers. For every search, together with a certified copy of an entry "if required at the same time," a fee of 1*s.* is payable.

Isle of Man.—At a Tynwald Court, holden on 10th August 1847, three Acts were passed: (1) for the better regulating parish and other registers of baptisms, marriages, and burials; (2) to amend the law respecting the solemnization of marriages according to the rites of the Established Church; and (3) to provide for the solemnization of marriages of persons who object to and decline the offices of the Established Church. The provisions of these Acts are similar to those in force in England. In the Act for regulating parish registers it is provided that copies of the registers of baptisms, marriages, and burials shall be sent annually by the officiating ministers to the Episcopal Registrar, who shall cause them to be securely deposited and carefully arranged, and cause alphabetical lists to be made of the names of all persons mentioned therein, to be open to public search on payment of the usual fees.

By an Act of Tynwald, 10th August 1848, provision was made to enable persons who object to and decline the offices of the Established Church to cause registers to be made of births and marriages. Civil registry offices were established in Castletown, Douglas, Ramsay, and Peel, and four deputy registrars, under the supervision of a Registrar General, were appointed. Parents may give notice of births to the deputy registrar, who for the registry of a birth is entitled to have a fee of 6*d.* from the person requiring such birth to be registered, but if after 42 days following the birth and within six months, the fee of 5*s.* Deputy registrars are to allow searches in register books in their keeping, and to receive 1*s.* for every search extending over one year, and 6*d.* for every additional year; also 1*s.* for every certificate. Copies of all entries are to be sent quarterly to the Registrar General of the Island, who is to cause indexes to be made, to allow searches, and to issue certificates, receiving the same fees as the deputy registrar. The Act makes provision for registering dissenters' marriages but none for registering deaths.

ANNUAL ABSTRACTS

OF

BIRTHS, DEATHS, AND MARRIAGES.

1867.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant to

DIVISIONS AND REGISTRATION COUNTIES.*	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	ENGLAND -	37,324,883	20,066,224	179,154†	17	19,395	112,533	3981	3004	138,930	40,224	7918	16865	15058	68	315
No.	DIVISIONS.															
I.	LONDON - - -	77,997	2,803,989	31689	8	3906	24091	86	26	28117	3572	1246	1113	992	3	218
II.	SOUTH EASTERN -	4,065,935	1,847,661	15266	4	1570	10374	341	550	12839	2427	202	1315	899	7	5
III.	SOUTH MIDLAND -	3,201,290	1,295,515	9300	1	831	6501	116	401	7850	1450	67	890	484	5	-
IV.	EASTERN - -	3,214,099	1,142,562	7961	-	655	5507	38	382	6582	1379	45	718	612	4	-
V.	SOUTH WESTERN -	4,993,660	1,835,714	12974	2	1472	7094	139	520	9227	3747	83	1758	1901	1	4
VI.	WEST MIDLAND -	3,865,332	2,436,568	20364	2	1769	14818	239	353	17181	3183	547	1525	1077	9	25
VII.	NORTH MIDLAND -	3,540,797	1,288,928	10793	-	1041	7141	175	178	8535	2258	161	1360	735	2	-
VIII.	NORTH WESTERN -	2,000,227	2,935,540	29855	-	3376	16557	1557	152	21642	8213	3606	2918	1647	10	32
IX.	YORK - - -	3,654,636	2,015,541	19756	-	1891	12658	623	176	15348	4408	836	1845	1700	13	14
X.	NORTHERN - -	3,492,322	1,151,372	10471	-	1447	4392	434	76	6349	4122	802	756	2541	11	12
XI.	WELSH - - -	5,218,588	1,312,834	10725	-	1437	3400	233	190	5260	5465	323	2667	2470	-	5
	I.—LONDON.															
	MIDDLESEX (*pt. of*)	32,455	2,030,814	23194	8	3011	17323	71	23	20436	2758	938	814	785	3	218
	SURREY (*part of*) -	22,951	579,748	6729	-	704	5419	14	3	6140	589	216	223	150	-	-
	KENT (*part of*) - -	22,591	193,427	1766	-	191	1349	1	-	1541	225	92	76	57	-	-
	II.—SOUTH EASTERN.															
1	**SURREY** (*ex.-metrop.*)	476,191	273,264	2215	1	253	1580	6	91	1931	284	37	146	96	5	-
2	**KENT** (*extra-metropol.*)	1,013,838	545,272	4520	-	414	3164	151	84	3813	707	77	388	241	-	1
3	**SUSSEX** - - -	949,581	366,836	3017	1	353	2064	43	158	2619	398	22	231	142	1	2
4	**HAMPSHIRE** - -	1,061,608	456,654	3969	2	404	2508	135	109	3158	811	58	383	368	-	2
5	**BERKSHIRE** - -	564,717	205,635	1545	-	146	1058	6	108	1318	227	8	167	52	-	-
	III.—SOUTH MIDLAND.															
6	**MIDDLESEX** (*ex. me.*)	176,555	187,325	1267	-	193	892	24	19	1128	139	32	66	37	4	-
7	**HERTFORDSHIRE**	428,143	177,452	1185	-	87	860	11	59	1017	168	7	123	36	2	-
8	**BUCKINGHAMSH.**	402,616	147,207	1057	-	70	758	18	36	882	175	2	113	60	-	-
9	**OXFORDSHIRE** -	479,267	171,233	1185	-	119	797	9	74	999	186	12	122	52	-	-
10	**NORTHAMPTONS.**	632,219	231,079	1690	-	139	1101	17	85	1342	348	10	182	156	-	-
11	**HUNTINGDONSH.**	205,366	59,137	405	-	40	280	-	25	345	60	-	41	17	2	-
12	**BEDFORDSHIRE** -	305,366	140,479	1118	-	72	775	35	66	948	170	-	118	51	1	-
13	**CAMBRIDGESH.** -	571,758	181,603	1393	1	111	1038	2	37	1189	204	4	125	75	-	-
	IV.—EASTERN.															
14	**ESSEX** - - -	983,443	379,705	2486	-	175	1751	18	168	2112	374	32	219	119	4	-
15	**SUFFOLK** - - -	930,345	335,409	2377	-	194	1585	9	132	1920	457	4	254	199	-	-
16	**NORFOLK** - -	1,300,311	427,448	3098	-	286	2171	11	82	2550	548	9	245	204	-	-

* The *Registration Counties* consist of groups of entire Registration Districts; which Districts are, in general, identical with the Poor Law Unions. As the principle adopted has been to place a District or Union which extends into more than one County with the County in which either the principal town or the greater part of the population is located, the limits of the Registration Counties differ more or less from the boundaries of the Counties proper.

the Act of 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1867.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DIVISIONS AND REGISTRATION COUNTIES.
														Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
36,441	45,589	44,086	53,038	145,570	7917	16,304	9363	25,667	17,280	12,299	36,144	37,879	51,606	22,664	44,157	**ENGLAND.**
																DIVISIONS.
6379	8246	8537	8527	25586	1592	2978	1533	4511	3125	1113	4701	2955	4595	1459	4632	LONDON.
2887	3734	3865	4780	12609	755	1230	672	1902	1427	791	3077	2750	2392	1040	3062	SOUTH EASTERN.
1607	2225	2118	3350	7850	289	770	391	1161	680	873	2073	2412	2321	1236	2261	SOUTH MIDLAND.
1435	1706	1722	3098	6539	308	730	384	1114	692	666	1754	2470	1935	1080	2245	EASTERN.
2822	3333	3158	3661	10745	468	1162	599	1761	1067	924	2248	2906	3072	1441	3096	SOUTH WESTERN.
4114	5202	4948	6100	16592	831	1779	1171	2941	2002	1766	4653	5657	6699	3647	5062	WEST MIDLAND.
2018	3146	2365	3264	8817	345	1057	574	1631	919	913	2257	2385	2888	1265	2743	NORTH MIDLAND.
6594	7494	7715	8052	23685	1409	2909	1852	4761	3261	2410	6115	6807	12734	5118	9305	NORTH WESTERN.
4186	4873	4792	5905	15875	869	1892	1120	3012	1989	1555	4895	4014	6796	2585	5640	YORK.
2239	2791	2437	3004	8599	548	802	522	1324	1070	627	2510	2088	3274	1352	2658	NORTHERN.
2160	2839	2429	3297	8673	503	1004	545	1549	1048	661	1861	3435	4900	2441	3453	WELSH.
																I.—LONDON.
4697	6025	6261	6211	18707	1130	2211	1146	3357	2276	873	3506	2140	3356	1091	3314	**MIDDLESEX** (*pt. of*).
1343	1760	1798	1828	5469	345	610	305	915	650	189	916	634	956	284	1022	**SURREY** (*part of*).
339	461	478	488	1410	117	157	82	239	199	51	279	181	283	84	296	**KENT** (*part of*).
																II.—SOUTH EASTERN.
418	552	629	616	1872	101	168	74	242	175	70	356	355	257	124	364	**SURREY** (*extra-metro.*)
868	1062	1094	1496	3750	228	333	209	542	437	248	1071	853	811	361	942	**KENT** (*extra-metropol.*)
526	766	771	954	2492	130	266	129	395	259	206	579	538	401	183	573	**SUSSEX.**
769	980	1000	1220	3239	228	326	176	502	404	184	825	641	642	232	819	**HAMPSHIRE.**
306	374	371	494	1256	68	137	84	221	152	83	246	363	281	140	364	**BERKSHIRE.**
																III.—SOUTH MIDLAND.
216	324	354	373	1065	57	101	44	145	101	56	208	201	173	79	216	**MIDDLESEX** (*ex.-me.*)
204	282	300	399	1020	40	89	36	125	76	119	292	379	309	169	350	**HERTFORDSHIRE.**
205	260	229	363	880	34	92	51	143	85	118	229	282	286	157	254	**BUCKINGHAMSH.**
216	260	278	431	985	46	96	58	154	104	66	203	273	231	115	274	**OXFORDSHIRE.**
259	457	347	627	1431	41	143	75	218	116	184	381	369	395	187	390	**NORTHAMPTONS.**
69	79	100	157	340	7	36	22	58	29	39	113	122	100	57	108	**HUNTINGDONSH.**
212	267	248	391	960	19	92	47	139	66	173	300	367	440	248	311	**BEDFORDSHIRE.**
226	296	262	609	1169	45	121	58	179	103	118	347	419	387	224	358	**CAMBRIDGESH.**
																IV.—EASTERN.
413	550	618	905	2052	113	201	120	321	233	175	636	719	541	304	652	**ESSEX.**
410	507	503	957	1952	89	229	107	336	196	210	510	784	562	335	676	**SUFFOLK.**
612	649	601	1236	2535	106	300	157	457	263	281	608	967	832	441	917	**NORFOLK.**

† Where the parties to a marriage are of different religious persuasions it sometimes happens that the ceremony is performed according to the rites of both persuasions; in these cases the two ceremonies are entered as two marriages. This column also includes 33 cases of marriage after divorce, viz., 21 *divorced men* who married spinsters, one *divorced man* who married a widow, 6 bachelors who married *divorced women*, and 5 widowers who married *divorced women*. For the districts in which these marriages took place see subsequent pages.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant to the

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	V.—SOUTH WESTERN.															
17	WILTSHIRE - -	777,453	236,027	1604	1	161	1012	15	80	1269	335	3	274	58	-	-
18	DORSETSHIRE -	615,783	182,193	1285	-	127	846	26	81	1080	205	9	143	53	-	-
19	DEVONSHIRE -	1,643,700	589,278	4658	-	596	2133	21	219	2969	1689	50	591	1044	-	4
20	CORNWALL - -	889,263	364,848	2185	-	277	1081	15	38	1411	774	3	306	464	1	-
21	SOMERSETSHIRE	1,067,461	463,368	3242	1	311	2022	62	102	2498	744	18	444	282	-	-
	VI.—WEST MIDLAND.															
22	GLOUCESTERSH.	716,045	443,535	4050	2	416	2596	34	95	3143	907	45	390	462	4	6
23	HEREFORDSHIRE	425,580	106,796	680	-	97	374	-	52	523	157	3	85	69	-	-
24	SHROPSHIRE - -	924,676	260,409	1681	-	277	977	43	49	1346	335	21	219	95	-	-
25	STAFFORDSHIRE	755,017	769,541	6936	-	465	5416	99	38	6018	918	280	408	227	-	3
26	WORCESTERSHIR.	434,076	294,953	2385	-	216	1877	7	45	2145	240	25	172	39	4	-
27	WARWICKSHIRE	609,938	561,334	4632	-	298	3578	56	74	4006	626	173	251	185	1	16
	VII.—NORTH MIDLAND.															
28	LEICESTERSHIRE	535,346	243,648	2230	-	168	1416	70	38	1692	538	39	233	265	1	-
29	RUTLANDSHIRE -	107,728	23,479	167	-	23	119	2	8	152	15	-	7	8	-	-
30	LINCOLNSHIRE -	1,739,312	404,143	3165	-	337	2006	20	81	2444	721	24	559	138	-	-
31	NOTTINGHAMSH.	599,791	323,784	2765	-	226	2046	18	35	2325	440	27	216	197	-	-
32	DERBYSHIRE -	558,620	293,874	2466	-	287	1554	65	16	1922	544	71	345	127	1	-
	VIII.—NORTH WESTERN.															
33	CHESHIRE - -	680,836	470,174	3964	-	630	2567	53	13	3263	701	231	359	111	-	-
34	LANCASHIRE -	1,319,391	2,465,366	25891	-	2746	13990	1504	139	18379	7512	3375	2559	1536	10	32
	IX.—YORK.															
35	WEST RIDING -	1,706,430	1,530,007	15435	-	1026	10320	547	100	11993	3442	705	1474	1250	6	7
36	E. RIDING (*with York*).	717,144	274,425	2668	-	449	1539	48	21	2057	611	93	216	290	5	7
37	NORTH RIDING -	1,231,062	211,109	1653	-	416	799	28	55	1298	355	38	155	160	2	-
	X.—NORTHERN.															
38	DURHAM - - -	754,183	542,125	5222	-	488	2272	280	34	3074	2148	442	372	1324	7	3
39	NORTHUMBERLD.	1,249,299	343,025	3338	-	429	1674	30	5	2138	1200	236	272	683	-	9
40	CUMBERLAND -	1,001,273	205,276	1553	-	392	308	110	36	846	707	118	85	502	2	-
41	WESTMORLAND -	487,567	60,946	358	-	138	138	14	1	291	67	6	27	32	2	-
	XI.—WELSH.															
42	MONMOUTHSH. -	432,906	196,977	1701	-	116	745	20	80	961	740	101	326	312	-	1
43	SOUTH WALES -	2,816,599	699,722	6038	-	724	1792	121	74	2711	3327	193	1610	1520	-	4
44	NORTH WALES -	1,969,083	416,135	2986	-	597	863	92	36	1588	1398	29	731	638	-	-

Act of 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1867—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																V.—SOUTH WESTERN.
306	372	403	523	1304	62	156	82	238	144	130	285	422	341	181	401	**WILTSHIRE.**
252	365	318	350	1077	50	112	46	158	96	101	238	315	250	122	321	**DORSETSHIRE.**
1081	1168	1145	1264	3869	189	394	206	600	395	282	783	804	998	394	1014	**DEVONSHIRE.**
494	535	544	612	1839	78	185	83	268	161	155	402	563	719	353	576	**CORNWALL.**
689	893	748	912	2656	89	315	182	497	271	256	540	802	764	391	784	**SOMERSETSHIRE.**
																VI.—WEST MIDLAND.
761	989	1012	1288	3275	142	416	217	633	359	316	719	785	862	380	887	**GLOUCESTERSHIRE.**
137	196	146	201	544	39	70	27	97	66	26	112	212	169	108	165	**HEREFORDSHIRE.**
365	480	400	436	1372	63	149	97	216	160	64	207	506	532	295	448	**SHROPSHIRE.**
1498	1731	1687	2020	5637	335	517	447	964	782	769	2061	2442	3097	1799	1941	**STAFFORDSHIRE.**
434	605	593	753	1995	81	200	109	309	190	206	516	623	714	401	535	**WORCESTERSHIRE.**
919	1201	1110	1402	3769	171	418	274	692	445	385	1038	1089	1325	664	1086	**WARWICKSHIRE.**
																VII.—NORTH MIDLAND.
381	555	518	776	1849	60	205	116	321	176	279	523	477	631	255	598	**LEICESTERSHIRE.**
28	38	41	60	135	3	21	8	29	11	3	18	35	21	6	44	**RUTLANDSHIRE.**
534	1160	641	830	2600	109	302	154	456	263	148	523	677	647	276	772	**LINCOLNSHIRE.**
549	742	611	863	2238	84	275	168	443	252	286	641	694	919	436	741	**NOTTINGHAMSHIRE.**
526	651	554	735	1995	89	254	128	382	217	197	547	502	670	292	588	**DERBYSHIRE.**
																VIII.—NORTH WESTERN.
871	1003	1006	1084	3110	170	470	214	684	384	222	653	804	1344	556	1036	**CHESHIRE.**
5723	6491	6709	6968	20575	1239	2439	1638	4077	2877	2188	5462	6003	11390	4562	8269	**LANCASHIRE.**
																IX.—YORK.
3258	3825	3853	4499	12373	667	1479	916	2395	1583	1342	3950	3299	5817	2230	4656	**WEST RIDING.**
583	620	597	868	2143	133	255	137	392	270	150	617	451	636	217	653	**EAST RIDING** (*with York*)
345	428	342	538	1359	69	158	67	225	136	63	328	264	343	138	331	**NORTH RIDING.**
																X.—NORTHERN.
1151	1408	1222	1441	4251	295	370	306	676	601	389	1600	1256	1914	820	1530	**DURHAM.**
725	870	766	977	2759	158	277	144	421	302	151	600	524	854	348	682	**NORTHUMBERLAND.**
294	408	373	478	1283	85	125	60	185	145	74	262	269	453	166	390	**CUMBERLAND.**
69	105	76	108	306	10	30	12	42	22	13	48	39	53	18	56	**WESTMORLAND.**
																XI.—WELSH.
368	422	414	497	1379	97	127	98	225	195	125	407	627	729	399	558	**MONMOUTHSHIRE.**
1197	1520	1386	1935	4892	274	583	289	872	563	405	1084	1864	2905	1402	1965	**SOUTH WALES.**
595	897	629	865	2402	132	294	158	452	290	131	370	944	1266	640	930	**NORTH WALES.**

I.—LONDON.—

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	Total Marriages.	Marriages. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	MIDDLESEX (*part of*).															
1	Kensington	7,342	185,950	†2540	1	460	1805	–	2	2268	272	131	78	56	–	7
2	Chelsea	865	63,439	722	–	80	581	–	–	661	61	33	12	16	–	–
3	St. George Hanover Square	1,161	87,771	‡1097	3	353	696	–	1	1053	44	–	22	22	–	–
4	Westminster	917	68,213	607	–	76	425	–	–	501	106	36	22	47	1	–
5	St. Martin-in-the-Fields	305	22,689	§399	1	69	305	1	–	376	23	–	6	17	–	–
6	St. James Westminster	164	35,326	396	2	80	230	–	–	312	84	55	3	17	–	9
7	Marylebone	1,509	161,680	‖1908	–	320	1342	31	–	1693	215	123	49	34	–	9
8	Hampstead	2,252	19,106	138	–	37	86	–	–	123	15	–	10	5	–	–
9	Pancras	2,716	198,788	§2209	–	305	1607	21	–	1933	276	58	77	141	–	–
10	Islington	3,127	155,841	1740	–	247	1214	8	3	1472	268	42	111	115	–	–
11	Hackney	3,929	83,295	¶1021	–	142	770	4	1	917	104	11	63	30	–	–
12	St. Giles	245	54,076	§476	1	55	298	–	–	354	122	57	42	23	–	–
13	Strand	172	42,979	445	–	64	284	–	3	351	94	42	21	27	–	4
14	Holborn	196	44,862	250	–	22	158	–	–	180	70	47	4	19	–	–
15	Clerkenwell	380	65,681	606	–	59	466	3	2	530	76	13	15	48	–	–
16	St. Luke	220	57,073	280	–	15	223	–	–	238	42	20	6	16	–	–
17	East London	153	40,687	417	–	38	360	–	–	398	19	–	11	8	–	–
18	West London	138	27,145	402	–	101	283	1	–	385	17	–	9	8	–	–
19	London City	434	45,555	503	–	88	140	2	–	230	273	47	18	17	2	189
20	Shoreditch	646	129,364	1794	–	76	1639	–	3	1718	76	11	23	36	–	–
21	Bethnal Green	760	105,101	2151	–	33	2092	–	6	2131	20	–	15	5	–	–
22	Whitechapel	406	78,970	¶539	–	30	349	–	1	380	159	59	88	12	–	–
23	St. George-in-the-East	243	48,891	427	–	47	264	–	–	311	116	99	8	9	–	–
24a	Stepney	576	56,572	653	–	87	554	–	–	641	12	–	5	7	–	–
24b	Mile End Old Town	681	73,064	‖745	–	35	626	–	1	662	84	19	40	25	–	–
25	Poplar	2,918	79,196	§728	–	92	526	–	–	618	110	35	50	25	–	–
	SURREY (*part of*).															
26	St. Saviour Southwark	250	36,170	257	–	36	206	–	–	242	15	–	3	12	–	–
27	St. Olave Southwark	169	19,056	108	–	12	74	–	–	86	22	18	3	1	–	–
28	Bermondsey	688	58,355	599	–	39	473	4	–	516	83	46	21	16	–	–
29	St. George Southwark	282	55,510	**600	–	50	447	–	–	497	103	79	11	13	–	–
30	Newington	624	82,220	1058	–	69	867	–	–	936	122	–	79	43	–	–
31	Lambeth	4,015	162,044	‖2410	–	237	2084	1	1	2323	87	–	58	29	–	–
32	Wandsworth	11,695	70,403	‖766	–	127	584	–	2	713	53	21	24	8	–	–
33	Camberwell	4,342	71,488	737	–	122	538	9	–	669	88	42	22	24	–	–
34	Rotherhithe	886	24,502	174	–	12	146	–	–	158	16	10	2	4	–	–
	KENT (*part of*).															
35	Greenwich	5,367	127,670	1032	–	85	758	1	–	844	188	92	51	45	–	–
36	Lewisham	17,224	65,757	734	–	106	591	–	–	697	37	–	25	12	–	–

II.—SOUTH EASTERN COUNTIES.—

	1.—SURREY (*Ex.-met.*)															
37	Epsom	41,180	22,409	94	–	11	65	–	8	84	10	2	5	3	–	–
38	Chertsey	43,541	18,642	121	–	14	93	–	9	116	5	–	2	3	–	–
39	Guildford	65,592	29,330	206	1	16	159	–	2	178	23	4	7	17	–	–
40	Farnham	31,197	30,707	253	–	16	135	4	4	159	94	–	72	22	–	–
41	Farnborough	39,571	14,318	78	–	8	51	–	9	68	10	–	–	10	–	–
42	Hambledon	60,351	13,907	96	–	5	85	–	3	93	3	–	1	2	–	–
43	Dorking	40,006	12,445	85	–	5	49	–	20	74	11	–	9	2	–	–
44	Reigate	51,276	20,109	160	–	13	123	–	9	145	15	1	10	2	2	–
45	Godstone	43,848	9,642	57	–	5	48	–	1	54	3	–	2	1	–	–
46	Croydon	32,803	46,474	598	–	90	461	1	10	562	36	14	13	6	3	–
47	Kingston	22,487	36,479	337	–	42	227	1	15	285	52	7	19	26	–	–
48	Richmond	4,339	18,802	‖130	–	28	84	–	1	113	17	9	6	2	–	–
	2.—KENT (*Extra-met.*)															
49	Bromley	39,927	20,368	202	–	33	152	–	1	186	16	5	11	–	–	–
50	Dartford	53,109	32,316	248	–	20	187	1	19	227	21	7	14	–	–	–
51	Gravesend	1,541	18,782	‖137	–	25	84	–	–	109	28	7	9	12	–	–
52	North Aylesford	41,732	19,121	161	–	8	142	–	1	151	10	–	9	1	–	–
53	Hoo	33,281	2,861	19	–	1	18	–	–	19	–	–	–	–	–	–
54	Medway	14,565	51,805	505	–	29	358	29	–	416	89	25	25	39	–	–
55	Malling	47,398	21,447	156	–	7	144	–	–	151	5	–	5	–	–	–
56	Sevenoaks	67,488	22,039	‖101	–	9	64	1	9	83	18	–	10	8	–	–
57	Tunbridge	46,179	34,271	297	–	33	218	9	14	274	23	1	10	12	–	–
58	Maidstone	38,082	38,670	358	–	30	265	31	–	326	32	2	28	2	–	–
59	Hollingbourn	57,017	13,584	97	–	5	71	1	14	91	6	–	2	4	–	–
60	Cranbrook	40,249	13,412	86	–	3	75	1	–	79	7	–	1	6	–	–
61	Tenterden	46,889	10,947	94	–	11	59	3	6	79	15	–	11	4	–	–
62	West Ashford	41,901	15,137	120	–	9	61	13	2	85	35	–	35	–	–	–
63	East Ashford	54,498	12,286	78	–	7	66	1	2	76	2	–	1	1	–	–
64	Bridge	41,394	11,316	76	–	11	57	–	4	72	4	–	–	4	–	–
65	Canterbury	3,121	16,643	178	–	17	102	7	1	127	51	2	13	35	–	1
66	Blean	32,221	16,161	153	–	20	93	3	–	118	35	–	5	30	–	–
67	Faversham	46,448	18,867	179	–	6	128	16	–	150	29	–	10	19	–	–
68	Milton	35,409	14,775	154	–	10	107	10	1	128	26	–	11	15	–	–

* The *Districts*, which are arranged according to their local position, are collections of contiguous Parishes or Places, generally identical with the Poor Law Unions of the same names.

† Includes a *divorced* man who married a spinster and also a bachelor who married a *divorced* woman.

‡ Includes two *divorced* men who married spinsters.

MARRIAGES in the Year 1867—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last Day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																MIDDLESEX (*part of*).
523	625	706	686	2109	112	240	79	319	191	106	356	236	269	97	311	KENSINGTON.
150	180	189	203	576	38	75	33	108	71	30	118	62	79	24	93	CHELSEA.
227	296	319	253	881	54	118	44	162	98	12	94	16	24	2	36	ST. GEORGE HANOVER SQUARE.
147	151	156	153	491	30	61	25	86	55	18	101	46	67	17	79	WESTMINSTER.
101	96	90	112	296	25	52	26	78	51	18	66	18	34	3	46	ST. MARTIN-IN-THE-FIELDS.
76	102	124	94	321	16	40	19	59	35	10	38	23	25	10	28	ST. JAMES WESTMINSTER.
438	509	512	449	1545	90	198	75	273	165	17	129	101	150	45	161	MARYLEBONE.
21	44	48	25	112	–	20	6	26	6	1	18	7	9	3	10	HAMPSTEAD.
435	532	604	638	1834	83	203	89	292	172	78	336	158	211	59	251	PANCRAS.
346	420	479	495	1406	87	175	72	247	159	51	232	104	128	43	146	ISLINGTON.
180	288	295	258	828	41	110	42	152	83	28	133	65	105	30	110	HACKNEY.
116	132	106	122	364	24	59	29	88	53	23	61	41	69	22	66	ST. GILES.
95	118	125	107	362	19	37	27	64	46	19	80	28	61	15	59	STRAND.
56	69	66	59	198	21	23	8	31	29	14	51	37	47	19	46	HOLBORN.
104	139	183	180	503	24	61	18	79	42	15	80	32	62	14	66	CLERKENWELL.
58	78	68	76	233	11	19	17	36	28	7	37	22	43	14	37	ST. LUKE.
81	126	100	110	345	24	32	16	48	40	14	66	29	57	15	56	EAST LONDON.
86	111	93	112	315	22	39	26	65	48	6	28	17	28	6	33	WEST LONDON.
119	130	126	128	403	18	60	19	79	37	18	95	60	97	41	75	LONDON CITY.
340	515	451	488	1440	94	161	99	260	195	99	366	194	398	106	380	SHOREDITCH.
413	545	564	629	1699	110	156	186	342	296	147	457	402	672	261	552	BETHNAL GREEN.
104	149	141	145	420	26	58	35	93	61	31	113	76	133	48	113	WHITECHAPEL.
89	119	113	106	335	27	39	26	65	53	21	93	83	133	53	110	ST. GEORGE-IN-THE-EAST.
125	174	192	162	509	45	56	43	99	88	23	121	84	130	39	136	STEPNEY.
136	182	207	221	603	38	60	45	105	83	29	101	118	199	64	189	MILE END OLD TOWN.
131	195	204	198	576	51	59	42	101	93	33	136	81	126	41	125	POPLAR.
																SURREY (*part of*).
51	67	67	72	195	12	35	15	50	27	5	25	12	28	2	36	ST. SAVIOUR SOUTHWARK.
31	31	19	27	91	4	8	5	13	9	1	9	13	22	6	23	ST. OLAVE SOUTHWARK.
142	140	148	169	483	39	51	28	77	65	22	72	82	113	45	105	BERMONDSEY.
133	163	160	144	480	40	44	36	80	76	11	31	81	121	50	102	ST. GEORGE SOUTHWARK.
211	281	273	293	861	52	99	46	145	98	33	150	81	122	36	131	NEWINGTON.
456	653	647	654	1953	132	211	114	325	246	62	333	214	380	95	404	LAMBETH.
129	192	231	214	641	30	67	28	95	58	31	148	77	73	26	98	WANDSWORTH.
150	193	204	210	630	27	75	25	100	52	19	112	51	61	17	78	CAMBERWELL.
40	40	49	45	135	9	20	10	30	19	5	36	23	36	7	45	ROTHERHITHE.
																KENT (*part of*).
196	285	272	279	820	76	81	55	136	131	30	184	121	201	63	196	GREENWICH.
143	176	206	209	590	41	76	27	103	68	21	95	60	82	21	100	LEWISHAM.

MARRIAGES in the Year 1867—in DISTRICTS.

																1.—SURREY (*Extra-met.*)
15	21	28	30	80	3	9	2	11	5	4	9	10	8	2	14	EPSOM.
17	36	34	34	106	3	8	4	12	7	5	23	22	12	5	24	CHERTSEY.
38	51	48	69	177	5	15	9	24	14	4	39	51	20	10	51	GUILDFORD.
42	58	85	68	210	19	15	9	24	28	5	38	33	39	11	50	FARNHAM.
18	16	14	30	67	2	7	2	9	4	4	17	17	11	5	18	FARNBOROUGH.
20	27	25	24	80	5	5	6	11	11	1	19	18	12	4	22	HAMBLEDON.
17	19	20	29	70	4	6	5	11	9	8	19	16	9	5	15	DORKING.
29	43	45	43	143	2	10	5	15	7	4	24	27	14	8	25	REIGATE.
13	15	13	16	46	3	5	3	8	6	1	8	13	13	6	14	GODSTONE.
126	131	139	152	496	31	54	17	71	48	19	78	97	84	46	89	CROYDON.
56	93	90	98	283	17	26	11	37	28	12	48	44	27	16	39	KINGSTON.
27	42	38	23	114	7	8	1	9	8	3	34	7	8	6	3	RICHMOND.
																2.—KENT (*Extra-metro.*)
29	54	71	48	180	9	9	4	13	13	9	24	29	16	8	29	BROMLEY.
44	59	65	80	204	12	20	12	32	24	13	59	61	58	33	53	DARTFORD.
23	32	46	36	112	7	12	6	18	13	4	26	14	18	7	18	GRAVESEND.
27	35	41	58	126	7	18	10	28	17	10	35	46	39	22	41	NORTH AYLESFORD.
4	2	6	7	19	–	–	–	–	–	–	7	8	5	4	5	HOO.
89	126	129	161	399	43	38	25	63	68	20	129	91	112	50	103	MEDWAY.
36	54	30	36	132	6	7	11	18	17	16	56	48	47	24	47	MALLING.
25	28	28	20	91	3	3	4	7	7	8	23	18	17	6	23	SEVENOAKS.
57	71	82	87	243	11	25	18	43	29	12	50	41	54	22	51	TUNBRIDGE.
64	82	90	122	293	24	31	10	41	34	26	93	60	63	32	59	MAIDSTONE.
11	23	23	40	90	2	3	2	5	4	5	31	23	24	10	27	HOLLINGBOURN.
24	15	18	29	71	3	7	5	12	8	12	24	18	15	8	17	CRANBROOK.
17	34	13	30	78	3	12	1	13	4	4	18	15	16	6	19	TENTERDEN.
27	27	28	38	102	4	10	4	14	8	8	31	25	18	9	25	WEST ASHFORD.
12	21	18	27	65	3	7	3	10	6	5	24	30	15	9	27	EAST ASHFORD.
13	18	11	34	59	5	7	5	12	10	3	19	16	6	3	16	BRIDGE.
38	39	37	64	143	6	22	7	29	13	6	34	19	23	11	20	CANTERBURY.
29	27	38	59	121	11	13	8	21	19	10	43	37	25	15	32	BLEAN.
31	41	38	69	153	7	6	13	19	20	15	61	52	39	19	53	FAVERSHAM.
26	19	34	75	134	4	8	8	16	12	13	56	42	37	19	41	MILTON.

§ Includes a bachelor who married a *divorced* woman.
‖ Includes a *divorced* man who married a spinster.
¶ Includes a widower who married a *divorced* woman.
** Includes a *divorced* man who married a widow.

II.—SOUTH EASTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	2.-KENT (*Ex.-met.*)-*cont.*															
69	Sheppey	31,083	18,494	118	-	10	70	1	-	81	37	3	9	25	-	-
70	Thanet	29,733	31,862	287	-	44	183	5	2	184	103	9	86	8	-	-
71	Eastry	50,710	25,900	180	-	11	121	4	5	141	39	3	33	3	-	-
72	Dover	29,881	31,571	301	-	37	221	-	3	261	40	10	26	4	-	-
73	Elham	43,197	26,929	189	-	17	127	14	-	158	31	3	24	4	-	-
74	Romney Marsh	46,785	5,708	46	-	1	39	1	-	41	5	-	-	5	-	-
	3.—SUSSEX.															
75	Rye	39,369	11,927	100	-	4	69	4	9	86	14	-	8	6	-	-
76	Hastings	14,027	26,631	252	1	44	153	18	-	221	31	1	29	1	-	-
77	Battle	54,000	12,680	104	-	7	74	5	14	100	4	-	1	3	-	-
78	Eastbourne	38,072	10,721	69	-	15	48	-	3	66	3	-	2	1	-	-
79	Hailsham	54,365	12,668	69	-	6	47	3	1	57	12	-	11	1	-	-
80	Ticehurst	51,659	14,626	129	-	16	102	4	-	122	7	-	7	-	-	-
81	Uckfield	74,230	17,260	115	-	9	77	-	18	104	11	-	4	7	-	-
82	East Grinstead	61,317	14,097	108	-	4	85	-	3	92	16	-	16	-	-	-
83	Cuckfield	61,793	17,163	115	-	11	90	-	8	109	6	-	4	2	-	-
84	Lewes	85,104	26,995	196	-	16	120	-	25	161	35	-	20	15	-	-
85	Brighton	2,320	77,693	*881	-	106	566	9	-	681	200	11	97	89	1	2
86	Steyning	44,344	24,053	185	-	45	126	-	8	179	6	-	5	1	-	-
87	Horsham	57,023	15,313	91	-	11	60	-	9	80	11	3	8	-	-	-
88	Petworth	39,329	9,397	64	-	7	55	-	-	62	2	-	1	1	-	-
89	Thakeham	35,599	7,567	46	-	1	33	-	12	46	-	-	-	-	-	-
90	Worthing	42,437	18,921	188	-	28	140	-	-	168	20	5	10	5	-	-
91	Westhampnett	74,913	14,811	86	-	12	68	-	5	85	1	1	-	-	-	-
92	Chichester	21,054	14,775	95	-	4	53	-	23	80	15	1	7	7	-	-
93	Midhurst	65,720	12,581	75	-	3	65	-	5	73	2	-	-	2	-	-
94	Westbourne	32,886	6,957	49	-	4	28	-	15	47	2	-	1	1	-	-
	4.—HAMPSHIRE.															
95	Havant	24,527	7,212	34	-	1	20	-	3	24	10	1	5	4	-	-
96	Portsea Island	7,806	94,828	†1154	-	99	806	18	13	936	218	27	54	135	-	2
97	Alverstoke	5,222	22,653	206	-	9	160	3	1	173	33	8	13	12	-	-
98	Fareham	42,225	14,864	* 87	-	13	51	7	3	74	13	-	7	6	-	-
99	Isle of Wight	99,746	55,362	468	2	70	181	38	19	310	158	11	77	70	-	-
100	Lymington	42,169	12,094	93	-	3	83	-	-	86	7	-	5	2	-	-
101	Christchurch	36,775	10,438	100	-	5	53	-	1	59	41	1	34	6	-	-
102	Ringwood	33,300	5,357	36	-	8	16	-	-	24	12	-	8	4	-	-
103	Fordingbridge	31,167	6,377	41	-	4	28	1	6	39	2	-	2	-	-	-
104	New Forest	85,532	13,509	79	-	15	53	1	6	75	4	-	3	1	-	-
105	Southampton	2,630	43,414	514	-	46	248	42	1	337	177	8	65	104	-	-
106	South Stoneham	30,715	25,542	173	-	31	107	11	10	159	14	-	3	11	-	-
107	Romsey	28,203	10,771	58	-	5	38	1	8	52	6	-	5	1	-	-
108	Stockbridge	45,343	7,286	30	-	2	25	-	-	27	3	-	1	2	-	-
109	Winchester	78,676	26,607	221	-	27	125	13	4	169	52	2	44	6	-	-
110	Droxford	48,263	10,665	59	-	7	49	-	-	56	3	-	1	2	-	-
111	Catherington	10,551	2,497	19	-	2	17	-	-	19	-	-	-	-	-	-
112	Petersfield	40,112	7,853	73	-	4	66	-	-	70	3	-	3	-	-	-
113	Alresford	39,761	7,182	39	-	4	25	-	7	36	3	-	3	-	-	-
114	Alton	53,057	12,063	81	-	10	58	-	3	71	10	-	10	-	-	-
115	Hartley Wintney	42,951	11,480	85	-	7	57	-	16	80	5	-	4	1	-	-
116	Basingstoke	73,852	17,429	120	-	13	90	-	-	103	17	-	17	-	-	-
117	Whitchurch	29,513	5,522	41	-	4	27	-	1	32	9	-	8	1	-	-
118	Andover	33,615	17,132	89	-	7	68	-	5	80	9	-	9	-	-	-
119	Kingsclere	46,787	8,517	69	-	8	57	-	2	67	2	-	2	-	-	-
	5.—BERKSHIRE.															
120	Newbury	42,956	19,999	144	-	13	91	-	13	117	27	1	26	-	-	-
121	Hungerford	98,287	19,882	114	-	13	78	-	15	106	8	-	8	-	-	-
122	Faringdon	64,207	15,688	112	-	13	81	-	7	101	11	-	6	5	-	-
123	Abingdon	56,445	20,861	137	-	16	93	-	9	118	19	1	17	1	-	-
124	Wantage	75,700	17,308	128	-	6	88	-	22	116	12	1	5	6	-	-
125	Wallingford	40,860	14,017	95	-	9	55	2	15	81	14	-	6	8	-	-
126	Bradfield	62,166	15,771	87	-	4	62	-	12	78	9	1	2	6	-	-
127	Reading	4,699	25,876	299	-	25	187	3	-	215	84	1	70	13	-	-
128	Wokingham	42,226	14,465	113	-	15	88	-	4	107	6	-	6	-	-	-
129	Cookham	29,588	13,031	102	-	7	78	-	11	96	6	-	6	-	-	-
130	Easthampstead	25,176	7,436	56	-	7	45	1	-	53	3	-	-	3	-	-
131	Windsor	22,407	21,301	158	-	13	112	-	-	130	28	3	15	10	-	-

III.—SOUTH MIDLAND COUNTIES.—

	6.-MIDDLSX. (*Ex.-met.*)															
132	Staines	24,881	15,976	91	-	12	64	-	10	86	5	1	4	-	-	-
133	Uxbridge	25,906	23,155	136	-	15	108	-	1	124	12	-	2	9	1	-
134	Brentford	20,705	50,534	401	-	54	291	-	-	345	56	25	28	3	-	-
135	Hendon	32,767	19,290	182	-	38	143	-	-	181	1	-	-	1	-	-
136	Barnet	25,689	19,128	107	-	16	62	-	7	85	22	2	3	17	-	-
137	Edmonton	46,607	39,312	350	-	58	224	24	1	307	43	4	29	7	3	-

* Includes a *divorced* man who married a spinster.

MARRIAGES in the Year 1867—in DISTRICTS—*continued*.

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																2.-KENT (*Ex.-met.*)—*cont.*
30	21	23	44	98	7	6	7	13	14	7	29	16	27	4	35	SHEPPEY.
58	69	63	97	238	14	23	12	35	26	15	48	31	35	10	46	THANET.
44	36	39	61	148	5	17	10	27	15	7	34	34	23	9	39	EASTRY.
51	74	72	104	255	21	17	8	25	29	13	75	35	41	8	60	DOVER.
44	42	44	59	162	8	9	10	19	18	5	35	31	28	7	45	ELHAM.
15	13	7	11	34	3	3	6	9	9	2	7	13	10	6	11	ROMNEY MARSH.
																3.—SUSSEX.
23	22	27	23	84	2	9	5	14	7	8	23	22	21	11	21	RYE.
38	65	58	91	198	12	27	15	42	27	20	37	30	17	8	31	HASTINGS.
20	26	21	37	88	2	11	3	14	5	10	29	24	17	10	21	BATTLE.
16	18	13	22	60	3	3	3	6	6	1	8	12	9	4	13	EASTBOURNE.
9	13	16	31	57	3	5	4	9	7	5	25	18	9	3	21	HAILSHAM.
24	32	29	44	107	7	10	5	15	12	12	33	36	29	15	35	TICEHURST.
21	26	33	35	98	1	6	10	16	11	10	29	33	31	20	24	UCKFIELD.
21	27	26	34	91	7	8	2	10	9	7	28	32	21	14	25	EAST GRINSTEAD.
18	33	26	38	99	5	8	3	11	8	12	24	31	13	5	34	CUCKFIELD.
29	46	61	60	162	7	20	7	27	14	9	29	32	24	10	36	LEWES.
152	240	236	253	694	46	98	43	141	89	72	155	95	112	40	127	BRIGHTON.
39	42	47	57	158	5	15	7	22	12	8	21	23	16	9	21	STEYNING.
14	29	21	27	74	4	11	2	13	6	1	20	24	9	6	21	HORSHAM.
8	22	10	24	55	1	3	5	8	6	2	16	24	8	3	26	PETWORTH.
10	13	12	11	37	3	5	1	6	4	3	11	13	9	7	8	THAKEHAM.
33	41	46	68	164	8	10	6	16	14	10	33	29	20	4	41	WORTHING.
10	23	27	26	74	7	3	2	5	9	4	16	15	7	5	12	WESTHAMPNETT.
20	22	25	28	81	3	7	4	11	7	6	14	16	16	5	22	CHICHESTER.
11	15	23	26	67	2	5	1	6	3	4	16	20	6	2	22	MIDHURST.
10	11	14	14	44	2	2	1	3	3	2	12	9	7	2	12	WESTBOURNE.
																4.—HAMPSHIRE.
7	13	7	7	29	–	1	4	5	4	3	6	9	6	3	9	HAVANT.
256	306	282	310	918	85	95	56	151	141	53	291	133	249	61	260	PORTSEA ISLAND.
44	33	57	72	168	21	9	8	17	29	3	16	29	52	12	57	ALVERSTOKE.
16	22	24	23	73	3	5	6	11	9	2	14	14	13	7	13	FAREHAM.
86	126	102	154	394	14	48	12	60	26	20	92	64	28	7	78	ISLE OF WIGHT.
23	19	20	31	85	–	6	2	8	2	5	26	15	10	7	11	LYMINGTON.
17	17	31	35	83	1	13	3	16	4	5	9	14	10	2	20	CHRISTCHURCH.
6	10	5	15	32	1	2	1	3	2	3	10	8	3	1	9	RINGWOOD.
7	7	16	11	33	–	5	3	8	3	3	13	11	6	3	11	FORDINGBRIDGE.
14	16	26	23	63	2	12	2	14	4	6	14	8	5	3	7	NEW FOREST.
97	138	144	135	407	36	36	35	71	71	20	94	62	62	15	94	SOUTHAMPTON.
35	51	45	42	140	11	17	5	22	16	8	31	26	16	6	30	SOUTH STONEHAM.
11	16	12	19	50	1	4	3	7	4	5	12	14	12	7	12	ROMSEY.
12	2	9	7	23	2	3	2	5	4	1	2	6	11	5	7	STOCKBRIDGE.
38	58	53	72	193	11	13	4	17	15	8	53	28	20	5	38	WINCHESTER.
5	11	20	23	48	6	4	1	5	7	2	5	15	11	7	12	DROXFORD.
3	4	6	6	19	–	–	–	–	–	–	6	5	4	2	5	CATHERINGTON.
16	12	15	30	60	5	2	6	8	11	2	20	24	13	9	19	PETERSFIELD.
4	10	10	15	35	2	2	–	2	2	5	9	12	5	3	11	ALRESFORD.
15	19	17	30	71	3	4	3	7	6	5	20	25	16	11	19	ALTON.
8	25	23	29	74	5	5	1	6	6	6	21	21	19	8	24	HARTLEY WINTNEY.
23	24	33	40	90	6	18	6	24	12	6	22	28	24	13	26	BASINGSTOKE.
5	6	9	21	25	4	6	6	12	10	1	1	17	11	10	8	WHITCHURCH.
15	18	21	35	70	6	8	5	13	11	5	21	32	20	16	20	ANDOVER.
6	17	13	33	56	3	8	2	10	5	7	17	21	16	9	19	KINGSCLERE.
																5.—BERKSHIRE.
26	30	38	50	119	7	10	8	18	15	8	21	32	30	12	38	NEWBURY.
23	28	15	48	91	4	11	8	19	12	6	19	46	23	14	41	HUNGERFORD.
13	31	26	42	87	7	13	5	18	12	5	19	36	33	17	35	FARINGDON.
31	30	27	49	123	–	11	3	14	3	9	23	34	28	16	30	ABINGDON.
22	35	25	46	100	9	10	9	19	18	5	26	51	34	21	43	WANTAGE.
17	24	25	29	82	1	4	8	12	9	5	13	22	17	9	21	WALLINGFORD.
23	19	22	23	55	7	14	11	25	18	2	8	24	17	12	17	BRADFIELD.
63	82	80	74	254	9	24	12	36	21	26	53	38	33	11	49	READING.
17	26	33	37	88	7	13	5	18	12	4	23	21	25	8	30	WOKINGHAM.
21	25	19	37	85	2	10	5	15	7	7	22	26	11	8	21	COOKHAM.
12	13	14	17	45	6	3	2	5	8	2	3	12	12	5	14	EASTHAMPSTEAD.
38	31	47	42	127	9	14	8	22	17	4	16	21	18	7	25	WINDSOR.

MARRIAGES in the Year 1867—in DISTRICTS.

																6.-MIDDLSX. (*Ex.-met.*)
19	20	24	28	73	7	8	3	11	10	5	8	17	17	10	14	STAINES.
23	31	42	40	111	4	15	6	21	10	7	35	28	26	7	40	UXBRIDGE.
63	106	103	129	345	19	25	12	37	31	17	61	66	70	31	74	BRENTFORD.
33	47	52	50	154	13	10	5	15	18	8	34	25	18	9	25	HENDON.
19	33	23	32	86	6	11	4	15	10	6	18	14	17	5	21	BARNET.
59	87	110	94	296	8	32	14	46	22	13	52	51	25	17	42	EDMONTON.

† Includes a bachelor who married a *divorced* woman, and a *divorced* man who married a spinster.

III.—SOUTH MIDLAND COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	7.—HERTFORDSH.															
138	Ware	35,747	16,515	82	-	6	65	1	4	76	6	4		2	-	
139	Bishop Stortford	53,689	20,212	100	-	5	80	1	2	88	12	-		9	3	
140	Royston	38,791	25,014	133	-	10	127	-	17	154	29	-		23	6	
141	Hitchin	64,347	25,603	176	-	7	125	-	22	154	22	-		14	7	1
142	Hertford	34,410	15,301	92	-	6	74	-	5	85	7	3		3	-	1
143	Hatfield	29,484	8,400	41	-	5	33	-	-	38	3	-		3	-	
144	St. Albans	34,615	18,926	165	-	12	122	8	1	143	22	-		8	14	
145	Watford	36,520	20,355	156	-	20	120	-	-	140	16	-		10	6	
146	Hemel Hempstead	25,457	13,922	101	-	10	72	1	-	83	18	-		18	-	
147	Berkhampstead	24,583	13,204	89	-	6	42	-	8	56	33	-		33	-	
	8.—BUCKINGHMSH.															
148	Amersham	49,840	18,240	107	-	3	58	-	2	63	44	-		44	-	
149	Eton	41,589	22,353	172	-	13	127	-	15	155	17	-		5	12	
150	Wycombe	81,308	35,138	260	-	12	181	10	9	212	48	1		25	22	
151	Aylesbury	73,364	23,600	150	-	10	117	-	4	131	19	-		12	7	
152	Winslow	35,395	9,265	72	-	4	62	-	2	68	4	-		4	-	
153	Newport Pagnell	68,701	24,855	223	-	17	160	8	-	185	38	1		19	18	
154	Buckingham	52,419	13,756	73	-	11	53	-	4	68	5	-		4	1	
	9.—OXFORDSHIRE.															
155	Henley	61,662	18,200	98	-	8	66	-	14	88	10	1		7	2	
156	Thame	54,997	15,305	98	-	14	70	-	8	92	4	-		4	-	
157	Headington	25,727	17,185	152	-	14	115	-	18	147	5	1		2	2	
158	Oxford	2,930	20,037	179	-	31	104	1	-	136	43	-		12	31	
159	Bicester	64,127	15,555	85	-	12	66	-	3	81	4	-		4	-	
160	Woodstock	47,913	14,236	77	-	5	56	1	12	74	3	-		2	1	
161	Witney	70,169	23,238	165	-	12	118	-	8	138	27	-		19	8	
162	Chipping Norton	76,418	17,306	128	-	6	91	-	9	106	22	5		12	5	
163	Banbury	75,324	30,171	205	-	17	111	7	2	137	68	5		60	3	
	10.—N.HAMPTNSH.															
164	Brackley	58,769	13,471	93	-	5	64	-	15	84	9	-		9	-	
165	Towcester	42,216	13,004	73	-	7	39	-	16	62	11	-		6	5	
166	Potterspury	22,401	11,632	98	-	8	82	-	-	90	8	-		8	-	
167	Hardingstone	32,408	9,928	67	-	9	49	-	5	63	4	-		1	3	
168	Northampton	20,453	41,152	382	-	23	193	8	21	245	137	4		38	95	
169	Daventry	63,301	20,600	127	-	11	88	1	3	103	24	3		14	7	
170	Brixworth	60,376	15,367	77	-	5	57	-	7	69	8	-		2	6	
171	Wellingborough	55,505	24,224	172	-	11	122	-	6	139	33	-		15	18	
172	Kettering	55,266	18,995	135	-	9	78	8	-	95	40	-		36	4	
173	Thrapston	51,188	14,065	90	-	10	66	-	1	77	13	-		13	-	
174	Oundle	69,822	15,463	120	-	17	85	-	4	106	14	-		14	-	
175	Peterborough	100,514	33,178	256	-	24	178	-	7	209	47	3		26	18	
	11.—HUNTINGDNSH.															
176	Huntingdon	77,180	20,518	126	-	16	82	-	8	106	20	-		16	4	
177	St. Ives	62,930	19,654	120	-	5	75	-	10	90	30	-		16	12	2
178	St. Neots	65,256	18,965	159	-	19	123	-	7	149	10	-		9	1	
	12.—BEDFORDSH.															
179	Bedford	97,320	38,072	238	-	30	159	22	22	233	55	-		28	27	
180	Biggleswade	58,041	25,393	223	-	9	170	1	22	202	21	-		16	5	
181	Ampthill	41,551	16,970	124	-	11	96	-	6	113	11	-		10	1	
182	Woburn	29,603	11,684	86	-	6	66	-	3	75	11	-		11	-	
183	Leighton Buzzard	38,015	17,648	146	-	4	109	1	9	123	23	-		22	1	
184	Luton	40,836	30,712	251	-	12	175	11	4	202	49	-		31	17	1
	13.—CAMBRIDGSH.															
185	Caxton	49,885	10,966	78	-	3	70	-	2	75	3	-		2	1	
186	Chesterton	76,728	25,083	199	-	12	160	-	1	173	26	-		6	20	
187	Cambridge	3,470	26,361	209	-	32	133	1	1	167	42	2		12	28	
188	Linton	47,869	13,510	79	1	4	63	-	6	74	5	-		2	3	
189	Newmarket	97,373	28,675	231	-	13	175	-	7	195	36	1		21	14	
190	Ely	79,894	21,928	165	-	14	125	1	8	148	17	-		14	3	
191	North Witchford	59,823	14,791	121	-	13	85	-	1	99	22	-		17	5	
192	Whittlesey	25,131	6,966	50	-	2	42	-	-	44	6	-		6	-	
193	Wisbech	131,585	33,323	261	-	18	185	-	11	214	47	1		45	1	

IV.—EASTERN COUNTIES.—

	14.—ESSEX.															
194	West Ham	19,477	59,319	*452	-	45	336	-	31	412	40	18	17	5	-	-
195	Epping	46,452	16,549	88	-	12	59	-	7	78	10	-	7	3	-	-
196	Ongar	47,465	11,317	50	-	4	39	-	6	49	1	-	1	-	-	-
197	Romford	48,244	26,965	138	-	14	120	-	-	134	4	-	4	-	-	-

* Includes a *divorced* man who married a spinster.

MARRIAGES in the Year 1867—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																7.—HERTFORDSH.
17	21	25	19	68	5	8	1	9	6	11	25	36	17	9	35	WARE.
23	16	23	38	91	1	5	3	8	4	10	27	33	13	4	38	BISHOP STORTFORD.
29	47	34	73	158	5	14	6	20	11	18	50	62	46	30	48	ROYSTON.
29	38	44	65	147	9	14	6	20	15	18	34	61	73	41	55	HITCHIN.
10	28	28	26	77	3	9	3	12	6	10	18	19	9	2	24	HERTFORD.
6	10	7	18	37	3	1	–	1	3	1	16	10	6	4	8	HATFIELD.
27	38	43	57	145	6	10	4	14	10	16	44	61	66	33	61	ST. ALBANS.
26	39	46	45	134	4	13	5	18	9	15	31	49	36	22	32	WATFORD.
26	25	23	27	92	3	4	2	6	5	10	25	32	24	16	24	HEMEL HEMPSTEAD.
11	20	27	31	71	1	11	6	17	7	10	22	22	19	8	25	BERKHAMPSTEAD.
																8.—BUCKINGHMSH.
23	24	22	38	85	4	9	9	18	13	12	23	33	35	23	22	AMERSHAM.
33	42	50	47	142	9	16	5	21	14	3	23	32	19	7	37	ETON.
54	68	46	92	222	8	19	11	30	19	38	61	77	85	47	68	WYCOMBE.
30	28	38	54	128	3	13	6	19	9	16	33	37	39	17	42	AYLESBURY.
13	20	15	24	57	3	7	5	12	8	8	15	25	26	15	21	WINSLOW.
42	59	45	77	188	6	20	9	29	15	33	53	62	60	38	46	NEWPORT PAGNELL.
10	19	13	31	58	1	8	6	14	7	8	18	16	22	10	18	BUCKINGHAM.
																9.—OXFORDSHIRE.
18	23	19	38	87	6	5	–	5	6	3	17	20	11	4	23	HENLEY.
11	18	20	47	85	2	5	4	9	6	4	17	26	29	15	25	THAME.
32	38	45	37	124	3	18	7	25	10	10	27	23	15	7	24	HEADINGTON.
40	37	49	53	143	6	20	10	30	16	9	18	21	38	14	31	OXFORD.
13	20	19	33	71	4	4	6	10	10	4	14	29	30	17	25	BICESTER.
14	13	21	29	68	2	7	–	7	2	6	17	18	14	7	18	WOODSTOCK.
29	27	38	71	131	10	12	12	24	22	16	23	60	44	23	54	WITNEY.
19	26	30	53	110	4	5	9	14	13	7	38	37	25	13	36	CHIPPING NORTON.
40	58	37	70	166	9	20	10	30	19	7	32	39	25	13	38	BANBURY.
																10.—N.HAMPTONSH.
15	15	23	40	76	1	11	5	16	6	6	18	21	18	10	19	BRACKLEY.
8	23	11	31	61	1	6	5	11	6	2	11	15	19	9	16	TOWCESTER.
10	30	23	35	82	1	10	5	15	6	11	18	21	26	11	25	POTTERSPURY.
9	16	17	25	59	–	6	2	8	2	7	16	9	15	6	12	HARDINGSTONE.
72	91	89	130	319	12	29	22	51	34	60	114	72	97	41	87	NORTHAMPTON.
21	28	19	59	107	2	16	2	18	4	6	26	36	24	13	34	DAVENTRY.
9	23	15	30	71	–	3	3	6	3	6	11	12	11	7	9	BRIXWORTH.
25	57	30	60	145	5	11	11	22	16	41	55	43	50	31	36	WELLINGBOROUGH.
23	44	21	47	123	1	8	3	11	4	16	33	29	34	17	29	KETTERING.
12	29	16	33	76	3	8	3	11	6	9	19	22	20	9	24	THRAPSTON.
21	30	26	43	100	3	13	4	17	7	6	17	26	25	9	33	OUNDLE.
34	71	57	94	212	12	22	10	32	22	14	43	58	56	24	66	PETERBOROUGH.
																11.—HUNTINGDNSH.
23	29	30	44	98	4	18	6	24	10	13	28	32	24	16	24	HUNTINGDON.
19	27	31	43	103	1	11	5	16	6	11	32	31	29	13	34	ST. IVES.
27	23	39	70	139	2	7	11	18	13	15	53	59	47	28	50	ST. NEOTS.
																12.—BEDFORDSH.
65	56	67	100	246	6	27	9	36	15	35	67	70	82	39	74	BEDFORD.
36	54	51	82	189	6	17	11	28	17	38	62	95	106	68	65	BIGGLESWADE.
23	22	23	54	109	1	9	5	14	6	22	36	37	59	27	42	AMPTHILL.
15	25	17	29	72	–	5	9	14	9	13	23	31	37	23	22	WOBURN.
24	38	27	57	127	2	10	7	17	9	27	48	50	63	35	43	LEIGHTON BUZZARD.
49	72	61	69	217	4	24	6	30	10	38	64	84	93	56	65	LUTON.
																13.—CAMBRIDGESH.
15	15	10	38	66	3	7	2	9	5	6	30	40	23	18	27	CAXTON.
46	39	28	86	173	11	11	4	15	15	18	46	50	34	21	42	CHESTERTON.
34	49	52	74	176	7	19	7	26	14	14	35	24	32	10	36	CAMBRIDGE.
11	16	19	33	72	–	3	4	7	4	8	21	28	28	18	20	LINTON.
37	51	37	106	184	4	29	14	43	18	21	63	75	66	39	63	NEWMARKET.
21	28	32	84	140	6	13	6	19	12	19	56	58	55	33	47	ELY.
20	34	19	48	100	2	13	6	19	8	6	29	41	46	28	31	NORTH WITCHFORD.
7	9	11	23	44	1	3	2	5	3	5	17	15	19	10	14	WHITTLESEY.
35	55	54	117	214	11	23	13	36	24	21	50	83	84	47	78	WISBECH.

MARRIAGES in the Year 1867—in DISTRICTS.

																14.—ESSEX.
71	109	125	147	378	17	33	24	57	41	17	106	57	71	21	86	WEST HAM.
12	20	26	30	77	3	7	1	8	4	6	15	22	8	5	20	EPPING.
6	7	6	31	45	3	1	1	2	4	3	17	20	11	8	15	ONGAR.
21	33	37	47	111	11	10	6	16	17	9	34	37	32	17	35	ROMFORD.

IV.—EASTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	14.—ESSEX—*cont.*															
198	Orsett	45,597	11,595	67	–	4	44	–	15	63	4	–	4	–	–	–
199	Billericay	50,845	15,031	81	–	3	62	–	4	69	12	4	6	2	–	–
200	Chelmsford	83,906	32,765	195	–	19	131	–	1	151	44	4	24	16	–	–
201	Rochford	107,846	18,282	129	–	8	94	–	14	116	13	–	9	4	–	–
202	Maldon	107,050	22,556	155	–	10	87	–	16	113	42	–	26	16	–	–
203	Tendring	89,803	27,105	*216	–	10	164	–	9	183	33	–	21	12	–	–
204	Colchester	11,200	23,815	207	–	19	102	14	12	147	60	6	25	28	1	–
205	Lexden	73,331	22,950	158	–	10	107	3	16	136	22	–	22	–	–	–
206	Witham	38,938	16,324	96	–	4	61	–	1	66	30	–	13	14	3	–
207	Halstead	38,913	18,482	112	–	5	92	–	6	103	9	–	8	1	–	–
208	Braintree	38,652	17,170	118	–	4	92	1	–	97	21	–	15	6	–	–
209	Dunmow	72,594	19,759	92	–	2	70	–	5	77	15	–	15	–	–	–
210	Saffron Walden	62,630	19,721	132	–	2	91	–	25	118	14	–	2	12	–	–
	15.—SUFFOLK.															
211	Risbridge	53,664	17,432	139	–	8	91	–	19	118	21	–	18	3	–	–
212	Sudbury	78,302	31,415	195	–	4	122	1	37	164	31	1	12	18	–	–
213	Cosford	52,696	17,376	124	–	6	99	–	3	108	16	–	9	7	–	–
214	Thingoe	82,464	18,224	106	–	6	93	–	2	101	5	–	3	2	–	–
215	Bury St. Edmunds	2,934	13,318	123	–	11	82	–	–	93	30	3	12	15	–	–
216	Mildenhall	61,244	9,595	74	–	5	64	–	–	69	5	–	2	3	–	–
217	Stow	55,342	20,908	160	–	13	94	–	8	115	45	–	42	3	–	–
218	Hartismere	54,215	17,665	111	–	14	70	–	6	90	21	–	21	–	–	–
219	Hoxne	53,035	14,694	80	–	8	63	–	–	71	9	–	9	–	–	–
220	Bosmere	57,899	16,174	108	–	9	83	–	6	98	10	–	5	5	–	–
221	Samford	50,230	12,736	105	–	10	70	–	22	102	3	–	2	1	–	–
222	Ipswich	8,395	37,881	325	–	24	127	3	1	155	170	–	53	117	–	–
223	Woodbridge	82,195	22,754	134	–	10	89	1	12	112	22	–	6	16	–	–
224	Plomesgate	75,064	20,720	122	–	17	80	–	3	100	22	–	15	7	–	–
225	Blything	92,097	26,848	174	–	16	127	3	7	153	21	–	21	–	–	–
226	Wangford	35,079	13,619	86	–	7	69	–	1	77	9	–	7	2	–	–
227	Mutford	35,490	24,050	211	–	26	162	1	5	194	17	–	17	–	–	–
	16.—NORFOLK.															
228	Yarmouth	1,510	30,338	415	–	47	317	–	–	364	51	1	37	13	–	–
229	Flegg	29,087	8,631	58	–	5	51	–	1	57	1	–	1	–	–	–
230	Tunstead	62,607	14,516	100	–	13	77	–	1	91	9	–	8	1	–	–
231	Erpingham	72,513	20,874	117	–	7	79	1	3	90	27	–	25	2	–	–
232	Aylsham	68,123	19,052	121	–	9	89	–	12	110	11	–	9	2	–	–
233	St. Faiths	48,304	11,298	71	–	3	64	–	–	67	4	–	3	1	–	–
234	Norwich	4,325	74,891	627	–	66	335	7	–	408	219	6	29	184	–	–
235	Forehoe	37,834	12,818	83	–	7	54	–	–	61	22	1	15	6	–	–
236	Henstead	43,358	11,290	56	–	6	50	–	–	56	–	–	–	–	–	–
237	Blofield	44,178	11,521	54	–	6	48	–	–	54	–	–	–	–	–	–
238	Loddon	59,401	14,242	105	–	18	74	–	6	98	7	–	2	5	–	–
239	Depwade	72,681	25,248	139	–	13	102	–	2	117	22	–	20	2	–	–
240	Guiltcross	44,585	11,541	65	–	7	46	–	5	58	7	–	7	–	–	–
241	Wayland	51,063	11,562	62	–	2	40	1	10	53	9	–	9	–	–	–
242	Mitford	105,233	28,020	177	–	19	122	–	7	148	29	–	8	21	–	–
243	Walsingham	87,342	21,118	138	–	12	93	–	8	113	25	–	12	13	–	–
244	Docking	101,136	17,596	113	–	4	93	1	3	101	12	–	9	3	–	–
245	Freebridge Lynn	78,775	13,486	94	–	5	79	–	8	92	2	–	–	2	–	–
246	Kings Lynn	5,499	16,701	123	–	14	69	1	–	84	39	1	22	16	–	–
247	Downham	83,687	20,264	156	–	9	122	–	11	142	14	–	8	6	–	–
248	Swaffham	81,200	13,747	94	–	7	69	–	1	77	17	–	11	6	–	–
249	Thetford	117,870	18,694	130	–	7	98	–	4	109	21	–	10	11	–	–

V.—SOUTH WESTERN COUNTIES.—

	17.—WILTSHIRE.															
250	Highworth	50,064	19,237	140	–	9	85	–	2	96	44	–	23	21	–	–
251	Cricklade	41,566	11,470	71	–	8	52	–	–	60	11	–	3	8	–	–
252	Malmsbury	57,508	14,556	104	–	17	70	–	5	92	12	–	12	–	–	–
253	Chippenham	60,035	22,029	125	–	15	79	–	–	94	31	–	31	–	–	–
254	Calne	28,610	8,885	61	–	6	26	–	21	53	8	–	8	–	–	–
255	Marlborough	42,092	9,774	75	–	7	61	–	–	68	7	–	7	–	–	–
256	Devizes	63,491	21,680	129	–	15	79	–	15	109	20	–	13	7	–	–
257	Melksham	17,768	17,233	130	–	7	49	1	2	59	71	–	71	–	–	–
258	Bradford-on-Avon	18,800	10,475	56	–	9	38	1	1	49	7	–	5	2	–	–
259	Westbury	30,944	11,751	72	–	4	44	–	–	48	24	–	22	2	–	–
260	Warminster	56,356	15,942	89	–	13	60	–	–	73	16	–	11	5	–	–
261	Pewsey	65,650	12,466	84	–	5	62	–	14	81	3	–	1	2	–	–
262	Amesbury	62,420	8,127	55	–	4	46	3	–	53	2	–	2	–	–	–
263	Alderbury	52,660	14,770	105	1	8	69	4	11	93	12	–	7	5	–	–
264	Salisbury	480	9,039	89	–	19	22	6	–	47	42	1	37	4	–	–
265	Wilton	55,304	10,674	82	–	6	66	–	2	74	8	–	8	–	–	–
266	Tisbury	40,494	9,862	70	–	5	54	–	7	66	4	2	2	–	–	–
267	Mere	33,211	8,057	67	–	4	50	–	–	54	13	–	11	2	–	–

* Includes a *divorced* man who married a spinster.

MARRIAGES in the Year 1867—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																14.—ESSEX—*continued.*
10	13	15	29	51	8	3	5	8	13	1	15	27	16	14	15	ORSETT.
12	17	24	28	68	-	7	6	13	6	8	26	27	11	7	24	BILLERICAY.
33	45	39	78	161	9	19	6	25	15	16	49	62	23	18	49	CHELMSFORD.
22	31	30	46	107	5	7	10	17	15	3	42	39	24	13	37	ROCHFORD.
23	33	45	54	131	8	9	7	16	15	11	37	64	34	20	58	MALDON.
38	45	51	82	173	12	17	14	31	26	18	54	84	52	39	58	TENDRING.
38	42	59	68	178	12	11	6	17	18	9	51	37	39	13	50	COLCHESTER.
24	29	42	63	130	4	14	10	24	14	12	43	52	41	19	55	LEXDEN.
19	26	25	26	74	3	16	3	19	6	8	20	18	17	4	27	WITHAM.
17	20	27	48	98	2	10	2	12	4	18	28	44	53	32	33	HALSTEAD.
27	30	27	34	95	4	14	5	19	9	19	36	41	42	26	31	BRAINTREE.
12	19	18	43	71	5	9	7	16	12	7	29	39	29	22	24	DUNMOW.
28	31	22	51	104	7	14	7	21	14	10	34	49	38	26	35	SAFFRON WALDEN.
																15.—SUFFOLK.
20	28	30	61	119	-	14	6	20	6	19	50	51	67	54	40	RISBRIDGE.
35	52	47	61	159	5	20	11	31	16	21	46	87	63	41	68	SUDBURY.
23	36	24	41	105	5	10	4	14	9	14	28	52	43	27	41	COSFORD.
21	23	13	49	86	5	9	6	15	11	7	20	40	18	11	36	THINGOE.
21	27	33	42	107	1	13	2	15	3	19	21	15	12	2	23	BURY ST. EDMUNDS.
9	14	16	35	59	3	6	6	12	9	8	23	32	30	18	26	MILDENHALL.
25	28	29	78	133	6	13	8	21	14	12	37	57	27	14	56	STOW.
10	16	14	62	90	7	11	3	14	10	14	31	52	33	30	30	HARTISMERE.
12	12	11	45	71	3	5	1	6	4	4	19	38	28	20	26	HOXNE.
14	22	19	53	90	2	11	5	16	7	8	19	43	27	16	38	BOSMERE.
13	28	21	43	79	6	13	7	20	13	5	15	24	21	8	29	SAMFORD.
60	79	91	95	253	16	37	19	56	35	25	56	49	52	19	63	IPSWICH.
24	32	31	47	113	5	11	5	16	10	9	29	48	22	9	52	WOODBRIDGE.
28	24	19	51	100	5	11	6	17	11	10	18	32	17	11	27	PLOMESGATE.
31	31	41	71	136	9	21	8	29	17	9	30	68	45	27	59	BLYTHING.
12	15	23	36	77	1	4	4	8	5	4	19	21	15	12	12	WANGFORD.
43	40	41	87	175	10	20	6	26	16	22	49	45	37	16	50	MUTFORD.
																16.—NORFOLK.
83	97	94	141	320	22	48	25	73	47	41	99	107	114	44	133	YARMOUTH.
20	10	8	20	50	2	3	3	6	5	6	14	21	19	12	16	FLEGG.
24	18	17	41	86	3	9	2	11	5	9	21	43	23	17	32	TUNSTEAD.
22	22	18	55	105	1	5	6	11	7	13	20	38	25	13	37	ERPINGHAM.
20	20	26	55	104	8	6	3	9	11	7	17	45	30	23	29	AYLSHAM.
17	17	13	24	59	2	6	4	10	6	5	13	22	23	12	21	ST. FAITHS.
120	138	153	216	502	21	59	45	104	66	79	135	124	177	63	175	NORWICH.
14	15	13	41	63	1	12	2	14	3	3	9	32	25	16	25	FOREHOE.
13	14	10	19	47	-	8	1	9	1	4	9	14	8	3	16	HENSTEAD.
10	11	11	22	43	1	4	1	5	2	2	8	20	13	8	17	BLOFIELD.
27	23	19	36	89	4	8	4	12	8	6	12	34	19	11	31	LODDON.
25	23	27	64	106	8	16	9	25	17	15	25	52	38	22	46	DEPWADE.
7	10	15	33	54	2	6	3	9	5	7	17	20	15	8	19	GUILTCROSS.
15	11	7	29	55	1	3	3	6	4	3	15	22	16	13	12	WAYLAND.
38	32	20	87	137	6	25	9	34	15	15	24	62	42	24	56	MITFORD.
37	35	23	43	113	5	12	8	20	13	6	24	46	35	16	49	WALSINGHAM.
22	22	24	45	89	3	16	5	21	8	3	11	38	38	22	32	DOCKING.
14	19	13	48	78	5	8	3	11	8	5	18	36	26	15	32	FREEBRIDGE LYNN.
16	31	29	47	103	3	14	3	17	6	13	23	28	25	12	29	KINGS LYNN.
29	31	20	76	136	3	9	8	17	11	17	44	78	63	44	53	DOWNHAM.
19	16	18	41	75	1	13	5	18	6	7	18	38	19	17	23	SWAFFHAM.
20	34	23	53	111	4	10	5	15	9	15	32	47	39	26	34	THETFORD.

MARRIAGES in the Year 1867—in DISTRICTS.

																17.—WILTSHIRE.
18	30	36	56	112	9	12	7	19	16	6	29	32	26	14	31	HIGHWORTH.
11	17	22	21	52	4	9	6	15	10	5	11	22	21	10	23	CRICKLADE.
24	18	24	38	87	2	14	1	15	3	14	24	35	21	12	32	MALMSBURY.
21	28	30	46	99	9	8	9	17	18	9	13	41	19	9	42	CHIPPENHAM.
7	16	16	22	50	4	5	2	7	6	6	8	18	14	8	16	CALNE.
12	17	12	34	63	2	3	7	10	9	5	8	25	18	12	19	MARLBOROUGH.
29	30	36	34	103	4	15	7	22	11	7	22	35	32	19	29	DEVIZES.
21	39	36	34	100	2	16	12	28	14	16	23	27	37	16	32	MELKSHAM.
14	18	9	15	47	1	3	5	8	6	4	10	14	13	5	17	BRADFORD-ON-AVON.
13	18	21	20	56	5	8	3	11	8	6	12	14	16	7	16	WESTBURY.
15	24	22	28	71	2	10	6	16	8	7	17	23	21	15	14	WARMINSTER.
12	9	20	43	74	-	7	3	10	3	16	24	32	23	14	27	PEWSEY.
9	11	17	18	47	-	6	2	8	2	3	16	16	9	5	15	AMESBURY.
24	23	28	30	91	3	10	1	11	4	9	20	22	11	5	23	ALDERBURY.
22	22	26	19	66	8	11	4	15	12	4	11	8	6	3	8	SALISBURY.
22	17	18	25	65	3	11	3	14	6	8	13	20	20	9	22	WILTON.
16	15	15	24	65	1	3	1	4	2	2	18	17	18	10	15	TISBURY.
16	20	15	16	56	3	5	3	8	6	3	6	20	16	8	20	MERE.

V.—SOUTH WESTERN COUNTIES.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	18.—DORSETSHIRE.															
268	Shaftesbury	36,493	12,986	84	–	4	48	–	22	74	10	–	10	–	–	–
269	Sturminster	37,934	10,340	80	–	12	55	–	1	68	12	1	10	1	–	–
270	Blandford	57,271	14,821	103	–	5	77	–	10	92	11	1	10	–	–	–
271	Wimborne	31,163	17,253	106	–	11	80	–	1	92	14	1	12	1	–	–
272	Poole	27,023	13,742	100	–	10	60	13	1	84	16	–	10	6	–	–
273	Wareham	96,309	17,072	107	–	12	81	–	3	96	11	2	6	3	–	–
274	Weymouth	37,282	27,291	213	–	35	104	10	5	154	59	3	34	22	–	–
275	Dorchester	115,339	24,810	177	–	13	139	–	8	160	17	–	10	7	–	–
276	Sherborne	40,018	13,463	95	–	4	60	–	7	71	24	–	15	9	–	–
277	Beaminster	53,764	13,587	82	–	7	53	–	13	73	9	–	7	2	–	–
278	Bridport	33,187	16,828	138	–	14	89	3	10	116	22	1	19	2	–	–
	19.—DEVONSHIRE.															
279	Axminster	61,738	19,758	129	–	14	77	–	14	105	24	1	14	9	–	–
280	Honiton	80,867	22,729	153	–	23	93	–	4	120	33	–	33	–	–	–
281	St. Thomas	130,141	48,405	315	–	47	163	4	46	260	55	–	11	44	–	–
282	Exeter	1,800	33,742	442	–	75	151	1	10	237	205	8	38	157	–	–
283	Newton Abbot	117,396	59,063	473	–	73	192	1	38	304	169	4	76	89	–	–
284	Totnes	98,342	32,942	241	–	38	125	–	12	175	66	–	40	26	–	–
285	Kingsbridge	72,918	19,394	107	–	15	56	1	13	85	22	–	8	14	–	–
286	Plympton St. Mary	75,569	20,502	62	–	8	48	–	2	58	4	–	–	4	–	–
287	Plymouth	1,635	62,599	762	–	63	278	8	2	351	411	30	69	310	–	–
288	East Stonehouse	385	14,343	185	–	10	102	1	–	113	72	–	2	70	–	–
289	Stoke Damerel	2,380	50,440	518	–	48	264	1	–	313	205	7	34	164	–	–
290	Tavistock	158,567	35,265	159	–	24	59	–	7	90	69	–	19	50	–	–
291	Okehampton	126,797	18,580	134	–	18	50	–	37	105	29	–	28	1	–	–
292	Crediton	91,866	20,274	105	–	18	70	–	1	84	21	–	9	12	–	–
293	Tiverton	103,212	30,875	201	–	27	130	–	–	157	44	–	29	15	–	–
294	South Molton	142,503	19,532	101	–	18	44	–	6	68	33	–	32	1	–	–
295	Barnstaple	149,729	36,293	257	–	45	97	3	4	149	108	–	78	30	–	–
296	Torrington	81,472	16,876	110	–	7	57	–	11	75	35	–	22	13	–	–
297	Bideford	63,864	17,790	144	–	25	44	1	12	82	62	–	32	30	–	–
298	Holsworthy	82,519	9,876	60	–	5	33	–	–	38	22	–	17	5	–	–
	20.—CORNWALL.															
299	Stratton	54,406	8,028	57	–	9	42	–	1	52	5	–	5	–	–	–
300	Camelford	51,847	7,784	60	–	4	26	–	6	36	24	–	24	–	–	–
301	Launceston	101,777	17,005	96	–	10	32	2	1	45	51	–	18	33	–	–
302	St. Germans	47,148	17,631	67	–	11	42	–	4	57	10	–	3	7	–	–
303	Liskeard	107,320	33,562	153	–	21	61	1	–	83	70	2	17	51	–	–
304	Bodmin	88,981	19,691	112	–	18	66	–	–	84	28	–	11	17	–	–
305	St. Columb	78,693	16,754	111	–	20	70	–	1	91	20	–	4	16	–	–
306	St. Austell	57,446	33,797	184	–	29	79	–	2	110	74	–	16	58	–	–
307	Truro	92,211	43,070	264	–	32	118	–	19	169	95	–	30	65	–	–
308	Falmouth	27,906	23,332	202	–	24	91	1	1	117	85	–	37	47	1	–
309	Helston	72,571	30,036	191	–	18	84	3	1	106	85	–	27	58	–	–
310	Redruth	40,305	57,173	338	–	41	148	7	1	197	141	1	67	73	–	–
311	Penzance	65,092	54,554	342	–	38	217	1	–	256	86	–	47	39	–	–
312	Scilly Islands	3,560	2,431	8	–	2	5	–	1	8	–	–	–	–	–	–
	21.—SOMERSETSH.															
313a	Williton	109,202	19,918	81	–	11	61	–	6	78	3	–	3	–	–	–
313b	Dulverton	57,906	6,158	33	–	4	26	–	–	30	3	–	2	1	–	–
314	Wellington	60,454	20,480	124	–	8	89	–	2	99	25	–	16	9	–	–
315	Taunton	70,452	35,601	264	–	29	155	3	22	209	55	2	15	38	–	–
316	Bridgwater	92,273	34,420	260	–	19	165	11	6	201	59	1	31	27	–	–
317	Langport	59,391	18,077	97	–	7	67	–	2	76	21	–	15	6	–	–
318	Chard	60,342	25,591	139	–	11	105	–	2	118	21	–	17	4	–	–
319	Yeovil	52,151	28,189	230	–	12	128	4	19	163	67	–	48	19	–	–
320	Wincanton	66,120	21,500	145	–	16	90	–	5	111	34	–	32	2	–	–
321	Frome	51,239	28,704	177	–	17	97	9	8	131	46	–	36	10	–	–
322	Shepton Mallet	49,657	16,619	114	–	6	73	–	2	81	33	–	31	2	–	–
323	Wells	64,822	21,889	128	–	22	72	–	6	100	28	–	27	1	–	–
324	Axbridge	105,679	36,106	262	–	42	155	–	1	198	64	3	49	12	–	–
325	Clutton	47,026	23,721	101	–	9	64	–	5	78	23	4	14	5	–	–
326	Bath	30,321	68,336	654	1	73	313	30	11	428	226	8	73	145	–	–
327	Keynsham	33,358	21,802	118	–	7	104	–	2	113	5	–	5	–	–	–
328	Bedminster	57,068	41,257	315	–	18	258	5	3	284	31	–	30	1	–	–

VI.—WEST MIDLAND COUNTIES.

	22.—GLOUCESTRSH.															
329	Bristol	1,840	66,027	1287	–	77	791	13	1	882	405	25	73	301	2	4
330	Clifton	29,475	94,687	735	–	79	514	4	3	600	135	12	57	66	–	–
331	Chipping Sodbury	62,356	18,763	83	–	6	57	–	15	78	5	–	5	–	–	–
332	Thornbury	65,840	16,499	75	–	9	55	–	2	66	9	–	8	–	1	–
333	Dursley	26,521	13,331	59	1	6	33	–	7	47	12	–	12	–	–	–
334	Westbury-on-Severn	43,246	20,189	142	–	6	104	–	5	115	27	–	4	23	–	–
335	Newent	45,281	12,420	76	–	7	56	–	2	65	11	–	11	–	–	–

MARRIAGES in the Year 1867—in DISTRICTS—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																18.—DORSETSHIRE.
18	23	21	22	74	2	6	2	8	4	6	21	27	22	11	27	SHAFTESBURY.
21	27	11	21	63	3	8	6	14	9	7	14	20	23	11	21	STURMINSTER.
16	28	24	35	82	4	12	5	17	9	10	18	33	14	6	35	BLANDFORD.
25	28	27	26	86	3	11	6	17	9	6	21	26	24	12	26	WIMBORNE.
21	29	19	31	83	5	9	3	12	8	11	22	20	10	5	20	POOLE.
17	29	27	34	90	7	8	2	10	9	15	24	23	15	4	30	WAREHAM.
31	60	74	48	182	9	18	4	22	13	8	34	29	29	11	36	WEYMOUTH.
30	49	40	58	151	5	13	8	21	13	12	34	45	38	19	45	DORCHESTER.
24	24	22	25	77	2	12	4	16	6	6	18	31	21	13	26	SHERBORNE.
16	21	22	23	72	3	4	3	7	6	5	9	23	22	11	23	BEAMINSTER.
33	47	31	27	117	7	11	3	14	10	15	23	38	32	19	32	BRIDPORT.
																19.—DEVONSHIRE.
36	34	29	30	114	1	7	7	14	8	11	22	34	40	23	28	AXMINSTER.
30	49	38	36	133	2	12	6	18	8	7	21	37	35	17	38	HONITON.
72	69	80	94	253	10	36	16	52	26	19	33	54	47	29	43	ST. THOMAS.
87	112	111	132	349	23	40	30	70	53	34	62	36	61	16	65	EXETER.
112	107	128	126	399	15	45	14	59	29	27	58	56	65	23	75	NEWTON ABBOT.
55	58	74	54	205	9	17	10	27	19	15	52	42	47	19	51	TOTNES.
27	27	22	31	95	3	9	-	9	3	15	24	29	29	14	30	KINGSBRIDGE.
7	16	15	24	53	-	8	1	9	1	4	12	16	13	5	19	PLYMPTON ST. MARY.
172	196	193	201	622	44	57	39	96	83	49	160	113	191	55	194	PLYMOUTH.
44	45	47	49	153	12	13	7	20	19	7	28	49	64	26	61	EAST STONEHOUSE.
141	117	126	134	414	38	44	22	66	60	18	96	67	113	27	126	STOKE DAMEREL.
38	39	31	51	141	3	4	11	15	14	10	32	29	38	14	39	TAVISTOCK.
35	30	31	38	113	2	13	6	19	8	11	24	30	38	19	30	OKEHAMPTON.
21	31	19	34	90	3	9	3	12	6	6	14	27	23	10	30	CREDITON.
50	48	41	62	170	5	16	10	26	15	15	34	48	46	26	42	TIVERTON.
25	29	23	24	84	4	9	4	13	8	7	16	23	21	11	22	SOUTH MOLTON.
57	65	69	66	203	10	35	9	44	19	11	38	39	45	21	42	BARNSTAPLE.
31	32	27	20	102	-	5	3	8	3	4	21	31	31	16	30	TORRINGTON.
27	49	30	38	123	4	12	5	17	9	10	23	25	30	13	29	BIDEFORD.
14	15	11	20	53	1	3	3	6	4	2	13	19	21	10	20	HOLSWORTHY.
																20.—CORNWALL.
16	25	5	11	50	1	6	-	6	1	5	10	13	15	8	12	STRATTON.
13	12	12	23	50	7	2	1	3	8	3	14	19	22	13	15	CAMELFORD.
26	21	23	26	82	3	7	4	11	7	6	21	26	23	11	27	LAUNCESTON.
18	19	17	13	57	-	3	2	10	2	2	12	10	12	6	10	ST. GERMANS.
41	46	28	38	126	6	13	8	21	14	14	24	32	49	19	43	LISKEARD.
25	28	25	34	93	5	10	4	14	9	6	17	24	30	13	28	BODMIN.
21	28	30	32	92	5	10	4	14	9	9	20	25	26	13	25	ST. COLUMB.
43	40	50	51	150	7	14	13	27	20	13	37	44	59	25	53	ST. AUSTELL.
59	68	66	71	222	11	20	11	31	22	27	53	80	84	46	72	TRURO.
38	56	50	58	167	14	19	2	21	16	15	35	28	63	20	51	FALMOUTH.
34	46	44	67	166	4	13	8	21	12	16	37	59	79	44	50	HELSTON.
82	68	103	85	286	10	31	11	42	21	16	60	119	147	85	96	REDRUTH.
76	76	88	102	293	5	30	14	44	19	23	62	82	110	50	92	PENZANCE.
2	2	3	1	5	-	2	1	3	1	-	-	2	-	-	2	SCILLY ISLANDS.
																21.—SOMERSETSH.
14	30	18	19	71	1	8	1	9	2	3	6	31	20	14	23	WILLITON.
8	9	8	8	28	3	1	1	2	4	1	3	12	3	2	11	DULVERTON.
29	36	27	32	110	-	10	4	14	4	10	30	32	28	14	32	WELLINGTON.
64	55	73	72	214	7	26	17	43	24	13	32	67	59	34	58	TAUNTON.
57	78	53	72	208	9	23	20	43	29	18	50	77	74	41	69	BRIDGWATER.
20	28	22	27	85	1	7	4	11	5	11	14	38	38	19	38	LANGPORT.
31	38	24	46	113	5	15	6	21	11	6	17	40	49	23	43	CHARD.
55	56	47	72	197	1	20	12	32	13	32	43	69	75	45	54	YEOVIL.
36	42	35	32	126	-	14	5	19	5	6	21	40	35	18	39	WINCANTON.
31	54	33	59	151	3	13	10	23	13	14	38	32	42	16	42	FROME.
27	23	23	41	94	2	9	9	18	11	12	23	34	33	16	35	SHEPTON MALLET.
32	43	31	22	108	3	12	5	17	8	16	25	36	29	15	35	WELLS.
47	87	58	70	211	15	27	9	36	24	19	41	62	57	32	55	AXBRIDGE.
16	21	23	31	76	7	9	9	18	16	8	26	32	31	16	31	CLUTTON.
138	167	167	182	500	23	82	49	131	72	32	82	111	90	39	123	BATH.
18	27	37	36	102	2	8	6	14	8	28	30	46	48	29	36	KEYNSHAM.
66	89	69	91	262	7	31	15	46	22	27	59	43	53	18	60	BEDMINSTER.

MARRIAGES in the Year 1867—in DISTRICTS.

																22.-GLOUCESTERSH.
265	327	314	381	1011	43	152	81	233	124	106	241	227	326	123	307	BRISTOL.
135	186	198	216	617	21	70	27	97	48	65	151	126	165	76	139	CLIFTON.
11	23	14	35	72	1	5	5	10	6	8	12	27	17	13	18	CHIPPING SODBURY.
13	22	17	23	61	4	5	5	10	9	4	10	16	11	4	19	THORNBURY.
13	15	16	15	47	3	7	2	9	5	9	14	11	10	4	13	DURSLEY.
29	27	31	55	118	10	6	8	14	18	14	44	47	37	18	48	WESTBURY-ON-SEVERN.
13	11	22	30	63	3	3	7	10	10	5	14	37	24	22	17	NEWENT.

VI.—WEST MIDLAND COUNTIES.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	22.-GLO'STER.-*cont.*															
336	Gloucester	32,222	34,950	390	1	62	288	-	1	352	38	1	32	4	1	-
337	Wheatenhurst	24,471	7,813	46	-	14	27	-	3	44	2	-	2	-	-	-
338	Stroud	43,720	36,448	285	-	24	126	14	7	171	114	1	92	21	-	-
339	Tetbury	25,641	6,110	36	-	2	23	-	6	31	5	-	2	3	-	-
340	Cirencester	85,366	20,934	148	-	14	94	-	10	118	30	-	23	7	-	-
341	Northleach	67,647	10,895	65	-	8	33	-	21	62	3	-	2	1	-	-
342	Stow-on-the-Wold	41,131	9,687	64	-	10	44	-	3	57	7	-	7	-	-	-
343	Winchcomb	57,494	10,082	62	-	4	57	-	-	61	1	-	1	-	-	-
344	Cheltenham	24,876	49,792	403	-	70	234	1	4	309	94	5	55	32	-	2
345	Tewkesbury	38,918	14,908	94	-	18	60	2	5	85	9	1	4	4	-	-
	23.-HEREFORDSH.															
346	Ledbury	48,783	14,880	73	-	6	62	-	1	69	4	-	4	-	-	-
347	Ross	55,568	16,306	73	-	14	41	-	4	59	14	-	14	-	-	-
348	Hereford	144,991	39,287	306	-	43	132	-	28	203	103	1	37	65	-	-
349	Weobly	48,359	9,018	52	-	8	32	-	6	46	6	2	4	-	-	-
350	Bromyard	61,659	11,811	69	-	6	50	-	8	64	5	-	5	-	-	-
351	Leominster	65,620	15,494	107	-	20	57	-	5	82	25	-	21	4	-	-
	24.—SHROPSHIRE.															
352	Ludlow	87,573	17,721	105	-	19	64	-	4	87	18	-	17	1	-	-
353	Clun	82,886	10,615	51	-	6	23	1	5	35	16	1	15	-	-	-
354	Church Stretton	46,184	6,289	30	-	6	22	-	-	28	2	-	-	2	-	-
355	Cleobury Mortimer	54,640	8,304	41	-	6	32	-	-	38	3	1	-	2	-	-
356	Bridgnorth	69,896	15,920	100	-	12	63	-	9	84	16	3	5	8	-	-
357	Shiffnal	46,053	11,994	107	-	12	90	-	-	102	5	4	-	1	-	-
358	Madeley	27,951	30,403	186	-	6	89	12	8	115	71	2	61	8	-	-
359	Atcham	104,144	19,455	111	-	21	43	3	16	83	28	-	4	24	-	-
360	Shrewsbury	18,032	25,784	230	-	72	90	21	-	183	47	6	19	22	-	-
361	Oswestry	77,048	23,817	154	-	27	75	-	-	102	52	-	33	19	-	-
362	Ellesmere	71,081	14,611	61	-	21	32	-	-	53	8	-	8	-	-	-
363a	Wem	51,197	10,644	67	-	3	40	3	-	46	21	-	20	1	-	-
363b	Whitchurch	39,076	11,272	75	-	15	49	2	-	66	9	-	7	2	-	-
364	Market Drayton	67,910	14,260	88	-	13	57	-	5	75	13	-	13	-	-	-
365	Wellington	33,328	23,873	186	-	22	148	1	-	171	15	1	9	5	-	-
366	Newport	47,477	15,447	89	-	16	60	-	2	78	11	3	8	-	-	-
	25.—STAFFORDSH.															
367	Stafford	52,022	24,474	169	-	16	111	2	-	129	40	5	12	23	-	-
368	Stone	68,524	21,926	179	-	22	132	-	6	160	19	10	3	1	-	-
369	Newcastle-under-Lyme	26,718	24,567	220	-	24	128	12	-	164	56	22	30	4	-	-
370	Wolstanton	13,679	54,356	652	-	36	433	26	-	495	157	34	61	62	-	-
371	Stoke-upon-Trent	10,490	71,308	759	-	57	556	18	5	636	123	36	69	18	-	-
372	Leek	72,893	24,806	178	-	36	94	20	-	150	28	5	23	-	-	-
373	Cheadle	55,146	20,988	159	-	19	111	2	-	132	27	10	17	-	-	-
374	Uttoxeter	62,890	14,787	88	-	25	46	-	3	74	14	-	14	-	-	-
375	Burton-upon-Trent	90,652	41,065	*347	-	47	233	2	17	299	43	3	17	28	-	-
376	Tamworth	46,740	15,504	116	-	15	82	-	4	101	15	2	2	11	-	-
377	Lichfield	71,613	27,541	209	-	36	140	1	-	177	32	6	7	19	-	-
378	Penkridge	70,799	18,662	116	-	13	92	1	3	109	7	2	5	-	-	-
379	Wolverhampton	53,900	126,902	977	-	47	773	7	-	827	150	68	61	18	-	3
380	Walsall	21,603	59,908	433	-	22	311	5	-	338	95	33	29	33	-	-
381	West Bromwich	19,364	92,480	899	-	35	790	2	-	827	72	28	37	7	-	-
382	Dudley	17,984	130,267	1435	-	15	1384	1	-	1400	35	16	16	3	-	-
	26.-WORCESTRSH.															
383	Stourbridge	16,200	68,726	477	-	19	413	4	-	436	41	7	31	3	-	-
384	Kidderminster	37,321	30,307	228	-	13	158	-	7	178	50	4	40	6	-	-
385	Tenbury	35,941	7,366	48	-	10	27	-	11	48	-	-	-	-	-	-
386	Martley	53,718	15,098	81	-	16	63	-	2	81	-	-	-	-	-	-
387	Worcester	6,699	30,969	293	-	25	199	1	1	226	67	6	46	11	4	-
388	Upton-on-Severn	53,016	21,010	134	-	21	99	-	2	122	12	2	6	4	-	-
389	Evesham	46,609	14,767	104	-	8	74	-	4	86	18	2	9	7	-	-
390	Pershore	52,269	13,865	105	-	14	83	-	2	99	6	2	4	-	-	-
391	Droitwich	55,225	19,237	187	-	17	167	-	1	185	2	-	1	1	-	-
392	Bromsgrove	48,674	26,259	183	-	9	144	-	1	154	29	-	27	2	-	-
393	Kings Norton	28,404	47,349	545	-	64	450	2	14	530	15	2	8	5	-	-
	27.—WARWICKSH.															
394	Birmingham	2,660	212,621	2049	-	69	1644	10	1	1724	325	107	98	104	-	16
395	Aston	31,273	100,522	†908	-	64	760	5	6	835	73	21	25	27	-	-
396	Meriden	48,618	11,290	59	-	10	46	-	2	58	1	-	1	-	-	-
397	Atherstone	27,883	12,118	66	-	5	45	-	6	56	10	-	10	-	-	-
398	Nuneaton	20,428	13,054	97	-	9	78	1	-	88	9	1	2	6	-	-
399	Foleshill	19,389	19,997	137	-	8	103	-	5	116	21	-	10	11	-	-
400	Coventry	5,489	41,647	339	-	20	229	29	-	278	61	17	18	26	-	-
401	Rugby	80,755	24,436	151	-	16	105	3	2	126	25	7	14	4	-	-
402	Solihull	46,015	13,231	83	-	11	58	2	9	80	3	-	2	1	-	-
403	Warwick	66,639	44,047	336	-	51	212	6	11	280	56	6	48	2	-	-
404	Stratford-on-Avon	79,051	21,249	137	-	12	96	-	10	118	19	8	9	1	1	-
405	Alcester	52,436	16,878	96	-	10	72	-	3	85	11	5	3	3	-	-
406	Shipston-on-Stour	78,899	19,852	112	-	7	86	-	11	104	8	1	7	-	-	-
407	Southam	50,409	10,392	62	-	6	44	-	8	58	4	-	4	-	-	-

* Includes a *divorced* man who married a spinster.

MARRIAGES in the Year 1867—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																22.—GLO'STER—*cont.*
79	81	107	123	296	21	53	20	73	41	27	59	73	89	35	92	GLOUCESTER.
6	12	13	15	39	–	5	2	7	2	3	4	6	9	1	13	WHEATENHURST.
40	82	69	94	236	9	23	17	40	26	33	50	55	64	28	63	STROUD.
8	8	6	14	24	2	8	2	10	4	3	7	12	6	3	12	TETBURY.
28	28	35	57	118	3	16	11	27	14	4	21	30	14	7	30	CIRENCESTER.
8	20	13	24	56	2	5	2	7	4	1	10	16	6	4	14	NORTHLEACH.
15	9	13	27	52	1	5	6	11	7	3	10	13	11	6	12	STOW-ON-THE-WOLD.
10	19	12	21	54	–	6	2	8	2	3	10	23	22	12	21	WINCHCOMB.
72	101	108	122	330	17	37	19	56	36	20	51	43	33	15	46	CHELTENHAM.
16	18	24	36	81	2	10	1	11	3	8	11	23	18	9	23	TEWKESBURY.
																23.—HEREFORDSH.
15	26	14	18	61	2	7	3	10	5	4	14	24	25	13	23	LEDBURY.
12	20	18	23	62	2	7	2	9	4	3	6	21	18	13	13	ROSS.
50	85	66	105	233	20	40	13	53	33	6	43	82	60	35	72	HEREFORD.
15	12	10	15	44	4	2	2	4	6	1	8	17	20	11	15	WEOBLY.
15	19	18	17	59	3	5	2	7	5	3	17	28	18	13	20	BROMYARD.
30	34	20	23	85	8	9	5	14	13	9	24	40	28	23	22	LEOMINSTER.
																24.—SHROPSHIRE.
26	26	22	31	89	1	10	5	15	6	6	12	31	26	17	23	LUDLOW.
12	14	13	12	42	6	3	–	3	6	4	4	18	13	6	19	CLUN.
4	10	7	9	27	2	–	1	1	3	–	2	8	7	3	9	CHURCH STRETTON.
5	20	8	8	34	1	3	3	6	4	–	4	16	14	7	16	CLEOBURY MORTIMER.
23	34	18	25	79	4	14	3	17	7	4	10	37	24	15	31	BRIDGNORTH.
24	26	30	27	92	6	4	5	9	11	3	17	43	38	26	29	SHIFFNAL.
39	38	52	57	151	7	13	15	28	22	7	27	68	79	51	45	MADELEY.
25	35	30	21	91	5	8	7	15	12	1	9	37	29	15	36	ATCHAM.
58	69	54	49	178	10	27	15	42	25	7	26	33	49	14	54	SHREWSBURY.
26	51	37	40	127	5	10	12	22	17	6	22	47	58	30	45	OSWESTRY.
9	19	21	12	52	1	7	1	8	2	–	6	9	14	6	11	ELLESMERE.
21	15	12	19	57	1	7	2	9	3	1	7	17	17	10	14	WEM.
17	18	15	25	57	4	11	3	14	7	9	17	26	33	22	15	WHITCHURCH.
22	23	17	26	72	2	9	5	14	7	4	12	24	25	11	27	MARKET DRAYTON.
31	57	43	55	153	8	8	17	25	25	7	19	67	85	51	50	WELLINGTON.
23	25	21	20	71	–	15	3	18	3	5	13	25	21	11	24	NEWPORT.
																25.—STAFFORDSH.
36	43	33	57	138	9	12	10	22	19	7	27	50	63	29	55	STAFFORD.
55	41	34	49	147	6	18	8	26	14	20	38	48	46	27	40	STONE.
48	49	53	70	172	13	21	14	35	27	18	60	63	91	46	62	NEWCASTLE-UNDER-LYME.
136	153	168	195	509	45	54	44	98	89	68	199	273	368	213	215	WOLSTANTON.
188	179	176	216	590	47	67	55	122	102	67	201	243	346	183	223	STOKE-UPON-TRENT.
41	35	44	58	143	6	10	14	24	20	23	40	45	70	31	53	LEEK.
41	25	53	40	121	3	21	14	35	17	13	35	36	46	23	36	CHEADLE.
20	20	18	30	77	1	6	4	10	5	7	13	10	8	1	16	UTTOXETER.
86	76	66	119	296	13	22	16	38	29	25	80	60	74	29	76	BURTON-UPON-TRENT.
20	32	26	38	99	3	9	5	14	8	9	38	33	24	16	25	TAMWORTH.
45	56	44	64	163	9	27	10	37	19	15	39	55	52	25	57	LICHFIELD.
32	26	29	29	94	7	11	4	15	11	7	21	35	39	20	34	PENKRIDGE.
216	231	235	245	787	51	65	74	139	125	94	315	326	425	237	277	WOLVERHAMPTON.
103	106	103	121	337	22	39	35	74	57	48	149	145	180	95	135	WALSALL.
181	228	248	242	734	44	60	61	121	105	92	254	263	367	195	240	WEST BROMWICH.
250	381	357	447	1225	56	75	79	154	135	256	552	757	898	629	397	DUDLEY.
																26.—WORCESTERSH.
76	123	118	160	396	14	35	32	67	46	73	154	194	233	155	117	STOURBRIDGE.
33	63	49	83	186	14	21	7	28	21	17	50	60	97	40	77	KIDDERMINSTER.
7	21	12	8	41	2	2	3	5	5	3	8	20	12	9	14	TENBURY.
13	17	21	30	70	2	6	3	9	5	5	18	21	16	11	15	MARTLEY.
67	80	70	76	235	14	25	19	44	33	24	53	66	71	38	61	WORCESTER.
26	38	28	42	110	7	15	2	17	9	6	28	26	25	17	17	UPTON-ON-SEVERN.
17	18	22	47	88	1	11	4	15	5	11	23	38	29	20	27	EVESHAM.
17	18	27	43	91	4	9	1	10	5	5	18	26	24	12	26	PERSHORE.
26	51	46	64	161	5	17	4	21	9	14	39	44	50	27	40	DROITWICH.
33	43	46	61	156	8	15	4	19	12	30	47	64	68	39	54	BROMSGROVE.
119	133	154	139	461	10	44	30	74	40	18	78	64	89	33	87	KINGS NORTON.
																27.—WARWICKSH.
430	531	495	593	1661	91	165	132	297	223	187	507	492	706	342	514	BIRMINGHAM.
176	245	232	255	753	36	78	41	119	77	77	226	202	229	115	201	ASTON.
11	15	13	20	44	1	9	5	14	6	2	8	9	3	–	12	MERIDEN.
9	16	13	28	48	3	9	6	15	9	7	21	16	15	6	19	ATHERSTONE.
11	20	22	44	77	1	12	7	19	8	9	13	31	37	20	28	NUNEATON.
25	42	35	37	116	2	12	7	19	9	19	32	55	69	44	36	FOLESHILL.
62	99	86	92	264	9	36	30	66	39	24	71	74	125	57	85	COVENTRY.
27	35	31	58	125	2	19	5	24	7	14	27	28	23	12	27	RUGBY.
11	21	18	33	72	4	4	3	7	7	5	17	19	10	4	21	SOLIHULL.
65	82	81	108	266	11	38	21	59	32	17	48	44	34	12	54	WARWICK.
33	29	34	41	116	5	13	3	16	8	7	11	36	26	18	26	STRATFORD-ON-AVON.
19	27	22	28	84	–	8	4	12	4	9	29	34	25	19	21	ALCESTER.
30	29	12	41	89	5	11	7	18	12	6	15	36	17	11	31	SHIPSTON-ON-STOUR.
10	10	18	24	54	1	4	3	7	4	2	13	13	6	4	11	SOUTHAM.

† Includes two *divorced* men who married spinsters.

VII.—NORTH MIDLAND COUNTIES.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total Marriages.	Marriages: According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	28.—LEICESTERSH.															
408	Lutterworth	59,031	15,515	72	–	6	52	1	6	65	7	–	3	4	–	–
409	Market Harborough	64,094	16,059	118	–	14	79	–	8	101	17	–	10	7	–	–
410	Billesdon	50,721	7,272	43	–	8	33	–	–	41	2	–	–	2	–	–
411	Blaby	34,207	14,305	101	–	7	72	1	–	80	21	–	14	7	–	–
412	Hinckley	28,070	16,374	153	–	8	121	–	1	130	23	4	18	6	–	–
413	Market Bosworth	53,526	13,423	80	–	7	65	–	1	73	7	–	7	–	–	–
414	Ashby-de-la-Zouch	51,952	28,543	237	–	16	142	–	4	162	75	11	20	44	–	–
415	Loughborough	43,840	24,147	215	–	11	123	29	8	171	44	5	31	8	–	–
416	Barrow-upon-Soar	47,868	19,778	136	–	10	111	–	3	124	12	–	2	10	–	–
417	Leicester	3,960	68,056	932	–	59	527	39	–	625	307	16	125	165	1	–
418	Melton Mowbray	98,077	20,171	138	–	22	91	–	7	120	18	3	3	12	–	–
	29.—RUTLANDSH.															
419	Oakham	55,030	11,112	96	–	16	70	1	–	87	9	–	2	7	–	–
420	Uppingham	52,698	12,367	71	–	7	49	1	8	65	6	–	5	1	–	–
	30.—LINCOLNSH.															
421	Stamford	52,858	18,213	117	–	13	75	–	1	89	28	6	9	13	–	–
422	Bourn	90,644	20,113	157	–	17	111	–	14	142	15	2	9	4	–	–
423	Spalding	86,471	22,129	170	–	23	118	2	–	143	27	–	27	–	–	–
424	Holbeach	107,299	18,402	137	–	16	94	–	3	113	24	–	24	–	–	–
425	Boston	125,547	37,969	301	–	35	202	–	1	238	63	1	44	18	–	–
426	Sleaford	131,777	24,919	198	–	24	126	–	5	155	43	–	8	35	–	–
427	Grantham	103,929	28,886	250	–	22	168	9	11	210	40	5	35	–	–	–
428	Lincoln	158,920	47,063	409	–	37	222	4	9	272	137	7	119	11	–	–
429	Horncastle	113,588	24,718	177	–	21	134	–	3	158	19	–	19	–	–	–
430	Spilsby	140,269	28,799	211	–	24	144	1	–	169	42	–	33	9	–	–
431	Louth	170,708	34,711	261	–	32	147	3	14	196	65	–	48	17	–	–
432	Caistor	183,164	37,517	352	–	34	196	1	7	238	114	3	105	6	–	–
433	Glanford Brigg	165,470	34,731	219	–	16	131	–	13	160	59	–	52	7	–	–
434	Gainsborough	108,668	25,973	206	–	23	138	–	–	161	45	–	27	18	–	–
	31.—NOTTINGHAM.															
435	East Retford	86,797	22,677	159	–	16	102	–	12	130	29	–	6	23	–	–
436	Worksop	80,350	20,704	151	–	16	117	6	–	139	12	3	6	3	–	–
437	Mansfield	55,960	30,593	271	–	20	200	–	4	224	47	–	29	18	–	–
438	Basford	88,039	74,357	566	–	33	412	6	3	454	112	–	62	50	–	–
439	Radford	6,800	30,479	198	–	23	147	2	–	172	26	–	3	23	–	–
440	Nottingham	1,870	74,693	951	–	63	747	1	–	811	140	23	81	36	–	–
441	Southwell	117,134	24,425	144	–	16	116	2	2	136	8	–	4	4	–	–
442	Newark	94,202	30,186	234	–	28	143	–	6	177	57	1	21	35	–	–
443	Bingham	68,139	15,670	91	–	11	62	1	8	82	9	–	4	5	–	–
	32.—DERBYSHIRE.															
444	Shardlow	73,290	31,113	204	–	31	147	1	3	182	22	–	18	4	–	–
445	Derby	2,970	51,049	654	–	67	361	21	2	451	203	21	96	86	–	–
446	Belper	66,590	51,711	467	–	36	312	1	–	349	118	–	115	3	–	–
447	Ashborne	100,937	20,648	149	–	43	95	–	3	141	8	1	5	2	–	–
448	Chesterfield	94,325	61,779	497	–	42	312	29	6	389	108	28	56	23	1	–
449	Bakewell	107,905	31,378	188	–	26	119	5	2	152	36	3	24	9	–	–
450	Chapel-en-le-Frith	63,248	14,020	94	–	25	63	1	–	89	5	1	4	–	–	–
451	Hayfield	48,855	32,176	213	–	17	145	7	–	169	44	17	27	–	–	–

VIII.—NORTH WESTERN COUNTIES.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total Marriages.	Marriages: According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	33.—CHESHIRE.															
452	Stockport	30,709	94,360	1043	–	53	858	1	–	912	131	58	73	–	–	–
453	Macclesfield	81,561	61,543	441	–	53	340	7	1	401	40	15	25	–	–	–
454	Altrincham	73,665	40,517	278	–	76	141	1	10	228	50	17	29	4	–	–
455	Runcorn	45,776	26,792	187	–	38	106	2	–	146	41	13	25	3	–	–
456	Northwich *	63,748	33,070	269	–	47	182	–	–	229	40	10	25	5	–	–
457	Congleton *	54,586	34,596	211	–	36	117	21	–	174	37	2	21	14	–	–
458	Nantwich	111,126	40,955	360	–	65	198	–	–	263	97	18	48	31	–	–
459	Great Boughton (Chester)	107,555	58,501	597	–	123	344	19	1	487	110	20	51	30	–	–
460*a*	Wirral	88,258	18,420	139	–	53	82	–	–	135	4	2	2	–	–	–
460*b*	Birkenhead	23,852	61,420	459	–	86	199	2	1	288	151	67	60	24	–	–
	34.—LANCASHIRE.															
461	Liverpool	2,220	269,742	3663	–	593	2143	42	1	2779	884	675	112	75	2	20
462	West Derby	50,567	225,845	12355	–	475	1326	13	7	1821	534	332	118	84	–	–
463	Prescot	56,859	73,127	606	–	39	380	3	–	422	184	160	22	2	–	–
464	Ormskirk	111,968	46,252	350	–	83	160	13	2	258	92	63	29	–	–	–
465	Wigan	47,018	94,561	963	–	43	495	76	3	617	346	176	68	102	–	–
466	Warrington	29,984	43,875	465	–	33	320	10	1	364	101	74	17	10	–	–
467	Leigh	23,610	37,700	322	–	19	100	24	5	148	174	31	141	2	–	–
468	Bolton	43,896	150,269	1402	–	100	695	124	7	926	476	136	225	114	1	–
469	Bury	32,990	101,135	951	–	51	386	131	1	569	382	74	270	38	–	–
470	Barton-upon-Irwell	25,279	39,038	337	–	41	205	4	–	250	87	28	51	8	–	–
471	Chorlton	11,549	169,579	728	–	89	332	4	–	425	303	127	118	58	–	–
472	Salford	4,830	105,335	856	–	41	509	10	27	587	269	191	60	18	–	–
473	Manchester	12,628	243,988	14336	–	446	3282	39	6	3773	563	392	91	64	4	12

* The township of Goostrey-with-Barnshaw (population 268 in 1861) was transferred on the 8th March 1867 from the Middlewich sub-district of Northwich (456) to the Church Hulme sub-district of Congleton (457).

MARRIAGES in the Year 1867—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																28.—LEICESTERSH.
12	20	15	25	51	1	14	6	20	7	7	14	14	13	5	17	LUTTERWORTH.
17	28	23	50	104	3	7	4	11	7	5	21	18	15	3	27	MARKET HARBOROUGH.
5	11	7	20	35	2	4	2	6	4	1	8	9	5	3	8	BILLESDON.
18	26	19	38	84	3	9	5	14	8	13	16	13	29	5	32	BLABY.
23	34	37	64	132	5	13	8	21	13	16	33	56	74	42	46	HINCKLEY.
14	13	14	39	69	1	5	5	10	6	3	15	26	14	9	22	MARKET BOSWORTH.
48	60	52	77	202	6	18	11	29	17	30	63	73	70	39	65	ASHBY-DE-LA-ZOUCH.
49	45	45	76	179	5	19	12	31	17	32	67	51	69	28	64	LOUGHBOROUGH.
28	34	30	44	113	1	13	9	22	10	20	32	28	32	15	30	BARROW-UPON-SOAR.
142	247	246	237	762	28	90	52	142	80	142	241	168	285	101	251	LEICESTER.
25	37	30	46	118	5	13	2	15	7	10	13	21	25	5	36	MELTON MOWBRAY.
																29.—RUTLANDSH.
17	20	28	31	72	2	16	6	22	8	2	7	19	12	3	25	OAKHAM.
11	18	13	29	63	1	5	2	7	3	1	11	16	9	3	19	UPPINGHAM.
																30.—LINCOLNSH.
19	39	23	36	97	6	11	3	14	9	3	13	24	20	14	16	STAMFORD.
27	40	40	50	129	6	17	5	23	11	6	21	39	35	13	48	BOURN.
27	61	37	45	145	6	14	5	19	11	7	24	45	40	20	45	SPALDING.
23	46	30	48	116	4	7	10	17	14	7	26	30	25	11	33	HOLBEACH.
53	122	53	73	259	9	21	12	33	21	22	55	63	54	31	55	BOSTON.
31	81	42	44	165	7	20	6	26	13	9	31	52	44	21	54	SLEAFORD.
38	92	56	64	204	8	24	14	38	22	9	33	48	39	15	57	GRANTHAM.
67	134	92	116	324	19	43	23	66	42	8	61	63	81	24	96	LINCOLN.
24	70	38	45	148	5	17	7	24	12	5	21	40	32	14	44	HORNCASTLE.
39	90	42	40	158	8	35	10	45	18	7	30	40	45	16	53	SPILSBY.
36	108	45	72	222	7	18	14	32	21	11	51	53	48	21	59	LOUTH.
77	118	68	89	290	13	30	19	49	32	25	75	87	79	30	106	CAISTOR.
36	81	54	48	176	6	22	15	37	21	19	43	41	54	20	55	GLANFORD BRIGG.
37	78	31	60	167	5	23	11	34	16	10	44	52	51	26	51	GAINSBOROUGH.
																31.-NOTTINGHAMS.
38	44	22	55	133	4	18	4	22	8	10	33	36	36	15	42	EAST RETFORD.
31	32	30	58	128	4	10	9	19	13	7	30	38	45	17	49	WORKSOP.
61	65	53	92	217	10	29	15	44	25	27	63	97	123	71	78	MANSFIELD.
114	150	132	170	460	20	49	37	86	57	93	182	198	246	142	160	BASFORD.
36	44	51	67	150	5	25	18	43	23	22	49	47	77	36	52	RADFORD.
181	257	228	285	754	24	112	61	173	85	99	214	187	306	125	243	NOTTINGHAM.
32	41	23	48	128	2	6	8	14	10	6	23	23	30	9	35	SOUTHWELL.
43	81	54	56	187	12	20	15	35	27	12	34	46	40	14	58	NEWARK.
13	28	18	32	81	3	6	1	7	4	10	13	22	16	7	24	BINGHAM.
																32.—DERBYSHIRE.
42	52	53	57	170	8	17	9	26	17	29	46	37	33	13	44	SHARDLOW.
139	184	127	204	522	31	57	44	101	75	40	108	88	140	43	142	DERBY.
86	108	107	166	378	14	58	17	75	31	52	116	106	145	67	117	BELPER.
42	36	25	46	124	2	14	9	23	11	9	22	26	28	12	30	ASHBORNE.
97	152	104	144	401	21	44	31	75	52	53	160	152	188	99	142	CHESTERFIELD.
51	45	46	46	158	6	19	5	24	11	8	43	37	32	18	33	BAKEWELL
20	27	20	27	67	4	21	2	23	6	3	20	18	19	8	21	CHAPEL-EN-LE-FRITH.
49	47	72	45	175	3	24	11	35	14	12	32	38	35	32	59	HAYFIELD.

MARRIAGES in the Year 1867—in DISTRICTS.

																33.—CHESHIRE.
228	264	286	265	820	37	121	65	136	102	53	134	243	491	194	346	STOCKPORT.
96	109	113	123	343	16	60	22	82	38	26	69	75	159	54	126	MACCLESFIELD.
70	67	71	70	217	14	40	7	47	21	12	37	40	58	22	54	ALTRINCHAM.
38	47	39	63	147	11	20	9	29	20	9	35	50	67	33	51	RUNCORN.
62	65	67	75	203	13	35	18	53	31	28	57	83	122	61	83	NORTHWICH.
52	47	43	69	167	8	26	10	36	18	27	56	54	67	34	53	CONGLETON.
72	100	75	113	278	16	44	22	66	38	24	80	92	110	57	88	NANTWICH.
139	156	152	150	459	36	63	39	102	75	26	98	109	158	61	145	GREAT BOUGHTON (CHESTER).
30	40	37	32	116	5	13	5	18	10	8	18	14	22	8	20	WIRRAL.
84	108	123	124	360	14	48	17	65	31	9	69	44	90	32	70	BIRKENHEAD.
																34.—LANCASHIRE.
761	983	1009	910	2749	263	848	303	651	566	190	801	861	1426	647	993	LIVERPOOL.
500	615	617	623	1886	131	220	118	338	249	89	443	254	429	153	377	WEST DERBY.
153	134	156	163	500	35	41	30	71	65	70	186	271	316	196	195	PRESCOT.
85	74	87	104	283	10	31	26	57	36	18	73	100	120	62	96	ORMSKIRK.
209	248	253	253	793	42	75	53	128	95	114	260	417	601	326	366	WIGAN.
98	100	113	154	376	20	43	26	69	46	48	135	160	230	127	136	WARRINGTON.
60	86	77	99	270	11	30	11	41	22	54	92	109	190	87	125	LEIGH.
330	340	344	388	1107	72	129	94	223	166	111	249	397	784	300	581	BOLTON.
236	219	230	266	759	41	97	54	151	95	84	149	201	431	139	354	BURY.
76	80	80	101	282	11	24	20	44	31	40	60	86	159	66	113	BARTON-UPON-IRWELL.
171	165	193	199	583	41	72	32	104	73	39	130	73	165	46	146	CHORLTON.
209	238	202	207	689	39	78	50	128	89	84	221	229	450	189	301	SALFORD.
930	1115	1090	1201	3351	226	465	294	759	520	412	971	740	1796	551	1434	MANCHESTER.

† Includes a widower who married a *divorced* woman.

VIII.—NORTH WESTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total Marriages.	Marriages: According to the Rites of the Established Church.						Marriages: Not according to the Rites of the Established Church.					
					Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	34.—LANCASH.—*cont.*															
474	Ashton-under-Lyne	38,657	134,753	1125	-	41	653	156	-	850	275	91	102	82	-	-
475	Oldham	16,872	111,276	1103	-	43	556	80	-	679	424	74	122	228	-	-
476	Rochdale	40,340	91,754	965	-	33	439	41	11	524	441	80	280	81	-	-
477	Haslingden	26,681	69,781	735	-	36	183	164	-	383	352	43	147	162	-	-
478	Burnley	54,126	75,595	736	-	54	274	138	-	466	270	31	131	108	-	-
479	Clitheroe	114,697	20,476	186	-	44	63	10	3	120	66	34	32	-	-	-
480	Blackburn	43,569	119,942	1327	-	88	466	219	-	773	554	188	216	150	-	-
481	Chorley	52,213	41,678	329	-	44	143	43	1	231	98	62	31	5	-	-
482	Preston	68,035	110,523	1079	-	82	521	107	-	710	369	234	88	47	-	-
483	Fylde	76,397	25,682	246	-	54	58	11	58	181	65	37	25	3	-	-
484	Garstang	62,617	12,425	68	-	20	28	-	3	51	17	12	5	-	-	-
485	Lancaster	138,746	35,297	283	-	65	107	35	2	209	74	10	33	30	1	-
486	Ulverston	135,043	35,738	375	-	89	166	7	1	263	112	20	25	65	2	-

IX.—YORKSHIRE.—

	35.—WEST RIDING.															
487	Sedbergh	52,882	4,391	26	-	4	13	-	-	17	9	-	8	1	-	-
488	Settle	154,591	12,528	78	-	27	45	1	-	73	5	-	4	-	1	-
489	Skipton	157,073	31,343	273	-	34	128	9	35	206	67	4	24	39	-	-
490	Pateley Bridge	74,275	9,534	49	-	8	23	1	-	32	17	2	13	2	-	-
491	Ripon	70,590	15,742	120	-	27	58	4	2	91	29	8	11	10	-	-
492*a*	Great Ouseburn	51,808	11,534	45	-	5	34	-	-	39	6	-	5	1	-	-
492*b*	Knaresborough	39,942	17,176	148	-	28	83	8	-	119	29	2	12	15	-	-
492*c*	Wetherby	30,546	6,486	31	-	8	19	-	-	27	4	1	-	3	-	-
492*d*	Kirkdeighton	6,054	941	6	-	3	3	-	-	6	-	-	-	-	-	-
493*a*	Otley	43,254	18,669	126	-	15	65	6	3	89	37	6	8	23	-	-
493*b*	Wharfedale	30,798	15,453	148	-	11	111	3	-	125	23	-	5	18	-	-
494	Keighley	39,144	43,122	344	-	10	120	52	1	183	161	19	71	71	-	-
495	Todmorden	26,920	31,113	162	-	8	77	10	-	95	67	-	44	23	-	-
496	Saddleworth	18,280	18,631	139	-	8	71	23	-	102	37	-	10	27	-	-
497	Huddersfield	66,560	131,336	1109	-	45	587	68	20	720	389	25	184	180	-	-
498	Halifax	51,784	128,673	1440*	-	66	970	44	4	1084	356	65	211	80	-	-
499	Bradford	40,334	196,475	2226	-	55	1716	26	-	1797	429	147	191	91	-	-
500*a*	Kirkstall	29,301	49,440	347	-	29	215	6	7	257	90	-	25	65	-	-
500*b*	Hunslet	1,100	25,763	225	-	6	127	3	-	136	89	18	15	56	-	-
500*c*	Holbeck	760	15,824	137	-	2	87	6	1	96	41	-	19	22	-	-
500*d*	Bramley	3,451	11,391	30	-	3	13	2	-	18	12	-	9	3	-	-
501	Leeds	2,100	117,566	1357†	-	139	1220	37	-	1396	461	182	112	159	3	5†
502	Dewsbury	24,456	92,883	1006	-	38	618	152	2	810	196	41	98	57	-	-
503	Wakefield	41,028	54,899	571	-	33	353	22	1	409	162	27	57	78	-	-
504*a*	Pontefract	27,465	14,635	143	-	23	69	10	-	102	41	6	21	14	-	-
504*b*	Hemsworth	33,870	7,793	47	-	7	29	-	-	36	11	-	1	10	-	-
504*c*	Castleford	37,613	19,954	187	-	12	118	4	1	135	52	-	21	31	-	-
505	Barnsley	35,376	45,797	415	-	22	307	31	-	360	55	8	24	23	-	-
506	Wortley	85,790	38,511	255	-	26	210	3	2	241	14	-	9	5	-	-
507	Ecclesall Bierlow	20,860	63,618	305	-	31	218	4	1	254	51	-	38	11	2	-
508	Sheffield	10,590	128,951	2194	-	112	1870	8	3	1993	201	85	91	23	-	22
509	Rotherham	50,591	44,350	419	-	33	296	2	8	339	80	30	38	12	-	-
510	Doncaster	109,031	39,388	344	-	53	190	-	1	244	100	2	27	71	-	-
511	Thorne	71,946	16,011	116	-	21	64	-	-	85	31	-	25	6	-	-
512	Goole	40,908	15,153	124	-	23	76	-	-	99	25	-	21	4	-	-
513	Selby	56,014	16,001	110	-	30	51	-	2	83	27	10	13	4	-	-
514*a*	Tadcaster	21,969	5,996	35	-	3	13	-	3	19	16	8	4	4	-	-
514*b*	Bramham	47,376	12,936	98	-	18	53	2	3	76	22	9	5	8	-	-
	36. E.RIDING (*with Yk.*)															
515	York	82,912	59,909	595	-	135	261	1	3	400	195	40	53	97	5	-
516	Pocklington	107,636	16,710	81	-	21	32	-	7	60	21	3	9	9	-	-
517	Howden	72,253	15,001	109	-	15	69	-	-	84	25	16	8	1	-	-
518	Beverley	78,434	21,029	129	-	21	75	-	1	97	32	1	8	23	-	-
519	Sculcoates	45,084	51,956	613	-	69	386	32	6	493	120	30	46	44	-	-
520	Hull	1,827	56,888	757	-	115	498	18	-	626	131	-	46	78	-	7†
521	Patrington	88,872	9,681	70	-	14	51	-	4	69	1	-	-	1	-	-
522	Skirlaugh	67,028	9,654	65	-	13	38	-	-	51	14	3	9	2	-	-
523	Driffield	105,114	19,226	147	-	19	72	2	-	93	54	-	30	24	-	-
524	Bridlington	67,984	14,371	102	-	27	57	-	-	84	18	-	7	11	-	-
	37.-NORTH RIDING.															
525	Scarborough	81,460	30,425	369	-	87	166	-	-	253	116	5	57	53	1	-
526	Malton	112,407	23,483	171	-	49	93	-	5	147	24	1	13	10	-	-
527	Easingwold	63,603	10,148	75	-	12	44	-	4	60	15	6	3	6	-	-
528	Thirsk	62,444	12,299	78	-	18	32	1	4	55	23	3	6	14	-	-
529	Helmsley	131,516	11,832	64	-	26	33	-	-	59	5	-	3	2	-	-
530	Pickering	88,062	10,549	97	-	32	47	-	2	81	16	-	14	2	-	-
531	Whitby	90,371	23,633	174	-	24	61	21	20	126	48	12	27	9	-	-
532	Guisbrough	96,862	22,128	241	-	58	138	2	9	207	34	-	12	22	-	-
533	Stokesley	79,345	10,381	65	-	22	28	-	-	50	15	-	4	10	1	-
534	Northallerton	68,342	12,174	73	-	14	33	-	5	52	21	-	9	12	-	-
535	Bedale	45,588	8,650	47	-	15	24	-	-	39	8	-	2	6	-	-
536	Leyburn	84,918	10,105	47	-	14	23	1	4	42	5	1	-	4	-	-
537	Askrigg	77,308	5,649	30	-	13	13	3	-	29	1	-	-	1	-	-
538	Reeth	70,267	6,196	37	-	9	24	-	1	34	3	-	3	-	-	-
539	Richmond	78,569	13,457	85	-	23	40	-	1	64	21	10	2	9	-	-

* Includes a *divorced* man who married a spinster.

MARRIAGES in the Year 1867—in DISTRICTS—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																34.—LANCASH.—*cont.*
251	271	328	275	934	23	93	75	168	98	47	113	261	543	201	402	ASHTON-UNDER-LYNE.
256	299	295	253	891	40	91	81	172	121	107	256	255	607	216	430	OLDHAM.
222	237	260	246	792	29	100	44	144	73	100	212	175	448	139	345	ROCHDALE.
163	158	205	211	587	25	83	40	123	65	79	155	160	362	128	266	HASLINGDEN.
158	136	193	199	606	16	63	51	114	67	99	192	182	422	150	304	BURNLEY.
43	41	47	55	149	6	24	7	31	13	9	24	33	71	27	50	CLITHEROE.
282	308	347	390	1036	58	128	105	233	163	196	309	435	828	366	531	BLACKBURN.
83	83	80	83	279	11	27	12	39	23	30	61	97	161	74	110	CHORLEY.
254	263	279	283	872	38	93	71	169	109	121	213	312	578	254	382	PRESTON.
56	61	62	67	201	8	23	14	37	22	13	37	46	62	25	56	FYLDE.
15	17	14	22	61	2	3	2	5	4	3	7	13	13	3	20	GARSTANG.
65	84	51	83	225	13	32	13	43	26	12	27	45	69	29	56	LANCASTER.
57	88	97	133	314	28	21	12	33	40	19	83	91	129	60	100	ULVERSTON.

MARRIAGES in the Year 1867—in DISTRICTS.

																35.—WEST RIDING.
5	8	4	9	23	1	1	1	2	2	–	–	1	3	–	4	SEDBERGH.
13	25	17	23	60	1	9	8	17	9	–	10	12	19	5	21	SETTLE.
65	70	66	72	215	13	28	17	45	30	17	43	43	81	26	72	SKIPTON.
10	14	8	17	40	1	6	2	8	3	1	8	6	10	3	10	PATELEY BRIDGE.
22	31	24	43	103	2	12	3	15	5	6	22	18	20	9	20	RIPON.
7	11	8	19	39	–	4	2	6	2	1	7	5	3	1	6	GREAT OUSEBURN.
24	40	37	47	111	7	25	5	30	12	7	23	15	28	7	29	KNARESBOROUGH.
7	6	6	12	27	1	2	1	3	2	1	3	1	1	–	2	WETHERBY.
1	1	3	1	4	–	2	–	2	–	1	2	1	1	1	–	KIRKDEIGHTON.
25	25	36	40	96	5	21	4	25	9	5	35	20	30	8	34	OTLEY.
33	39	44	32	126	5	11	6	17	11	10	46	22	46	17	34	WHARFEDALE.
74	96	79	95	273	11	40	20	60	31	23	44	63	131	46	102	KEIGHLEY.
42	29	47	44	132	6	14	10	24	16	15	24	28	72	25	50	TODMORDEN.
29	37	39	34	112	3	17	7	24	10	8	27	14	46	11	38	SADDLEWORTH.
237	291	298	283	916	27	95	71	166	98	70	238	165	443	125	358	HUDDERSFIELD.
317	362	352	409	1181	47	139	73	212	120	129	294	281	513	196	402	HALIFAX.
476	519	570	661	1751	80	243	152	395	232	218	479	496	1043	368	803	BRADFORD.
77	87	86	97	258	22	40	27	67	49	30	86	60	93	37	79	KIRKSTALL.
50	54	53	68	182	11	18	14	32	25	31	77	52	94	36	74	HUNSLET.
20	39	39	39	106	8	11	12	23	20	13	40	29	52	20	41	HOLBECK.
4	4	11	11	18	1	7	4	11	5	1	–	2	4	2	2	BRAMLEY.
410	446	490	511	1429	102	206	120	326	222	173	485	407	699	287	532	LEEDS.
208	249	224	325	816	34	87	69	156	103	109	289	261	529	210	370	DEWSBURY.
136	162	142	131	454	33	54	30	84	63	55	167	139	216	89	177	WAKEFIELD.
30	30	39	44	111	6	14	12	26	18	12	33	35	45	23	34	PONTEFRACT.
9	11	9	18	40	2	5	–	5	2	2	11	10	7	3	11	HEMSWORTH.
42	35	50	60	154	5	15	13	28	18	15	53	39	74	22	69	CASTLEFORD.
92	104	109	110	335	25	28	27	55	52	56	151	152	189	97	147	BARNSLEY.
56	70	59	70	209	6	26	14	40	20	12	76	65	94	46	67	WORTLEY.
71	75	74	85	259	12	24	10	34	22	30	91	52	73	33	59	ECCLESALL BIERLOW.
438	560	528	668	1780	138	152	124	276	262	206	763	555	845	351	698	SHEFFIELD.
82	102	111	124	348	12	29	30	59	42	31	142	114	134	59	130	ROTHERHAM.
61	81	96	106	268	22	36	18	54	40	26	81	43	52	14	67	DONCASTER.
25	29	18	44	99	3	13	1	14	4	9	28	24	29	11	31	THORNE.
32	26	17	49	102	7	14	1	15	8	10	36	21	33	11	32	GOOLE.
14	22	27	47	90	4	12	4	16	8	2	16	21	28	15	19	SELBY.
4	13	5	13	28	–	7	–	7	–	3	4	8	12	6	8	TADCASTER.
10	22	28	38	78	4	12	4	16	8	4	16	19	25	10	24	BRAMHAM.
																36.—E. RIDING (*with Yk.*)
121	134	144	196	470	29	61	35	96	64	31	117	81	116	38	121	YORK.
16	17	17	31	72	1	6	2	8	3	4	12	8	11	2	15	POCKLINGTON.
27	20	25	37	89	6	7	7	14	13	5	28	31	42	18	37	HOWDEN.
28	36	30	35	100	8	11	10	21	18	6	32	18	23	7	27	BEVERLEY.
138	139	144	192	506	26	57	24	81	50	47	172	107	161	60	148	SCULCOATES.
179	190	166	222	575	52	83	47	130	99	41	174	127	199	59	208	HULL.
7	13	13	37	62	3	3	2	5	5	6	17	12	14	5	16	PATRINGTON.
15	20	10	20	54	1	9	1	10	2	–	12	14	13	5	17	SKIRLAUGH.
37	35	23	52	128	4	10	5	15	9	5	29	31	36	13	41	DRIFFIELD.
15	16	25	46	87	3	8	4	12	7	5	24	22	21	10	23	BRIDLINGTON.
																37.—NORTH RIDING.
77	94	77	121	284	22	44	19	63	41	15	65	57	73	28	74	SCARBOROUGH.
32	32	38	69	140	5	17	9	26	14	5	31	28	35	15	33	MALTON.
15	18	13	29	62	4	7	2	9	6	2	12	16	20	12	12	EASINGWOLD.
11	21	9	37	62	2	11	3	14	5	3	13	12	13	6	13	THIRSK.
14	15	12	23	60	–	1	3	4	3	2	14	13	15	8	12	HELMSLEY.
17	23	26	31	86	2	8	1	9	3	3	14	13	29	8	26	PICKERING.
44	42	33	55	134	11	20	9	29	20	10	40	33	41	20	34	WHITBY.
54	63	55	69	201	15	19	6	25	21	16	78	45	57	20	62	GUISBROUGH.
16	20	9	20	55	1	6	3	9	4	2	11	11	6	2	13	STOKESLEY.
12	20	17	24	62	1	9	1	10	2	1	14	7	15	3	16	NORTHALLERTON.
10	20	9	8	44	–	1	2	3	2	2	7	4	6	4	2	BEDALE.
8	14	10	15	41	1	3	2	5	3	–	7	2	4	1	4	LEYBURN.
8	7	3	12	24	–	6	–	6	–	–	2	3	5	3	2	ASKRIGG.
10	8	11	8	32	1	1	3	4	4	–	10	7	9	4	8	REETH.
17	31	20	17	72	4	5	4	9	8	2	10	13	15	4	20	RICHMOND.

† Includes a widower who married a *divorced* woman.

X.—NORTHERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	38.—DURHAM.															
540	Darlington	62,952	26,122	315	-	66	77	56	3	202	113	22	24	63	4	-
541*a*	Stockton	101,358	57,009	632	-	63	222	26	3	314	308	53	49	206	-	-
541*b*	Hartlepool	26,369	29,153	290	-	29	123	11	-	168	122	16	51	55	-	-
542	Auckland	59,303	50,491	537	-	37	146	43	1	227	310	53	21	236	-	-
543	Teesdale	174,162	20,880	135	-	27	29	4	13	73	62	7	7	48	-	-
544	Weardale	90,533	16,418	138	-	18	39	6	-	63	75	8	24	43	-	-
545	Durham	98,368	70,274	564	-	38	214	24	3	279	285	70	28	187	-	-
546	Easington	38,493	27,293	229	-	13	136	34	2	185	44	11	2	31	-	-
547	Houghton-le-Spring	16,202	21,773	197	-	20	130	7	-	157	40	10	14	16	-	-
548	Chester-le-Street	33,079	27,660	188	-	13	129	1	4	147	41	11	11	19	-	-
549	Sunderland	11,944	90,704	986	-	103	461	49	-	613	373	77	53	237	3	3
550	South Shields	15,477	44,849	463	-	29	323	4	3	359	109	34	55	20	-	-
551	Gateshead	25,943	59,409	553	-	32	238	15	2	287	266	70	33	163	-	-
	39.—NORTHUMBRL.															
552	Newcastle-upon-Tyne	7,102	110,968	1818	-	204	1015	23	1	1243	575	140	103	327	-	5
553	Tynemouth	39,737	77,955	707	-	99	428	2	1	530	177	65	53	55	-	4
554	Castle Ward	88,587	14,943	33	-	6	22	-	-	28	5	2	-	3	-	-
555	Hexham	198,586	31,850	182	-	34	46	4	1	85	97	8	25	64	-	-
556	Haltwhistle	83,861	6,693	28	-	13	13	-	-	26	2	-	1	1	-	-
557	Bellingham	235,881	7,080	42	-	11	20	-	-	31	11	2	5	4	-	-
558	Morpeth	95,429	24,003	157	-	17	45	1	1	64	93	1	10	82	-	-
559	Alnwick	98,935	21,053	101	-	25	27	-	-	52	49	7	23	19	-	-
560	Belford	41,753	6,260	28	-	-	11	-	-	11	17	-	8	9	-	-
561	Berwick	57,975	21,862	153	-	14	17	-	1	32	121	8	29	84	-	-
562	Glendale	142,305	13,211	61	-	2	16	-	-	18	43	2	13	28	-	-
563	Rothbury	159,168	7,147	28	-	4	14	-	-	18	10	1	2	7	-	-
	40.—CUMBERLAND.															
564	Alston	35,060	6,404	41	-	7	19	-	-	26	15	-	15	-	-	-
565	Penrith	181,236	22,322	156	-	61	36	1	1	99	57	1	10	46	-	-
566	Brampton	95,473	10,866	58	-	16	6	1	-	23	35	-	1	34	-	-
567	Longtown	86,871	10,469	47	-	23	7	-	-	30	17	-	-	17	-	-
568	Carlisle	70,310	44,820	327	-	54	51	7	-	112	215	18	16	180	1	-
569	Wigton	176,529	23,273	145	-	44	31	3	16	94	51	5	6	40	-	-
570	Cockermouth	156,025	41,292	339	-	92	82	39	5	218	121	32	11	77	1	-
571	Whitehaven	99,203	39,950	385	-	75	42	59	14	190	195	62	26	107	-	-
572	Bootle	100,066	5,880	55	-	20	34	-	-	54	1	-	-	1	-	-
	41.—WESTMORLD.															
573	East Ward	177,910	15,411	73	-	32	32	-	-	64	9	-	7	2	-	-
574	West Ward	120,523	8,072	49	-	33	15	-	-	48	1	-	-	1	-	-
575	Kendal	189,134	37,463	236	-	73	91	14	1	179	57	6	20	29	2	-

XI.—MONMOUTHSHIRE AND WALES.—

	42.-MONMOUTHSH.															
576	Chepstow	81,255	17,941	91	-	15	52	-	9	76	15	1	14	-	-	-
577	Monmouth	101,791	30,244	213	-	20	110	7	10	147	66	6	60	-	-	-
578*a*	Abergavenny	60,178	19,527	144	-	8	62	4	2	76	68	9	23	36	-	-
578*b*	Bedwelty	27,998	47,565	369	-	4	104	1	51	160	209	17	138	54	-	-
579	Pontypool	51,429	30,238	307	-	20	170	5	2	197	110	20	27	63	-	-
580	Newport	110,255	51,412	*577	-	49	247	3	6	305	272	48	64	159	-	1
	43.-SOUTH WALES.															
	GLAMORGANSHIRE.															
581*a*	Cardiff	82,198	58,285	674	-	64	140	13	3	220	454	62	81	310	-	1
581*b*	Pontypridd	78,496	30,387	360	-	12	94	-	-	106	254	11	234	9	-	-
582	Merthyr Tydfil	69,989	93,008	924	-	17	171	4	1	193	731	44	344	343	-	-
583	Bridgend	109,511	26,465	236	-	29	131	1	5	166	70	8	41	21	-	-
584	Neath	162,817	58,533	505	-	51	211	8	-	270	235	5	48	182	-	-
585*a*	Swansea	44,166	51,260	613	-	109	221	-	1	331	282	32	78	169	-	3
585*b*	Gower	59,603	8,316	64	-	20	17	-	-	37	27	-	13	14	-	-
	CARMARTHENSHIRE.															
586	Llanelly	73,451	27,979	279	-	25	82	1	-	108	171	-	153	18	-	-
587	Llandovery	154,572	14,775	105	-	8	26	3	-	37	68	-	33	35	-	-
588	Llandilofawr	97,207	17,222	122	-	6	63	10	1	80	42	-	31	11	-	-
589	Carmarthen	172,546	36,675	272	-	43	91	3	10	147	125	3	58	64	-	-
	PEMBROKESHIRE.															
590	Narberth	124,903	21,344	134	-	22	44	2	10	78	56	-	48	8	-	-
591	Pembroke	70,276	29,003	244	-	52	78	8	5	143	101	9	22	70	-	-
592	Haverfordwest	170,361	37,343	257	-	52	54	25	3	184	123	-	54	69	-	-

* Includes a *divorced* man who married a spinster.

MARRIAGES in the Year 1867—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																38.—DURHAM.
52	99	79	85	261	18	26	10	36	28	10	54	45	56	25	51	DARLINGTON.
146	187	142	147	515	33	42	32	74	65	43	192	137	209	73	200	STOCKTON.
70	69	62	89	242	16	16	16	32	32	17	81	42	84	23	80	HARTLEPOOL.
104	146	131	156	421	40	35	41	76	81	46	182	183	270	138	177	AUCKLAND.
19	47	31	38	112	4	13	6	19	10	4	25	19	20	7	25	TEESDALE.
32	39	27	40	118	2	14	4	18	6	5	40	29	38	19	29	WEARDALE.
123	153	135	153	461	34	42	27	69	61	51	195	175	239	119	176	DURHAM.
59	58	52	60	195	11	10	13	23	24	27	90	74	107	53	75	EASINGTON.
45	40	42	70	156	10	15	16	31	26	23	70	54	91	39	67	HOUGHTON-LE-SPRING.
48	53	36	56	160	7	9	12	21	19	24	77	63	86	44	61	CHESTER-LE-STREET.
234	234	249	269	785	67	72	62	134	129	74	326	204	352	128	300	SUNDERLAND.
100	133	113	122	385	25	30	28	58	53	27	129	86	163	53	143	SOUTH SHIELDS.
124	150	123	156	440	28	46	39	85	67	38	139	145	199	99	146	GATESHEAD.
																39.—NORTHUMBERL.
392	452	446	528	1476	92	164	86	250	178	80	292	302	510	212	388	NEWCASTLE-UPON-TYNE.
159	188	151	209	578	42	45	42	87	84	44	191	143	209	94	164	TYNEMOUTH.
6	6	10	11	32	1	-	-	-	1	2	4	4	5	4	1	CASTLE WARD.
43	54	30	55	154	7	18	3	21	10	8	31	25	31	16	24	HEXHAM.
5	10	4	9	26	-	1	1	2	1	1	6	2	5	2	3	HALTWHISTLE.
9	10	9	14	41	1	-	-	-	1	-	5	2	6	2	4	BELLINGHAM.
39	42	29	47	132	7	14	4	18	11	8	30	24	36	10	40	MORPETH.
19	28	23	31	83	2	11	5	16	7	-	4	10	15	4	17	ALNWICK.
2	11	5	10	24	1	3	-	3	1	1	1	-	5	-	5	BELFORD.
34	35	40	44	133	2	15	3	18	5	6	26	11	21	4	24	BERWICK.
12	22	16	11	55	2	4	-	4	2	1	6	-	7	-	7	GLENDALE.
5	12	3	8	25	1	2	-	2	1	-	4	1	4	-	5	ROTHBURY.
																40.—CUMBERLAND.
7	20	8	6	36	1	4	-	4	1	1	6	4	13	3	11	ALSTON.
29	40	39	48	125	10	16	5	21	15	4	22	12	28	6	28	PENRITH.
10	13	8	27	49	5	4	-	4	5	3	4	11	12	4	15	BRAMPTON.
15	7	11	14	45	-	2	-	2	-	2	8	5	3	2	4	LONGTOWN.
53	79	82	113	268	20	24	15	39	35	17	54	37	106	27	89	CARLISLE.
33	35	28	49	125	6	11	3	14	9	5	19	18	31	13	23	WIGTON.
70	73	90	106	283	14	30	12	42	26	20	64	73	105	38	102	COCKERMOUTH.
67	123	95	100	305	26	30	24	54	50	21	77	99	142	68	105	WHITEHAVEN.
10	18	12	15	47	3	4	1	5	4	1	8	10	13	5	13	BOOTLE.
																41.—WESTMORLAND.
14	25	11	23	67	2	4	-	4	2	1	6	8	9	4	9	EAST WARD.
8	16	4	21	44	1	3	1	4	2	2	5	7	3	2	6	WEST WARD.
47	64	61	64	195	7	23	11	34	18	10	37	24	41	12	41	KENDAL.

MARRIAGES in the Year 1867—in DISTRICTS.

																42.—MONMOUTHSH.
17	26	22	26	76	3	10	2	12	5	3	11	22	23	8	29	CHEPSTOW.
34	47	59	73	169	13	16	15	31	28	8	32	70	50	27	66	MONMOUTH.
30	39	30	45	121	5	11	7	18	12	13	30	48	59	32	43	ABERGAVENNY.
91	98	78	102	298	25	26	20	46	45	27	108	183	251	147	140	BEDWELTY.
80	60	81	86	248	20	24	15	39	35	33	76	141	160	92	117	PONTYPOOL.
116	152	144	165	467	31	40	39	79	70	41	150	163	186	93	163	NEWPORT.
																43.—SOUTH WALES.
																GLAMORGANSHIRE.
127	185	165	197	549	43	55	27	82	70	50	131	163	231	115	164	CARDIFF.
59	104	85	112	287	21	35	17	52	38	19	76	164	215	127	125	PONTYPRIDD.
202	230	220	272	753	54	67	50	117	104	74	237	433	639	368	336	MERTHYR TYDFIL.
50	68	50	68	204	5	18	9	27	14	12	47	78	106	53	78	BRIDGEND.
95	130	129	151	406	19	43	37	80	56	50	141	174	278	135	182	NEATH.
128	151	161	173	486	38	58	31	89	69	47	116	166	258	117	190	SWANSEA.
12	11	16	25	53	1	7	3	10	4	3	9	15	22	10	17	GOWER.
																CARMARTHENSHIRE.
67	65	61	86	233	9	24	13	37	22	46	71	91	149	69	102	LLANELLY.
16	24	20	45	85	3	10	7	17	10	5	5	28	54	19	44	LLANDOVERY.
18	21	28	55	94	2	18	8	26	10	9	22	38	74	30	52	LLANDILOFAWR.
53	64	65	90	217	8	35	12	47	20	8	34	77	138	60	95	CARMARTHEN.
																PEMBROKESHIRE.
21	28	22	63	107	1	19	7	26	8	7	17	28	53	18	45	NARBERTH.
43	51	56	94	193	13	29	9	38	22	10	22	44	65	23	63	PEMBROKE.
49	44	53	111	189	13	42	13	55	26	15	28	59	110	39	91	HAVERFORDWEST.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	43.—S. WALES—*cont.*															
	CARDIGANSHIRE.															
593	Cardigan	85,481	18,585	114	–	21	17	1	2	41	73	–	42	31	–	–
594	Newcastle-in-Emlyn	112,346	19,081	106	–	13	40	1	–	54	52	–	27	25	–	–
595	Lampeter	75,710	9,994	51	–	10	15	4	1	30	21	–	18	3	–	–
596	Aberayron	65,704	13,540	95	–	16	10	2	–	28	67	–	46	21	–	–
597	Aberystwith	132,592	25,464	203	–	43	57	27	–	127	76	–	42	34	–	–
598	Tregaron	122,050	10,737	75	–	11	22	6	–	39	36	–	12	24	–	–
	BRECKNOCKSHIRE.															
599	Builth	102,953	8,305	59	–	10	17	–	20	47	12	–	11	1	–	–
600	Brecknock	196,793	17,279	110	–	22	23	1	2	48	62	2	25	35	–	–
601	Crickhowell	53,692	22,457	†164	–	6	33	–	2	41	123	17	95	11	–	–
602	Hay	89,695	10,819	80	–	25	30	–	–	55	25	–	18	7	–	–
	RADNORSHIRE.															
603	Presteigne	104,963	15,671	108	–	19	61	–	2	82	26	–	22	4	–	–
604	Knighton	97,492	10,379	52	–	11	30	–	–	41	11	–	11	–	–	–
605	Rhayader	105,532	6,816	32	–	7	14	1	6	28	4	–	3	1	–	–
	44.-NORTH WALES.															
	MONTGOMERYSHIRE.															
606	Machynlleth	116,647	12,395	108	–	13	24	–	–	37	71	–	43	28	–	–
607	Newtown	189,537	23,732	175	–	27	53	14	3	97	78	–	70	8	–	–
608	Montgomery	74,067	19,097	133	–	18	63	4	–	85	48	–	42	6	–	–
609	Llanfyllin	187,870	21,699	110	–	31	29	4	3	67	43	–	38	5	–	–
	FLINTSHIRE.															
610	Holywell	89,479	39,941	243	–	31	144	3	3	181	62	6	42	14	–	–
	DENBIGHSHIRE.															
611	Wrexham	78,592	47,975	428	–	25	218	6	3	252	176	14	41	121	–	–
612	Ruthin	92,853	16,083	91	–	14	35	2	2	53	38	–	22	16	–	–
613	St. Asaph	93,934	27,518	188	–	31	39	4	–	74	114	2	111	1	–	–
614	Llanrwst	100,631	12,770	90	–	15	9	2	1	27	63	–	14	49	–	–
	MERIONETHSHIRE.															
615	Corwen	123,807	16,107	106	–	13	42	1	8	64	42	–	38	4	–	–
616	Bala	58,292	6,352	45	–	6	6	3	–	15	30	–	28	2	–	–
617	Dolgelly	145,213	12,482	106	–	26	26	2	–	54	52	–	24	28	–	–
618	Festiniog	138,714	18,289	158	–	27	10	2	–	39	119	–	70	49	–	–
	CARNARVONSHIRE.															
619	Pwllheli	93,319	20,908	116	–	41	5	–	1	47	69	–	23	46	–	–
620	Carnarvon	97,635	32,425	302	–	99	29	16	–	144	158	–	37	121	–	–
621	Bangor	108,280	36,309	293	–	81	35	22	3	141	152	4	19	129	–	–
622	Conway	57,131	13,896	86	–	30	24	1	–	55	31	–	30	1	–	–
	ANGLESEY.															
623*	Anglesey	123,082	38,157	203	–	69	72	6	9	156	52	3	39	10	–	–

* The number of districts is increased to 641 by the formation of the following 18 new districts: Mile End Old Town (24 *b*), Dulverton (313 *b*), Whitchurch, Salop (363 *b*), Birkenhead (460 *b*), Great Ouseburn (492 *a*), Wetherby (492 *c*), Kirkdeighton (492 *d*), Wharfedale (493 *b*), Kirkstall (500 *a*), Holbeck (500 *c*), Bramley (500 *d*), Hemsworth (504 *b*), Castleford (504 *c*), Bramham (514 *b*), Hartlepool (541 *b*), Bedwelty (578 *b*), Pontypridd (581 *b*), and Gower (585 *b*).

MARRIAGES in the Year 1867—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																43.—S. WALES—*cont.*
																CARDIGANSHIRE.
21	21	24	48	94	2	12	6	18	8	2	2	19	46	15	35	CARDIGAN.
24	26	16	40	96	-	9	1	10	1	10	8	17	52	14	41	NEWCASTLE-IN-EMLYN.
9	11	7	24	44	2	5	-	5	2	2	7	13	29	13	16	LAMPETER.
20	19	16	40	75	4	9	7	16	11	1	5	13	39	10	32	ABERAYRON.
47	63	37	56	168	8	22	5	27	13	8	16	41	80	30	61	ABERYSTWITH.
14	23	16	22	67	1	6	1	7	2	3	4	18	39	13	31	TREGARON.
																BRECKNOCKSHIRE.
9	18	12	20	52	2	5	-	5	2	1	10	15	21	10	16	BUILTH.
17	33	24	36	84	8	14	4	18	12	6	12	24	42	18	30	BRECKNOCK.
38	42	45	39	135	4	13	12	25	16	12	39	80	95	61	53	CRICKHOWELL.
12	27	15	26	60	3	11	6	17	9	1	7	16	18	7	20	HAY.
																RADNORSHIRE.
27	29	24	28	88	6	10	4	14	10	3	10	26	26	14	24	PRESTEIGNE.
9	22	11	10	45	1	6	-	6	1	-	4	18	17	9	17	KNIGHTON.
10	10	8	4	28	3	1	-	1	3	1	4	6	9	5	5	RHAYADER.
																44.—NORTH WALES.
																MONTGOMERYSHIRE.
16	36	22	34	90	3	9	6	15	9	2	11	26	40	19	28	MACHYNLLETH.
41	60	36	38	147	5	17	6	23	11	4	24	44	66	32	46	NEWTOWN.
26	41	27	39	109	6	9	9	18	15	10	20	42	34	17	42	MONTGOMERY.
13	47	24	26	91	7	6	6	12	13	5	12	30	42	21	30	LLANFYLLIN.
																FLINTSHIRE.
49	71	49	74	183	14	32	14	46	28	15	41	106	111	64	89	HOLYWELL.
																DENBIGHSHIRE.
99	103	106	120	331	23	38	36	74	59	27	81	189	22[illegible]	130	152	WREXHAM.
17	33	19	22	76	5	7	3	10	8	4	4	41	[illegible]	31	20	RUTHIN.
41	51	48	48	148	6	25	9	34	15	4	13	55	65	33	54	ST. ASAPH.
17	24	21	28	74	6	5	5	10	11	1	7	23	30	14	25	LLANRWST.
																MERIONETHSHIRE.
21	26	20	39	88	3	10	5	15	8	9	15	40	50	28	34	CORWEN.
5	21	5	14	36	2	6	1	7	3	-	2	13	19	8	16	BALA.
17	35	16	38	97	1	6	2	8	3	5	18	30	41	21	29	DOLGELLY.
35	49	25	49	127	13	12	6	18	19	4	23	42	68	28	54	FESTINIOG.
																CARNARVONSHIRE.
25	33	28	30	97	3	11	5	16	8	8	11	34	63	27	43	PWLLHELI.
51	94	60	97	252	7	27	16	43	23	9	35	82	136	58	102	CARNARVON.
71	80	60	82	224	16	35	18	53	34	10	26	81	115	58	80	BANGOR.
11	25	22	28	68	4	11	3	14	7	2	6	10	25	6	23	CONWAY.
																ANGLESEY.
40	68	41	59	164	8	28	8	36	16	12	21	56	97	45	63	ANGLESEY.

† Includes a *divorced* man who married a spinster.

Ages of 238,346 Persons who were married in England in the Year 1867.

The Total Number of Marriages solemnized in England in the Year 1867 was 179,154 ; the precise Ages of both Parties were specified in 119,173 instances.*

Ages of 119,173 Men and 119,173 Women married in England in the Year 1867.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	Total.
Men - -	-	5	66	696	2936	7378	49044	30657	11500	5865	3980	2596	1852	1194	828	358	165	43	10	-	119,173
Women -	33	309	1530	5435	9623	12637	45419	23371	8867	4764	3126	1991	1087	532	322	91	33	3	-	-	119,173

Ages of 103,317 Bachelors and 108,405 Spinsters married in 1867.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Bachelors	-	5	66	696	2935	7374	48670	28875	8849	3254	1495	632	267	110	51	21	10	7	-	103,317
Spinsters	33	309	1529	5433	9616	12615	44923	21735	6787	2824	1472	636	300	87	39	13	4	-	-	108,405

Ages of 15,856 Widowers and 10,768 Widows married in 1867.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	Total.
Widowers	-	-	-	-	1	4	374	1782	2651	2611	2485	1964	1585	1084	777	337	155	36	10	-	15,856
Widows -	-	-	1	2	7	22	496	1636	2080	1940	1654	1305	787	445	283	78	29	3	-	-	10,768

Ages of 119,173 Husbands and their Wives, in combination in 1867.

Ages of Husbands. Years.	AGES OF WIVES. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Husbands.	Ages of Husbands.
15–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15–
16–	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5	16–
17–	-	5	17	13	13	5	12	-	-	1	-	-	-	-	-	-	-	-	-	66	17–
18–	1	31	111	229	123	77	105	17	1	1	-	-	-	-	-	-	-	-	-	696	18–
19–	2	47	214	712	936	451	504	59	8	2	1	-	-	-	-	-	-	-	-	2,936	19–
20–	5	48	266	994	1869	1853	2043	284	28	8	-	-	-	-	-	-	-	-	-	7,378	20–
21–	19	127	688	2639	5137	7588	26041	5910	756	96	25	14	3	-	1	-	-	-	-	49,044	21–
25–	4	35	185	678	1275	2130	12816	10615	2295	507	97	19	1	-	-	-	-	-	-	30,657	25–
30–	2	9	36	115	194	404	2751	4036	2719	890	290	49	4	-	1	-	-	-	-	11,500	30–
35–	-	4	11	39	51	86	707	1525	1495	1285	489	146	22	3	1	1	-	-	-	5,865	35–
40–	-	-	1	12	16	32	287	557	914	937	866	276	70	7	4	1	-	-	-	3,980	40–
45–	-	1	-	2	3	5	91	242	338	547	619	548	151	44	4	1	-	-	-	2,596	45–
50–	-	1	-	1	2	5	30	73	175	270	402	426	347	85	29	3	3	-	-	1,852	50–
55–	-	-	-	-	-	-	15	34	68	125	191	284	243	175	52	7	-	-	-	1,194	55–
60–	-	-	1	-	2	-	11	21	50	58	108	143	162	131	119	18	4	-	-	828	60–
65–	-	-	-	-	-	1	5	7	13	21	27	69	57	53	69	27	9	-	-	358	65–
70–	-	-	-	-	-	-	5	7	11	7	15	23	25	34	26	12	-	-	-	165	70–
75–	-	-	-	-	-	-	1	3	-	4	4	1	4	7	8	5	4	2	-	43	75–
80–	-	-	-	-	-	-	-	2	-	1	-	1	-	2	-	2	1	1	-	10	80–
85–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85–
																				119,173	Husbands.
Total Wives	33	309	1530	5435	9623	12637	45419	23371	8867	4764	3126	1991	1087	532	322	91	33	3	-	119,173	Wives.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands when married :—Thus, Of 12,637 *Wives* of the age of 20 and under 21 years *Five* married Husbands aged 17 ; *Seventy-seven* married Husbands aged 18 ; *Four hundred and fifty-one* married husbands aged 19 years, &c.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives when married :—Thus, Of 7,378 Husbands of the age of 20 and under 21 years *Five* married Wives aged 15 ; *Forty-eight* married Wives aged 16 years, &c.

Ages of 98,437 Bachelors and 98,437 Spinsters who intermarried in 1867.

Ages of Bachelors. Years.	AGES OF SPINSTERS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	Ages of Bachelors.
15–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15–
16–	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5	16–
17–	-	5	17	13	13	5	12	-	-	-	-	-	-	-	-	-	-	-	-	65	17–
18–	1	31	111	229	123	77	103	13	1	-	-	-	-	-	-	-	-	-	-	689	18–
19–	2	47	214	712	935	451	499	53	5	2	-	-	-	-	-	-	-	-	-	2,920	19–
20–	5	48	266	994	1868	1847	2028	236	19	5	-	-	-	-	-	-	-	-	-	7,316	20–
21–	19	127	684	2621	5102	7542	25627	5459	536	48	8	4	-	-	-	-	-	-	-	47,777	21–
25–	3	35	172	648	1206	2016	12025	9439	1611	240	31	3	1	-	-	-	-	-	-	27,430	25–
30–	1	4	28	85	159	318	2139	2951	1689	399	90	8	-	-	-	-	-	-	-	7,871	30–
35–	-	2	6	24	36	56	398	823	661	450	111	31	6	-	-	-	-	-	-	2,604	35–
40–	-	-	-	3	9	17	113	197	239	250	165	33	7	1	1	-	-	-	-	1,065	40–
45–	-	-	-	1	-	-	30	65	69	90	78	74	10	1	1	-	-	-	-	419	45–
50–	-	-	-	-	-	1	5	14	23	32	29	24	22	3	2	-	-	-	-	155	50–
55–	-	-	-	-	-	-	4	2	7	7	9	13	12	5	3	-	-	-	-	62	55–
60–	-	-	1	-	-	-	1	3	4	1	6	5	2	2	6	1	-	-	-	32	60–
65–	-	-	-	-	-	-	-	-	2	1	3	5	1	3	1	-	1	-	-	17	65–
70–	-	-	-	-	-	-	-	1	2	-	1	-	-	1	2	-	-	-	-	7	70–
75–	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	3	75–
80–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80–
																				98,437	Bachelors.
Total Spinsters	31	300	1499	5331	9453	12330	42985	19257	4897	1527	530	201	62	15	15	3	1	-	-	98,437	Spinsters.

* In the other 59,981 cases the column of the Register headed "Age" is filled in by the Officiating Minister or by the Registrar of Marriages with the words "of full Age," "Minor," "Under Age," as the case may be; thus losing the additional means of identification afforded by a precise statement of the age of persons at the time of marriage.

Ages of 4,880 Bachelors and 4,880 Widows who intermarried in 1867.

Ages of Bachelors	Ages of Widows: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	Ages of Bachelors
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	17–
18–	–	–	–	–	–	–	2	4	–	1	–	–	–	–	–	–	–	–	–	7	18–
19–	–	–	–	–	–	–	5	6	3	–	1	–	–	–	–	–	–	–	–	15	19–
20–	–	–	–	–	–	6	14	27	8	3	–	–	–	–	–	–	–	–	–	58	20–
21–	–	–	1	–	5	10	225	376	203	43	17	10	2	–	1	–	–	–	–	893	21–
25–	–	–	–	–	1	4	136	544	484	210	52	13	–	–	–	–	–	–	–	1,445	25–
30–	–	–	–	2	1	1	33	186	361	248	113	31	1	–	1	–	–	–	–	978	30–
35–	–	–	–	–	–	–	5	66	163	231	127	45	9	2	1	1	–	–	–	650	35–
40–	–	–	–	–	–	–	1	17	74	100	132	74	24	4	3	1	–	–	–	430	40–
45–	–	–	–	–	–	–	–	4	12	40	49	69	27	11	1	–	–	–	–	213	45–
50–	–	–	–	–	–	–	–	2	4	9	18	28	31	16	4	–	–	–	–	112	50–
55–	–	–	–	–	–	–	–	–	–	4	3	13	10	13	3	2	–	–	–	48	55–
60–	–	–	–	–	–	–	–	–	1	1	1	1	3	4	5	1	2	–	–	19	60–
65–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	4	65–
70–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	3	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	4	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
																				4,880	Bachelors.
Total Widows	–	–	1	2	7	21	421	1,232	1,313	891	515	285	108	53	21	6	3	1	–	4,880	Widows.

Ages of 9,968 Widowers and 9,968 Spinsters who intermarried in 1867.

Ages of Widowers	Ages of Spinsters: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	Ages of Widowers
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	19–
20–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	4	20–
21–	–	–	3	18	30	36	183	62	13	3	–	–	–	–	–	–	–	–	–	348	21–
25–	1	–	13	30	68	109	629	535	142	30	1	–	–	–	–	–	–	–	–	1,558	25–
30–	1	5	8	28	34	85	557	780	457	126	35	1	1	–	–	–	–	–	–	2,118	30–
35–	–	2	5	15	15	30	289	542	491	328	100	21	–	–	–	–	–	–	–	1,838	35–
40–	–	–	1	9	7	15	170	298	419	324	254	51	10	1	–	–	–	–	–	1,559	40–
45–	–	1	–	1	3	5	60	147	167	222	206	127	26	3	1	–	–	–	–	969	45–
50–	–	1	–	1	2	4	24	53	113	129	165	119	68	10	–	1	–	–	–	690	50–
55–	–	–	–	–	–	–	11	30	41	74	93	88	51	15	2	1	–	–	–	406	55–
60–	–	–	–	–	2	–	10	17	34	40	64	49	47	26	8	1	1	–	–	299	60–
65–	–	–	–	–	–	1	4	4	8	12	17	22	22	8	10	3	–	–	–	111	65–
70–	–	–	–	–	–	–	–	5	4	5	6	7	10	6	3	3	2	–	–	51	70–
75–	–	–	–	–	–	–	–	2	–	3	1	–	3	1	–	–	–	–	–	10	75–
80–	–	–	–	–	–	–	–	2	–	1	–	–	–	2	–	1	–	–	–	6	80–
85–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85–
																				9,968	Widowers.
Total Spinsters	2	9	30	102	163	285	1,938	2,478	1,890	1,297	942	485	238	72	24	10	3	–	–	9,968	Spinsters.

Ages of 5,888 Widowers and 5,888 Widows who intermarried in 1867.

Ages of Widowers	Ages of Widows: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	Ages of Widowers
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20–
21–	–	–	–	–	–	–	6	13	4	2	–	–	1	–	–	–	–	–	–	26	21–
25–	–	–	–	–	–	1	26	97	58	27	12	3	–	–	–	–	–	–	–	224	25–
30–	–	–	–	–	–	–	22	119	212	117	52	9	2	–	–	–	–	–	–	533	30–
35–	–	–	–	–	–	–	15	94	180	276	151	49	7	1	–	–	–	–	–	773	35–
40–	–	–	–	–	–	–	3	45	152	263	315	118	29	1	–	–	–	–	–	926	40–
45–	–	–	–	–	–	–	1	26	90	195	286	278	88	29	1	1	–	–	–	995	45–
50–	–	–	–	–	–	–	1	4	35	100	190	255	226	56	23	2	3	–	–	895	50–
55–	–	–	–	–	–	–	–	2	20	40	86	170	170	142	44	4	–	–	–	678	55–
60–	–	–	–	–	–	–	–	1	11	16	37	88	110	99	100	15	1	–	–	478	60–
65–	–	–	–	–	–	–	1	3	3	8	7	42	33	41	56	24	8	–	–	226	65–
70–	–	–	–	–	–	–	–	–	2	4	–	6	13	18	30	21	10	–	–	104	70–
75–	–	–	–	–	–	–	–	–	–	1	3	1	–	5	8	4	3	1	–	26	75–
80–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	4	80–
85–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85–
																				5,888	Widowers.
Total Widows	–	–	–	–	–	1	75	404	767	1,049	1,139	1020	679	392	262	72	26	2	–	5,888	Widows.

MARRIAGES, BIRTHS, and DEATHS registered in the Year 1867.

No.	DIVISIONS AND REGISTRATION COUNTIES.*	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths
	ENGLAND - -	37,324,883	20,066,224	179,154	† 768,349	471,073	392,224	376,125	23,218	21,968	242,588	228,485	297[illegible]
	DIVISIONS.												
I.	LONDON - -	77,997	2,803,989	31689	112691	70924	57608	55083	2417	2216	36378	34546	41766
II.	SOUTH EASTERN -	4,065,935	1,847,661	15266	66450	37685	33882	32568	1703	1691	19632	18053	28764
III.	SOUTH MIDLAND -	3,201,290	1,295,515	9300	46449	27079	23611	22838	1407	1341	13960	13119	19377
IV.	EASTERN - -	3,214,099	1,142,562	7961	38437	22398	19459	18978	1472	1413	11396	11002	16039
V.	SOUTH WESTERN -	4,993,660	1,835,714	12974	58288	35427	29738	28550	1766	1682	17722	17705	22866
VI.	WEST MIDLAND -	3,865,332	2,436,568	20364	95160	54696	48578	46582	3006	2753	28358	26338	40463
VII.	NORTH MIDLAND -	3,540,797	1,288,928	10793	46710	27060	23854	22856	1752	1667	13756	13304	19650
VIII.	NORTH WESTERN -	2,000,227	2,935,540	29855	121521	84102	62058	59463	3568	3461	43547	40555	37411
IX.	YORK - - -	3,654,636	2,015,541	19756	84106	51224	42822	41284	2804	2585	26679	24545	32888
X.	NORTHERN - -	3,492,322	1,151,372	10471	50111	31664	25850	24261	1711	1675	16202	15462	18444
XI.	WELSH - -	5,218,588	1,312,834	10725	48426	28814	24764	23662	1612	1484	14958	13856	19611
	I.—LONDON.												
	MIDDLESEX (*pt. of*)	32,455	2,030,814	23194	78586	51215	40155	38431	1859	1643	26192	25023	27377
	SURREY (*part of*) -	22,951	579,748	6729	25728	15244	13154	12574	458	456	7834	7410	10488
	KENT (*part of*) - -	22,591	193,427	1766	8377	4465	4299	4078	100	117	2352	2113	3911
	II.—SOUTH EASTERN.												
1	**SURREY** (*ex.-metrop.*) -	476,191	273,264	2215	10536	5538	5237	5299	234	196	2925	2613	4994
2	**KENT** (*extra-metropol.*)	1,013,838	545,272	4520	20783	11541	10557	10226	497	522	6082	5459	9244
3	**SUSSEX** - - -	949,581	366,836	3017	12347	7385	6284	6063	340	344	3823	3562	4963
4	**HAMPSHIRE** - -	1,061,608	456,654	3969	15901	9116	8238	7663	407	393	4744	4372	6783
5	**BERKSHIRE** - -	564,717	205,635	1545	6883	4105	3566	3317	225	236	2058	2047	2777
	III.—SOUTH MIDLAND.												
6	**MIDDLESX.** (*ex.-met.*)	176,555	187,325	1267	7913	4615	3946	3967	154	156	2379	2236	3298
7	**HERTFORDSHIRE**	428,143	177,452	1185	6150	3189	3069	3081	202	201	1778	1711	2663
8	**BUCKINGHAMSH.**	402,616	147,207	1057	5204	3009	2729	2475	148	136	1584	1425	2195
9	**OXFORDSHIRE** -	479,267	171,233	1185	5580	3414	2848	2732	182	181	1767	1647	2166
10	**NORTHAMPTONS.**	632,219	231,079	1690	8363	4946	4340	4023	224	230	2555	2391	3417
11	**HUNTINGDONSH.**	205,366	59,137	405	1839	1040	936	903	61	56	552	488	799
12	**BEDFORDSHIRE** -	305,366	140,479	1118	5384	3019	2745	2639	220	199	1517	1502	2365
13	**CAMBRIDGESH.** -	571,758	181,603	1393	6016	3547	2998	3018	216	182	1828	1719	2469
	IV.—EASTERN.												
14	**ESSEX** - - - -	983,443	379,705	2486	13662	7593	6915	6747	362	363	3935	3658	6068
15	**SUFFOLK** - - -	930,345	335,409	2377	11144	6495	5633	5511	401	392	3281	3214	4649
16	**NORFOLK** - - -	1,300,311	427,448	3098	13631	8310	6911	6720	709	658	4180	4130	5321

* The *Registration Counties* consist of groups of entire Registration Districts; which Districts are, in general, identical with the Poor Law Unions. As the principle adopted has been to place a District or Union which extends into more than one County with the County in which either the principal town or the greater part of the population is located, the limits of the Registration Counties differ more or less from the boundaries of the Counties proper.

† Some of the births—especially of illegitimate children in London and large towns—escape registration.

MARRIAGES, BIRTHS, and DEATHS registered in the Year 1867—*continued.*

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	V.—SOUTH WESTERN.												
17	WILTSHIRE - -	777,453	236,027	1604	7372	4525	3794	3578	237	229	2297	2228	2847
18	DORSETSHIRE -	615,783	182,193	1285	5924	3265	2960	2964	160	161	1626	1639	2659
19	DEVONSHIRE -	1,643,700	589,278	4658	18825	11691	9601	9224	553	529	5793	5898	7134
20	CORNWALL - -	889,263	364,848	2185	11579	7176	5934	5645	407	363	3631	3545	4403
21	SOMERSETSHIRE	1,067,461	463,368	3242	14588	8770	7449	7139	409	400	4375	4395	5818
	VI.—WEST MIDLAND.												
22	GLOUCESTERSH. -	716,045	443,535	4050	15333	9173	7925	7408	433	387	4584	4589	6160
23	HEREFORDSHIRE	425,580	106,796	680	3235	1886	1639	1596	156	129	977	909	1349
24	SHROPSHIRE - -	924,676	260,409	1681	8493	4991	4313	4180	414	385	2617	2374	3502
25	STAFFORDSHIRE	755,017	769,541	6936	34955	18786	17819	17136	1053	1022	9957	8829	16169
26	WORCESTERSHIR.	434,076	294,953	2385	11131	6020	5728	5403	363	298	3161	2859	5111
27	WARWICKSHIRE	609,938	561,334	4632	22013	13840	11154	10859	587	532	7062	6778	8173
	VII.—NORTH MIDLAND.												
28	LEICESTERSHIRE	535,346	243,648	2230	9516	5639	4875	4641	329	327	2809	2830	3877
29	RUTLANDSHIRE -	107,728	23,479	167	734	414	373	361	21	32	216	198	320
30	LINCOLNSHIRE -	1,739,312	404,143	3165	13493	7727	6900	6593	525	526	3952	3775	5766
31	NOTTINGHAMSH.	599,791	323,784	2765	11546	6718	5913	5633	500	428	3405	3313	4828
32	DERBYSHIRE - -	558,620	293,874	2466	11421	6562	5793	5628	377	354	3374	3188	4859
	VIII.—NORTH WESTERN.												
33	CHESHIRE - -	680,836	470,174	3964	17704	11159	9008	8696	569	577	5761	5398	6545
34	LANCASHIRE -	1,319,391	2,465,366	25891	103817	72943	53050	50767	2999	2884	37786	35157	30874
	IX.—YORK.												
35	WEST RIDING -	1,706,430	1,530,007	15435	66514	40439	33825	32689	2072	1898	21206	19233	26075
36	E. RIDING (with Yk.)	717,144	274,425	2668	9896	6229	5063	4833	382	345	3209	3020	3667
37	NORTH RIDING -	1,231,062	211,109	1653	7696	4556	3934	3762	350	342	2264	2292	3140
	X.—NORTHERN.												
38	DURHAM - - -	754,183	542,125	5222	27362	15972	14126	13236	711	703	8233	7739	11390
39	NORTHUMBERLD.	1,249,299	343,025	3338	13459	9380	6884	6575	472	465	4885	4495	4079
40	CUMBERLAND -	1,001,273	205,276	1553	7401	5131	3862	3539	409	413	2512	2619	2270
41	WESTMORLAND -	487,567	60,946	358	1889	1181	978	911	119	94	572	609	708
	XI.—WELSH.												
42	MONMOUTHSH. -	432,906	196,977	1701	7727	4373	3887	3840	189	178	2300	2073	3354
43	SOUTH WALES -	2,816,599	699,722	6038	26859	15114	13768	13091	850	791	7916	7198	11745
44	NORTH WALES -	1,969,083	416,135	2986	13840	9327	7109	6731	573	515	4742	4585	4513

I.—LONDON.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.†		Excess of Births over Deaths.‡
				MARRIAGES.	BIRTHS.	DEATHS.†	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	MIDDLESEX (*part of*).												
1	KENSINGTON *HHHH*	7,342	185,950	2540	7918	5067	4056	3862	193	153	2468	2599	2851
2	CHELSEA *HHw*	865	63,439	722	2402	1568	1255	1147	62	50	756	812	834
3	ST. GEORGE HANOVER-SQUARE *H*	1,161	87,771	1097	2399	1820	1252	1147	49	50	963	857	579
4	WESTMINSTER *H*	917	68,213	607	2291	1792	1156	1135	69	68	930	862	499
5	ST. MARTIN-IN-THE-FIELDS *H*	305	22,689	399	594	544	300	294	18	15	284	260	50
6	ST. JAMES WESTMINSTER	164	35,326	396	920	717	463	457	27	23	383	334	203
7	MARYLEBONE *H*	1,509	161,680	1908	5383	4125	2666	2717	340	307	2053	2072	1258
8	HAMPSTEAD *H*	2,252	19,106	138	714	411	355	359	13	12	208	203	303
9	PANCRAS *HHw*	2,716	198,788	2209	7506	4851	3892	3614	213	165	2485	2366	2655
10	ISLINGTON *wHHH*	3,127	155,341	1740	7391	4509	3842	3549	160	146	2294	2215	2882
11	HACKNEY *wHL*	3,929	83,295	1021	3889	2268	1943	1946	64	59	1133	1135	1621
12	ST. GILES	245	54,076	476	1927	1435	992	935	56	60	715	720	492
13	STRAND *H*	172	42,979	445	1250	995	631	619	37	26	555	440	255
14	HOLBORN *H*	196	44,862	250	1341	1198	686	655	38	40	623	575	143
15	CLERKENWELL	380	63,081	606	2468	1514	1267	1201	59	55	761	753	954
16	ST. LUKE *HL*	220	57,073	280	2362	1273	1317	1245	28	24	628	645	1289
17	EAST LONDON	153	40,687	417	954	670	506	448	12	6	337	333	284
18	WEST LONDON *H*	138	27,145	402	608	1020	308	300	11	9	600	420	−412
19	LONDON CITY	434	45,555	503	742	568	363	379	8	10	294	269	179
20	SHOREDITCH *Lw*	646	129,364	1794	5398	2973	2755	2643	115	99	1482	1491	2425
21	BETHNAL GREEN *HL*	760	105,101	2151	5135	2778	2642	2493	70	57	1459	1319	2357
22	WHITECHAPEL *H*	406	78,970	539	2701	2350	1395	1306	47	46	1317	1033	351
23	ST. GEORGE-IN-THE-EAST	243	48,391	427	1934	1238	979	955	47	49	598	640	696
24*a*	STEPNEY	576	56,572	653	2030	1176	1039	991	16	12	625	551	854
24*b*	MILE END OLD TOWN *w*	631	73,064	746	3518	1884	1783	1735	33	42	941	943	1634
25	POPLAR *wwL*	2,918	79,196	728	4611	2476	2312	2299	74	60	1300	1176	2135
	SURREY (*part of*).												
26	ST. SAVIOUR SOUTHWARK *H*	250	36,170	257	1079	823	529	550	15	24	401	422	256
27	ST. OLAVE SOUTHWARK *H*	169	19,056	108	493	861	224	269	9	14	505	356	−368
28	BERMONDSEY	688	58,355	599	3139	1544	1602	1537	38	30	806	738	1595
29	ST. GEORGE SOUTHWARK *L*	282	55,510	600	2109	1386	1088	1021	43	52	743	643	723
30	NEWINGTON *H*	624	82,220	1058	3430	1976	1717	1713	60	61	1050	926	1454
31	LAMBETH	4,015	162,044	2410	7395	4061	3818	3577	154	124	2024	2037	3334
32	WANDSWORTH *L*	11,695	70,403	766	3622	1951	1855	1767	70	71	957	994	1671
33	CAMBERWELL *LL*	4,242	71,488	757	3441	2065	1782	1659	55	66	1042	1023	1376
34	ROTHERHITHE	886	24,502	174	1020	577	539	481	14	14	306	271	443
	KENT (*part of*).												
35	GREENWICH *HHHH*	5,367	127,670	1032	5316	3097	2712	2604	65	81	1633	1464	2219
36	LEWISHAM	17,224	65,757	734	3061	1368	1587	1474	35	36	719	649	1693

II.—SOUTH EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	1.—SURREY (*extra-metrop.*)												
37	EPSOM *w*	41,180	22,409	94	750	443	380	370	20	10	229	214	307
38	CHERTSEY	43,541	18,642	121	618	379	300	318	17	16	202	177	239
39	GUILDFORD *H*	65,592	29,330	206	909	562	444	465	22	30	346	216	347
40	FARNHAM	31,197	30,707	253	1011	439	509	502	19	14	226	213	572
41	FARNBOROUGH	39,571	14,318	78	322	162	163	159	7	4	96	66	160
42	HAMBLEDON	60,351	13,907	96	453	222	229	224	11	10	116	106	231
43	DORKING	40,006	12,445	85	423	209	208	215	9	9	111	98	214
44	REIGATE *L*	51,276	20,109	160	852	402	431	421	25	12	224	178	450
45	GODSTONE	43,848	9,642	57	360	178	161	199	9	5	88	90	182
46	CROYDON *ww*	32,803	46,474	598	2526	1254	1298	1228	46	42	636	618	1272
47	KINGSTON	22,487	36,479	337	1591	819	745	846	25	31	422	397	772
48	RICHMOND	4,339	18,802	130	721	469	369	352	24	13	229	240	252
	2.—KENT (*extra-metropolitan*).												
49	BROMLEY	39,927	20,368	202	995	445	474	521	14	15	221	224	550
50	DARTFORD	53,109	32,316	248	1450	726	723	727	30	30	399	327	724
51	GRAVESEND	1,541	18,782	137	692	460	324	368	18	16	227	233	232
52	NORTH AYLESFORD	41,732	19,121	161	782	344	412	370	24	13	185	159	438
53	HOO	33,281	2,861	19	137	52	64	73	4	5	28	24	85
54	MEDWAY	14,565	51,805	505	2080	1351	1052	1028	22	38	716	635	729
55	MALLING	47,398	21,447	156	879	450	460	419	34	32	247	203	429
56	SEVENOAKS	67,488	22,039	101	805	355	422	383	24	17	191	164	450
57	TUNBRIDGE *H*	46,179	34,271	297	1369	755	696	673	36	45	374	381	614
58	MAIDSTONE *HL*	38,082	38,670	358	1407	910	736	671	53	53	470	440	497
59	HOLLINGBOURN	57,017	13,584	97	506	263	257	249	10	21	147	116	243
60	CRANBROOK	40,249	13,412	86	433	208	204	229	9	15	116	92	225
61	TENTERDEN	46,889	10,947	94	313	133	157	156	12	9	70	63	180
62	WEST ASHFORD	41,901	15,137	120	575	286	304	271	16	9	149	137	289
63	EAST ASHFORD	54,498	12,286	78	425	227	246	179	13	9	107	120	198
64	BRIDGE	41,394	11,316	76	350	189	174	176	9	11	96	93	161

* The *Districts* are collections of contiguous Parishes or Places combined for purposes connected with the Registration of Births, Deaths, and Marriages; and are generally identical with the Poor Law Unions of the same names. The Districts, 641 in number, are arranged according to their local position under the Registration Counties. The presence of Institutions in any District is indicated in this column of the Table by *H* for Hospital or Infirmary, *L* for Lunatic Asylum, and *w* for Workhouse situated out of the District to which it belongs; and repetitions of these letters show the number of such Institutions in any District. The smaller Institutions are not noticed.

† For a table of the Deaths in the principal *Public Institutions* situated in the Districts of London *see* pages 83–4.

‡ Wherever the minus sign is prefixed to the number in the column headed "Excess of Births over Deaths," it denotes that the Births in the District, instead of exceeding the Deaths, were, in fact, *less than the Deaths* to the extent stated.

II.—SOUTH EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS—*continued*.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	2.—KENT (*ex.-metrop.*)—*cont.*												
65	CANTERBURY *H*	3,121	16,643	178	559	375	266	293	17	22	188	187	184
66	BLEAN	32,221	16,161	153	623	314	317	306	11	15	162	152	309
67	FAVERSHAM	46,448	18,867	179	839	409	434	405	14	12	220	189	430
68	MILTON	35,409	14,775	154	813	381	415	398	15	21	210	171	432
69	SHEPPEY *H*	31,083	18,494	118	762	407	373	389	10	10	195	212	355
70	THANET *HH*	29,733	31,862	287	1023	738	525	493	33	23	390	348	285
71	EASTRY	50,710	25,900	180	847	502	425	422	16	30	281	221	345
72	DOVER	29,881	31,571	301	1036	681	533	503	26	26	388	293	355
73	ELHAM	43,197	26,929	189	870	497	459	411	24	20	260	237	373
74	ROMNEY MARSH	46,785	5,708	46	213	83	105	108	3	5	45	38	130
	3.—SUSSEX.												
75	RYE	39,369	11,927	100	394	220	206	188	12	17	113	107	174
76	HASTINGS *H*	14,027	26,631	252	984	677	549	435	27	22	342	335	307
77	BATTLE	54,000	12,680	104	417	247	194	223	14	15	103	144	170
78	EASTBOURNE	38,072	10,721	69	419	230	209	210	13	9	118	112	189
79	HAILSHAM	54,365	12,668	69	402	251	220	182	17	14	145	106	151
80	TICEHURST	51,659	14,626	129	504	247	265	239	19	18	135	112	257
81	UCKFIELD	74,230	17,260	115	636	313	311	325	20	18	179	134	323
82	EAST GRINSTEAD	61,317	14,097	108	510	230	264	246	17	19	116	114	280
83	CUCKFIELD	61,793	17,163	115	614	239	316	298	17	12	128	111	375
84	LEWES *L*	85,104	26,995	196	886	627	442	444	20	24	322	305	259
85	BRIGHTON *H*	2320	77,693	881	2686	1872	1383	1303	87	81	944	928	814
86	STEYNING	44344	24,053	185	767	454	391	376	17	11	240	214	313
87	HORSHAM	57023	15,313	91	514	200	251	263	8	15	161	129	224
88	PETWORTH	39329	9,397	64	277	154	139	138	5	6	78	76	123
89	THAKEHAM	35599	7,567	46	233	140	106	127	3	9	69	71	93
90	WORTHING	42,457	18,921	188	643	329	310	333	11	10	157	172	314
91	WESTHAMPNETT	74,913	14,811	86	419	258	211	208	6	11	138	120	161
92	CHICHESTER *H*	21,054	14,775	95	420	264	214	206	10	13	135	129	156
93	MIDHURST	65,720	12,581	75	388	219	193	195	10	14	127	92	169
94	WESTBOURNE	32,386	6,957	49	234	124	110	124	7	6	73	51	110
	4.—HAMPSHIRE.												
95	HAVANT	24,527	7,212	34	240	133	120	120	4	6	75	58	107
96	PORTSEA ISLAND	7,806	91,828	1154	3821	2213	1950	1871	55	67	1101	1112	1608
97	ALVERSTOKE	5,222	22,653	206	767	534	402	365	17	7	335	199	233
98	FAREHAM *L*	42,223	14,864	87	473	346	239	234	12	14	168	178	127
99	ISLE OF WIGHT	99,746	55,362	468	1859	1094	959	900	49	58	553	541	765
100	LYMINGTON	42,169	12,094	93	351	210	199	152	9	10	102	108	141
101	CHRISTCHURCH	36,775	10,438	100	384	248	220	164	13	13	130	118	136
102	RINGWOOD	33,300	5,357	36	169	86	83	86	10	8	42	44	83
103	FORDINGBRIDGE	31,167	6,377	41	198	112	117	81	16	8	60	52	86
104	NEW FOREST	85,532	13,509	79	384	218	192	192	15	10	107	111	166
105	SOUTHAMPTON *H*	2,630	43,414	514	1638	837	813	825	33	37	458	379	801
106	SOUTH STONEHAM	30,715	25,542	173	1052	491	567	485	31	24	285	206	561
107	ROMSEY	28,203	10,771	58	387	194	229	158	9	9	112	82	193
108	STOCKBRIDGE	45,343	7,286	30	239	144	120	119	10	1	70	74	95
109	WINCHESTER *H*	78,676	26,607	221	772	500	377	395	13	22	249	251	272
110	DROXFORD	48,263	10,665	59	371	188	182	189	14	9	95	93	183
111	CATHERINGTON	10,561	2,497	19	79	27	34	45	–	3	17	10	52
112	PETERSFIELD	40,112	7,853	73	218	143	118	100	8	4	72	71	75
113	ALRESFORD	39,761	7,182	39	211	120	110	101	6	9	60	60	91
114	ALTON	53,037	12,063	81	408	196	214	194	12	10	99	97	212
115	HARTLEY WINTNEY	42,051	11,480	85	324	188	170	154	12	14	87	101	136
116	BASINGSTOKE	73,852	17,429	120	540	335	292	248	16	16	181	154	205
117	WHITCHURCH	29,513	5,522	41	187	111	97	90	8	5	55	56	76
118	ANDOVER	83,615	17,132	89	550	314	300	250	21	18	161	153	236
119	KINGSCLERE	46,787	8,517	69	279	134	134	145	14	11	70	64	145
	5.—BERKSHIRE.												
120	NEWBURY	42,956	19,099	144	597	388	309	288	20	21	199	189	209
121	HUNGERFORD	98,287	19,882	114	559	376	274	285	21	25	187	189	183
122	FARINGDON	64,207	15,688	112	520	326	266	254	21	31	182	144	194
123	ABINGDON *L*	56,445	20,861	137	690	471	370	320	20	23	224	247	219
124	WANTAGE	75,700	17,308	128	543	325	281	262	21	17	164	161	218
125	WALLINGFORD	40,860	14,017	95	416	234	226	192	16	11	114	120	184
126	BRADFIELD	62,166	15,771	87	470	276	230	240	14	18	136	140	194
127	READING *H*	4,699	25,876	299	1100	576	559	541	28	31	273	303	524
128	WOKINGHAM	42,226	14,465	113	493	265	231	212	13	15	128	137	228
129	COOKHAM	29,588	13,031	102	479	235	241	238	21	11	118	117	244
130	EASTHAMPSTEAD	25,176	7,436	56	291	142	149	142	7	7	85	57	149
131	WINDSOR	22,407	21,301	158	723	491	380	343	23	26	248	243	232

III.—SOUTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	6.—MIDDLESEX (*ex.-metrop.*)												
132	STAINES *w*	24,881	15,976	91	618	310	313	305	16	12	166	144	308
133	UXBRIDGE *wL*	25,906	23,155	136	798	621	420	378	18	24	326	295	177
134	BRENTFORD *ww*	20,705	50,534	401	2134	1240	1077	1057	55	47	634	606	894
135	HENDON	32,767	19,220	182	1173	601	568	605	6	20	302	299	572
136	BARNET *L*	25,689	19,128	107	629	489	312	317	3	10	255	234	140
137	EDMONTON *w*	46,607	59,312	350	2561	1354	1256	1305	50	43	696	658	1207

III.—SOUTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.			DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.			
							Males.	Females.	Males.	Females.	Males.	Females.	
	7.—HERTFORDSHIRE.												
138	WARE	35,747	16,515	82	531	295	253	278	13	10	153	142	236
139	BISHOP STORTFORD	53,689	20,212	100	685	377	365	320	20	28	212	165	308
140	ROYSTON	88,791	25,014	183	845	444	431	414	19	28	211	233	401
141	HITCHIN	64,847	25,603	176	902	440	441	461	52	37	203	237	462
142	HERTFORD	34,410	15,301	92	486	311	240	246	10	10	158	153	175
143	HATFIELD	29,484	8,400	41	248	139	107	141	5	8	76	63	109
144	ST. ALBANS	34,615	18,926	165	653	433	326	327	35	25	212	221	220
145	WATFORD	36,520	20,355	156	811	503	412	399	20	23	269	234	308
146	HEMEL HEMPSTEAD	25,457	13,922	101	501	280	250	251	13	19	141	139	221
147	BERKHAMPSTEAD	24,583	13,204	89	488	267	244	244	15	13	143	124	221
	8.—BUCKINGHAMSHIRE.												
148	AMERSHAM	49,840	18,240	107	607	388	319	288	20	15	194	194	219
149	ETON	41,589	22,353	172	821	443	424	397	19	22	251	192	378
150	WYCOMBE	81,308	35,138	260	1371	703	704	667	32	34	337	316	668
151	AYLESBURY *L*	73,364	23,600	150	777	547	406	371	27	22	231	266	230
152	WINSLOW	35,395	9,265	72	294	177	158	136	14	8	95	82	117
153	NEWPORT PAGNELL	68,701	24,855	223	902	461	483	419	21	19	243	218	441
154	BUCKINGHAM	52,419	13,756	73	432	290	235	197	15	16	133	157	142
	9.—OXFORDSHIRE.												
155	HENLEY	61,662	18,200	98	540	286	266	274	16	21	151	135	254
156	THAME	54,997	15,305	96	472	267	242	230	16	16	130	137	205
157	HEADINGTON *w*	25,727	17,185	152	655	446	332	323	28	26	241	205	209
158	OXFORD	2,930	20,037	179	639	386	322	317	14	15	196	190	253
159	BICESTER	64,127	15,555	85	465	340	238	227	19	11	181	159	125
160	WOODSTOCK	47,013	14,236	77	467	313	239	228	9	14	170	143	154
161	WITNEY	70,169	23,238	165	807	448	420	387	35	31	226	222	359
162	CHIPPING NORTON	76,418	17,306	128	568	315	290	278	13	17	156	159	253
163	BANBURY	75,324	30,171	205	967	613	499	468	32	30	316	297	354
	10.—NORTHAMPTONSH.												
164	BRACKLEY	58,769	13,471	93	458	310	237	221	14	16	157	153	148
165	TOWCESTER	42,216	13,004	73	423	242	226	197	15	10	127	115	181
166	POTTERSPURY	22,401	11,632	98	405	270	210	195	6	9	131	139	135
167	HARDINGSTONE	32,408	9,928	67	370	209	173	197	5	7	119	90	161
168	NORTHAMPTON *HL*	20,453	41,152	382	1838	1025	979	859	39	42	534	491	813
169	DAVENTRY	63,301	20,600	127	571	413	290	281	25	17	202	211	158
170	BRIXWORTH	60,376	15,367	77	432	278	231	201	11	13	155	123	154
171	WELLINGBOROUGH	55,505	24,224	172	941	562	475	466	22	26	278	284	379
172	KETTERING	55,266	18,995	135	656	434	341	315	19	15	214	220	222
173	THRAPSTON	51,188	14,065	90	546	272	260	286	14	17	141	131	274
174	OUNDLE	69,822	15,463	120	464	257	267	197	22	12	143	114	207
175	PETERBOROUGH	100,514	33,178	256	1259	674	651	608	32	46	354	320	585
	11.—HUNTINGDONSHIRE.												
176	HUNTINGDON *H*	77,180	20,518	126	633	377	319	314	15	21	198	179	256
177	ST. IVES	62,930	19,654	120	579	341	296	283	18	15	176	165	238
178	ST. NEOTS	65,256	18,965	159	627	322	321	306	28	20	178	144	305
	12.—BEDFORDSHIRE.												
179	BEDFORD *H*	97,320	38,072	288	1306	724	677	629	43	35	355	369	582
180	BIGGLESWADE *L*	58,041	25,393	223	1034	640	540	494	43	44	336	304	394
181	AMPTHILL	41,551	16,970	124	703	348	359	344	35	24	161	187	355
182	WOBURN	29,603	11,684	86	379	231	189	190	14	19	112	119	148
183	LEIGHTON BUZZARD	38,015	17,648	146	661	353	351	310	32	27	198	155	308
184	LUTON	40,836	30,712	251	1301	723	629	672	53	50	355	368	578
	13.—CAMBRIDGESHIRE.												
185	CAXTON	49,885	10,966	78	469	204	247	222	19	21	111	93	265
186	CHESTERTON *L*	76,728	25,083	199	893	498	422	471	36	29	251	247	395
187	CAMBRIDGE *H*	3,470	26,361	209	880	551	453	427	29	22	296	255	329
188	LINTON	47,869	13,510	79	460	256	235	225	17	10	134	122	204
189	NEWMARKET	97,373	28,675	231	885	571	434	451	29	26	302	269	314
190	ELY	79,894	21,928	165	712	430	348	364	23	18	230	209	273
191	NORTH WITCHFORD	59,823	14,791	121	499	279	245	254	17	16	133	146	220
192	WHITTLESEY	25,131	6,966	50	216	143	106	110	6	3	71	72	73
193	WISBECH	131,585	33,323	261	1002	606	508	494	40	37	300	306	396

IV.—EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	14.—ESSEX.												
194	WEST HAM *ww*	19,477	59,319	452	2938	1553	1468	1470	51	61	782	771	1385
195	EPPING	46,452	16,549	88	601	314	298	303	11	8	174	140	287
196	ONGAR	47,465	11,317	50	353	187	183	170	11	11	103	84	166
197	ROMFORD	48,244	26,965	138	1036	564	505	531	23	20	283	281	472
198	ORSETT	45,597	11,595	67	410	186	204	206	9	12	106	80	224
199	BILLERICAY *wL*	50,845	15,031	81	436	324	225	211	15	11	186	138	112
200	CHELMSFORD	83,906	32,765	195	1038	593	542	496	19	29	315	278	445
201	ROCHFORD	107,846	18,282	129	671	352	321	350	19	13	180	172	319
202	MALDON	107,050	22,556	155	777	371	389	388	20	18	190	181	406
203	TENDRING	89,803	27,105	216	859	508	444	415	17	22	259	249	351
204	COLCHESTER *H*	11,200	23,815	207	798	554	413	385	25	27	285	269	244
205	LEXDEN	73,331	22,950	158	805	424	401	404	21	25	228	196	381
206	WITHAM	38,938	16,324	96	518	300	256	262	16	14	156	144	218
207	HALSTEAD	38,913	18,482	112	595	307	315	280	28	31	160	147	288
208	BRAINTREE	38,052	17,170	118	600	355	316	284	30	25	177	178	245
209	DUNMOW	72,594	19,759	92	618	337	316	302	28	22	169	168	281
210	SAFFRON WALDEN	62,630	19,721	132	609	364	319	290	19	14	182	182	245

IV.—EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	15.—SUFFOLK.												
211	RISBRIDGE	53,664	17,432	139	624	344	313	311	37	32	173	171	280
212	SUDBURY	78,302	31,415	195	1042	538	516	526	32	35	284	274	504
213	COSFORD	52,696	17,376	124	571	326	304	267	22	23	164	162	245
214	THINGOE	82,464	18,224	104	551	307	277	274	17	15	160	147	244
215	BURY ST. EDMUNDS *wH*	2,934	15,318	123	480	300	238	242	25	22	158	142	180
216	MILDENHALL	61,244	9,595	74	311	186	151	160	7	12	85	101	125
217	STOW	55,342	20,908	160	687	386	356	331	26	18	194	192	301
218	HARTISMERE	54,215	17,865	111	571	330	298	273	29	30	181	149	241
219	HOXNE	53,035	14,694	80	483	263	250	233	15	21	137	126	220
220	BOSMERE	57,399	16,174	108	492	273	235	257	12	16	134	139	219
221	SAMFORD	50,230	12,736	105	388	195	198	190	10	10	86	109	193
222	IPSWICH *H*	8,395	37,881	325	1362	853	678	684	32	44	447	406	509
223	WOODBRIDGE *L*	82,195	22,754	134	700	451	361	339	24	23	224	227	249
224	PLOMESGATE	75,064	20,720	122	610	341	326	284	24	26	187	154	269
225	BLYTHING	92,097	26,848	174	855	500	434	421	39	26	230	270	355
226	WANGFORD	35,079	13,619	86	406	254	204	202	28	19	135	119	152
227	MUTFORD	35,490	24,050	211	1011	648	494	517	22	20	322	326	363
	16.—NORFOLK.												
228	YARMOUTH *H*	1,510	30,338	415	1138	816	567	571	56	49	432	384	322
229	FLEGG	29,087	8,631	58	285	175	136	149	11	10	89	86	110
230	TUNSTEAD	62,607	14,516	100	463	260	234	229	31	17	135	125	203
231	ERPINGHAM	72,513	20,874	117	620	368	316	304	37	33	193	175	252
232	AYLSHAM	68,123	19,052	121	573	306	294	279	37	29	163	143	267
233	ST. FAITHS	48,304	11,298	71	355	202	183	172	18	20	98	104	153
234	NORWICH *H*	4,325	74,891	627	2537	1739	1244	1293	117	122	854	885	798
235	FOREHOE	37,854	12,818	83	352	235	180	172	16	18	117	118	117
236	HENSTEAD	43,358	11,290	56	343	189	177	166	10	16	100	89	154
237	BLOFIELD *L*	44,178	11,521	54	345	215	190	155	23	13	111	104	130
238	LODDON	59,401	14,242	105	416	249	230	186	21	23	119	130	167
239	DEPWADE	72,681	25,248	139	777	450	383	394	34	34	218	232	327
240	GUILTCROSS	44,585	11,541	65	344	213	173	171	19	17	111	102	131
241	WAYLAND	51,063	11,562	62	355	183	191	164	24	17	98	85	172
242	MITFORD	105,233	28,020	177	842	482	437	405	47	42	238	244	360
243	WALSINGHAM	87,342	21,118	138	632	372	337	295	44	26	171	201	260
244	DOCKING	101,136	17,596	113	572	344	278	294	29	33	164	180	228
245	FREEBRIDGE LYNN	78,775	13,486	94	467	242	226	241	25	28	121	121	225
246	KINGS LYNN *H*	5,499	16,701	123	499	360	242	257	24	30	132	178	139
247	DOWNHAM	83,687	20,264	156	727	355	386	341	41	32	192	163	372
248	SWAFFHAM	81,200	13,747	94	413	232	212	201	24	28	104	128	181
249	THETFORD	117,370	18,694	130	576	323	295	281	21	21	170	153	253

V.—SOUTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	17.—WILTSHIRE.												
250	HIGHWORTH	50,064	19,237	140	816	325	421	395	25	23	180	145	491
251	CRICKLADE	41,566	11,470	71	367	189	196	171	14	11	94	95	178
252	MALMSBURY	57,508	14,556	104	473	256	239	234	19	20	140	116	217
253	CHIPPENHAM	60,035	22,929	125	651	438	336	315	16	15	222	216	213
254	CALNE	28,610	8,885	61	244	136	127	117	7	7	54	82	108
255	MARLBOROUGH	42,092	9,774	75	304	192	152	152	7	14	102	90	112
256	DEVIZES *L*	63,491	21,680	129	606	475	328	278	35	20	244	231	131
257	MELKSHAM	17,768	17,233	130	587	444	299	288	11	18	223	221	143
258	BRADFORD-ON-AVON	18,800	10,475	56	316	217	178	138	7	7	88	129	99
259	WESTBURY	30,944	11,751	72	343	248	161	182	13	12	113	135	95
260	WARMINSTER	55,356	15,942	89	443	291	233	210	13	8	147	144	152
261	PEWSEY	65,650	12,466	84	376	186	188	188	9	11	94	92	190
262	AMESBURY	62,120	8,127	55	248	147	137	111	13	10	79	68	101
263	ALDERBURY *H*	52,660	14,770	105	433	323	211	222	7	12	167	156	110
264	SALISBURY	480	9,039	89	251	149	140	111	10	4	82	67	102
265	WILTON	55,304	10,674	82	335	165	153	182	12	9	87	78	170
266	TISBURY	40,494	9,862	70	319	217	159	160	11	17	112	105	102
267	MERE	33,211	8,057	67	260	127	136	124	8	11	69	58	133
	18.—DORSETSHIRE.												
268	SHAFTESBURY	36,493	12,366	84	423	234	198	225	11	5	105	129	189
269	STURMINSTER	37,934	10,340	80	324	209	152	172	6	10	100	109	115
270	BLANDFORD	57,271	14,821	103	465	256	246	219	16	16	132	124	209
271	WIMBORNE	81,163	17,253	106	516	277	246	270	18	24	142	135	239
272	POOLE	27,023	13,742	100	519	342	262	257	12	15	181	161	177
273	WAREHAM	96,309	17,072	107	543	288	267	276	23	15	151	137	255
274	WEYMOUTH	37,282	27,291	213	911	466	444	467	10	17	239	227	445
275	DORCHESTER *HL*	115,339	24,810	177	775	412	412	363	19	10	208	204	363
276	SHERBORNE	40,018	13,463	95	439	260	203	236	15	7	120	140	179
277	BEAMINSTER	53,764	13,587	82	413	223	214	199	13	15	109	114	190
278	BRIDPORT	33,187	16,823	138	596	298	316	280	17	27	139	159	298
	19.—DEVONSHIRE.												
279	AXMINSTER	61,733	19,758	129	595	354	304	291	15	19	176	178	241
280	HONITON	80,867	22,729	153	724	437	388	336	26	13	215	222	287
281	ST. THOMAS *L*	130,141	48,405	315	1426	944	737	689	31	33	473	471	482
282	EXETER *H*	1,800	33,742	442	1014	747	505	509	36	37	379	368	267
283	NEWTON ABBOT	117,396	59,063	473	2014	1269	1044	970	58	50	625	644	745
284	TOTNES	98,342	32,942	241	1086	715	579	507	33	22	338	377	371
285	KINGSBRIDGE	72,918	19,394	107	581	360	297	284	11	18	174	186	221
286	PLYMPTON ST. MARY	75,569	20,502	62	751	395	386	365	21	17	203	192	356
287	PLYMOUTH *H*	1,635	62,599	762	2385	1553	1190	1195	85	93	744	809	832
288	EAST STONEHOUSE	385	14,343	185	619	390	316	303	25	12	232	158	229
289	STOKE DAMEREL	2,380	50,440	518	1689	983	896	793	24	21	505	478	706

V.—SOUTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	19.—DEVONSHIRE—*cont.*												
290	TAVISTOCK	158,567	35,265	159	981	498	484	497	13	27	268	230	483
291	OKEHAMPTON	126,797	18,580	134	548	340	279	269	18	23	182	158	208
292	CREDITON	91,866	20,274	105	596	355	284	312	22	20	174	181	241
293	TIVERTON	103,212	30,875	201	876	545	436	440	25	29	253	292	331
294	SOUTH MOLTON	142,503	19,532	101	528	359	265	263	25	14	187	172	169
295	BARNSTAPLE *H*	149,729	36,293	257	1074	667	544	530	37	34	300	367	407
296	TORRINGTON	81,472	16,876	110	456	264	221	235	19	18	125	139	192
297	BIDEFORD	63,864	17,790	144	584	333	295	289	18	18	158	175	251
298	HOLSWORTHY	82,519	9,876	60	298	183	151	147	11	11	82	101	115
	20.—CORNWALL.												
299	STRATTON	54,406	8,028	57	252	143	111	141	14	6	81	62	109
300	CAMELFORD	51,847	7,784	60	252	124	142	110	13	13	68	56	128
301	LAUNCESTON	101,777	17,005	93	548	304	295	253	14	23	152	152	244
302	ST. GERMANS	47,148	17,631	67	563	377	269	294	13	15	195	182	186
303	LISKEARD	107,320	33,562	153	1131	580	559	572	28	30	310	270	551
304	BODMIN *L*	88,981	19,691	112	593	403	299	294	20	23	210	193	190
305	ST. COLUMB	78,693	16,754	111	532	339	279	253	26	14	160	179	193
306	ST. AUSTELL	57,446	33,797	184	1033	555	565	468	44	35	279	276	478
307	TRURO	92,211	43,070	264	1208	880	667	631	54	45	416	464	448
308	FALMOUTH	27,906	23,332	202	744	505	367	377	22	23	248	257	239
309	HELSTON	72,571	30,036	191	998	668	528	470	38	22	340	328	330
310	REDRUTH	40,305	57,173	338	1840	1226	954	886	69	65	623	603	614
311	PENZANCE	65,092	54,554	342	1739	1029	870	869	51	48	528	501	710
312	SCILLY ISLANDS	3,560	2,431	8	56	43	29	27	1	1	21	22	13
	21.—SOMERSETSHIRE.												
313*a*	WILLITON	109,202	19,918	81	502	342	258	244	10	16	189	153	160
313*b*	DULVERTON	57,906	6,158	33	175	100	96	79	3	6	45	55	75
314	WELLINGTON	60,454	20,480	121	587	334	315	272	17	14	168	166	253
315	TAUNTON *H*	70,452	35,601	264	970	630	517	453	40	27	330	300	340
316	BRIDGWATER	92,273	34,420	260	1083	600	551	532	26	16	297	303	483
317	LANGPORT	59,391	18,077	97	563	324	277	286	20	20	154	170	239
318	CHARD	60,342	25,591	139	839	487	420	419	28	26	238	249	352
319	YEOVIL	52,151	28,189	230	967	501	495	472	43	29	249	252	466
320	WINCANTON	66,120	21,500	145	654	363	330	324	20	26	186	177	291
321	FROME	51,239	23,704	177	752	502	370	382	18	17	264	238	250
322	SHEPTON MALLET	49,657	16,619	114	497	291	231	266	18	16	155	136	206
323	WELLS *L*	64,822	21,889	128	645	418	342	303	14	20	217	201	227
324	AXBRIDGE	105,679	36,106	262	1159	653	591	568	33	37	323	330	506
325	CLUTTON	47,026	23,721	101	804	420	392	412	22	20	222	198	384
326	BATH *HH*	30,321	68,336	654	1855	1461	949	906	45	54	709	752	294
327	KEYNSHAM	33,358	21,802	118	769	412	403	366	14	12	186	226	357
328	BEDMINSTER *H*	57,068	41,257	315	1767	932	912	855	38	44	443	489	835

VI.—WEST MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	22.—GLOUCESTERSHIRE.												
329	BRISTOL *HH*	1,840	66,027	1287	2246	1526	1168	1078	45	55	767	759	720
330	CLIFTON *vL*	29,475	94,687	735	3966	2297	2057	1909	80	66	1127	1170	1669
331	CHIPPING SODBURY	62,356	18,763	83	608	315	302	306	19	10	172	143	293
332	THORNBURY	65,840	16,499	75	521	242	280	241	20	16	123	119	279
333	DURSLEY	26,521	13,331	59	413	289	210	203	17	13	127	162	124
334	WESTBURY-ON-SEVERN	43,246	20,189	142	709	418	368	341	26	23	210	208	291
335	NEWENT	45,281	12,420	76	361	209	193	168	15	11	113	96	152
336	GLOUCESTER *HL*	32,222	34,950	390	1328	704	682	646	44	37	386	318	624
337	WHEATENHURST	24,471	7,813	46	225	133	116	109	6	6	78	55	92
338	STROUD	43,720	36,448	285	1254	746	621	633	29	26	354	392	508
339	TETBURY	25,641	6,110	36	172	112	93	74	5	2	62	50	60
340	CIRENCESTER	85,366	20,934	148	674	365	335	339	18	22	175	190	309
341	NORTHLEACH	67,647	10,895	65	338	199	191	147	12	10	93	106	139
342	STOW-ON-THE-WOLD	41,131	9,687	64	334	169	175	159	14	12	91	78	165
343	WINCHCOMB	57,194	10,982	62	291	191	148	143	12	10	100	91	100
344	CHELTENHAM *H*	24,876	49,792	403	1436	991	747	689	51	44	478	513	445
345	TEWKESBURY	38,918	14,908	94	457	267	234	223	20	24	128	139	190
	23.—HEREFORDSHIRE.												
346	LEDBURY	48,783	14,880	73	392	227	199	193	11	22	105	122	165
347	ROSS	55,568	16,306	73	536	302	278	258	23	14	154	148	234
348	HEREFORD *H*	144,991	39,287	306	1237	754	623	614	54	47	419	335	483
349	WEOBLY	48,959	9,018	52	250	134	108	142	15	10	74	60	116
350	BROMYARD	61,659	11,811	69	378	211	190	188	17	23	102	109	167
351	LEOMINSTER	65,620	15,494	107	442	258	241	201	36	13	123	135	184
	24.—SHROPSHIRE.												
352	LUDLOW	87,573	17,721	105	567	338	280	287	28	34	165	173	229
353	CLUN	82,886	10,615	51	331	219	172	159	25	22	104	115	112
354	CHURCH STRETTON	46,184	6,289	30	185	110	103	82	11	8	67	43	75
355	CLEOBURY MORTIMER	54,640	8,304	41	249	165	132	117	9	9	89	76	84
356	BRIDGNORTH *w*	69,896	15,920	100	451	237	220	231	14	12	125	112	214
357	SHIFFNAL	46,053	11,994	107	405	205	205	200	14	11	115	90	200
358	MADELEY	27,951	30,403	186	1145	607	581	564	63	43	317	290	538
359	ATCHAM	104,144	19,455	111	560	295	293	267	19	23	156	139	265
360	SHREWSBURY *HL*	18,032	25,784	230	836	633	419	417	39	38	332	301	203
361	OSWESTRY	77,048	23,817	154	814	471	401	413	32	36	251	220	343
362	ELLESMERE	71,081	14,611	61	392	249	205	187	19	25	138	111	143
363*a*	WEM	51,197	10,644	67	326	186	162	164	26	14	97	89	140
363*b*	WHITCHURCH	39,076	11,272	75	343	212	179	164	18	18	103	109	131
364	MARKET DRAYTON	67,910	14,260	88	414	251	224	190	23	20	132	119	163
365	WELLINGTON	33,528	23,873	186	993	481	497	496	54	46	250	231	512
366	NEWPORT	47,477	15,447	89	482	332	240	242	20	26	176	156	150

VI.—WEST MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	25.—STAFFORDSHIRE.												
367	STAFFORD *HL*	52,022	24,474	169	791	570	422	369	19	21	296	274	221
368	STONE	68,524	21,926	179	722	461	342	380	12	20	210	251	261
369	NEWCASTLE-UNDER-LYME	26,718	24,567	220	1078	764	549	529	43	22	446	318	314
370	WOLSTANTON	13,679	54,356	652	2872	1899	1436	1436	91	86	990	909	973
371	STOKE-UPON-TRENT *H*	10,490	71,308	759	3375	2492	1803	1772	123	128	1333	1159	1083
372	LEEK	72,893	24,805	178	954	617	509	445	47	47	318	299	337
373	CHEADLE	55,146	20,988	159	775	409	426	349	32	26	209	200	366
374	UTTOXETER	62,390	14,787	88	458	293	229	229	28	25	145	148	165
375	BURTON-UPON-TRENT *L*	90,652	41,065	347	2037	1004	1033	1034	51	51	532	472	1063
376	TAMWORTH	46,740	15,504	116	617	324	309	308	18	16	169	155	293
377	LICHFIELD	71,613	27,541	209	1008	552	496	512	24	33	278	274	456
378	PENKRIDGE	70,799	18,862	116	719	401	365	354	25	22	211	190	318
379	WOLVERHAMPTON *H*	53,900	126,802	977	5427	2727	2799	2628	169	155	1444	1283	2700
380	WALSALL	21,603	59,908	433	3039	1403	1556	1483	77	74	788	615	1636
381	WEST BROMWICH	19,364	92,480	899	4441	2057	2241	2200	109	108	1077	980	2384
382	DUDLEY	17,984	130,267	1435	6412	2813	3304	3108	185	188	1511	1302	3599
	26.—WORCESTERSHIRE.												
383	STOURBRIDGE	16,200	68,726	477	3055	1358	1562	1493	89	72	740	618	1697
384	KIDDERMINSTER	37,321	30,307	228	1043	624	537	506	28	28	346	278	419
385	TENBURY	35,941	7,366	48	250	123	131	119	13	10	64	59	127
386	MARTLEY	53,718	15,098	81	498	272	259	239	20	15	142	130	226
387	WORCESTER *H*	6,699	30,969	293	1136	746	566	570	36	46	378	368	390
388	UPTON-ON-SEVERN *L*	53,016	21,010	134	604	412	303	301	16	18	226	186	192
389	EVESHAM	46,609	14,767	104	515	301	283	232	31	18	149	152	214
390	PERSHORE	52,269	13,865	105	453	260	250	203	23	10	146	114	193
391	DROITWICH	55,225	19,237	187	659	359	357	302	24	15	195	164	300
392	BROMSGROVE	48,774	26,259	183	1012	595	511	501	45	35	287	308	417
393	KINGS NORTON	28,404	47,349	545	1906	970	969	937	38	31	488	482	936
	27.—WARWICKSHIRE.												
394	BIRMINGHAM *HH*	2,660	212,621	2049	8993	6164	4591	4402	223	199	3235	2929	2829
395	ASTON	31,273	100,522	908	5286	2856	2671	2615	97	95	1428	1428	2430
396	MERIDEN	48,618	11,290	59	322	191	143	179	11	14	99	92	131
397	ATHERSTONE	27,883	12,118	66	400	239	189	211	20	12	128	111	161
398	NUNEATON	20,428	13,054	97	436	304	212	224	12	11	137	167	132
399	FOLESHILL	19,389	19,997	137	666	397	327	339	20	18	174	223	269
400	COVENTRY *H*	5,489	41,647	339	1321	808	673	651	44	40	383	425	516
401	RUGBY	80,755	24,436	151	693	406	359	334	22	10	217	189	287
402	SOLIHULL	46,015	13,231	83	411	227	210	201	14	15	121	106	184
403	WARWICK *L*	66,639	44,047	336	1265	892	632	633	41	47	458	434	373
404	STRATFORD-ON-AVON	79,051	21,249	137	674	443	351	323	29	19	221	222	231
405	ALCESTER	52,430	16,878	96	598	325	297	301	14	19	165	160	273
406	SHIPSTON-ON-STOUR	78,899	19,852	112	627	390	321	306	28	24	202	188	237
407	SOUTHAM	50,409	10,392	62	318	198	178	140	12	9	94	104	120

VII.—NORTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	28.—LEICESTERSHIRE.												
408	LUTTERWORTH	59,031	15,515	72	422	263	212	210	18	15	126	137	159
409	MARKET HARBOROUGH	64,094	16,059	118	489	290	237	252	15	13	146	144	199
410	BILLESDON	50,721	7,272	43	179	96	106	73	7	5	51	45	83
411	BLABY	34,207	14,305	101	497	281	254	243	22	17	144	137	216
412	HINCKLEY	28,070	16,374	158	542	384	271	271	22	26	180	204	158
413	MARKET BOSWORTH	53,526	13,428	80	478	292	250	228	25	19	143	149	186
414	ASHBY-DE-LA-ZOUCH	51,952	28,543	237	1117	615	557	560	35	41	322	293	502
415	LOUGHBOROUGH	43,840	24,147	215	943	540	486	457	42	51	261	279	403
416	BARROW-UPON-SOAR	47,868	19,778	136	788	432	432	356	24	22	214	218	356
417	LEICESTER *HL*	8,960	68,056	932	3498	2121	1790	1708	99	93	1049	1072	1377
418	MELTON MOWBRAY	98,077	20,171	138	563	325	280	283	20	25	173	152	238
	29.—RUTLANDSHIRE.												
419	OAKHAM	55,030	11,112	96	374	215	196	178	13	18	112	103	159
420	UPPINGHAM	52,698	12,367	71	360	199	177	183	8	14	104	95	161
	30.—LINCOLNSHIRE.												
421	STAMFORD *H*	52,858	18,213	117	516	346	265	251	15	25	173	173	170
422	BOURN	90,644	20,113	157	656	350	346	310	25	22	197	153	306
423	SPALDING	86,471	22,129	170	753	417	376	377	46	33	204	213	336
424	HOLBEACH	107,299	18,402	137	623	295	313	310	23	25	158	137	328
425	BOSTON	125,547	37,969	301	1180	730	612	568	58	50	354	376	450
426	SLEAFORD	131,777	24,919	198	864	436	435	429	37	46	232	204	428
427	GRANTHAM	103,929	28,886	250	965	587	467	498	35	39	300	287	378
428	LINCOLN *HL*	158,920	47,063	409	1714	1021	900	814	61	64	526	495	693
429	HORNCASTLE	113,588	24,718	177	710	451	369	341	32	28	222	229	259
430	SPILSBY	140,269	28,709	211	874	565	451	423	42	42	316	249	309
431	LOUTH	170,708	34,711	261	1078	630	532	546	34	46	305	325	448
432	CAISTOR	183,164	37,517	352	1539	731	804	735	50	38	376	355	808
433	GLANFORD BRIGG	165,470	34,731	249	1217	663	626	591	42	46	336	327	554
434	GAINSBOROUGH	108,568	25,973	206	804	505	404	400	25	22	253	252	299
	31.—NOTTINGHAMSHIRE.												
435	EAST RETFORD	86,797	22,677	159	702	378	329	373	26	26	175	203	324
436	WORKSOP	80,850	20,704	151	831	421	425	406	25	25	218	203	410
437	MANSFIELD	55,960	30,593	271	1201	720	634	567	62	52	356	364	481
438	BASFORD	88,939	74,357	566	3210	1497	1678	1532	134	95	775	722	1713
439	RADFORD *L*	6,800	30,479	198	1016	677	539	477	44	47	336	341	339

VII.—NORTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	31.-NOTTINGHAMSH.-*cont.*												
440	NOTTINGHAM *H*	1,870	74,693	951	2507	1812	1241	1266	121	105	924	888	695
441	SOUTHWELL	117,134	24,425	144	654	424	328	326	31	19	219	205	230
442	NEWARK	94,202	30,186	234	981	537	514	467	35	40	287	270	444
443	BINGHAM	68,139	15,670	91	444	252	225	219	22	19	135	117	192
	32.—DERBYSHIRE.												
444	SHARDLOW	73,290	31,113	204	1055	610	555	500	37	35	315	295	445
445	DERBY *H*	2,970	51,049	654	2248	1341	1142	1106	85	70	674	667	907
446	BELPER	66,590	51,711	467	2039	1056	1030	1009	61	63	518	538	983
447	ASHBORNE	100,937	20,648	149	625	436	326	299	31	21	212	224	189
448	CHESTERFIELD	94,825	61,779	497	2966	1519	1511	1455	91	91	818	701	1447
449	BAKEWELL	107,905	31,378	188	950	639	466	484	31	31	339	300	311
450	CHAPEL-EN-LE-FRITH	63,248	14,020	94	541	265	256	285	16	19	136	129	276
451	HAYFIELD	48,855	32,176	213	997	696	507	490	25	24	362	334	301

VIII.—NORTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	33.—CHESHIRE.												
452	STOCKPORT *HL*	30,709	94,360	1043	3204	2315	1651	1553	92	96	1201	1114	889
453	MACCLESFIELD	81,561	61,543	441	1801	1292	901	900	87	72	608	684	509
454	ALTRINCHAM	73,665	40,517	278	1429	822	753	676	75	55	409	413	607
455	RUNCORN	45,776	26,792	187	1164	642	609	555	35	35	340	302	522
456	NORTHWICH *	63,748	33,070	269	1364	823	717	647	51	55	438	385	541
457	CONGLETON *	54,586	34,596	211	1131	729	591	540	42	54	341	338	402
458	NANTWICH	111,126	40,355	360	1860	963	941	919	64	68	515	448	897
459	GREAT BOUGHTON (CHESTER) *HL*	107,555	58,501	597	2072	1423	1011	1061	67	67	760	663	649
460*a*	WIRRAL	88,258	18,420	139	713	405	331	382	15	15	210	195	308
460*b*	BIRKENHEAD *H*	23,852	61,420	439	2966	1745	1503	1463	41	60	939	806	1221
	34.—LANCASHIRE.												
461	LIVERPOOL *HH*	2,220	269,742	3663	9793	8833	4971	4822	239	240	4678	4155	960
462	WEST DERBY *w*	50,567	225,845	2355	12373	7427	6465	6108	183	172	3811	3616	5146
463	PRESCOT *L*	56,859	73,127	606	3580	1843	1821	1759	69	70	981	862	1737
464	ORMSKIRK	111,968	46,252	350	1831	1251	910	921	73	73	641	620	570
465	WIGAN	47,018	94,561	963	4809	3853	2387	2422	243	262	2068	1785	956
466	WARRINGTON *L*	29,084	43,875	465	2037	1139	1025	1012	44	47	599	540	898
467	LEIGH	23,610	37,700	322	1498	976	764	734	76	70	454	522	522
468	BOLTON	43,896	130,269	1402	5807	3818	3012	2795	194	202	2046	1772	1989
469	BURY	32,990	101,135	951	3693	2509	1846	1847	166	123	1288	1221	1184
470	BARTON-UPON-IRWELL	23,279	33,038	337	1548	1012	808	740	35	41	491	521	536
471	CHORLTON	11,549	169,579	728	7451	5218	3793	3658	211	182	2689	2529	2233
472	SALFORD	4,330	105,385	856	4694	3375	2327	2367	134	144	1688	1687	1319
473	MANCHESTER *HL*	12,628	243,988	4336	9308	8423	4782	4526	285	270	4385	4038	885
474	ASHTON-UNDER-LYNE	38,857	134,753	1125	4716	3567	2400	2316	149	135	1818	1749	1149
475	OLDHAM	16,872	111,276	1103	4523	2928	2278	2245	135	117	1533	1395	1595
476	ROCHDALE	40,340	91,754	965	3428	2371	1745	1683	89	85	1261	1110	1057
477	HASLINGDEN	26,681	69,781	735	2691	1832	1364	1327	63	57	938	894	859
478	BURNLEY	54,126	75,595	736	2979	1894	1568	1411	124	107	983	911	1085
479	CLITHEROE	114,697	20,476	186	625	423	340	285	20	19	221	202	202
480	BLACKBURN	43,569	119,942	1327	5556	3424	2930	2626	134	118	1801	1623	2132
481	CHORLEY	52,213	41,678	329	1528	993	772	756	51	46	488	505	535
482	PRESTON	68,035	110,523	1079	4596	3193	2393	2203	181	150	1587	1606	1403
483	FYLDE	76,397	25,682	246	936	602	471	465	48	36	280	322	334
484	GARSTANG	62,617	12,425	68	354	238	186	168	14	7	121	117	116
485	LANCASTER *L*	138,746	35,297	283	1319	820	686	638	42	40	417	403	499
486	ULVERSTON	135,043	35,738	375	1944	971	1006	938	57	71	519	452	973

IX.—YORKSHIRE.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	35.—WEST RIDING.												
487	SEDBERGH	52,882	4,391	26	100	59	40	60	3	14	27	32	41
488	SETTLE	154,591	12,528	78	375	234	197	178	13	18	123	111	141
489	SKIPTON	157,073	31,343	273	918	696	463	455	38	29	356	340	222
490	PATELEY BRIDGE	74,275	9,534	49	300	195	150	150	11	8	94	101	105
491	RIPON	70,590	15,742	120	480	293	245	235	16	15	155	138	187
492*a*	GREAT OUSEBURN	51,808	11,534	45	337	198	171	166	14	15	101	97	139
492*b*	KNARESBOROUGH	39,942	17,176	148	559	403	284	275	36	19	198	205	156
492*c*	WETHERBY	30,546	6,486	31	176	108	86	90	7	12	54	54	68
492*d*	KIRKDEIGHTON	6,054	941	6	33	17	23	10	2	2	10	7	16
493*a*	OTLEY	43,254	18,669	126	651	430	343	308	20	9	216	214	221
493*b*	WHARFEDALE	30,798	15,453	148	637	374	333	304	21	19	178	196	263
494	KEIGHLEY	39,144	43,122	344	1616	1088	826	790	45	41	545	543	528
495	TODMORDEN	26,920	31,113	162	971	640	502	469	28	20	311	329	331
496	SADDLEWORTH	18,280	18,631	139	660	441	350	310	20	10	231	210	219
497	HUDDERSFIELD *H*	66,560	131,336	1109	5156	3042	2384	2472	192	187	1656	1386	2114
498	HALIFAX *H*	51,784	128,673	1440	5152	3319	2600	2552	154	125	1705	1614	1833
499	BRADFORD *H*	40,334	196,475	2226	8800	5510	4484	4316	287	283	2854	2656	3290
500*a*	KIRKSTALL	29,301	49,440	347	2434	1300	1230	1204	45	37	667	633	1134
500*b*	HUNSLET	1,100	25,763	225	1704	886	854	850	37	41	451	435	818
500*c*	HOLBECK	760	15,824	137	695	457	358	337	14	11	215	242	238
500*d*	BRAMLEY	3,451	11,391	30	558	296	282	276	17	14	155	141	262
501	LEEDS *HH*	2,100	117,566	1857	5590	3632	2875	2715	193	155	1891	1741	1958
502	DEWSBURY	24,456	92,883	1006	4618	2760	2345	2273	137	117	1443	1317	1858
503	WAKEFIELD *L*	41,028	54,899	571	2587	1550	1309	1278	69	66	831	719	1037
504*a*	PONTEFRACT	27,465	14,635	143	558	290	289	269	15	18	147	143	268
504*b*	HEMSWORTH	33,870	7,793	47	228	120	120	108	8	6	56	64	108
504*c*	CASTLEFORD	37,613	19,954	187	991	474	476	515	30	25	249	225	517

* See page 18, note *.

IX.—YORKSHIRE.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	35.—WEST RIDING—*cont.*												
505	BARNSLEY	35,376	45,797	415	2259	1522	1111	1148	89	90	960	562	737
506	WORTLEY	85,790	88,511	255	1623	840	837	786	68	64	443	397	783
507	ECCLESALL BIERLOW	20,860	63,618	305	3086	1625	1533	1553	66	69	862	763	1461
508	SHEFFIELD *H*	10,590	128,951	2194	6541	4108	3336	3205	189	166	2174	1934	2433
509	ROTHERHAM	50,591	44,350	419	2112	1197	1069	1043	54	55	632	565	915
510	DONCASTER	109,031	39,388	344	1548	900	769	779	45	37	476	424	648
511	THORNE	71,946	16,011	116	656	339	324	332	28	20	190	149	317
512	GOOLE	40,908	15,153	124	619	414	320	299	13	24	195	219	205
513	SELBY	56,014	16,001	110	599	325	300	299	23	36	169	156	274
514*a*	TADCASTER	21,999	5,996	35	177	106	92	85	8	8	55	51	71
514*b*	BRAMHAM	47,376	12,933	98	410	251	215	195	17	13	131	120	159
	36.—E. RIDING (*with York*).												
515	YORK *L*	82,912	59,909	595	1976	1361	1025	951	68	67	699	662	615
516	POCKLINGTON	107,636	16,710	81	471	272	246	225	31	18	148	124	199
517	HOWDEN	72,253	15,001	109	438	298	225	213	22	21	153	145	140
518	BEVERLEY	78,434	21,029	129	712	410	338	374	28	32	218	192	302
519	SCULCOATES	45,084	51,956	613	2316	1381	1201	1115	65	37	703	678	935
520	HULL *HL*	1,827	55,888	757	2212	1503	1131	1081	69	64	773	730	709
521	PATRINGTON	88,372	9,681	70	295	176	152	143	23	19	88	88	119
522	SKIRLAUGH	67,028	9,654	65	324	170	161	163	14	19	87	83	154
523	DRIFFIELD	105,114	19,226	147	638	401	312	326	33	33	195	206	237
524	BRIDLINGTON	67,984	14,371	102	514	257	272	242	29	32	145	112	257
	37.—NORTH RIDING.												
525	SCARBOROUGH	81,460	30,425	369	1293	757	663	630	30	63	381	376	536
526	MALTON	112,407	23,483	171	793	418	403	390	38	55	217	201	375
527	EASINGWOLD	63,603	10,148	75	280	166	157	123	10	9	89	77	114
528	THIRSK	62,444	12,299	78	367	259	168	199	13	21	122	137	108
529	HELMSLEY	131,516	11,832	64	394	242	217	177	30	21	110	132	152
530	PICKERING	88,032	10,549	97	446	234	234	212	35	24	121	113	212
531	WHITBY	90,371	23,633	174	875	550	449	426	20	24	269	281	325
532	GUISBROUGH	96,862	22,128	241	1314	664	652	662	32	43	322	342	650
533	STOKESLEY	79,345	10,381	65	348	190	192	156	10	6	96	94	158
534	NORTHALLERTON	68,342	12,174	73	388	253	178	210	24	15	116	137	135
535	BEDALE	45,588	8,650	47	256	156	136	120	9	12	80	76	100
536	LEYBURN	84,918	10,105	47	270	181	140	130	16	16	104	77	89
537	ASKRIGG	77,308	5,649	30	174	112	93	81	12	9	53	59	62
538	REETH	70,267	6,196	37	157	115	82	75	10	9	55	60	42
539	RICHMOND	78,569	13,457	85	341	259	170	171	11	15	129	130	82

X.—NORTHERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

	38.—DURHAM.												
540	DARLINGTON	62,952	26,122	315	1320	665	669	651	34	42	346	319	655
541*a*	STOCKTON *L*	101,358	57,099	622	3680	1910	1910	1770	105	97	986	924	1770
541*b*	HARTLEPOOL	26,369	29,153	299	1556	745	821	735	30	26	399	346	811
542	AUCKLAND	59,308	50,491	537	2856	1666	1495	1361	88	74	878	788	1190
543	TEESDALE	174,162	20,880	135	641	426	334	307	35	37	213	213	215
544	WEARDALE	90,533	16,418	138	704	417	362	342	32	31	205	212	287
545	DURHAM *H*	98,368	70,274	564	3194	2000	1632	1562	84	81	1002	998	1194
546	EASINGTON	38,493	27,293	229	1295	650	701	594	35	26	344	306	645
547	HOUGHTON-LE-SPRING	16,202	21,773	197	1009	539	493	516	25	32	274	265	470
548	CHESTER-LE-STREET	33,079	27,660	188	1381	841	725	656	34	42	455	386	540
549	SUNDERLAND	11,944	90,704	986	4128	2459	2143	1985	104	77	1279	1180	1669
550	SOUTH SHIELDS	15,477	44,849	468	2689	1731	1311	1378	36	52	864	867	958
551	GATESHEAD *L*	25,943	59,400	553	2909	1923	1530	1379	69	86	988	935	986
	39.—NORTHUMBERLAND.												
552	NEWCASTLE-UPON-TYNE *H*	7,102	110,968	1818	4955	3881	2540	2415	133	127	2057	1824	1074
553	TYNEMOUTH	39,737	77,955	707	3424	2432	1769	1655	81	91	1269	1163	992
554	CASTLE WARD	88,587	14,943	33	510	299	260	250	17	20	159	140	211
555	HEXHAM	198,586	31,850	182	1053	596	538	515	63	65	311	285	457
556	HALTWHISTLE	83,861	6,693	23	231	95	113	118	17	19	46	49	136
557	BELLINGHAM	235,861	7,080	42	220	146	105	115	14	12	77	69	74
558	MORPETH *L*	95,429	24,003	157	1044	729	528	516	35	45	376	353	315
559	ALNWICK	98,935	21,053	101	584	372	282	302	30	24	180	192	212
560	BELFORD	41,753	6,260	28	163	100	91	72	8	12	55	45	63
561	BERWICK	57,975	21,862	153	704	419	356	348	33	27	200	219	285
562	GLENDALE	142,305	13,211	61	366	214	197	169	21	10	113	101	152
563	ROTHBURY	159,168	7,147	28	205	97	105	100	15	13	42	55	108
	40.—CUMBERLAND.												
564	ALSTON	35,060	6,404	41	168	120	81	87	10	15	60	60	48
565	PENRITH	181,236	22,322	156	666	466	357	309	40	33	218	248	200
566	BRAMPTON	95,473	10,866	58	297	181	188	109	25	20	94	87	116
567	LONGTOWN	86,871	10,469	47	298	166	153	145	37	40	81	85	132
568	CARLISLE *HL*	70,810	44,820	327	1520	1279	796	724	59	82	617	662	241
569	WIGTON	176,529	23,273	145	672	450	334	338	51	39	214	236	222
570	COCKERMOUTH	156,025	41,292	339	1713	1162	889	824	98	99	558	604	551
571	WHITEHAVEN	99,203	39,550	385	1811	1141	931	880	74	77	576	565	670
572	BOOTLE	100,066	5,880	55	256	166	133	123	15	8	94	72	90
	41.—WESTMORLAND.												
573	EAST WARD	177,910	15,411	73	411	244	193	218	27	31	103	141	167
574	WEST WARD	120,523	8,072	49	244	154	126	118	19	13	74	80	90
575	KENDAL	189,134	37,463	256	1234	783	659	575	73	59	395	388	451

XI.—MONMOUTHSHIRE AND WALES.—MARRIAGES, BIRTHS, AND DEATHS, 1867—DISTRICTS.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	42.—MONMOUTHSHIRE.												
576	Chepstow	81,255	17,941	91	537	365	298	239	16	14	185	180	172
577	Monmouth	101,791	30,244	213	998	617	504	494	34	35	325	292	381
578*a*	Abergavenny *L*	60,178	19,527	144	735	454	383	372	30	17	249	205	301
578*b*	Bedwelty	27,998	47,565	369	2084	1132	1038	1046	47	51	621	511	952
579	Pontypool	51,429	30,288	307	1294	667	684	610	18	20	344	323	627
580	Newport *H*	110,255	51,412	577	2059	1138	980	1079	44	41	576	562	921
	43.—SOUTH WALES.												
	GLAMORGANSHIRE.												
581*a*	Cardiff *H*	82,198	58,285	674	2615	1483	1369	1246	49	46	821	662	1132
581*b*	Pontypridd	78,496	30,387	360	1917	1014	993	924	42	36	533	481	903
582	Merthyr Tydfil	69,989	93,008	924	4318	2279	2199	2119	92	91	1246	1033	2039
583	Bridgend	109,511	26,465	236	1046	636	539	507	29	19	348	288	410
584	Neath *L*	162,817	58,533	505	2550	1194	1319	1231	63	41	663	531	1356
585*a*	Swansea *H*	44,166	51,260	613	2355	1106	1202	1153	36	39	604	502	1249
585*b*	Gower	59,603	8,316	64	254	153	129	125	3	4	71	82	101
	CARMARTHENSHIRE.												
586	Llanelly	73,451	27,979	279	1262	605	641	621	40	34	330	275	657
587	Llandovery	154,572	14,775	105	436	288	235	201	20	15	151	137	148
588	Llandilofawr	97,207	17,222	122	534	309	280	254	20	14	140	169	225
589	Carmarthen *H*	172,546	36,675	272	1064	736	551	513	50	46	360	376	328
	PEMBROKESHIRE.												
590	Narberth	124,903	21,344	134	615	408	313	302	27	30	202	206	207
591	Pembroke	70,276	29,003	244	1013	612	497	516	39	44	319	293	401
592	Haverfordwest	170,861	37,343	257	1066	788	535	531	62	61	378	410	278
	CARDIGANSHIRE.												
593	Cardigan	85,481	18,585	114	442	335	228	214	18	15	142	193	107
594	Newcastle-in-Emlyn	113,346	19,081	106	574	319	290	284	33	36	145	174	255
595	Lampeter	75,710	9,994	51	278	151	136	142	14	6	71	80	127
596	Aberayron	65,704	13,540	95	413	255	218	195	15	24	133	122	158
597	Aberystwith	132,592	25,464	203	919	484	462	457	24	32	243	241	435
598	Tregaron	122,050	10,737	75	315	182	161	154	28	17	92	90	133
	BRECKNOCKSHIRE.												
599	Builth	102,953	8,305	59	262	175	128	134	13	14	89	86	87
600	Brecknock	196,793	17,279	110	537	300	272	265	22	19	156	144	237
601	Crickhowell	53,692	22,457	164	707	432	375	332	23	21	217	215	275
602	Hay	89,695	10,819	80	349	252	167	182	22	14	125	127	97
	RADNORSHIRE.												
603	Presteigne	104,963	15,671	108	481	298	251	230	16	22	153	145	183
604	Knighton	97,492	10,379	52	331	194	179	152	34	28	114	80	137
605	Rhayader	105,532	6,816	32	206	126	99	107	16	23	70	56	80
	44.—NORTH WALES.												
	MONTGOMERYSHIRE.												
606	Machynlleth	116,647	12,395	108	439	273	222	217	18	27	135	138	166
607	Newtown	189,537	23,732	175	720	523	384	336	44	34	265	258	197
608	Montgomery	74,067	19,097	133	570	360	301	269	29	21	181	179	210
609	Llanfyllin	187,870	21,699	110	668	410	350	318	50	35	204	206	258
	FLINTSHIRE.												
610	Holywell	89,479	39,941	243	1445	1001	764	681	40	35	520	481	444
	DENBIGHSHIRE.												
611	Wrexham	78,592	47,975	428	2066	1076	1064	1002	64	40	589	487	990
612	Ruthin	92,353	16,083	91	452	280	233	219	18	21	140	140	172
613	St. Asaph *L*	93,334	27,518	188	821	677	425	396	30	33	345	332	144
614	Llanrwst	100,631	12,770	90	399	245	189	210	16	13	123	122	154
	MERIONETHSHIRE.												
615	Corwen	123,807	16,107	106	481	323	223	238	19	21	168	155	158
616	Bala	58,292	6,352	45	173	134	81	92	10	8	64	70	39
617	Dolgelly	145,213	12,482	106	424	295	229	195	22	17	149	146	129
618	Festiniog	138,714	18,289	158	865	498	423	442	30	38	257	241	367
	CARNARVONSHIRE.												
619	Pwllheli	93,319	20,908	116	568	433	300	268	40	42	180	253	135
620	Carnarvon	97,035	32,425	302	1220	976	635	585	41	38	488	488	244
621	Bangor	108,280	36,309	293	1094	750	546	548	34	31	402	348	344
622	Conway	57,131	13,896	86	500	288	255	245	18	17	148	140	212
	ANGLESEY.												
623*	Anglesey	123,082	33,157	208	935	785	485	450	50	44	384	401	150

* *See* note, page 24.

I.—LONDON.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

No.	SUB-DISTRICTS.*	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.‡
				BIRTHS.	DEATHS.†	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	MIDDLESEX (*part of*).											
	1.—KENSINGTON.											
1	St. Mary Paddington *WH*	795	39015	1882	1180	997	885	47	29	593	587	702
2	St. John Paddington *H*	450	36769	753	629	381	372	15	8	338	291	124
3	Kensington Town *W*	1244	51910	2601	1489	1342	1259	70	82	687	802	1112
4	Brompton *H*	698	18198	620	539	305	315	18	8	252	287	81
5	St. Peter Hammersmith	203	5415	229	138	98	131	5	3	68	70	91
6	St. Paul Hammersmith *H*	2118	19104	958	560	495	463	12	6	250	310	398
7	Fulham *W*	1834	15539	875	532	438	437	26	17	280	252	343
	2.—CHELSEA.											
1	Chelsea South *H*	368	21654	843	552	439	404	9	16	300	252	291
2	Chelsea North-West *WoH*	213	19899	813	644	420	393	39	27	282	362	169
3	Chelsea North-East	284	21886	746	372	396	350	14	7	174	198	374
	3.—ST. GEORGE HANOVER SQUARE.											
1	Hanover Square	445	19773	408	273	220	188	5	1	144	129	135
2	May Fair *W*	136	12885	272	238	134	138	18	21	133	105	34
3	Belgrave *H*	580	55113	1719	1309	898	821	26	28	686	623	410
	4.—WESTMINSTER.											
1	St. John	260	37483	1463	854	743	720	23	17	446	408	609
2	St. Margaret *WH*	657	30730	828	938	413	415	46	51	484	454	−110
	5. ST. MARTIN-IN-THE-FIELDS.											
1	Charing Cross *WH*	263	11071	218	294	114	104	14	11	174	120	−76
2	Long Acre	42	11618	376	250	186	190	4	4	110	140	126
	6.—ST. JAMES WESTMINSTER.											
1	Berwick Street	25	10607	337	221	164	173	4	4	119	102	116
2	St. James's Square	85	10753	199	143	107	92	3	2	89	54	56
3	Golden Square *W*	54	13966	384	353	192	192	20	17	175	178	31
	7.—MARYLEBONE.											
1	All Souls *H*	112	29952	918	831	443	475	22	24	429	402	87
2	Cavendish Square	113	15090	332	211	160	172	2	5	115	96	121
3	Rectory *W*	116	26692	985	1125	487	498	131	117	562	563	−140
4	St. Mary	108	22493	1080	464	538	542	147	121	213	251	616
5	Christchurch	518	34913	1122	820	545	577	27	23	417	403	302
6	St. John	542	32540	946	674	493	453	11	17	317	357	272
	8.—HAMPSTEAD.											
1	Hampstead *WH*	2252	19106	714	411	355	359	13	12	208	203	303
	9.—PANCRAS.											
1	Regent's Park	427	34927	1205	660	647	558	12	10	314	346	545
2	Tottenham Court *wH*	145	29371	907	864	474	433	34	30	479	385	43
3	Gray's Inn Lane *H*	155	27808	853	613	437	416	12	13	308	305	240
4	Somers Town	184	39099	1382	721	703	679	16	20	378	343	661
5	Camden Town *W*	171	23266	819	846	450	369	114	61	434	412	−27
6	Kentish Town	1634	44317	2340	1147	1181	1159	25	31	572	575	1193
	10.—ISLINGTON.											
1	Islington West *WHHH*	1228	75442	3651	2446	1871	1780	101	99	1274	1172	1205
2	Islington East *Wo*	1899	79899	3740	2063	1971	1769	59	47	1020	1043	1677
	11.—HACKNEY.											
1	Stoke Newington	639	6608	207	116	102	105	2	3	61	55	91
2	Stamford Hill	615	5483	168	92	96	72	3	2	46	46	76
3	West Hackney	472	24265	943	468	435	508	12	12	209	259	475
4	Hackney *WoH*	1731	31481	1531	1093	789	742	42	38	561	532	438
5	South Hackney *L*	472	15458	1040	499	521	519	5	4	256	243	541
	12.—ST. GILES.											
1	St. George Bloomsbury	122	17392	459	359	258	201	9	7	184	175	100
2	St. Giles South *W*	63	19483	978	700	491	487	41	47	343	357	278
3	St. Giles North	60	17201	490	376	243	247	6	6	188	188	114
	13.—STRAND.											
1	St. Anne Soho	53	17426	518	369	259	259	17	9	196	173	149
2	St. Mary-le-Strand	67	10346	256	177	135	121	7	4	95	82	79
3	St. Clement Danes *H*	52	15207	476	449	237	239	13	13	264	185	27

* The Sub-districts are sub-divisions of the Districts, and comprise the Parishes or Places in which the Births and Deaths are registered by Registrars severally appointed for that purpose. The letter *W* denotes that the Sub-district contains within its limits a Workhouse belonging to the District or Union; *w* indicates that a Workhouse belonging to *another* District or Union is included; *H* indicates Hospital or Infirmary; and *L* Lunatic Asylum.

† For the number of Deaths in the Hospitals, Workhouses, and other principal Public Institutions in London, see pp. 83-4.

‡ Wherever the minus sign (−) is prefixed to the numbers given in the Column headed "Excess of Births over Deaths," it denotes that the Births in the Sub-district, instead of exceeding the Deaths, were, in fact, *less than the Deaths* to the extent stated. The Excess of *Deaths* over Births in several of the Sub-districts of London is attributable to the mortality in Hospitals.

I.—LONDON.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	MIDDLESEX (*part of*)—*cont.*											
	14.—HOLBORN.											
1	St. George-the-Martyr *H*	103	19903	608	514	313	295	7	5	266	248	94
2	St. Andrew Eastern *W*	33	12947	429	463	212	217	21	29	245	218	−34
3	Saffron Hill	60	12012	304	221	161	143	10	6	112	109	83
	15.—CLERKENWELL.											
1	St. James *W*	74	19152	790	592	430	360	39	36	282	310	198
2	Amwell	82	17250	569	344	274	295	5	9	186	158	225
3	Pentonville	134	13079	494	248	241	253	8	7	123	125	246
4	Goswell Street	90	16200	615	330	322	293	7	3	170	160	285
	16.—ST. LUKE.											
1	Old Street	52	11504	465	255	239	226	5	3	125	130	210
2	City Road *HL*	77	17860	1138	416	601	537	11	7	202	214	722
3	Whitecross Street	33	14778	576	348	280	296	9	8	164	184	228
4	Finsbury	58	12931	383	254	197	186	3	6	137	117	129
	17.—EAST LONDON.											
1	St. Botolph	85	20999	520	358	283	237	5	5	170	188	162
2	Cripplegate	68	19697	434	312	223	211	7	1	167	145	122
	18.—WEST LONDON.											
1	West London North* *WH*	47	11750	248	731	124	124	2	3	449	232	−483
2	West London South	91	15395	360	289	184	176	9	6	151	138	71
	19.—LONDON CITY.											
1	London City South-west	67	7762	152	105	81	71	1	1	54	51	47
2	London City North-west	72	9020	128	103	65	63	1	1	54	49	25
3	London City South	100	8570	139	105	60	79	3	3	54	51	34
4	London City South-east	103	8659	132	118	61	71	3	3	65	53	14
5	London City North-east	92	11544	191	132	96	95	–	2	67	65	59
	20.—SHOREDITCH.											
1	Holywell	68	17313	456	259	236	220	4	8	129	130	197
2	St. Leonard *L*	75	19188	723	365	360	363	13	7	179	187	358
3	Hoxton New Town *w*	130	26516	1199	754	599	600	46	43	394	360	445
4	Hoxton Old Town	116	25777	1117	494	576	541	15	8	244	250	623
5	Haggerstone West *W*	132	23260	1055	732	544	511	55	27	342	390	323
6	Haggerstone East	125	17310	848	369	440	408	2	6	194	175	479
	21.—BETHNAL GREEN.											
1	Hackney Road	141	26298	1321	609	667	654	13	14	311	298	712
2	Green *WHL*	391	31789	1800	1240	953	847	49	33	643	597	560
3	Church	132	25528	1070	506	539	531	7	8	260	246	564
4	Town	96	21486	944	423	483	461	1	7	245	178	521
	22.—WHITECHAPEL.											
1	Artillery	25	6557	194	119	109	85	1	–	64	55	75
2	Spitalfields	53	15700	501	315	284	217	6	3	179	136	186
3	Mile End New Town *W*	64	15392	644	637	314	330	33	32	347	290	7
4	Whitechapel North	58	12122	459	260	226	224	3	2	143	117	199
5	Whitechapel Church* *H*	47	8062	289	629	143	146	1	4	392	237	−340
6	Goodman's Fields	51	11166	386	205	187	199	2	4	100	105	181
7	Aldgate	108	9971	237	185	132	105	1	1	92	93	52
	23.—ST. GEORGE-IN-THE-EAST.											
1	St. Mary	62	18181	699	391	363	336	3	8	207	184	308
2	St. Paul	84	21015	803	446	410	393	11	5	212	234	357
3	St. John *W*	97	9695	432	401	206	226	33	36	179	222	31
	24 *a*.—STEPNEY.											
1	Shadwell *W*	179	12537	361	260	192	169	3	2	153	107	101
2	Ratcliff *W*	132	16874	542	336	283	259	3	3	175	161	206
3	Limehouse *W*	265	27161	1127	580	564	563	10	7	297	283	547
	24 *b*. MILE END OLD TOWN.											
1	Mile End Old Town Western	191	33747	1524	828	760	764	8	14	414	414	696
2	Mile End Old Town Eastern *Ww*	490	39317	1904	1056	1023	971	25	28	527	529	938
	25.—POPLAR.											
1	Bow *wvL*	1428	35667	2454	1284	1237	1217	43	31	685	599	1170
2	Poplar *W*	1490	43529	2157	1192	1075	1082	31	29	615	577	965
	SURREY (*part of*).											
	26.—ST. SAVIOUR SOUTHWARK.											
1	Christchurch *W*	95	17069	555	415	278	277	12	17	208	212	140
2	St. Saviour *H*	155	19101	524	408	251	273	3	7	198	210	116
	27.—ST. OLAVE SOUTHWARK.											
1	St. Olave* *H*	75	7063	120	592	53	67	2	2	370	222	−472
2	St. John Horsleydown *W*	94	11393	378	269	171	202	7	12	135	134	104

* The Excess of *Deaths* over Births in these Sub-districts is attributable to the fact of Hospitals for the sick being situated in them. For the number of Deaths in Hospitals, &c. in London, see Table pp. 83-4.

I.—LONDON.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	SURREY (*part of*)—*cont.*											
	28.—BERMONDSEY.											
1	St. James	454	25154	1778	693	908	870	19	8	358	335	1085
2	St. Mary Magdalen *W*	142	16505	688	475	354	334	15	18	243	232	213
3	Leather Market	92	16696	673	376	340	333	4	4	205	171	297
	29.—ST. GEORGE SOUTHWARK.											
1	Kent-road	105	19652	737	435	376	361	10	7	204	231	302
2	Borough-road *W*	65	16668	677	510	345	332	25	35	293	217	167
3	London-road *L*	112	19190	695	441	367	328	8	10	246	195	254
	30.—NEWINGTON.											
1	Trinity Newington	142	22675	899	427	453	446	12	8	215	212	472
2	St. Peter Walworth *W*	321	44463	1973	1069	1005	968	43	48	550	519	904
3	St. Mary *H*	161	15082	558	480	259	299	5	5	285	195	78
	31.—LAMBETH.											
1	Waterloo-road First	91	15269	598	319	297	301	7	7	158	161	279
2	Waterloo-road Second	142	18640	995	470	525	470	38	28	257	213	525
3	Lambeth Church First	206	19839	813	418	422	391	11	10	204	214	395
4	Lambeth Church Second *W*	186	29542	1412	1027	746	666	63	41	517	510	385
5	Kennington First	459	30782	1426	772	734	692	14	11	395	377	654
6	Kennington Second	510	20440	848	434	447	401	11	10	205	229	414
7	Brixton	1445	20067	903	428	451	452	6	9	196	232	475
8	Norwood *W*	976	7462	400	193	196	204	4	8	92	101	207
	32.—WANDSWORTH.											
1	Clapham	1233	20894	775	454	397	378	8	7	212	242	321
2	Battersea *W*	2343	19600	1764	880	924	840	53	53	443	437	884
3	Wandsworth *L*	2478	13346	570	330	289	301	4	7	156	174	240
4	Putney	2176	6481	210	127	109	101	1	2	62	65	83
5	Streatham	3465	10082	303	160	156	147	4	2	84	76	143
	33.—CAMBERWELL.											
1	Dulwich	1423	1723	61	33	33	28	–	–	17	16	28
2	Camberwell *WLL*	1339	21297	866	674	441	425	23	25	343	331	192
3	Peckham	1146	28135	1333	745	668	665	13	19	381	364	588
4	St. George	434	20333	1181	613	640	541	19	22	301	312	568
	34.—ROTHERHITHE.											
1	Rotherhithe *W*	886	24502	1020	577	539	481	14	14	306	271	443
	KENT (*part of*).											
	35.—GREENWICH.											
1	St. Paul Deptford	1609	37834	1982	969	1009	973	13	20	463	506	1013
2	St. Nicholas Deptford	149	8139	292	159	150	142	5	4	85	74	133
3	Greenwich West *H*	326	21696	771	554	373	398	7	15	331	223	217
4	Greenwich East* *WH*	1687	18306	673	584	341	332	25	30	328	256	89
5	Woolwich Dockyard *H*	495	22919	761	436	399	362	10	6	218	218	325
6	Woolwich Arsenal *H*	1101	18776	837	395	440	397	5	6	208	187	442
	36.—LEWISHAM.											
1	Plumstead and Charlton	5057	32974	1510	677	787	723	14	14	353	324	833
2	Eltham	4350	3009	141	43	76	65	1	1	19	24	98
3	Lee	2399	11807	400	215	206	194	2	–	127	88	185
4	Lewisham Village *W*	5418	7372	383	198	197	186	8	14	107	91	185
5	Sydenham		10595	627	235	321	306	10	7	113	122	392

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

	1.—SURREY (*extra-metropolitan*).											
	37.—EPSOM.											
1	Carshalton *w*	12119	8341	341	174	176	165	2	2	88	86	167
2	Epsom *W*	12377	7908	238	171	119	119	16	6	94	77	67
3	Leatherhead	16684	6160	171	98	85	86	2	2	47	51	73
	38.—CHERTSEY.											
1	Walton	8126	5613	160	105	83	77	3	2	55	50	55
2	Chertsey *W*	14165	7740	266	198	124	142	11	11	109	89	68
3	Chobham	21250	5289	192	76	93	99	3	3	38	38	116
	39.—GUILDFORD.											
1	Woking *H*	19051	6171	210	134	105	105	2	6	97	37	76
2	Ripley	8823	2591	94	28	50	44	1	1	13	15	66
3	Albury	19760	4453	132	65	51	81	2	6	40	25	67
4	Guildford *W*	5329	9643	296	231	135	161	11	14	136	95	65
5	Godalming	12629	6472	177	104	103	74	6	3	60	44	73

* Greenwich Hospital and the Union Workhouse are situated in this Sub-district. For the number of Deaths in those institutions see Table pp. 83-4.

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	1.—SURREY (*extra-metropolitan*) —*continued.*											
	40.—FARNHAM.											
1	Frimley	11649	19403	655	221	318	337	12	4	129	92	434
2	Farnham *W*	19548	11304	356	218	191	165	7	10	97	121	138
	41.—FARNBOROUGH.											
1	Farnborough *W*	24142	11190	217	107	111	106	4	2	66	41	110
2	Headley *W*	15429	3128	105	55	52	53	3	2	30	25	50
	42.—HAMBLEDON.											
1	Witley *W*	28157	6354	215	112	111	104	6	5	59	53	103
2	Cranley	32194	7553	238	110	118	120	5	5	57	53	128
	43.—DORKING.											
1	Capel	23989	4094	135	62	69	66	2	3	28	34	73
2	Dorking *W*	16017	8351	288	147	139	149	7	6	83	64	141
	44.—REIGATE.											
1	Reigate *WL*	22726	13704	615	308	314	301	19	9	168	140	307
2	Horley	28550	6405	237	94	117	120	6	3	56	38	143
	45.—GODSTONE.											
1	Godstone *W*	43848	9642	360	178	161	199	9	5	88	90	182
	46.—CROYDON.											
1	Croydon *Ww*	21209	37093	2150	1033	1102	1048	40	36	526	507	1117
2	Mitcham *w*	11594	9381	376	221	196	180	6	6	110	111	155
	47.—KINGSTON.											
1	Wimbledon	3700	4644	246	122	120	126	2	4	63	59	124
2	Kingston *W*	6037	18112	835	415	375	460	18	20	213	202	420
3	Esher	8440	7185	235	149	112	123	3	3	71	78	86
4	Hampton	4310	6588	275	133	138	137	2	4	75	58	142
	48.—RICHMOND.											
1	Richmond *W*	2120	12665	473	307	244	229	22	10	154	153	166
2	Mortlake	2219	6137	248	162	125	123	2	3	75	87	86
	2.—KENT (*extra-metropolitan*).											
	49.—BROMLEY.											
1	Bromley	23118	11755	604	237	294	310	7	8	112	125	367
2	Chislehurst *W*	16809	8613	391	208	180	211	7	7	109	99	183
	50.—DARTFORD.											
1	Bexley	12969	13026	704	297	350	354	15	11	166	131	407
2	Dartford *W*	17575	13180	543	349	274	269	10	12	191	158	194
3	Farningham	22465	6110	203	80	99	104	5	7	42	38	123
	51.—GRAVESEND.											
1	Gravesend *W*	1541	18782	692	460	324	368	18	16	227	233	232
	52.—NORTH AYLESFORD.											
1	Northfleet	21687	9600	347	142	180	167	7	4	71	71	205
2	Strood *W*	20045	9521	435	202	232	203	17	9	114	88	233
	53.—HOO.											
1	Hoo *W*	33281	2861	137	52	64	73	4	5	28	24	85
	54.—MEDWAY.											
1	Rochester	3120	17550	584	408	294	290	3	9	212	196	176
2	Gillingham *W*	11445	34255	1496	943	758	738	19	29	504	439	553
	55.—MALLING.											
1	Aylesford	19208	8036	404	157	213	191	15	5	84	73	247
2	East Peckham *W*	12007	7554	292	184	152	140	15	20	107	77	108
3	Wrotham	16183	5857	183	109	95	88	4	7	56	53	74
	56.—SEVENOAKS.											
1	Shoreham	19290	5183	187	80	94	93	5	4	44	36	107
2	Sevenoaks *W*	20173	9568	347	162	187	160	13	10	90	72	185
3	Penshurst	28025	7288	271	113	141	130	6	3	57	56	158
	57.—TUNBRIDGE.											
1	Tunbridge Wells *H*	20401	17656	639	346	362	327	9	12	164	182	343
2	Tunbridge *W*		11129	461	288	233	228	26	23	149	139	173
3	Brenchley	15778	5486	219	121	101	118	1	10	61	60	98

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	2.—KENT (*extra-metrop.*)—*cont.*											
	58.—MAIDSTONE.											
1	Yalding	10807	4882	139	74	80	79	5	5	44	30	85
2	Marden *W*	15317	4905	201	167	110	91	13	15	89	78	34
3	Loose *W*	7916	5867	180	106	97	83	8	2	53	53	74
4	West Maidstone *L*	2056	10907	381	263	199	182	12	10	134	129	118
5	East Maidstone *H*	1986	12109	486	300	250	236	15	21	150	150	186
	59.—HOLLINGBOURN.											
1	Hollingbourn *W*	22026	4690	177	98	79	98	2	13	64	34	79
2	Lenham	16142	3608	122	53	68	54	5	3	26	27	69
3	Headcorn	18849	5286	207	112	110	97	3	5	57	55	95
	60.—CRANBROOK.											
1	Cranbrook *W*	19688	6688	214	122	105	109	3	8	66	56	92
2	Hawkhurst	20561	6724	219	86	99	120	6	7	50	36	133
	61.—TENTERDEN.											
1	Rolvenden	20517	4331	107	50	55	52	6	3	26	24	57
2	Tenterden *W*	26372	6616	206	83	102	104	6	6	44	39	123
	62.—WEST ASHFORD.											
1	Calehill *W*	22535	5311	185	92	101	84	8	3	51	41	93
2	Ashford	19366	9826	390	194	203	187	8	6	98	96	196
	63.—EAST ASHFORD.											
1	Aldington	16127	2487	75	33	44	31	1	1	13	20	42
2	Braybourne *W*	11035	4032	153	90	83	70	7	3	46	44	63
3	Wye	27336	5767	197	104	119	78	5	5	43	56	93
	64.—BRIDGE.											
1	Chartham	18523	5020	152	85	82	70	3	4	38	47	67
2	Barham *W*	22871	6296	198	104	92	106	6	7	58	46	94
	65.—CANTERBURY.											
1	Canterbury *WH*	3121	16643	559	375	266	293	17	22	188	187	184
	66.—BLEAN.											
1	Sturry	9791	6467	188	116	98	90	5	5	57	59	72
2	Herne *W*	13887	4473	176	102	94	82	5	8	59	43	74
3	Whitstable	8543	5221	259	96	125	134	1	2	46	50	163
	67.—FAVERSHAM.											
1	Boughton	22200	5333	192	89	103	89	7	6	46	43	103
2	Faversham *W*	8371	9473	477	249	246	231	6	5	132	117	228
3	Teynham	15877	4061	170	71	85	85	1	1	42	29	99
	68.—MILTON.											
1	Milton *W*	35409	14775	813	381	415	398	15	21	210	171	432
	69.—SHEPPEY.											
1	Minster *WH*	11535	16937	690	376	330	360	10	8	180	196	314
2	Eastchurch	19548	1557	72	31	43	29	–	2	15	16	41
	70.—THANET.											
1	Minster *W*	17063	3836	137	125	67	70	11	9	70	55	12
2	Margate *HH*	4572	10019	313	261	156	157	5	5	130	131	52
3	Ramsgate	8098	18007	573	352	302	271	17	9	190	162	221
	71.—EASTRY.											
1	Sandwich *W*	24870	8759	297	182	147	150	7	16	105	77	115
2	Wingham	8447	2878	80	50	41	39	1	3	31	19	30
3	Eythorn	8639	2158	59	29	29	30	–	1	13	16	30
4	Deal	8754	12105	411	241	208	203	8	10	132	109	170
	72.—DOVER.											
1	St. James	9935	12419	423	255	222	201	3	2	135	120	168
2	St. Mary	125	10914	312	218	156	156	8	8	125	93	94
3	Hougham *W*	19821	8238	301	208	155	146	15	16	128	80	93
	73.—ELHAM.											
1	Folkestone	7072	17345	542	325	277	265	10	14	157	168	217
2	Elham *W*	20916	3841	134	80	70	64	6	4	44	36	54
3	Hythe	15209	5743	194	92	112	82	8	2	59	33	102
	74.—ROMNEY MARSH.											
1	New Romney *W*	20671	2882	97	61	46	51	2	–	34	27	36
2	Lydd	26114	2826	116	22	59	57	1	5	11	11	94

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	3.—SUSSEX.											
	75.—RYE.											
1	Rye *W*	16296	6353	233	125	132	101	9	12	67	58	108
2	Beckley	23073	5574	161	95	74	87	3	5	46	49	66
	76.—HASTINGS.											
1	Ore *W*	11372	3188	151	91	76	75	12	6	42	49	60
2	All Saints	585	7559	273	197	146	127	5	5	112	85	76
3	St. Mary-in-the-Castle *H*	2070	15884	560	389	327	233	10	11	188	201	171
	77.—BATTLE.											
1	Bexhill	20660	4512	163	90	71	92	1	5	43	47	73
2	Ewhurst	12864	2674	65	54	22	43	1	2	20	34	11
3	Battle *W*	20476	5494	189	103	101	88	12	8	40	63	86
	78.—EASTBOURNE.											
1	Westham	18927	2594	102	43	55	47	5	2	27	16	59
2	Eastbourne *W*	19145	8127	317	187	154	163	8	7	91	96	130
	79.—HAILSHAM.											
1	Hailsham	25245	6005	184	112	103	81	6	2	60	52	72
2	Hellingly *W*	29120	6663	218	139	117	101	11	12	85	54	79
	80.—TICEHURST.											
1	Ticehurst *W*	15523	4901	151	95	81	70	9	6	49	46	56
2	Salehurst	11827	3181	107	48	61	46	3	4	23	25	59
3	Wadhurst	15437	4075	147	65	71	76	7	3	40	25	82
4	Frant	8872	2469	99	39	52	47	–	5	23	16	60
	81.—UCKFIELD.											
1	Rotherfield	28337	6101	246	99	123	123	8	3	58	41	147
2	Framfield	14918	3102	122	57	57	65	3	1	33	24	65
3	Isfield *W*	5819	2494	91	59	46	45	4	3	34	25	32
4	Maresfield	25156	5563	177	98	85	92	5	11	54	44	79
	82.—EAST GRINSTEAD.											
1	Withyham	18353	3048	114	62	63	51	2	2	27	35	52
2	East Grinstead *W*	24081	6468	258	114	138	120	13	15	64	50	144
3	Worth *W*	18883	4581	133	54	63	75	2	2	25	29	84
	83.—CUCKFIELD.											
1	Lindfield	18683	4213	158	50	90	68	5	1	37	13	108
2	Cuckfield *W*	24534	6792	241	105	116	125	4	8	51	54	136
3	Hurstpierpoint	18576	6158	215	84	110	105	8	3	40	44	131
	84.—LEWES.											
1	Ditchling *WL*	17814	3948	121	135	66	55	2	1	70	65	−14
2	Chailey *W*	18464	4947	163	90	78	85	8	7	43	47	73
3	Lewes *W*	5870	10116	316	249	150	166	7	9	137	112	67
4	Westfirle *W*	14494	2379	69	30	33	33	2	3	12	18	39
5	Newhaven *W*	11751	3213	150	73	77	73	1	2	38	35	77
6	Rottingdean	16711	2392	67	50	35	32	–	2	22	28	17
	85.—BRIGHTON.											
1	Kemp Town	2320	13589	325	241	175	150	4	3	130	111	84
2	St. Peter *WH*		42156	1879	1236	967	912	69	67	643	593	643
3	The Palace		21948	482	395	241	241	14	11	171	224	87
	86.—STEYNING.											
1	Shoreham *W*	20973	18369	600	369	304	296	12	10	194	175	231
2	Steyning	28371	5684	167	85	87	80	5	1	46	39	82
	87.—HORSHAM.											
1	South Horsham	24416	4514	151	75	79	72	4	1	36	39	76
2	North Horsham *W*	32607	10799	363	215	172	191	4	14	125	90	148
	88.—PETWORTH.											
1	Billingshurst *W*	21072	4245	128	78	65	63	1	1	44	34	50
2	Petworth *W*	18257	5152	149	76	74	75	4	5	34	42	73
	89.—THAKEHAM.											
1	Pulborough	13064	3378	97	69	46	51	2	3	28	41	28
2	Washington *W*	22535	4189	136	71	60	76	1	6	41	30	65
	90.—WORTHING.											
1	Broadwater	8485	8337	286	139	138	148	7	4	62	77	147
2	Littlehampton *W*	19882	6737	224	110	104	120	1	4	55	55	114
3	Arundel *W*	14090	3797	133	80	68	65	3	2	40	40	53

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	3.—SUSSEX—*continued.*											
	91.—WESTHAMPNETT.											
1	Manhood	17455	3418	90	49	47	43	-	3	30	19	41
2	Wyke	11452	2909	74	50	38	36	-	2	19	31	24
3	Yapton	13674	3006	84	50	49	35	1	-	31	19	34
4	Boxgrove *W*	16752	3632	116	82	54	62	4	3	46	36	34
5	Singleton	15580	1846	55	27	23	32	1	3	12	15	28
	92.—CHICHESTER.											
1	Sutton *W*	16216	2763	90	39	49	41	3	-	20	19	51
2	Chichester *WH*	1830	8884	249	164	127	122	6	13	89	75	85
3	South Bersted	3008	3128	81	61	38	43	1	-	26	35	20
	93.—MIDHURST.											
1	Midhurst *W*	20218	5258	135	91	63	72	4	8	55	36	44
2	Fernhurst	17894	2786	104	56	54	50	4	2	31	25	48
3	Harting	27608	4537	149	72	76	73	2	4	41	31	77
	94.—WESTBOURNE.											
1	Funtington	18766	3231	89	51	50	39	1	1	30	21	38
2	Westbourne *W*	14120	3726	145	73	60	85	6	5	43	30	72
	4.—HAMPSHIRE.											
	95.—HAVANT.											
1	Havant *W*	24527	7212	240	133	120	120	4	6	75	58	107
	96.—PORTSEA ISLAND.											
1	Kingston *W*	7806	23089	1018	760	512	506	24	30	372	388	258
2	Portsea Town		19967	490	234	256	10	6	164	129	197	
3	Portsmouth Town		10346	231	168	109	122	1	5	93	75	63
4	Landport		41426	2082	992	1095	987	20	26	472	520	1090
	97.—ALVERSTOKE.											
1	Alverstoke *W*	5222	22653	767	534	402	365	17	7	335	199	233
	98.—FAREHAM.											
1	Fareham *WL*	21089	9640	298	250	140	158	5	10	120	130	48
2	Titchfield	21136	5224	175	96	99	76	7	4	48	48	79
	99.—ISLE OF WIGHT.											
1	Cowes	10330	10449	335	188	174	161	3	3	90	98	147
2	Newport *W*	19484	13761	398	320	198	200	22	29	168	152	78
3	Ryde	17894	17715	664	363	355	309	18	15	183	180	301
4	Godshill	26988	8020	256	145	127	129	4	6	71	74	111
5	Calbourne	25050	5417	206	78	105	101	2	5	41	37	128
	100.—LYMINGTON.											
1	Lymington *W*	24267	8070	254	155	145	109	9	10	76	79	99
2	Milford	17902	4024	97	55	54	43	-	-	26	29	42
	101.—CHRISTCHURCH.											
1	Christchurch *W*	36775	10438	384	248	220	164	13	13	130	118	136
	102.—RINGWOOD.											
1	Ringwood *W*	33300	5357	169	86	83	86	10	8	42	44	83
	103.—FORDINGBRIDGE.											
1	Fordingbridge *W*	31167	6377	198	112	117	81	16	8	60	52	86
	104.—NEW FOREST.											
1	Lyndhurst	25723	3355	100	55	49	51	4	-	24	31	45
2	Fawley	33430	4202	120	51	56	64	2	2	21	30	69
3	Eling *W*	26379	5952	164	112	87	77	9	8	62	50	52
	105.—SOUTHAMPTON.											
1	Southampton *WH*	2630	43414	1638	837	813	825	33	37	458	379	801
	106.—SOUTH STONEHAM.											
1	St. Mary Extra	9895	5675	241	141	121	120	4	4	105	36	100
2	South Stoneham *W*	10764	8621	410	167	228	182	17	12	90	77	243
3	Milbrook	10056	11246	401	183	218	183	10	8	90	93	218
	107.—ROMSEY.											
1	Romsey *W*	9776	6795	233	117	137	96	8	8	66	51	116
2	Michelmersh	18427	3976	154	77	92	62	1	1	46	31	77

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	4.—HAMPSHIRE—*continued.*											
	108.—STOCKBRIDGE.											
1	Broughton	24694	3709	111	67	55	56	2	1	30	37	44
2	Stockbridge *W*	20649	3577	128	77	65	63	8	–	40	37	51
	109.—WINCHESTER.											
1	Mitcheldever	18373	2347	55	46	30	25	–	1	23	23	9
2	The Worthys	21119	2577	85	37	45	40	3	2	21	16	48
3	Winchester *WH*	3861	14930	445	325	208	237	8	13	162	163	120
4	Twyford	18785	4203	129	61	60	69	1	3	27	34	68
5	Hursley *W*	16338	2550	58	31	34	24	1	3	16	15	27
	110.—DROXFORD.											
1	Bishops Waltham	12714	3267	116	55	58	58	2	–	28	27	61
2	Westmeon	13709	2177	69	45	38	31	1	1	21	24	24
3	Hambledon *W*	21840	5221	186	88	86	100	11	8	46	42	98
	111.—CATHERINGTON.											
1	Horndean *W*	10561	2497	79	27	34	45	–	3	17	10	52
	112.—PETERSFIELD.											
1	Petersfield *W*	19361	5172	144	111	72	72	4	2	54	57	33
2	Eastmeon	20551	2681	74	32	46	28	4	2	18	14	42
	113.—ALRESFORD.											
1	Ropley	23142	3508	114	56	58	56	2	3	28	28	58
2	Alresford *W*	16619	3674	97	64	52	45	4	6	32	32	33
	114.—ALTON.											
1	Alton *W*	25575	7197	246	128	115	131	6	7	64	64	118
2	Binsted	27482	4866	162	68	99	63	6	3	35	33	94
	115.—HARTLEY WINTNEY.											
1	Odiham *W*	22058	6515	188	102	101	87	8	8	39	63	86
2	Hartley Wintney *W*	19993	4965	136	86	69	67	4	6	48	38	50
	116.—BASINGSTOKE.											
1	Basingstoke *W*	19884	7784	262	193	132	130	7	7	108	85	69
2	Bramley	21591	5006	148	77	90	58	7	4	44	33	71
3	Dummer	32377	4639	130	65	70	60	2	5	29	36	65
	117.—WHITCHURCH.											
1	Whitchurch *W*	20513	5522	187	111	97	90	8	5	55	56	76
	118.—ANDOVER.											
1	Longparish	27353	4284	147	61	76	71	3	2	34	27	86
2	Ludgershall	24658	3538	111	68	60	51	3	2	28	40	43
3	Andover *W*	12706	6435	206	128	111	95	7	10	74	54	78
4	Hurstbourne Tarrant	18898	2875	86	57	53	33	8	4	25	32	29
	119.—KINGSCLERE.											
1	Highclere	19500	3257	101	48	55	46	6	5	28	20	53
2	Kingsclere *W*	27287	5260	178	86	79	99	8	6	42	44	92
	5.—BERKSHIRE.											
	120.—NEWBURY.											
1	Thatcham	15327	5226	156	92	76	80	4	6	41	51	64
2	Newbury *W*	6521	7193	208	157	108	100	6	5	84	73	51
3	Speen	21108	7580	233	139	125	108	10	10	74	65	94
	121.—HUNGERFORD.											
1	Kintbury	23733	4398	118	80	62	56	4	4	40	40	38
2	Hungerford *W*	40590	9830	273	184	126	147	11	16	88	96	89
3	Lambourn	33964	5654	103	112	86	82	6	5	59	53	56
	122.—FARINGDON.											
1	Shrivenham	19114	4521	141	83	65	76	2	9	43	40	58
2	Faringdon *W*	19738	6222	199	131	105	94	11	9	77	54	68
3	Buckland	25355	4945	180	112	96	84	8	13	62	50	68
	123.—ABINGDON.											
1	Fyfield	7963	1861	60	19	24	36	1	3	12	7	41
2	Abingdon *W*	12983	8672	293	191	157	136	12	8	91	100	102
3	Cumnor	13113	2853	99	43	50	49	2	7	21	22	56
4	Nuneham Courtney *L*	12009	3500	95	136	52	43	1	–	68	68	−41
5	Sutton Courtney	10377	3975	143	82	67	56	4	5	32	50	61

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	5.—BERKSHIRE—*continued*.											
	124.—WANTAGE.											
1	Wantage *W*	23648	7304	245	164	133	112	5	9	86	78	81
2	Ilsley	32992	5635	158	69	86	72	14	7	42	27	89
3	Hendred	19060	4369	140	92	62	78	2	1	36	56	48
	125.—WALLINGFORD.											
1	Cholsey	22811	6232	190	97	92	98	7	7	42	55	93
2	Wallingford *W*	18049	7785	228	137	134	94	9	4	72	65	91
	126.—BRADFIELD.											
1	Bucklebury *W*	23949	5532	178	115	99	79	7	8	62	53	63
2	Mortimer	22402	4931	142	73	68	74	6	6	36	37	69
3	Tilehurst	15815	5308	150	88	63	87	1	4	38	50	62
	127.—READING.											
1	St. Mary *W*	1846	10940	455	228	230	225	15	14	115	113	227
2	St. Lawrence *W*	315	4736	162	102	96	66	6	7	40	62	60
3	St. Giles *H*	2538	10200	483	246	233	250	7	10	118	128	237
	128.—WOKINGHAM.											
1	Wokingham *W*	23107	7807	256	154	145	111	7	8	74	80	102
2	Wargrave *W*	19119	6658	237	111	136	101	6	7	54	57	126
	129.—COOKHAM.											
1	Bray	16462	6714	257	105	130	127	12	4	46	59	152
2	Cookham *W*	13126	6317	222	130	111	111	9	7	72	58	92
	130.—EASTHAMPSTEAD.											
1	Bracknell *W*	20614	6165	207	109	106	101	6	7	65	44	98
2	Sandhurst	4562	1271	84	33	43	41	1	–	20	13	51
	131.—WINDSOR.											
1	Egham	12103	7680	256	141	137	119	7	4	74	67	115
2	Windsor *W*	10304	13621	467	350	243	224	16	22	174	176	117

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	6.—MIDDLESEX—(*extra-metropolitan*).											
	132.—STAINES.											
1	Sunbury *w*	11603	7289	264	124	131	133	3	4	60	64	140
2	Staines *W*	13278	8687	354	186	182	172	13	8	106	80	168
	133.—UXBRIDGE.											
1	Hillingdon *W*	11783	8844	304	220	164	140	8	7	130	90	84
2	Uxbridge		5154	160	79	88	72	4	5	44	35	81
3	Hayes *wL*	14123	9157	334	322	168	166	6	12	152	170	12
	134.—BRENTFORD.											
1	Isleworth *Ww*	6848	15533	628	433	322	306	13	16	232	201	195
2	Twickenham	2249	8077	330	178	168	162	9	4	92	86	152
3	Brentford	4334	13976	642	330	345	297	22	15	175	155	312
4	Chiswick	1311	6505	253	146	112	141	5	5	74	72	107
5	Acton *w*	5963	6443	281	153	130	151	6	7	61	92	128
	135.—HENDON.											
1	Harrow	13590	7374	285	155	143	142	–	6	80	75	130
2	Edgware	6737	3423	117	59	62	55	1	1	19	40	58
3	Willesden	4190	3879	553	258	252	301	2	6	134	124	295
4	Hendon *W*	8250	4544	218	129	111	107	3	7	69	60	89
	136.—BARNET.											
1	South Mimms	14186	5381	175	98	84	91	3	3	46	52	77
2	Barnet *W*	7312	5466	194	98	98	96	5	3	51	47	96
3	Finchley *L*	4191	8281	260	293	130	130	1	4	158	135	– 33
	137.—EDMONTON.											
1	Hornsey	2895	11082	543	244	268	275	4	7	122	122	299
2	Tottenham	4403	13240	699	328	336	363	12	4	163	165	371
3	Edmonton *W w*	7480	10930	406	336	208	198	23	15	175	161	70
4	Enfield *W*	12460	12424	505	252	248	257	4	9	142	110	253
5	Waltham Abbey	10876	5044	183	90	91	92	4	4	42	48	93
6	Cheshunt	8493	6592	225	104	105	120	3	4	52	52	121

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	7.—HERTFORDSHIRE.											
	138.—WARE.											
1	Hoddesdon	7932	4895	140	69	62	78	3	2	38	31	71
2	Stanstead	7839	2431	73	31	38	35	3	3	15	16	42
3	Ware *W*	6900	5886	206	152	107	99	7	4	79	73	54
4	Standon	13076	3303	112	43	46	66	-	1	21	22	69
	139.—BISHOP STORTFORD.											
1	Sawbridgeworth	12385	4278	150	75	75	75	2	8	41	34	75
2	Stansted	16326	5040	175	88	89	86	4	3	44	44	87
3	Bishop Stortford *W*	12732	7982	257	182	143	114	9	16	108	74	75
4	Braughing	12246	2912	103	32	58	45	5	1	19	13	71
	140.—ROYSTON.											
1	Buntingford *W*	28351	6389	205	108	112	93	5	8	46	62	97
2	Royston	33204	10175	314	187	152	162	7	7	92	95	127
3	Melbourne *W*	27236	8450	326	149	167	159	7	13	73	76	177
	141.—HITCHIN.											
1	Baldock	28660	8738	279	133	119	160	8	8	58	75	146
2	Hitchin *W*	36187	16865	623	307	322	301	44	29	145	162	316
	142.—HERTFORD.											
1	Watton	16133	4138	149	62	72	77	6	4	28	34	87
2	Hertford *W*	18277	11163	337	249	168	169	4	6	130	119	88
	143.—HATFIELD.											
1	Hatfield *W*	23027	6189	184	102	79	105	4	6	54	48	82
2	Welwyn *W*	6457	2211	64	37	28	36	1	2	22	15	27
	144.—ST. ALBANS.											
1	Harpenden	20375	7000	269	166	137	132	14	7	81	85	103
2	St. Albans *W*	14240	11926	384	267	189	195	21	18	131	136	117
	145.—WATFORD.											
1	Bushey	9023	4928	246	112	122	124	4	4	57	55	134
2	Watford *W*	10792	7418	275	217	139	136	9	6	121	96	58
3	Rickmansworth	11487	5609	213	130	107	106	6	11	70	60	83
4	Abbots Langley	5213	2400	77	44	44	33	1	2	21	23	33
	146.—HEMEL HEMPSTEAD.											
1	Kings Langley	8318	2908	84	43	40	44	2	5	23	20	41
2	Hemel Hempstead *W*	7136	7948	288	190	143	145	6	10	100	90	98
3	Flamstead	10003	3066	129	47	67	62	5	4	18	29	82
	147.—BERKHAMPSTEAD.											
1	Berkhampstead *W*	9474	5733	210	139	103	107	7	5	82	57	71
2	Tring	15109	7471	278	128	141	137	8	8	61	67	150
	8.—BUCKINGHAMSHIRE.											
	148.—AMERSHAM.											
1	Missenden	6231	2366	72	34	35	37	2	2	15	19	38
2	Chesham	13562	6203	210	127	105	105	4	3	53	74	83
3	Amersham *W*	10544	3550	133	116	73	60	7	4	66	50	17
4	Chalfont	10102	3029	85	48	43	42	2	4	26	22	37
5	Beaconsfield	9401	3092	107	63	63	44	5	2	34	29	44
	149.—ETON.											
1	Iver	17380	5787	201	87	107	94	3	3	54	33	114
2	Eton *W*	7629	10432	404	248	205	199	8	8	140	108	156
3	Burnham	16580	6134	216	108	112	104	8	11	57	51	108
	150.—WYCOMBE.											
1	High Wycombe	13040	11583	511	282	267	244	10	13	156	126	229
2	Great Marlow	9771	5450	199	93	103	96	4	3	52	41	106
3	West Wycombe	23687	7156	274	117	139	135	6	5	62	55	157
4	Wendover	19150	5042	175	99	87	88	2	5	56	43	76
5	Princes Risborough *W*	15660	5907	212	112	108	104	10	8	61	51	100
	151.—AYLESBURY.											
1	Haddenham	19221	4652	138	84	66	72	3	4	42	42	54
2	Aylesbury *WL*	11239	8272	204	229	144	120	12	6	118	111	35
3	Aston Clinton	17752	5246	188	101	100	88	10	4	53	48	87
4	Waddesdon	25152	5430	187	133	96	91	2	8	68	65	54
	152.—WINSLOW.											
1	Winslow *W*	35395	9265	294	177	158	136	14	8	95	82	117

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over DEATHS.
	8.—BUCKINGHAMSH.—*cont.*											
	153.—NEWPORT PAGNELL.											
1	Fenny Stratford	31274	10453	435	191	233	202	7	4	101	90	244
2	Newport Pagnell *W*	3220	3823	132	88	75	57	5	6	46	42	44
3	Olney	34227	10579	335	182	175	160	9	9	96	86	153
	154.—BUCKINGHAM.											
1	Leckhampstead	21474	4098	119	63	62	57	2	2	24	39	56
2	Buckingham *W*	14983	5987	197	150	110	87	8	10	74	76	47
3	Tingewick	15962	3671	116	77	63	53	5	4	35	42	39
	9.—OXFORDSHIRE.											
	155.—HENLEY.											
1	Henley *W*	41349	13791	395	222	199	196	10	15	120	102	173
2	Watlington	20813	4409	145	64	67	78	6	6	31	33	81
	156.—THAME.											
1	Lewknor	18412	3701	119	45	65	54	3	3	27	18	74
2	Thame *W*	15865	5958	213	128	101	112	6	9	63	65	85
3	Brill	20720	5646	140	94	76	64	7	4	40	54	46
	157.—HEADINGTON.											
1	Wheatley	12517	3679	124	63	73	51	5	3	30	36	58
2	St. Clement *W w*	13210	13503	531	380	259	272	23	23	211	169	151
	158.—OXFORD.											
1	Oxford	2030	20037	639	386	322	317	14	15	196	190	253
	159.—BICESTER.											
1	Bletchington	30178	7440	217	154	110	107	8	4	76	78	63
2	Bicester *W*	33949	8115	248	186	128	120	11	7	105	81	62
	160.—WOODSTOCK.											
1	Deddington	22377	6458	219	148	102	117	3	8	75	73	71
2	Woodstock *W*	25336	7778	248	165	137	111	6	6	95	70	83
	161.—WITNEY.											
1	Ensham	17571	5237	199	106	106	93	12	6	64	42	93
2	Bampton	20300	5629	202	106	110	92	4	11	46	60	96
3	Witney *W*	14453	7556	213	151	122	121	10	8	74	77	92
4	Burford	17345	4816	163	85	82	81	8	6	42	43	78
	162.—CHIPPING NORTON.											
1	Charlbury	40288	8915	290	148	148	142	6	8	74	74	142
2	Chipping Norton *W*	36130	8391	278	167	142	136	7	9	82	85	111
	163.—BANBURY.											
1	Bloxham	18770	6216	186	99	99	87	7	4	51	48	87
2	Swalcliffe	21720	6219	181	75	92	89	5	5	33	42	106
3	Cropredy	19909	4443	130	97	65	65	5	5	55	42	33
4	Banbury *W*	14925	13293	470	342	243	227	15	16	177	165	128
	10.—NORTHAMPTONSH.											
	164.—BRACKLEY.											
1	Brackley *W*	31630	7656	283	200	141	142	8	9	109	91	83
2	Sulgrave	27139	5815	175	110	96	79	6	7	48	62	65
	165.—TOWCESTER.											
1	Abthorpe	22823	5473	172	110	101	71	9	3	56	54	62
2	Towcester *W*	19893	7531	251	132	125	126	6	7	71	61	119
	166.—POTTERSPURY.											
1	Potterspury *W*	22401	11632	405	270	210	195	6	9	131	139	135
	167.—HARDINGSTONE.											
1	Brafield	12225	3414	111	53	49	62	2	4	29	24	58
2	Hardingstone	12253	3657	149	87	75	74	-	1	56	31	62
3	Milton *W*	7930	2857	110	69	49	61	3	2	34	35	41
	168.—NORTHAMPTON.											
1	St. Giles *WHL*	10908	23674	1144	664	614	530	23	25	347	317	480
2	All Saints		14028	584	297	307	277	14	14	157	140	287
3	Bugbrooke	9545	3450	110	64	58	52	2	3	30	34	46
	169.—DAVENTRY.											
1	Weedon	18496	5922	156	97	80	76	3	2	50	47	59
2	Daventry *W*	24617	8917	258	214	126	132	14	13	106	108	44
3	Long Buckby	20183	5757	157	102	84	73	8	2	46	56	55

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867.—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	10.—NORTHAMPTONSH. *—continued.*											
	170.—BRIXWORTH.											
1	Spratton	23600	5914	168	97	96	72	5	5	58	39	71
2	Moulton	17341	4898	141	99	72	69	2	1	52	47	42
3	Brixworth *W*	19435	4555	123	82	63	60	4	7	45	37	41
	171.—WELLINGBOROUGH.											
1	Earls Barton	19284	6239	218	125	118	100	5	7	58	67	93
2	Higham Ferrers	18356	7100	306	176	150	156	4	9	83	93	130
3	Wellingborough *W*	17865	10885	417	261	207	210	13	10	137	124	156
	172.—KETTERING.											
1	Kettering *W*	14375	8606	418	207	163	155	12	6	100	107	111
2	Rothwell	20783	6179	191	145	91	100	3	7	77	68	46
3	Corby	20108	4210	147	82	87	60	4	2	37	45	65
	173.—THRAPSTON.											
1	Thrapston *W*	27387	7459	262	131	132	130	4	3	71	60	131
2	Raunds	23801	6606	284	141	128	156	10	14	70	71	143
	174.—OUNDLE.											
1	Oundle *W*	27895	6669	183	134	107	76	9	5	76	58	49
2	Weldon	15817	2543	75	41	44	31	1	–	20	21	34
3	Fotheringhay	26110	6251	206	82	116	90	12	7	47	35	124
	175.—PETERBOROUGH.											
1	Stilton	28884	5797	169	100	88	81	2	7	53	47	69
2	Peterborough *W*	22390	17158	775	401	397	378	19	31	207	194	374
3	Crowland	31650	8004	245	132	129	116	11	8	70	62	113
4	Thorney	17590	2219	70	41	37	33	–	–	24	17	29
	11.—HUNTINGDONSHIRE.											
	176.—HUNTINGDON.											
1	Ramsey	20805	5266	167	82	86	81	2	5	43	39	85
2	Sawtry	15628	2329	86	34	45	41	1	–	21	13	52
3	Spaldwick	20140	3555	109	71	58	51	4	6	34	37	38
4	Huntingdon *WH*	20607	9368	271	190	130	141	8	10	100	90	81
	177.—ST. IVES.											
1	Warboys	16115	3355	98	41	50	48	4	1	25	16	57
2	Somersham	15424	4480	137	80	67	70	3	4	33	47	57
3	Swavesey	14161	3675	116	61	62	54	2	3	31	30	55
4	St. Ives *W*	17230	8144	228	159	117	111	9	7	87	72	69
	178.—ST. NEOTS.											
1	St. Neots	30827	9616	309	169	157	152	15	9	91	78	140
2	Kimbolton *W*	34429	9349	318	153	164	154	13	11	87	66	165
	12.—BEDFORDSHIRE.											
	179.—BEDFORD.											
1	Riseley	13190	2778	89	30	49	40	4	1	14	16	59
2	Sharnbrook	13683	2894	92	44	49	43	5	1	25	19	48
3	Harrold	12100	3238	102	56	51	51	–	3	27	29	46
4	Turvey	9280	2407	80	31	39	41	4	1	11	20	49
5	Bedford and Kempston *W*	18351	11921	425	272	215	210	17	13	134	138	153
6	Bedford and Cardington *H*	18376	11734	414	248	222	192	11	14	127	121	166
7	Barford	12340	3100	104	43	52	52	2	2	17	26	61
	180.—BIGGLESWADE.											
1	Potton	26125	9280	374	210	211	163	13	10	114	96	164
2	Biggleswade *WL*	31916	16113	660	430	329	331	30	34	222	208	230
	181.—AMPTHILL.											
1	Shillington	12242	4188	157	74	81	76	5	7	31	43	83
2	Ampthill *W*	19118	9076	399	212	191	208	19	17	101	111	187
3	Cranfield	10191	3706	147	62	87	60	11	–	29	33	85
	182.—WOBURN.											
1	Woburn *W*	16791	6771	209	131	111	98	7	7	68	63	78
2	Toddington	12812	4913	170	100	78	92	7	12	44	56	70
	183.—LEIGHTON BUZZARD.											
1	Leighton Buzzard *W*	12278	9243	345	170	175	170	13	18	101	69	175
2	Wing	11010	2492	102	54	56	46	6	2	28	26	48
3	Ivinghoe	6658	2477	88	54	44	44	5	3	32	22	34
4	Edlesborough	8069	3436	126	75	76	50	8	4	37	38	51
	184.—LUTON.											
1	Dunstable	13869	9293	326	148	161	165	10	10	66	82	178
2	Luton *W*	26967	21419	975	575	468	507	43	40	289	286	400

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	13.—CAMBRIDGESHIRE.											
	185.—CAXTON.											
1	Caxton *W*	49885	10966	469	204	247	222	19	21	111	93	265
	186.—CHESTERTON.											
1	Willingham	33215	9633	326	166	168	158	8	7	90	76	160
2	Fulbourn *WL*	21933	8293	315	196	140	175	21	17	102	94	119
3	Shelford	21580	7157	252	136	114	138	7	5	69	77	116
	187.—CAMBRIDGE.											
1	St. Andrew the Less *W*	3470	11848	513	287	281	232	12	19	155	132	226
2	St. Mary the Great *H*		4293	94	101	46	48	5	1	62	39	− 7
3	St. Andrew the Great		6073	132	89	64	68	2	−	38	51	43
4	St. Giles		4142	141	74	62	79	10	2	41	33	67
	188.—LINTON.											
1	Duxford	14928	4772	169	90	85	84	1	2	41	49	79
2	Linton *W*	15169	4813	159	99	81	78	6	4	57	42	60
3	Balsham	17772	3925	132	67	69	63	10	4	36	31	65
	189.—NEWMARKET.											
1	Cheveley	21645	6489	203	85	93	110	2	3	43	42	118
2	Newmarket *W*	28328	5967	201	153	96	105	15	13	88	65	48
3	Bottisham		3373	110	61	51	59	3	1	24	37	49
4	Gazeley	17421	3446	89	56	50	39	3	4	34	22	33
5	Soham	29984	9400	282	216	144	138	6	5	113	103	66
	190.—ELY.											
1	Haddenham	18085	3998	139	62	72	67	7	3	37	25	77
2	Sutton	35884	4025	128	85	59	69	1	3	44	41	43
3	Ely *W*		7919	256	149	127	129	11	5	73	76	107
4	Littleport	25925	5986	189	143	90	99	4	7	76	67	46
	191.—NORTH WITCHFORD.											
1	Chatteris *W*	33093	8222	265	155	142	123	12	11	74	81	110
2	March	26730	6569	234	124	103	131	5	5	59	65	110
	192.—WHITTLESEY.											
1	Whittlesey *W*	25131	6966	216	143	106	110	6	3	71	72	73
	193.—WISBECH.											
1	Leverington	25524	5385	177	111	87	90	7	7	49	62	66
2	Wisbech *W*	6432	9276	266	193	141	125	15	10	108	85	73
3	Walpole St. Peter	15695	2925	79	45	41	38	2	2	20	25	34
4	Terrington St. Clement	45252	5355	157	86	87	70	5	7	40	46	71
5	Walsoken	19210	5435	155	82	69	86	3	4	43	39	73
6	Upwell	19472	4947	168	89	83	85	8	7	40	49	79

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

	14.—ESSEX.											
	194.—WEST HAM.											
1	Stratford	8648	15994	810	368	412	398	5	10	192	176	442
2	West Ham *ww*		25195	1397	691	682	715	18	24	356	335	706
3	Leyton *W*	4245	7636	338	254	168	170	25	25	116	138	84
4	Walthamstow	6584	10594	393	240	206	187	3	2	118	122	153
	195.—EPPING.											
1	Chigwell	12634	5987	273	115	128	145	4	3	65	50	158
2	Epping *W*	16940	5018	166	120	90	76	4	1	68	52	46
3	Harlow	16878	5544	162	79	80	82	3	4	41	38	83
	196.—ONGAR.											
1	Bobbingworth	24163	5465	174	87	88	86	4	5	52	35	87
2	Chipping Ongar *W*	23302	5852	179	100	95	84	7	6	51	49	79
	197.—ROMFORD.											
1	Romford *W*	15781	9741	363	239	181	182	12	8	121	118	124
2	Ilford	12741	5405	213	107	108	105	1	6	58	49	106
3	Barking Town		5591	255	127	113	142	5	3	63	64	128
4	Hornchurch	19722	6228	205	91	103	102	5	3	41	50	114
	198.—ORSETT.											
1	Grays	15982	6361	225	103	108	117	4	9	54	49	122
2	Orsett *W*	29615	5234	185	83	96	89	5	3	52	31	102

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	14.—ESSEX—*continued.*											
	199.—BILLERICAY.											
1	Brentwood *wL*	14438	8167	223	211	122	101	5	2	118	93	12
2	Great Burstead *W*	20367	4803	147	89	75	72	10	5	55	34	58
3	Wickford	16040	2061	66	24	28	38	–	4	13	11	42
	200.—CHELMSFORD.											
1	Ingatestone	27534	6573	217	97	117	100	3	1	60	37	120
2	Chelmsford *W*	3533	8664	275	202	143	132	7	18	93	109	73
3	Writtle	19107	5076	143	86	78	65	–	1	53	33	57
4	Great Waltham	19047	5595	174	80	84	90	4	1	41	39	94
5	Great Baddow	14685	6857	229	128	120	109	5	8	68	60	101
	201.—ROCHFORD.											
1	Rayleigh	23764	4937	152	83	74	78	5	2	39	44	69
2	Prittlewell	18089	5394	183	100	84	99	2	4	45	55	83
3	Rochford *W*	16793	3895	131	92	66	65	9	3	53	39	39
4	Great Wakering	49200	4056	205	77	97	108	3	4	43	34	128
	202.—MALDON.											
1	Southminster	21923	4639	148	68	71	77	2	2	28	40	80
2	Bradwell	25887	2828	115	37	54	61	3	3	18	19	78
3	All Saints	24773	4714	153	76	74	79	4	3	41	35	77
4	St. Peter *W*	13311	6741	229	131	122	107	7	10	69	62	98
5	Tollesbury	21156	3634	132	59	68	64	4	–	34	25	73
	203.—TENDRING.											
1	St. Osyth	26042	6072	208	112	101	107	7	5	58	54	96
2	Thorpe *W*	24176	5776	163	129	97	66	5	9	72	57	34
3	Harwich	3306	5070	167	93	81	86	2	1	46	47	74
4	Manningtree	17342	5223	178	96	95	83	2	4	40	53	85
5	Ardleigh	18037	4964	143	81	70	73	1	3	43	38	62
	204.—COLCHESTER.											
1	Colchester First Ward *WH*	11200		11456		349	270	185	164	14	18	151	119	79
2	Colchester Second Ward			5870		195	119	101	91	5	2	61	58	76
3	Colchester Third Ward			6489		254	165	124	130	6	7	73	92	89
	205.—LEXDEN.											
1	Wivenhoe	5157	4428	207	93	87	120	–	3	48	45	114
2	Peldon	22769	4685	186	75	94	92	4	3	41	34	111
3	Stanway *W*	17338	4663	136	104	72	64	8	13	58	46	32
4	Fordham	15925	4621	143	66	74	69	4	3	35	31	77
5	Dedham	12642	4553	138	86	74	59	5	3	46	40	47
	206.—WITHAM.											
1	Kelvedon	14053	4423	156	61	78	78	2	6	28	33	95
2	Witham *W*	17251	6947	199	150	100	99	8	1	82	68	49
3	Coggeshall	7634	4954	163	89	78	85	6	7	46	43	74
	207.—HALSTEAD.											
1	Halstead *W*	20507	11544	352	191	185	167	17	17	94	97	161
2	Hedingham	18406	6938	243	116	130	113	11	14	66	50	127
	208.—BRAINTREE.											
1	Finchingfield	16706	5289	203	97	114	89	10	5	49	48	106
2	Bocking *W*	11507	5281	161	120	84	77	11	12	65	55	41
3	Braintree	10439	6600	236	138	118	118	9	8	63	75	98
	209.—DUNMOW.											
1	Stebbing	17307	4956	174	98	89	85	10	6	45	53	76
2	Dunmow *W*	18556	5686	168	96	89	79	13	3	52	44	72
3	Hatfield	21331	4554	136	77	71	65	3	5	41	36	59
4	Thaxted	15350	4563	140	66	67	73	2	8	31	35	74
	210.—SAFFRON WALDEN.											
1	Newport	18696	5040	157	88	76	81	4	5	43	45	69
2	Saffron Walden *W*	22522	9646	303	196	164	139	10	6	103	93	107
3	Radwinter	21412	5035	149	80	79	70	5	3	36	44	69
	15.—SUFFOLK.											
	211.—RISBRIDGE.											
1	Haverhill *W*	18289	7328	293	164	150	143	21	18	91	73	129
2	Wickhambrook	18698	4825	150	84	76	74	9	7	31	53	66
3	Clare	16677	5279	181	96	87	94	7	7	51	45	85
	212.—SUDBURY.											
1	Bulmer	17504	4853	153	75	77	76	2	7	34	41	78
2	Bures	17622	5642	173	83	82	91	9	4	35	48	90
3	Sudbury *W*	8067	8918	320	179	158	162	8	12	98	87	141
4	Melford	16799	5574	190	84	102	88	5	4	43	41	106
5	Hartest	18310	6428	206	117	97	109	8	8	60	57	89

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	15.—SUFFOLK—*continued.*											
	213.—COSFORD.											
1	Lavenham	27110	7742	265	140	147	118	10	11	78	62	125
2	Hadleigh *W*	25586	9634	306	186	157	149	12	12	86	100	120
	214.—THINGOE.											
1	Rougham	26113	6185	191	89	95	93	8	4	45	44	102
2	Fornham	32309	5789	167	80	88	79	5	4	43	37	87
3	Ixworth	23982	6250	193	138	94	99	4	7	72	66	55
	215.—BURY ST. EDMUNDS.											
1	Bury St. Edmunds *WwH*	2934	13318	480	300	238	242	25	22	158	142	180
	216.—MILDENHALL.											
1	Worlington	61244	3705	111	67	61	50	3	4	36	31	44
2	Lakenheath *W*		5890	200	119	90	110	4	8	49	70	81
	217.—STOW.											
1	Walsham-le-Willows	18585	5990	182	94	96	86	6	5	48	46	88
2	Rattlesden *W*	20180	6551	204	130	115	89	13	7	66	64	74
3	Stowmarket	16577	8367	301	162	145	156	7	6	80	82	139
	218.—HARTISMERE.											
1	Mendlesham	20092	5830	201	90	102	99	5	4	50	40	111
2	Botesdale *W*	15081	5288	164	98	90	74	8	9	54	44	66
3	Eye *W*	19042	6547	206	142	106	100	16	17	77	65	64
	219.—HOXNE.											
1	Stradbroke *W*	26492	7692	245	145	127	118	8	13	76	69	100
2	Dennington	26543	7002	238	118	123	115	7	8	61	57	120
	220.—BOSMERE.											
1	Coddenham *W*	30765	8480	259	154	126	133	9	10	71	83	105
2	Needham Market	27134	7694	233	119	109	124	3	6	63	56	114
	221.—SAMFORD.											
1	Capel St. Mary	22565	6592	200	99	106	94	5	7	47	52	101
2	Holbrook *W*	27665	6144	188	96	92	96	5	3	39	57	92
	222.—IPSWICH.											
1	St. Matthew *W*	8395	16028	610	399	312	298	21	19	214	185	211
2	St. Clement		8911	306	196	149	157	4	13	97	99	110
3	St. Margaret *H*		12942	446	258	217	229	7	12	136	122	188
	223.—WOODBRIDGE.											
1	Carlford	19634	5358	160	108	67	93	4	4	52	56	52
2	Colneis *W*	28365	5883	218	108	120	98	10	9	50	58	110
3	Woodbridge and Wilford	23145	7782	226	127	122	104	8	8	64	63	99
4	Woodbridge Out *L*	11051	3731	96	108	52	44	2	2	53	50	−12
	224.—PLOMESGATE.											
1	Earl-Soham	9722	2629	78	55	43	35	3	3	31	24	23
2	Framlingham	9465	3330	89	44	44	45	2	4	22	22	45
3	Wickham Market *W*	12734	4322	130	88	67	63	11	10	45	43	42
4	Orford	20762	3231	94	57	55	39	4	2	35	22	37
5	Aldeburgh	12946	4049	138	56	76	62	2	4	30	26	82
6	Saxmundham	9435	3109	81	41	41	40	2	3	24	17	40
	225.—BLYTHING.											
1	Westleton *W*	37494	10074	325	214	156	169	14	12	99	115	111
2	Halesworth	26292	7983	262	146	141	121	16	5	67	79	116
3	Wenhaston	28311	8791	268	140	137	131	9	9	64	76	128
	226.—WANGFORD.											
1	Bungay	16898	6398	165	108	84	81	10	9	52	56	57
2	Beccles *W*	18181	7221	241	146	120	121	18	10	83	63	95
	227.—MUTFORD.											
1	Kessingland	10621	4759	202	115	94	108	10	5	49	66	87
2	Lowestoft *W*	13927	12952	533	403	260	273	10	14	203	200	130
3	Gorleston	10942	6389	276	180	140	136	2	1	70	60	146
	16.—NORFOLK.											
	228.—YARMOUTH.											
1	Yarmouth Southern *H*	1510	13073	493	330	246	247	13	13	187	143	163
2	Yarmouth Northern *W*		17265	645	486	321	324	43	36	245	241	159
	229.—FLEGG.											
1	East Flegg	13301	4060	129	93	60	69	4	5	45	48	36
2	West Flegg *W*	15786	4571	156	82	76	80	7	5	44	38	74

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	16.—NORFOLK—*continued.*											
	230.—TUNSTEAD.											
1	Ludham	18219	3682	132	62	77	55	2	2	34	28	70
2	Smallburgh *W*	16999	4229	126	87	61	65	13	9	42	45	39
3	Stalham	15794	4031	118	65	63	55	12	4	33	32	53
4	Bacton	11595	2374	87	46	33	54	4	2	26	20	41
	231.—ERPINGHAM.											
1	Walsham	20523	6942	192	115	101	91	10	8	56	59	77
2	Cromer *W*	23769	7145	222	133	115	107	12	14	73	60	89
3	Holt *W*	28221	6787	206	120	100	106	15	11	64	56	86
	232.—AYLSHAM.											
1	Eynsford	40099	8960	268	136	134	134	14	16	72	64	132
2	Buxton *W*	28024	10092	305	170	160	145	23	13	91	79	135
	233.—ST. FAITHS.											
1	St. Faiths *W*	28370	5630	168	105	86	82	13	12	52	53	63
2	Sprowston	19934	5668	187	97	97	90	5	8	46	51	90
	234.—NORWICH.											
1	Coslany	4325		18260	451	288	224	227	22	21	136	152	163
2	East Wymer			14092	510	330	240	270	29	26	155	175	180
3	Conisford			12983	411	241	219	192	15	19	128	113	170
4	Mancroft *H*			14397	379	340	175	204	17	17	179	161	39
5	West Wymer *W*			20159	786	540	386	400	34	39	256	284	246
	235.—FOREHOE.											
1	Costessey	15618	4116	120	73	58	62	2	8	38	35	47
2	Wymondham *W*	22216	8702	232	162	122	110	14	10	79	83	70
	236.—HENSTEAD.											
1	Humbleyard *W*	24027	5620	167	106	90	77	6	10	56	50	61
2	Henstead	19331	5670	176	83	87	89	4	6	44	39	93
	237.—BLOFIELD.											
1	Blofield *WL*	17816	5787	166	125	93	73	12	6	66	59	41
2	South Walsham	26362	5734	179	90	97	82	11	7	45	45	89
	238.—LODDON.											
1	Aldeby	24573	4954	135	82	77	58	6	6	35	47	53
2	Loddon *W*	19330	5072	155	96	80	75	8	11	49	47	59
3	Woodton	15498	4216	126	71	73	53	7	6	35	36	55
	239.—DEPWADE.											
1	Harleston	17447	5922	172	91	82	90	3	3	46	45	81
2	Diss	17412	7567	221	129	113	108	13	7	63	66	92
3	Stratton *W*	19737	6065	195	126	92	103	7	16	52	74	69
4	Forncett	18085	5694	189	104	96	93	11	8	57	47	85
	240.—GUILTCROSS.											
1	Banham	18681	5516	157	92	87	70	6	4	44	48	65
2	Kenninghall *W*	25904	6025	187	121	86	101	13	13	67	54	66
	241.—WAYLAND.											
1	Attleborough *W*	22885	5506	180	97	100	80	11	11	50	47	83
2	Watton	28178	6056	175	86	91	84	13	6	48	38	89
	242.—MITFORD.											
1	Shipdham	11349	2777	76	43	28	48	2	4	24	19	33
2	Mattishall	16664	4340	128	67	68	60	4	5	27	40	61
3	Bawdeswell	14076	3333	95	56	59	36	7	3	33	23	39
4	East Dereham *W*	18172	7531	217	140	114	103	16	8	65	75	77
5	Litcham	26585	5413	172	104	94	78	9	7	55	49	68
6	North Elmham	18387	4626	154	72	74	80	9	15	34	38	82
	243.—WALSINGHAM.											
1	Fakenham	27818	7325	207	124	110	97	11	4	58	66	83
2	Walsingham *W*	28251	6492	208	129	110	98	21	12	64	65	79
3	Wells	31273	7301	217	119	117	100	12	10	49	70	98
	244.—DOCKING.											
1	Burnham	33180	6497	184	135	85	99	8	9	62	73	49
2	Snettisham	39480	5702	205	91	103	102	7	9	42	49	114
3	Docking *W*	28476	5397	183	118	90	93	14	15	60	58	65
	245.—FREEBRIDGE LYNN.											
1	Hillington	26155	4543	159	82	75	84	9	8	40	42	77
2	Gayton *W*	22766	4284	160	74	84	76	9	16	41	33	86
3	Middleton	10848	2239	56	39	19	37	2	2	12	27	17
4	Castle Rising	19006	2420	92	47	48	44	5	2	28	19	45

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	16.—NORFOLK—*continued.*											
	246.—KINGS LYNN.											
1	Kings Lynn North	5499	3962	139	79	61	78	4	12	40	39	60
2	Kings Lynn Middle		5955	170	104	78	92	3	9	53	51	66
3	Kings Lynn South *WH*		6784	190	177	103	87	17	9	89	88	13
	247.—DOWNHAM.											
1	Wiggenhall	32152	6171	214	91	109	105	10	14	47	44	123
2	Downham *W*	23686	8878	353	175	195	158	21	15	95	80	178
3	Fincham	22849	5215	160	89	82	78	10	3	50	39	71
	248.—SWAFFHAM.											
1	Swaffham *W*	41458	6516	199	108	107	92	15	12	57	51	91
2	Saham Toney	39742	7231	214	124	105	109	9	16	47	77	90
	249.—THETFORD.											
1	Methwold	68693	8851	276	150	139	137	8	12	81	69	126
2	Thetford *W*	49177	9843	300	173	156	144	13	9	89	84	127

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

	17.—WILTSHIRE.											
	250.—HIGHWORTH.											
1	Highworth *W*	23456	7013	276	122	137	139	14	9	64	58	154
2	Swindon	26608	12224	540	203	284	256	11	14	116	87	337
	251.—CRICKLADE.											
1	Wootton Bassett	20229	5675	177	88	94	83	9	6	47	41	89
2	Cricklade *W*	21337	5795	190	101	102	88	5	5	47	54	89
	252.—MALMSBURY.											
1	Malmsbury Eastern	37116	7475	249	119	122	127	5	9	64	55	130
2	Malmsbury Western *W*	20392	7081	224	137	117	107	14	11	76	61	87
	253.—CHIPPENHAM.											
1	Castle Combe	14011	3286	91	62	44	47	1	1	36	26	29
2	Corsham	17127	6979	195	136	98	97	2	5	65	71	59
3	Chippenham *W*	16288	8374	260	188	145	115	12	9	93	95	72
4	Christian Malford	12609	3190	105	52	49	56	1	–	28	24	53
	254.—CALNE.											
1	Calne *W*	28610	8885	244	136	127	117	7	7	54	82	108
	255.—MARLBOROUGH.											
1	Marlborough *W*	42092	9774	304	192	152	152	7	14	102	90	112
	256.—DEVIZES.											
1	Bishops Cannings	22892	3812	121	74	60	61	6	2	42	32	47
2	Lavington	23409	5620	168	115	96	72	9	4	59	56	53
3	Bromham	13903	4884	125	93	74	51	5	1	47	46	32
4	Devizes *WL*	3287	7364	192	193	98	94	15	13	96	97	– 1
	257.—MELKSHAM.											
1	Melksham *W*	14248	5866	166	152	76	90	5	11	68	84	14
2	Trowbridge	3520	11367	421	292	223	198	6	7	155	137	129
	258.—BRADFORD-ON-AVON.											
1	Bradford South Eastern *W*	18800	6679	208	138	118	90	4	4	65	73	70
2	Bradford North Western		3796	108	79	60	48	3	3	23	56	29
	259.—WESTBURY.											
1	Bradley	6076	2510	66	45	36	30	3	–	23	22	21
2	Edington	24868	3490	95	61	44	51	2	5	26	35	34
3	Westbury *W*		5751	182	142	81	101	8	7	64	78	40
	260.—WARMINSTER.											
1	Warminster *W*	28810	7643	189	129	100	89	6	3	62	67	60
2	Longbridge Deverill		3927	115	83	60	55	–	1	44	39	32
3	Heytesbury	27546	4372	139	79	73	66	7	4	41	38	60
	261.—PEWSEY.											
1	Netheravon	36866	5471	160	73	84	76	8	5	36	37	87
2	Pewsey *W*	28784	6995	216	113	104	112	1	6	53	55	103

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	17.—WILTSHIRE—*continued.*											
	262.—AMESBURY.											
1	Orcheston	18406	2454	69	47	43	26	3	6	28	19	22
2	Amesbury *W*	27363	3756	119	76	65	54	6	3	37	39	43
3	Winterbourne	16561	1917	60	24	29	31	4	1	14	10	36
	263.—ALDERBURY.											
1	Alderbury	23721	4337	133	76	67	66	2	4	36	40	57
2	Downton	19844	4790	137	75	66	71	2	3	37	38	62
3	Britford *WH*	9095	5623	163	172	78	85	3	5	94	78	− 9
	264.—SALISBURY.											
1	Salisbury *W*	480	9039	251	149	140	111	10	4	82	67	102
	265.—WILTON.											
1	Wilton *W*	22845	5770	180	91	75	105	7	5	45	46	89
2	Bishopstone	31459	4904	155	74	78	77	5	4	42	32	81
	266.—TISBURY.											
1	Donhead	19842	4154	123	67	63	60	3	3	36	31	56
2	Tisbury *W*	10839	3207	108	92	47	61	5	9	45	47	16
3	Hindon	9813	2501	88	58	49	39	3	5	31	27	30
	267.—MERE.											
1	Mere *W*	33211	8057	260	127	136	124	8	11	69	58	133
	18.—DORSETSHIRE.											
	268.—SHAFTESBURY.											
1	Shaftesbury *W*	8171	4940	136	91	80	86	4	1	44	47	75
2	Fontmell	14944	3358	104	55	44	60	4	2	28	27	49
3	Gillingham	13378	4088	153	58	74	79	3	2	33	55	65
	269.—STURMINSTER.											
1	Stalbridge	15678	4422	131	76	57	74	2	2	35	41	55
2	Sturminster *W*	22256	5918	193	133	95	98	4	8	65	68	60
	270.—BLANDFORD.											
1	Milton Abbas	26201	6285	203	86	114	89	6	6	37	49	117
2	Blandford *W*	31070	8536	262	170	132	130	10	10	95	75	92
	271.—WIMBORNE.											
1	Cranborne	45437	7624	229	119	109	120	9	9	61	58	110
2	Witchampton	13153	4196	127	64	62	65	4	5	34	30	63
3	Wimborne *W*	22573	5433	190	94	75	85	5	10	47	47	66
	272.—POOLE.											
1	Canford	12768	2326	117	54	63	54	5	4	24	30	63
2	Poole *W*	5671	9366	338	262	166	172	5	9	142	120	76
3	Lytchett	8584	2050	64	26	33	31	2	2	15	11	38
	273.—WAREHAM.											
1	Swanage	15872	3632	143	75	63	80	2	1	41	34	68
2	Corfe Castle	12804	2411	68	33	27	41	−	2	18	15	35
3	Wareham *W*	33800	6230	174	102	89	85	11	4	50	52	72
4	Bere Regis	33833	4749	158	78	88	70	10	8	42	36	80
	274.—WEYMOUTH.											
1	Upway	15510	3931	132	69	62	70	−	2	33	36	63
2	Weymouth *W*	6859	12858	454	269	239	215	8	15	137	132	185
3	Portland	3555	8468	265	112	112	153	1	−	63	49	153
4	Abbotsbury	11358	2034	60	16	31	29	1	−	6	10	44
	‡ 275.—DORCHESTER.											
1	Dorchester *WH*	9830	7709	240	148	135	105	9	4	73	75	92
2	Puddletown	24912	4180	122	51	53	69	−	1	21	30	71
3	Maiden Newton *L*	35234	5603	166	120	88	78	1	3	66	54	46
4	Cerne *W*	45363	7318	247	93	136	111	9	2	48	45	154
	276.—SHERBORNE.											
1	Yetminster	20715	4298	135	68	67	68	6	2	32	36	67
2	Sherborne *W*	6467	5793	199	122	96	103	7	4	57	65	77
3	Bradford Abbas	12836	3372	105	70	40	65	2	1	31	39	35
	277.—BEAMINSTER.											
1	Evershot	16317	2874	79	36	47	32	3	2	16	20	43
2	Misterton	5180	1630	53	27	28	25	3	−	13	14	26
3	Netherbury *W*	20366	4971	145	87	70	75	3	10	38	49	58
4	Beaminster	11901	4112	136	73	69	67	4	3	42	31	63
	278.—BRIDPORT.											
1	Burton Bradstock	16306	4724	168	75	79	89	4	6	31	44	93
2	Bridport *W*	1622	8009	305	157	162	143	9	19	77	80	148
3	Whitchurch Canonicorum	15259	4095	123	66	75	48	4	2	31	35	57

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	19.—DEVONSHIRE.											
	279.—AXMINSTER.											
1	Lyme	5216	4204	129	74	64	65	4	3	40	34	55
2	Axminster *W*	19219	5537	165	100	86	79	4	5	44	56	65
3	Chardstock	17447	3827	109	71	57	52	1	7	38	33	38
4	Colyton	19856	6190	192	109	97	95	6	4	54	55	83
	280.—HONITON.											
1	Honiton *W*	48387	10783	414	224	218	196	13	10	114	110	190
2	Ottery St. Mary	32480	11946	310	213	170	140	13	3	101	112	97
	281.—ST. THOMAS.											
1	East Budleigh	12021	4649	128	69	63	60	-	2	32	37	59
2	Exmouth	7668	7171	248	137	123	125	2	7	64	73	111
3	Woodbury	15142	3916	135	64	71	64	4	4	33	26	71
4	Broad-Clist	14992	5537	95	67	46	49	2	5	40	27	28
5	Topsham	6207	4777	139	81	77	62	1	3	29	52	58
6	Heavitree	10854	6556	174	143	105	69	3	2	68	75	31
7	St. Thomas *W*	11271	6053	193	147	94	99	11	7	75	72	46
8	Alphington	17470	4097	98	60	47	51	1	1	32	28	38
9	Christow	11432	2207	57	31	25	32	1	1	17	14	26
10	Kenton *L*	23084	5442	159	145	81	78	6	1	78	67	14
	282.—EXETER.											
1	St. Sidwell *WH*	1800	18530	537	475	275	292	20	26	238	237	92
2	St. David		15212	447	272	230	217	16	11	141	131	175
	283.—NEWTON ABBOT.											
1	Teignmouth	7540	11184	275	218	143	132	7	5	99	119	57
2	Chudleigh	23736	6747	203	123	108	95	4	4	61	62	80
3	Moreton Hampstead	22642	2718	88	34	44	44	3	1	19	15	54
4	Ashburton	31599	6362	192	99	95	97	10	5	56	43	93
5	Newton Abbot *W*	21313	10467	408	263	210	198	18	23	135	128	145
6	Torquay	10506	21585	848	532	444	404	16	12	255	277	316
	284.—TOTNES.											
1	Paignton	10494	4266	150	84	80	70	4	2	37	47	66
2	Brixham	8517	6750	227	148	122	105	4	2	76	72	79
3	Dartmouth	5508	5429	192	118	95	97	2	3	46	72	74
4	Totnes *W*	12876	5881	169	167	84	85	13	9	83	84	2
5	Buckfastleigh	19646	4263	142	115	83	59	2	3	54	61	27
6	Ugborough	24849	3778	128	55	75	53	5	2	30	25	73
7	Harberton	16452	2575	78	28	40	38	3	1	12	16	50
	285.—KINGSBRIDGE.											
1	Blackawton	12408	2571	70	43	28	42	-	2	19	24	27
2	Stokenham	18354	3877	118	63	58	60	2	3	29	34	55
3	West Alvington *W*	15901	4835	168	98	88	80	6	6	47	51	70
4	Kingsbridge	10147	4432	122	91	70	52	1	1	50	41	31
5	Modbury	16108	3679	103	65	53	50	2	6	29	36	38
	286.—PLYMPTON ST. MARY.											
1	Yealmpton	27760	9209	333	159	164	169	7	5	85	74	174
2	Plympton *W*	47809	11293	418	236	222	196	14	12	118	118	182
	287.—PLYMOUTH.											
1	Charles *W*	1116	23390	919	685	443	476	40	50	310	375	234
2	St. Andrew *H*	519	32209	1466	868	747	719	45	43	434	434	598
	288.—EAST STONEHOUSE.											
1	East Stonehouse *W*	385	14343	619	390	316	303	25	12	232	158	229
	289.—STOKE DAMEREL.											
1	St. Aubyn	2380	7239	198	112	100	98	6	3	51	61	86
2	Clowance		10662	403	222	218	185	4	3	115	107	181
3	Morice		14089	318	200	162	156	2	-	103	97	118
4	Stoke *W*		9034	349	289	198	151	9	12	152	137	60
5	Tamar		9416	421	160	218	203	3	3	84	76	261
	290.—TAVISTOCK.											
1	Buckland Monachorum	86562	8698	206	92	96	110	4	5	56	36	114
2	Tavistock *W*	26312	17864	510	272	265	245	7	15	146	126	238
3	Milton Abbot	22746	4728	147	62	67	80	-	3	36	26	85
4	Lifton	22947	3975	118	72	56	62	2	4	30	42	46
	291.—OKEHAMPTON.											
1	Bratton Clovelly	23663	2339	71	26	38	33	7	4	11	15	45
2	Hatherleigh	26143	3986	108	70	55	53	1	8	34	36	38
3	Okehampton *W*	32610	5026	135	119	65	70	2	5	65	54	16
4	Chagford	19821	2907	80	53	43	37	1	3	30	23	27
5	North Tawton	24560	4322	154	72	78	76	7	3	42	30	82

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	19.—DEVONSHIRE—*cont.*											
	292.—CREDITON.											
1	Morchard Bishop	27659	4569	147	80	73	74	4	7	36	44	67
2	Bow	19402	3516	113	73	49	64	3	2	38	35	40
3	Crediton *W*	17293	6533	174	124	87	87	9	7	64	60	50
4	Cheriton-Fitzpaine	27507	5656	162	78	75	87	6	4	36	42	84
	293.—TIVERTON.											
1	Silverton	19026	5120	158	75	81	77	3	7	38	37	83
2	Cullompton	12077	4482	126	67	61	65	4	1	35	32	59
3	Uffculme	17778	5229	149	99	75	74	2	3	41	58	50
4	Tiverton *W*	17650	10447	278	215	136	142	12	15	103	112	63
5	Washfield	22412	2731	75	43	42	33	3	2	18	25	32
6	Bampton	14269	2866	90	46	41	49	1	1	18	28	44
	294.—SOUTH MOLTON.											
1	Witheridge	48070	5449	152	69	80	72	6	3	34	35	83
2	Chulmleigh	35286	5062	121	95	61	60	1	1	49	46	26
3	South Molton *W*	59147	9021	255	195	124	131	18	10	104	91	60
	295.—BARNSTAPLE.											
1	Barnstaple *WH*	12711	10652	335	243	161	174	20	21	115	128	92
2	Parracombe	35537	2839	72	35	39	33	2	2	19	16	37
3	Combmartin	24042	3875	99	44	50	49	-	2	21	23	55
4	Ilfracombe	19261	5663	161	92	78	83	4	2	34	58	69
5	Braunton	31469	6957	227	136	124	103	9	3	56	80	91
6	Bishops Tawton	26709	6307	180	117	92	88	2	4	55	62	63
	296.—TORRINGTON.											
1	High Bickington	17455	2937	88	57	39	49	2	3	23	34	31
2	Winkleigh	16516	2472	76	33	39	37	5	2	18	15	43
3	Dolton	15480	3181	79	45	38	41	4	4	20	25	34
4	Shebbear	17666	3063	72	37	36	36	1	1	18	19	35
5	Great Torrington *W*	14355	5223	141	92	69	72	7	8	46	46	49
	297.—BIDEFORD.											
1	Bideford *W*	3527	5851	201	150	101	100	11	14	73	77	51
2	Northam	7198	4460	180	70	92	88	4	2	34	36	110
3	Parkham	16797	2794	81	41	44	37	2	-	18	23	40
4	Hartland	28671	3774	101	58	45	56	1	1	25	33	43
5	Bradworthy	7671	911	21	14	13	8	-	1	8	6	7
	298.—HOLSWORTHY.											
1	Milton Damerel	21281	2542	80	52	40	40	-	3	26	26	28
2	Holsworthy *W*	18857	2756	74	50	36	38	5	3	20	30	24
3	Black Torrington	16804	1970	56	34	29	27	1	3	13	21	22
4	Broadwoodwidger	8587	803	23	15	13	10	1	-	9	6	8
5	Clawton	16990	1805	65	32	33	32	4	2	14	18	33
	20.—CORNWALL.											
	299.—STRATTON.											
1	Kilkhampton	16228	2066	63	28	26	37	1	-	13	15	35
2	Stratton *W*	13683	3392	112	64	52	60	7	3	36	28	48
3	Week St. Mary	24495	2570	77	51	33	44	6	3	32	19	26
	300.—CAMELFORD.											
1	Boscastle	17368	2429	73	36	38	35	3	3	19	17	37
2	Camelford *W*	34479	5355	179	88	104	75	10	10	49	39	91
	301.—LAUNCESTON.											
1	Altarnon	22489	2496	61	28	36	25	2	2	14	14	33
2	North Petherwin	20615	2269	68	40	40	28	3	2	19	21	28
3	St. Stephen	28776	3607	130	69	77	53	1	1	33	36	61
4	Launceston *W*	4809	3125	105	82	51	54	5	8	43	39	23
5	North-Hill	25088	5508	184	85	91	93	3	10	43	42	99
	302.—ST. GERMANS.											
1	Antony *W*	9740	7878	271	193	128	143	6	10	99	94	78
2	St. Germans	12044	3513	90	48	42	48	1	-	29	19	42
3	Saltash	24464	6240	202	136	99	103	6	5	67	69	66
	303.—LISKEARD.											
1	Callington	22851	8899	339	143	167	172	12	5	70	73	196
2	Liskeard *W*	44817	15194	487	271	233	254	12	18	157	114	216
3	Looe	19953	5665	199	98	100	99	3	5	54	44	101
4	Lerrin	19699	3804	106	68	59	47	1	2	29	39	38
	304.—BODMIN.											
1	Lanlivery	18391	5118	157	75	87	70	1	3	38	37	82
2	St Mabyn	28569	3085	98	52	53	45	3	3	25	27	46
3	Bodmin *WL*	16347	6524	209	191	98	111	12	15	103	88	18
4	Egloshayle	25674	4964	129	85	61	68	4	2	44	41	44

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	20.—CORNWALL—*continued.*											
	305.—ST. COLUMB.											
1	Padstow	28283	6649	191	134	101	90	4	8	61	73	57
2	St. Columb *W*	30313	6512	202	135	111	91	18	5	66	69	67
3	Newlyn	20117	3593	139	70	67	72	4	1	33	37	69
	306.—ST. AUSTELL.											
1	Fowey	8464	2343	242	147	134	108	5	8	75	72	95
2	St. Austell *W*	21665	14768	502	270	279	223	32	23	136	134	232
3	Mevagissey	12874	4575	121	64	68	53	2	2	30	34	57
4	Grampound	14443	5111	168	74	84	84	5	2	38	36	94
	307.—TRURO.											
1	Probus *W*	21670	3702	123	56	62	61	8	3	24	32	67
2	St. Just	18448	4737	135	80	72	63	4	4	39	41	55
3	St. Agnes	19694	9509	311	211	162	149	9	7	95	116	100
4	St. Clement *W*	11692	8089	270	241	137	133	28	21	110	131	29
5	Kenwyn	10004	10673	281	193	133	148	3	10	98	95	88
6	Kea	10703	6360	178	99	101	77	2	-	50	49	79
	308.—FALMOUTH.											
1	Mylor	6798	3730	135	65	71	64	6	1	28	37	70
2	Falmouth *W*	5203	11643	321	281	161	160	11	17	141	140	40
3	Penryn	2899	4760	166	109	73	93	2	3	47	62	57
4	Constantine	13006	3199	122	50	62	60	3	2	32	18	72
	309.—HELSTON.											
1	Wendron	18927	9314	365	199	194	171	11	8	107	92	166
2	Helston *W*	9838	5499	175	154	96	79	10	4	70	84	21
3	St. Keverne	28119	4904	138	114	77	61	6	4	58	56	24
4	Breage *W*	8448	6188	195	111	105	90	7	4	60	51	84
5	Crowan	7239	4131	125	90	56	69	4	2	45	45	35
	310.—REDRUTH.											
1	Gwennap	10856	12895	354	230	172	182	8	7	107	123	124
2	Redruth	3907	11504	372	208	196	176	12	9	106	102	164
3	Illogan *W*	8317	9683	372	279	197	175	25	27	149	130	93
4	Camborne	6744	14056	447	320	225	222	12	15	160	160	127
5	Phillack	10481	9035	295	189	164	131	12	7	101	88	106
	311.—PENZANCE.											
1	Uny-Lelant	12603	8357	218	152	101	117	2	10	72	80	66
2	St. Ives	8899	8967	278	155	142	136	9	6	76	79	123
3	Marazion	4909	5098	138	81	67	71	4	1	40	41	57
4	Penzance *W*	13971	13741	684	401	352	332	25	23	211	190	283
5	St. Just-in-Penwith	13113	10903	324	203	162	162	9	5	108	95	121
6	St. Buryan	11592	2488	97	37	46	51	2	3	21	16	60
	312.—SCILLY ISLANDS.											
1	Scilly Islands	3560	2437	56	43	29	27	1	1	21	22	13
	21.—SOMERSETSHIRE.											
	313 *a.*—WILLITON.											
1	Minehead	25869	2480	89	57	41	48	-	2	23	34	32
2	Dunster	26984	4293	88	79	46	42	-	2	43	36	9
3	Williton *W*	17709	5679	142	107	64	78	5	9	66	41	35
4	Stogursey	18628	2677	69	54	46	23	2	-	36	18	15
5	Stogumber	20012	3789	114	45	61	53	3	3	21	24	69
	313 *b.*—DULVERTON.											
1	Dulverton *W*	57906	6158	175	100	96	79	3	6	45	55	75
	314.—WELLINGTON.											
1	Wiveliscombe	10949	3526	134	49	74	60	4	2	26	23	85
2	Milverton	15130	4214	94	53	56	38	3	3	29	24	41
3	Wellington *W*	13563	8305	225	170	123	102	10	5	89	81	55
4	Culmstock	20812	4435	134	62	62	72	-	4	24	38	72
	315.—TAUNTON.											
1	Pitminster	21702	4950	123	74	70	53	3	1	39	35	49
2	North Curry	17064	5999	177	81	85	92	5	3	41	40	96
3	Taunton St. Mary Magdalen *WH*	3926	10283	275	240	144	131	20	13	134	106	35
4	Taunton St. James	12678	10339	280	177	160	120	9	8	85	92	103
5	Bishops-Lydeard	15082	4030	115	58	58	57	3	2	31	27	57
	316.—BRIDGWATER.											
1	Stowey	19540	4977	141	99	67	74	1	1	60	39	42
2	North Petherton	37102	5305	169	83	83	86	4	4	45	38	86
3	Middlezoy		2737	77	40	43	34	2	2	19	21	37
4	Bridgwater *W*		13694	458	257	244	214	14	7	117	140	201
5	Huntspill	19481	4003	120	62	55	65	2	1	28	34	58
6	Polden Hill	16150	3704	118	59	59	59	3	1	28	31	59
	317.—LANGPORT.											
1	Somerton	20744	5797	168	127	89	79	7	6	55	72	41
2	Langport *W*	21032	7091	213	126	96	117	8	9	65	61	87
3	Curry-Rivell	17615	5189	182	71	92	90	5	5	34	37	111

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	21.—SOMERSETSHIRE—*cont.*											
	318.—CHARD.											
1	Ilminster	20220	7448	267	153	130	137	8	8	77	76	114
2	Combe St. Nicholas	16743	3398	97	52	39	58	4	1	25	27	45
3	Chard *W*	10276	6661	224	139	120	104	10	9	74	65	85
4	Crewkerne	13103	8084	251	143	131	120	6	8	62	81	108
	319.—YEOVIL.											
1	Coker	15929	6321	210	97	103	102	10	6	41	56	113
2	South Petherton	5385	3862	135	56	64	71	7	9	29	27	79
3	Martock	11945	5979	216	104	107	109	11	3	48	56	112
4	Yeovil *W*	8043	9535	342	207	179	163	13	9	109	98	135
5	Ilchester	10844	2492	64	37	37	27	2	2	22	15	27
	320.—WINCANTON.											
1	Castle Cary	16906	6129	173	105	91	82	7	6	55	50	68
2	Milborne Port	17606	5395	206	98	102	104	5	6	47	51	108
3	Wincanton *W*	19646	6007	186	111	95	91	7	11	60	51	75
4	Bruton	11962	3969	89	49	42	47	1	3	24	25	40
	321.—FROME.											
1	Nunney	28303	4589	135	89	58	77	–	1	45	44	46
2	Frome *W*		11543	370	257	195	175	14	13	140	117	113
3	Road	11348	3573	94	83	45	49	3	1	40	43	11
4	Kilmersdon	11588	3999	153	73	72	81	1	2	39	34	80
	322.—SHEPTON MALLET.											
1	Stoke Lane	13172	3326	97	61	48	49	1	2	34	27	36
2	Evercreech	21233	5141	149	71	69	80	5	2	37	34	78
3	Shepton Mallet *W*	15252	8152	251	159	114	137	12	12	84	75	92
	323.—WELLS.											
1	Wells *WL*	33428	11254	328	259	163	165	11	17	130	129	69
2	Glastonbury	31394	10635	317	159	179	138	3	3	87	72	158
	324.—AXBRIDGE.											
1	Wedmore	20044	6265	172	117	87	85	8	7	62	55	55
2	Burnham	25256	5707	218	103	114	104	5	3	49	54	115
3	Banwell	19906	12649	445	219	220	225	11	10	110	109	226
4	Axbridge *W*	18297	5856	177	119	96	81	6	12	64	55	58
5	Blagdon	22176	5629	147	95	74	73	3	5	38	57	52
	325.—CLUTTON.											
1	Harptree	16128	3562	102	44	49	53	2	6	24	20	58
2	Chew Magna	13009	4422	139	70	62	77	4	5	35	35	69
3	Clutton *W*	7684	6063	209	136	105	104	8	4	68	68	73
4	Midsomer-Norton	10205	9074	354	170	176	178	8	5	95	75	184
	326.—BATH.											
1	Twerton	14192	6953	283	130	154	129	5	4	79	51	153
2	Bathwick	3452	7132	159	106	84	75	4	4	47	59	53
3	Abbey *HH*	*	11086	242	298	113	129	6	7	163	135	– 56
4	Lyncombe *W*	1845	9900	335	305	172	163	14	18	146	159	30
5	Walcot		11288	331	225	177	154	3	5	97	128	106
6	Lansdown	10832*	15008	318	232	158	160	10	9	113	169	36
7	Batheaston		6989	187	115	91	96	3	7	64	51	72
	327.—KEYNSHAM.											
1	Bitton	8267	5071	208	122	117	91	4	4	58	64	86
2	Oldland	5180	10091	388	181	193	195	6	6	79	102	207
3	Newton	10198	2426	68	41	39	29	–	–	20	21	27
4	Keynsham *W*	9713	4214	105	68	54	51	4	2	29	39	37
	328.—BEDMINSTER.											
1	Bedminster *H*	4161	22346	1141	577	583	558	11	22	278	299	564
2	Long Ashton *W*	19349	5864	205	113	110	95	21	14	47	66	92
3	Yatton	20048	8236	256	151	125	131	5	3	65	86	105
4	St. George	13510	4811	165	91	94	71	1	5	53	38	74

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	22.—GLOUCESTERSHIRE.											
	329.—BRISTOL.											
1	St. Mary Redcliff *H*	1840	14335	472	346	234	238	3	10	188	158	126
2	Castle Precincts		10194	338	209	177	161	21	27	110	99	129
3	St. Paul		15775	617	356	316	301	7	8	160	196	261
4	St. James *H*		10325	309	348	170	139	6	3	185	163	– 39
5	St. Augustine		15398	510	267	271	239	8	7	124	143	243

* The area of the Abbey sub-district (326; 3) is returned with that of sub-districts 326; 5–7.

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	22.—GLOUCESTERSH.—*cont.*											
	330.—CLIFTON.											
1	Clifton	740	21375	661	401	347	314	16	10	175	226	260
2	Ashley	1777	11690	467	273	235	232	4	1	120	153	194
3	St. George	1831	10276	609	259	311	298	5	6	129	130	350
4	St. Philip and Jacob	310	31753	1569	706	809	760	17	18	374	332	863
5	Westbury	15998	10409	322	184	177	145	3	3	83	101	138
6	Stapleton *W to L*	8819	9184	333	474	178	160	35	28	246	228	−136
	331.—CHIPPING SODBURY.											
1	Chipping Sodbury	14115	5252	169	82	100	69	4	1	48	34	87
2	Marshfield	16177	4103	133	70	60	73	3	–	34	36	63
3	Hawkesbury	20668	4156	116	46	54	62	7	3	21	25	70
4	Iron Acton *W*	11396	5252	190	117	88	102	5	6	60	48	73
	332.—THORNBURY.											
1	Almondsbury	23087	5233	150	60	87	63	1	3	32	28	90
2	Thornbury *W*	21617	5870	191	102	103	88	13	6	50	52	89
3	Berkeley	21136	5396	180	80	90	90	6	7	41	39	100
	333.—DURSLEY.											
1	Wotton-under-Edge	10475	5754	158	149	72	86	4	7	66	83	9
2	Uley	6147	2471	88	49	56	32	4	2	25	24	39
3	Dursley *W*	9399	5106	167	91	82	85	9	4	36	55	76
	334.—WESTBURY-ON-SEVERN.											
1	Newnham	24023	14474	540	305	286	254	13	10	160	145	235
2	Huntley *W*	19223	5715	169	113	82	87	13	13	50	63	56
	335.—NEWENT.											
1	Newent *W*	23122	6689	204	114	107	97	10	8	67	47	90
2	Redmarley	22159	5731	167	95	86	71	5	3	46	49	62
	336.—GLOUCESTER.											
1	Kingsholm *L*	18993	7309	205	162	104	101	3	3	83	79	43
2	St. Nicholas *W*	} 680	{ 7416	300	171	158	142	19	8	104	67	129
3	St. John the Baptist } *H*		{ 7798	252	151	131	121	16	14	76	75	101
4	South Hamlet	12549	12427	571	220	289	282	6	12	123	97	351
	337.—WHEATENHURST.											
1	Haresfield	13157	3314	102	52	53	49	3	1	34	18	50
2	Frampton *W*	11314	4499	123	81	63	60	3	5	44	37	42
	338.—STROUD.											
1	Stonehouse	3955	4538	164	93	74	90	2	4	46	47	71
2	Painswick	10325	4334	143	97	71	72	1	3	32	65	46
3	Bisley	8033	4692	157	107	69	88	2	6	47	60	50
4	Stroud *W*	3810	9090	322	196	158	164	14	7	89	107	126
5	Rodborough	4192	5019	177	95	98	79	3	2	54	41	82
6	Minchinhampton	4895	4147	127	78	74	53	2	2	46	32	49
7	Horsley	8510	4628	164	80	77	87	5	2	40	40	84
	339.—TETBURY.											
1	Didmarton	9382	1470	41	14	24	17	3	1	11	3	27
2	Tetbury *W*	16259	4640	131	98	74	57	2	1	51	47	33
	340.—CIRENCESTER.											
1	Cotswold	29094	3946	125	61	60	65	1	1	27	34	64
2	Cirencester *W*	30074	10840	354	213	179	175	13	15	102	111	141
3	Fairford	26198	6148	195	91	96	99	4	6	46	45	104
	341.—NORTHLEACH.											
1	Bibury *W*	31198	5642	170	108	98	72	7	5	54	54	62
2	Chedworth	36449	5253	168	91	93	75	5	5	39	52	77
	342.—STOW-ON-THE-WOLD.											
1	Bourton-on-the-Water	23087	4624	193	86	106	87	7	7	44	42	107
2	Stow-on-the-Wold *W*	18094	5063	141	83	69	72	7	5	47	36	58
	343.—WINCHCOMB.											
1	Guiting *W*	36568	5974	166	130	84	82	6	5	73	57	36
2	Cleeve	20926	4108	125	61	64	61	6	5	27	34	64
	344.—CHELTENHAM.											
1	Charlton Kings	21136	10099	285	198	166	119	5	4	90	108	87
2	Cheltenham *WH*	3740	39693	1151	793	581	570	46	40	388	405	358
	345.—TEWKESBURY.											
1	Deerhurst	18152	4229	136	62	73	63	5	3	32	30	74
2	Overbury	10427	2970	76	54	42	34	–	5	30	24	22
3	Tewkesbury *W*	10339	7709	245	151	119	126	15	16	66	85	94

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	23.—HEREFORDSHIRE.											
	346.—LEDBURY.											
1	Ledbury *W*	27704	10295	281	159	142	139	8	15	77	82	122
2	Yarkhill	21079	4585	111	68	57	54	3	7	28	40	43
	347.—ROSS.											
1	Sollershope	18509	3641	107	47	55	52	2	3	23	24	60
2	Ross *W*	17250	9032	290	192	143	147	15	11	102	90	98
3	St. Weonards	19809	3633	139	63	80	59	6	–	29	34	76
	348.—HEREFORD.											
1	Dewchurch	24727	4352	141	66	76	65	8	1	34	32	75
2	Fownhope	19079	5614	124	78	62	62	4	8	43	35	46
3	Burghill	23851	5737	211	119	93	118	8	6	63	56	92
4	Hereford City *WH*	2417	14065	486	324	253	228	22	24	181	143	162
5	Madley	19790	3088	94	64	41	53	3	3	39	25	30
6	Kentchurch *W*	26723	3567	116	65	57	59	5	5	34	31	51
7	Clodock	28404	2864	65	38	36	29	4	–	25	13	27
	349.—WEOBLY.											
1	Weobly *W*	28407	5317	142	89	64	78	11	5	52	37	53
2	Dilwyn	20552	3701	108	45	44	64	4	5	22	23	63
	350.—BROMYARD.											
1	Bromyard	17542	3656	117	74	66	51	8	5	32	42	43
2	Bishops Frome	22305	4439	130	65	59	71	2	8	29	36	65
3	Brockhampton *W*	21812	3716	131	72	65	66	7	10	41	31	59
	351.—LEOMINSTER.											
1	Leominster *W*	13844	6618	194	114	112	82	17	10	61	53	80
2	Bodenham	24884	4021	112	69	57	55	8	2	28	41	43
3	Kingsland	26892	4855	136	75	72	64	11	1	34	41	61
	24.—SHROPSHIRE.											
	352.—LUDLOW.											
1	Leintwardine	19178	2556	73	33	34	39	4	3	13	20	40
2	Ludlow *W*	22697	8801	288	193	137	151	17	20	104	89	95
3	Cainham	12195	2227	66	35	36	30	1	3	13	22	31
4	Munslow	15193	2051	63	40	32	31	4	5	21	19	23
5	Diddlebury	18310	2086	77	37	41	36	2	3	14	23	40
	353.—CLUN.											
1	Clun	31358	4152	119	82	59	60	11	5	41	41	37
2	Bishops Castle *W*	16834	2924	103	72	54	49	7	11	38	34	31
3	Norbury	21232	1636	49	26	25	24	4	1	13	13	23
4	Lydbury	13412	1903	60	39	34	26	3	5	12	27	21
	354.—CHURCH STRETTON.											
1	Church Stretton *W*	24870	3928	112	72	57	55	6	5	45	27	40
2	Wall	21314	2361	73	38	46	27	5	3	22	16	35
	355.—CLEOBURY MORTIMER.											
1	Cleobury Mortimer *W*	29817	5514	171	121	87	84	5	8	60	61	50
2	Stottesden	24823	2790	78	44	45	33	4	1	29	15	34
	356.—BRIDGNORTH.											
1	Chetton	38589	4725	120	61	58	62	3	1	28	33	59
2	Bridgnorth *W*	3382	6240	181	107	93	88	9	8	55	52	74
3	Worfield *w*	27925	4955	150	69	69	81	2	3	42	27	81
	357.—SHIFFNAL.											
1	Albrighton	22511	4145	109	49	59	50	4	2	30	19	60
2	Shiffnal *W*	23542	7849	296	156	146	150	10	9	85	71	140
	358.—MADELEY.											
1	Dawley	3576	11323	510	243	261	249	27	17	129	114	267
2	Madeley *W*	7682	10733	362	216	176	186	22	20	108	108	146
3	Broseley	7847	5553	195	92	101	94	10	4	50	42	103
4	Much Wenlock	8846	2494	78	56	43	35	4	2	30	26	22
	359.—ATCHAM.											
1	Condover *W*	37057	6063	168	114	80	88	7	10	61	53	54
2	Pontesbury	12052	3866	116	69	69	47	2	1	39	30	47
3	Westbury	11274	2545	78	39	35	43	5	6	16	23	39
4	Alberbury	12034	2235	58	34	36	22	1	4	23	11	24
5	Montford	7857	1166	36	9	18	18	1	1	3	6	27
6	Battlefield	11554	1881	61	21	31	30	2	1	8	13	40
7	Atcham	12316	1699	43	9	24	19	1	–	6	3	34
	360.—SHREWSBURY.											
1	St. Mary *HL*	18032	16251	525	420	267	258	24	24	226	194	105
2	St. Chad *W*		9533	311	213	152	159	15	14	106	107	98

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	24.—SHROPSHIRE—*cont.*											
	361.—OSWESTRY.											
1	Knockin	19422	4423	121	55	58	63	7	5	30	25	66
2	Llansilin	22978	4128	138	58	69	69	4	7	29	29	80
3	Oswestry *W*	15703	9357	350	222	173	177	16	19	123	99	128
4	St. Martin	18945	5909	205	136	101	104	5	5	69	67	69
	362.—ELLESMERE.											
1	Overton	6434	1779	33	27	20	18	1	4	13	14	11
2	Hanmer	14718	2519	61	34	29	32	2	6	18	16	27
3	Ellesmere *W*	28646	6878	205	134	108	97	14	11	71	63	71
4	Baschurch	21283	3435	88	54	48	40	2	4	36	18	34
	363 *a*.—WEM.											
1	Wem *W*	34547	7282	226	132	107	119	14	9	69	63	94
2	Prees	16650	3362	100	54	55	45	12	5	28	26	46
	363 *b*.—WHITCHURCH.											
1	Whitchurch *W*	23229	7651	235	146	128	107	15	14	76	70	89
2	Malpas	15847	3621	108	66	51	57	3	4	27	39	42
	364.—MARKET DRAYTON.											
1	Moreton Say	21490	3923	98	72	59	39	6	1	40	32	26
2	Market Drayton *W*	14216	5242	184	104	91	93	10	11	50	54	80
3	Hodnet	32204	5095	132	75	74	58	7	8	42	33	57
	365.—WELLINGTON.											
1	Ercall Magna *W*	17370	3230	110	47	65	45	6	2	21	26	63
2	Wellington *W*	12863	14046	541	269	266	275	34	24	138	131	272
3	Wombridge	3295	6597	342	165	186	176	14	20	91	74	177
	366.—NEWPORT.											
1	Newport *W*	22662	10478	354	251	172	182	16	21	135	116	103
2	Gnosall	24815	4969	128	81	63	60	4	5	41	40	47
	25.—STAFFORDSHIRE.											
	367.—STAFFORD.											
1	Stafford *WHL*	17581	14739	492	399	267	225	11	13	218	181	93
2	Castle Church	13071	5413	190	95	95	95	5	5	45	50	95
3	Colwich	21370	4322	109	76	60	49	3	3	33	43	33
	368.—STONE.											
1	Stone *W*	26657	9528	318	213	156	162	6	11	104	109	105
2	Eccleshall	32810	6139	160	98	74	86	6	5	46	52	62
3	Trentham	9057	6259	244	150	112	132	–	4	60	90	94
	369.—NEWCASTLE-UNDER-LYME.											
1	Whitmore	6680	1302	31	20	14	17	1	3	9	11	11
2	Newcastle-under-Lyme *W*	8867	15640	685	432	353	332	25	11	227	205	253
3	Audley	11171	7625	362	312	182	180	17	8	210	102	50
	370.—WOLSTANTON.											
1	Wolstanton	10739	9563	552	308	269	283	14	10	158	150	244
2	Tunstall *W*		22466	1235	802	596	639	43	55	419	383	433
3	Burslem	2940	22327	1085	789	571	514	34	21	413	376	296
	371.—STOKE-UPON-TRENT.											
1	Hanley	10490	16848	769	490	380	389	23	21	257	233	279
2	Shelton *H*		18331	865	686	424	441	13	18	376	310	179
3	Stoke-upon-Trent *W*		11390	543	429	278	265	24	14	237	192	114
4	Fenton		7882	435	269	225	210	16	20	148	121	163
5	Longton		16857	963	618	496	467	47	55	315	303	345
	372.—LEEK.											
1	Norton	43174	5634	298	166	161	137	17	13	86	80	132
2	Leek *W*		12341	433	317	225	208	17	20	160	157	116
3	Leek Frith		1790	56	39	33	23	3	2	19	20	17
4	Longnor	29719	5041	167	93	90	77	10	12	53	42	72
	373.—CHEADLE.											
1	Alton	9487	2693	73	36	38	35	4	1	21	15	37
2	Ipstones	20677	6118	242	114	136	106	6	3	61	53	128
3	Dilhorne	12638	5070	230	113	140	90	7	8	60	53	117
4	Cheadle *W*	12344	7107	230	146	112	118	15	14	67	79	84
	374.—UTTOXETER.											
1	Uttoxeter *W*	24807	8008	269	168	136	133	16	13	85	83	101
2	Abbots Bromley	17355	2976	90	59	45	45	8	7	27	32	31
3	Sudbury	20728	3803	99	66	48	51	4	5	33	33	33
	375.—BURTON-UPON-TRENT.											
1	Tutbury	27211	6797	232	130	122	110	7	15	68	62	102
2	Repton *L*	27430	6484	170	156	87	83	5	4	91	65	14
3	Gresley	18873	9039	479	226	235	244	14	8	122	104	253
4	Burton-upon-Trent *W*	17138	18745	1186	492	589	597	25	24	251	241	694

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	25.—STAFFORDSH.—*cont.*											
	376.—TAMWORTH.											
1	Tamworth *W*	26173	8647	318	178	167	151	15	12	85	93	140
2	Fazeley	20564	6857	299	146	142	157	3	4	84	62	153
	377.—LICHFIELD.											
1	Lichfield *W*	37688	15628	623	357	315	308	17	12	189	168	266
2	Yoxall	20417	4765	151	87	64	87	6	10	39	48	64
3	Rugeley	13508	7148	234	108	117	117	1	11	50	58	126
	378.—PENKRIDGE.											
1	Penkridge	27434	4260	130	92	66	64	6	5	45	47	38
2	Brewood *W*	20782	5629	164	104	85	79	12	8	57	47	60
3	Cannock	22583	8773	425	205	214	211	7	9	109	96	220
	379.—WOLVERHAMPTON.											
1	Tettenhall	14222	6046	200	105	116	84	6	2	67	38	95
2	Kinfare	16391	4832	133	60	65	68	2	5	34	26	73
3	Wombourn *W*	12961	4991	156	88	88	68	8	4	47	41	68
4	Wolverhampton Western	3008	24514	1005	568	557	538	28	23	292	276	527
5	Wolverhampton Eastern *WH*		36346	1585	942	821	764	65	64	523	419	643
6	Willenhall	5588	25809	1226	473	628	598	36	28	242	231	753
7	Bilston	1730	24364	1032	491	524	508	24	29	239	252	541
	380.—WALSALL.											
1	Darlaston	2551	13230	687	327	341	346	14	10	176	151	360
2	Bloxwich	19052	9237	493	220	238	255	14	15	126	94	273
3	Walsall *W*		30415	1517	723	792	725	38	40	413	310	794
4	Aldridge		7026	342	133	185	157	11	9	73	60	209
	381.—WEST BROMWICH.											
1	Handsworth	7680	11459	436	212	213	223	2	6	93	117	224
2	Oldbury	3799	17258	864	368	450	414	27	24	179	189	496
3	West Bromwich South West	1500	21588	1052	470	522	530	19	26	250	220	582
4	West Bromwich North East *W*	4210	20207	985	519	504	481	46	33	277	242	466
5	Wednesbury	2175	21968	1104	483	552	552	15	19	276	212	616
	382.—DUDLEY.											
1	Rowley-Regis	3670	19785	1086	487	543	543	35	40	282	225	599
2	Tipton	3020	28870	1388	562	753	635	31	24	293	269	826
3	Sedgley *W*	7364	36637	1832	872	930	902	63	76	482	390	960
4	Dudley	3930	44975	2106	892	1078	1028	56	48	474	418	1214
	26.—WORCESTERSHIRE.											
	383.—STOURBRIDGE.											
1	Halesowen	5570	11511	536	257	270	266	17	14	148	109	279
2	Stourbridge	3315	22958	940	438	501	439	21	16	237	201	502
3	Kingswinford *W*	7315	34257	1579	663	791	788	51	42	355	308	916
	384.—KIDDERMINSTER.											
1	Chaddesley Corbett	9582	2091	53	47	31	22	2	-	25	22	6
2	Wolverley	7172	3204	105	55	47	58	3	-	29	26	50
3	Kidderminster *W*	10685	17912	667	395	343	324	20	22	212	183	272
4	Lower Mitton	861	2958	92	58	56	36	1	2	39	19	34
5	Bewdley	9021	4142	126	69	60	66	2	4	41	28	57
	385.—TENBURY.											
1	Tenbury *W*	18164	4320	160	88	82	78	9	8	42	46	72
2	Bockleton	17777	3046	90	35	49	41	4	2	22	13	55
	386.—MARTLEY.											
1	Martley *W*	13335	3128	99	64	53	46	5	5	37	27	35
2	Witley	13209	3480	108	61	64	44	6	2	35	26	47
3	Holt	13997	3509	119	54	59	60	3	2	24	30	65
4	Leigh	13087	4981	172	93	83	89	6	6	46	47	79
	387.—WORCESTER.											
1	West Worcester	3950	8593	296	180	141	155	11	12	81	99	116
2	North Worcester *WH*	1440	10725	348	314	169	179	12	19	182	132	34
3	South Worcester	1309	11651	492	252	256	236	13	15	115	137	240
	388.—UPTON-ON-SEVERN.											
1	Hanley *L*	20007	11377	320	252	159	161	8	8	139	113	68
2	Upton-on-Severn *W*	20604	6122	167	105	88	79	5	8	56	49	62
3	Kempsey	12405	3511	117	55	56	61	3	2	31	24	62
	389.—EVESHAM.											
1	Evesham *W*	18039	7897	264	159	147	117	16	9	75	84	105
2	Broadway	28570	6870	251	142	136	115	15	9	74	68	109

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	26.—WORCESTERSHIRE —*continued.*											
	390.—PERSHORE.											
1	Eckington	16897	4228	123	61	68	55	9	3	30	**31**	62
2	Pershore *W*	17781	6507	214	152	128	91	7	5	85	67	62
3	Upton Snodsbury	17591	3130	116	47	59	57	7	2	31	16	69
	391.—DROITWICH.											
1	Claines	16782	7465	305	146	163	142	6	5	76	70	159
2	Ombersley	18867	5181	129	72	70	59	4	2	39	33	57
3	Droitwich *W*	19576	6591	225	141	124	101	14	8	80	61	84
	392.—BROMSGROVE.											
1	Bromsgrove *W*	16088	12496	510	314	250	260	30	23	149	165	196
2	Belbroughton	15584	4867	148	64	82	66	11	4	31	33	84
3	Tardebigg	17002	8896	354	217	179	175	4	8	107	110	137
	393.—KINGS NORTON.											
1	Kings Norton *W*	16612	14316	590	362	311	285	14	18	185	177	234
2	Edgbaston	8496	16037	505	269	254	251	10	4	132	137	236
3	Harborne	3296	16996	805	339	404	401	14	9	171	168	466
	27.—WARWICKSHIRE.											
	394.—BIRMINGHAM.											
1	Lady Wood			34728	1655	776	868	787	15	19	402	374	879
2	St. Thomas *H*			32269	1395	866	695	700	24	25	484	432	529
3	St. Martin			30252	1284	773	668	616	25	21	401	372	511
4	St. Peter			14806	462	355	235	227	12	9	186	169	107
5	St. Philip		2660	9375	257	169	127	130	6	14	86	83	88
6	St. Paul			9489	208	216	105	103	4	1	109	107	− 8
7	St. Mary			17477	580	500	300	280	9	6	261	239	80
8	St. George *H*			44405	2104	1485	1073	1031	51	33	795	690	619
9	All Saints *W*			19820	1048	1024	520	528	77	71	561	463	24
	395.—ASTON.											
1	Deritend	1690	31788	1767	906	881	886	25	31	439	467	861
2	Duddeston	936	38760	1952	1090	970	982	35	40	535	555	862
3	Erdington *W*	11251	24447	1398	752	728	670	30	17	393	359	646
4	Sutton Coldfield	17396	5527	169	108	92	77	7	7	61	47	61
	396.—MERIDEN.											
1	Coleshill	22223	4903	135	76	64	71	4	7	37	39	59
2	Meriden *W*	26395	6387	187	115	79	108	7	7	62	53	72
	397.—ATHERSTONE.											
1	Atherstone *W*	27883	12118	400	239	189	211	20	12	128	111	161
	398.—NUNEATON.											
1	Nuneaton *W*	20428	13054	436	304	212	224	12	11	137	167	132
	399.—FOLESHILL.											
1	Foleshill *W*	7799	15327	528	318	269	259	19	14	134	184	210
2	Sowe	11590	4670	138	79	58	80	1	4	40	39	59
	400.—COVENTRY.											
1	St. John *WH*	3665	22166	684	433	340	344	24	25	214	219	251
2	Holy Trinity	1824	19481	640	375	333	307	20	15	169	206	265
	401.—RUGBY.											
1	Rugby *W*	25130	13601	398	231	217	181	16	3	128	103	167
2	Crick	26669	4962	137	84	68	69	4	3	44	40	53
3	Dunchurch	28956	5873	158	91	74	84	2	4	45	46	67
	402.—SOLIHULL.											
1	Solihull *W*	19778	7383	228	133	119	109	7	11	72	61	95
2	Knowle	11461	2819	91	46	42	49	3	2	25	21	45
3	Tanworth	14776	3029	92	48	49	43	4	2	24	24	44
	403.—WARWICK.											
1	Budbrooke *L*	18463	4446	109	106	62	47	2	1	62	44	3
2	Leamington	2900	15768	576	369	281	295	18	21	174	195	207
3	Kenilworth	23098	6195	173	94	73	100	4	7	44	50	79
4	Warwick *W*	5410	10589	317	257	169	148	17	16	142	115	60
5	Radford	16168	4049	90	66	47	43	−	2	36	30	24
	404.—STRATFORD-ON-AVON.											
1	Kineton	10166	2378	69	54	33	36	−	3	27	27	15
2	Wellesbourne	14074	3026	91	60	49	42	3	1	29	31	31
3	Stratford-on-Avon	14384	6117	191	136	99	92	10	5	74	62	55
4	Old Stratford *W*	22680	3931	223	134	117	106	13	9	62	72	89
5	Wootton Wawen	17747	3797	100	59	53	47	3	1	29	30	41

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	27.—WARWICKSH.—*cont.*											
	405.—ALCESTER.											
1	Studley	12095	4274	155	74	83	72	7	3	36	38	81
2	Alcester *W*	15419	4787	179	112	81	98	3	6	57	55	67
3	Feckenham	15636	5068	179	105	88	91	1	3	53	52	74
4	Bidford	9280	2749	85	34	45	40	3	7	19	15	51
	406.—SHIPSTON-ON-STOUR.											
1	Campden	20186	4845	138	74	68	70	7	5	33	41	64
2	Moreton	20612	6086	180	132	89	91	6	9	65	67	48
3	Shipston-on-Stour *W*	17021	5064	170	106	92	78	7	6	63	43	64
4	Halford	21080	3857	139	78	72	67	8	4	41	37	61
	407.—SOUTHAM.											
1	Southam *W*	50409	10392	318	198	178	140	12	9	94	104	120

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867.—SUB-DISTRICTS.

	28.—LEICESTERSHIRE.											
	408.—LUTTERWORTH.											
1	Lutterworth *W*	59031	15515	422	263	212	210	18	15	126	137	159
	409.—MARKET HARBOROUGH.											
1	Market Harborough *W*	64094	16059	489	290	237	252	15	13	146	144	199
	410.—BILLESDON.											
1	Billesdon *W*	50721	7272	179	96	106	73	7	5	51	45	83
	411.—BLABY.											
1	Wigston	13210	7314	281	155	139	142	10	9	67	88	126
2	Enderby *W*	20997	6991	216	126	115	101	12	8	77	49	90
	412.—HINCKLEY.											
1	Burbage	15000	5137	160	104	84	76	6	8	52	52	56
2	Hinckley *W*	8210	7658	251	201	125	126	11	13	92	109	50
3	Earl Shilton	4860	3579	131	79	62	69	5	5	36	43	52
	413.—MARKET BOSWORTH.											
1	Market Bosworth *W*	35137	7185	218	135	112	106	9	11	66	69	83
2	Ibstock	18389	6243	260	157	138	122	16	8	77	80	103
	414.—ASHBY-DE-LA-ZOUCH.											
1	Measham	9457	4109	130	64	59	71	6	7	38	26	66
2	Hartshorn	14007	6207	207	108	107	100	11	7	56	52	99
3	Ashby-de-la-Zouch *W*	12480	8290	312	187	148	164	8	17	96	91	125
4	Whitwick	16008	9937	468	256	243	225	10	10	132	124	212
	415.—LOUGHBOROUGH.											
1	Loughborough *W*	18690	17520	712	426	377	335	34	33	213	213	236
2	Leake	25150	6627	231	114	109	122	8	18	48	66	117
	416.—BARROW-UPON-SOAR.											
1	Barrow-upon-Soar	13521	5144	208	96	125	83	11	4	50	46	112
2	Quorndon	8830	5089	205	101	111	94	1	5	52	49	104
3	Rothley *W*	14657	4796	193	133	99	94	3	6	61	72	60
4	Syston	10860	4749	182	102	97	85	9	7	51	51	80
	417.—LEICESTER.											
1	East Leicester *W*	3960	41194	2247	1263	1169	1078	80	63	625	638	984
2	West Leicester *HL*		26862	1251	858	621	630	19	30	424	434	393
	418.—MELTON MOWBRAY.											
1	Somerby	22668	3892	106	45	49	57	–	1	24	21	61
2	Melton Mowbray *W*	17900	6375	168	112	89	79	6	14	57	55	56
3	Clawson	27084	5537	163	94	87	76	8	6	50	44	69
4	Waltham	30425	4367	126	74	55	71	6	4	42	32	52
	29.—RUTLANDSHIRE.											
	419.—OAKHAM.											
1	Oakham *W*	55030	11112	374	215	196	178	13	18	112	103	159
	420.—UPPINGHAM.											
1	Uppingham *W*	19007	5345	164	82	70	94	4	4	45	37	82
2	Great Easton	14882	3135	85	49	44	41	–	3	19	30	36
3	Barrowden	18809	3887	111	68	63	48	4	7	40	28	43

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	30.—LINCOLNSHIRE.											
	421.—STAMFORD.											
1	Stamford *WH*	24136	12521	360	254	185	175	13	17	122	132	106
2	Barnack	28722	5692	156	92	80	76	2	8	51	41	64
	422.—BOURN.											
1	Corby	20103	3396	103	40	53	50	2	2	18	22	63
2	Aslackby	23635	4730	175	86	91	84	4	5	42	44	89
3	Bourn *W*	33106	7354	224	143	116	108	13	9	92	51	81
4	Deeping	13800	4633	154	81	86	68	6	6	45	36	73
	423.—SPALDING.											
1	Pinchbeck	11640	3052	112	45	54	58	1	3	23	22	67
2	Donington	10390	2691	75	45	37	38	4	2	16	29	30
3	Gosberton	12320	3060	101	50	49	52	5	3	25	25	51
4	Spalding *W*	16660	9253	333	210	169	166	28	24	106	104	125
5	Moulton	19171	2893	88	56	47	41	5	1	31	25	32
6	Deeping St. Nicholas	16290	1180	42	11	20	22	3	–	3	8	31
	424.—HOLBEACH.											
1	Gedney Hill	107299	2994	105	44	49	56	2	4	24	20	61
2	Long Sutton		7999	262	133	136	126	6	7	72	61	129
3	Holbeach *W*		7409	256	118	128	128	15	14	62	56	138
	425.—BOSTON.											
1	Kirton-in-Holland	31412	5028	163	85	79	84	4	1	43	42	78
2	Bennington	50285	6572	181	108	101	80	6	2	54	54	73
3	Sibsey	15290	3259	97	53	51	46	1	1	32	21	44
4	Boston *W*	7850	17527	552	388	280	272	37	41	184	204	164
5	Swineshead	20710	5583	187	96	101	86	10	5	41	55	91
	426.—SLEAFORD.											
1	Billinghay	68646	5423	174	63	85	89	7	6	31	32	111
2	Sleaford *W*		8131	286	158	136	150	15	25	79	79	128
3	Leadenham	19202	3940	145	90	77	68	3	7	50	40	55
4	Heckington	26189	4366	159	82	85	74	4	5	41	41	77
5	Aswarby	17740	3059	100	43	52	48	8	3	31	12	57
	427.—GRANTHAM.											
1	Colsterworth	35320	5391	156	95	68	88	9	9	41	54	61
2	Denton	36512	7225	214	125	106	108	4	4	61	64	89
3	Grantham *W*	32097	16270	595	367	293	302	22	26	198	169	228
	428.—LINCOLN.											
1	Lincoln South-West	70276	13605	424	224	223	201	12	12	109	115	209
2	Lincoln Home *WHL*	29614	24917	1018	662	536	482	43	42	346	316	356
3	Lincoln North-East	59030	8541	272	135	141	131	6	10	71	64	137
	429.—HORNCASTLE.											
1	Wragby	31004	4537	132	73	67	65	1	3	37	36	59
2	Horncastle *W*	27209	9112	282	182	146	136	19	12	102	80	100
3	Tetford	28065	4460	119	72	61	58	4	2	29	43	47
4	Tattershall	27310	6609	177	124	95	82	8	11	54	70	53
	430.—SPILSBY.											
1	Stickney	11910	2131	78	37	46	32	3	3	21	16	41
2	Wainfleet	37673	5502	169	109	91	78	8	4	68	41	60
3	Spilsby *W*	32834	8421	274	175	128	146	18	22	108	67	99
4	Burgh	25282	4941	143	84	76	67	7	5	41	43	59
5	Alford	32570	7804	210	160	110	100	6	8	78	82	50
	431.—LOUTH.											
1	Withern	27131	4643	162	80	79	83	8	2	30	50	82
2	Louth *W*	38555	14442	430	290	224	206	17	26	145	145	140
3	Binbrook	29072	4468	139	80	61	78	2	5	41	39	59
4	Saltfleet	39876	5503	171	96	80	91	4	5	49	47	75
5	Tetney	36074	5655	176	84	88	88	3	8	40	44	92
	432.—CAISTOR.											
1	Great Grimsby	63215	16288	983	440	513	470	21	19	225	215	543
2	Caistor *W*	63811	9005	251	115	136	115	15	14	59	56	136
3	Market Rasen	56138	10224	305	176	155	150	14	5	92	84	129
	433.—GLANFORD BRIGG.											
1	Brigg *W*	52077	12326	432	248	222	210	19	25	121	127	184
2	Winterton	56316	9806	362	177	171	191	13	8	94	83	185
3	Barton	57077	12599	423	238	233	190	10	13	121	117	185
	434.—GAINSBOROUGH.											
1	Owston	13820	4649	133	110	60	73	3	2	50	60	23
2	Scotter	30104	4706	108	73	56	52	1	3	30	43	35
3	Misterton	14763	3151	107	62	44	63	4	3	28	34	45
4	Gainsborough *W*	7300	7339	260	163	147	113	11	6	99	64	97
5	Willingham	28634	4037	136	59	72	64	4	4	25	34	77
6	Marton	14047	2091	60	38	25	35	2	4	21	17	22

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	31.—NOTTINGHAMSHIRE.											
	435.—EAST RETFORD.											
1	Gringley	18591	3446	91	55	35	56	3	6	28	27	36
2	Clarborough *W*	19560	6076	192	110	100	92	9	12	58	52	82
3	East Retford	23607	8157	301	137	146	155	11	2	58	79	164
4	Tuxford	25039	4998	118	76	48	70	3	6	31	45	42
	436.—WORKSOP.											
1	Worksop *W*	20630	8373	389	238	198	191	16	9	126	112	151
2	Carlton	25200	3586	113	33	52	61	1	4	14	19	80
3	Anston	16580	3222	137	58	74	63	3	5	28	30	79
4	Carburton	18440	5523	192	92	101	91	5	7	50	42	100
	437.—MANSFIELD.											
1	Warsop	9570	3689	119	84	65	54	2	5	33	51	35
2	Pleasley	16294	2484	62	45	33	29	1	2	23	22	17
3	Blackwell	6920	4552	204	102	107	97	10	6	44	58	102
4	Sutton-in-Ashfield	7496	8455	389	234	211	178	24	23	125	109	155
5	Mansfield *W*	9070	10225	392	231	198	194	24	14	116	115	161
6	Blidworth	6610	1188	35	24	20	15	1	2	15	9	11
	438.—BASFORD.											
1	Greasley	31680	18028	931	387	477	454	26	24	195	192	544
2	Ilkeston		13745	670	311	342	328	20	22	160	151	359
3	Basford *W*	6500	17007	586	304	317	269	30	20	168	136	282
4	Bulwell	8264	7823	364	176	181	183	20	16	78	98	188
5	Arnold	18540	8378	300	138	160	140	15	6	65	73	162
6	Carlton	8435	4328	176	84	97	79	13	4	52	32	92
7	Wilford	14620	5048	183	97	104	79	10	8	57	40	86
	439.—RADFORD.											
1	Lenton	6080	5678	172	96	98	74	4	2	41	55	76
2	Radford *W*		10192	375	255	200	175	22	25	124	131	120
3	Hyson Green		3561	96	52	52	44	5	3	30	22	44
4	Snenton *L*	720	11048	373	274	189	184	13	17	141	133	99
	440.—NOTTINGHAM.											
1	Sherwood	1870	12572	385	235	193	189	10	10	116	119	150
2	St. Mary		6859	227	137	105	122	12	9	67	70	90
3	St. Ann *W*		20079	773	630	389	384	49	42	302	328	143
4	Byron		14673	503	323	251	252	27	25	164	159	180
5	Exchange		8964	304	197	149	155	11	10	100	97	107
6	Castle		6723	203	142	103	100	9	7	79	63	61
7	Park *H*		5023	112	148	48	64	3	2	96	52	−36
	441.—SOUTHWELL.											
1	Southwell *W*	51511	13055	358	235	170	188	19	10	122	113	123
2	Kneesal	65623	11370	296	189	158	138	12	9	97	92	107
	442.—NEWARK.											
1	North Collingham	23813	5683	170	94	81	89	5	3	48	46	76
2	Bassingham	20272	3852	121	48	67	54	8	5	27	21	73
3	Newark	1889	11498	415	236	226	189	11	19	118	118	179
4	Bennington	22642	4666	132	67	57	75	5	3	34	33	65
5	Claypole *W*	25586	4487	143	92	83	60	6	10	40	52	51
	443.—BINGHAM.											
1	Bingham *W*	31695	7879	197	119	108	89	10	13	68	51	78
2	Ratcliffe-on-Trent	36444	7791	247	133	117	130	12	6	67	66	114
	32.—DERBYSHIRE.											
	444.—SHARDLOW.											
1	Castle Donington	13355	5775	180	120	94	86	6	6	58	62	60
2	Melbourne	15143	4694	143	98	75	68	4	8	48	50	45
3	Shardlow *W*	11586	4454	133	78	75	58	8	3	41	37	55
4	Stapleford	33206	8952	360	186	182	178	9	13	101	85	174
5	Spondon		7238	239	128	129	110	10	5	67	61	111
	445.—DERBY.											
1	St. Alkmund	2970	17817	638	407	339	299	30	15	205	202	231
2	St. Peter *WH*		33232	1610	934	803	807	55	55	469	465	676
	446.—BELPER.											
1	Duffield	23975	6466	210	102	113	97	12	5	55	47	108
2	Horsley	9672	5930	245	118	124	121	7	7	63	55	127
3	Belper *W*	3078	9509	334	240	177	157	13	16	123	117	94
4	Ripley	10967	12185	540	279	268	272	9	15	134	145	261
5	Alfreton	4550	11549	522	205	259	263	17	16	99	106	317
6	Wirksworth	14348	6072	188	112	89	99	3	4	44	68	76
	447.—ASHBORNE.											
1	Brailsford	15362	3168	95	60	42	53	5	–	26	34	35
2	Mayfield	12766	3446	109	69	52	57	5	6	30	39	40
3	Ashborne *W*	11442	4876	128	89	72	56	6	5	46	43	39
4	Calton	17689	3086	89	60	45	44	3	4	28	32	29
5	Hartington	29671	1652	51	37	23	28	4	3	20	17	14
6	Brassington	14007	4470	153	121	92	61	8	3	62	59	32

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	32.—DERBYSHIRE—*cont.*											
	448.—CHESTERFIELD.											
1	Ashover	21334	10757	467	240	233	234	16	18	121	119	227
2	Chesterfield *W*	27966	28983	1410	759	740	670	52	52	413	346	651
3	Bolsover	11247	2402	84	43	34	50	5	2	22	21	41
4	Eckington	14938	13948	690	341	350	340	13	12	189	152	349
5	Dronfield	19340	5689	315	136	154	161	5	7	73	63	179
	449.—BAKEWELL.											
1	Bakewell *W*	56916	12547	330	249	159	171	13	12	122	127	81
2	Matlock	14895	9815	312	195	159	153	10	8	113	82	117
3	Tideswell	36094	9016	308	195	148	160	8	11	104	91	113
	450.—CHAPEL-EN-LE-FRITH.											
1	Buxton	5741	4142	187	85	84	103	4	6	47	38	102
2	Chapel-en-le-Frith *W*	57507	9878	354	180	172	182	12	13	89	91	174
	451.—HAYFIELD.											
1	Glossop *W*	48855	21200	604	402	312	292	14	19	204	198	202
2	Hayfield *W*		10976	393	294	195	198	11	5	158	136	99

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

	33.—CHESHIRE.											
	452.—STOCKPORT.											
1	Marple	6230	5128	203	111	108	95	6	4	54	57	92
2	Hyde	4970	20594	714	408	370	344	22	25	211	197	306
3	Heaton Norris	3649	17696	611	421	309	302	14	11	211	210	190
4	Stockport First *WH*	7017	28224	972	833	504	468	29	36	450	383	139
5	Stockport Second		12860	337	348	195	192	9	10	171	177	39
6	Cheadle *L*	8843	4941	151	111	79	72	4	3	60	51	40
7	Hazelgrove		4917	166	83	86	80	8	7	44	39	83
	453.—MACCLESFIELD.											
1	Prestbury	12647	5197	169	72	75	94	8	7	33	39	97
2	Bollington	8676	10357	338	239	176	162	9	11	102	137	99
3	Rainow	15995	3478	113	66	53	60	–	2	38	28	47
4	East Macclesfield	2410	10901	311	248	158	153	16	17	105	143	63
5	West Macclesfield *W*		16574	442	415	230	212	33	21	198	217	27
6	Sutton	11420	7392	195	149	94	101	10	9	75	74	46
7	Gawsworth	16854	3118	80	52	40	40	3	3	25	27	28
8	Alderley	13559	4526	153	51	75	78	8	2	32	19	102
	454.—ALTRINCHAM.											
1	Wilmslow	15525	7531	261	139	144	117	17	9	64	75	122
2	Altrincham	17796	18214	699	388	364	335	31	20	192	196	311
3	Lymm	18170	7395	243	129	134	109	6	9	63	66	114
4	Knutsford *W*	22174	7377	226	166	111	115	21	17	90	76	60
	455.—RUNCORN.											
1	Budworth	11823	4311	123	102	52	71	5	1	54	48	21
2	Daresbury *W*	8963	2841	113	86	57	56	4	7	48	38	27
3	Runcorn	10602	13590	675	334	376	299	18	13	176	158	341
4	Frodsham	14388	6050	253	120	124	129	8	14	62	58	133
	456.—NORTHWICH.											
1	Weaverham	19686	6449	250	169	118	132	6	8	77	92	81
2	Northwich *W*	12473	12941	540	358	288	252	21	22	193	165	182
3	Over	18146	8364	364	184	198	166	14	12	104	80	180
4	Middlewich *	13443	5376	210	112	113	97	10	13	64	48	98
	457.—CONGLETON.											
1	Church Hulme *	14297	2782	97	55	47	50	4	6	31	24	42
2	Congleton	18657	19124	610	399	331	279	25	28	174	225	211
3	Sandbach *W*	21632	12690	424	275	213	211	13	20	136	139	149
	458.—NANTWICH.											
1	Wybunbury	32400	16901	1036	467	535	501	24	23	259	208	569
2	Nantwich *W*	21460	10062	390	237	193	197	15	13	119	118	153
3	Bunbury	27127	7959	266	153	137	129	10	17	84	69	113
4	Wrenbury	30139	6033	168	106	76	92	15	15	53	53	62
	459.—GREAT BOUGHTON.											
1	Tattenhall	34688	7539	197	106	99	98	8	11	60	46	91
2	Chester Castle *W*	16630	21672	835	459	408	427	28	20	234	225	376
3	Chester Cathedral *WHL*	25222	19762	667	630	315	352	14	21	335	295	37
4	Hawarden *W*	31015	9528	373	228	189	184	17	15	131	97	145

* See p. 18, note *.

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	33.—CHESHIRE—*continued.*											
	460 *a*.—WIRRAL.											
1	Neston	24170	5223	181	102	75	106	4	5	52	50	79
2	Eastham *W*	19324	9167	360	222	175	185	9	8	117	105	138
3	Woodchurch	44764	4020	172	81	81	91	2	2	41	40	91
	460 *b*.—BIRKENHEAD.											
1	Birkenhead *H*	1265	36212	1813	1079	910	903	22	32	596	483	734
2	Tranmere	4812	14485	702	425	365	337	17	20	221	204	277
3	Wallasey	17775	10723	451	241	228	223	2	8	122	119	210
	34.—LANCASHIRE.											
	461.—LIVERPOOL.											
1	St. Martin	2220	81228	3494	2230	1773	1721	29	28	1176	1054	1264
2	Howard-street *H*		24816	780	776	398	382	6	5	428	348	4
3	Dale-street		29078	896	758	460	436	7	5	409	349	138
4	St. George		16827	270	257	128	142	1	7	145	112	13
5	St. Thomas		29142	796	726	410	386	7	8	385	341	70
6	Mount Pleasant *WH*		47410	2058	2943	1098	960	172	165	1564	1379	− 885
7	Islington		41241	1499	1143	704	795	17	22	571	572	356
	462.—WEST DERBY.											
1	Toxteth Park *W*	3768	69284	3347	2016	1706	1641	43	42	1029	987	1331
2	Everton *Wo*	1832	70983	4695	2799	2454	2241	68	61	1478	1321	1896
3	Walton	9275	11834	804	485	412	392	24	16	249	236	319
4	Crosby	14899	5075	252	129	133	119	−	1	73	56	123
5	Litherland	6269	5084	183	88	92	91	2	3	50	38	95
6	West Derby	7076	52740	2790	1658	1412	1378	38	41	813	845	1132
7	Wavertree	7448	10845	502	252	256	246	8	8	119	133	250
	463.—PRESCOT.											
1	Hale	15216	2424	88	44	40	48	−	−	23	21	44
2	Much Woolton		4608	195	104	88	107	5	6	44	60	91
3	Huyton		4094	135	70	57	78	1	1	36	34	65
4	Farnworth		8879	605	248	311	294	8	5	142	106	357
5	Prescot *W*		12377	496	311	253	243	16	13	175	136	185
6	St. Helens *L*		37961	1930	1002	1001	929	37	43	523	479	928
7	Rainford		2784	131	64	71	60	2	2	38	26	67
	464.—ORMSKIRK.											
1	Bickerstaffe	11335	2826	125	42	74	51	4	5	30	12	83
2	Aughton	8530	3862	150	81	69	81	4	1	42	39	69
3	Halsall	10470	1952	67	38	34	33	3	1	15	23	29
4	Formby	25218	3606	147	83	75	72	3	6	49	34	64
5	North Meols	18871	14661	588	497	289	299	18	26	230	267	91
6	Tarleton	12139	3656	117	75	59	58	8	12	48	27	42
7	Scarisbrick	13336	4573	150	96	74	76	16	5	54	42	54
8	Ormskirk *W*	572	6426	226	187	108	118	7	9	88	99	39
9	Lathom	11497	4690	261	162	128	133	10	8	85	77	99
	465.—WIGAN.											
1	Standish	10661	6894	320	237	159	161	24	25	140	97	83
2	Aspull	6355	8372	466	283	213	253	24	28	161	122	183
3	Wigan *W*	2161	37658	1801	1739	915	886	85	85	932	807	62
4	Hindley	6801	17654	1054	794	526	528	48	49	404	390	260
5	Pemberton	6263	10435	573	371	272	301	31	44	189	182	202
6	Upholland	2220	6982	333	225	165	168	15	17	121	104	108
7	Ashton-in-Makerfield	5557	6566	262	204	137	125	16	14	121	83	58
	466.—WARRINGTON.											
1	Newton *L*	5054	9524	510	235	264	246	11	9	118	117	275
2	Winwick	4121	1798	48	34	21	27	1	−	19	15	14
3	Sankey	8818	2529	100	41	47	53	1	4	25	16	59
4	Warrington *W*	2507	24050	1197	701	606	591	23	32	375	326	496
5	Latchford	3967	4054	140	88	65	75	4	−	41	47	52
6	Rixton	5517	1920	42	40	22	20	4	2	21	19	2
	467.—LEIGH.											
1	Lowton	5055	5434	221	126	123	98	9	13	50	76	95
2	Culcheth	10427	10881	384	255	191	193	22	15	108	147	129
3	West Leigh	3331	9449	414	256	202	212	20	13	127	129	158
4	Atherton *W*	4797	11936	479	339	248	231	25	29	169	170	140
	468.—BOLTON											
1	Farnworth	2350	13723	659	584	347	312	33	26	326	258	75
2	Hulton	5350	6488	316	189	178	138	7	4	96	93	127
3	Westhoughton	4460	5156	250	166	131	119	16	19	86	80	84
4	Halliwell	3950	6908	305	173	159	146	10	3	83	90	132
5	Horwich	4656	4051	145	93	76	69	5	3	45	48	52
6	Tonge-with-Haulgh	3100	7156	252	133	139	113	6	5	75	58	119
7	Turton *W*	7080	5459	195	96	105	90	6	10	50	46	99
8	Edgeworth	4430	2025	75	52	43	32	−	1	28	24	23
9	Sharples	5370	4243	165	121	80	85	9	4	59	62	44
10	Little Bolton		24942	1190	785	607	583	29	40	389	396	405
11	Bolton Eastern *W*	820	24996	1030	686	533	497	34	28	368	318	344
12	Bolton Western		18439	936	594	480	456	36	57	358	236	342
13	Lever	2330	6683	289	146	134	155	3	2	83	63	143

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*cont.*											
	469.—BURY.											
1	Holcombe			6645	193	135	90	103	1	3	72	63	58
2	Tottington Lower End	10094		5119	185	110	85	100	7	6	56	54	75
3	Walmersley			5062	170	97	84	86	1	4	54	43	73
4	Birtle *W*			4758	147	181	74	73	9	10	103	78	− 34
5	Heywood	8865		17591	639	473	308	331	21	25	234	239	166
6	South Bury			15726	620	369	320	300	18	20	199	170	251
7	North Bury	2370		15375	606	392	326	280	14	17	172	220	214
8	Elton	3817		9584	355	251	169	186	15	19	139	112	104
9	Radcliffe	2466		8972	367	235	184	183	11	12	124	111	132
10	Pilkington	5378		12303	411	266	206	205	9	7	135	131	145
	470.—BARTON-UPON-IRWELL.											
1	Worsley	7060		14015	589	402	305	284	13	22	200	202	187
2	Barton *W*	10530		14216	602	398	310	292	19	14	194	204	204
3	Stretford	5689		10807	357	212	193	164	3	5	97	115	145
	471.—CHORLTON.											
1	Didsbury *W*	5948		5904	347	489	178	169	65	52	255	234	−142
2	Ardwick	4031		47752	2439	1480	1247	1192	38	44	773	707	959
3	Chorlton-upon-Medlock	700		44795	1615	1125	835	780	38	32	556	569	490
4	Hulme	870		71128	3050	2124	1533	1517	70	54	1105	1019	926
	472.—SALFORD.											
1	Pendleton	2650		24448	1088	671	491	597	20	37	324	347	417
2	Broughton	960		9885	364	203	196	168	8	7	98	105	161
3	Greengate	1220		37534	1561	1182	812	749	44	40	587	595	379
4	Regent-road *W*			33468	1631	1319	828	853	62	60	679	640	362
	473.—MANCHESTER.											
1	Ancoats			55983	2161	1808	1117	1044	42	42	940	868	353
2	Deansgate			29029	949	810	479	470	34	22	409	401	139
3	London-road	1480		28817	866	785	442	424	25	29	398	387	81
4	Market-street *WH*			23526	876	1652	446	430	92	95	909	743	− 776
5	St. George			48055	2122	1603	1105	1017	30	28	814	789	519
6	Newton	1924		19311	933	616	450	483	13	20	311	305	317
7	Cheetham *W*	1652		21731	771	614	416	355	32	22	313	301	157
8	Failsworth	2335		6312	236	166	123	113	3	4	93	73	70
9	Blackley	1956		4939	171	111	91	80	3	4	54	57	60
10	Prestwich *WL*	3281		6285	223	258	113	110	11	4	144	114	− 35
	474.—ASHTON-UNDER-LYNE.											
1	Knott-lanes	*9300		7312	296	168	142	154	6	7	84	84	128
2	Ashton Town *W*			33917	1166	1150	583	583	40	38	572	578	16
3	Audenshaw	1611		15125	527	358	273	254	13	5	178	180	169
4	Denton	2777		6706	325	191	174	151	10	5	113	78	134
5	Newton	1507		7625	240	176	122	118	10	10	86	90	64
6	Dukinfield	1690		29953	1020	746	519	501	36	29	376	370	274
7	Hartshead	*		19245	715	495	370	345	22	27	262	233	220
8	Mottram	21772		7652	180	118	93	87	6	6	59	57	64
9	Stayley			7218	247	167	124	123	6	8	88	79	80
	475.—OLDHAM.											
1	Oldham-below-Town *W*	4617		41770	1850	1283	912	938	58	53	678	605	567
2	Oldham-above-Town			30563	1251	761	621	630	32	23	381	380	490
3	Chadderton	3345		12092	526	298	280	246	21	11	154	144	228
4	Middleton	2696		10299	320	214	175	145	3	5	107	107	106
5	Royton	3350		9520	334	242	169	165	12	12	136	106	92
6	Crompton	2864		7032	242	130	121	121	9	13	77	53	112
	476.—ROCHDALE.											
1	Butterworth Freehold-side *W*			2909	94	62	42	52	−	7	41	21	32
2	Butterworth Lordship-side			3795	124	68	65	59	4	1	38	30	56
3	Castleton-without *W*			9800	430	291	211	219	10	11	158	133	139
4	Castleton-within			13971	548	403	283	235	17	16	221	182	145
5	Spotland-nearer-side *W*	40340		9867	357	231	177	180	18	13	145	136	76
6	Spotland-further-side			6505	240	154	124	116	6	2	90	64	86
7	Wardleworth *W*			17840	700	508	347	353	15	16	259	249	192
8	Wuerdle			8201	285	181	147	138	8	10	87	94	104
9	Blatchinworth			4860	176	117	91	85	1	3	64	53	59
10	Whitworth			14006	474	306	258	216	10	6	158	148	168
	477.—HASLINGDEN.											
1	Newchurch *W*	9650		24413	889	572	470	419	20	22	272	300	317
2	Rossendale	4175		12637	499	306	234	265	10	15	153	153	193
3	Edenfield	4856		4723	155	94	84	71	5	5	49	45	61
4	Haslingden *W*	4780		10320	389	342	184	205	6	5	193	149	47
5	Accrington	3220		17688	759	518	392	367	22	10	271	247	241
	478.—BURNLEY.											
1	Burnley *W*	21448		42702	1699	1066	918	781	74	62	566	500	633
2	Padiham	11963		9906	369	258	192	177	10	7	128	130	111
3	Colne	15435		21203	876	546	444	432	39	36	277	269	330
4	Pendle	5280		1784	35	24	14	21	1	2	12	12	11

* The area of the Hartshead sub-district (474; 7) is returned with that of sub-districts 474; 1-2.

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*cont.*											
	479.—CLITHEROE.											
1	Gisburn *W*	24374	2693	70	52	33	37	3	4	28	24	18
2	Slaidburn	40321	1799	62	24	36	26	3	-	11	13	38
3	Chipping *W*	22226	3217	100	65	65	35	5	3	37	28	35
4	Clitheroe	18776	9804	325	225	170	155	8	8	114	111	100
5	Whalley	9000	2963	68	57	36	32	1	4	31	26	11
	480.—BLACKBURN.											
1	Billington	5550	1717	65	30	33	32	1	-	15	15	35
2	Harwood	6950	10220	499	239	259	240	12	5	113	126	260
3	Mellor	6227	2863	66	45	37	29	4	5	22	23	21
4	Blackburn *W*	3610	63126	2915	1867	1522	1393	75	69	989	878	1048
5	Oswaldtwisle	5390	12454	589	291	312	277	11	14	153	138	298
6	Darwen	9652	21447	1078	728	582	496	25	18	398	330	350
7	Witton	6190	8115	344	224	185	159	6	7	111	113	120
	481.—CHORLEY.											
1	Brindle *W*	10388	6021	195	101	118	77	7	4	40	61	94
2	Leyland	10182	8768	278	184	135	143	8	7	89	95	94
3	Rivington	7742	3493	157	90	73	84	3	4	43	47	67
4	Chorley *W*	10859	18027	726	519	362	364	26	22	261	258	207
5	Croston	13042	5369	172	99	84	88	7	9	55	44	73
	482.—PRESTON.											
1	Longton	14240	6620	201	110	104	97	12	4	52	58	91
2	Preston *W*	2753	82985	3732	2609	1936	1796	146	129	1283	1326	1123
3	Walton-le-Dale	9400	8654	261	216	148	113	9	9	110	106	45
4	Alston *W*	11773	4414	155	115	73	82	6	3	62	53	40
5	Broughton *W*	29869	7850	247	143	132	115	8	5	80	63	104
	483.—FYLDE.											
1	Kirkham *W*	31464	9141	293	183	166	127	18	19	84	99	110
2	Lytham	15542	3627	101	84	55	46	6	4	35	49	17
3	Poulton-le-Fylde	29391	12914	542	335	250	292	24	13	161	174	207
	484.—GARSTANG.											
1	Stalmine	15618	3037	98	46	53	45	7	2	24	22	52
2	St. Michael	15965	3359	94	64	48	46	3	3	26	38	30
3	Garstang *W*	31034	6029	162	128	85	77	4	2	71	57	34
	485.—LANCASTER.											
1	Ellel	28888	4020	119	52	62	57	3	2	25	27	67
2	Heaton	12865	3455	146	55	70	76	6	10	24	31	91
3	Lancaster *WL*	13280	18347	703	552	370	333	22	20	280	272	151
4	Caton *W*	16516	1817	50	24	31	19	5	1	14	10	26
5	Wray	28953	2270	66	44	33	33	2	2	25	19	22
6	Tunstal	11034	916	26	7	14	12	1	2	4	3	19
7	Arkholme	9278	910	32	22	14	18	-	-	8	14	10
8	Warton	17932	3562	177	64	92	85	3	3	37	27	113
	486.—ULVERSTON.											
1	Cartmel	22960	5108	245	99	138	107	6	6	45	54	146
2	Colton	22486	3838	117	71	61	56	5	-	36	35	46
3	Ulverston *W*	7317	8781	332	210	172	160	14	23	117	93	122
4	Dalton	25158	11243	1035	482	520	515	26	36	266	216	553
5	West Broughton	26990	3169	108	44	53	55	5	5	26	18	64
6	Hawkshead	30132	3599	107	65	62	45	1	1	29	36	42

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

	35.—WEST RIDING.											
	487.—SEDBERGH.											
1	Sedbergh *W*	21402	2346	49	36	20	29	1	6	16	20	13
2	Garsdale	8280	618	11	8	3	8	-	1	6	2	3
3	Dent	23200	1427	40	15	17	23	2	7	5	10	25
	488.—SETTLE.											
1	Bentham	51652	5436	192	105	89	103	8	9	47	58	87
2	Settle *W*	47009	4503	116	89	70	46	4	7	51	38	27
3	Long Preston	14823	1353	35	24	21	14	-	1	17	7	11
4	Kirkby Malham	20310	826	22	15	12	10	1	1	8	7	7
5	Arncliffe	20797	405	10	1	5	5	-	-	-	1	9
	489.—SKIPTON.											
1	Kettlewell	30262	1141	29	14	15	14	3	-	7	7	15
2	Gargrave	18614	1852	60	35	30	30	2	2	20	15	25
3	Barnoldswick	17463	5986	181	149	94	87	6	3	74	75	32
4	Kildwick	17717	7853	229	158	116	113	12	12	75	83	71
5	Skipton *W*	22556	8590	272	237	131	141	11	11	126	111	35
6	Addingham	22890	3157	72	52	41	31	4	1	28	24	20
7	Grassington	27571	2764	75	51	36	39	-	-	26	25	24

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.		Males.	Females.	
						Males.	Females.	Males.	Females.			
	35.—WEST RIDING—*cont.*											
	490.—PATELEY BRIDGE.											
1	Ramsgill	33703	1189	34	22	13	21	1	1	10	12	12
2	Pateley Bridge *W*	11685	3349	120	99	56	64	4	4	43	56	21
3	Thornthwaite	12450	1925	57	28	31	26	2	-	17	11	29
4	Dacre Banks	16437	3071	89	46	50	39	4	3	24	22	43
	491.—RIPON.											
1	Ripon *W*	22251	8979	310	181	161	149	13	13	104	77	129
2	Kirkby Malzeard	24600	3269	78	64	38	40	1	1	31	33	14
3	Wath	13413	1700	47	23	22	25	1	1	11	12	24
4	Dishforth	10326	1794	45	25	24	21	1	-	9	16	20
	492 *a*.—GREAT OUSEBURN.											
1	Boroughbridge	21461	5061	160	95	82	78	3	7	48	47	65
2	Whixley *W*	17094	3731	117	54	57	60	7	7	29	25	63
3	Poppleton	13253	2742	60	49	32	28	4	1	24	25	11
	492 *b*.—KNARESBOROUGH.											
1	Knaresborough *W*	18297	8571	282	223	136	146	21	11	113	110	59
2	Harrogate	21645	8605	277	180	148	129	15	8	85	95	97
	492 *c*.—WETHERBY.											
1	Wetherby	30546	6486	176	108	86	90	7	12	54	54	68
	492 *d*.—KIRKDEIGHTON.											
1	Kirkdeighton	6054	941	33	17	23	10	2	2	10	7	16
	493 *a*.—OTLEY.											
1	Harewood	14498	2762	66	47	37	29	2	-	26	21	19
2	Otley *W*	28756	15907	585	383	306	279	18	9	190	193	202
	493 *b*.—WHARFEDALE.											
1	Yeadon *W*	3995	7194	352	211	180	172	13	12	103	108	141
2	Horsforth	5330	5733	225	115	124	101	7	6	55	60	110
3	Fewston	21273	2526	60	48	29	31	1	1	20	28	12
	494.—KEIGHLEY.											
1	Bingley	13892	15367	539	374	270	269	15	13	185	189	165
2	Keighley *W*	14712	21859	897	606	466	431	26	23	303	303	291
3	Haworth	10540	5896	180	108	90	90	4	5	57	51	72
	495.—TODMORDEN.											
1	Hebden Bridge	26920	10826	316	240	178	138	8	7	131	109	76
2	Todmorden		20287	655	400	324	331	20	13	180	220	255
	496.—SADDLEWORTH.											
1	Delph	18280	9754	364	236	195	169	9	7	122	114	128
2	Upper Mill *W*		8877	296	205	155	141	11	3	109	96	91
	497.—HUDDERSFIELD.											
1	Slaithwaite	10740	7971	258	163	150	108	9	9	79	84	95
2	Meltham	6085	6340	255	176	122	133	8	7	93	83	79
3	Honley *W*	3640	5723	225	157	113	112	12	12	100	57	68
4	Holmfirth	6460	10845	379	218	184	195	15	16	112	106	161
5	Newmill	9760	6322	267	128	139	128	10	13	63	65	139
6	Kirkburton	7160	12501	458	239	240	218	30	21	146	93	219
7	Almondbury *W*	4208	11063	461	264	232	229	11	15	147	117	197
8	Kirkheaton *W*	6468	11923	484	244	260	224	17	17	123	121	240
9	Huddersfield *WH*	3950	34877	1377	879	738	639	54	46	484	395	498
10	Lockwood	1329	9488	398	241	202	196	14	9	127	114	157
11	Golcar *W*	6760	13783	594	333	304	290	12	22	182	151	261
	498.—HALIFAX.											
1	Rastrick	2180	4904	236	158	107	129	3	4	75	83	78
2	Brighouse	5514	9092	436	286	226	210	18	8	130	156	150
3	Southowram	2280	7245	327	210	184	143	7	7	120	90	117
4	Halifax *WH*	2330	36437	1390	989	676	714	38	42	539	450	401
5	Elland	5090	13373	566	286	292	274	22	14	152	134	280
6	Ripponden	15570	6620	219	131	100	119	4	9	66	65	88
7	Sowerby	10900	13945	503	327	271	232	13	10	165	162	176
8	Luddenden		5850	205	134	114	91	4	3	57	77	71
9	Ovenden	5170	11067	419	299	218	201	20	9	149	150	120
10	Northowram	4750	19240	851	499	412	439	25	19	252	247	352
	499.—BRADFORD.											
1	Cleckheaton	3956	10446	507	296	268	239	13	10	160	136	211
2	Drighlington	3774	7309	356	205	175	181	6	10	109	96	151
3	North Bierley	3090	12500	474	293	243	231	12	18	150	143	181
4	Bowling	1545	14494	691	451	345	346	22	15	230	221	240
5	Bradford East-End	1680	28579	1423	897	735	688	71	47	476	421	526
6	Bradford West-End *H*		20067	862	600	419	443	33	32	323	277	262
7	Horton *W*	2365	43078	1928	1234	982	946	62	71	618	616	694
8	Thornton *W*	6000	13282	594	376	307	287	23	23	188	188	218
9	Wilsden	4420	4902	191	114	87	104	3	6	52	62	77
10	Shipley	2436	8773	400	229	212	188	7	13	125	104	171
11	Idle	4226	14574	659	383	320	339	12	20	204	179	276
12	Calverley	3500	5559	217	127	121	96	5	3	61	66	90
13	Pudsey	2342	12912	498	305	270	228	18	15	158	147	193

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	35.—WEST RIDING—*cont.*											
	500 *a*.—KIRKSTALL.											
1	Wortley	5956	25967	1389	760	703	686	21	25	398	362	629
2	Kirkstall	3058	9674	445	227	214	231	10	5	103	119	218
3	Chapeltown	7274	5930	240	125	137	103	5	1	63	62	115
4	Whitkirk	8030	3747	169	92	85	84	7	1	49	43	77
5	Rothwell	4983	4122	191	96	91	100	2	5	49	47	95
	500 *b*.—HUNSLET.											
1	Hunslet *W*	1100	25763	1704	886	854	850	37	41	451	435	818
	500 *c*.—HOLBECK.											
1	Holbeck *W*	760	15824	695	457	358	337	14	11	215	242	238
	500 *d*.—BRAMLEY.											
1	Bramley *W*	2331	8690	386	225	194	192	9	9	115	110	161
2	Gildersome	1120	2701	172	71	88	84	8	5	40	31	101
	501.—LEEDS.											
1	South-East Leeds	2100	29196	1327	809	674	653	43	27	404	405	518
2	North Leeds *WH*		41136	2276	1474	1180	1096	101	81	756	718	802
3	West Leeds *H*		47234	1987	1349	1021	966	49	47	731	618	638
	502.—DEWSBURY.											
1	Morley	2698	6840	349	250	195	154	4	5	127	123	99
2	Batley	2140	14173	779	453	367	412	18	23	241	212	326
3	Gomersal	3119	11230	500	258	254	246	16	12	140	118	242
4	Liversedge	2307	14520	723	414	366	357	23	12	219	195	309
5	Mirfield	3390	9263	469	241	229	240	17	16	114	127	228
6	Dewsbury *W*	1392	18148	890	604	465	425	42	26	320	284	286
7	Soothill	2393	6238	329	193	183	146	7	5	105	88	136
8	Ossett	3019	7950	341	185	170	171	6	14	98	87	156
9	Thornhill	3498	4521	238	162	116	122	4	4	79	83	76
	503.—WAKEFIELD.											
1	Bretton	9820	5057	222	123	116	106	9	2	73	50	99
2	Sandal	14285	7438	437	184	225	212	14	9	93	91	253
3	Stanley *WL*	4345	8237	384	378	198	186	12	13	215	163	6
4	Wakefield	630	17611	717	461	349	368	18	18	256	205	256
5	Horbury	1183	3246	136	64	67	69	1	7	37	27	72
6	Alverthorpe	3153	6645	331	161	181	150	8	4	79	82	170
7	Ardsley	4414	2786	165	86	81	84	2	7	38	48	79
8	Oulton	3198	3879	195	93	92	103	5	6	40	53	102
	504 *a*.—PONTEFRACT.											
1	Knottingley *W*	8713	5645	255	112	142	113	6	5	55	57	143
2	Whitley	15086	2489	63	45	30	33	3	3	23	22	18
3	Pontefract *W*	3666	6551	240	133	117	123	6	10	69	64	107
	504 *b*.—HEMSWORTH.											
1	Hemsworth *W*	33870	7793	228	120	120	108	8	6	56	64	108
	504 *c*.—CASTLEFORD.											
1	Castleford	2239S	11496	630	287	299	331	18	17	150	137	343
2	Kippax *W*	15215	8458	361	187	177	184	12	8	99	88	174
	505.—BARNSLEY.											
1	Darton	11170	4450	229	94	119	110	8	7	53	41	135
2	Barnsley *W*	10328	25468	1173	1006	551	622	58	60	683	323	167
3	Darfield	8202	10028	587	259	304	283	15	17	134	125	328
4	Worsbrough	5286	5851	270	163	137	133	8	6	90	73	107
	506.—WORTLEY.											
1	Cawthorne	8396	4825	202	95	98	104	10	5	48	47	107
2	High Hoyland	4804	3569	121	67	66	55	4	3	29	38	54
3	Penistone	20646	6025	290	149	142	148	15	10	87	62	141
4	Wortley	8404	2524	94	66	45	49	2	2	30	36	28
5	Ecclesfield *W*	9810	12479	530	295	276	254	18	26	161	134	235
6	Bradfield	33730	9089	386	168	210	176	19	18	88	80	218
	507.—ECCLESALL BIERLOW.											
1	Nether Hallam	5480	17305	1022	517	509	513	14	19	270	247	505
2	Upper Hallam	5870	2649	109	52	50	59	2	2	24	28	57
3	Norton	5110	2440	105	51	55	50	2	2	30	21	54
4	Ecclesall Bierlow *W*	4400	41224	1850	1005	919	931	48	46	538	467	845
	508.—SHEFFIELD.											
1	West Sheffield	3120	17307	631	456	330	301	17	17	235	221	175
2	North Sheffield *WH*		33994	1614	1341	828	786	78	64	748	593	273
3	South Sheffield		17680	771	461	423	348	30	19	250	211	310
4	Sheffield Park		18737	822	504	404	418	21	14	255	249	318
5	Brightside	2690	29818	1971	965	970	1001	25	35	487	478	1006
6	Attercliffe	1270	7464	546	287	285	261	15	11	158	129	259
7	Handsworth	3510	3951	186	94	96	90	3	6	41	53	92
	509.—ROTHERHAM.											
1	Beighton	10656	3279	136	81	71	65	3	1	48	33	55
2	Rotherham *W*	10633	12094	585	385	292	293	20	20	209	176	200
3	Kimberworth	7717	17921	937	495	476	461	24	24	259	245	442
4	Wath	8097	8468	391	198	199	192	7	10	106	92	193
5	Maltby	12888	2388	63	38	31	32	–	–	19	19	25

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	35.—WEST RIDING—*cont.*											
	510.—DONCASTER.											
1	Tickhill	25763	6950	289	125	145	144	7	5	73	52	164
2	Barnbrough	23953	5860	279	141	144	135	5	8	77	64	138
3	Doncaster *W*	1879	16406	667	466	331	336	20	13	244	222	201
4	Campsall	25671	4549	142	80	65	77	3	4	37	43	62
5	Bawtry	31765	5623	171	88	84	87	10	7	45	43	83
	511.—THORNE.											
1	Epworth	19916	4360	146	71	63	83	1	3	37	34	75
2	Thorne *W*	39220	7135	305	152	154	151	12	9	81	71	153
3	Crowle	12810	4498	205	116	107	98	15	8	72	44	89
	512.—GOOLE.											
1	Swinefleet	17303	4042	145	76	66	79	2	9	33	43	69
2	Goole *W*	9680	6994	324	254	176	148	5	8	125	129	70
3	Snaith	13925	4117	150	84	78	72	6	7	37	47	66
	513.—SELBY.											
1	Carlton	11829	2423	83	47	37	46	4	4	20	27	36
2	Selby *W*	26774	10091	386	236	196	190	15	20	127	109	150
3	Riccall	17411	3487	130	42	67	63	4	12	22	20	88
	514 *a*.—TADCASTER.											
1	Aberford *W*	8830	2188	67	33	36	31	3	3	21	12	34
2	Tadcaster *W*	13139	3808	110	73	56	54	5	5	34	39	37
	514 *b*.—BRAMHAM.											
1	Appleton Roebuck	18423	4271	156	86	76	80	5	6	49	37	70
2	Bramham *W*	19262	6956	210	139	119	91	11	7	68	71	71
3	Bilton	9691	1709	44	26	20	24	1	–	14	12	18
	36.—E. RIDING (*with York*).											
	515.—YORK.											
1	Skelton	7698	1533	55	28	25	30	2	3	12	16	27
2	Bootham *WL*	9447	14425	368	402	212	156	17	14	221	181	– 34
3	Micklegate	9861	13790	464	303	241	223	19	14	152	151	161
4	Walmgate	6630	22632	854	508	430	424	24	31	255	253	346
5	Escrick	18633	2786	79	42	32	47	2	3	24	18	37
6	Dunnington	17484	3066	102	52	51	51	2	1	20	32	50
7	Flaxton	13159	1677	54	26	34	20	2	1	15	11	28
	516.—POCKLINGTON.											
1	East Stamford Bridge	35160	4502	128	66	74	54	3	3	33	33	62
2	Pocklington *W*	40076	6954	213	119	108	105	20	8	74	45	94
3	Market Weighton	32400	5254	130	87	64	66	8	7	41	46	43
	517.—HOWDEN.											
1	Holme	10820	1913	52	37	30	22	4	2	18	19	15
2	Bubwith	15861	2108	63	34	25	38	3	3	19	15	29
3	Howden *W*	28443	6934	203	151	104	99	10	9	79	72	52
4	Newport	17129	4046	120	76	66	54	5	7	37	39	44
	518.—BEVERLEY.											
1	Cave	20354	3390	118	62	61	57	4	2	34	28	56
2	Beverley *W*	24639	13007	443	289	207	236	10	24	158	131	154
3	Lockington	22457	3163	105	35	46	59	2	5	14	21	70
4	Leven	10984	1469	46	24	24	22	2	1	12	12	22
	519.—SCULCOATES.											
1	Sutton	4450	8348	385	210	209	176	4	3	115	95	175
2	Cottingham	10315	3391	103	66	55	48	5	–	31	35	37
3	Ferriby	10595	1858	44	31	24	20	2	1	19	12	13
4	Hessle	7480	2522	121	77	63	58	1	1	36	41	44
5	Hedon	8948	2053	57	38	32	25	2	1	19	19	19
6	Drypool	2286	6617	417	225	215	202	5	3	116	109	192
7	East Sculcoates	1010	12160	512	298	248	264	18	12	146	152	214
8	West Sculcoates *W*		15007	677	436	355	322	28	16	221	215	241
	520.—HULL.											
1	Humber	1827	10690	286	212	158	128	12	8	126	86	74
2	St. Mary		6132	186	133	86	100	9	5	65	68	58
3	Myton *WHL*		40066	1740	1158	887	853	48	51	582	576	582
	521.—PATRINGTON.											
1	Patrington *W*	88872	9681	295	176	152	143	23	19	88	88	119
	522.—SKIRLAUGH.											
1	Humbleton	10782	1438	43	21	21	22	1	–	11	10	22
2	Skirlaugh *W*	18364	2336	71	48	35	36	7	6	18	30	23
3	Aldbrough	10669	1735	59	26	28	31	1	5	12	14	33
4	Hornsea	14327	2529	104	43	48	56	1	6	27	16	61
5	Brandsburton	12886	1616	47	32	29	18	4	2	19	13	15
	523.—DRIFFIELD.											
1	Foston	17437	3171	78	67	38	40	3	5	28	39	11
2	Driffield *W*	20927	7787	296	198	149	147	20	21	99	99	98
3	Bainton	31014	4009	128	65	60	68	3	3	32	33	63
4	Langtoft	35736	4259	136	71	65	71	7	7	36	35	65
	524.—BRIDLINGTON.											
1	Skipsea	37727	1939	62	24	34	28	5	3	16	8	38
2	Bridlington *W*		8518	313	175	156	157	15	22	97	78	138
3	Hunmanby	30257	3914	139	58	82	57	9	7	32	26	81

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.			DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.			
						Males.	Females.	Males.	Females.	Males.	Females.	
	37.—NORTH RIDING.											
	525.—SCARBOROUGH.											
1	Filey	13477	3728	147	77	74	73	11	6	39	38	70
2	Scarborough *W*	20078	20467	925	569	471	454	51	45	291	278	356
3	Hutton Bushell	35445	4666	167	74	94	73	13	9	34	40	93
4	Sherburn	12460	1564	54	37	24	30	5	3	17	20	17
	526.—MALTON.											
1	Rillington	37303	4287	127	55	55	72	2	8	33	22	72
2	Westow	22969	2952	91	44	49	42	2	5	26	18	47
3	Malton *W*	18159	9972	381	228	200	181	26	29	116	112	153
4	Hovingham	12754	2198	61	31	32	29	3	7	14	17	30
5	Bulmer	21222	4074	133	60	67	66	5	6	28	32	73
	527.—EASINGWOLD.											
1	Stillington	21217	2846	80	30	45	35	2	1	15	15	50
2	Easingwold *W*	28479	5478	141	110	78	63	6	7	58	52	31
3	Coxwold	13907	1824	59	26	34	25	2	1	16	10	33
	528.—THIRSK.											
1	Topcliffe	12537	1810	46	32	22	24	–	2	20	12	14
2	Pickhill	8447	1557	48	29	18	30	2	2	12	17	19
3	Thirsk *W*	14169	5743	169	144	76	93	9	13	69	75	25
4	Sutton	9814	1431	41	32	20	21	–	–	12	20	9
5	Knayton	17477	1758	63	22	32	31	2	4	9	13	41
	529.—HELMSLEY.											
1	Helmsley *W*	56844	3969	125	77	72	53	11	9	28	49	48
2	Oswaldkirk	16041	2124	64	41	36	28	6	2	19	22	23
3	Kirkby Moorside *W*	58631	5739	205	124	109	96	13	10	63	61	81
	530.—PICKERING.											
1	Lastingham	23780	1659	135	53	71	64	13	6	29	24	82
2	Pickering *W*	26920	4701	189	105	99	90	14	12	54	51	84
3	Sinnington	5772	1119	32	25	19	13	3	2	15	10	7
4	Allerston	22018	2526	69	38	36	33	4	3	18	20	31
5	Lockton	9572	544	21	13	9	12	1	1	5	8	8
	531.—WHITBY.											
1	Egton	43568	4226	206	82	103	103	9	5	41	41	124
2	Whitby *W*	28419	14484	522	373	271	251	9	15	178	195	149
3	Lythe	18384	4923	147	95	75	72	2	4	50	45	52
	532.—GUISBROUGH.											
1	Lofthouse	16302	2339	117	52	59	58	4	6	27	25	65
2	Marske	17618	4803	365	184	191	174	5	6	99	85	181
3	Kirk Leatham	19705	8178	542	271	255	287	14	15	118	153	271
4	Guisbrough *W*	12316	4762	223	113	113	110	5	11	54	59	110
5	Danby	30921	2046	67	44	34	33	4	5	24	20	23
	533.—STOKESLEY.											
1	Stokesley *W*	60236	7853	265	150	145	120	8	5	73	77	115
2	Hutton	19109	2528	83	40	47	36	2	1	23	17	43
	534.—NORTHALLERTON.											
1	Appleton-upon-Wiske	26590	2952	90	41	41	49	5	3	21	20	49
2	Northallerton *W*	41752	9222	298	212	137	161	19	12	95	117	86
	535.—BEDALE.											
1	Bedale *W*	25210	6000	194	108	101	93	8	9	61	47	86
2	Masham	20378	2650	62	48	35	27	1	3	19	29	14
	536.—LEYBURN.											
1	Middleham	43071	4230	115	87	57	58	5	10	49	38	28
2	Leyburn *W*	41847	5875	155	94	83	72	11	6	55	39	61
	537.—ASKRIGG.											
1	Askrigg *W*	44206	3207	86	70	49	37	4	4	36	34	16
2	Hawes	33102	2442	88	42	44	44	8	5	17	25	46
	538.—REETH.											
1	Muker	40368	2627	69	39	28	41	5	6	17	22	30
2	Reeth *W*	29899	3569	88	76	54	34	5	3	38	38	12
	539.—RICHMOND.											
1	Richmond *W*	29913	7174	194	149	93	101	10	10	74	75	45
2	Catterick	20179	3164	72	56	35	37	–	3	30	26	16
3	Newsham	16481	1413	29	27	15	14	–	–	15	12	2
4	Aldborough	11996	1706	46	27	27	19	1	2	10	17	19

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	38.—DURHAM.											
	540.—DARLINGTON.											
1	Darlington *W*	35207	21167	1147	592	584	563	31	37	308	284	555
2	Aycliffe	27745	4955	173	73	85	88	3	5	38	35	100
	541*a*.—STOCKTON.											
1	Yarm	33842	25079	1756	846	923	833	41	36	439	407	910
2	Stockton *W*	23563	20246	1414	727	742	672	52	46	383	344	687
3	Sedgefield *WL*	43953	11774	510	337	245	265	12	15	164	173	173
	541*b*.—HARTLEPOOL.											
1	Hartlepool *W*	26369	29153	1556	745	821	735	30	26	399	346	811
	542.—AUCKLAND.											
1	Bishop Auckland *W*	23545	34878	1963	1236	1038	925	64	48	653	583	727
2	Hamsterley	35758	15613	893	430	457	436	24	26	225	205	463
	543.—TEESDALE.											
1	Staindrop	26828	5246	138	88	81	57	5	6	43	45	50
2	Barnard Castle *W*	58607	8555	280	205	133	147	16	14	111	94	75
3	Middleton	88727	7079	223	133	120	103	14	17	59	74	90
	544.—WEARDALE.											
1	St. John	32190	5691	181	119	99	82	12	11	57	62	62
2	Stanhope *W*	37940	5196	234	134	123	111	11	13	68	66	100
3	Wolsingham	20403	5531	289	164	140	149	9	7	80	84	125
	545.—DURHAM.											
1	Tanfield	9357	7594	441	201	210	231	9	11	105	96	240
2	Lanchester *W*	45186	20218	850	431	440	410	22	24	213	218	419
3	St. Oswald *WH*	27720	18714	1024	626	531	493	32	23	328	298	398
4	St. Nicholas	16105	23748	879	742	451	428	21	23	356	386	137
	546.—EASINGTON.											
1	Easington *W*	38493	27293	1295	650	701	594	35	26	344	306	645
	547.—HOUGHTON-LE-SPRING.											
1	Houghton-le-Spring *W*	9720	11238	493	288	248	245	18	11	155	133	205
2	Hetton-le-Hole	6482	10535	516	251	245	271	7	21	119	132	265
	548.—CHESTER-LE-STREET.											
1	Chester-le-Street *W*	16306	14237	766	428	407	359	20	28	228	200	338
2	Harraton	16773	13423	615	413	318	297	14	14	227	186	202
	549.—SUNDERLAND.											
1	North Bishop-Wearmouth *W*	6347	23749	1113	704	572	541	38	27	405	299	409
2	South Bishop-Wearmouth		25083	1139	614	596	543	19	8	306	308	525
3	East Sunderland	178	9915	431	334	206	225	13	9	163	171	97
4	West Sunderland		8517	325	210	189	136	13	14	99	111	115
5	Monk Wearmouth	5419	23440	1120	597	580	540	21	19	306	291	523
	550.—SOUTH SHIELDS.											
1	Westoe *W*	12155	29382	1567	1053	760	807	25	35	529	524	514
2	South Shields	3322	15467	1122	678	551	571	11	17	335	343	444
	551.—GATESHEAD.											
1	Heworth	2853	10315	537	337	302	235	10	13	192	145	200
2	Gateshead *W*	3255	32749	1685	1193	876	809	31	47	596	597	492
3	Whickham *L*	5993	5921	242	125	124	118	8	8	58	67	117
4	Winlaton	13842	10424	445	268	228	217	20	18	142	126	177
	39.—NORTHUMBERLAND.											
	552.—NEWCASTLE-UPON-TYNE.											
1	Westgate *W*	2778	37477	2116	1470	1105	1011	57	51	723	747	646
2	St. Andrew	1469	17100	567	440	297	270	16	11	246	194	127
3	St. Nicholas *H*		16632	485	653	252	233	20	15	405	248	−168
4	All Saints	2855	26765	1235	925	622	613	36	30	483	442	310
5	Byker		12994	552	393	264	288	9	20	200	193	159
	553.—TYNEMOUTH.											
1	Wallsend	2787	6715	378	202	212	166	11	10	119	83	176
2	North Shields	3733	17138	613	451	324	289	11	10	236	215	162
3	Tynemouth *W*	3489	18266	763	629	399	364	16	20	318	311	134
4	Longbenton	9040	13304	636	397	313	323	14	19	210	187	239
5	Earsdon	10466	9543	454	330	245	209	15	14	152	178	124
6	Blyth	10222	12989	580	423	276	304	14	18	234	189	157
	554.—CASTLE WARD.											
1	Ponteland *W*	47568	7190	234	137	116	118	7	10	68	69	97
2	Stamfordham	41019	7753	276	162	144	132	10	10	91	71	114

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	Births. Including Illegitimate Births. Males.	Births. Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	39.—NORTHUMBERLAND *—continued.*											
	555.—HEXHAM.											
1	Bywell	47859	8128	321	146	159	162	11	17	81	65	175
2	Hexham *W*	53542	9735	308	210	159	149	21	18	108	102	98
3	Allendale	50955	8622	256	165	128	128	17	22	82	83	91
4	Chollerton	46230	5365	168	75	92	76	14	8	40	35	93
	556.—HALTWHISTLE.											
1	Haltwhistle *W*	83361	6693	231	95	113	118	17	19	46	49	136
	557.—BELLINGHAM.											
1	Bellingham *W*	235861	4247	116	70	59	57	8	10	37	33	46
2	Kirkwhelpington		2833	104	76	46	58	6	2	40	36	28
	558.—MORPETH.											
1	Morpeth *WL*	44807	8426	256	217	125	131	14	16	120	97	39
2	Bedlington	50622	15577	788	512	403	385	21	29	256	256	276
	559.—ALNWICK.											
1	Warkworth	31864	7631	223	128	103	120	7	8	60	68	95
2	Alnwick *W*	16484	7359	215	152	100	115	14	8	66	86	63
3	Embleton	50587	6063	146	92	79	67	9	3	54	38	54
	560.—BELFORD.											
1	Belford *W*	41753	6260	163	100	91	72	8	12	55	45	63
	561.—BERWICK.											
1	Islandshire	26791	4052	117	74	58	59	1	–	41	33	43
2	Berwick-upon-Tweed *W*	11335	14027	460	293	231	229	23	22	133	160	167
3	Norhamshire	19849	3783	127	52	67	60	9	5	26	26	75
	562.—GLENDALE.											
1	Ford	59774	6833	195	91	108	87	10	2	53	38	104
2	Wooler *W*	82531	6378	171	123	89	82	11	8	60	63	48
	563.—ROTHBURY.											
1	Rothbury *W*	83187	5310	161	69	81	80	13	10	28	41	92
2	Elsdon	75981	1837	44	28	24	20	2	3	14	14	16
	40.—CUMBERLAND.											
	564.—ALSTON.											
1	Alston *W*	35060	6404	168	120	81	87	10	15	60	60	48
	565.—PENRITH.											
1	Penrith *W*	49291	11532	370	320	200	170	22	20	143	177	50
2	Greystoke	67536	4975	137	72	73	64	7	8	38	34	65
3	Kirkoswald	64409	5815	159	74	84	75	11	5	37	37	85
	566.—BRAMPTON.											
1	Hayton	21281	2533	61	37	33	28	6	5	20	17	24
2	Brampton *W*	74192	5501	168	109	113	55	15	11	57	52	59
3	Walton		2782	68	35	42	26	4	4	17	18	33
	567.—LONGTOWN.											
1	High Longtown	48637	3291	97	41	49	48	13	14	24	17	56
2	Low Longtown *W*	38234	7178	201	125	104	97	24	26	57	68	76
	568.—CARLISLE.											
1	Wetheral	16861	3886	114	61	61	53	4	6	27	34	53
2	St. Cuthbert *WL*	9828	14127	540	494	280	260	25	36	251	243	46
3	St. Mary *WWH*	1954	17648	607	543	311	296	14	26	250	293	64
4	Stanwix	13840	3801	109	75	63	46	7	4	34	41	34
5	Burgh	11249	1493	40	23	25	15	3	1	16	7	17
6	Dalston	17078	3865	110	83	56	54	6	9	39	44	27
	569.—WIGTON.											
1	Wigton *W*	115762	10052	266	198	138	128	28	24	87	111	68
2	Abbey Holme		8024	249	148	118	131	15	11	76	72	101
3	Caldbeck	60767	5197	157	104	78	79	8	4	51	53	53
	570.—COCKERMOUTH.											
1	Keswick	72143	6274	213	123	110	103	15	8	59	64	90
2	Cockermouth *W*	44560	10546	430	345	210	220	41	43	158	187	85
3	Workington	18993	10765	465	361	236	229	14	16	175	186	104
4	Maryport	20329	13707	605	333	333	272	28	32	166	167	272
	571.—WHITEHAVEN.											
1	Harrington	51089	6765	367	159	173	194	13	15	78	81	208
2	Whitehaven	267	14064	468	316	237	231	14	17	162	154	152
3	St. Bees *W*	10407	8681	377	259	198	179	28	27	133	126	118
4	Egremont	37440	10440	599	407	323	276	19	18	203	204	192

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	40.—CUMBERLAND—*cont.*											
	572.—BOOTLE.											
1	Muncaster	37684	2282	64	47	33	31	5	3	23	24	17
2	Bootle *W*	62382	3598	192	119	100	92	10	5	71	48	73
	41.—WESTMORLAND.											
	573.—EAST WARD.											
1	Appleby	55873	5529	168	72	81	87	8	15	30	42	96
2	Kirkby Stephen *W*	70762	6563	162	128	80	82	16	14	58	70	34
3	Orton	51275	3319	81	44	32	49	3	2	15	29	37
	574.—WEST WARD.											
1	Morland	59414	4212	126	77	67	59	11	8	38	39	49
2	Lowther *W*	61109	3360	118	77	59	59	8	5	36	41	41
	575.—KENDAL.											
1	Ambleside	*110616	8404	268	162	135	133	7	9	77	85	106
2	Grayrigg		4026	137	62	69	68	4	4	21	41	75
3	Kirkby Lonsdale	44255	6734	191	90	111	80	12	6	53	37	101
4	Kendal *W*	*	12305	436	330	231	205	24	19	166	164	106
5	Milnthorpe *W*	34263	5994	202	139	113	89	26	12	78	61	63

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1867.—SUB-DISTRICTS.

	42.—MONMOUTHSHIRE.											
	576.—CHEPSTOW.											
1	Shire-Newton	37623	4893	141	98	85	56	5	2	46	52	43
2	Chepstow *W*	21297	7141	200	152	112	88	8	6	82	70	48
3	Lydney	22335	5907	196	115	101	95	3	6	57	58	81
	577.—MONMOUTH.											
1	Coleford	22672	13964	536	300	277	259	16	15	168	132	236
2	Dingestow	45407	5459	138	81	54	84	6	4	36	45	57
3	Monmouth *W*	7268	6024	185	148	95	90	9	14	79	69	37
4	Trelleck	26444	4797	139	88	78	61	3	2	42	46	51
	578 *a*.—ABERGAVENNY.											
1	Llanarth	11061	1884	68	29	28	40	1	2	11	18	39
2	Llanvihangel	20510	1860	48	27	22	26	1	–	19	8	21
3	Abergavenny *WL*	20674	8669	269	216	144	125	20	8	129	87	53
4	Blaenavon	7933	7114	370	182	189	181	8	7	90	92	188
	578 *b*.—BEDWELTY.											
1	Aberystruth	11788	16055	620	329	304	316	18	12	176	153	291
2	Tredegar *W*	16210	28548	1373	742	681	692	28	34	414	328	631
3	Rock Bedwelty		2962	91	61	53	38	1	5	31	30	30
	579.—PONTYPOOL.											
1	Pontypool	20434	22633	1056	513	564	492	15	15	270	243	543
2	Llangibby *W*	12635	3620	139	91	70	69	1	5	45	46	48
3	Usk	18360	4035	99	63	50	49	2	–	29	34	36
	580.—NEWPORT.											
1	Caerleon	51398	7615	252	140	119	133	2	4	64	76	112
2	Newport *WH*	3584	24756	1019	610	480	539	31	22	307	303	409
3	St. Woollos	29962	8445	366	176	177	189	4	6	97	79	190
4	Mynyddyslwyn	25311	10596	422	212	204	218	7	9	108	104	210
	43.—SOUTH WALES.											
	GLAMORGANSHIRE.											
	581 *a*.—CARDIFF.											
1	Whitchurch	17520	5739	228	116	120	108	2	3	67	49	112
2	Cardiff *WH*	26543	46954	2228	1293	1163	1065	41	41	711	582	935
3	St. Nicholas	38135	5592	159	74	86	73	6	2	43	31	85
	581 *b*.—PONTYPRIDD.											
1	Pontypridd	32001	17445	948	511	498	450	15	13	265	246	437
2	Llantrisaint	21980	9907	537	293	274	263	17	12	146	147	244
3	Ystradyfodwg	24515	3035	432	210	221	211	10	11	122	88	222
	582.—MERTHYR-TYDFIL.											
1	Gelligaer	16573	5778	330	195	161	169	6	7	112	83	135
2	Lower Merthyr-Tydfil *W*	15244	25300	1037	594	499	538	22	30	321	273	443
3	Upper Merthyr-Tydfil	9097	27478	1156	602	613	543	24	21	313	289	554
4	Aberdare	29075	34452	1795	888	926	869	40	30	500	388	907
	583.—BRIDGEND.											
1	Maesteg	43164	8562	430	208	231	199	15	5	115	93	222
2	Cowbridge	32039	6486	166	113	84	82	2	3	59	54	53
3	Bridgend *W*	33408	11417	450	315	224	226	12	11	174	141	135

* The area of the Kendal sub-district (575 : 4) is returned with that of sub-districts 575 ; 1–2.

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	43.—SOUTH WALES—*cont.*											
	GLAMORGANSHIRE—*cont.*											
	584.—NEATH.											
1	Margam	32902	16815	715	327	370	345	12	12	196	131	388
2	Neath *WL*	20183	13462	666	302	344	322	21	12	170	132	364
3	Ystradvelltey	39089	3303	117	55	58	59	2	3	30	25	62
4	Ystradgunlais	34504	12328	488	235	256	232	20	9	123	112	253
5	Cadoxton	27304	7522	350	165	175	175	5	5	84	81	185
6	Llansamlet	8835	5103	214	110	116	98	3	–	60	50	104
	585*a*.—SWANSEA.											
1	Llandilotalybont	34706	5114	179	86	95	84	3	5	48	38	93
2	Llangafelach	2750	14553	750	271	387	363	5	8	139	132	479
3	Swansea *WH*	6710	31593	1426	749	720	706	28	26	417	332	677
	585*b*.—GOWER.											
1	Gower Eastern	21858	4962	179	85	94	85	–	2	39	46	94
2	Gower Western	37745	3354	75	68	35	40	3	2	32	36	7
	CARMARTHENSHIRE.											
	586.—LLANELLY.											
1	Loughor	24468	3970	189	96	96	93	8	7	58	38	93
2	Llanelly *W*		14619	741	348	384	357	23	13	185	163	393
3	Pembrey	31905	5797	217	107	111	106	5	10	56	51	110
4	Llannon	17078	3593	115	54	50	65	4	4	31	23	61
	587.—LLANDOVERY.											
1	Llanddausaint	10307	848	18	12	9	9	3	1	11	1	6
2	Llangadock	15642	2789	100	47	49	51	1	2	18	29	53
3	Llansadwrn	11505	1710	51	26	33	18	5	1	12	14	25
4	Myddfai	11914	1118	29	21	20	9	2	–	14	7	8
5	Llandingat *W*	8107	2389	80	51	37	43	2	3	28	23	29
6	Llanfairarybryn	23457	1559	44	37	25	19	–	2	15	22	7
7	Llanwrtyd	14555	731	26	24	14	12	2	–	12	12	2
8	Cilycwm	17300	1380	35	25	20	15	2	3	16	9	10
9	Conwil Cayo	41785	2251	53	45	28	25	3	3	25	20	8
	588.—LLANDILOFAWR.											
1	Talley	17184	2025	62	33	31	31	4	–	16	17	29
2	Llanfynydd	11790	1410	37	15	21	16	3	1	7	8	22
3	Llangathen	17843	2897	62	45	29	33	1	2	16	29	17
4	Llandilo *W*	20909	4546	151	106	74	57	5	2	40	66	25
5	Llandebie	29481	6344	242	110	125	117	7	9	61	49	132
	589.—CARMARTHEN.											
1	Llangendeirne	48501	9034	282	165	153	129	11	14	78	87	117
2	St. Clears	42238	6862	181	136	87	94	10	14	69	67	45
3	Carmarthen *WH*	18563	12583	365	320	194	171	18	7	166	154	45
4	Conwil	63244	8196	236	115	117	119	11	11	47	68	121
	PEMBROKESHIRE.											
	590.—NARBERTH.											
1	Llanboidy	26655	3635	87	53	51	36	3	2	25	28	34
2	Llandissilio	25686	3340	105	54	55	50	8	8	32	22	51
3	Amroth	24608	3265	97	52	53	44	6	7	31	21	45
4	Narberth	34921	3620	110	90	51	59	3	5	42	48	20
5	Slebech *W*		3171	74	83	33	41	3	5	34	49	– 9
6	Begelly	13033	4313	142	76	70	72	4	3	38	38	66
	591.—PEMBROKE.											
1	Tenby	29740	9219	289	179	135	154	12	16	88	91	110
2	Pembroke *W*	30991	16559	570	348	284	286	23	24	193	155	222
3	Roose	9545	3225	154	85	78	76	4	4	38	47	69
	592.—HAVERFORDWEST.											
1	Milford	36186	9771	333	199	180	153	17	14	100	99	134
2	Haverfordwest *W*	40059	12330	357	262	177	180	21	21	126	136	95
3	St. Davids	44524	7347	189	166	94	95	16	17	83	83	23
4	Fishguard	50092	7895	187	161	84	103	8	9	69	92	23
	CARDIGANSHIRE.											
	593.—CARDIGAN.											
1	Newport	37639	5566	147	107	72	75	10	8	39	68	40
2	Cardigan *W*	27982	8886	190	177	101	89	7	3	77	100	13
3	Llandygwidd	19860	4133	105	51	55	50	1	4	26	25	54
	594.—NEWCASTLE-IN-EMLYN.											
1	Kenarth *W*	47459	8072	255	124	122	133	16	15	54	70	131
2	Penbryn	25165	5075	140	101	82	58	4	6	44	57	39
3	Llandyssil	40722	5934	179	94	86	93	13	15	47	47	85
	595.—LAMPETER.											
1	Llanybyther	25667	2541	64	38	26	38	2	1	17	21	26
2	Pencarreg	22231	2878	75	48	38	37	3	–	22	26	27
3	Lampeter	14612	2710	75	42	41	34	7	3	19	23	33
4	Llanwenog	13200	1865	64	23	31	33	2	2	13	10	41

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	43.—SOUTH WALES—*cont.*											
	CARDIGANSHIRE—*continued.*											
	596.—ABERAYRON.											
1	Llandisilio	33730	6459	193	109	97	96	9	11	56	53	84
2	Llansaintffraid *W*	31974	7081	220	146	121	99	6	13	77	69	74
	597.—ABERYSTWITH.											
1	Llanrhystyd	22403	3419	110	62	50	60	9	3	29	33	48
2	Aberystwith *W*	15440	8772	370	210	193	177	9	16	105	105	160
3	Geneurglynn	32290	4638	155	80	77	78	4	3	38	42	75
4	Rheidol	62459	8635	284	132	142	142	2	10	71	61	152
	598.—TREGARON.											
1	Gwnnws	33140	3423	115	57	51	64	7	4	32	25	53
2	Llangeitho	21622	3336	86	52	44	42	7	2	24	28	34
3	Tregaron	67238	3978	114	73	66	48	14	11	36	37	41
	BRECKNOCKSHIRE.											
	599.—BUILTH.											
1	Abergwessin	46144	2897	85	65	46	39	5	3	34	31	20
2	Colwyn	25020	1964	82	35	35	47	4	3	17	18	47
3	Builth	31789	3444	95	75	47	48	4	8	38	37	20
	600.—BRECKNOCK.											
1	Merthyr-Cynog	34651	1593	53	21	25	28	–	–	12	9	32
2	Devynnock	65053	4075	124	67	58	66	5	4	29	38	57
3	Brecknock *W*	43018	7054	231	144	123	108	13	9	82	62	87
4	Penkelly	25749	1657	47	24	28	19	–	2	9	15	23
5	Llangorse	28822	2900	82	44	38	44	4	4	24	20	38
	601.—CRICKHOWELL.											
1	Cwmdû	10068	1056	22	19	10	12	–	1	9	10	3
2	Llangunider	13908	3394	154	90	77	77	7	3	40	50	64
3	Llangattock *W*	9597	5759	183	112	108	75	8	5	61	51	71
4	Llanelly	5183	9303	282	161	149	133	5	6	83	78	121
5	Crickhowell	14936	2445	66	50	31	35	3	6	24	26	16
	602.—HAY.											
1	Talgarth	28155	2476	91	45	35	56	5	3	20	25	46
2	Clyro	31753	3521	105	65	54	51	4	4	31	34	40
3	Hay *W*	29787	4822	153	142	78	75	13	7	74	68	11
	RADNORSHIRE.											
	603.—PRESTEIGNE.											
1	Brilley	15315	2067	68	36	32	36	1	1	16	20	32
2	Radnor	39265	3567	105	66	61	44	5	3	35	31	39
3	Kington *W*	24849	6296	167	126	87	80	5	9	68	58	41
4	Presteigne	25534	3741	141	70	71	70	5	9	34	36	71
	604.—KNIGHTON.											
1	Knighton *W*	97492	6009	183	125	97	86	17	18	78	47	53
2	Llanbister		4370	148	69	82	66	17	10	36	33	79
	605.—RHAYADER.											
1	Rhayader	74004	3639	109	68	59	50	9	13	41	27	41
2	Nantmel	31528	3177	97	58	40	57	7	10	29	29	39
	44.—NORTH WALES.											
	MONTGOMERYSHIRE.											
	606.—MACHYNLLETH.											
1	Machynlleth	34210	4068	153	102	81	72	7	10	45	57	51
2	Pennal	44184	4167	175	107	82	93	1	11	55	52	68
3	Darowen	38253	4160	111	64	59	52	10	6	35	29	47
	607.—NEWTOWN.											
1	Upper Llanidloes	83956	3663	117	75	61	56	6	4	41	34	42
2	Lower Llanidloes		3666	128	78	63	65	5	8	33	45	50
3	Llanwnog *W*	45535	4802	165	101	86	79	13	12	52	49	64
4	Kerry	26455	2601	76	58	37	39	5	1	32	26	18
5	Newtown	7162	6086	155	149	91	64	13	5	76	73	6
6	Tregynon	26429	2914	79	62	46	33	2	4	31	31	17
	608.—MONTGOMERY.											
1	Montgomery	33351	6121	178	93	87	91	5	6	41	52	85
2	Chirbury	18668	5756	190	120	98	92	13	5	65	55	70
3	Welshpool *W*	22048	7220	202	147	116	86	11	10	75	72	55
	609.—LLANFYLLIN.											
1	Llanfair	71059	6375	185	102	93	92	17	10	39	63	83
2	Llansaintffraid *W*	54095	10223	326	192	167	159	23	18	96	96	134
3	Llanrhaiadr	62716	5101	157	116	90	67	10	7	69	47	41

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1867—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	44.—NORTH WALES—*cont.*											
	FLINTSHIRE.											
	610.—HOLYWELL.											
1	Whitford	28302	8043	210	159	104	106	3	4	82	77	51
2	Holywell *W*	22079	12100	364	240	188	176	12	13	100	140	124
3	Flint	18145	8079	352	227	202	150	10	6	134	93	125
4	Mold	20953	11719	519	375	270	249	15	12	204	171	144
	DENBIGHSHIRE.											
	611.—WREXHAM.											
1	Hope	26903	11297	584	257	310	274	20	10	134	123	327
2	Holt	20969	4452	116	68	58	58	5	2	35	33	48
3	Ruabon	15966	14680	617	318	324	293	10	13	166	152	299
4	Wrexham *W*	14754	17546	749	433	372	377	29	15	254	179	316
	612.—RUTHIN.											
1	Llanarmon	18385	3198	108	46	55	53	3	3	28	18	62
2	Ruthin *W*	9740	4438	131	102	65	66	6	8	46	56	29
3	Llanelidan	13840	2684	67	39	34	33	6	3	15	24	28
4	Gyffylliog	18923	1326	44	22	29	15	3	1	12	10	22
5	Llanrhaiadr	21897	2611	63	38	30	33	–	5	24	14	25
6	Llandyrnog	10068	1826	39	33	20	19	–	1	15	18	6
	613.—ST. ASAPH.											
1	St. Asaph *W*	33589	11922	389	275	192	197	19	16	154	121	114
2	Abergele	22145	6543	182	158	105	77	3	5	78	80	24
3	Denbigh *L*	38200	9053	250	244	128	122	8	12	113	131	6
	614.—LLANRWST.											
1	Llanrwst *W*	40665	7100	207	140	108	99	9	5	71	69	67
2	Bettwsycoed	35118	2735	86	53	35	51	4	3	23	30	33
3	Yspytty	24848	2935	106	52	46	60	3	5	29	23	54
	MERIONETHSHIRE.											
	615.—CORWEN.											
1	Gwyddelwern	69921	5479	152	104	75	77	9	5	52	52	48
2	Corwen *W*	53886	10628	329	219	148	181	10	16	116	103	110
	616.—BALA.											
1	Bala *W*	58292	6352	173	134	81	92	10	8	64	70	39
	617.—DOLGELLY.											
1	Talyllyn	73066	4839	186	116	89	97	7	7	60	56	70
2	Barmouth *W*	72147	7643	238	179	140	98	15	10	89	90	59
	618.—FESTINIOG.											
1	Llanfihangelytraethau *W*	31954	3658	172	89	88	84	13	9	54	35	83
2	Festiniog	51353	7783	410	237	193	217	9	18	114	123	173
3	Tremadoc	55407	6848	283	172	142	141	8	11	89	83	111
	CARNARVONSHIRE.											
	619.—PWLLHELI.											
1	Criccieth	30734	5591	172	98	84	88	8	12	41	57	74
2	Pwllheli *W*	23526	6579	165	169	91	74	14	14	71	98	−4
3	Aberdaron	20433	3800	95	58	54	41	12	10	28	30	37
4	Nevin	18626	4938	136	108	71	65	6	6	40	68	28
	620.—CARNARVON.											
1	Llandwrog	40536	8518	347	247	183	164	17	10	121	126	100
2	Llanrug	29204	10404	420	298	228	192	10	14	164	134	122
3	Carnarvon *W*	3676	10190	360	356	180	180	12	13	168	188	4
4	Llanidan	19199	3313	93	75	44	49	2	1	35	40	18
	621.—BANGOR.											
1	Beaumaris	51172	13139	347	237	180	167	21	13	120	117	110
2	Bangor *W*	23643	14043	443	304	220	223	10	14	171	133	139
3	Llanllechid	33465	9127	304	209	146	158	3	4	111	98	95
	622.—CONWAY.											
1	Conway *W*	11936	3956	130	76	60	70	7	3	44	32	54
2	Creuddyn	24867	7903	297	167	149	148	8	11	79	88	130
3	Llechwedd-Isaf	20328	2037	73	45	46	27	3	3	25	20	28
	ANGLESEY.											
	623.—ANGLESEY.											
1	Llangefni	23259	5431	114	132	59	55	9	5	65	67	−18
2	Bryngwran	25738	5746	146	137	69	77	10	8	65	72	9
3	Llandyfrydog	23384	4580	119	94	69	50	6	4	41	53	25
4	Amlwch	18375	7777	184	153	88	96	10	8	76	77	31
5	Llanddausaint	27758	5388	110	83	59	51	6	7	47	36	27
6	Holyhead	9568	9235	262	186	141	121	9	12	90	96	76

LONDON.—Number of DEATHS in the different Classes of PUBLIC INSTITUTIONS during the Year 1867.*

INSTITUTIONS.	DEATHS in 1867.	Of the Total Deaths in London the Proportion per Cent. in Public Institutions.
LONDON.—TOTAL DEATHS IN 120 PUBLIC INSTITUTIONS	12,002	17·00
In 46 WORKHOUSES (*a*)	6829	9·67
12 PRISONS (*a*)	90	·13
4 MILITARY AND NAVAL ASYLUMS	147	·21
16 GENERAL HOSPITALS (*a*)	3291	4·66
8 HOSPITALS FOR SPECIAL DISEASES	929	1·32
4 LYING-IN-HOSPITALS — Women	81	·04
4 LYING-IN-HOSPITALS — Children	51	·07
8 MILITARY AND NAVAL HOSPITALS	177	·25
3 HOSPITALS AND ASYLUMS FOR FOREIGNERS	100	·14
19 LUNATIC ASYLUMS (*a*)	357	·51

(*a*) In London, at the Census of 1861 (April 8th), the inmates of 45 Workhouses were 23,745, of the 12 Prisons 5,612, of 15 general Hospitals 3,123, and of 18 Lunatic Asylums 3,102. The officers of the institutions, their families, and the infant children of female prisoners, are not included in these numbers or in the number of deaths. One Workhouse (belonging to the Stepney Union, but situate in Poplar 25; 1), the West London Hospital (in 1; 6), the North London Consumption Hospital (in 8; 1), and one Lunatic Asylum in Hackney, included in the Table, have been instituted since the Census of 1861.

DEATHS in PUBLIC INSTITUTIONS in each District of LONDON during the Year 1867.

No.	DISTRICTS.	Deaths in Public Institutions, 1867.	No.	DISTRICTS.	Deaths in Public Institutions, 1867.	No.	DISTRICTS.	Deaths in Public Institutions, 1867.
	LONDON	12,002	12	St. Giles	249		SURREY (*part of*).	
	MIDDLESEX (*part of*).		13	Strand	183	26	St. Saviour Southwark	128
1	Kensington	648	14	Holborn	210	27	St. Olave Southwark	547
2	Chelsea	267	15	Clerkenwell	222	28	Bermondsey	135
3	St. George Hanover-squ.	432	16	St. Luke	31	29	St. George Southwark	186
4	Westminster	437	17	East London	2	30	Newington	374
5	St. Martin-in-the-Fields	132	18	West London	566	31	Lambeth	462
6	St. James Westminster	132	19	London City	–	32	Wandsworth	174
7	Marylebone	826	20	Shoreditch	489	33	Camberwell	247
8	Hampstead	40	21	Bethnal Green	396	34	Rotherhithe	40
9	Pancras	958	22	Whitechapel	763			
10	Islington	1030	23	St. George-in-the-East	221		KENT (*part of*).	
11	Hackney	345	24*a*	Stepney	10	35	Greenwich	333
			24*b*	Mile End Old Town	175	36	Lewisham	83
			25	Poplar	479			

SUB-DISTRICTS of LONDON in which the principal PUBLIC INSTITUTIONS are situated, and DEATHS in those Institutions registered in 1867.

SUB-DISTRICTS.	PUBLIC INSTITUTIONS.	Deaths in 1867.
WEST DISTRICTS.		
1.—KENSINGTON.		
1. St. Mary Paddington	Workhouse	113
	Lock Hospital	3
2. St. John Paddington	St. Mary's Hospital	151
3. Kensington Town	Workhouse	122
	Kensington House Lunatic Asylum	5
4. Brompton	Consumption Hospital	135
6. St. Paul Hammersm.	West London Hospital	17
7. Fulham	Workhouse	94
	Normand House Lunatic Asylum	1
	Munster House ditto	3
	Otto House ditto	–
	Sussex and Brandenburgh House ditto	4
2.—CHELSEA.		
1. Chelsea South	Royal Hospital (*Chelsea In-Pensioners*)	70
	Royal Military Asylum (*Boys*)	–
2. Chelsea North-west	Workhouse	121
	Workhouse belonging to St. Geo. Hanover Square (*District* 3.)	44
	Cancer Hospital	32
3. Chelsea North-east	Blacklands House Lunatic Asylum	–
3.—ST. GEORGE HANOVER SQUARE.		
2. Mayfair	Workhouse (*see also Chelsea North-west* 2; 2.)	94
3. Belgrave	St. George's Hospital	338
4.—WESTMINSTER.		
1. St. John Westminster	Grenadier Guards Hospital	16
	Coldstream Guards ditto	5
	Scots Fusilier Guards ditto	4
	Millbank Prison (*the Penitentiary*)	17
2. St. Margaret Westminster.	Workhouse, York-street	215
	Workhouse, Wright's Lane, Kensington	
	Westminster Hospital	164
	Westminster House of Correction	16
5.—ST. MARTIN-IN-THE-FIELDS.		
1. Charing Cross	Workhouse	68
	Charing Cross Hospital	64
6.—ST. JAMES WESTMINSTER.		
3. Golden Square	Workhouse	132
NORTH DISTRICTS.		
7.—MARYLEBONE.		
1. All Souls	Middlesex Hospital	254
3. Rectory	Workhouse	549
4. St. Mary	Queen Charlotte's Lying-in-Hospital — Women	7
	Queen Charlotte's Lying-in-Hospital — Children	16
8.—HAMPSTEAD.		
1. Hampstead	Workhouse	24
	North London Consumption Hospital	16

* This Table is compiled from the Weekly Returns made by the Registrars of London and relates to the 52 weeks of the year; viz., from 30th December 1866 to 28th December 1867.

Sub-districts of London in which the principal Public Institutions are situated, &c.—*continued.*

Sub-districts.	Public Institutions.	Deaths in 1867.
9.—Pancras.		
2. Tottenham Court	*Workhouse belonging to the Strand Union (District 13.)*	113
	University College Hospital	211
3. Gray's Inn Lane	Royal Free Hospital	75
5. Camden Town	Workhouse	538
10.—Islington.		
1. Islington West	Workhouse	212
	Small-pox Hospital	229
	Fever Hospital	455
	Pentonville Prison	1
	City Prison	1
	Great Northern Hospital	23
2. Islington East	Infant Poor	9
	Infant Poor establishment belonging to Clerkenwell Parish (District 15.)	2
	Workhouse belonging to the West London Union (District 18.)	93
11.—Hackney.		
1. Stoke Newington	Northumberland House Lunatic Asylum	6
4. Hackney	Workhouse	113
	Workhouse belonging to the East London Union (District 17.)	129
	German Hospital	93
	Brook House Lunatic Asylum	–
5. South Hackney	Pembroke House Lunatic Asylum	4
CENTRAL DISTRICTS.		
12.—St. Giles.		
2. St. Giles South	Workhouse	235
	British Lying-in-Hospital { Women	5
	{ Children	9
13.—Strand.		
	Workhouse (*see Tottenham-court, 9; 2.*)	
3. St. Clement Danes	King's College Hospital	183
14.—Holborn.		
1. St. George the Martyr	Hospital for Sick Children	75
2. St. Andrew Eastern	Workhouse	135
15.—Clerkenwell.		
1. St. James Clerkenwell	Workhouse	185
	Middlesex House of Detention	5
2. Amwell, Clerkenwell	Middlesex House of Correction	32
16.—St. Luke.		
	Workhouse (*see Hoxton New Town, 20; 3.*)	
1. Old Street	St. Mark's Hospital for Fistula	1
2. City-road	City of London Lying-in-Hospital { Women	9
	{ Children	10
	St. Luke's Hospital for Lunatics	11
17.—East London.		
	Workhouse (*see Hackney, 11; 4.*)	
2. Cripplegate	Whitecross-street Prison	2
18.—West London.		
1. West London North	Workhouse (*see Islington East, 10; 2.*)	–
	St. Bartholomew's Hospital	563
	Newgate Prison	1
19.—London City.		
	Workhouse (*see Bow, 25; 1. and Mile End Old Town Eastern, 24b; 2.*)	
EAST DISTRICTS.		
20.—Shoreditch.		
2. St. Leonard	Hoxton House Lunatic Asylum	35
3. Hoxton New Town	*Workhouse belonging to the Parish of St. Luke (District 16.)*	227
5. Haggerstone West	Workhouse	227
21.—Bethnal Green.		
2. The Green	Workhouse	291
	Bethnal House Lunatic Asylum	47
	City of London Hospital for Diseases of Chest	58
22.—Whitechapel.		
3. Mile End New Town	Workhouse	319
5. Whitechapel Church	London Hospital	444
7. Aldgate	Tower Hospital	–

Sub-districts.	Public Institutions.	Deaths in 1867.
23.—St. George-in-the-East.		
3. St. John	Workhouse	221
24a.—Stepney.		
1. Shadwell	Workhouse	1
2. Ratcliff	Workhouse	1
3. Limehouse	Workhouse	8
24b.—Mile End Old Town.		
2. Mile End Old Town Eastern.	Workhouse	163
	Part of Workhouse belonging to the London City Union (Dist. 19.)	5
	Portuguese Jews Hospital	7
	German Jews Hospital	–
25.—Poplar.		
1. Bow	*Part of Workhouse belonging to the London City Union (Dist. 19.)*	141
	Workhouse belonging to the Stepney Union (District 24 a.)	125
	Grove Hall Lunatic Asylum	58
	Poplar Hospital	25
2. Poplar	Workhouse	130
SOUTH DISTRICTS.		
26.—St. Saviour Southwark.		
1. Christchurch	Workhouse	102
2. St. Saviour	Part of Guy's Hospital	26
27.—St. Olave Southwark.		
1. St. Olave	Part of Guy's Hospital	484
2. St. John Horsleydown.	Workhouse	63
28.—Bermondsey.		
2. St. Mary Magdalen	Workhouse	135
29.—St. George Southwark.		
2. Borough-road	Workhouse	155
	Military Prison, Queen's Bench	–
3. London-road	Bethlehem Lunatic Asylum	31
30.—Newington.		
1. Trinity, Newington	Surrey County Gaol	7
2. St. Peter Walworth	Workhouse	176
3. St. Mary	St. Thomas's temporary Hospital	191
31.—Lambeth.		
2. Waterloo-road, 2d part	General Lying-in-Hospital, York-rd. { Women	10
	{ Children	16
4. Lambeth Church, 2d part.	Workhouse	330
7. Brixton	Female Convict Prison	6
	Effra Hall Lunatic Asylum	–
8. Norwood	Workhouse (*for Children*)	40
32.—Wandsworth.		
1. Clapham	Retreat Lunatic Asylum	–
2. Battersea	Workhouse	129
3. Wandsworth	Surrey House of Correction	2
	Surrey County Lunatic Asylum	43
33.—Camberwell.		
2. Camberwell	Workhouse	138
	Peckham House Lunatic Asylum	52
	Camberwell House Lunatic Asylum	57
34.—Rotherhithe.		
1. Rotherhithe	Workhouse	40
35.—Greenwich.		
3. Greenwich West	Dreadnought Hospital Ship for Seamen	97
4. Greenwich East	Workhouse	194
	Royal Hospital (*Greenwich Pensioners*)	77
	Naval School (*Boys*)	–
5. Woolwich Dockyard	Royal Marine Infirmary	15
6. Woolwich Arsenal	Woolwich Garrison Hospital	–
36.—Lewisham.		
3. Lee	Herbert Hospital	40
4. Lewisham Village	Workhouse	43

TABLES SHOWING THE NUMBER

OF

BIRTHS,

OF

BIRTHS OF CHILDREN BORN OUT OF WEDLOCK,

AND OF

DEATHS,

REGISTERED IN EACH OF THE FOUR QUARTERS OF THE YEAR;

ALSO

DEATHS AT DIFFERENT AGES,

AND

CAUSES OF DEATH;

IN 1867.

Note.—The Number of Marriages *celebrated in each Quarter of the Year* 1867 *will be found stated in the Abstract of Marriages, Page* 2.

BIRTHS registered in England in the Four Quarters ending (*Exclusive of*

No.	DIVISIONS AND REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND	37,324,883	20,066,224	768,349	194,763	199,660	190,782	183,144
	DIVISIONS.							
I.	LONDON	77,997	2,803,989	112691	28933	28362	27744	27652
II.	SOUTH EASTERN	4,065,935	1,847,661	66450	17353	16680	16505	15912
III.	SOUTH MIDLAND	3,201,290	1,295,515	46449	12053	12008	11314	11074
IV.	EASTERN	3,214,099	1,142,562	38437	10061	10032	9412	8932
V.	SOUTH WESTERN	4,993,660	1,835,714	58288	15136	15203	14380	13569
VI.	WEST MIDLAND	3,865,332	2,436,568	95160	24424	24905	23528	22303
VII.	NORTH MIDLAND	3,540,797	1,288,928	46710	11749	12303	11492	11166
VIII.	NORTH WESTERN	2,000,227	2,935,540	121521	30277	31888	30675	28681
IX.	YORK	3,654,636	2,015,541	84106	20477	22121	21189	20319
X.	NORTHERN	3,492,322	1,151,372	50111	12597	13041	12405	12068
XI.	WELSH	5,218,588	1,312,834	48426	11703	13117	12138	11468
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	78586	20096	19957	19280	19253
	SURREY (*part of*)	22,951	579,748	25728	6693	6304	6325	6406
	KENT (*part of*)	22,591	193,427	8377	2144	2101	2139	1993
	II.—SOUTH EASTERN.							
1	**SURREY** (*extra-metropolitan*)	476,191	273,264	10536	2647	2702	2608	2579
2	**KENT** (*extra-metropolitan*)	1,013,838	545,272	20783	5575	5074	5117	5017
3	**SUSSEX**	949,581	366,836	12347	3157	3128	3167	2895
4	**HAMPSHIRE**	1,061,608	456,654	15901	4144	4021	3972	3764
5	**BERKSHIRE**	564,717	205,635	6883	1830	1755	1641	1657
	III.—SOUTH MIDLAND.							
6	**MIDDLESEX** (*extra-metropolitan*)	176,555	187,325	7913	2015	1974	1995	1929
7	**HERTFORDSHIRE**	428,143	177,452	6150	1632	1545	1502	1471
8	**BUCKINGHAMSHIRE**	402,616	147,207	5201	1349	1421	1260	1174
9	**OXFORDSHIRE**	479,267	171,233	5580	1427	1458	1372	1323
10	**NORTHAMPTONSHIRE**	632,219	231,079	8363	2129	2161	2004	2069
11	**HUNTINGDONSHIRE**	205,366	59,137	1839	484	500	456	399
12	**BEDFORDSHIRE**	305,366	140,479	5384	1486	1333	1328	1237
13	**CAMBRIDGESHIRE**	571,758	181,603	6016	1531	1616	1397	1472
	IV.—EASTERN.							
14	**ESSEX**	983,443	379,705	13662	3555	3520	3499	3088
15	**SUFFOLK**	930,345	335,409	11144	3044	2922	2608	2570
16	**NORFOLK**	1,300,311	427,448	13631	3462	3590	3305	3274

NOTE.—The *Registration Counties* comprise groups of entire Registration Districts; which Districts are generally Counties in which the greater part of

March 31st, June 30th, September 30th, and December 31st, 1867.
Still-born.)

MALES.					FEMALES.					DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
99,727	101,742	97,156	93,599	392,224	376,125	95,036	97,918	93,626	89,545	ENGLAND.
										DIVISIONS.
14807	14453	14114	14234	57608	55083	14126	13909	13630	13418	LONDON.
8792	8488	8392	8210	33882	32568	8561	8192	8113	7702	SOUTH EASTERN.
6218	6031	5692	5670	23611	22838	5835	5977	5622	5404	SOUTH MIDLAND.
5083	5107	4705	4564	19459	18978	4978	4925	4707	4368	EASTERN.
7678	7804	7376	6880	29738	28550	7458	7399	7004	6689	SOUTH WESTERN.
12527	12646	12047	11358	48578	46582	11897	12259	11481	10945	WEST MIDLAND.
6035	6279	5872	5668	23854	22856	5714	6024	5620	5498	NORTH MIDLAND.
15550	16255	15547	14706	62058	59463	14727	15633	15123	13975	NORTH WESTERN.
10425	11311	10798	10288	42822	41284	10052	10810	10391	10031	YORK.
6587	6677	6345	6241	25850	24261	6010	6364	6060	5827	NORTHERN.
6025	6691	6268	5780	24764	23662	5678	6426	5870	5688	WELSH.
										I.—LONDON.
10289	10129	9823	9914	40155	38431	9807	9828	9457	9339	**MIDDLESEX** (*part of*).
3410	3226	3236	3282	13154	12574	3283	3078	3089	3124	**SURREY** (*part of*).
1108	1098	1055	1038	4299	4078	1036	1003	1084	955	**KENT** (*part of*).
										II.—SOUTH EASTERN.
1334	1321	1292	1290	5237	5299	1313	1381	1316	1289	**SURREY** (*extra-metropolitan*).
2799	2555	2634	2569	10557	10226	2776	2519	2483	2448	**KENT** (*extra-metropolitan*).
1584	1607	1619	1474	6284	6063	1573	1521	1548	1421	**SUSSEX.**
2138	2072	2025	2003	8238	7663	2006	1949	1947	1761	**HAMPSHIRE.**
937	933	822	874	3566	3317	893	822	819	783	**BERKSHIRE.**
										III.—SOUTH MIDLAND.
1007	1010	989	940	3946	3967	1008	964	1006	989	**MIDDLESEX** (*extra-metropol.*)
835	749	742	743	3069	3081	797	796	760	728	**HERTFORDSHIRE.**
700	744	654	631	2729	2475	649	677	606	543	**BUCKINGHAMSHIRE.**
753	697	707	691	2848	2732	674	761	665	632	**OXFORDSHIRE.**
1135	1081	1082	1042	4340	4023	994	1080	922	1027	**NORTHAMPTONSHIRE.**
250	270	219	197	936	903	234	230	237	202	**HUNTINGDONSHIRE.**
764	700	637	644	2745	2639	722	633	691	593	**BEDFORDSHIRE.**
774	780	662	782	2998	3018	757	836	735	690	**CAMBRIDGESHIRE.**
										IV.—EASTERN.
1808	1759	1762	1586	6915	6747	1747	1761	1737	1502	**ESSEX.**
1557	1475	1288	1313	5633	5511	1487	1447	1320	1257	**SUFFOLK.**
1718	1873	1655	1665	6911	6720	1744	1717	1650	1609	**NORFOLK.**

co-extensive with Poor Law Unions. Districts extending into more than one county are referred to the Registration
the population was enumerated in 1861.

BIRTHS registered in England in the Four Quarters ending

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	7372	1915	1936	1820	1701
18	DORSETSHIRE	615,783	182,193	5921	1469	1497	1548	1410
19	DEVONSHIRE	1,643,700	589,278	18825	4883	4861	4585	4496
20	CORNWALL	889,263	364,848	11579	3073	3096	2811	2599
21	SOMERSETSHIRE	1,067,461	463,368	14588	3796	3813	3616	3363
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	15333	4012	3964	3814	3543
23	HEREFORDSHIRE	425,580	106,796	3235	796	865	781	793
24	SHROPSHIRE	924,676	260,409	8493	2041	2273	2176	2003
25	STAFFORDSHIRE	755,017	769,541	34955	8880	9346	8580	8149
26	WORCESTERSHIRE	434,076	294,953	11131	2929	2890	2725	2587
27	WARWICKSHIRE	609,938	561,334	22013	5766	5567	5452	5228
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	9516	2417	2517	2295	2287
29	RUTLANDSHIRE	107,728	23,479	734	191	183	181	179
30	LINCOLNSHIRE	1,739,312	404,143	13493	3347	3506	3337	3303
31	NOTTINGHAMSHIRE	599,791	323,784	11546	2957	3068	2728	2793
32	DERBYSHIRE	558,620	293,874	11421	2837	3029	2951	2604
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	17704	4430	4765	4437	4072
34	LANCASHIRE	1,319,391	2,465,366	103817	25847	27123	26238	24609
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	66514	16225	17583	16738	15968
36	EAST RIDING (WITH YORK)	717,144	274,425	9896	2434	2558	2417	2487
37	NORTH RIDING	1,231,062	211,109	7696	1818	1980	2034	1864
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	27362	6953	7117	6800	6492
39	NORTHUMBERLAND	1,249,299	343,025	13459	3308	3552	3267	3322
40	CUMBERLAND	1,001,273	205,276	7401	1863	1904	1841	1793
41	WESTMORLAND	487,567	60,946	1889	473	468	497	451
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	7727	1860	2141	1884	1842
43	SOUTH WALES	2,816,599	699,722	26859	6549	7110	6754	6446
44	NORTH WALES	1,969,083	416,135	13840	3294	3866	3500	3180

March 31st, June 30th, September 30th, and December 31st, 1867 — *continued.*

MALES.					FEMALES.					REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH WESTERN.
991	986	948	869	3794	3578	924	950	872	832	**WILTSHIRE.**
751	744	771	694	2960	2964	718	753	777	716	**DORSETSHIRE.**
2473	2513	2335	2280	9601	9224	2410	2348	2250	2216	**DEVONSHIRE.**
1553	1599	1456	1326	5934	5645	1520	1497	1355	1273	**CORNWALL.**
1910	1962	1866	1711	7449	7139	1886	1851	1750	1652	**SOMERSETSHIRE.**
										VI.—WEST MIDLAND.
2124	2026	1979	1796	7925	7408	1888	1938	1835	1747	**GLOUCESTERSHIRE.**
412	445	395	387	1639	1596	384	420	386	406	**HEREFORDSHIRE.**
998	1158	1133	1024	4313	4180	1043	1115	1043	979	**SHROPSHIRE.**
4537	4767	4393	4122	17819	17136	4343	4579	4187	4027	**STAFFORDSHIRE.**
1507	1456	1414	1351	5728	5403	1422	1434	1311	1236	**WORCESTERSHIRE.**
2949	2794	2733	2678	11154	10859	2817	2773	2719	2550	**WARWICKSHIRE.**
										VII.—NORTH MIDLAND.
1263	1301	1165	1146	4875	4641	1154	1216	1130	1141	**LEICESTERSHIRE.**
94	97	99	83	373	361	97	86	82	96	**RUTLANDSHIRE.**
1730	1794	1688	1688	6900	6593	1617	1712	1649	1615	**LINCOLNSHIRE.**
1491	1595	1409	1418	5913	5633	1466	1473	1319	1375	**NOTTINGHAMSHIRE.**
1457	1492	1511	1333	5793	5628	1380	1537	1440	1271	**DERBYSHIRE.**
										VIII.—NORTH WESTERN.
2318	2413	2245	2032	9008	8696	2112	2352	2192	2040	**CHESHIRE.**
13232	13842	13302	12674	53050	50767	12615	13281	12936	11935	**LANCASHIRE.**
										IX.—YORK.
8246	8986	8519	8074	33825	32689	7979	8597	8219	7894	**WEST RIDING.**
1244	1298	1243	1278	5063	4833	1190	1260	1174	1209	**EAST RIDING** (with York).
935	1027	1036	936	3934	3762	883	953	998	928	**NORTH RIDING.**
										X.—NORTHERN.
3609	3677	3448	3392	14126	13236	3344	3440	3352	3100	**DURHAM.**
1724	1793	1657	1710	6884	6575	1584	1759	1610	1622	**NORTHUMBERLAND.**
1004	974	956	928	3862	3539	859	930	885	865	**CUMBERLAND.**
250	233	284	211	978	911	223	235	213	240	**WESTMORLAND.**
										XI.—WELSH.
933	1098	921	935	3887	3840	927	1043	963	907	**MONMOUTHSHIRE.**
3370	3644	3542	3212	13768	13091	3179	3166	3212	3234	**SOUTH WALES.**
1722	1949	1805	1633	7109	6731	1572	1917	1695	1547	**NORTH WALES.**

BIRTHS (included in the foregoing Table, pp. 86–89) of CHILDREN BORN OUT OF WEDLOCK and December 31st, 1867.

No.	DIVISIONS AND REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND	37,324,883	20,066,224	45,186	11,592	11,645	11,249	10,700
	DIVISIONS.							
I.	LONDON	77,997	2,803,989	4633	1259	1238	1082	1054
II.	SOUTH EASTERN	4,065,935	1,847,661	3394	912	910	826	746
III.	SOUTH MIDLAND	3,201,290	1,295,515	2748	758	704	675	611
IV.	EASTERN	3,214,099	1,142,562	2885	790	824	642	629
V.	SOUTH WESTERN	4,993,660	1,835,714	3448	919	861	830	838
VI.	WEST MIDLAND	3,365,332	2,436,568	5759	1469	1548	1404	1338
VII.	NORTH MIDLAND	3,540,797	1,288,928	3419	909	800	852	858
VIII.	NORTH WESTERN	2,000,227	2,935,540	7029	1679	1802	1842	1706
IX.	YORK	3,654,636	2,015,541	5389	1301	1345	1425	1318
X.	NORTHERN	3,492,322	1,151,372	3386	831	820	889	846
XI.	WELSH	5,218,588	1,312,834	3096	765	793	782	756
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	3502	949	919	822	812
	SURREY (*part of*)	22,951	579,748	914	256	258	199	201
	KENT (*part of*)	22,591	193,427	217	54	61	61	41
	II.—SOUTH EASTERN.							
1	**SURREY** (*extra-metropolitan*)	476,191	273,264	430	104	137	100	89
2	**KENT** (*extra-metropolitan*)	1,013,838	545,272	1019	260	264	264	231
3	**SUSSEX**	949,581	366,836	684	184	187	169	144
4	**HAMPSHIRE**	1,061,608	456,654	800	223	205	197	175
5	**BERKSHIRE**	564,717	205,635	461	141	117	96	107
	III.—SOUTH MIDLAND.							
6	**MIDDLESEX** (*extra-metropolitan*)	176,555	187,325	310	101	76	71	62
7	**HERTFORDSHIRE**	428,143	177,452	403	118	99	91	95
8	**BUCKINGHAMSHIRE**	402,616	147,207	284	78	77	65	64
9	**OXFORDSHIRE**	479,267	171,233	363	94	110	96	63
10	**NORTHAMPTONSHIRE**	632,219	231,079	454	118	109	122	105
11	**HUNTINGDONSHIRE**	205,366	59,137	117	29	27	32	29
12	**BEDFORDSHIRE**	305,366	140,479	419	112	94	118	95
13	**CAMBRIDGESHIRE**	571,758	181,603	398	108	112	80	98
	IV.—EASTERN.							
14	**ESSEX**	983,443	379,705	725	181	221	177	146
15	**SUFFOLK**	930,345	335,409	793	251	199	172	171
16	**NORFOLK**	1,300,311	427,448	1367	358	404	293	312

registered in England in the Four Quarters ending March 31st, June 30th, September 30th, (*Exclusive of Still-born.*)

MALES.					FEMALES.					DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
5,969	6,015	5,725	5,509	23,218	21,968	5,623	5,630	5,524	5,191	ENGLAND.
										DIVISIONS.
656	667	564	530	2417	2216	603	571	518	524	LONDON.
464	469	396	374	1703	1691	448	441	430	372	SOUTH EASTERN.
386	350	355	316	1407	1341	372	354	320	295	SOUTH MIDLAND.
399	424	312	337	1472	1413	391	400	330	292	EASTERN.
482	448	402	434	1766	1682	437	413	428	404	SOUTH WESTERN.
796	794	723	693	3006	2753	673	754	681	645	WEST MIDLAND.
470	414	438	430	1752	1667	439	386	414	428	NORTH MIDLAND.
836	914	945	873	3568	3461	843	888	897	833	NORTH WESTERN.
652	727	714	711	2804	2585	649	618	711	607	YORK.
437	396	464	414	1711	1675	394	424	425	432	NORTHERN.
391	412	412	397	1612	1484	374	381	370	359	WELSH.
										I.—LONDON.
497	504	437	421	1859	1643	452	415	385	391	**MIDDLESEX** (*part of*).
136	132	101	89	458	456	120	126	98	112	**SURREY** (*part of*).
23	31	26	20	100	117	31	30	35	21	**KENT** (*part of*).
										II.—SOUTH EASTERN.
56	82	51	45	234	196	48	55	49	44	**SURREY** (*extra-metropolitan*).
118	134	139	106	497	522	142	130	125	125	**KENT** (*extra-metropolitan*).
96	92	84	68	340	344	88	95	85	76	**SUSSEX.**
121	109	87	90	407	393	102	96	110	85	**HAMPSHIRE.**
73	52	35	65	225	236	68	65	61	42	**BERKSHIRE.**
										III.—SOUTH MIDLAND.
48	35	34	37	154	156	53	41	37	25	**MIDDLESEX** (*extra-metropol.*)
57	50	55	40	202	201	61	49	36	55	**HERTFORDSHIRE.**
35	40	36	37	148	136	43	37	29	27	**BUCKINGHAMSHIRE.**
55	46	48	33	182	181	39	64	48	30	**OXFORDSHIRE.**
55	52	64	53	224	230	63	57	58	52	**NORTHAMPTONSHIRE.**
16	17	16	12	61	56	13	10	16	17	**HUNTINGDONSHIRE.**
58	51	62	49	220	199	54	43	56	46	**BEDFORDSHIRE.**
62	59	40	55	216	182	46	53	40	43	**CAMBRIDGESHIRE.**
										IV.—EASTERN.
80	119	85	78	362	363	101	102	92	68	**ESSEX.**
129	100	82	90	401	392	122	99	90	81	**SUFFOLK.**
190	205	145	169	709	658	168	199	148	143	**NORFOLK.**

BIRTHS of CHILDREN BORN OUT OF WEDLOCK registered in England in the Four

No.	REGISTRATION COUNTIES.	AREA in Statute Acres.	POPULATION, 1861.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	466	124	108	121	113
18	DORSETSHIRE	615,783	182,193	321	92	79	63	87
19	DEVONSHIRE	1,643,700	589,278	1082	280	266	270	266
20	CORNWALL	889,263	364,848	770	209	201	178	182
21	SOMERSETSHIRE	1,067,461	463,368	809	214	207	198	190
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	820	203	234	192	191
23	HEREFORDSHIRE	425,580	106,796	285	71	82	69	63
24	SHROPSHIRE	924,676	260,409	799	178	207	192	222
25	STAFFORDSHIRE	755,017	769,541	2075	531	554	491	499
26	WORCESTERSHIRE	434,076	294,953	661	184	195	152	130
27	WARWICKSHIRE	609,938	561,334	1119	302	276	308	233
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	656	177	171	162	146
29	RUTLANDSHIRE	107,728	23,479	53	15	10	13	15
30	LINCOLNSHIRE	1,739,312	404,143	1051	271	213	267	300
31	NOTTINGHAMSHIRE	599,791	323,784	928	257	217	224	230
32	DERBYSHIRE	558,620	293,874	731	189	189	186	167
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	1146	280	303	301	262
34	LANCASHIRE	1,319,391	2,465,366	5883	1399	1499	1541	1444
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	3970	952	999	1045	974
36	EAST RIDING (WITH YORK)	717,144	274,425	727	181	180	185	181
37	NORTH RIDING	1,231,062	211,109	692	168	166	195	163
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	1414	341	354	370	349
39	NORTHUMBERLAND	1,249,299	343,025	937	232	227	243	235
40	CUMBERLAND	1,001,273	205,276	822	202	200	219	201
41	WESTMORLAND	487,567	60,946	213	56	39	57	61
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	367	107	85	80	95
43	SOUTH WALES	2,816,599	699,722	1641	410	413	425	393
44	NORTH WALES	1,969,083	416,135	1088	248	295	277	268

Quarters ending March 31st, June 30th, September 30th, and December 31st, 1867—*continued.*

MALES.					FEMALES.					REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH WESTERN.
65	56	51	65	237	229	59	52	70	48	**WILTSHIRE.**
49	37	33	41	160	161	43	42	30	46	**DORSETSHIRE.**
149	145	134	125	553	529	131	121	136	141	**DEVONSHIRE.**
108	111	89	99	407	363	101	90	89	83	**CORNWALL.**
111	99	95	104	409	400	103	108	103	86	**SOMERSETSHIRE.**
										VI.—WEST MIDLAND.
122	114	104	93	433	387	81	120	88	98	**GLOUCESTERSHIRE.**
35	46	37	38	156	129	36	36	32	25	**HEREFORDSHIRE.**
91	109	94	120	414	385	87	98	98	102	**SHROPSHIRE.**
283	278	245	247	1053	1022	248	276	246	252	**STAFFORDSHIRE.**
100	106	82	75	363	298	84	89	70	55	**WORCESTERSHIRE.**
165	141	161	120	587	532	137	135	147	113	**WARWICKSHIRE.**
										VII.—NORTH MIDLAND.
96	88	80	65	329	327	81	83	82	81	**LEICESTERSHIRE.**
6	3	5	7	21	32	9	7	8	8	**RUTLANDSHIRE.**
132	103	131	159	525	526	139	110	136	141	**LINCOLNSHIRE.**
137	118	128	117	500	428	120	99	96	113	**NOTTINGHAMSHIRE.**
99	102	94	82	377	354	90	87	92	85	**DERBYSHIRE.**
										VIII.—NORTH WESTERN.
139	152	149	129	569	577	141	151	152	133	**CHESHIRE.**
697	762	796	744	2999	2884	702	737	745	700	**LANCASHIRE.**
										IX.—YORK.
483	551	523	515	2072	1898	469	448	522	459	**WEST RIDING.**
90	96	90	106	382	345	91	84	95	75	**EAST RIDING** (WITH YORK).
79	80	101	90	350	342	89	86	94	73	**NORTH RIDING.**
										X.—NORTHERN.
172	173	198	168	711	703	169	181	172	181	**DURHAM.**
126	105	126	115	472	465	106	122	117	120	**NORTHUMBERLAND.**
106	96	106	101	409	413	96	104	113	100	**CUMBERLAND.**
33	22	34	30	119	94	23	17	23	31	**WESTMORLAND.**
										XI.—WELSH.
55	48	36	50	189	178	52	37	44	45	**MONMOUTHSHIRE.**
207	212	226	205	850	791	203	201	199	188	**SOUTH WALES.**
129	152	150	142	573	515	119	143	127	126	**NORTH WALES.**

DEATHS registered in England in the Four Quarters ending

No.	DIVISIONS AND REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND	37,324,883	20,066,224	471,073	134,008	112,355	108,513	116,197
	DIVISIONS.							
I.	LONDON	77,997	2,803,989	70924	20212	15619	16567	18526
II.	SOUTH EASTERN	4,065,935	1,847,661	37685	10732	8963	8873	9117
III.	SOUTH MIDLAND	3,201,290	1,295,515	27079	7903	6586	6169	6421
IV.	EASTERN	3,214,099	1,142,562	22398	6369	5606	5034	5389
V.	SOUTH WESTERN	4,993,660	1,835,714	35427	10891	8849	7419	8268
VI.	WEST MIDLAND	3,865,332	2,436,568	54696	15697	12804	12568	13627
VII.	NORTH MIDLAND	3,540,797	1,288,928	27060	7705	6618	6234	6503
VIII.	NORTH WESTERN	2,000,227	2,935,540	84102	23455	19479	19482	21686
IX.	YORK	3,654,636	2,015,541	51224	14196	12657	12379	11992
X.	NORTHERN	3,492,322	1,151,372	31664	8546	7598	7501	8019
XI.	WELSH	5,218,588	1,312,834	28814	8302	7576	6287	6649
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	51215	14664	11287	11976	13288
	SURREY (*part of*)	22,951	579,748	15244	4379	3329	3514	4022
	KENT (*part of*)	22,591	193,427	4465	1169	1003	1077	1216
	II.—SOUTH EASTERN.							
1	**SURREY** (*extra-metropolitan*)	476,191	273,264	5538	1650	1308	1263	1317
2	**KENT** (*extra-metropolitan*)	1,013,838	545,272	11541	3090	2728	2942	2781
3	**SUSSEX**	949,581	366,836	7385	2239	1751	1657	1738
4	**HAMPSHIRE**	1,061,608	456,654	9116	2498	2150	2133	2335
5	**BERKSHIRE**	564,717	205,635	4105	1255	1026	878	946
	III.—SOUTH MIDLAND.							
6	**MIDDLESEX** (*extra-metropolitan*)	176,555	187,325	4615	1268	1054	1202	1091
7	**HERTFORDSHIRE**	428,143	177,452	3489	1027	795	788	879
8	**BUCKINGHAMSHIRE**	402,616	147,207	3009	933	760	639	677
9	**OXFORDSHIRE**	479,267	171,233	3414	969	916	746	783
10	**NORTHAMPTONSHIRE**	632,219	231,079	4946	1433	1210	1118	1185
11	**HUNTINGDONSHIRE**	205,366	59,137	1040	275	279	254	232
12	**BEDFORDSHIRE**	305,366	140,479	3019	866	658	705	790
13	**CAMBRIDGESHIRE**	571,758	181,603	3547	1132	914	717	784
	IV.—EASTERN.							
14	**ESSEX**	983,443	379,705	7593	2257	1779	1745	1812
15	**SUFFOLK**	930,345	335,409	6495	1807	1732	1426	1530
16	**NORFOLK**	1,300,311	427,448	8310	2305	2095	1863	2047

March 31st, June 30th, September 30th, and December 31st, 1867.

MALES.					FEMALES.					DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
69,016	58,353	55,968	59,251	242,588	228,485	64,992	54,002	52,545	56,946	ENGLAND.
										DIVISIONS.
10191	8205	8577	9405	36378	34546	10021	7414	7990	9121	LONDON.
5630	4714	4644	4644	19632	18053	5102	4249	4229	4473	SOUTH EASTERN.
4035	3452	3167	3306	13960	13119	3868	3134	3002	3115	SOUTH MIDLAND.
3188	2933	2551	2724	11396	11002	3181	2673	2483	2665	EASTERN.
5431	4469	3738	4084	17722	17705	5460	4380	3681	4184	SOUTH WESTERN.
8308	6605	6474	6971	28358	26338	7389	6199	6094	6656	WEST MIDLAND.
3928	3362	3213	3253	13756	13304	3777	3256	3021	3250	NORTH MIDLAND.
11987	10207	10129	11224	43547	40555	11468	9272	9353	10462	NORTH WESTERN.
7582	6594	6353	6150	26679	24545	6614	6063	6026	5842	YORK.
4397	3893	3843	4069	16202	15462	4149	3705	3658	3950	NORTHERN.
4339	3919	3279	3421	14958	13856	3963	3657	3008	3228	WELSH.
										I.—LONDON.
7382	5895	6182	6733	26192	25023	7282	5392	5794	6555	**MIDDLESEX** (*part of*).
2222	1769	1810	2033	7834	7410	2157	1560	1704	1989	**SURREY** (*part of*).
587	541	585	639	2352	2113	582	462	492	577	**KENT** (*part of*).
										II.—SOUTH EASTERN.
894	705	664	662	2925	2613	756	603	599	655	**SURREY** (*extra-metropolitan*).
1619	1475	1576	1412	6082	5459	1471	1253	1366	1369	**KENT** (*extra-metropolitan*).
1157	911	866	889	3823	3562	1082	840	791	849	**SUSSEX.**
1348	1088	1106	1202	4744	4372	1150	1062	1027	1133	**HAMPSHIRE.**
612	535	432	479	2058	2047	643	491	446	467	**BERKSHIRE.**
										III.—SOUTH MIDLAND.
636	580	616	547	2379	2236	632	474	586	544	**MIDDLESEX** (*extra-metropol.*)
520	418	387	453	1778	1711	507	377	401	426	**HERTFORDSHIRE.**
477	412	335	360	1584	1425	456	348	304	317	**BUCKINGHAMSHIRE.**
516	464	374	413	1767	1647	453	452	372	370	**OXFORDSHIRE.**
709	630	581	635	2555	2391	724	580	537	550	**NORTHAMPTONSHIRE.**
133	151	140	128	552	488	142	128	114	104	**HUNTINGDONSHIRE.**
446	333	347	391	1517	1502	420	325	358	399	**BEDFORDSHIRE.**
598	464	387	379	1828	1719	534	450	330	405	**CAMBRIDGESHIRE.**
										IV.—EASTERN.
1164	934	909	928	3935	3658	1093	845	836	884	**ESSEX.**
894	916	686	785	3281	3214	913	816	740	745	**SUFFOLK.**
1130	1083	956	1011	4180	4130	1175	1012	907	1036	**NORFOLK.**

DEATHS registered in England in the Four Quarters ending

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	4525	1437	1169	901	1018
18	DORSETSHIRE	615,783	182,193	3265	955	856	686	768
19	DEVONSHIRE	1,643,700	589,278	11691	3570	2856	2501	2764
20	CORNWALL	889,263	364,848	7176	2171	1837	1536	1632
21	SOMERSETSHIRE	1,067,461	463,368	8770	2758	2131	1795	2086
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	9173	2772	2142	1940	2319
23	HEREFORDSHIRE	425,580	106,796	1886	549	471	395	471
24	SHROPSHIRE	924,676	260,409	4991	1481	1275	1059	1176
25	STAFFORDSHIRE	755,017	769,541	18786	5413	4515	4257	4601
26	WORCESTERSHIRE	434,076	291,953	6020	1797	1431	1336	1456
27	WARWICKSHIRE	609,038	561,334	13840	3685	2970	3581	3604
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	5639	1573	1332	1370	1364
29	RUTLANDSHIRE	107,728	23,479	414	121	99	84	110
30	LINCOLNSHIRE	1,739,312	404,143	7727	2264	1940	1687	1836
31	NOTTINGHAMSHIRE	599,791	323,784	6718	1866	1576	1579	1697
32	DERBYSHIRE	558,620	293,874	6562	1881	1671	1514	1496
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	11159	3276	2691	2425	2767
34	LANCASHIRE	1,319,391	2,465,366	72943	20179	16788	17057	18919
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	40439	11400	9981	9664	9394
36	EAST RIDING (WITH YORK)	717,144	274,425	6229	1630	1465	1628	1506
37	NORTH RIDING	1,231,062	211,109	4556	1166	1211	1087	1092
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	15972	4121	3845	3857	4149
39	NORTHUMBERLAND	1,249,299	343,025	9380	2686	2202	2244	2248
40	CUMBERLAND	1,001,273	205,276	5131	1450	1239	1127	1315
41	WESTMORLAND	487,567	60,946	1181	289	312	273	307
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	4373	1243	1127	940	1063
43	SOUTH WALES	2,816,599	699,722	15114	4310	3925	3361	3518
44	NORTH WALES	1,969,083	416,135	9327	2749	2524	1986	2068

March 31st, June 30th, September 30th, and December 31st, 1867—*continued.*

MALES.					FEMALES.					REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH WESTERN.
726	605	454	512	2297	2228	711	564	447	506	**WILTSHIRE.**
490	415	339	382	1626	1639	465	441	347	386	**DORSETSHIRE.**
1753	1427	1260	1353	5793	5898	1817	1429	1241	1411	**DEVONSHIRE.**
1091	923	789	828	3631	3545	1080	914	747	804	**CORNWALL.**
1371	1099	896	1009	4375	4395	1387	1032	899	1077	**SOMERSETSHIRE.**
										VI.—WEST MIDLAND.
1406	1081	947	1150	4584	4589	1366	1061	993	1169	**GLOUCESTERSHIRE.**
286	248	214	229	977	909	263	223	181	242	**HEREFORDSHIRE.**
791	651	573	602	2617	2374	690	624	486	574	**SHROPSHIRE.**
2963	2354	2195	2445	9957	8829	2450	2161	2062	2156	**STAFFORDSHIRE.**
964	753	696	748	3161	2859	833	678	640	708	**WORCESTERSHIRE.**
1898	1518	1349	1797	7062	6778	1787	1452	1732	1807	**WARWICKSHIRE.**
										VII.—NORTH MIDLAND.
781	657	692	679	2809	2830	792	675	678	685	**LEICESTERSHIRE.**
62	52	45	57	216	198	59	47	39	53	**RUTLANDSHIRE.**
1145	996	874	937	3952	3775	1119	944	813	899	**LINCOLNSHIRE.**
960	815	806	824	3405	3313	906	761	773	873	**NOTTINGHAMSHIRE.**
980	842	796	756	3374	3188	901	829	718	740	**DERBYSHIRE.**
										VIII.—NORTH WESTERN.
1652	1396	1263	1450	5761	5398	1624	1295	1162	1317	**CHESHIRE.**
10335	8811	8866	9774	37786	35157	9844	7977	8191	9145	**LANCASHIRE.**
										IX.—YORK.
6176	5250	4963	4817	21206	19233	5224	4731	4701	4577	**WEST RIDING.**
822	760	835	792	3209	3020	808	705	793	714	**EAST RIDING** (with York).
584	584	555	541	2264	2292	582	627	532	551	**NORTH RIDING.**
										X.—NORTHERN.
2166	2021	1964	2082	8233	7739	1955	1824	1893	2067	**DURHAM.**
1394	1130	1190	1171	4885	4495	1292	1072	1054	1077	**NORTHUMBERLAND.**
703	583	558	668	2512	2619	747	656	569	647	**CUMBERLAND.**
134	159	131	148	572	609	155	153	142	159	**WESTMORLAND.**
										XI.—WELSH.
650	594	496	560	2300	2073	593	533	444	503	**MONMOUTHSHIRE.**
2256	2051	1778	1831	7916	7198	2054	1874	1583	1687	**SOUTH WALES.**
1433	1274	1005	1030	4742	4585	1316	1250	981	1038	**NORTH WALES.**

ENGLAND.—DEATHS at different Ages Registered in the Year 1867—in the Divisions and Registration Counties.

No.	Divisions and Registration Counties.	Males. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95* and upwards.
	ENGLAND †	392,224	242,588	65,464	19,278	8297	5013	3450	101,502	8327	4578	6229	7678	15,088	16,236	17,474	20,483	22,865	17,509	4407	212*
	DIVISIONS.																				
I.	LONDON †	57608	36378	9925	3294	1572	813	525	16129	1092	493	723	1139	2593	3106	3226	3125	2734	1652	351	15
II.	SOUTH EASTERN	33882	19632	4563	1805	509	321	234	6932	545	333	476	640	1475	1451	1413	1655	2131	1983	573	25
III.	SOUTH MIDLAND	23611	13960	3813	904	413	248	147	5525	409	233	287	447	803	770	965	1214	1599	1372	324	12
IV.	EASTERN	19459	11396	2850	679	313	197	126	4165	372	223	266	314	649	662	737	923	1339	1361	370	15
V.	SOUTH WESTERN	29738	17722	4097	1069	457	247	187	6057	499	326	497	549	1033	1087	1225	1680	2201	1977	556	35
VI.	WEST MIDLAND	48578	28358	7956	2140	887	618	389	11985	949	512	687	756	1533	1795	2005	2571	2850	2135	557	23
VII.	NORTH MIDLAND	23854	13756	4099	802	296	197	135	5529	372	246	347	389	721	713	882	1188	1686	1327	340	16
VIII.	NORTH WESTERN	62058	43547	12146	4393	1852	1183	836	20410	1841	893	1116	1302	2707	3037	3241	3541	3276	1808	363	12
IX.	YORK	42822	26679	8038	2074	799	474	323	11708	842	565	815	915	1598	1731	1882	2255	2334	1659	361	14
X.	NORTHERN	25850	16202	4484	1620	770	478	360	7712	881	386	487	511	906	863	916	1076	1213	987	241	23
XI.	WELSH	24764	14958	3493	998	429	242	188	5350	525	368	528	716	1070	1021	982	1255	1502	1248	371	22
	I.—LONDON.																				
	MIDDLESX. (*pt. of*)	40155	26192	6991	2404	1156	579	377	11507	757	356	531	807	1852	2286	2418	2290	1987	1146	246	9
	SURREY (*part of*)	13154	7834	2265	705	327	183	116	3596	268	99	137	227	539	651	643	673	574	362	61	4
	KENT (*part of*)	4299	2352	669	185	89	51	32	1026	67	38	55	105	202	169	165	162	173	144	44	2
	II.—SOUTH EASTERN.																				
1	**SURREY** (*ex.-metro.*)	5237	2925	686	157	60	47	34	984	78	54	71	89	247	202	249	273	310	294	71	3
2	**KENT** (*extra-metrop.*)	10557	6082	1564	447	187	92	84	2374	185	91	160	198	424	406	418	473	611	558	173	11
3	**SUSSEX**	6284	3823	822	244	90	69	33	1258	96	66	105	133	256	285	273	344	444	443	116	4
4	**HAMPSHIRE**	8238	4744	1022	336	118	78	64	1618	136	96	103	158	418	404	340	368	499	453	145	6
5	**BERKSHIRE**	3566	2058	469	121	54	35	19	698	50	26	37	62	130	134	133	197	267	235	68	1
	III.—SOUTH MIDLAND.																				
6	**MIDDLES.** (*ex.-met.*)	3946	2379	565	149	84	61	26	885	79	45	42	82	199	185	229	193	233	171	33	3
7	**HERTFORDSH.**	3069	1778	447	98	46	31	16	638	57	32	34	55	99	94	147	160	222	182	56	2
8	**BUCKINGHAMS.**	2720	1584	453	97	56	29	14	649	37	25	32	44	70	77	103	134	187	177	46	3
9	**OXFORDSHIRE**	2848	1767	463	130	75	30	13	711	58	27	24	36	101	83	101	173	214	184	55	-
10	**NORTHAMPTON.**	4340	2555	753	205	73	46	40	1117	67	40	53	86	127	126	138	226	286	235	53	1
11	**HUNTINGDONS.**	936	552	140	19	7	7	7	180	19	10	17	32	22	20	36	55	71	76	14	-
12	**BEDFORDSHIRE**	2745	1517	494	88	33	18	18	651	46	16	32	43	84	77	92	128	168	154	26	-
13	**CAMBRIDGESH.**	2998	1828	498	118	39	26	13	694	46	38	53	69	101	108	119	145	218	193	41	3
	IV.—EASTERN.																				
14	**ESSEX**	6915	3935	960	264	118	77	33	1452	109	82	93	113	262	245	272	339	444	420	101	3
15	**SUFFOLK**	5633	3281	763	220	87	59	45	1174	123	65	86	100	165	177	206	272	380	408	119	6
16	**NORFOLK**	6911	4180	1127	195	108	61	48	1539	140	76	87	101	222	240	259	312	515	533	150	6

NOTE.—The Table may be read thus:—Of the 242,588 deaths of Males, 65,464 were those of children under 1 year of age; 19,278 those of the age 1 and under 2 years; 8,327 of the age 5 and under 10 years; 6,229 of the age 15 and under 20 years, and so on.

* This column includes the deaths of 17 males aged 100 years and upwards; namely, 7 aged 100, 5 aged 101, 2 aged 102, 1 aged 103, and 2 aged 104 years.

† The *Causes of Death* in England and in London, in combination with the Ages at Death, are given at pp. 120-135.

ENGLAND.—DEATHS at different Ages Registered in the Year 1867—in the Divisions and Registration Counties.

DIVISIONS AND REGISTRATION COUNTIES.	FEMALES.																				
	Total Births.	Total Deaths.	Ages at Death.																		
			Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and upwards.
ENGLAND -	376,125	228,487	51,797	18,354	8,332	5145	3468	87,096	7,850	4401	6738	7926	15,915	15,488	15,247	18,256	23,064	20,142	5926	*438
DIVISIONS.																					
No. I. LONDON - - - -	55083	31546	8048	3217	1537	887	523	14212	1054	462	748	1014	2395	2491	2692	2955	3335	2502	651	35
II. SOUTH EASTERN -	32568	18053	3586	1143	545	329	228	5831	525	357	535	691	1309	1290	1248	1544	2144	1960	573	46
III. SOUTH MIDLAND -	22838	13119	2911	876	405	247	158	4597	339	230	386	466	841	865	838	1073	1555	1506	400	23
IV. EASTERN - - - -	18978	11002	2217	626	303	191	125	3462	842	230	352	387	728	733	684	875	1292	1391	479	47
V. SOUTH WESTERN -	28550	17705	3221	946	429	251	184	5031	449	378	550	618	1156	1078	1126	1542	2323	2557	838	59
VI. WEST MIDLAND -	46582	26340	6362	2080	994	602	414	10452	900	479	735	786	1617	1693	1612	2117	2781	2360	749	59
VII. NORTH MIDLAND -	22856	13304	3228	773	311	192	153	4657	361	231	305	534	996	818	845	1047	1462	1376	398	24
VIII. NORTH WESTERN -	59463	40555	9662	4068	1769	1197	802	17498	1726	804	1138	1406	2949	3034	2879	3288	3204	2117	483	29
IX. YORK - - - - -	41284	24545	6153	2085	809	471	328	9846	769	549	884	945	1821	1648	1646	1805	2350	1785	469	28
X. NORTHERN - - -	24261	15462	3681	1606	777	500	345	6909	894	338	415	491	1059	869	822	988	1265	1093	292	27
XI. WELSH - - - -	23662	13856	2728	934	453	278	208	4601	491	293	400	588	1044	969	855	1022	1353	1495	594	61
I.—LONDON.																					
MIDDLESX. (*pt. of*)	38431	25023	5719	2315	1102	643	364	10143	748	320	548	771	1733	1840	2035	2175	2454	1782	448	26
SURREY (*part of*)	12574	7410	1769	707	331	181	119	3107	235	113	155	197	521	509	519	631	705	555	154	9
KENT (*part of*) -	4078	2113	560	195	104	63	40	962	71	29	45	46	141	142	138	149	176	165	49	-
II.—SOUTH EASTERN.																					
1 **SURREY** (*ex.-metro.*)	5299	2613	534	163	76	44	20	837	81	56	72	100	193	193	164	220	299	301	90	7
2 **KENT** (*extra-metrop.*)	10226	5459	1260	394	207	99	85	2045	162	117	156	215	354	347	346	443	581	513	159	21
3 **SUSSEX** - - -	6063	3562	654	192	86	55	43	1030	103	70	128	130	299	245	255	341	457	393	108	3
4 **HAMPSHIRE** -	7663	4372	765	294	122	92	52	1325	116	80	123	174	335	346	331	368	537	491	133	13
5 **BERKSHIRE** -	3317	2047	373	100	54	39	28	594	63	34	56	72	128	159	152	172	270	262	83	2
III.—SOUTH MIDLAND.																					
6 **MIDDLES.** (*ex.-met.*)	3967	2236	495	173	85	52	32	837	60	34	46	61	150	163	156	184	263	212	66	4
7 **HERTFORDSH.** -	3081	1711	364	110	51	40	11	576	42	27	41	61	101	114	116	154	204	203	63	4
8 **BUCKINGHAMS.**	2475	1425	318	90	34	25	11	478	29	25	44	53	72	95	90	115	195	177	49	3
9 **OXFORDSHIRE** -	2732	1647	326	120	55	34	30	565	52	27	37	60	113	111	108	118	192	212	49	3
10 **NORTHAMPTON.**	4023	2391	585	178	82	41	36	922	63	46	75	96	140	147	141	191	251	266	49	4
11 **HUNTINGDONS.**	903	488	82	30	9	3	8	132	11	8	14	19	40	31	34	39	66	71	22	1
12 **BEDFORDSHIRE**	2639	1502	359	84	47	19	13	522	40	25	72	61	98	105	99	125	182	135	36	2
13 **CAMBRIDGESH.**	3018	1719	382	91	42	33	17	565	42	38	57	55	127	99	94	147	202	250	61	1
IV.—EASTERN.																					
14 **ESSEX** - - -	6747	3658	784	255	103	59	41	1242	109	54	130	143	243	258	248	294	399	412	111	15
15 **SUFFOLK** - -	5511	3214	589	167	89	70	33	948	106	83	99	103	215	217	204	276	386	431	139	7
16 **NORFOLK** - -	6720	4130	844	204	111	62	51	1272	127	93	123	141	270	258	232	305	507	548	229	25

* This column includes the deaths of 53 females aged 100 years and upwards; namely, 17 aged 100, 15 aged 101, 7 aged 102, 8 aged 103, 3 aged 104, 1 aged 105, 1 aged 107, and 1 aged 110 years.

ENGLAND.—DEATHS at different Ages Registered in the Year 1867—in the Registration Counties—*continued*.

No.	Registration Counties.	Males. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	V.—SOUTH WESTERN.																				
17	WILTSHIRE - -	3704	2297	501	131	60	37	29	758	71	44	47	63	127	140	163	222	308	274	77	3
18	DORSETSHIRE -	2060	1626	376	90	48	19	19	552	48	26	43	56	97	105	120	146	197	190	46	-
19	DEVONSHIRE -	9601	5793	1338	352	151	78	68	1987	172	104	173	172	354	352	373	547	693	672	181	13
20	CORNWALL - -	5934	3631	918	277	86	50	35	1366	96	66	122	128	203	192	256	341	438	328	89	6
21	SOMERSETSHIRE	7419	4375	964	219	112	63	36	1394	112	86	112	130	252	298	313	424	565	513	163	18
	VI.—WEST MIDLAND.																				
22	GLOUCESTERSH.-	7025	4584	1134	256	105	73	55	1623	121	94	102	121	262	303	360	457	552	445	140	4
23	HEREFORDSHIRE	1639	977	187	38	7	10	6	248	16	12	29	27	53	74	66	128	154	134	35	1
24	SHROPSHIRE - -	4313	2617	633	130	49	46	16	874	61	44	70	78	147	148	170	311	309	323	79	3
25	STAFFORDSHIRE	17819	9957	3128	876	376	238	160	4778	365	193	294	261	541	617	665	813	767	539	114	10
26	WORCESTERSH. -	5728	3161	883	184	64	49	37	1217	72	51	62	85	168	198	257	296	380	283	91	1
27	WARWICKSHIRE	11154	7062	1991	656	286	197	115	3245	314	118	130	184	362	455	487	566	688	411	98	4
	VII.—NORTH MIDLAND.																				
28	LEICESTERSHIRE	4875	2809	972	193	75	32	34	1306	53	37	74	73	124	127	159	227	311	258	57	3
29	RUTLANDSHIRE-	373	216	47	7	2	3	2	61	3	5	7	5	15	13	13	19	32	36	6	1
30	LINCOLNSHIRE -	6900	3952	1093	189	64	54	26	1426	115	76	88	112	226	193	276	340	525	441	127	7
31	NOTTINGHAMSH.	5913	3405	1062	197	69	47	30	1414	87	58	87	102	178	197	208	278	410	295	87	4
32	DERBYSHIRE -	5793	3374	925	216	86	61	34	1322	114	70	91	97	178	183	226	324	408	297	63	1
	VIII.—NORTH WESTERN.																				
33	CHESHIRE - -	9008	5761	1496	424	194	139	90	2343	224	120	156	171	344	395	433	529	579	359	105	3
34	LANCASHIRE -	53050	37786	10650	3969	1658	1044	746	18067	1617	773	960	1131	2363	2642	2808	3012	2697	1449	258	9
	IX.—YORK.																				
35	WEST RIDING -	33825	21206	6468	1759	652	366	283	9528	683	468	665	722	1300	1398	1496	1796	1784	1137	222	7
36	E. RIDING (with Yk.)	5063	3209	981	201	92	62	28	1364	90	51	94	107	167	204	222	266	312	268	61	3
37	NORTH RIDING -	3964	2264	589	114	55	46	12	816	69	46	56	86	131	129	164	193	238	254	78	4
	X.—NORTHERN.																				
38	DURHAM - - -	14126	8233	2551	947	433	232	162	4325	437	208	230	273	417	419	442	483	527	358	104	10
39	NORTHUMBERLD	6884	4835	1218	446	220	154	125	2172	203	101	166	148	297	275	295	359	371	322	79	7
40	CUMBERLAND -	3862	2512	599	202	88	78	64	1031	123	57	76	66	160	140	137	185	253	240	39	5
41	WESTMORLAND	978	572	116	25	20	14	9	184	28	20	15	24	32	29	42	49	62	67	19	1
	XI.—WELSH.																				
42	MONMOUTHSH. -	3887	2300	557	205	78	41	28	909	79	58	70	89	134	154	160	188	226	173	58	2
43	SOUTH WALES -	13768	7916	1964	517	219	105	90	2895	255	201	292	398	582	557	507	678	750	606	180	15
44	NORTH WALES -	7109	4742	972	276	132	96	70	1546	191	109	166	229	354	310	315	389	526	469	133	5

ENGLAND.—DEATHS at different Ages Registered in the Year 1867—in the REGISTRATION COUNTIES—*continued*.

No.	REGISTRATION COUNTIES.	FEMALES.																		
		Total Births.	Total Deaths.	Ages at Death.																
				Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	V.—SOUTH WESTERN.																			
17	WILTSHIRE - -	3578	2228	369	110	54	35	23	591	58	40	58	93	133	130	152	213	317	341	97	5
18	DORSETSHIRE -	2064	1639	271	84	49	29	15	448	37	31	59	77	115	105	96	165	206	221	78	1
19	DEVONSHIRE -	9224	5898	1034	328	142	88	71	1663	149	136	196	196	401	379	385	516	733	856	264	24
20	CORNWALL - -	5645	3545	801	237	91	51	34	1214	110	74	102	114	203	168	193	280	456	479	141	11
21	SOMERSETSHIRE	7139	4395	746	187	93	48	41	1115	95	97	135	138	304	296	300	368	611	660	258	13
	VI.—WEST MIDLAND.																			
22	GLOUCESTERSH.-	7408	4539	878	255	102	74	35	1344	116	86	169	159	267	320	398	425	591	588	204	12
23	HEREFORDSHIRE	1593	909	188	34	12	7	8	249	14	14	31	19	53	64	58	103	130	119	49	6
24	SHROPSHIRE -	4180	2374	473	124	57	35	27	716	66	60	67	72	157	160	135	230	294	301	108	8
25	STAFFORDSHIRE	17136	8331	2449	871	420	242	171	4153	336	171	231	263	550	541	485	606	781	532	166	16
26	WORCESTERSH. -	5403	2859	679	189	81	43	35	1027	78	47	85	82	209	209	179	212	333	303	89	6
27	WARWICKSHIRE	10359	6778	1695	607	322	201	138	2963	290	101	152	191	381	399	447	541	652	517	133	11
	VII.—NORTH MIDLAND.																			
28	LEICESTERSHIRE	4641	2830	784	184	77	41	39	1125	76	56	107	92	176	167	163	211	310	269	75	3
29	RUTLANDSHIRE-	361	198	45	9	6	2	1	63	6	6	2	6	14	14	20	9	27	19	12	-
30	LINCOLNSHIRE -	6593	3775	872	199	77	39	49	1227	110	80	134	156	262	203	256	272	419	476	167	13
31	NOTTINGHAMSH.	5633	3313	776	201	77	51	31	1136	84	68	134	144	273	217	212	285	361	309	85	5
32	DERBYSHIRE -	5628	3188	751	189	74	59	33	1106	85	71	128	156	271	217	194	270	345	303	59	3
	VIII.—NORTH WESTERN.																			
33	CHESHIRE - -	8696	5398	1152	410	176	133	98	1969	233	120	168	207	405	390	380	442	563	415	100	6
34	LANCASHIRE -	50767	35157	8510	3658	1593	1064	704	15529	1493	684	970	1199	2544	2644	2499	2846	2641	1702	383	23
	IX.—YORK.																			
35	WEST RIDING -	32689	19233	4916	1727	677	383	273	7976	622	425	745	746	1421	1326	1288	1376	1776	1259	260	13
36	E. RIDING (WITH YK.)	4833	3020	748	219	81	46	28	1122	85	74	75	102	242	198	214	237	302	277	84	8
37	NORTH RIDING -	3762	2292	489	139	51	42	27	748	62	50	64	97	158	124	144	192	272	249	125	7
	X.—NORTHERN.																			
38	DURHAM - - -	13236	7739	2098	909	419	240	170	3836	462	151	209	244	517	417	367	440	549	423	115	9
39	NORTHUMBERLD.	6575	4495	973	456	230	163	108	1930	267	99	102	127	298	260	271	306	399	332	90	14
40	CUMBERLAND -	3539	2619	510	213	114	82	59	978	144	68	83	94	196	138	147	195	244	261	68	3
41	WESTMORLAND	911	609	100	28	14	15	8	165	21	20	21	26	48	54	37	47	73	77	19	1
	XI.—WELSH.																			
42	MONMOUTHSH. -	3840	2073	476	166	86	49	38	815	58	29	64	72	157	147	133	142	200	182	70	4
43	SOUTH WALES -	13091	7198	1477	508	227	139	95	2446	245	156	238	313	536	511	427	536	689	748	312	41
44	NORTH WALES -	6731	4685	775	260	140	90	75	1340	188	108	188	203	351	311	295	344	464	565	212	16

I.—LONDON.—DEATHS at different Ages Registered in the Year 1867—in DISTRICTS.

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	MIDDLESEX *(part of)*.																				
1	Kensington	4056	2468	739	207	105	53	39	1143	65	33	49	71	178	187	198	183	207	125	28	1
2	Chelsea	1255	756	212	64	29	9	13	327	19	6	10	19	36	64	71	51	74	61	18	-
3	St. George Hanover Square	1252	963	190	55	23	20	12	300	24	16	26	33	100	114	116	94	93	42	3	-
4	Westminster	1156	930	236	83	39	19	15	392	22	11	18	26	86	117	92	76	55	30	5	-
5	St. Martin-in-the-Fields	300	284	61	23	9	3	6	102	5	7	5	9	15	42	30	36	23	8	2	-
6	St. James Westminster	463	383	85	41	18	9	-	153	7	5	3	15	24	33	48	40	35	17	3	-
7	Marylebone	2666	2053	556	201	101	51	32	941	49	30	42	51	128	160	169	208	168	83	22	2*
8	Hampstead	355	208	50	11	12	4	1	78	3	4	4	10	11	17	19	26	18	16	2	-
9	Pancras	3892	2485	709	206	107	65	29	1116	66	22	40	75	181	177	210	221	203	147	26	1
10	Islington	3842	2294	620	179	87	48	28	962	99	47	62	107	177	220	178	187	160	82	13	1
11	Hackney	1943	1133	298	92	48	26	15	479	23	11	26	42	66	93	107	86	110	71	18	1
12	St. Giles	992	715	196	92	27	14	13	342	17	6	12	10	41	51	66	70	60	30	10	-
13	Strand	631	555	115	56	24	15	3	213	15	7	12	17	55	57	90	50	27	11	1	-
14	Holborn	686	623	137	71	40	14	14	276	34	8	14	19	33	43	63	56	42	29	6	-
15	Clerkenwell	1267	761	217	85	29	15	16	362	16	9	18	24	48	56	63	68	56	40	1	-
16	St. Luke	1317	628	221	67	36	15	13	352	14	3	9	11	41	48	50	44	36	16	3	1
17	East London	506	337	88	28	15	4	6	141	9	1	3	8	20	33	44	36	29	9	4	-
18	West London	808	600	62	23	17	7	12	121	18	16	30	27	94	95	77	62	41	17	2	-
19	London City	383	294	49	21	10	4	2	86	9	9	5	13	17	28	35	38	38	12	3	1†
20	Shoreditch	2755	1482	436	153	66	27	30	712	44	17	26	27	98	128	112	121	112	70	14	1
21	Bethnal Green	2642	1459	455	175	78	47	16	771	51	16	25	37	81	112	106	119	80	44	17	-
22	Whitechapel	1395	1317	294	109	64	29	10	506	31	21	24	62	116	139	168	132	79	29	10	-
23	St. George-in-the-East	979	598	175	54	33	11	10	283	22	5	9	21	32	35	53	53	45	32	6	-
24a	Stepney	1039	625	172	76	36	23	9	321	25	13	11	14	39	52	58	43	29	16	4	-
24b	Mile End Old Town	1783	941	274	112	51	12	18	467	35	11	17	19	51	73	80	73	63	42	10	-
25	Poplar	2312	1300	344	120	52	30	15	561	35	22	31	38	84	112	115	115	104	67	15	1
	SURREY *(part of)*.																				
26	St. Saviour Southwark	529	401	110	36	18	15	7	186	11	7	5	13	31	26	39	34	31	14	4	-
27	St. Olave Southwark	224	505	45	16	10	7	4	82	6	14	19	37	80	94	80	48	26	16	3	-
28	Bermondsey	1602	806	280	98	42	20	14	454	23	9	10	25	33	50	59	74	44	21	4	-
29	St. George Southwark	1088	743	217	81	47	21	13	379	35	7	6	10	45	62	56	63	41	32	6	1
30	Newington	1717	1050	264	92	47	17	18	438	36	10	19	35	90	77	94	97	88	58	8	-
31	Lambeth	3818	2024	634	197	82	40	30	983	78	22	33	40	129	160	160	165	149	94	10	1
32	Wandsworth	1855	957	307	78	34	25	14	458	25	15	21	21	50	72	63	74	82	64	11	1
33	Camberwell	1782	1042	300	84	39	33	12	468	42	12	20	33	64	88	71	91	91	49	12	1
34	Rotherhithe	539	306	108	23	8	5	4	148	12	3	4	13	17	22	21	27	22	14	3	-
	KENT *(part of)*.																				
35	Greenwich	2712	1633	452	130	58	32	23	695	41	29	38	75	140	115	119	112	128	107	33	1‡
36	Lewisham	1587	719	217	55	31	19	9	331	26	9	17	30	62	54	46	50	45	37	11	1

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY *(extra-met.)*																				
37	Epsom	380	229	43	12	5	4	4	68	8	2	10	6	10	14	28	30	27	18	8	-
38	Chertsey	300	202	43	13	6	1	3	66	10	5	2	7	10	15	19	17	17	28	6	-
39	Guildford	444	346	60	14	9	3	2	88	8	7	7	13	35	27	32	39	47	37	6	-
40	Farnham	509	226	62	15	4	3	6	90	2	4	4	7	44	27	8	10	15	14	1	-
41	Farnborough	163	96	22	3	2	2	-	29	4	1	1	4	14	3	6	7	12	11	4	-
42	Hambledon	229	116	19	2	2	3	-	26	2	1	5	3	7	3	5	14	23	23	4	-
43	Dorking	208	111	23	6	-	3	1	33	2	2	6	1	10	8	11	9	10	16	3	-
44	Reigate	431	224	54	6	5	1	1	67	12	6	7	10	14	15	20	19	24	25	5	-
45	Godstone	161	88	16	7	1	-	-	24	1	1	1	7	7	4	4	7	13	13	5	1
46	Croydon	1298	636	188	45	13	11	11	268	15	11	13	14	49	33	53	53	62	49	15	1
47	Kingston	745	422	85	23	7	11	5	131	11	10	8	13	32	37	43	51	39	39	8	1
48	Richmond	369	229	71	11	6	5	1	94	3	4	7	4	15	16	20	17	21	21	6	1
	2.—KENT *(extra-metrop.)*																				
49	Bromley	474	221	49	15	10	10	5	89	17	8	6	7	13	13	8	14	25	15	5	1‡
50	Dartford	723	399	101	24	17	6	4	152	7	11	7	6	20	24	35	35	47	37	17	1
51	Gravesend	324	227	56	14	11	7	5	93	10	5	9	9	16	10	24	14	16	14	5	2
52	North Aylesford	412	185	56	14	6	-	2	78	2	2	10	6	13	16	19	13	13	6	7	-
53	Hoo	64	28	7	2	-	-	-	9	1	-	-	1	2	6	1	-	5	1	2	-
54	Medway	1052	716	195	85	31	19	11	341	25	5	16	35	60	50	39	46	36	51	11	1‡
55	Malling	460	247	60	17	5	1	3	86	5	4	8	8	18	19	18	22	34	18	7	-
56	Sevenoaks	422	191	46	8	3	2	1	60	5	2	7	6	15	16	17	17	27	12	7	-
57	Tunbridge	696	374	107	23	13	2	2	147	9	5	5	9	28	22	27	37	50	29	6	-
58	Maidstone	736	470	118	29	12	-	6	165	10	4	16	23	37	36	34	42	51	44	7	1
59	Hollingbourn	257	147	43	9	2	1	-	55	4	3	1	7	-	11	11	9	17	21	8	-
60	Cranbrook	204	116	27	10	2	-	-	39	3	3	2	7	3	4	7	10	19	13	6	-
61	Tenterden	137	70	15	3	2	-	1	21	2	3	1	1	6	2	4	3	11	13	3	-
62	West Ashford	304	149	44	15	3	1	-	63	2	2	3	3	10	11	8	13	14	17	3	-
63	East Ashford	246	107	24	8	2	1	1	36	2	-	4	1	4	5	7	7	17	17	7	-
64	Bridge	174	96	20	6	1	2	1	30	3	1	3	3	7	4	4	10	13	10	7	1
65	Canterbury	926	488	35	10	-	3	3	51	7	3	6	4	22	23	14	18	15	19	5	1
66	Blean	317	162	54	11	5	-	-	70	2	4	5	6	5	7	9	18	16	15	5	1
67	Faversham	434	220	60	22	5	7	5	99	6	-	5	5	15	14	16	6	22	20	11	1
68	Milton	415	210	72	17	9	4	2	104	9	2	5	8	14	10	14	13	12	16	3	-
69	Sheppey	373	195	58	14	10	9	9	100	7	4	7	3	15	8	13	12	11	12	3	-
70	Thanet	525	390	87	18	8	2	10	125	15	12	11	15	22	19	30	39	52	42	7	1
71	Eastry	425	281	55	21	7	8	2	93	9	-	7	8	23	19	13	26	30	41	12	-
72	Dover	533	388	89	23	12	5	8	137	13	5	9	13	28	34	28	30	35	44	11	1
73	Elham	459	260	81	23	8	2	2	116	10	3	6	4	25	18	13	15	19	24	7	-
74	Romney Marsh	105	45	5	6	3	-	1	15	-	-	1	-	3	5	5	4	4	7	1	-

* One aged 101. † Aged 100. ‡ Aged 101.

I.—LONDON.—DEATHS at different Ages Registered in the Year 1867—in Districts.

No.	Districts.	Total Births.	Total Deaths.	Females. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	MIDDLESEX (*part of*).																				
1	Kensington	3862	2599	603	216	99	63	33	1014	77	34	73	78	188	183	184	226	259	219	58	6*
2	Chelsea	1147	812	187	60	28	25	12	312	20	8	11	25	48	55	72	77	83	80	19	2
3	St. George Hanover Square	1147	857	169	67	34	20	8	298	28	13	29	28	69	78	92	74	77	61	13	1
4	Westminster	1135	862	218	75	34	22	13	362	27	12	13	27	76	61	80	78	71	50	5	–
5	St. Martin-in-the-Fields	294	260	47	23	11	8	3	92	4	3	4	4	17	27	25	29	32	20	3	–
6	St. James Westminster	457	334	71	26	11	13	2	123	9	3	5	12	14	21	36	36	50	21	4	–
7	Marylebone	2717	2072	442	186	76	48	21	773	53	18	43	57	146	160	184	200	218	165	54	1
8	Hampstead	359	208	37	11	8	8	–	64	8	3	6	7	18	22	10	21	26	14	4	1
9	Pancras	3614	2366	525	196	102	55	26	904	57	31	39	71	166	157	201	231	262	186	60	1
10	Islington	3549	2215	506	189	77	55	36	854	74	30	71	83	181	195	162	186	203	135	38	2
11	Hackney	1946	1135	257	85	34	21	19	416	32	25	21	40	77	84	72	81	122	131	32	1
12	St. Giles	935	720	190	104	42	16	8	360	14	8	9	10	36	61	47	66	61	38	9	2*
13	Strand	619	440	94	49	29	16	7	195	14	8	9	21	35	31	38	33	35	14	5	–
14	Holborn	655	575	105	65	34	25	15	244	25	10	12	16	35	47	40	52	50	36	8	–
15	Clerkenwell	1201	753	166	66	47	22	10	311	31	6	6	17	40	50	62	75	83	64	8	–
16	St. Luke	1245	645	186	89	41	21	13	350	20	7	17	16	37	38	53	40	44	19	3	1
17	East London	448	333	83	33	12	5	4	137	12	4	10	5	23	22	38	28	38	13	2	1†
18	West London	300	420	36	24	13	6	3	87	30	10	26	31	38	40	47	56	37	15	3	–
19	London City	379	269	46	24	10	5	–	85	9	3	13	12	12	13	27	35	33	23	3	–
20	Shoreditch	2643	1491	339	143	56	37	24	599	34	17	22	48	104	105	138	143	147	111	23	–
21	Bethnal Green	2493	1319	359	164	79	38	21	661	40	13	29	43	74	70	87	92	113	80	17	–
22	Whitechapel	1306	1033	233	113	60	25	21	452	37	10	22	26	69	92	99	87	78	46	13	2‡
23	St. George-in-the-East	955	640	143	60	27	15	7	252	25	6	8	24	47	41	76	53	69	44	15	–
24*a*	Stepney	991	551	141	65	28	24	19	277	19	8	12	18	41	31	38	31	36	37	8	3
24*b*	Mile End Old Town	1735	943	219	79	50	14	19	381	26	14	20	30	66	67	76	67	108	73	12	–
25	Poplar	2299	1176	317	112	55	36	20	540	23	21	18	24	76	90	71	78	119	87	29	–
	SURREY (*part of*).																				
26	St. Saviour Southwark	550	422	96	44	23	9	8	180	9	7	5	9	21	39	40	28	43	34	6	1
27	St. Olave Southwark	269	356	47	23	13	6	3	92	13	7	15	23	41	46	37	38	17	21	6	–
28	Bermondsey	1537	738	214	91	29	12	11	357	25	12	21	17	44	43	52	67	59	31	10	–
29	St. George Southwark	1021	643	173	65	33	15	13	303	21	10	9	21	43	47	44	57	44	35	9	–
30	Newington	1713	926	214	78	39	23	13	367	24	13	21	24	74	61	62	82	100	82	16	–
31	Lambeth	3577	2037	500	209	96	62	36	903	63	34	35	53	135	114	130	150	212	153	43	2
32	Wandsworth	1767	994	235	94	46	17	15	407	33	7	26	23	69	61	64	94	83	95	27	5
33	Camberwell	1659	1023	217	70	34	32	15	368	38	20	20	24	76	82	72	83	123	85	31	1
34	Rotherhithe	481	271	73	29	18	5	5	130	9	3	3	3	18	16	18	22	24	19	6	–
	KENT (*part of*).																				
35	Greenwich	2604	1464	393	147	65	45	26	676	48	21	37	32	104	97	88	99	108	116	38	–
36	Lewisham	1474	649	167	43	39	18	14	286	23	8	8	14	37	45	50	50	68	49	11	–

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY (*extra-met.*)																				
37	Epsom	370	214	34	14	7	5	1	61	8	6	2	10	14	13	21	21	24	25	9	–
38	Chertsey	318	177	26	7	6	4	–	43	5	3	9	6	13	16	14	19	23	20	5	1
39	Guildford	465	216	31	10	3	3	–	47	9	5	9	14	18	18	11	25	27	23	7	1
40	Farnham	502	218	54	15	11	1	3	84	6	5	4	15	23	16	6	10	14	20	8	–
41	Farnborough	159	66	10	3	1	2	–	16	3	1	6	2	5	7	5	4	7	10	–	–
42	Hambledon	224	106	20	6	2	–	2	30	4	–	3	4	5	7	8	10	17	14	4	–
43	Dorking	215	98	17	4	2	3	–	26	3	4	3	5	3	11	6	9	14	12	1	1
44	Reigate	421	178	33	8	3	2	1	47	6	9	6	8	15	20	12	13	13	24	5	–
45	Godstone	199	90	15	9	4	–	1	29	5	2	3	3	4	4	7	7	12	7	4	–
46	Croydon	1228	618	158	43	23	11	10	245	24	7	5	17	45	44	36	46	66	62	19	2
47	Kingston	846	397	83	24	12	7	2	128	5	9	16	11	31	23	24	36	47	48	17	2
48	Richmond	352	240	53	20	2	6	–	81	3	5	6	5	15	14	14	20	35	34	8	–
	2.—KENT (*extra-metrop.*)																				
49	Bromley	521	224	53	13	7	5	7	85	9	4	7	10	22	5	16	25	18	13	5	–
50	Dartford	727	327	81	23	9	9	10	132	16	6	13	9	16	17	21	30	31	25	10	1§
51	Gravesend	368	233	41	15	8	5	3	72	10	5	1	11	14	17	22	22	26	26	5	2
52	North Aylesford	370	159	36	14	5	6	2	63	5	5	6	3	7	11	11	12	17	11	5	2‖
53	Hoo	73	24	6	–	–	–	–	6	–	1	–	2	2	2	1	3	3	3	1	–
54	Medway	1028	635	184	66	37	11	15	313	22	11	12	30	44	37	35	45	43	35	7	1
55	Malling	419	203	43	15	5	4	2	69	5	1	7	10	17	12	15	15	28	21	3	–
56	Sevenoaks	383	164	28	7	3	2	1	41	1	1	2	10	12	18	14	17	23	16	9	1
57	Tunbridge	673	381	93	20	9	8	4	134	7	13	14	8	21	30	28	28	49	43	5	1
58	Maidstone	671	440	95	19	13	5	4	136	13	3	8	25	28	33	35	52	45	48	14	–
59	Hollingbourn	249	116	21	8	1	2	2	34	1	1	7	3	9	6	8	13	10	17	5	2
60	Cranbrook	229	92	11	2	1	2	2	18	–	7	4	2	13	7	15	18	4	3	1	–
61	Tenterden	156	63	13	5	1	1	–	20	–	3	1	4	5	4	3	5	8	6	4	2
62	West Ashford	271	137	25	8	10	2	2	47	2	5	11	6	9	7	7	9	13	13	6	3
63	East Ashford	179	120	16	8	4	2	1	31	11	2	5	4	5	12	3	5	13	17	9	3
64	Bridge	176	93	21	2	1	1	–	25	1	5	1	3	6	8	7	3	15	16	3	2¶
65	Canterbury	293	187	39	12	7	–	1	59	4	5	7	9	6	12	13	12	13	21	23	8
66	Blean	306	152	22	19	3	2	–	46	5	5	7	9	8	12	8	18	18	12	4	–
67	Faversham	405	189	53	13	7	3	4	80	9	2	5	5	6	11	9	15	20	20	7	–
68	Milton	398	171	53	18	10	4	2	87	3	1	2	3	11	13	12	7	16	13	2	1
69	Sheppey	389	212	65	26	23	3	6	123	10	5	3	10	7	4	14	11	14	9	2	1
70	Thanet	498	348	81	10	7	9	9	116	10	15	11	11	32	21	23	21	37	36	14	1
71	Eastry	422	221	40	15	9	5	1	70	5	7	6	7	20	15	13	10	26	30	12	1
72	Dover	503	293	69	25	13	4	3	114	6	6	8	11	18	12	15	26	37	31	8	1
73	Elham	411	237	63	28	14	2	2	109	6	3	3	9	17	11	7	19	28	17	8	–
74	Romney Marsh	108	38	8	3	–	2	2	15	1	2	–	2	4	3	–	4	4	3	–	–

* One aged 100. † Aged 102. ‡ One aged 110. § Aged 101. ‖ One aged 107. ¶ One aged 101.

II.—SOUTH EASTERN COUNTIES.—DEATHS at different Ages, 1867—Districts—*continued.*

No.	Districts.	Total Births.	Total Deaths.	Males. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	3.—SUSSEX.																				
75	Rye	206	113	16	9	–	1	–	26	2	2	1	6	9	7	4	14	19	19	3	1
76	Hastings	549	342	67	15	10	9	2	103	7	3	12	12	36	43	29	25	34	31	7	–
77	Battle	194	103	22	3	4	1	–	30	1	3	2	2	5	6	9	8	8	26	3	–
78	Eastbourne	209	118	29	5	3	1	3	41	2	4	5	4	9	9	7	7	13	15	2	–
79	Hailsham	220	145	34	7	2	1	1	45	4	5	4	4	8	6	8	9	16	28	8	–
80	Ticehurst	265	135	31	14	3	1	1	50	2	–	2	5	6	7	11	14	20	13	5	–
81	Uckfield	311	179	50	9	4	3	–	66	4	1	4	8	7	11	11	12	19	31	5	–
82	East Grinstead	264	116	21	10	1	2	1	35	4	1	3	5	6	9	11	8	9	19	6	–
83	Cuckfield	316	128	27	4	4	2	1	38	3	2	4	8	11	5	8	9	20	12	8	–
84	Lewes	442	322	56	19	9	9	1	94	9	5	13	12	28	22	20	33	37	39	10	–
85	Brighton	1383	944	270	95	32	22	10	429	22	16	24	22	57	82	70	81	71	59	10	1
86	Steyning	391	240	57	14	5	1	2	79	5	2	10	11	15	15	15	26	37	21	4	–
87	Horsham	251	161	28	5	–	3	1	37	2	2	2	2	14	9	16	15	26	31	5	–
88	Petworth	139	78	9	2	1	4	3	19	6	4	2	2	6	5	5	2	14	10	3	–
89	Thakeham	106	69	13	4	–	1	2	20	6	2	1	–	4	3	3	6	6	18	–	–
90	Worthing	310	157	23	10	2	2	2	39	4	4	5	7	9	14	13	19	25	14	3	1
91	Westhampnett	211	138	25	3	1	1	2	32	4	3	5	8	11	8	7	10	19	15	15	1
92	Chichester	214	135	16	2	4	3	–	25	4	–	2	9	9	6	13	25	19	18	5	–
93	Midhurst	193	127	20	8	1	2	1	32	5	2	3	5	4	12	5	11	24	14	10	–
94	Westbourne	110	73	8	6	4	–	–	18	–	5	1	1	2	6	8	10	8	10	4	–
	4.—HAMPSHIRE.																				
95	Havant	120	75	11	6	1	1	2	21	1	2	1	5	4	4	6	9	12	7	3	–
96	Portsea Island	1950	1101	300	118	41	21	17	497	30	10	22	29	80	95	86	80	74	79	18	1
97	Alverstoke	402	335	73	20	8	7	3	120	11	5	12	25	45	34	23	24	14	13	8	1*
98	Fareham	239	168	22	10	2	2	1	37	8	4	4	8	13	20	16	13	23	17	4	1
99	Isle of Wight	959	553	127	46	17	14	14	218	13	15	11	16	42	43	28	38	57	48	24	–
100	Lymington	199	102	17	6	1	2	–	26	4	1	2	2	5	9	9	10	16	13	5	–
101	Christchurch	220	130	23	12	1	–	–	36	7	5	2	8	20	4	6	10	16	11	5	–
102	Ringwood	83	42	10	–	2	–	2	14	2	1	–	2	2	1	–	6	6	8	–	–
103	Fordingbridge	117	60	13	4	1	–	1	19	4	–	1	–	2	4	6	7	7	6	4	–
104	New Forest	192	107	18	3	1	3	–	25	4	2	1	5	7	3	5	10	19	20	5	1
105	Southampton	813	458	117	25	13	5	5	166	15	15	10	11	53	58	40	22	38	21	9	–
106	South Stoneham	567	285	38	10	5	7	6	66	8	7	7	16	43	33	21	15	35	25	8	1
107	Romsey	229	112	20	10	2	5	1	38	5	5	6	6	8	6	5	8	10	10	4	1
108	Stockbridge	120	70	11	5	2	–	–	18	3	3	–	2	4	2	5	9	11	10	3	–
109	Winchester	377	249	43	11	4	1	4	63	3	6	3	6	29	29	18	23	29	35	5	–
110	Droxford	182	95	23	5	1	–	–	34	2	1	2	1	10	4	5	9	13	8	6	–
111	Catherington	34	17	2	–	–	–	–	2	1	1	–	–	3	1	1	3	1	4	–	–
112	Petersfield	118	72	10	5	1	1	1	18	5	2	1	6	6	3	–	6	11	10	4	–
113	Alresford	110	60	10	1	1	1	–	13	–	1	1	–	4	6	7	6	10	10	2	–
114	Alton	214	99	20	3	4	1	3	31	1	3	3	–	5	8	7	15	14	6	6	–
115	Hartley Wintney	170	87	17	2	–	1	–	20	2	–	1	4	4	8	7	9	10	18	4	–
116	Basingstoke	292	181	36	8	4	4	3	55	4	2	6	2	14	12	18	14	25	19	10	–
117	Whitchurch	97	55	14	2	3	1	1	21	–	–	1	–	4	5	1	5	8	10	–	–
118	Andover	300	161	22	13	2	1	–	38	2	3	5	4	11	6	15	12	32	27	6	–
119	Kingsclere	134	70	20	1	1	–	–	22	1	2	1	–	–	6	5	5	8	13	2	–
	5.—BERKSHIRE.																				
120	Newbury	309	199	49	8	4	7	3	71	4	2	3	4	8	11	6	24	30	30	6	–
121	Hungerford	274	187	40	9	4	3	2	58	3	2	4	4	13	12	14	20	25	21	8	–
122	Faringdon	266	182	43	8	2	4	2	59	10	3	6	8	8	13	10	11	24	17	13	–
123	Abingdon	370	224	55	18	8	2	5	88	5	3	4	8	15	18	14	18	25	20	6	–
124	Wantage	281	164	38	12	6	5	1	62	3	–	2	4	7	6	11	17	21	26	5	–
125	Wallingford	226	114	17	8	2	1	1	29	3	3	3	3	5	16	9	10	19	11	3	–
126	Bradfield	230	136	27	13	3	–	1	44	2	4	2	6	12	6	4	10	17	24	5	–
127	Reading	559	273	65	18	9	3	2	97	10	4	4	7	21	17	25	26	29	25	8	–
128	Wokingham	281	128	23	3	2	–	–	28	–	2	3	8	10	11	9	18	19	18	2	–
129	Cookham	241	118	37	6	3	3	–	49	2	3	1	4	3	7	8	15	17	8	1	–
130	Easthampstead	149	85	18	–	2	3	–	23	3	–	2	3	8	14	4	6	8	11	2	1†
131	Windsor	380	248	57	18	9	4	2	90	5	–	3	3	20	23	19	22	33	21	9	–

III.—SOUTH MIDLAND COUNTIES.

	6.-MIDDLESX. (*ex.-met.*)																				
132	Staines	313	166	41	9	6	5	–	61	6	6	5	5	13	11	8	11	22	15	3	–
133	Uxbridge	420	326	55	13	7	7	2	84	11	5	7	16	34	35	40	34	39	18	3	–
134	Brentford	1077	634	152	46	20	22	7	247	19	9	11	17	49	51	60	51	61	48	10	1
135	Hendon	568	302	87	26	17	5	7	142	11	6	2	9	28	18	24	19	21	18	3	1*
136	Barnet	312	255	37	7	4	4	–	52	10	4	6	12	29	29	38	25	26	19	5	–
137	Edmonton	1256	696	193	48	30	18	10	299	22	15	11	23	46	41	59	53	64	53	9	1
	7.-HERTFORDSHIRE.																				
138	Ware	253	153	19	8	6	6	2	41	4	5	2	4	9	10	13	14	26	22	3	–
139	Bishop Stortford	365	212	48	9	6	3	2	68	13	6	5	9	8	15	16	24	22	17	9	–
140	Royston	431	211	57	8	–	2	–	67	4	5	3	10	12	9	15	23	25	28	10	–
141	Hitchin	441	203	54	9	6	–	–	69	3	4	4	7	14	8	15	21	34	15	9	–
142	Hertford	240	158	24	10	3	3	3	43	11	5	4	5	5	11	14	13	17	25	5	–
143	Hatfield	107	76	20	2	2	–	2	26	–	1	1	1	6	5	6	4	11	11	3	1
144	St. Albans	326	212	59	16	6	6	2	89	4	–	6	6	15	11	16	17	19	22	6	1
145	Watford	412	269	71	17	9	8	2	107	8	5	6	7	17	13	23	24	36	17	6	–
146	Hemel Hempstead	250	141	33	6	2	–	–	61	4	–	3	4	8	8	15	10	11	13	4	–
147	Berkhampstead	244	143	42	13	6	3	3	67	6	1	–	2	5	4	14	10	21	12	1	–
	8.-BUCKINGHAMSH.																				
148	Amersham	319	194	54	12	8	3	–	77	4	3	2	5	10	11	18	12	21	25	6	–
149	Eton	424	251	65	7	6	4	3	85	5	4	9	9	10	14	20	25	40	26	4	–
150	Wycombe	704	387	127	30	16	6	2	181	10	4	7	10	17	16	17	22	50	40	12	1‡
151	Aylesbury	406	281	66	19	11	8	1	105	7	8	6	10	12	17	17	33	31	29	5	1
152	Winslow	158	95	32	6	2	3	–	43	1	1	2	1	3	4	4	12	7	13	4	–
153	Newport Pagnell	483	243	68	13	7	4	8	100	6	4	3	7	10	12	21	21	26	25	8	–
154	Buckingham	235	133	41	10	6	1	–	58	4	1	3	2	8	3	6	9	12	19	7	1

* Aged 100. † Aged 104. ‡ Aged 103.

II.—SOUTH EASTERN COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	3.—SUSSEX.																				
75	Rye	188	107	18	5	1	1	2	27	7	5	2	3	9	11	11	9	10	10	3	-
76	Hastings	435	335	65	13	10	4	6	98	11	7	13	13	27	34	23	27	38	36	8	-
77	Battle	223	144	26	5	1	1	2	35	6	8	6	7	16	9	8	15	13	17	4	-
78	Eastbourne	210	112	22	6	2	2	-	32	3	1	3	5	13	7	6	11	12	15	4	-
79	Hailsham	132	106	18	7	3	1	1	30	1	3	4	6	6	4	10	11	18	11	2	-
80	Ticehurst	239	112	23	6	3	2	-	34	2	1	4	4	10	3	9	5	16	18	6	-
81	Uckfield	325	134	33	5	1	2	1	42	6	4	6	8	10	6	7	16	15	10	4	-
82	East Grinstead	246	114	26	4	1	2	2	35	3	3	7	3	9	5	6	12	11	14	6	-
83	Cuckfield	298	111	26	3	3	-	-	32	2	3	3	4	13	6	7	8	11	16	5	1
84	Lewes	444	305	37	15	7	9	3	71	7	6	18	10	32	28	24	25	37	42	5	-
85	Brighton	1303	923	205	79	33	20	16	353	22	14	18	20	56	65	74	93	115	81	17	-
86	Steyning	376	214	37	18	4	-	4	63	9	2	7	3	23	17	13	28	17	22	10	-
87	Horsham	253	129	20	6	2	1	-	29	7	-	1	13	18	7	8	11	19	12	4	-
88	Petworth	138	76	11	3	1	3	-	18	7	2	2	3	5	2	6	4	12	10	5	-
89	Thakeham	127	71	7	1	3	2	-	13	3	3	3	2	6	5	6	8	13	8	1	-
90	Worthing	333	172	25	4	3	1	2	35	4	5	11	8	12	9	12	17	29	20	10	-
91	Westhampnett	208	120	15	3	1	-	1	20	1	2	4	11	8	7	5	11	25	19	6	1
92	Chichester	206	129	19	3	2	-	1	25	-	1	7	6	15	12	11	13	21	13	4	1
93	Midhurst	195	92	12	4	4	3	-	23	1	-	7	1	9	3	5	13	14	13	3	-
94	Westbourne	124	51	9	2	1	1	2	15	1	-	2	-	2	5	4	4	11	6	1	-
	4.—HAMPSHIRE.																				
95	Havant	120	58	5	-	1	3	-	9	2	1	1	2	7	6	4	6	6	10	3	1
96	Portsea Island	1871	1112	237	112	53	37	20	459	24	13	25	42	84	85	88	65	94	103	24	6*
97	Alverstoke	365	199	47	17	4	3	4	75	4	4	5	6	17	16	9	15	24	19	5	-
98	Fareham	234	178	23	10	4	1	3	41	6	3	2	6	13	23	16	21	19	20	5	-
99	Isle of Wight	900	541	83	52	15	17	10	177	18	12	16	20	53	41	26	41	65	55	17	-
100	Lymington	152	108	16	5	1	1	-	23	2	2	3	2	6	13	9	5	21	13	9	-
101	Christchurch	164	118	18	4	2	2	1	27	6	2	5	9	18	5	6	10	9	17	4	-
102	Ringwood	86	44	8	-	2	1	1	12	-	1	-	2	3	2	3	5	8	7	1	-
103	Fordingbridge	81	52	7	2	-	1	-	10	2	-	4	-	2	4	6	7	10	5	2	-
104	New Forest	192	111	16	5	4	-	-	25	4	1	2	11	8	15	1	9	14	13	8	-
105	Southampton	825	379	69	14	13	7	2	105	6	12	10	16	32	33	45	35	48	32	8	2
106	South Stoneham	485	206	36	18	3	3	2	62	11	2	8	1	18	13	19	27	27	13	4	1
107	Romsey	158	82	10	7	2	2	2	23	1	1	1	2	5	5	6	6	16	11	3	2
108	Stockbridge	119	74	12	2	-	3	1	18	4	4	3	3	5	4	5	7	12	7	2	-
109	Winchester	395	251	43	9	4	2	-	58	7	2	9	13	16	16	19	27	36	43	5	-
110	Droxford	189	93	3	5	2	1	1	12	2	3	4	8	6	7	4	12	13	14	8	-
111	Catherington	45	10	1	1	1	-	-	3	-	-	-	-	2	1	2	-	-	2	-	-
112	Petersfield	100	71	8	7	1	-	-	16	4	1	2	4	1	5	4	4	13	15	2	-
113	Alresford	101	60	6	4	1	2	1	14	1	1	3	3	2	9	4	4	10	9	-	-
114	Alton	194	97	24	3	1	1	-	29	4	4	2	3	8	5	5	9	14	11	3	-
115	Hartley Wintney	154	101	17	2	-	1	1	21	3	5	2	5	8	3	8	7	22	16	1	-
116	Basingstoke	248	154	27	10	5	2	-	44	2	1	8	7	4	12	16	21	16	14	8	1
117	Whitchurch	90	56	17	1	1	-	-	19	1	-	-	-	4	3	6	3	12	7	1	-
118	Andover	250	153	18	4	-	2	3	27	-	5	7	7	8	15	13	15	27	22	7	-
119	Kingsclere	145	64	14	-	2	-	-	16	2	-	1	2	5	2	7	7	6	13	3	-
	5.—BERKSHIRE.																				
120	Newbury	288	189	34	10	1	-	2	47	4	3	6	10	13	17	16	16	29	17	10	1
121	Hungerford	285	189	27	9	3	3	2	44	3	4	8	10	12	13	16	21	31	23	4	-
122	Faringdon	254	144	33	5	3	1	3	45	7	5	5	4	6	15	9	8	19	14	7	-
123	Abingdon	320	247	41	12	7	4	2	66	9	2	11	8	16	19	21	27	24	31	13	-
124	Wantage	262	161	27	13	8	4	2	54	7	2	4	2	12	6	10	10	27	19	8	-
125	Wallingford	192	120	21	3	1	3	2	30	4	2	2	2	6	9	10	14	20	17	4	-
126	Bradfield	240	140	23	5	5	1	1	35	2	2	1	6	9	15	11	8	17	27	7	-
127	Reading	541	303	66	14	8	5	6	99	11	1	4	11	19	24	27	27	34	36	10	-
128	Wokingham	212	137	28	4	1	4	-	37	5	-	5	4	11	9	5	9	18	27	6	1
129	Cookham	238	117	18	3	3	1	3	28	3	6	3	4	5	9	9	12	14	21	3	-
130	Easthampstead	142	57	8	3	2	-	-	13	1	3	-	2	2	6	6	8	5	7	4	-
131	Windsor	343	243	47	19	12	13	5	96	7	4	7	9	17	17	12	12	32	23	7	-

III.—SOUTH MIDLAND COUNTIES.

	6.–MIDDLESX. (*ex.-met.*)																				
132	Staines	305	144	32	12	6	1	1	52	4	2	3	2	9	10	6	16	22	15	3	-
133	Uxbridge	378	295	43	19	14	6	3	85	6	2	11	5	29	31	28	17	38	34	9	-
134	Brentford	1057	606	147	51	18	16	11	243	22	16	17	20	33	38	35	46	71	43	20	2†
135	Hendon	605	299	95	26	10	10	3	144	10	2	4	8	19	17	17	15	29	27	7	-
136	Barnet	317	234	29	6	4	4	2	45	4	3	4	9	21	27	26	27	32	27	9	-
137	Edmonton	1305	658	149	59	33	15	12	268	14	9	7	17	39	40	44	63	71	66	18	2
	7.–HERTFORDSHIRE.																				
138	Ware	278	142	22	13	4	2	1	42	3	3	2	-	12	8	8	9	25	23	7	-
139	Bishop Stortford	320	165	34	7	1	11	3	56	3	-	7	3	6	10	11	19	16	27	7	-
140	Royston	414	233	46	15	7	2	1	71	3	6	7	12	15	14	17	21	29	28	10	-
141	Hitchin	461	237	55	7	4	3	1	70	7	6	7	13	14	12	17	19	35	23	11	3*
142	Hertford	246	153	25	18	3	5	-	51	7	1	2	2	10	14	13	11	20	15	7	-
143	Hatfield	141	63	10	1	1	2	-	14	1	-	1	3	3	8	4	3	9	14	3	-
144	St. Albans	327	221	54	17	13	4	-	88	5	4	4	6	8	16	16	21	26	21	6	-
145	Watford	399	234	48	17	11	9	2	87	8	5	7	5	14	13	15	25	21	25	9	-
146	Hemel Hempstead	251	139	37	11	1	1	-	50	2	1	1	12	10	11	8	15	14	13	2	-
147	Berkhampstead	244	124	33	4	6	1	3	47	3	1	3	5	9	8	7	11	9	14	6	1
	8.–BUCKINGHAMSH.																				
148	Amersham	288	194	50	16	7	3	-	76	4	1	5	5	11	10	11	23	23	22	3	-
149	Eton	397	192	41	15	4	6	1	67	8	2	3	7	7	10	12	10	33	25	7	1
150	Wycombe	667	316	79	28	10	6	4	127	3	1	7	11	17	19	22	25	37	37	10	-
151	Aylesbury	371	266	61	12	4	3	1	81	7	5	9	5	16	21	19	23	35	30	14	1
152	Winslow	136	82	16	6	-	-	1	23	-	4	5	3	3	9	5	6	12	8	4	-
153	Newport Pagnell	419	218	42	5	3	5	3	58	4	7	9	12	12	16	9	13	35	35	7	1
154	Buckingham	197	157	29	8	6	2	1	46	3	5	6	10	6	10	12	15	20	20	4	-

* One aged 102. † One aged 101.

III.—SOUTH MIDLAND COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	MALES. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	9.—OXFORDSHIRE.																				
155	Henley	266	151	32	9	3	5	1	50	6	2	3	2	11	11	7	8	17	27	7	–
156	Thame	242	130	40	6	5	2	–	53	1	3	2	3	4	1	6	17	14	19	7	–
157	Headington	332	241	50	24	9	7	3	93	5	4	2	6	22	13	16	27	31	15	7	–
158	Oxford	322	196	51	20	9	4	–	84	11	3	–	6	12	15	14	16	22	11	2	–
159	Bicester	238	181	50	11	7	3	2	73	9	1	4	8	12	4	9	20	16	16	9	–
160	Woodstock	239	170	48	17	14	–	3	82	7	3	4	4	9	3	9	14	22	11	2	–
161	Witney	420	226	62	11	6	4	3	86	4	5	5	2	15	14	12	20	24	29	10	–
162	Chipping Norton	290	156	47	7	5	1	–	60	3	3	–	2	6	6	11	14	26	22	3	–
163	Banbury	409	316	83	25	17	4	1	130	12	3	4	3	10	16	17	37	42	34	8	–
	10.—N. HAMPTONSH.																				
164	Brackley	237	157	38	8	3	5	6	60	6	5	1	7	9	5	7	11	13	28	5	–
165	Towcester	226	127	37	6	4	–	3	50	7	6	4	6	6	1	2	9	14	16	5	1
166	Potterspury	210	131	41	17	3	3	2	66	4	4	3	2	6	7	4	11	11	10	3	–
167	Hardingstone	173	119	39	6	5	3	2	55	5	–	2	1	7	7	12	10	12	5	3	–
168	Northampton	979	534	178	51	18	9	5	261	11	7	7	22	27	23	34	56	50	31	5	–
169	Daventry	290	202	44	12	5	1	3	65	3	4	4	6	15	12	14	20	23	32	4	–
170	Brixworth	231	155	42	14	2	1	3	62	–	1	6	5	2	4	12	17	22	17	7	–
171	Wellingborough	475	278	94	30	18	6	4	152	5	5	6	13	10	12	14	19	23	17	2	–
172	Kettering	341	214	66	23	6	5	2	102	6	5	7	2	11	9	3	23	28	15	3	–
173	Thrapston	260	141	44	12	1	5	2	64	4	–	1	4	16	10	4	10	15	11	2	–
174	Oundle	267	143	33	7	4	1	2	47	3	–	2	4	2	9	11	14	24	22	5	–
175	Peterborough	651	354	97	19	4	7	6	133	13	3	10	14	16	27	21	26	51	31	9	–
	11.—HUNTINGDONS.																				
176	Huntingdon	319	198	48	7	4	2	–	61	4	2	9	13	10	11	16	21	23	25	3	–
177	St. Ives	296	176	45	5	–	1	2	53	7	4	3	9	7	6	13	16	25	28	5	–
178	St. Neots	321	178	47	7	3	4	5	66	8	4	5	10	5	3	7	18	23	23	6	–
	12.—BEDFORDSHIRE.																				
179	Bedford	677	355	94	18	9	6	5	132	8	3	8	14	28	19	27	32	42	33	9	–
180	Biggleswade	540	336	96	22	10	4	4	136	11	2	3	9	20	20	24	31	44	30	6	–
181	Ampthill	359	161	57	11	–	1	2	71	5	1	5	5	3	10	3	15	19	23	1	–
182	Woburn	189	112	33	4	2	1	–	40	6	3	5	1	7	2	4	9	11	21	3	–
183	Leighton Buzzard	351	198	70	11	1	1	1	84	7	1	4	7	6	6	18	17	17	26	5	–
184	Luton	629	355	144	22	11	5	6	188	9	6	7	7	20	20	16	24	35	21	2	–
	13.—CAMBRIDGESH.																				
185	Caxton	247	111	29	4	1	1	1	36	4	3	5	1	4	4	7	12	20	11	4	–
186	Chesterton	422	251	74	21	3	4	1	103	7	4	5	7	11	13	27	21	26	21	6	–
187	Cambridge	453	296	72	20	10	4	2	108	5	6	7	15	25	30	26	24	29	21	–	–
188	Linton	235	134	39	5	1	3	1	49	2	2	8	8	6	9	3	13	13	16	5	–
189	Newmarket	434	302	68	24	9	2	5	108	9	11	11	11	15	14	9	29	38	39	6	2
190	Ely	348	230	73	12	10	7	1	103	6	3	9	6	15	13	13	14	21	20	7	–
191	North Witchford	245	133	38	8	3	2	1	52	6	–	2	7	7	6	11	11	17	13	1	–
192	Whittlesey	106	71	21	6	–	2	–	29	–	3	1	8	2	3	1	2	10	12	–	–
193	Wisbech	508	300	84	18	2	1	1	106	7	6	5	6	16	16	22	19	44	40	12	1

IV.—EASTERN COUNTIES.

	14.—ESSEX.																				
194	West Ham	1468	782	230	77	28	23	7	365	28	18	10	25	70	60	56	49	43	53	5	–
195	Epping	298	174	31	10	6	3	2	52	9	1	6	5	7	11	15	12	22	26	8	–
196	Ongar	183	103	18	2	2	2	1	25	3	3	4	3	5	9	6	13	15	15	1	1
197	Romford	505	283	74	22	16	3	5	120	5	4	6	9	16	15	17	30	33	21	7	–
198	Orsett	204	106	32	10	1	2	–	45	1	2	2	2	4	6	10	13	11	4	6	–
199	Billericay	225	136	36	13	1	2	3	55	1	2	6	9	15	18	14	18	18	22	8	–
200	Chelmsford	542	315	63	13	7	8	2	93	9	7	7	13	22	22	27	34	38	37	6	–
201	Rochford	321	180	46	13	8	4	–	71	4	2	4	2	13	8	13	17	19	21	5	1
202	Maldon	389	190	51	14	4	1	1	71	3	4	7	3	12	13	11	20	21	17	8	–
203	Tendring	444	259	67	14	5	3	2	91	6	6	7	5	17	20	23	20	28	30	6	–
204	Colchester	413	285	67	18	7	6	3	101	8	7	11	8	28	20	23	19	27	28	5	–
205	Lexden	401	228	50	9	8	5	2	74	4	5	6	1	12	10	10	17	45	38	6	–
206	Witham	256	156	23	7	8	3	1	42	5	9	5	8	5	8	9	17	24	20	4	–
207	Halstead	315	160	48	6	5	4	1	64	5	1	3	4	5	11	5	10	9	20	5	1
208	Braintree	316	177	52	16	5	3	–	76	9	4	2	5	6	7	10	9	25	18	6	–
209	Dunmow	316	169	34	9	3	4	1	51	5	2	5	8	8	7	13	21	28	16	5	–
210	Saffron Walden	319	182	38	11	4	1	2	56	4	5	2	3	11	6	5	21	27	32	10	–
	15.—SUFFOLK.																				
211	Risbridge	313	173	46	18	4	3	1	72	5	–	4	5	6	15	13	16	12	18	7	–
212	Sudbury	516	264	57	17	6	5	3	88	3	6	3	12	13	10	17	20	40	41	10	1
213	Cosford	304	164	41	12	5	3	2	63	4	3	4	2	4	9	9	19	15	22	10	–
214	Thingoe	277	160	39	8	1	2	1	51	2	5	4	3	16	7	9	14	23	20	5	1
215	Bury St. Edmunds	238	158	30	7	4	1	2	44	5	4	6	4	10	16	12	23	20	10	3	1
216	Mildenhall	151	85	20	6	2	–	1	29	5	3	4	3	1	4	4	8	11	11	2	–
217	Stow	356	194	49	9	4	2	2	66	7	1	6	5	12	11	14	20	23	23	6	–
218	Hartismere	298	181	45	9	2	3	3	62	9	3	4	5	6	11	12	8	22	30	8	1
219	Hoxne	250	137	25	8	2	2	1	38	3	1	4	3	5	2	3	14	33	23	8	–
220	Bosmere	235	134	39	9	3	2	2	55	5	1	5	6	6	8	10	11	16	4	1	–
221	Samford	198	86	12	7	3	4	2	28	2	1	4	2	1	2	7	7	12	14	6	–
222	Ipswich	678	447	105	42	14	7	6	174	11	10	9	16	28	31	38	35	41	46	8	–
223	Woodbridge	361	224	41	13	4	1	–	59	7	2	6	10	10	15	17	20	33	38	7	–
224	Plomesgate	326	187	44	4	3	2	2	55	6	6	3	4	13	6	13	23	23	23	12	–
225	Blything	434	230	63	18	5	6	1	93	9	7	9	8	12	6	13	13	20	31	9	–
226	Wangford	204	135	28	4	5	2	2	41	5	4	5	4	9	7	8	17	19	6	1*	–
227	Mutford	494	322	79	29	20	14	14	156	35	8	6	8	13	17	10	14	24	23	8	–

* Aged 102.

III.—SOUTH MIDLAND COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	9.—OXFORDSHIRE.																				
155	Henley	274	135	21	6	3	3	1	34	3	3	3	3	7	9	12	6	18	24	8	–
156	Thame	230	137	27	7	3	2	4	43	6	3	2	5	7	13	7	9	22	15	5	–
157	Headington	323	205	46	12	9	7	5	79	5	–	4	5	19	14	12	21	18	22	4	2*
158	Oxford	317	190	47	15	8	2	5	77	8	1	4	7	12	12	16	12	24	13	4	–
159	Bicester	227	159	41	12	6	1	1	61	4	2	4	6	10	9	7	6	22	23	5	–
160	Woodstock	228	143	28	11	4	3	2	48	6	4	4	9	9	4	6	11	18	20	4	–
161	Witney	387	222	33	15	5	6	2	61	9	5	2	9	21	17	19	18	25	30	6	–
162	Chipping Norton	278	159	34	8	3	2	–	47	6	4	8	9	10	10	10	11	16	22	5	1
163	Banbury	468	297	49	34	14	8	10	115	5	5	1	7	18	23	19	24	29	43	8	–
	10.—N. HAMPTONSH.																				
164	Brackley	221	153	33	10	6	4	2	55	10	6	3	4	11	4	7	14	17	21	1	–
165	Towcester	197	115	16	4	2	1	2	25	3	1	2	5	7	13	15	12	13	17	1	1
166	Potterspury	195	139	28	8	5	4	3	48	5	4	2	5	7	14	7	15	15	13	4	–
167	Hardingstone	197	90	31	6	3	–	1	41	1	3	2	3	3	4	8	6	9	10	–	–
168	Northampton	859	491	154	45	20	9	4	232	10	9	11	24	28	24	23	46	50	28	6	–
169	Daventry	281	211	41	15	4	1	1	62	5	3	7	12	13	15	12	25	26	25	6	–
170	Brixworth	201	123	22	3	4	1	1	31	3	3	9	8	6	7	7	11	20	17	1	–
171	Wellingborough	466	284	71	36	10	6	4	127	5	2	11	13	19	13	22	16	21	29	6	–
172	Kettering	315	220	46	22	13	7	7	95	5	4	10	6	10	13	13	11	24	21	6	2
173	Thrapston	286	131	37	6	3	1	2	49	5	1	6	7	5	8	6	5	15	20	4	–
174	Oundle	197	114	14	5	4	–	3	26	1	4	3	1	3	10	5	13	18	21	8	1
175	Peterborough	608	320	92	18	8	7	6	131	10	6	9	8	28	22	16	17	23	44	6	–
	11.—HUNTINGDONS.																				
176	Huntingdon	314	179	30	13	5	1	2	51	4	1	3	5	14	13	13	14	25	29	7	–
177	St. Ives	283	165	26	6	2	1	3	38	2	6	8	6	16	12	10	14	18	23	11	1
178	St. Neots	306	144	26	11	2	1	3	43	5	1	3	8	10	6	11	11	23	19	4	–
	12.—BEDFORDSHIRE.																				
179	Bedford	629	369	68	12	14	5	1	100	5	7	16	24	28	25	23	33	46	48	13	1
180	Biggleswade	494	304	77	24	9	5	3	118	14	4	12	9	17	24	18	19	36	28	5	–
181	Ampthill	344	187	41	9	6	3	3	62	6	5	8	5	12	10	13	21	26	16	2	1
182	Woburn	190	119	24	5	2	1	1	33	5	3	7	1	5	8	5	16	19	13	4	–
183	Leighton Buzzard	310	155	34	10	5	2	1	52	5	–	8	6	12	7	14	10	26	8	7	–
184	Luton	672	368	115	24	11	3	4	157	5	6	21	16	24	31	26	26	29	22	5	–
	13.—CAMBRIDGESH.																				
185	Caxton	222	93	22	4	4	2	–	32	1	4	2	3	6	4	3	10	14	8	6	–
186	Chesterton	471	247	48	19	3	4	5	79	7	3	15	11	21	13	16	16	21	34	11	–
187	Cambridge	427	255	56	10	9	5	2	82	3	7	3	9	16	20	15	27	34	30	9	–
188	Linton	225	122	21	8	1	2	1	33	3	1	8	2	7	9	11	5	14	24	5	–
189	Newmarket	451	269	58	17	2	8	5	90	11	11	6	10	23	17	9	25	35	26	6	–
190	Ely	364	209	49	5	9	5	2	70	4	7	7	7	12	9	15	19	19	30	10	–
191	North Witchford	254	146	37	9	4	2	1	53	3	1	5	6	12	4	6	13	17	24	2	–
192	Whittlesey	110	72	13	2	2	1	–	18	4	1	3	2	8	5	3	6	8	14	–	–
193	Wisbech	494	306	78	17	8	4	1	108	6	3	8	5	22	18	16	26	40	40	12	2

IV.—EASTERN COUNTIES.

	14.—ESSEX.																				
194	West Ham	1470	771	215	73	31	16	10	345	30	8	21	26	46	55	52	49	68	53	16	2
195	Epping	303	140	26	11	4	2	1	44	7	1	4	3	10	7	6	17	15	17	8	1
196	Ongar	170	84	14	5	3	1	1	24	2	1	3	4	7	4	3	9	13	12	2	–
197	Romford	531	281	82	21	8	6	2	119	10	4	10	12	12	13	20	22	24	26	8	1†
198	Orsett	206	80	18	12	1	1	1	33	3	2	–	3	2	9	6	5	7	8	2	–
199	Billericay	211	138	24	9	4	3	1	41	4	1	6	4	9	12	9	10	20	15	6	1†
200	Chelmsford	496	278	41	15	8	1	5	70	6	4	13	8	16	17	22	25	33	46	14	4
201	Rochford	350	172	42	14	8	6	4	74	5	3	7	5	3	17	12	14	17	12	2	1
202	Maldon	388	181	33	14	–	3	1	51	5	–	4	9	13	13	10	25	23	22	6	–
203	Tendring	415	249	55	15	8	4	2	84	10	3	8	10	18	21	18	11	25	31	9	1
204	Colchester	385	269	41	11	4	5	2	63	7	9	8	10	25	17	21	26	34	40	8	1‡
205	Lexden	404	196	28	7	4	3	3	45	2	3	8	15	16	15	13	15	28	29	6	1
206	Witham	262	144	28	4	4	–	2	38	3	4	10	4	8	12	14	19	14	16	2	–
207	Halstead	280	147	24	6	2	–	2	34	3	2	5	9	13	14	10	17	23	11	6	–
208	Braintree	284	178	38	21	8	3	2	72	3	3	7	10	15	11	8	8	14	24	2	1
209	Dunmow	302	168	35	7	4	3	–	49	3	1	11	6	16	11	13	13	21	21	3	–
210	Saffron Walden	290	182	40	19	2	2	2	56	6	5	5	5	14	10	11	9	20	29	11	1
	15.—SUFFOLK.																				
211	Risbridge	311	171	31	5	4	1	1	42	1	6	9	10	6	8	11	14	29	28	7	–
212	Sudbury	526	274	35	17	4	4	–	64	6	6	8	9	20	18	16	32	38	39	16	2*
213	Cosford	267	162	35	9	2	1	–	47	5	4	3	5	14	15	14	8	14	22	11	–
214	Thingoe	274	147	23	9	3	1	–	36	4	1	4	7	8	8	10	17	22	23	7	–
215	Bury St. Edmunds	242	142	25	6	2	1	2	36	3	2	3	6	4	11	14	11	21	26	5	–
216	Mildenhall	160	101	21	10	2	1	1	35	2	1	3	2	6	4	7	7	16	13	5	–
217	Stow	331	192	36	9	4	4	2	55	6	3	5	6	19	17	18	18	13	26	6	–
218	Hartismere	273	149	27	12	1	1	2	43	11	8	4	8	9	5	9	14	15	14	8	1§
219	Hoxne	233	126	20	6	1	2	1	30	2	1	7	5	17	9	5	7	13	22	8	–
220	Bosmere	257	139	19	12	4	–	1	36	3	2	5	4	9	12	6	12	23	24	3	–
221	Samford	190	109	18	2	2	3	–	25	7	1	2	4	7	6	6	12	15	21	3	–
222	Ipswich	684	408	93	26	20	12	4	155	7	9	8	11	25	35	27	37	39	44	9	–
223	Woodbridge	339	227	32	6	5	1	1	45	4	2	8	5	19	21	18	24	37	29	15	–
224	Plomesgate	284	154	26	7	2	6	1	42	4	2	7	4	12	2	8	21	24	21	7	–
225	Blything	421	270	39	8	6	10	3	66	11	14	10	10	11	17	10	14	34	48	23	2
226	Wangford	202	119	24	2	3	2	1	32	3	8	7	1	11	9	6	12	13	15	2	–
227	Mutford	517	326	81	21	24	20	13	159	27	13	6	6	18	20	19	16	20	16	4	2

* One aged 101. † Aged 100. ‡ Aged 102. § Aged 103.

IV.—EASTERN COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued*.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	16.—NORFOLK.																				
228	YARMOUTH	567	432	138	30	25	6	8	207	11	3	2	7	31	32	33	33	31	32	10	–
229	FLEGG	136	89	29	2	–	1	–	32	4	2	1	1	5	3	4	9	12	15	1	–
230	TUNSTEAD	234	135	33	4	1	2	3	43	8	4	5	6	8	8	5	9	14	19	6	–
231	ERPINGHAM	316	193	39	11	8	3	1	62	11	5	4	8	9	9	6	10	21	35	12	1
232	AYLSHAM	294	163	34	6	3	2	–	45	8	4	7	1	9	9	9	11	26	23	11	–
233	ST. FAITHS	183	98	21	4	–	–	–	25	1	2	1	–	5	7	7	5	21	20	3	1
234	NORWICH	1244	854	238	47	28	15	10	338	32	12	16	22	38	60	63	64	108	88	13	–
235	FOREHOE	180	117	30	4	1	2	–	37	3	4	5	4	5	7	7	6	17	17	5	–
236	HENSTEAD	177	100	31	1	1	1	1	35	3	1	6	4	5	6	5	9	13	10	3	–
237	BLOFIELD	190	111	24	2	1	1	3	31	4	4	3	1	12	6	11	8	14	11	6	–
238	LODDON	230	119	29	2	1	1	2	35	5	2	1	1	5	3	8	8	18	27	6	–
239	DEPWADE	383	218	58	7	4	4	3	76	7	5	1	3	17	8	5	17	30	37	12	–
240	GUILTCROSS	173	111	28	3	1	2	2	36	3	2	1	3	4	8	9	13	13	15	4	–
241	WAYLAND	191	98	20	5	3	1	2	31	3	2	1	3	5	6	6	3	16	14	7	1
242	MITFORD	437	238	69	10	4	1	2	86	8	1	5	5	14	11	11	19	26	38	13	1
243	WALSINGHAM	337	171	40	9	6	2	1	58	5	4	4	2	8	11	11	10	27	28	3	–
244	DOCKING	278	164	35	8	5	4	3	55	4	4	3	4	13	6	8	16	22	19	10	–
245	FREEBRIDGE LYNN	226	121	40	5	3	1	1	50	3	4	3	1	4	3	7	6	18	17	4	1
246	KINGS LYNN	242	182	44	9	5	2	3	63	5	1	7	5	12	12	18	23	19	14	2	1
247	DOWNHAM	386	192	73	14	2	3	1	93	3	6	6	6	7	9	12	12	16	17	5	–
248	SWAFFHAM	212	104	29	6	1	4	2	42	3	1	1	4	2	7	3	8	13	14	6	–
249	THETFORD	295	170	45	6	5	3	–	59	6	3	4	10	4	9	11	13	20	23	8	–

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																				
250	HIGHWORTH	421	180	60	11	5	4	3	83	5	1	4	6	11	10	12	10	18	13	5	2
251	CRICKLADE	196	94	22	11	2	2	–	37	2	1	4	2	4	4	6	8	11	10	4	1
252	MALMSBURY	239	140	27	9	3	4	2	45	5	5	5	6	6	9	7	16	16	16	4	–
253	CHIPPENHAM	336	222	39	14	5	2	4	64	8	5	4	7	11	12	21	25	28	27	10	–
254	CALNE	127	54	12	1	2	–	–	15	2	–	–	2	–	1	1	3	16	10	4	–
255	MARLBOROUGH	152	102	19	5	2	2	–	28	5	2	1	3	6	5	4	9	19	16	4	–
256	DEVIZES	328	244	53	14	3	2	1	73	7	2	6	3	18	17	25	28	37	22	6	–
257	MELKSHAM	299	223	56	18	11	3	2	90	5	1	4	3	13	14	12	19	33	23	6	–
258	BRADFORD-ON-AVON	178	88	16	8	1	1	2	28	4	–	3	2	3	4	11	6	14	11	2	–
259	WESTBURY	161	113	32	5	3	2	–	42	2	1	2	3	2	4	6	10	16	20	5	–
260	WARMINSTER	233	147	27	6	5	3	1	42	1	3	4	4	9	7	15	11	21	25	5	–
261	PEWSEY	188	94	22	2	3	1	1	29	2	2	–	2	7	4	7	10	13	16	2	–
262	AMESBURY	137	79	13	7	4	–	2	26	3	2	–	–	9	5	5	9	8	10	2	–
263	ALDERBURY	211	167	23	4	2	3	3	35	7	8	6	3	16	21	12	24	19	13	3	–
264	SALISBURY	140	82	23	7	–	1	3	34	3	–	1	3	3	7	6	9	7	8	1	–
265	WILTON	153	87	18	2	6	2	2	30	2	5	–	6	2	5	5	8	10	11	3	–
266	TISBURY	159	112	24	5	1	2	2	34	5	5	3	6	6	7	4	7	14	13	8	–
267	MERE	136	69	15	2	2	3	1	23	3	1	–	2	1	4	4	10	8	10	3	–
	18.—DORSETSHIRE.																				
268	SHAFTESBURY	198	105	20	4	7	2	1	34	2	3	6	1	3	3	10	10	14	15	4	–
269	STURMINSTER	152	100	18	7	1	2	2	30	5	3	1	1	5	2	6	10	16	13	8	–
270	BLANDFORD	246	132	31	10	3	1	2	47	6	4	2	7	6	8	12	10	20	7	3	–
271	WIMBORNE	246	142	30	9	4	2	–	45	2	2	3	5	8	11	8	12	18	25	3	–
272	POOLE	262	181	43	9	11	5	3	71	9	3	5	7	8	7	15	15	21	19	1	–
273	WAREHAM	267	151	41	7	7	2	–	57	5	1	3	6	8	7	9	12	21	16	6	–
274	WEYMOUTH	444	239	66	9	3	3	2	83	8	3	9	9	19	22	19	20	22	20	5	–
275	DORCHESTER	412	208	37	15	4	–	2	58	2	3	4	8	20	17	14	22	25	26	9	–
276	SHERBORNE	203	120	22	6	3	1	3	35	3	1	5	2	8	6	9	15	20	14	2	–
277	BEAMINSTER	214	109	30	5	3	–	–	38	2	1	2	5	6	7	8	8	8	20	4	–
278	BRIDPORT	316	139	38	9	2	1	4	54	4	2	3	5	6	15	10	12	12	15	1	–
	19.—DEVONSHIRE.																				
279	AXMINSTER	304	176	36	5	8	1	5	55	3	6	7	4	6	7	12	16	20	32	7	1
280	HONITON	388	215	42	7	5	6	6	66	7	10	4	5	10	15	13	14	26	30	15	–
281	ST. THOMAS	737	473	90	18	5	5	5	123	12	5	15	10	35	27	34	56	70	67	17	2
282	EXETER	505	379	98	17	9	7	5	136	10	6	8	7	27	33	27	49	37	30	9	–
283	NEWTON ABBOT	1044	625	152	50	15	9	8	234	18	6	20	16	36	29	39	50	83	79	14	1
284	TOTNES	579	338	63	24	9	4	2	102	16	11	12	8	24	21	20	27	47	33	17	–
285	KINGSBRIDGE	297	174	36	7	3	2	3	51	4	1	2	9	9	8	7	16	30	31	6	–
286	PLYMPTON ST. MARY	386	203	53	12	7	4	1	77	6	1	3	7	14	7	10	26	21	26	5	–
287	PLYMOUTH	1190	744	216	59	32	10	7	324	22	14	15	19	43	55	67	60	67	48	8	2
288	EAST STONEHOUSE	316	232	69	12	6	5	3	95	5	1	20	11	35	17	15	16	16	4	3	–
289	STOKE DAMEREL	896	505	145	36	22	10	6	219	13	6	8	15	35	39	32	48	37	45	8	–
290	TAVISTOCK	484	268	49	23	4	1	1	78	10	4	19	8	10	15	16	30	39	33	6	–
291	OKEHAMPTON	279	182	33	13	2	2	2	55	6	8	5	8	4	10	11	16	20	32	10	–
292	CREDITON	284	174	23	4	4	–	1	32	8	5	2	12	13	17	13	38	28	34	10	2
293	TIVERTON	436	253	50	10	2	2	5	69	7	8	4	3	7	9	10	20	42	28	6	–
294	SOUTH MOLTON	265	187	36	14	7	3	3	63	5	5	8	9	8	10	16	13	38	28	34	10	2
295	BARNSTAPLE	544	300	61	18	2	2	2	85	12	2	13	11	18	16	17	25	54	34	10	3*
296	TORRINGTON	221	125	22	5	5	–	–	32	4	2	4	2	6	5	6	15	16	21	12	–
297	BIDEFORD	295	158	37	10	4	3	3	57	2	1	5	7	11	11	6	9	15	24	10	–
298	HOLSWORTHY	151	82	24	8	–	2	–	34	2	2	2	1	3	1	2	3	12	12	7	1
	20.—CORNWALL.																				
299	STRATTON	111	81	19	2	3	1	–	25	1	–	3	5	9	4	8	3	10	10	3	–
300	CAMELFORD	142	68	16	11	–	–	1	28	1	1	2	–	4	3	4	4	6	8	7	–
301	LAUNCESTON	295	152	31	23	–	4	4	62	1	2	5	5	4	10	7	12	18	24	2	–
302	ST. GERMANS	269	195	39	11	1	4	9	64	9	7	4	4	13	7	9	17	32	23	6	–
303	LISKEARD	559	310	76	22	4	1	2	105	12	4	12	14	22	15	18	29	41	32	6	–
304	BODMIN	299	210	43	14	3	1	–	61	3	5	6	6	17	16	14	29	22	26	4	1
305	ST. COLUMB	279	160	35	18	5	1	1	60	3	2	4	2	8	10	8	13	21	23	5	1

* One aged 101.

IV.—EASTERN COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	16.—NORFOLK.																				
228	Yarmouth	571	384	93	25	16	10	9	155	12	4	13	7	23	32	22	31	40	32	11	2
229	Flegg	149	86	24	2	–	2	2	30	2	3	–	2	6	9	6	9	9	8	2	–
230	Tunstead	229	125	20	2	1	1	2	26	4	2	6	6	5	6	12	16	19	13	8	2
231	Erpingham	304	175	42	9	8	3	2	64	7	4	2	2	17	9	7	11	20	23	8	1
232	Aylsham	279	143	21	6	3	3	2	35	5	3	4	7	7	9	5	10	19	26	9	4
233	St. Faiths	172	104	26	4	1	1	1	33	1	2	5	2	7	6	6	9	13	13	5	2
234	Norwich	1293	885	188	52	29	19	11	299	30	20	23	30	59	50	58	71	113	98	32	2
235	Forehoe	172	118	22	8	2	–	–	32	3	–	1	3	11	7	6	8	12	20	13	2
236	Henstead	166	89	14	4	–	1	2	21	2	2	2	3	9	5	7	8	8	16	6	–
237	Blofield	155	104	9	6	3	2	1	21	2	2	6	6	9	11	7	9	15	11	4	1
238	Loddon	186	130	23	2	1	1	–	27	5	6	5	13	4	9	7	13	13	17	11	–
239	Depwade	394	232	33	13	8	3	4	61	10	5	6	6	10	18	18	15	31	32	18	2
240	Guiltcross	171	102	24	5	3	1	2	35	2	4	5	5	6	7	–	4	13	14	7	–
241	Wayland	164	85	18	3	–	–	1	22	3	3	–	1	9	6	3	4	11	16	6	1
242	Mitford	405	244	54	5	3	2	1	65	10	5	6	11	12	11	14	17	29	49	15	–
243	Walsingham	295	201	30	10	7	1	2	50	3	6	10	7	16	7	9	15	23	36	19	–
244	Docking	294	180	42	5	10	4	2	63	6	9	4	5	12	9	8	7	27	19	11	–
245	Freebridge Lynn	241	121	25	6	2	1	1	35	4	2	3	2	10	5	8	4	19	18	10	1
246	Kings Lynn	257	178	42	12	7	3	1	65	7	4	5	5	11	13	8	14	19	21	5	1
247	Downham	341	163	42	11	1	1	2	57	2	3	8	8	6	11	8	7	20	23	9	1
248	Swaffham	201	128	24	5	2	2	2	35	5	3	4	4	12	8	4	10	14	17	10	2
249	Thetford	281	153	26	9	4	1	1	41	2	1	5	6	9	10	9	13	20	26	10	1*

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																				
250	Highworth	395	145	29	11	2	1	–	43	4	2	5	7	10	10	15	12	19	11	7	–
251	Cricklade	171	95	13	8	3	–	1	25	1	2	3	3	7	5	7	9	8	19	5	1
252	Malmsbury	234	116	22	2	1	3	2	30	2	2	9	7	8	–	6	10	11	23	7	1†
253	Chippenham	315	216	44	10	5	2	3	64	6	7	9	8	15	13	8	16	26	30	14	–
254	Calne	117	82	14	1	4	–	–	19	2	3	3	5	2	6	4	12	8	14	4	–
255	Marlborough	152	90	15	4	2	–	–	21	3	1	2	5	4	6	9	5	17	15	2	–
256	Devizes	278	231	40	5	7	4	4	60	5	4	1	8	19	6	13	32	25	37	16	–
257	Melksham	288	221	47	9	7	5	2	70	5	1	5	6	8	15	15	12	37	40	6	1
258	Bradford-on-Avon	138	129	24	6	1	6	2	39	2	3	3	6	7	10	7	10	23	14	4	1
259	Westbury	182	135	26	10	3	2	1	42	3	1	3	10	3	9	12	13	21	12	6	–
260	Warminster	210	144	16	7	2	2	2	29	1	–	3	2	6	10	12	17	27	31	5	1
261	Pewsey	188	92	9	4	1	2	–	16	–	3	2	5	11	4	7	11	12	17	4	–
262	Amesbury	111	68	10	5	4	1	2	22	6	1	1	3	4	4	4	10	12	–	–	–
263	Alderbury	222	156	18	8	1	3	–	30	6	6	5	8	13	11	11	15	25	20	6	–
264	Salisbury	111	67	11	5	4	–	2	22	2	1	–	3	5	4	4	7	9	8	2	–
265	Wilton	182	78	11	1	2	1	1	16	5	–	1	4	6	9	4	10	11	8	4	–
266	Tisbury	160	105	12	13	4	1	1	31	4	1	2	4	1	4	6	12	19	19	2	–
267	Mere	124	58	8	1	1	2	–	12	1	2	1	1	5	4	3	6	9	11	3	–
	18.—DORSETSHIRE.																				
268	Shaftesbury	225	129	23	8	1	1	1	34	4	3	6	4	15	9	5	14	13	15	7	–
269	Sturminster	172	109	19	5	4	–	1	29	4	4	7	5	3	10	5	9	15	9	9	–
270	Blandford	219	124	14	5	4	3	1	27	3	3	5	6	10	4	6	15	18	17	10	–
271	Wimborne	270	135	20	4	5	2	–	31	2	2	5	9	10	14	9	13	17	19	4	–
272	Poole	257	161	26	8	7	4	3	48	10	3	8	5	13	8	11	13	25	13	4	–
273	Wareham	276	137	24	10	9	3	–	46	2	3	2	11	9	10	9	7	17	17	4	–
274	Weymouth	467	227	42	10	4	2	3	61	4	2	3	5	19	17	16	18	29	42	11	–
275	Dorchester	363	204	30	12	1	2	3	48	5	3	7	11	12	14	14	31	23	28	7	1
276	Sherborne	236	140	23	10	4	4	1	42	2	3	7	10	6	9	9	19	10	17	6	–
277	Beaminster	199	114	21	7	3	2	2	35	–	2	5	6	5	5	1	12	20	19	4	–
278	Bridport	280	159	29	5	7	6	–	47	1	3	4	5	13	5	11	14	19	25	12	–
	19.—DEVONSHIRE.																				
279	Axminster	291	178	24	11	7	6	4	52	6	1	10	2	12	9	9	14	23	32	7	1
280	Honiton	336	222	29	13	4	1	1	48	7	3	7	8	11	11	19	19	31	40	15	3‡
281	St. Thomas	639	471	66	19	4	4	2	95	8	15	11	15	36	35	34	44	76	73	26	3
282	Exeter	509	368	68	14	8	5	2	97	8	8	5	7	28	27	27	34	48	59	18	2§
283	Newton Abbot	970	644	110	43	15	11	9	188	19	17	21	30	51	40	44	49	58	94	30	3‖
284	Totnes	507	377	57	24	10	3	4	98	11	6	22	13	15	19	22	39	60	57	14	1
285	Kingsbridge	284	186	36	4	5	–	1	46	2	4	10	3	18	7	11	18	29	29	9	–
286	Plympton St. Mary	365	192	40	12	5	3	2	62	4	6	7	7	16	9	10	17	28	20	5	1
287	Plymouth	1195	809	180	58	32	18	13	301	25	16	23	28	55	54	55	64	72	85	27	4§
288	East Stonehouse	303	158	38	8	6	8	5	65	5	2	5	6	11	16	8	12	11	13	4	–
289	Stoke Damerel	793	478	98	42	8	8	12	168	14	7	11	20	33	35	38	28	45	56	13	–
290	Tavistock	497	230	46	18	5	3	4	76	2	6	7	6	15	16	12	21	29	30	10	–
291	Okehampton	269	158	16	7	2	2	2	29	1	4	7	8	9	8	7	14	25	31	14	1
292	Crediton	812	181	23	7	1	2	2	35	4	3	7	3	11	14	13	19	26	39	7	1
293	Tiverton	440	292	51	6	4	2	4	67	8	13	8	7	15	18	11	26	52	49	17	1
294	South Molton	263	172	22	7	1	3	1	34	2	8	11	9	8	12	9	20	24	24	10	1
295	Barnstaple	530	367	60	14	14	4	1	93	10	8	13	11	23	23	23	33	39	70	19	2
296	Torrington	235	139	18	5	3	3	1	30	8	3	3	2	15	12	7	12	19	20	7	1
297	Bideford	289	175	30	11	7	2	–	50	4	3	6	8	11	8	19	12	27	20	7	–
298	Holsworthy	147	101	22	5	1	–	1	29	1	3	2	3	8	6	7	11	11	15	5	–
	20.—CORNWALL.																				
299	Stratton	141	62	14	1	2	–	1	18	1	3	1	–	4	7	2	9	4	8	5	–
300	Camelford	110	56	7	2	–	2	2	13	1	2	–	4	3	4	6	9	8	3	2	–
301	Launceston	253	152	29	14	2	3	1	49	3	4	3	3	12	6	8	11	22	24	7	–
302	St. Germans	294	182	28	13	5	4	2	52	7	4	3	4	5	14	14	18	24	30	7	–
303	Liskeard	572	270	54	26	5	1	3	89	7	10	8	11	16	14	9	21	35	40	9	1
304	Bodmin	294	193	25	6	6	2	–	39	3	1	6	10	12	9	16	15	33	37	12	–
305	St. Columb	253	179	37	5	4	3	3	52	4	4	3	8	7	8	13	12	26	34	11	2

* Aged 103. † Aged 101. ‡ One aged 103. § One aged 101. ‖ One aged 100.

V.—SOUTH WESTERN COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued*.

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	20.—CORNWALL—*cont.*																				
306	St. Austell	565	279	79	16	3	2	3	103	8	6	12	5	8	10	18	31	42	28	8	-
307	Truro	667	416	95	31	10	6	5	147	7	6	15	15	18	27	34	36	50	45	14	2
308	Falmouth	367	248	75	13	11	1	-	100	6	3	14	11	21	13	24	14	20	17	4	1
309	Helston	528	340	76	26	11	6	1	120	14	5	8	17	24	19	25	26	48	28	6	-
310	Redruth	954	623	182	50	24	16	6	278	22	12	18	20	26	32	48	62	73	21	11	-
311	Penzance	870	528	151	40	11	7	3	212	9	12	18	21	28	24	39	62	52	38	12	1
312	Scilly Islands	29	21	1	-	-	-	-	1	-	1	1	3	1	2	-	3	3	5	1	-
	21.—SOMERSETSH.																				
313*a*	Williton	258	189	47	12	6	1	1	67	4	4	2	9	8	8	11	15	24	25	10	2
313*b*	Dulverton	96	45	8	2	-	-	1	11	1	2	3	2	-	2	3	2	11	7	1	-
314	Wellington	315	168	34	4	4	1	1	44	4	5	2	3	9	11	12	20	24	25	8	1
315	Taunton	517	330	60	10	6	3	2	81	11	8	9	14	24	27	22	26	50	42	16	-
316	Bridgwater	551	297	61	9	5	5	1	81	11	3	9	10	23	16	21	33	37	40	11	2
317	Langport	277	154	31	8	4	2	1	46	4	2	2	6	8	10	12	13	21	24	6	1
318	Chard	420	238	63	17	7	2	1	90	7	5	11	5	13	11	9	21	35	24	6	1
319	Yeovil	495	249	60	10	5	3	3	81	3	5	6	3	17	23	15	25	30	33	7	-
320	Wincanton	330	186	45	5	2	2	3	57	3	1	4	7	13	6	12	25	28	24	6	-
321	Frome	370	264	48	9	2	1	3	63	2	6	8	13	12	22	26	28	39	30	14	1
322	Shepton Mallet	231	155	32	10	3	2	3	50	4	1	3	5	7	11	9	19	16	19	10	1
323	Wells	342	217	37	11	3	5	1	57	10	4	4	4	13	8	25	29	27	22	12	2
324	Axbridge	591	323	82	9	11	5	2	109	8	7	10	11	12	24	13	35	48	33	12	1
325	Clutton	392	222	43	9	8	6	3	69	3	3	8	4	8	6	18	19	33	39	12	-
326	Bath	949	709	131	49	26	14	6	226	17	15	14	14	41	69	60	67	93	77	16	-
327	Keynsham	403	186	49	14	3	5	-	71	4	3	4	12	12	10	13	11	21	20	5	-
328	Bedminster	912	443	133	31	17	6	4	191	16	12	13	8	32	34	32	36	28	29	11	1

VI.—WEST MIDLAND COUNTIES.

	22.—GLOUCESTERSH.																				
329	Bristol	1168	767	192	49	18	19	10	288	12	21	25	24	57	77	76	74	65	41	7	-
330	Clifton	2057	1127	319	77	27	20	18	461	41	23	25	23	71	72	85	120	101	81	24	-
331	Chipping Sodbury	302	172	38	5	3	2	3	51	6	3	4	6	11	8	11	11	34	22	5	-
332	Thornbury	280	123	25	6	2	2	-	35	4	1	3	3	7	5	13	7	20	22	3	-
333	Dursley	210	127	19	2	2	-	2	25	4	4	2	3	7	6	13	10	24	21	9	-
334	Westbury-on-Severn	368	210	48	15	13	5	2	83	8	6	2	9	12	12	10	14	30	18	6	-
335	Newent	193	113	20	3	-	2	1	26	2	-	5	3	3	5	11	11	17	21	8	1
336	Gloucester	682	386	91	23	7	4	5	130	5	3	5	14	20	32	37	50	51	29	10	-
337	Wheatenhurst	116	78	10	6	2	1	4	23	1	-	2	-	4	3	8	8	10	14	5	-
338	Stroud	621	354	88	22	8	4	1	123	13	7	5	11	17	19	13	40	51	39	16	-
339	Tetbury	98	62	13	3	2	1	1	20	2	3	1	-	2	5	3	5	11	8	2	-
340	Cirencester	335	175	44	8	3	1	1	57	2	2	6	4	6	8	12	20	25	23	9	1
341	Northleach	191	93	30	3	3	1	1	38	1	4	1	-	4	2	9	6	11	12	5	-
342	Stow-on-the-Wold	175	91	18	4	3	2	1	28	1	3	4	1	3	7	6	7	9	19	3	-
343	Winchcomb	148	100	21	4	-	1	1	27	5	1	1	2	5	6	7	7	18	15	5	1
344	Cheltenham	747	478	131	24	11	7	2	175	8	13	9	17	24	30	35	53	62	34	18	-
345	Tewkesbury	234	128	27	2	1	1	2	33	6	-	2	2	9	6	11	14	13	26	5	1
	23.—HEREFORDSH.																				
346	Ledbury	199	105	15	5	-	1	1	22	2	3	3	2	5	11	4	21	17	13	2	-
347	Ross	278	154	39	6	-	1	1	47	3	1	5	2	5	9	8	15	27	25	7	-
348	Hereford	623	419	72	17	5	5	2	101	5	5	12	13	29	32	37	58	61	56	10	-
349	Weobly	108	74	15	-	-	2	1	18	-	1	4	3	2	7	2	11	15	9	2	-
350	Bromyard	190	102	17	5	1	1	1	25	3	1	2	3	6	9	5	9	16	19	3	1
351	Leominster	241	123	29	5	1	-	-	35	3	1	3	4	6	6	10	14	18	12	11	-
	24.—SHROPSHIRE.																				
352	Ludlow	280	165	40	8	2	6	-	56	4	3	1	5	6	3	9	26	22	22	7	1
353	Clun	172	104	25	8	2	3	1	39	-	2	4	3	6	4	2	10	12	18	4	-
354	Church Stretton	103	67	15	6	1	1	-	23	1	-	-	1	5	2	3	7	9	13	3	-
355	Cleobury Mortimer	132	89	15	4	1	1	-	21	1	-	6	1	5	4	7	7	11	22	4	-
356	Bridgnorth	220	125	28	3	2	2	2	37	5	-	5	3	2	6	9	22	18	13	5	-
357	Shiffnal	205	115	28	5	-	2	-	35	2	3	5	3	5	2	10	15	14	18	3	-
358	Madeley	581	317	89	26	9	6	4	134	10	7	10	10	17	17	24	30	29	22	7	-
359	Atcham	293	156	34	3	1	3	-	41	6	1	5	2	11	15	10	16	25	20	4	-
360	Shrewsbury	419	332	78	18	7	9	2	114	7	6	7	16	30	27	28	32	24	32	9	-
361	Oswestry	401	251	50	16	7	-	3	76	4	7	8	8	17	13	20	33	34	27	4	-
362	Ellesmere	205	138	20	1	1	3	-	25	5	3	3	4	8	8	7	23	20	26	5	1
363*a*	Wem	162	97	20	2	2	3	-	27	3	1	3	2	7	4	3	16	15	12	4	-
363*b*	Whitchurch	179	103	21	3	3	2	-	29	4	1	2	6	3	3	3	11	16	19	6	-
364	Market Drayton	224	132	41	2	1	1	-	45	2	-	3	5	8	12	11	14	14	15	3	-
365	Wellington	497	250	84	19	2	1	1	107	5	6	6	4	10	15	18	29	28	17	3	-
366	Newport	240	176	45	6	8	3	3	65	2	4	2	5	7	13	6	20	18	27	6	1
	25.—STAFFORDSH.																				
367	Stafford	422	296	61	20	4	4	2	91	5	1	8	11	27	27	30	43	26	18	8	1
368	Stone	342	210	45	11	2	3	3	64	4	2	5	5	11	16	14	34	26	24	5	-
369	Newcastle-under-Lyme	549	446	96	42	12	14	9	173	13	22	36	25	40	37	23	29	23	20	5	-
370	Wolstanton	1436	990	304	118	65	42	30	559	55	25	27	26	52	58	50	64	41	26	6	1
371	Stoke-upon-Trent	1803	1333	415	135	66	49	26	691	65	23	34	28	84	97	105	87	63	48	6	1
372	Leek	509	318	72	20	10	7	6	115	23	2	15	6	22	19	26	23	38	22	6	1
373	Cheadle	426	209	61	23	2	3	2	91	5	1	10	3	10	6	16	19	25	20	3	-
374	Uttoxeter	229	145	31	6	2	3	1	43	8	2	1	6	8	10	6	17	20	19	5	-
375	Burton-upon-Trent	1033	532	151	40	12	8	4	210	10	7	15	14	41	51	36	50	47	45	6	-
376	Tamworth	309	169	43	14	2	2	4	65	13	8	2	7	5	11	12	11	11	18	5	-
377	Lichfield	496	278	58	8	8	6	2	82	4	2	9	6	26	15	23	32	35	31	12	-
378	Penkridge	365	211	66	17	7	4	4	98	7	6	6	4	8	11	10	15	18	26	2	-
379	Wolverhampton	2799	1444	481	110	64	26	20	701	49	25	36	36	83	85	106	125	103	82	10	-
380	Walsall	1556	788	281	64	16	14	10	385	23	17	20	30	36	41	55	74	71	26	9	-
381	West Bromwich	2241	1077	395	97	51	29	20	592	40	20	23	20	36	55	65	82	92	43	9	-
382	Dudley	3304	1511	368	151	53	29	17	818	41	30	47	34	52	78	88	107	128	71	17	-

V.—SOUTH WESTERN COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	20.—CORNWALL—*cont.*																				
306	St. Austell	468	276	66	22	7	3	1	99	10	8	12	13	20	7	11	19	31	35	10	1
307	Truro	631	464	104	32	19	5	4	164	12	7	18	10	25	25	17	40	49	71	25	1
308	Falmouth	377	257	62	11	6	3	4	86	5	3	10	5	18	5	13	21	40	36	9	1
309	Helston	470	328	74	18	6	8	2	108	9	7	10	13	23	14	15	‖26	43	45	13	2*
310	Redruth	886	603	166	51	19	11	6	253	32	10	11	23	32	31	36	43	62	52	16	2
311	Penzance	869	501	133	34	10	4	5	186	15	11	14	14	26	23	28	37	74	58	14	1
312	Scilly Islands	27	22	2	2	–	2	–	6	1	–	3	1	–	1	2	2	4	1	1	–
	21.—SOMERSETSH.																				
313*a*	Williton	244	153	16	6	3	2	1	28	3	4	3	4	9	11	9	14	33	25	8	2
313*b*	Dulverton	79	55	6	3	1	1	–	11	2	2	1	1	2	5	1	9	14	5	–	
314	Wellington	272	166	26	6	2	1	2	37	9	1	2	8	10	10	13	12	20	36	8	–
315	Taunton	453	300	40	9	8	3	2	62	3	7	9	14	21	19	21	14	38	61	30	1†
316	Bridgwater	532	303	49	10	2	3	6	70	8	8	9	8	25	23	22	21	39	50	19	1
317	Langport	236	170	26	5	1	–	–	32	2	5	10	9	21	7	6	13	20	33	11	1
318	Chard	419	249	51	16	3	4	2	76	11	1	8	7	15	15	8	20	35	38	14	1‡
319	Yeovil	472	252	41	6	3	1	1	52	5	6	5	9	22	21	17	19	37	43	14	2
320	Wincanton	324	177	31	6	3	–	1	41	1	2	4	5	11	7	16	27	22	30	10	1
321	Frome	382	238	43	13	2	4	1	63	7	3	10	8	18	15	17	17	33	34	12	1
322	Shepton Mallet	266	156	22	4	4	2	1	33	3	2	2	2	4	11	12	9	20	24	14	–
323	Wells	303	201	31	7	3	2	3	46	3	6	8	9	15	16	22	11	30	27	8	–
324	Axbridge	568	330	58	17	10	2	2	89	8	7	12	14	21	21	19	30	43	52	18	3
325	Clutton	412	198	33	7	2	2	3	47	6	6	8	10	8	13	10	16	28	31	14	1
326	Bath	906	752	119	34	21	11	7	192	10	13	21	15	41	61	52	87	122	94	42	2
327	Keynsham	366	226	38	12	6	5	2	63	2	8	9	8	17	13	8	18	31	32	17	–
328	Bedminster	855	489	116	33	19	5	7	180	12	16	14	7	44	31	43	39	51	36	14	2

VI.—WEST MIDLAND COUNTIES.

	22.—GLOUCESTERSH.																				
329	Bristol	1078	759	173	55	20	16	3	267	17	19	26	31	40	67	47	65	80	79	20	1
330	Clifton	1909	1170	255	70	35	19	10	389	36	22	40	36	72	91	77	107	137	125	36	2
331	Chipping Sodbury	306	143	25	3	3	4	–	35	4	3	6	6	7	6	9	12	20	26	8	1
332	Thornbury	241	119	13	4	3	4	3	27	1	–	5	1	8	10	9	6	25	18	7	2§
333	Dursley	203	162	11	8	1	1	1	22	4	1	3	6	9	9	11	17	27	40	13	–
334	Westbury-on-Severn	341	208	45	19	4	5	2	75	5	4	8	7	15	9	11	25	18	20	9	2
335	Newent	168	96	21	4	1	–	1	27	–	3	2	3	7	4	10	9	18	7	6	–
336	Gloucester	646	318	63	13	7	5	3	91	10	8	14	16	10	21	28	29	40	41	9	1
337	Wheatenhurst	109	55	14	6	2	1	–	23	–	2	2	1	4	2	3	–	7	9	2	–
338	Stroud	633	392	71	19	14	6	3	113	11	5	8	13	29	24	22	36	56	49	24	2
339	Tetbury	74	50	7	5	2	–	–	14	1	–	–	6	2	2	3	2	7	10	3	–
340	Cirencester	339	190	34	13	1	2	3	53	2	3	7	6	14	9	15	16	30	28	7	–
341	Northleach	147	106	16	5	–	3	1	25	4	4	5	4	8	9	6	10	9	14	8	–
342	Stow-on-the-Wold	159	78	15	2	1	1	1	20	2	1	5	2	5	3	3	8	14	14	1	–
343	Winchcomb	143	91	15	2	1	1	1	20	7	1	1	–	3	6	8	9	11	13	12	–
344	Cheltenham	689	513	83	21	6	4	3	117	10	6	29	17	32	41	36	58	68	67	31	1¶
345	Tewkesbury	223	139	17	6	1	2	–	26	2	4	8	4	2	7	10	16	24	28	8	–
	23.—HEREFORDSH.																				
346	Ledbury	193	122	19	6	3	–	2	30	3	1	6	2	9	8	5	13	24	12	9	–
347	Ross	258	148	36	4	3	–	–	43	3	2	5	4	9	9	10	17	15	24	5	2
348	Hereford	614	335	56	13	4	2	3	78	2	6	14	6	17	29	22	44	52	45	19	1
349	Weobly	142	60	19	4	–	–	–	23	–	3	–	–	4	4	4	7	8	3	4	–
350	Bromyard	188	109	25	2	–	3	1	31	4	–	4	5	6	5	3	10	16	19	5	1
351	Leominster	201	135	33	5	2	2	2	44	2	2	2	2	8	9	14	12	15	16	7	2
	24.—SHROPSHIRE.																				
352	Ludlow	287	173	36	9	4	2	2	53	2	6	7	3	13	17	11	17	14	19	11	–
353	Clun	159	115	26	8	2	1	3	40	3	–	5	3	8	5	8	10	14	15	4	–
354	Church Stretton	82	43	3	2	–	1	1	7	2	2	–	–	5	4	1	6	5	9	2	–
355	Cleobury Mortimer	117	76	13	4	4	–	2	23	4	2	1	–	4	1	2	9	12	15	2	1
356	Bridgnorth	231	112	22	4	1	2	1	30	–	3	2	3	6	7	11	9	23	14	4	–
357	Shiffnal	200	90	15	7	1	5	–	28	7	5	1	2	5	7	3	5	11	12	4	–
358	Madeley	564	290	68	22	10	5	2	107	10	16	5	16	16	19	13	24	18	31	15	–
359	Atcham	267	139	25	4	1	–	1	31	6	1	7	9	7	10	11	9	16	22	8	2
360	Shrewsbury	417	301	50	10	11	5	3	79	7	5	8	9	24	27	21	37	38	30	14	2**
361	Oswestry	413	220	41	13	7	1	2	64	2	4	7	5	16	18	13	26	29	28	12	1
362	Ellesmere	187	111	15	8	2	1	1	27	3	–	4	3	9	4	2	12	21	20	6	–
363*a*	Wem	164	89	12	2	1	1	1	17	4	1	2	7	5	11	6	4	13	13	5	1
363*b*	Whitchurch	164	109	20	2	1	2	3	28	6	2	2	2	10	10	4	9	13	20	3	–
364	Market Drayton	190	119	29	3	3	2	–	37	3	3	4	3	1	7	7	15	16	19	4	–
365	Wellington	496	231	64	15	5	4	4	92	4	5	7	5	19	10	15	23	26	18	7	–
366	Newport	242	156	34	11	4	3	1	53	3	5	5	2	9	8	7	15	25	16	7	1
	25.—STAFFORDSH.																				
367	Stafford	369	274	42	9	10	6	5	72	5	4	5	14	26	22	19	25	39	34	9	–
368	Stone	380	251	45	8	12	6	2	73	3	2	9	11	21	17	14	26	34	30	10	1‡
369	Newcastle-under-Lyme	529	318	74	33	13	12	16	148	14	5	4	6	22	20	20	18	29	23	8	1
370	Wolstanton	1436	909	271	122	66	45	32	536	46	19	19	30	58	49	29	45	56	16	5	1
371	Stoke-upon-Trent	1772	1159	330	129	80	35	26	600	68	27	31	37	84	66	52	80	63	42	8	1
372	Leek	445	301	52	19	7	12	5	95	15	6	14	16	26	24	17	15	32	34	7	–
373	Cheadle	349	200	39	14	5	4	3	65	11	3	8	9	8	17	13	16	23	18	8	1
374	Uttoxeter	229	148	25	9	6	3	1	44	3	2	7	1	11	13	3	13	20	21	8	2
375	Burton-upon-Trent	1034	472	123	38	23	6	6	196	7	5	20	17	23	36	28	36	60	29	14	1
376	Tamworth	308	155	33	7	2	2	2	46	7	5	7	5	9	10	6	9	24	17	10	–
377	Lichfield	512	274	59	16	8	3	4	90	11	10	9	11	18	11	18	20	29	30	16	1††
378	Penkridge	354	190	45	9	6	5	3	68	8	5	6	8	9	13	6	19	15	25	8	–
379	Wolverhampton	2628	1283	373	134	57	35	23	622	39	16	28	23	79	90	90	105	101	68	19	3§
380	Walsall	1483	615	180	64	29	11	8	292	30	15	14	15	37	30	46	43	53	31	8	1
381	West Bromwich	2200	980	289	111	45	33	22	500	35	24	27	22	53	54	54	57	90	56	7	1
382	Dudley	3108	1302	469	149	51	24	13	706	34	23	23	38	66	69	70	79	113	58	21	2

* One aged 103.
‖ One aged 104.
†Aged 103.
¶ Aged 100.
‡ Aged 101.
** One aged 102, and one aged 100.
§ One aged 100.
†† Aged 102.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	26.—WORCESTERSH.																				
383	STOURBRIDGE	1562	740	276	64	14	9	9	372	16	16	10	21	39	38	48	58	67	39	16	
384	KIDDERMINSTER	537	346	83	22	6	6	7	124	7	2	9	9	21	20	25	31	47	33	18	
385	TENBURY	131	64	7	4	–	1	–	12	1	1	–	3	6	6	7	8	12	6	2	
386	MARTLEY	259	142	23	5	–	2	1	34	5	2	4	–	7	12	11	10	24	22	11	
387	WORCESTER	566	378	91	12	7	3	6	119	11	5	9	17	23	26	40	33	43	35	12	
388	UPTON-ON-SEVERN	303	226	41	8	5	2	1	57	1	3	6	8	14	23	29	25	30	24	6	
389	EVESHAM	283	149	40	4	2	5	–	51	5	1	3	2	10	10	11	16	13	16	6	
390	PERSHORE	250	146	35	6	1	3	–	45	5	2	5	2	3	10	16	13	23	17	5	
391	DROITWICH	357	195	50	10	4	4	4	72	4	3	5	5	14	9	11	19	25	26	2	
392	BROMSGROVE	511	287	89	23	8	4	1	125	6	3	4	8	13	14	18	30	43	18	5	
393	KINGS NORTON	969	488	145	26	17	10	8	206	11	13	7	10	18	30	41	48	48	47	8	1
	27.—WARWICKSH.																				
394	BIRMINGHAM	4591	3235	895	364	167	115	64	1605	169	52	48	82	187	249	238	236	242	109	18	
395	ASTON	2671	1428	471	156	77	55	27	786	78	27	32	28	49	76	92	103	100	45	8	1
396	MERIDEN	143	99	17	4	1	–	1	23	2	1	6	2	6	7	6	8	18	11	8	1
397	ATHERSTONE	189	128	31	9	2	3	2	47	1	2	3	4	9	5	6	11	22	16	2	
398	NUNEATON	212	137	37	10	4	–	2	53	6	–	4	5	8	4	6	14	18	16	3	
399	FOLESHILL	327	174	60	7	7	2	2	78	7	3	7	7	5	7	6	15	20	14	5	
400	COVENTRY	673	383	117	27	6	1	5	156	11	6	8	9	20	25	25	42	42	32	6	1
401	RUGBY	359	217	57	14	4	2	2	79	7	6	5	7	9	10	10	16	34	26	8	
402	SOLIHULL	210	121	33	8	–	2	–	43	4	3	1	2	8	6	8	15	15	11	5	
403	WARWICK	632	458	101	20	5	6	3	135	6	7	8	19	30	36	40	43	74	50	10	
404	STRATFORD-ON-AVON	351	221	48	7	3	4	2	64	8	4	–	5	19	14	18	22	33	25	8	1
405	ALCESTER	297	165	46	12	5	4	1	68	8	–	2	6	2	4	16	15	21	17	6	
406	SHIPSTON-ON-STOUR	321	202	49	10	4	3	2	68	5	6	4	5	6	4	8	18	38	31	9	
407	SOUTHAM	178	94	29	8	1	–	2	40	2	1	2	3	4	8	8	5	11	8	2	

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSH.																				
408	LUTTERWORTH	212	126	33	5	2	–	1	41	7	1	5	2	6	1	2	16	23	18	4	
409	MARKET HARBOROUGH	237	146	35	11	2	3	1	52	2	1	4	3	4	9	11	17	21	18	4	
410	BILLESDON	106	51	9	2	1	2	–	14	1	–	–	3	1	4	2	5	7	11	3	
411	BLABY	254	144	47	8	5	1	3	64	1	3	1	7	9	4	10	6	20	12	6	
412	HINCKLEY	271	180	50	11	10	1	3	75	5	4	5	6	5	7	6	15	20	30	2	
413	MARKET BOSWORTH	230	143	45	9	3	–	2	59	3	1	3	7	5	5	9	10	16	17	8	
414	ASHBY-DE-LA-ZOUCH	557	322	120	31	7	5	2	165	1	4	16	7	13	7	18	21	31	30	9	
415	LOUGHBOROUGH	486	261	87	8	4	7	6	112	9	6	6	6	9	15	12	25	28	28	4	
416	BARROW-UPON-SOAR	432	214	61	15	12	4	–	92	5	3	3	5	3	8	13	19	32	29	2	
417	LEICESTER	1790	1049	438	88	27	7	12	572	13	11	28	21	55	59	68	70	89	50	12	
418	MELTON MOWBRAY	280	173	47	5	2	2	4	60	6	3	3	6	14	8	8	23	24	15	3	
	29.—RUTLANDSH.																				
419	OAKHAM	196	112	24	4	1	2	1	32	1	1	4	4	10	9	9	9	13	15	3	
420	UPPINGHAM	177	104	23	3	1	1	1	29	2	4	3	1	5	4	4	10	17	21	3	
	30.—LINCOLNSHIRE.																				
421	STAMFORD	265	173	34	5	–	2	–	41	5	6	4	7	7	10	20	22	31	17	3	
422	BOURN	346	197	53	11	2	1	–	67	5	4	2	4	13	4	8	22	29	32	7	
423	SPALDING	376	204	63	8	3	2	1	77	3	5	5	4	5	11	10	19	26	23	6	
424	HOLBEACH	313	158	56	7	–	2	–	65	3	3	6	2	3	6	10	20	20	15	5	
425	BOSTON	612	354	95	14	3	6	4	122	10	7	9	4	24	19	22	26	60	39	12	
426	SLEAFORD	435	232	71	9	6	6	2	94	3	1	5	11	13	15	9	22	29	15	13	
427	GRANTHAM	467	300	72	9	5	2	1	89	8	1	12	6	21	17	23	30	46	37	9	
428	LINCOLN	900	526	160	21	7	10	3	201	12	11	6	17	37	28	53	45	58	47	9	
429	HORNCASTLE	369	222	55	8	3	1	–	67	7	7	4	5	6	13	17	20	27	42	7	
430	SPILSBY	451	316	90	26	12	1	1	130	9	10	2	8	17	10	22	19	45	31	13	
431	LOUTH	532	305	83	8	5	4	3	103	14	4	3	9	19	16	14	33	39	41	9	
432	CAISTOR	804	376	121	27	4	8	3	163	13	5	15	9	30	24	20	24	35	30	8	
433	GLANFORD BRIGG	626	336	85	19	9	7	6	126	12	7	12	17	22	6	24	17	45	37	11	
434	GAINSBOROUGH	404	253	55	17	5	2	2	81	11	5	3	9	9	14	15	21	35	35	15	
	31.—NOTTINGHAMS.																				
435	EAST RETFORD	329	175	52	6	4	5	3	70	5	1	4	5	11	11	6	13	23	23	2	
436	WORKSOP	425	218	69	12	8	2	4	95	5	2	1	5	17	12	22	10	26	18	5	
437	MANSFIELD	634	356	105	17	6	4	7	139	17	12	11	8	19	13	19	26	56	27	9	
438	BASFORD	1678	775	290	44	13	10	7	364	18	15	20	25	30	45	50	66	69	52	20	
439	RADFORD	539	336	99	28	10	5	2	144	8	5	18	10	28	16	15	28	44	14	6	
440	NOTTINGHAM	1241	924	281	67	20	13	12	393	21	12	15	30	51	66	57	77	110	77	15	
441	SOUTHWELL	328	219	55	7	4	1	3	70	6	2	10	6	10	9	17	17	26	35	10	
442	NEWARK	514	267	77	11	3	7	–	98	5	7	5	11	8	14	14	21	37	31	15	
443	BINGHAM	225	135	34	5	1	–	1	41	2	2	3	2	4	11	8	20	19	18	5	
	32.—DERBYSHIRE.																				
444	SHARDLOW	555	315	66	12	11	9	4	102	11	4	10	11	14	13	15	34	41	48	12	
445	DERBY	1142	674	199	46	14	19	8	286	34	20	16	15	36	36	47	69	71	37	6	
446	BELPER	1030	518	144	31	12	7	4	198	19	7	13	11	31	27	32	46	73	49	12	
447	ASHBORNE	326	212	39	12	7	4	1	63	5	7	3	8	9	4	12	27	37	30	7	
448	CHESTERFIELD	1511	818	290	60	29	8	9	396	23	17	27	27	33	52	52	54	79	47	11	
449	BAKEWELL	466	339	63	25	8	2	2	100	2	5	4	12	19	17	30	31	56	55	8	
450	CHAPEL-EN-LE-FRITH	256	136	28	6	2	1	2	39	3	5	3	2	11	12	20	18	14	8	1	
451	HAYFIELD	507	362	96	24	3	11	4	138	17	5	15	11	25	22	18	45	37	23	6	

* Aged 100.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued*.

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	26.—WORCESTERSH.																				
383	Stourbridge	1493	618	191	69	28	10	6	304	21	11	16	11	42	33	35	35	61	36	13	–
384	Kidderminster	506	278	52	12	4	1	1	70	5	5	8	13	15	23	17	29	34	42	15	2
385	Tenbury	119	59	10	3	3	1	1	18	–	1	1	1	3	4	4	2	13	11	1	–
386	Martley	239	130	24	3	3	1	1	32	1	1	5	5	11	15	11	9	16	16	6	2
387	Worcester	570	368	79	22	7	8	6	122	9	4	7	10	28	25	33	24	50	42	13	1
388	Upton-on-Severn	301	186	32	2	2	–	1	37	8	3	2	5	21	20	13	19	24	27	7	–
389	Evesham	232	152	31	7	4	1	2	45	1	–	7	5	12	15	10	14	14	24	5	–
390	Pershore	203	114	18	3	6	3	–	30	5	3	8	3	7	8	4	11	17	14	4	–
391	Droitwich	302	164	49	9	3	4	3	68	3	4	5	3	10	11	4	12	23	17	4	–
392	Bromsgrove	501	308	75	23	10	4	8	120	8	6	11	8	21	20	9	25	33	36	11	–
393	Kings Norton	987	482	118	33	11	10	6	181	17	9	15	18	39	35	39	32	48	38	10	1
	27.—WARWICKSH.																				
394	Birmingham	4402	2929	768	318	164	104	73	1427	171	35	57	69	154	187	199	227	225	145	31	2
395	Aston	2615	1428	432	162	82	52	41	769	58	22	24	33	68	85	87	99	91	68	19	5
396	Meriden	179	92	10	3	2	–	–	15	5	3	4	3	5	8	5	10	12	17	5	–
397	Atherstone	211	111	25	3	2	3	–	33	1	2	5	3	8	8	6	11	9	20	5	–
398	Nuneaton	224	167	38	9	4	9	4	62	6	5	2	7	12	8	9	15	21	14	6	–
399	Foleshill	339	223	73	11	2	4	3	93	8	3	8	7	13	12	5	19	32	15	7	1
400	Coventry	651	425	83	32	22	8	3	148	12	4	14	20	31	21	26	34	61	43	10	1
401	Rugby	334	189	33	8	9	–	1	51	2	3	3	4	13	12	15	16	36	22	12	–
402	Solihull	201	106	27	3	3	–	1	34	6	2	1	1	5	9	6	7	14	17	4	–
403	Warwick	633	434	71	19	13	8	7	118	9	12	9	16	29	25	42	48	57	58	12	1
404	Stratford-on-Avon	323	222	42	12	4	3	2	63	2	2	10	8	13	10	14	19	40	38	3	–
405	Alcester	301	160	32	8	8	3	2	53	2	1	9	11	10	1	14	12	20	19	8	–
406	Shipston-on-Stour	306	188	40	9	5	3	1	58	5	5	5	4	11	8	14	20	19	30	8	1
407	Southam	140	104	23	10	2	4	–	39	3	2	1	5	9	5	5	6	15	11	3	–

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSH.																				
408	Lutterworth	210	137	23	3	1	–	2	29	4	3	4	3	14	6	10	11	25	19	9	–
409	Market Harborough	252	144	28	7	5	3	3	46	3	1	5	5	9	6	13	13	25	14	4	–
410	Billesdon	73	45	10	1	1	3	–	15	–	1	4	3	2	2	3	4	5	3	3	–
411	Blaby	243	137	32	11	7	4	–	54	4	4	5	3	5	4	7	11	12	24	3	1
412	Hinckley	271	204	49	13	1	1	4	68	11	3	13	10	10	17	13	14	21	19	5	–
413	Market Bosworth	223	149	24	7	2	1	2	36	3	5	4	4	15	8	11	15	23	16	9	–
414	Ashby-de-la-Zouch	500	293	82	16	10	2	11	121	8	5	11	10	20	20	16	22	23	31	6	–
415	Loughborough	457	279	74	10	8	9	1	102	14	7	11	7	18	20	14	19	31	28	8	–
416	Barrow-upon-Soar	356	218	71	11	6	4	3	95	2	1	10	6	10	14	8	14	29	22	5	2
417	Leicester	1708	1072	357	102	33	13	12	517	17	21	34	36	66	60	59	76	97	70	19	–
418	Melton Mowbray	283	152	34	3	3	1	1	42	10	5	6	5	7	10	9	12	19	23	4	–
	29.—RUTLANDSH.																				
419	Oakham	178	103	20	3	5	1	1	30	3	–	1	3	10	8	14	7	11	9	7	–
420	Uppingham	183	95	25	6	1	1	–	33	3	6	1	3	4	6	6	2	16	10	5	–
	30.—LINCOLNSHIRE.																				
421	Stamford	251	173	30	8	3	1	5	47	2	6	6	6	13	6	9	15	31	20	12	–
422	Bourn	310	153	33	10	2	2	2	49	2	5	1	6	9	7	10	14	18	25	7	–
423	Spalding	377	213	50	10	4	3	3	70	7	3	12	12	11	11	16	21	25	16	8	–
424	Holbeach	310	137	29	5	–	1	–	35	1	4	4	7	10	17	10	10	12	20	7	–
425	Boston	568	376	67	25	10	1	7	110	17	5	14	15	25	18	31	27	36	58	19	1*
426	Sleaford	429	204	68	16	4	1	1	90	3	2	5	7	9	4	11	15	26	20	12	–
427	Grantham	408	287	63	21	2	4	4	94	9	8	12	11	17	15	21	19	28	40	12	1
428	Lincoln	814	495	128	17	10	5	3	163	13	12	13	19	50	37	33	35	48	59	11	2
429	Horncastle	341	229	53	7	3	2	1	66	9	7	8	7	13	12	18	11	25	38	14	1
430	Spilsby	423	249	60	12	4	3	4	83	12	9	7	11	18	12	11	11	22	38	12	3
431	Louth	546	325	82	18	6	3	6	115	4	5	14	16	17	11	17	31	41	41	13	–
432	Caistor	735	355	89	15	12	4	4	124	13	6	12	14	25	18	29	22	39	33	19	1
433	Glanford Brigg	591	327	69	15	10	3	–	97	10	6	15	17	28	20	24	20	40	33	15	2
434	Gainsborough	400	252	51	11	7	6	9	84	8	2	11	8	17	15	16	21	27	35	6	2
	31.—NOTTINGHAMS.																				
435	East Retford	373	203	45	13	4	4	1	67	3	4	7	7	10	15	10	12	26	27	13	2
436	Worksop	406	203	38	15	4	2	2	61	6	2	10	7	17	17	14	21	15	28	5	–
437	Mansfield	567	364	89	24	9	3	2	127	7	10	17	22	25	24	16	26	42	41	6	1
438	Basford	1532	722	221	46	19	8	5	299	24	16	29	23	60	40	40	57	65	58	11	1
439	Radford	477	341	79	28	9	7	3	126	7	2	20	15	25	29	26	37	29	20	5	–
440	Nottingham	1266	888	193	57	24	17	12	303	22	24	35	42	56	54	66	79	109	56	11	1
441	Southwell	326	205	28	6	4	3	3	44	5	5	5	12	13	12	16	18	29	33	13	–
442	Newark	467	270	55	8	4	6	3	76	9	4	8	12	22	20	20	21	32	32	14	–
443	Bingham	219	117	28	4	–	1	–	33	1	1	3	4	13	6	4	14	14	14	7	1
	32.—DERBYSHIRE.																				
444	Shardlow	500	295	55	12	13	1	7	88	6	8	16	8	17	18	20	20	35	50	8	1
445	Derby	1106	667	164	43	10	16	8	241	23	12	20	37	59	47	38	59	64	53	14	–
446	Belper	1009	538	117	23	15	9	4	168	17	11	21	23	59	33	38	37	65	54	12	–
447	Ashborne	299	224	37	12	3	3	1	56	5	9	9	10	17	18	14	26	28	26	5	1
448	Chesterfield	1455	701	215	68	21	20	4	328	18	9	28	29	43	38	38	41	59	56	9	1
449	Bakewell	484	300	52	13	3	6	2	76	5	6	14	9	20	27	18	43	44	29	8	1
450	Chapel-en-le-Frith	285	129	32	5	1	2	5	45	3	5	9	6	10	11	5	8	11	14	2	–
451	Hayfield	490	334	79	13	8	2	2	104	8	11	11	14	41	25	23	36	39	21	1	–

* Aged 101.

VIII.—NORTH WESTERN COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	33.—CHESHIRE.																				
452	Stockport	1651	1201	317	88	33	24	17	484	41	18	29	41	59	82	100	138	130	63	15	1
453	Macclesfield	901	608	147	33	13	15	6	214	28	15	21	13	26	41	44	66	69	57	14	–
454	Altrincham	753	409	97	13	9	5	5	129	9	8	7	11	26	36	35	45	60	32	10	1
455	Runcorn	609	340	98	25	9	11	3	146	14	6	11	13	12	22	21	29	42	19	5	–
456	Northwich (*a*)	717	438	132	29	16	9	8	194	15	13	12	13	24	27	22	34	50	25	9	–
457	Congleton (*a*)	591	341	81	23	12	10	5	131	19	7	10	12	19	23	15	31	35	31	8	–
458	Nantwich	941	515	156	38	16	12	5	227	16	11	12	14	39	21	32	35	50	41	17	–
459	Great Boughton (Chester)	1011	760	173	53	20	13	8	267	23	20	13	26	59	67	71	69	65	58	21	1
460*a*	Wirral	331	210	47	12	10	4	6	79	15	4	16	3	18	10	10	14	23	14	4	–
460*b*	Birkenhead	1503	939	248	110	51	36	27	472	44	18	25	25	62	66	83	68	55	19	2	–
	34.—LANCASHIRE.																				
461	Liverpool	4971	4678	1119	534	221	152	99	2125	202	75	96	158	405	468	432	354	274	80	8	1
462	West Derby	6465	3811	1123	424	174	149	81	1951	210	72	59	96	267	288	287	261	222	85	13	–
463	Prescot	1821	981	281	107	41	24	22	475	39	27	19	39	61	75	67	78	63	30	8	–
464	Ormskirk	910	641	154	47	30	18	20	269	38	18	17	18	34	45	37	53	59	44	9	–
465	Wigan	2387	2068	559	285	161	104	76	1185	161	54	59	52	75	82	105	116	98	61	19	1
466	Warrington	1025	599	202	52	13	9	8	284	19	11	16	16	42	60	44	40	44	20	3	–
467	Leigh	764	454	126	39	22	11	5	203	16	10	7	15	16	34	34	35	55	25	4	–
468	Bolton	3012	2046	570	234	89	47	53	993	82	37	72	60	100	99	149	184	160	87	21	2
469	Bury	1846	1288	350	99	42	20	17	528	37	36	38	55	69	93	110	118	129	60	15	–
470	Barton-upon-Irwell	808	491	140	34	19	8	6	207	17	11	10	14	37	35	29	45	43	40	3	–
471	Chorlton	3793	2689	767	332	132	91	47	1369	119	34	67	78	162	182	209	208	171	79	10	1
472	Salford	2327	1688	464	221	84	47	24	840	66	32	42	35	98	126	153	128	110	51	7	–
473	Manchester	4782	4385	1160	456	206	115	88	2025	201	104	122	141	311	346	354	376	272	122	11	–
474	Ashton	2400	1818	540	171	79	48	41	879	82	48	35	55	100	104	124	161	130	90	10	–
475	Oldham	2278	1533	488	129	53	30	37	737	58	25	50	42	76	97	108	144	116	70	10	–
476	Rochdale	1745	1261	337	111	34	29	16	527	40	27	33	37	72	98	94	134	121	67	11	–
477	Haslingden	1364	938	285	92	31	24	20	452	31	25	32	18	55	47	66	80	71	55	6	–
478	Burnley	1568	983	314	102	39	20	12	487	34	19	31	33	46	49	66	73	83	53	9	–
479	Clitheroe	840	521	53	19	6	2	1	81	6	2	5	6	11	7	13	15	37	32	6	–
480	Blackburn	2930	1801	626	189	81	32	32	960	62	36	53	47	94	97	111	116	139	70	16	–
481	Chorley	772	488	142	48	19	10	8	227	21	16	12	12	24	21	26	47	41	30	11	–
482	Preston	2393	1587	546	159	45	28	16	794	44	29	42	50	98	89	92	114	127	86	20	2
483	Fylde	471	280	62	22	9	5	3	101	7	5	11	5	18	20	17	27	34	27	7	1
484	Garstang	186	121	29	8	5	1	2	45	3	4	4	6	7	4	6	9	17	10	6	–
485	Lancaster	686	417	83	26	6	10	6	131	10	6	7	16	35	32	39	47	46	41	6	1
486	Ulverston	1006	519	130	29	17	10	6	192	12	10	21	27	50	44	36	49	35	34	9	–

IX.—YORKSHIRE.

	35.—WEST RIDING.																				
487	Sedbergh	40	27	4	1	–	–	–	5	–	1	–	2	3	4	–	3	4	5	–	–
488	Settle	197	123	24	6	1	2	1	34	2	2	7	1	5	6	9	18	13	20	5	1
489	Skipton	463	356	96	16	7	5	7	131	14	9	10	10	12	19	24	37	39	43	7	1
490	Pateley Bridge	150	94	28	1	4	1	–	34	2	–	1	5	6	4	6	9	11	10	6	–
491	Ripon	245	155	45	5	4	–	1	55	2	4	6	4	7	6	6	13	19	25	8	–
492*a*	Great Ouseburn	171	101	22	4	1	1	–	28	4	1	–	6	4	3	6	13	16	15	5	–
492*b*	Knaresborough	284	198	59	9	6	5	2	81	10	3	4	4	6	12	17	21	17	18	5	–
492*c*	Wetherby	86	54	13	4	2	–	–	19	3	1	–	1	5	3	–	4	7	8	3	–
492*d*	Kirkdeighton	23	10	3	–	1	–	–	4	2	–	–	–	–	1	–	1	1	1	–	–
493*a*	Otley	343	216	75	9	8	5	4	101	3	2	4	5	12	8	15	19	26	20	1	–
493*b*	Wharfedale	333	178	55	17	5	1	4	82	10	3	1	8	7	7	13	16	19	11	–	1
494	Keighley	826	545	153	43	12	10	3	221	16	10	21	19	29	34	41	58	53	37	6	–
495	Todmorden	502	311	76	15	7	5	2	105	10	7	13	12	19	22	25	37	37	19	5	–
496	Saddleworth	350	231	67	18	2	2	4	93	6	4	8	4	13	9	14	24	29	18	9	–
497	Huddersfield	2684	1656	448	128	38	14	23	651	49	32	66	66	90	94	122	185	167	115	19	–
498	Halifax	2600	1705	477	145	59	21	16	718	46	41	62	59	90	106	143	150	167	99	24	–
499	Bradford	4484	2854	931	274	81	56	42	1384	69	66	80	91	167	190	209	231	222	119	25	1
500*a*	Kirkstall	1230	667	248	58	11	10	12	339	23	18	14	21	37	48	30	52	49	32	4	–
500*b*	Hunslet	854	451	176	53	19	5	5	258	12	8	11	13	26	30	32	31	22	6	2	–
500*c*	Holbeck	358	215	61	25	7	4	6	103	9	5	4	7	7	14	21	24	17	4	–	–
500*d*	Bramley	282	155	57	14	9	4	2	86	3	3	4	2	9	9	10	7	12	8	2	–
501	Leeds	2875	1891	605	184	51	31	25	896	49	19	53	56	147	149	154	163	132	68	5	–
502	Dewsbury	2345	1443	439	140	60	39	18	756	71	39	40	47	73	79	78	87	103	60	10	–
503	Wakefield	1309	831	214	42	12	17	12	297	35	20	19	21	67	80	75	78	91	39	9	–
504*a*	Pontefract	289	147	40	15	6	3	1	65	–	2	3	6	5	9	8	16	14	17	1	1
504*b*	Hemsworth	120	56	11	1	1	–	1	14	4	4	3	1	2	4	2	3	9	9	1	–
504*c*	Castleford	476	249	84	31	10	4	3	132	6	3	6	10	14	11	11	25	19	10	2	–
505	Barnsley	1111	960	210	69	22	14	7	322	26	57	90	78	120	75	54	58	50	25	5	–
506	Wortley	837	443	139	33	16	8	3	199	19	7	8	14	25	35	31	25	48	29	3	–
507	Ecclesall Bierlow	1533	862	265	69	34	21	14	403	31	18	24	23	52	53	54	87	66	40	11	–
508	Sheffield	3336	2174	685	197	101	44	37	1064	89	45	55	69	134	165	172	162	154	59	5	1
509	Rotherham	1069	632	200	49	20	12	16	297	14	12	19	16	40	51	43	52	43	36	9	–
510	Doncaster	769	476	152	41	12	11	4	220	15	7	12	14	29	30	32	27	39	41	10	–
511	Thorne	324	190	62	17	4	5	3	91	7	2	6	7	7	6	8	11*	21	20	4	–
512	Goole	320	195	84	16	10	1	2	113	10	3	3	5	10	9	4	10	16	11	1	–
513	Selby	300	169	49	3	5	3	3	63	9	5	4	9	11	6	15	18	9	15	5	–
514*a*	Tadcaster	92	55	14	1	1	–	–	16	–	2	3	2	4	5	2	8	4	6	3	–
514*b*	Bramham	215	131	37	6	3	2	–	48	3	3	1	4	6	2	10	13	19	19	2	1
	36.—EAST RIDING (with York).																				
515	York	1025	699	202	30	17	9	8	266	15	12	23	26	39	52	58	77	53	63	13	2
516	Pocklington	246	148	43	2	2	2	1	50	3	2	3	1	11	5	12	13	26	17	5	–
517	Howden	225	153	44	10	6	2	4	66	9	6	3	2	7	7	3	6	21	18	5	–
518	Beverley	338	218	58	12	6	4	1	81	5	2	9	7	7	11	12	19	31	25	8	1
519	Sculcoates	1201	703	250	67	26	16	5	364	27	11	21	23	29	42	32	41	63	37	13	–
520	Hull	1131	773	222	60	24	19	7	332	20	12	19	32	52	54	75	62	63	47	5	–
521	Patrington	152	88	23	3	–	3	–	29	6	3	2	4	3	7	8	7	10	8	1	–
522	Skirlaugh	161	87	29	3	3	1	1	37	–	1	1	4	3	9	7	6	6	12	1	–
523	Driffield	312	195	66	7	5	3	1	82	2	–	8	6	7	11	4	20	26	24	5	–
524	Bridlington	272	145	44	7	3	3	–	57	3	2	5	2	9	6	11	15	13	17	5	–

(*a*) See page 18, note *.

* Aged 104.

VIII.—NORTH WESTERN COUNTIES.—DEATHS at different Ages, 1867—DISTRICTS—*continued.*

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	33.—CHESHIRE.																				
452	Stockport	1553	1114	264	74	30	24	21	413	52	27	35	46	80	83	81	108	102	74	15	-
453	Macclesfield	900	684	121	30	20	18	11	200	25	23	23	26	55	49	52	59	100	65	6	1
454	Altrincham	676	413	79	24	5	5	7	120	18	6	11	14	37	29	27	32	61	49	9	-
455	Runcorn	555	302	61	32	12	4	6	115	12	6	12	16	22	18	26	24	25	18	8	-
456	Northwich(a)	647	385	90	33	14	8	5	150	15	8	12	16	33	27	17	35	42	24	6	-
457	Congleton (a)	540	388	79	25	13	10	7	134	8	6	15	16	27	38	31	31	43	33	6	-
458	Nantwich	919	448	112	34	12	9	9	176	18	9	13	12	26	31	27	29	43	46	16	2
459	Great Boughton (Chester)	1061	663	118	44	25	12	9	208	24	14	17	29	46	56	43	59	84	65	16	2
460a	Wirral	382	195	40	19	5	11	2	77	16	8	7	7	17	5	8	18	18	5	8	1
460b	Birkenhead	1463	806	188	95	40	32	21	376	45	13	23	25	62	54	68	49	45	36	10	-
	34.—LANCASHIRE.																				
461	Liverpool	4822	4155	976	478	222	115	96	1867	178	66	86	121	363	387	371	347	221	124	21	3
462	West Derby	6108	3616	926	394	177	124	70	1691	174	77	81	111	295	278	237	268	225	140	36	3
463	Prescot	1759	862	212	85	35	35	15	382	37	18	16	29	68	65	60	78	59	42	7	1
464	Ormskirk	921	620	130	53	26	19	19	247	38	15	11	26	42	44	43	53	53	36	10	2
465	Wigan	2422	1785	416	235	161	101	57	990	181	39	31	47	77	80	76	80	99	63	22	-
466	Warrington	1012	540	136	48	21	11	7	223	11	7	7	19	39	48	51	41	58	30	6	-
467	Leigh	734	522	118	45	24	16	7	210	20	9	18	21	37	36	31	38	50	41	9	2
468	Bolton	2795	1772	431	184	66	64	41	786	67	31	70	71	96	140	108	162	119	100	22	1
469	Bury	1847	1221	299	83	35	24	20	461	51	30	45	48	93	90	86	100	119	81	16	1
470	Barton-upon-Irwell	740	521	135	39	18	12	9	213	17	8	16	23	36	32	32	49	47	39	9	-
471	Chorlton	3658	2529	640	305	133	77	52	1207	104	40	72	81	181	182	158	178	198	107	21	-
472	Salford	2367	1687	436	214	79	48	38	815	69	34	49	39	109	135	102	121	126	77	10	1
473	Manchester	4526	4038	899	452	210	152	93	1806	152	67	88	122	294	345	356	342	284	153	24	5*
474	Ashton	2316	1749	420	166	64	49	22	721	68	38	54	54	128	125	130	170	149	100	12	-
475	Oldham	2245	1395	326	139	47	34	33	579	59	17	51	57	102	93	85	129	130	79	14	-
476	Rochdale	1683	1110	267	108	32	20	20	447	54	23	30	42	76	79	74	110	96	60	19	-
477	Haslingden	1327	894	223	86	29	34	18	390	35	17	33	29	65	51	70	57	79	52	16	-
478	Burnley	1411	911	228	83	34	22	10	377	23	23	30	33	80	60	60	70	79	60	16	-
479	Clitheroe	285	202	38	12	3	3	2	58	6	8	3	13	14	17	8	18	25	24	8	-
480	Blackburn	2626	1623	458	164	79	32	34	767	49	32	64	58	106	117	122	136	99	53	19	1
481	Chorley	756	505	107	46	24	7	7	191	20	17	30	25	29	24	26	47	44	36	15	1
482	Preston	2203	1606	438	146	40	36	21	681	42	31	49	82	107	123	120	144	132	80	15	-
483	Fylde	465	322	59	19	8	6	3	95	12	10	12	8	27	18	27	36	34	30	13	-
484	Garstang	168	117	16	7	2	4	-	29	4	5	2	6	6	10	7	5	26	16	1	-
485	Lancaster	633	403	73	29	6	5	-	113	6	9	10	15	40	32	35	38	53	45	6	1
486	Ulverston	938	452	103	38	18	14	10	183	16	13	12	19	34	33	24	29	37	34	16	2

IX.—YORKSHIRE.

	35.—WEST RIDING.																				
487	Sedbergh	60	32	3	-	1	-	-	4	-	1	-	3	3	3	3	7	3	2	2	1
488	Settle	178	111	14	3	3	1	-	21	5	2	6	8	9	8	12	8	9	16	7	-
489	Skipton	455	340	63	24	11	8	5	111	12	6	20	13	25	25	24	22	41	30	11	-
490	Pateley Bridge	150	101	22	6	3	1	2	34	3	1	4	7	6	8	4	7	8	17	2	-
491	Ripon	235	188	19	2	1	2	3	27	3	3	2	6	8	6	10	17	22	21	13	-
492a	Great Ouseburn	166	97	12	4	1	4	-	21	3	3	3	3	4	5	7	5	20	18	4	1
492b	Knaresborough	275	205	31	13	5	3	2	54	7	2	5	3	17	16	17	20	31	29	4	-
492c	Wetherby	90	54	7	3	-	-	-	10	-	2	6	2	6	5	2	6	6	7	1	1
492d	Kirkdeighton	10	7	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	1
493a	Otley	308	214	42	17	4	3	6	72	5	5	14	2	21	14	16	20	21	20	4	1
493b	Wharfedale	304	196	51	19	9	3	3	85	6	4	12	10	15	13	12	13	15	7	3	1
494	Keighley	790	543	110	33	16	9	4	172	16	15	27	28	44	40	38	56	63	41	3	-
495	Todmorden	469	329	66	20	10	6	1	103	13	4	17	12	21	29	32	38	32	25	3	-
496	Saddleworth	310	210	37	17	6	5	3	68	5	4	11	10	12	17	15	21	23	21	3	-
497	Huddersfield	2472	1386	330	105	37	26	14	512	49	41	76	69	123	89	98	108	121	81	18	1
498	Halifax	2552	1614	382	141	58	18	21	620	35	51	86	66	114	113	115	117	157	123	17	-
499	Bradford	4316	2656	715	249	85	50	28	1127	61	53	119	123	226	190	168	187	237	140	25	-
500a	Kirkstall	1204	633	180	49	20	9	10	268	25	17	29	22	55	32	44	34	63	41	3	-
500b	Hunslet	850	435	130	49	21	9	4	213	6	7	13	14	35	37	27	26	27	26	4	-
500c	Holbeck	337	242	63	23	12	6	4	111	4	3	4	13	13	18	16	22	22	14	2	-
500d	Bramley	276	141	48	16	4	2	1	71	5	3	9	2	11	10	4	7	9	9	1	-
501	Leeds	2715	1741	485	181	65	41	33	805	49	33	35	65	128	121	128	122	147	92	15	1†
502	Dewsbury	2273	1317	348	132	52	46	31	609	57	32	55	60	78	91	78	83	97	62	15	-
503	Wakefield	1278	719	160	61	26	15	9	271	40	20	21	23	59	55	53	62	63	42	10	-
504a	Pontefract	269	143	33	10	6	-	1	50	7	1	4	7	5	8	8	14	15	22	2	-
504b	Hemsworth	108	64	8	2	1	2	2	15	1	1	5	-	5	3	9	5	9	7	3	1
504c	Castleford	515	225	73	20	4	1	3	101	9	8	7	5	11	10	12	15	27	15	5	-
505	Barnsley	1148	562	199	55	29	12	10	305	17	14	20	14	38	32	29	23	34	27	9	-
506	Wortley	786	397	93	27	12	6	6	144	18	9	15	14	28	34	20	24	41	41	9	-
507	Ecclesall Bierlow	1553	763	209	74	22	15	14	334	30	19	24	28	53	50	57	53	70	39	5	1
508	Sheffield	3205	1934	525	234	96	49	26	930	82	27	51	60	143	139	130	130	158	72	12	-
509	Rotherham	1043	565	189	52	25	10	10	286	13	2	13	19	34	31	42	33	43	42	7	-
510	Doncaster	779	424	97	29	14	12	7	159	17	9	16	11	33	34	19	25	48	39	14	-
511	Thorne	332	149	38	14	-	1	1	54	5	3	5	6	9	11	10	10	19	14	3	-
512	Goole	299	219	63	21	10	5	6	105	5	11	5	7	13	8	11	8	23	16	7	-
513	Selby	299	156	42	11	7	1	1	62	3	7	2	4	6	11	5	13	20	18	4	1
514a	Tadcaster	85	51	10	4	-	1	-	15	2	-	1	2	1	5	4	6	8	3	1	1
514b	Bramham	195	120	19	4	1	1	2	27	4	1	3	5	9	5	9	8	22	19	6	2
	36.—EAST RIDING (with York).																				
515	York	951	662	149	42	13	7	5	216	15	12	17	16	66	57	58	67	60	57	21	-
516	Pocklington	225	124	34	7	-	-	-	41	4	3	5	8	4	4	5	9	19	14	8	-
517	Howden	213	145	41	11	6	2	1	61	4	6	4	8	12	4	5	5	16	17	3	-
518	Beverley	374	192	46	11	1	2	2	62	1	6	5	8	11	8	16	7	32	22	10	4
519	Sculcoates	1115	678	164	58	24	14	7	267	27	16	18	21	44	43	54	62	58	55	11	2*
520	Hull	1081	730	185	66	24	15	10	300	18	17	18	30	64	48	47	53	60	61	18	1‡
521	Patrington	143	88	22	4	5	1	-	32	3	4	2	3	10	4	5	7	8	8	2	1
522	Skirlaugh	163	83	21	4	1	-	1	27	1	4	-	1	8	6	3	7	12	11	2	1
523	Driffield	326	206	51	14	4	3	1	73	11	5	2	7	12	15	14	11	24	23	9	-
524	Bridlington	242	112	35	2	3	2	1	43	1	1	4	-	11	9	7	9	13	9	5	-

(a) See page 18, note *.

* One aged 103. † Aged 100. ‡ Aged 104.

IX.—YORKSHIRE.—DEATHS at different Ages, 1867—DISTRICTS—*continued*.

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	37.—NORTH RIDING.																				
525	Scarborough	663	381	111	22	9	8	2	152	16	3	5	12	25	14	30	36	38	40	9	1
526	Malton	403	217	53	10	2	–	1	66	5	5	3	7	9	12	21	20	21	35	13	–
527	Easingwold	157	89	24	1	–	2	–	27	3	1	2	5	6	3	1	10	10	16	5	–
528	Thirsk	168	122	31	2	3	3	–	39	1	5	6	4	5	8	10	13	14	15	2	–
529	Helmsley	217	110	26	5	1	2	1	35	5	2	4	5	4	3	11	7	13	14	7	–
530	Pickering	234	121	43	2	–	2	–	47	–	3	2	3	8	6	11	12	9	17	2	1
531	Whitby	449	269	60	12	16	8	1	97	8	5	13	7	13	15	27	18	25	29	12	–
532	Guisbrough	652	322	113	37	11	7	1	169	8	10	7	15	25	25	18	15	15	12	3	–
533	Stokesley	192	96	23	3	1	2	–	29	3	3	4	2	4	6	5	12	13	12	3	–
534	Northallerton	178	116	29	2	2	1	2	36	4	1	2	6	8	6	11	7	14	15	6	–
535	Bedale	136	80	12	2	3	–	–	17	–	2	1	3	5	11	3	8	16	10	4	–
536	Leyburn	140	104	29	5	2	1	–	37	2	–	–	3	7	3	4	10	19	15	4	–
537	Askrigg	93	53	10	–	–	2	–	12	1	4	1	4	2	5	3	4	10	6	1	–
538	Reeth	82	55	10	5	1	–	–	16	1	–	3	4	4	4	6	6	8	2	1	–
539	Richmond	170	120	15	6	4	8	4	37	12	2	3	6	6	8	3	15	13	16	6	2

X.—NORTHERN COUNTIES.

	38.—DURHAM.																				
540	Darlington	669	346	110	22	11	11	5	159	7	8	10	12	15	23	29	20	33	21	9	–
541*a*	Stockton	1910	986	348	108	45	17	14	532	47	24	26	29	60	52	49	42	64	45	14	2
541*b*	Hartlepool	821	399	134	42	16	15	3	210	27	15	10	18	21	20	14	18	28	11	7	–
542	Auckland	1495	878	290	140	49	20	16	524	33	18	39	39	38	26	37	54	45	21	4	–
543	Teesdale	334	213	39	11	7	9	3	69	13	2	6	6	9	19	17	19	23	23	6	1
544	Weardale	362	205	59	12	8	3	5	87	8	3	4	6	14	15	21	10	26	8	2	1
545	Durham	1632	1002	257	89	70	39	29	484	82	43	28	29	48	48	55	72	59	33	18	3*
546	Easington	701	344	107	41	13	11	5	177	17	13	10	11	13	9	18	25	22	23	6	–
547	Houghton-le-Spring	493	274	87	31	13	1	1	133	2	3	10	15	13	12	17	20	23	18	3	–
548	Chester-le-Street	725	455	149	54	21	10	8	242	29	14	10	8	25	16	21	38	25	21	6	–
549	Sunderland	2143	1279	422	141	69	23	21	681	45	26	30	45	76	80	80	67	81	60	6	2
550	South Shields	1311	864	265	122	54	25	25	491	57	21	22	25	44	35	34	40	49	36	10	–
551	Gateshead	1330	983	275	134	52	43	27	531	70	18	25	30	41	64	50	58	49	38	13	1
	39.—NORTHUMBERL.																				
552	Newcastle-upon-Tyne	2540	2057	552	205	92	75	59	983	134	37	70	66	130	143	138	146	120	78	11	1
553	Tynemouth	1769	1269	325	158	85	54	38	660	94	29	39	29	57	46	64	82	79	70	19	1
554	Castle Ward	260	159	43	8	7	2	4	64	8	5	5	3	8	7	9	12	20	14	4	–
555	Hexham	538	311	70	16	15	6	7	114	13	3	9	7	23	17	19	29	31	29	15	2
556	Haltwhistle	113	46	12	1	1	–	2	16	–	1	4	3	1	2	–	2	9	8	–	–
557	Bellingham	105	77	15	3	3	1	–	22	2	1	3	3	6	6	7	6	5	9	7	–
558	Morpeth	528	376	104	30	15	8	10	167	21	8	15	14	26	29	20	18	22	27	7	2
559	Alnwick	282	189	29	9	4	3	2	47	5	4	5	5	14	8	11	24	26	28	3	–
560	Belford	91	55	11	2	–	2	1	16	4	1	1	2	2	2	3	5	6	12	1	–
561	Berwick	356	200	28	4	6	2	–	40	8	5	11	9	21	8	12	23	31	25	7	–
562	Glendale	197	113	23	6	1	1	1	32	4	4	3	6	8	3	10	7	18	13	5	–
563	Rothbury	105	42	6	4	–	–	1	11	–	3	1	1	1	4	2	5	4	9	–	1
	40.—CUMBERLAND.																				
564	Alston	81	60	17	–	–	–	2	19	–	–	1	2	5	3	10	9	8	3	–	–
565	Penrith	357	218	41	13	7	10	10	81	12	1	9	4	12	10	16	19	25	24	5	–
566	Brampton	188	94	14	6	1	2	–	23	1	5	3	1	7	6	7	7	7	22	5	–
567	Longtown	153	81	15	–	3	1	–	19	3	3	3	4	6	2	3	3	17	14	3	1
568	Carlisle	796	617	149	57	27	13	14	260	28	14	15	11	46	43	33	57	54	49	6	1
569	Wigton	334	214	41	9	5	5	4	64	18	5	2	6	15	10	13	20	27	28	6	–
570	Cockermouth	889	558	152	49	22	18	15	256	33	14	14	22	32	21	25	27	57	46	9	2
571	Whitehaven	931	576	146	65	21	27	17	276	27	14	26	11	31	35	22	40	49	39	5	1
572	Bootle	133	94	24	3	2	2	2	33	1	1	3	5	6	10	3	3	9	15	–	–
	41.—WESTMORLD.																				
573	East Ward	193	103	18	2	1	1	–	22	2	2	1	4	4	6	10	9	15	23	5	–
574	West Ward	126	74	16	–	1	2	1	20	3	4	2	3	4	4	6	4	8	10	6	–
575	Kendal	659	395	82	23	18	11	8	142	23	14	12	17	24	19	26	36	39	34	8	1

XI.—MONMOUTHSHIRE AND WALES.

	42.—MONMOUTHSH.																				
576	Chepstow	298	185	45	12	6	3	1	67	4	–	3	7	6	10	19	10	27	23	9	–
577	Monmouth	504	325	57	21	10	3	7	98	14	8	10	12	9	20	15	36	43	47	13	–
578*a*	Abergavenny	383	249	43	17	6	1	2	69	4	8	4	11	13	21	31	19	34	23	12	–
578*b*	Bedwelty	1038	621	176	81	18	20	6	301	29	22	19	27	41	34	31	45	40	23	9	–
579	Pontypool	684	344	97	31	15	8	3	154	14	8	11	12	18	23	19	31	32	18	3	1
580	Newport	930	576	139	43	23	6	9	220	14	12	23	20	47	46	45	47	50	39	12	1†
	43.—SOUTH WALES.																				
	GLAMORGANSHIRE.																				
581*a*	Cardiff	1369	821	242	70	24	12	13	361	26	19	29	51	69	81	49	55	33	37	11	–
581*b*	Pontypridd	993	533	175	49	21	10	10	265	21	10	22	27	36	37	28	36	27	17	6	1
582	Merthyr Tydfil	2199	1246	358	103	41	18	6	526	46	49	43	61	78	96	84	109	98	48	7	1
583	Bridgend	539	348	87	21	16	2	4	130	14	3	10	13	23	20	29	34	30	32	10	–
584	Neath	1319	663	188	54	13	10	6	271	24	20	27	23	52	53	51	51	57	24	10	–
585*a*	Swansea	1202	604	160	49	20	10	6	245	22	15	27	24	49	47	34	42	52	41	6	–
585*b*	Gower	129	71	13	2	1	–	2	18	–	–	3	5	6	6	3	9	12	7	2	–

* Aged 100.

† Aged 101.

IX.—YORKSHIRE.—DEATHS at different Ages, 1867—DISTRICTS—*continued*.

No.	DISTRICTS.	Total Births.	Total Deaths.	FEMALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.	
	37.—NORTH RIDING.																					
525	Scarborough	630	376	94	18	6	8	5	131	10	7	7	13	22	25	31	36	42	28	23	1	
526	Malton	390	201	53	11	4	2	-	70	7	6	7	8	15	6	14	13	26	19	10	-	
527	Easingwold	123	77	8	6	2	4	-	20	2	-	-	1	7	5	7	10	8	12	5	-	
528	Thirsk	199	137	21	6	3	-	1	31	2	2	5	8	7	3	4	18	23	24	10	-	
529	Helmsley	177	132	20	6	3	-	-	29	3	-	5	8	10	6	9	11	17	22	11	1	
530	Pickering	212	113	26	6	1	2	2	37	3	3	2	2	10	7	8	11	11	16	2	1	
531	Whitby	426	231	56	17	15	7	6	101	9	9	7	9	26	16	16	19	29	27	13	-	
532	Guisbrough	662	342	111	32	11	7	8	169	7	5	10	19	25	22	19	12	15	26	13	-	
533	Stokesley	153	94	19	5	2	3	1	30	5	3	3	2	3	4	4	10	14	9	7	-	
534	Northallerton	210	137	28	7	1	1	1	38	8	2	3	1	7	6	7	11	26	18	9	1	
535	Bedale	120	76	12	3	1	3	-	19	-	3	1	3	6	6	5	8	13	8	4	-	
536	Leyburn	130	77	10	6	1	-	1	18	2	2	4	2	5	4	7	5	10	15	2	-	
537	Askrigg	81	59	8	4	-	1	-	13	1	2	3	5	6	2	6	7	3	6	4	1	
538	Reeth	75	60	8	1	-	-	1	10	1	3	5	7	4	6	3	4	11	3	3	-	
539	Richmond	171	130	15	11	1	4	1	32	2	3	2	9	5	6	4	17	24	15	9	2	

X.—NORTHERN COUNTIES.

	38.—DURHAM.																					
540	Darlington	651	319	76	26	12	3	6	123	11	5	8	13	21	17	15	22	41	33	9	1	
541*a*	Stockton	1770	924	303	100	45	20	11	479	30	15	29	32	73	56	42	47	57	48	15	1	
541*b*	Hartlepool	735	346	104	36	19	14	7	180	34	4	3	12	19	18	6	24	28	12	6	-	
542	Auckland	1361	788	210	118	42	24	18	412	50	18	21	34	56	42	32	33	42	37	11	-	
543	Teesdale	307	213	31	7	6	2	5	51	9	2	5	17	12	19	16	19	22	37	4	-	
544	Weardale	342	212	51	10	10	4	6	81	6	6	7	10	32	13	5	16	23	10	3	-	
545	Durham	1562	998	248	121	63	41	33	506	92	25	35	28	65	43	50	45	46	44	17	2	
546	Easington	594	306	85	50	9	8	2	154	16	7	7	9	17	17	21	22	20	14	2	-	
547	Houghton-le-Spring	516	265	70	27	11	8	4	120	16	3	7	7	20	10	15	18	22	24	3	-	
548	Chester-le-Street	656	386	120	37	25	14	12	208	24	7	11	8	24	18	21	14	26	18	7	-	
549	Sunderland	1985	1180	303	123	71	36	22	555	48	26	28	31	78	77	75	77	103	63	18	1	
550	South Shields	1378	867	252	122	54	29	24	481	49	13	17	23	50	33	41	52	56	41	10	1*	
551	Gateshead	1379	935	245	132	52	37	20	486	77	20	31	20	50	54	28	51	63	42	10	3†	
	39.—NORTHUMBERL.																					
552	Newcastle-upon-Tyne	2415	1824	434	216	104	80	47	881	108	30	37	42	111	127	114	131	135	90	15	3	
553	Tynemouth	1655	1163	279	143	83	43	40	588	87	30	27	32	71	54	53	57	85	65	11	3	
554	Castle Ward	230	140	25	9	7	5	2	48	3	1	3	3	12	7	8	14	18	20	2	1	
555	Hexham	515	285	48	18	6	10	3	84	9	5	8	13	35	13	17	28	35	26	11	1‡	
556	Haltwhistle	118	49	9	2	1	1	-	13	1	2	-	1	4	4	5	4	9	4	1	1	
557	Bellingham	115	69	10	8	-	1	3	22	10	3	1	3	3	3	1	2	6	12	2	1	
558	Morpeth	516	353	82	36	15	11	6	150	17	10	10	14	23	19	26	15	34	30	5	-	
559	Alnwick	302	192	33	10	3	4	4	54	9	6	6	10	11	6	12	11	24	25	17	1	
560	Belford	72	45	4	-	4	2	-	10	2	4	1	-	1	-	1	7	7	8	4	-	
561	Berwick	348	219	28	13	4	5	3	53	12	4	5	7	14	13	20	23	28	30	9	1‡	
562	Glendale	169	101	14	-	1	1	-	16	5	3	2	2	10	11	7	7	14	16	7	1	
563	Rothbury	100	55	7	1	3	-	-	11	4	1	2	-	3	3	7	7	4	6	6	1	
	40.—CUMBERLAND.																					
564	Alston	87	60	11	4	2	-	-	17	1	-	3	3	6	-	2	7	7	10	4	-	
565	Penrith	309	248	50	9	11	12	10	92	15	10	4	4	15	15	7	23	21	32	10	-	
566	Brampton	109	87	14	3	2	1	-	20	3	-	1	6	9	8	4	8	12	13	3	-	
567	Longtown	145	85	12	5	-	1	2	20	2	-	2	2	9	6	4	6	10	17	6	1	
568	Carlisle	724	662	138	50	42	24	15	269	26	17	20	22	47	42	51	48	58	51	11	-	
569	Wigton	338	236	48	11	9	4	1	73	13	8	11	8	18	9	21	20	22	26	7	-	
570	Cockermouth	824	604	121	54	25	22	17	239	39	13	20	19	42	24	27	41	61	65	13	-	
571	Whitehaven	880	565	103	71	21	18	14	227	44	18	17	25	44	26	27	39	46	38	12	2§	
572	Bootle	123	72	13	6	2	-	-	21	1	1	5	5	6	8	4	3	7	9	2		
	41.—WESTMORLD.																					
573	East Ward	218	141	24	4	1	4	3	36	2	4	8	9	15	13	5	10	10	24	5	-	
574	West Ward	118	80	10	5	1	-	3	19	3	2	1	6	6	4	8	7	11	10	3	-	
575	Kendal	575	388	66	19	12	11	2	110	16	14	12	11	27	37	24	30	52	43	11	1	

XI.—MONMOUTHSHIRE AND WALES.

	42.—MONMOUTHSH.																					
576	Chepstow	239	180	33	11	4	-	2	50	7	3	6	4	16	11	9	17	19	31	7	-	
577	Monmouth	494	292	65	10	8	7	5	95	8	4	12	1	27	24	17	21	29	35	19	-	
578*a*	Abergavenny	372	205	43	12	4	5	2	66	3	-	4	14	14	18	16	10	26	25	9	-	
578*b*	Bedwelty	1046	511	142	68	40	14	11	275	13	8	13	19	35	24	23	31	35	25	8	2	
579	Pontypool	610	323	72	25	15	8	8	128	8	5	11	6	25	26	22	21	33	28	9	1	
580	Newport	1079	562	121	40	15	15	10	201	19	9	18	28	40	44	46	42	58	38	18	1‖	
	43.—SOUTH WALES.																					
	GLAMORGANSHIRE.																					
581*a*	Cardiff	1246	662	146	62	27	21	11	267	22	13	26	34	63	67	42	46	37	31	12	2	
581*b*	Pontypridd	924	481	144	53	20	18	8	243	18	10	13	31	33	29	21	23	24	28	8	-	
582	Merthyr Tydfil	2119	1033	284	110	47	25	9	475	36	19	26	42	77	75	75	73	63	53	18	1‖	
583	Bridgend	507	283	65	25	11	3	4	108	14	10	6	10	20	16	22	14	29	24	14	1	
584	Neath	1231	531	155	56	21	10	9	251	15	9	24	23	36	42	18	27	33	35	15	3	
585*a*	Swansea	1153	502	105	50	20	12	6	193	16	7	15	22	33	30	27	38	55	45	18	3	
585*b*	Gower	125	82	8	-	2	-	2	12	-	-	1	6	6	6	7	9	14	12	8	1	

* Aged 102. † One aged 100. ‡ Aged 101. § Aged 105. ‖ Aged 100.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS at different Ages, 1867—DISTRICTS—*cont.*

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	43.—SOUTH WALES *continued.*																				
	CARMARTHENSHIRE.																				
586	Llanelly	641	330	94	20	7	4	5	130	15	15	11	21	30	18	15	22	25	18	8	2*
587	Llandovery	235	151	27	11	2	3	2	45	4	3	6	10	13	5	14	8	18	19	5	1
588	Llandilofawr	280	140	24	3	1	–	–	28	7	–	5	13	12	7	12	13	15	18	9	1
589	Carmarthen	551	360	53	14	11	6	5	89	10	13	15	13	27	27	19	29	54	46	16	2†
	PEMBROKESHIRE.																				
590	Narberth	313	202	33	5	3	–	1	42	2	5	9	18	20	14	16	17	22	29	7	1
591	Pembroke	497	319	86	24	13	7	2	132	7	6	12	15	20	27	21	23	24	22	8	2
592	Haverfordwest	535	378	87	16	11	6	5	125	18	9	18	24	26	19	20	38	32	40	8	1
	CARDIGANSHIRE.																				
593	Cardigan	228	142	14	4	–	3	2	23	1	2	7	9	9	7	7	22	26	20	9	–
594	Newcastle-in-Emlyn	290	145	16	2	–	1	1	20	3	3	7	12	10	7	12	10	27	25	8	1
595	Lampeter	136	71	17	4	2	–	1	24	1	2	3	3	3	4	3	3	12	12	1	–
596	Aberayron	218	133	17	4	2	–	2	25	–	3	8	7	15	6	8	17	20	15	9	–
597	Aberystwith	462	243	40	14	5	2	3	64	6	4	8	9	23	24	15	28	29	23	10	–
598	Tregaron	161	92	17	–	1	1	4	23	–	1	4	6	5	3	8	20	12	8	2	–
	BRECKNOCKSHIRE.																				
599	Builth	128	89	19	5	5	1	–	30	2	3	5	2	4	3	6	8	8	15	3	–
600	Brecknock	272	156	33	7	4	3	2	49	5	1	2	7	11	9	7	18	24	15	8	–
601	Crickhowell	375	217	57	9	5	2	3	76	5	9	6	11	13	11	14	23	34	14	1	–
602	Hay	167	125	21	9	2	1	3	36	3	3	1	3	5	6	7	13	16	25	6	1
	RADNORSHIRE.																				
603	Presteigne	251	153	41	9	2	–	1	53	7	–	2	3	9	9	12	12	24	17	4	1
604	Knighton	179	114	28	6	5	3	1	43	3	2	–	5	7	5	7	13	12	14	3	–
605	Rhayader	99	70	17	3	2	–	–	22	3	1	2	3	7	6	6	5	7	5	3	–
	44.—NORTH WALES.																				
	MONTGOMERYSHIRE.																				
606	Machynlleth	222	135	21	6	3	1	1	32	6	2	7	3	15	8	10	11	22	14	5	–
607	Newtown	384	265	59	20	8	7	1	95	8	5	10	12	15	19	13	18	34	26	10	–
608	Montgomery	301	181	34	13	4	1	1	53	4	4	4	4	11	15	16	21	26	19	3	1
609	Llanfyllin	350	204	47	9	3	2	2	63	7	6	8	7	12	5	13	16	34	25	8	–
	FLINTSHIRE.																				
610	Holywell	764	520	120	35	17	20	12	204	29	13	20	15	31	28	44	50	46	33	7	–
	DENBIGHSHIRE.																				
611	Wrexham	1064	589	162	50	17	6	7	242	19	10	12	18	31	42	51	51	74	30	7	2
612	Ruthin	233	140	24	3	2	–	1	30	7	3	3	10	10	8	4	8	19	28	10	–
613	St. Asaph	425	345	52	13	13	8	5	91	13	6	14	9	25	35	26	33	52	31	10	–
614	Llanrwst	189	123	34	6	4	4	–	48	4	3	3	7	10	9	4	5	14	9	6	1
	MERIONETHSHIRE.																				
615	Corwen	223	168	23	12	2	–	–	37	3	6	6	12	10	14	11	17	21	20	11	–
616	Bala	81	64	11	1	2	–	–	14	1	–	1	2	7	5	3	8	4	15	4	–
617	Dolgelly	229	149	24	2	2	6	3	37	5	3	8	13	9	9	14	10	13	23	5	–
618	Festiniog	423	257	61	16	10	6	3	96	13	3	11	16	27	13	13	16	22	17	10	–
	CARNARVONSHIRE.																				
619	Pwllheli	300	180	28	13	9	2	3	55	10	7	5	8	8	10	14	12	18	26	7	–
620	Carnarvon	635	488	101	44	14	9	12	180	21	17	28	33	55	29	18	40	32	32	3	–
621	Bangor	546	402	73	17	9	13	9	121	13	6	14	21	38	25	30	36	41	44	12	1
622	Conway	265	148	35	6	3	1	1	46	10	4	1	4	8	15	9	9	16	25	1	–
	ANGLESEY.																				
623	Anglesey	485	384	63	10	10	10	9	102	18	11	11	35	32	21	22	28	38	52	14	–

* One aged 101.

† One aged 102.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS at different Ages, 1867—DISTRICTS—*cont.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	43.—SOUTH WALES *continued.*																				
	CARMARTHENSHIRE.																				
586	Llanelly	621	275	62	15	11	10	5	103	13	6	8	11	19	15	15	15	28	25	12	5*
587	Llandovery	201	137	15	7	5	2	3	32	2	4	5	4	12	10	12	10	16	23	7	–
588	Llandilofawr	254	169	23	2	2	2	3	32	2	7	13	7	16	14	10	9	18	29	11	1
589	Carmarthen	513	376	57	13	9	5	3	87	11	7	15	14	23	27	27	35	50	51	26	3
	PEMBROKESHIRE.																				
590	Narberth	302	206	33	11	3	3	2	52	6	5	11	8	16	7	13	12	29	27	16	4†
591	Pembroke	516	293	71	9	11	8	4	103	12	7	9	11	20	18	14	22	26	30	20	1
592	Haverfordwest	531	410	59	17	9	2	4	91	20	10	11	23	27	24	27	33	60	54	26	4
	CARDIGANSHIRE.																				
593	Cardigan	214	193	11	5	3	–	1	20	7	4	5	5	12	12	8	33	31	46	8	2
594	Newcastle-in-Emlyn	284	174	11	3	2	2	4	22	8	3	9	7	10	8	9	12	28	36	19	3*
595	Lampeter	142	80	8	5	–	3	2	18	7	3	2	1	3	7	2	7	11	13	5	1
596	Aberayron	195	122	15	6	–	1	–	21	1	5	2	6	10	15	5	12	13	21	10	1‡
597	Aberystwith	457	241	33	17	5	2	1	58	9	9	7	8	20	15	16	30	30	32	6	1
598	Tregaron	154	90	8	5	1	1	2	17	3	1	3	2	8	7	5	10	7	15	11	1
	BRECKNOCKSHIRE.																				
599	Builth	134	86	10	6	1	–	1	18	5	3	5	7	7	7	6	5	9	11	3	–
600	Brecknock	265	144	19	2	1	–	–	22	2	3	4	5	12	16	17	13	16	23	11	–
601	Crickhowell	332	215	41	11	7	3	4	66	6	4	5	12	24	12	8	10	25	31	10	2
602	Hay	182	127	26	6	1	–	2	35	1	1	5	4	5	8	11	15	11	20	10	1
	RADNORSHIRE.																				
603	Presteigne	230	145	41	5	2	4	2	54	3	3	6	3	14	13	6	9	11	19	4	–
604	Knighton	152	80	19	4	2	1	3	29	5	1	1	5	5	9	2	8	7	6	2	–
605	Rhayader	107	56	8	4	4	1	–	17	1	2	1	2	5	2	2	6	8	8	2	–
	44.—NORTH WALES.																				
	MONTGOMERYSHIRE.																				
606	Machynlleth	217	138	24	7	7	1	4	43	3	1	2	6	6	13	14	7	8	26	8	1
607	Newtown	336	258	36	13	11	7	3	70	13	5	8	8	30	19	15	10	31	33	14	2
608	Montgomery	269	179	23	12	3	1	–	39	5	7	5	11	16	14	10	13	16	30	12	1§
609	Llanfyllin	318	206	38	8	3	2	2	53	7	3	6	11	11	10	10	23	30	29	13	–
	FLINTSHIRE.																				
610	Holywell	681	431	77	45	15	14	13	164	30	6	20	15	39	26	34	39	46	43	19	–
	DENBIGHSHIRE.																				
611	Wrexham	1002	487	111	32	15	10	4	172	14	9	14	22	28	46	31	44	44	45	16	2‖
612	Ruthin	219	140	23	4	2	1	3	33	5	–	2	7	10	9	11	11	24	21	5	2
613	St. Asaph	396	332	47	18	13	12	10	100	13	8	9	10	24	31	27	25	34	39	12	–
614	Llanrwst	210	122	25	8	3	1	1	38	9	1	9	4	7	11	8	8	6	13	8	–
	MERIONETHSHIRE.																				
615	Corwen	258	155	23	5	2	5	–	35	3	3	7	7	10	10	8	12	19	30	11	–
616	Bala	92	70	12	3	5	2	–	22	1	3	3	1	6	4	4	7	8	10	1	–
617	Dolgelly	195	146	20	8	7	–	1	36	7	5	5	9	10	4	13	7	18	26	5	1
618	Festiniog	442	241	57	12	8	5	3	85	9	6	12	14	19	8	22	14	17	26	9	–
	CARNARVONSHIRE.																				
619	Pwllheli	268	253	37	11	5	7	7	67	13	5	6	10	10	9	14	25	33	41	17	3*
620	Carnarvon	585	488	98	32	12	10	7	159	14	19	25	31	50	35	19	31	39	49	15	2
621	Bangor	548	348	58	20	14	5	8	105	11	11	23	15	32	23	19	37	24	35	13	–
622	Conway	245	140	19	6	4	2	1	32	6	3	8	1	16	9	10	9	18	18	9	1
	ANGLESEY.																				
623	Anglesey	450	401	47	16	11	5	8	87	25	13	24	21	27	30	26	22	49	51	25	1

* One aged 100. † One aged 100 and one aged 103. ‡ Aged 104. § Aged 101. ‖ One aged 101.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1867—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
		AGES AT DEATH.																		
	ALL CAUSES - - -	242,588	65,464	19,278	8297	5013	3450	101,502	8327	4378	6229	7678	15,088	16,236	17,474	20,483	22,865	17,509	4407	2122
	SPECIFED CAUSES -	238,046	63,731	19,097	8231	4964	3424	99,447	8251	4312	6168	7597	14,881	15,916	17,079	19,952	22,342	17,304	4386	2181
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	45,729	14234	7035	3344	2734	1875	29722	4013	1270	1227	1058	1596	1562	1455	1442	1398	829	151	69
II.	CONSTITUTIONAL „ -	42,960	4490	2580	1127	572	418	9187	1421	1069	2542	3922	7027	5912	4648	3501	2392	1152	185	23
III.	LOCAL „ -	99,137	24352	6571	2490	1223	802	35438	1914	1237	1376	1555	4489	6813	9452	13207	14529	7917	1171	396
IV.	DEVELOPMENTAL „ -	37,563	19770	2510	444	122	69	22915	131	42	27	29	60	61	158	698	3316	7138	2825	1633
V.	VIOLENT DEATHS -	12,657	885	401	326	313	260	2185	772	894	996	1033	1709	1568	1366	1104	707	268	54	11
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES -	42,288	12127	6924	3807	2712	1860	27430	3985	1257	1202	1016	1399	1281	1209	1270	1295	792	146	00
	2. ENTHETIC „ -	1068	659	39	6	4	2	710	1	1	7	17	67	63	70	61	45	24	2	—
	3. DIETIC „ -	1687	857	49	16	9	6	937	8	8	17	24	127	212	172	109	58	13	2	—
	4. PARASITIC „ -	686	591	23	15	9	7	645	19	4	1	1	3	6	4	2	–	–	1	—
II.	1. DIATHETIC „ -	6728	262	97	66	56	48	529	115	64	65	78	202	476	904	1431	1619	1074	176	—
	2. TUBERCULAR „ -	36,232	4228	2483	1061	516	370	8658	1306	1005	2477	3849	6825	5436	3744	2070	773	78	9	2
III.	1. DISEASES OF NERVOUS SYSTEM -	32,551	12982	2034	900	448	287	16651	692	369	382	391	1049	1578	2096	2924	3772	2313	322	12
	2. „ ORGANS OF CIRCULATION -	11,210	50	28	20	11	20	129	176	213	251	266	913	1300	1793	2380	2542	1130	115	2
	3. „ RESPIRATORY ORGANS - -	38,452	9496	4198	1382	648	591	16115	615	220	280	458	1314	2123	3288	4984	5306	3165	562	22
	4. „ DIGESTIVE ORGANS - -	10,490	1550	210	131	66	60	2017	214	210	225	224	682	1141	1512	1901	1683	617	62	2
	5. „ URINARY ORGANS - -	4698	37	41	23	29	26	156	104	88	107	101	387	530	617	840	1042	627	98	1
	6. „ ORGANS OF GENERATION -	82	7	1	1	1	1	11	2	2	1	5	6	12	9	13	20	1	–	—
	7. „ ORGANS OF LOCOMOTION -	1003	27	22	23	14	12	98	100	120	115	91	110	91	85	95	77	21	–	—
	8. „ INTEGUMENTARY SYSTEM -	651	203	37	10	6	5	261	11	15	15	19	28	38	52	70	87	43	12	—
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	8203	7049	1038	92	6	5	8190	9	–	1	2	1	–	–	–	–	–	–	—
	2. DEV. DISEASES, ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	—
	3. „ OLD PEOPLE -	12,395	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2286	7121	2825	163
	4. DISEASES OF NUTRITION	16,965	12721	1472	352	116	64	14725	122	42	26	27	59	61	158	698	1030	17	–	—
V.	1. ACCIDENT OR NEGLIGENCE - - - -	11,224	791	395	322	304	257	2069	753	870	946	949	1501	1347	1083	858	569	231	47	1
	3. HOMICIDE - - -	238	85	2	2	3	1	93	6	6	11	19	34	30	20	13	1	3	2	—
	4. SUICIDE - - -	963	–	–	–	–	–	–	–	3	28	47	133	171	233	207	117	21	3	—
	5. EXECUTION - - -	10	–	–	–	–	–	–	–	–	1	3	5	–	1	–	–	–	–	—
	VIOLENT DEATHS, NOT CLASSED - - -	222	9	4	2	6	2	23	13	15	10	15	36	20	29	26	20	13	2	—
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	2147	468	56	15	10	11	560	23	29	20	46	137	227	281	360	323	127	14	—
	CAUSES NOT SPECIFIED -	2395	1265	125	51	39	15	1495	53	37	41	35	70	93	114	171	200	78	7	1

(*continued at page* 122.)

Note.—For the Causes of Death more in detail *see*

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1867—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ALL CAUSES - - -	228,487	51,797	18,354	8332	5145	3468	87,096	7850	4401	6738	7926	15,915	15,488	15,247	18,256	23,064	20,142	5926	438
	SPECIFIED CAUSES -	224,893	50,371	18,171	8253	5105	3444	85,344	7768	4357	6685	7876	15,744	15,259	14,969	17,912	22,674	19,973	5896	436
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	45,260	12,376	7066	4191	2881	2034	28548	4150	1473	1312	1313	2093	1626	1193	1196	1272	883	191	10
II.	CONSTITUTIONAL ,, -	46,463	3496	2301	966	557	367	7687	1307	1521	3637	4394	8181	6555	4880	3843	2814	1395	234	15
III.	LOCAL ,, -	88,434	17,900	6177	2364	1313	821	28575	1774	1147	1393	1651	4157	5845	8267	11775	14170	8318	1317	45
IV.	DEVELOPMENTAL ,, -	40,527	15,791	2340	506	148	78	18863	154	58	187	392	1089	1001	352	850	4108	9060	4051	332
V.	VIOLENT DEATHS -	4209	808	287	226	206	144	1671	383	158	156	126	224	232	277	248	310	317	103	4
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES -	42,697	10594	6943	4154	2851	2018	26560	4115	1460	1293	1256	1985	1504	1097	1127	1233	867	190	10
	2. ENTHETIC ,, -	841	582	38	6	3	2	631	1	2	7	42	68	51	26	10	3	–	–	–
	3. DIETIC ,, -	1073	666	58	10	10	4	748	14	8	11	15	88	66	67	58	31	16	1	–
	4. PARASITIC ,, -	649	534	27	21	17	10	609	20	3	1	–	2	5	3	1	5	–	–	–
II.	1. DIATHETIC ,, -	10,792	238	131	80	60	32	541	104	69	63	128	488	1198	1941	2405	2310	1301	230	14
	2. TUBERCULAR ,, -	35,671	3258	2170	886	497	335	7146	1203	1452	3574	4266	7693	5357	2939	1438	504	94	4	1
III.	1. DISEASES OF NERVOUS SYSTEM - -	27,816	9401	1836	804	476	299	12816	648	375	395	380	950	1156	1787	2646	3605	2611	435	12
	2. ,, ORGANS OF CIRCULATION -	11,574	55	19	15	21	22	132	166	258	287	328	842	1311	1735	2476	2738	1199	101	1
	3. ,, RESPIRATORY ORGANS - -	33,731	7283	4028	1401	682	402	13796	601	219	324	390	1025	1495	2353	3971	5402	3481	647	27
	4. ,, DIGESTIVE ORGANS - -	10,516	979	206	88	87	66	1426	216	143	224	330	769	1174	1563	1959	1829	784	96	3
	5. ,, URINARY ORGANS - -	2235	25	27	19	19	13	103	56	52	74	117	271	335	379	384	321	124	18	1
	6. ,, ORGANS OF GENERATION -	1234	1	1	2	1	1	6	–	2	20	43	185	260	308	215	147	44	4	–
	7. ,, ORGANS OF LOCOMOTION -	744	20	24	18	18	12	92	74	89	64	47	79	77	87	54	54	24	3	–
	8. ,, INTEGUMENTARY SYSTEM -	584	136	36	17	9	6	204	13	9	5	16	36	37	55	70	74	51	13	1
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	6463	5340	967	119	10	4	6440	12	2	3	1	3	1	–	1	–	–	–	–
	2. DEV. DISEASES, ADULTS	2461	–	–	–	–	–	–	–	5	141	361	1006	865	80	3	–	–	–	–
	3. ,, OLD PEOPLE	16,251	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2798	9045	4047	361
	4. DISEASES OF NUTRITION	15,352	10451	1373	337	138	74	12423	142	51	43	30	80	135	272	846	1310	15	4	1
V.	1. ACCIDENT OR NEGLIGENCE - - - -	3624	715	283	222	204	142	1566	372	153	118	84	140	154	190	198	259	288	98	4
	3. HOMICIDE - - -	154	91	2	3	1	1	98	4	2	1	4	19	10	6	4	4	2	–	–
	4. SUICIDE - - - -	353	–	–	–	–	–	–	–	1	36	36	60	61	76	41	37	5	–	–
	5. EXECUTION - - -	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	VIOLENT DEATHS NOT CLASSED - - - -	77	2	2	1	1	1	7	7	2	1	2	4	7	5	5	10	22	5	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	1359	354	44	29	18	8	453	24	17	15	20	94	130	149	149	197	96	15	–
	CAUSES NOT SPECIFIED -	2235	1072	139	50	22	16	1299	58	27	38	30	77	99	129	195	193	73	15	2

(*continued at page* 123.)

Supplementary Table of Causes of Death, pp. 126-129.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1867—MALES—*cont.*

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
I.	ORDER 1.																			
	1 Small-pox	1416	311	127	118	94	64	714	111	53	74	125	160	91	53	16	14	4	1	–
	2 Measles	3365	652	1311	647	304	197	3111	202	23	8	6	6	5	2	1	–	1	–	–
	3 Scarlatina	6206	441	952	1033	1000	688	4114	1663	268	83	33	32	10	2	–	–	1	–	–
	4 Diphtheria	1250	172	194	142	154	121	783	286	60	23	15	29	12	14	11	13	4	–	–
	5 Quinsy	117	14	5	8	9	2	38	15	8	7	1	5	10	11	15	5	2	–	–
	6 Croup	2343	405	597	457	366	251	2076	252	15	–	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	5334	2423	1595	652	322	147	5139	185	6	1	2	–	1	–	–	–	–	–	–
	8 Typhus	8261	232	343	368	331	304	1578	1057	671	823	687	879	754	650	536	420	137	19	–
	9 Erysipelas	797	252	15	8	6	6	287	17	19	19	13	35	70	81	95	89	61	11	–
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	164	4	–	–	2	–	6	1	1	2	1	8	10	23	39	39	29	5	–
	12 Influenza	284	58	21	10	6	5	100	12	2	6	1	6	6	13	24	50	55	8	1
	13 Dysentery	507	153	45	6	9	7	220	9	5	5	17	23	41	33	55	58	39	2	–
	14 Diarrhœa	10396	6802	1662	320	82	46	8912	71	30	19	22	52	73	117	227	406	371	91	5
	15 Cholera	510	184	45	26	13	10	278	17	5	8	4	21	38	47	41	39	10	2	–
	16 Ague	64	1	1	3	2	3	10	5	1	5	7	6	6	10	6	5	2	1	–
	17 Remittent Fever	43	2	3	2	4	–	11	4	2	3	1	4	7	2	6	2	1	–	–
	18 Rheumatism	1176	3	–	1	5	5	14	70	87	116	80	133	147	150	146	153	75	5	–
	19 *Other Zymotic Diseases*	55	18	8	6	3	4	39	8	1	–	1	–	–	1	2	2	–	1	–
	ORDER 2.																			
	1 Syphilis	858	659	39	6	3	1	708	1	–	5	15	50	39	26	13	1	–	–	–
	2 Stricture of Urethra	197	–	–	–	–	–	–	–	–	–	2	15	22	42	47	43	24	2	–
	3 Hydrophobia	9	–	–	–	1	1	2	–	1	2	–	–	1	2	1	–	–	–	–
	4 Glanders	4	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
	ORDER 3.																			
	1 Privation	63	1	1	2	–	–	4	2	–	4	1	4	7	13	15	9	4	–	–
	2 Want of Breast-milk	805	796	9	–	–	–	805	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	241	60	39	14	9	6	128	6	8	9	8	16	16	11	15	14	8	2	–
	4 Alcoholism { *a* Del.Trem.	326	–	–	–	–	–	–	–	–	2	9	69	117	83	34	11	1	–	–
	4 Alcoholism { *b* Intemp.	252	–	–	–	–	–	–	–	–	2	6	38	72	65	45	24	–	–	–
	ORDER 4.																			
	1 Thrush	605	586	16	–	–	1	603	–	–	–	–	–	1	–	–	–	1	–	–
	2 Worms, &c.	81	5	7	15	9	6	42	19	4	1	1	3	5	4	2	–	–	–	–
II.	ORDER 1.																			
	1 Gout	290	–	–	–	–	–	–	–	–	1	–	–	20	50	86	87	44	2	–
	2 Dropsy	3014	231	85	44	37	30	427	99	54	43	42	114	189	299	489	716	470	72	–
	3 Cancer	2650	1	–	4	7	3	15	7	7	16	31	82	249	521	764	636	287	35	–
	4 Noma	70	8	6	16	11	13	54	8	–	–	–	1	1	2	2	–	2	–	–
	5 Mortification	704	22	6	2	1	2	33	1	3	5	–	5	17	32	90	180	271	67	–
	ORDER 2.																			
	1 Scrofula	1641	341	175	72	38	27	653	143	142	137	117	149	99	80	70	44	4	2	1
	2 Tabes Mesenterica	3641	1792	907	293	103	51	3146	211	94	50	34	34	26	25	12	8	1	–	–
	3 Phthisis	26,909	559	371	224	119	106	1379	528	675	2270	3695	6636	5305	3637	1985	719	72	7	1
	4 Hydrocephalus	4041	1536	1030	472	256	186	3480	424	94	20	3	6	6	2	3	2	1	–	–
III.	ORDER 1.																			
	1 Cephalitis	2337	457	298	209	131	118	1213	289	139	112	94	150	118	102	70	35	14	1	–
	2 Apoplexy	5223	180	72	39	29	18	338	73	37	49	74	234	445	751	1076	1235	788	116	7
	3 Paralysis	5404	5	7	3	4	3	22	13	12	28	29	204	463	576	1011	1714	1168	160	4
	4 Insanity	303	–	–	–	–	–	–	–	–	3	11	37	45	59	49	64	29	6	–
	5 Chorea	21	–	–	–	–	–	–	3	6	5	–	–	3	1	1	1	1	–	–
	6 Epilepsy	1201	26	20	19	14	10	89	45	61	76	97	211	167	159	141	100	49	6	–
	7 Convulsions	14,807	12112	1546	568	223	101	14555	155	23	10	4	10	12	10	8	11	4	–	–
	8 *Brain Disease, &c.*	3255	202	91	62	42	37	434	114	86	99	82	203	325	438	568	612	260	33	1
	ORDER 2.																			
	1 Pericarditis	303	3	5	2	1	3	14	23	25	22	17	42	34	41	38	28	17	2	–
	2 Aneurism	378	1	–	1	–	–	2	–	1	2	4	85	126	70	54	24	10	–	–
	3 *Heart Disease, &c.*	10,529	46	23	17	10	17	113	153	187	227	245	786	1140	1682	2288	2490	1103	113	2
	ORDER 3.																			
	1 Laryngitis	758	238	136	67	40	37	518	53	13	3	9	41	34	25	37	18	6	1	–
	2 Bronchitis	20,543	4452	1875	545	258	133	7263	204	52	59	94	428	903	1784	3088	3685	2494	473	16
	3 Pleurisy	510	18	8	7	6	3	42	16	15	20	36	74	71	79	88	45	21	3	–
	4 Pneumonia	11,809	4162	2012	697	309	195	7375	286	98	147	239	543	704	770	776	589	237	42	3
	5 Asthma	2259	6	1	4	1	1	13	3	4	4	15	55	182	330	644	719	262	28	–
	6 *Lung Disease, &c.*	2573	620	166	62	34	22	904	53	38	47	65	173	229	300	351	250	145	15	3
	ORDER 4.																			
	1 Gastritis	311	53	10	10	4	1	78	9	8	3	6	22	30	42	52	45	14	2	–
	2 Enteritis	1491	585	102	49	15	19	770	53	69	51	42	65	65	103	107	114	49	3	–
	3 Peritonitis	653	64	15	9	9	13	110	56	50	62	37	65	53	61	70	65	21	3	–
	4 Ascites	275	3	3	2	1	2	11	13	10	3	5	20	40	46	65	39	20	3	–
	5 Ulceration of Intestines	450	39	6	6	3	4	58	6	7	16	13	45	63	65	88	61	24	4	–
	6 Hernia	467	31	2	2	1	1	37	1	4	7	12	31	38	54	86	124	63	10	–
	7 Ileus	602	103	4	6	8	7	128	13	13	22	23	40	42	58	97	105	56	5	–
	8 Intussusception	155	38	3	1	7	1	50	7	5	8	6	9	15	17	13	20	4	1	–
	9 Stricture of Intestines	122	5	–	–	–	–	5	1	1	1	–	6	8	18	32	38	12	–	–
	10 Fistula	67	1	–	1	1	–	3	–	–	1	3	11	5	14	13	13	4	–	–
	11 *Stomach Disease, &c.*	1440	213	33	14	10	5	275	28	9	14	17	70	125	180	299	285	123	14	1
	12 *Pancreas Disease, &c.*	9	–	–	–	–	–	–	–	–	–	–	–	–	5	3	1	–	–	–
	13 Hepatitis	673	12	6	1	2	1	22	10	8	13	18	66	105	143	143	121	24	–	–
	14 Jaundice	769	346	9	18	5	2	380	4	2	5	10	20	40	48	84	99	63	13	1
	15 *Liver Disease, &c.*	2959	57	8	10	–	4	79	12	22	18	32	209	507	650	741	548	137	4	–
	16 *Spleen Disease, &c.*	47	–	9	2	–	–	11	1	2	1	–	3	5	8	8	5	3	–	–

(*continued at page* 124.)

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1867—FEMALES—*cont.*

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
I.	ORDER 1.																			
	1 Small-pox	1097	307	130	111	69	39	656	100	24	60	71	92	51	32	6	2	3	–	–
	2 Measles	3223	552	1160	661	366	203	2942	222	27	8	4	11	7	1	1	–	–	–	–
	3 Scarlatina	6094	364	854	1031	961	769	3979	1606	283	76	59	65	16	7	1	2	–	–	–
	4 Diphtheria	1350	121	177	164	162	115	739	365	86	42	34	32	17	17	10	6	–	2	–
	5 Quinsy	84	9	11	3	3	7	33	14	7	5	3	5	4	3	6	2	2	–	–
	6 Croup	2044	303	480	457	339	222	1801	235	8	–	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	6539	2589	2018	967	483	241	6298	222	13	–	2	2	2	–	–	–	–	–	–
	8 Typhus	8601	192	346	412	352	344	1646	1135	833	890	695	936	794	640	489	383	141	18	1
	9 Erysipelas	653	215	20	10	7	5	257	6	12	6	18	47	45	46	74	78	54	10	–
	10 Metria	1066	–	–	–	–	–	–	–	–	50	240	503	260	13	–	–	–	–	–
	11 Carbuncle	71	1	1	–	–	–	2	1	1	2	1	3	7	6	21	13	11	3	–
	12 Influenza	323	58	15	8	7	5	93	10	4	1	2	4	6	13	25	70	83	12	–
	13 Dysentery	455	88	38	12	7	6	151	7	5	5	14	29	34	30	52	74	48	6	–
	14 Diarrhœa	9455	5627	1641	290	72	40	7670	87	33	32	32	107	124	127	246	417	447	124	9
	15 Cholera	412	146	39	15	14	8	222	21	8	8	7	27	23	34	27	22	13	–	–
	16 Ague	57	1	–	7	1	5	14	9	3	2	2	7	5	–	6	7	–	2	–
	17 Remittent Fever	43	3	4	1	1	–	9	8	2	3	2	6	3	3	1	5	–	1	–
	18 Rheumatism	1080	1	1	2	4	7	15	58	110	103	70	108	106	121	162	151	64	12	–
	19 *Other Zymotic Diseases*	50	17	8	3	3	2	33	9	1	–	–	1	–	4	–	1	1	–	–
	ORDER 2.																			
	1 Syphilis	840	582	38	6	3	2	631	1	1	7	42	68	51	26	10	3	–	–	–
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	46	1	1	–	1	–	3	2	–	–	–	4	5	11	7	7	6	1	–
	2 Want of Breast-milk	632	624	8	–	–	–	632	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	230	41	49	10	9	4	113	12	8	10	11	15	13	10	18	14	6	–	–
	4 Alcoholism { *a* Del. Trem.	43	–	–	–	–	–	–	–	–	–	–	7	12	9	13	2	–	–	–
	4 Alcoholism { *b* Intemp.	122	–	–	–	–	–	–	–	–	1	4	12	36	37	20	8	4	–	–
	ORDER 4.																			
	1 Thrush	558	529	19	3	1	2	554	1	–	–	–	–	1	1	–	1	–	–	–
	2 Worms, &c.	91	5	8	18	16	8	55	19	3	1	–	2	4	2	1	4	–	–	–
II.	ORDER 1.																			
	1 Gout	87	–	–	–	–	–	–	–	–	–	–	3	4	11	26	28	14	1	–
	2 Dropsy	4081	202	95	50	34	19	400	76	57	36	84	212	305	421	732	1008	647	98	5
	3 Cancer	5895	1	2	4	6	7	20	12	8	21	40	263	878	1488	1578	1106	431	47	3
	4 Noma	104	11	22	24	18	4	79	14	4	2	–	3	–	1	–	–	1	–	–
	5 Mortification	625	24	12	2	2	2	42	2	–	4	4	7	11	20	69	168	208	84	6
	ORDER 2.																			
	1 Scrofula	1297	279	155	56	37	27	554	111	91	95	69	118	94	78	52	26	9	–	–
	2 Tabes Mesenterica	3241	1405	845	277	108	59	2694	169	94	80	45	56	38	26	29	8	2	–	–
	3 Phthisis	28133	521	371	215	131	114	1352	604	1169	3384	4144	7515	5221	2833	1355	468	83	4	1
	4 Hydrocephalus	3000	1053	799	338	221	135	2546	319	98	15	8	4	4	2	2	2	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	1883	278	250	177	127	96	928	284	141	107	73	115	84	57	40	43	9	2	–
	2 Apoplexy	5183	113	63	31	22	20	249	42	32	73	87	219	359	737	1063	1300	866	153	3
	3 Paralysis	5406	6	11	6	12	6	41	16	17	16	21	138	257	492	977	1748	1431	245	7
	4 Insanity	337	–	–	–	–	–	–	–	1	6	9	41	50	56	59	69	40	6	–
	5 Chorea	29	–	–	–	–	–	–	4	7	5	2	2	–	1	4	3	1	–	–
	6 Epilepsy	1111	19	9	13	12	12	65	34	61	94	105	229	156	115	111	84	53	4	–
	7 Convulsions	11451	8833	1407	523	260	136	11159	172	38	13	13	21	11	8	3	7	6	–	–
	8 *Brain Disease, &c.*	2416	152	96	54	43	29	374	96	78	81	70	185	239	321	389	351	205	25	2
	ORDER 2.																			
	1 Pericarditis	289	7	5	2	2	4	20	20	36	26	22	34	38	30	34	21	7	1	–
	2 Aneurism	125	1	–	–	–	–	1	–	–	1	5	14	29	30	27	15	2	1	–
	3 *Heart Disease, &c.*	11160	47	14	13	19	18	111	146	222	260	301	794	1244	1675	2415	2702	1190	99	1
	ORDER 3.																			
	1 Laryngitis	527	120	93	56	50	34	353	50	12	6	5	29	22	22	15	9	4	–	–
	2 Bronchitis	19830	3543	1795	560	267	144	6309	209	52	78	119	391	771	1532	2819	4159	2831	536	24
	3 Pleurisy	355	13	8	4	2	6	33	20	7	25	19	42	50	21	45	53	27	8	–
	4 Pneumonia	9369	3132	1974	730	328	195	6359	267	98	148	159	359	350	360	458	453	255	40	3
	5 Asthma	1489	6	3	–	1	1	11	–	3	4	11	59	114	232	391	447	196	21	–
	6 *Lung Disease, &c.*	2221	469	155	51	34	22	731	55	47	63	77	145	188	186	243	276	168	42	–
	ORDER 4.																			
	1 Gastritis	431	41	11	6	6	2	66	13	12	9	18	35	42	45	80	68	40	3	–
	2 Enteritis	1367	395	98	32	27	27	579	66	39	50	43	90	115	89	123	118	49	6	–
	3 Peritonitis	918	38	12	7	16	13	86	47	40	58	95	170	137	74	90	80	36	5	–
	4 Ascites	449	7	–	3	4	5	19	10	10	7	15	27	58	84	87	95	33	4	–
	5 Ulceration of Intestines	478	22	13	7	1	1	44	16	4	19	37	55	79	70	76	59	18	1	–
	6 Hernia	460	14	1	–	–	–	15	–	–	–	2	9	37	77	117	118	76	9	–
	7 Ileus	577	63	6	5	7	5	86	9	7	16	10	30	42	77	95	130	63	12	–
	8 Intussusception	141	18	3	–	1	1	23	5	3	6	2	5	12	23	26	27	8	1	–
	9 Stricture of Intestines	156	–	–	–	–	–	–	1	–	–	3	10	17	40	41	28	16	–	–
	10 Fistula	33	–	–	1	–	–	1	–	–	1	1	11	6	3	5	4	1	–	–
	11 *Stomach Disease, &c.*	1508	159	30	10	11	6	216	18	17	16	35	96	135	200	275	331	147	20	2
	12 *Pancreas Disease, &c.*	9	–	–	–	–	–	–	–	–	–	–	–	1	5	2	1	–	–	–
	13 Hepatitis	646	10	4	4	–	1	19	5	2	11	12	46	97	130	153	125	42	3	1
	14 Jaundice	724	177	14	9	6	1	207	6	1	7	15	21	44	77	104	142	85	15	–
	15 *Liver Disease, &c.*	2573	32	13	2	7	4	58	18	8	23	41	159	344	561	677	499	168	17	–
	16 *Spleen Disease, &c.*	46	3	1	2	1	–	7	2	–	1	1	5	8	8	8	4	2	–	–

(*continued at page* 125.)

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1867—MALES—*cont.*

Class.	CAUSES OF DEATH.	MALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 5.																			
	1 Nephritis	266	15	10	5	11	8	49	16	17	8	8	22	24	26	47	31	17	1	-
	2 Ischuria	74	2	-	-	1	-	3	-	-	2	1	1	10	7	11	25	13	1	-
	3 Nephria	1278	8	18	6	4	7	43	39	33	32	36	158	229	261	245	152	48	2	-
	4 Diabetes	434	-	-	1	1	2	4	9	10	26	20	56	74	61	96	67	8	3	-
	5 Stone	178	-	1	4	6	2	13	8	1	4	2	6	13	13	29	52	34	3	-
	6 Cystitis	318	-	1	-	-	2	3	2	1	3	2	10	14	24	55	110	80	14	-
	7 *Kidney Disease, &c.*	2150	12	11	7	6	5	41	30	26	32	32	134	166	225	357	605	427	74	1
	ORDER 6.																			
	1 Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 *Uterus Disease, &c.*	82	7	1	1	1	1	11	2	2	1	5	6	12	9	13	20	1	-	-
	ORDER 7.																			
	1 Arthritis	51	1	-	1	1	-	3	6	7	4	2	6	6	1	5	6	5	-	-
	2 *Joint Disease, &c.*	952	26	22	22	13	12	95	94	113	111	89	104	85	84	90	71	16	-	-
	ORDER 8.																			
	1 Phlegmon	246	45	16	3	5	3	72	10	14	11	14	20	27	25	24	19	7	3	-
	2 Ulcer	203	28	4	1	-	1	34	-	1	4	2	8	8	22	37	51	30	6	-
	3 *Skin Disease, &c.*	202	130	17	6	1	1	155	1	-	-	3	-	3	5	9	17	6	3	-
IV.	ORDER 1.																			
	1 Premature Birth	5101	5100	1	-	-	-	5101	-	-	-	-	-	-	-	-	-	-	-	-
	2 Cyanosis	266	237	5	3	6	4	255	7	-	1	2	1	-	-	-	-	-	-	-
	3 Spina Bifida	168	162	3	-	-	1	166	2	-	-	-	-	-	-	-	-	-	-	-
	4 Other Malformations	301	295	5	1	-	-	301	-	-	-	-	-	-	-	-	-	-	-	-
	5 Teething	2367	1255	1024	88	-	-	2367	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																			
	1 Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																			
	1 Old Age	12,395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2286	7121	2825	163
	ORDER 4.																			
	1 Atrophy and Debility	16,965	12721	1472	352	116	64	14725	122	42	26	27	59	61	158	698	1030	17	-	-
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																			
	1 Fractures and Contusions	5603	21	64	40	52	54	231	260	484	545	564	873	798	703	575	367	166	36	1
	2 Gunshot	114	-	-	1	-	1	2	4	9	19	21	20	17	12	6	4	-	-	-
	3 Cut, Stab	80	1	4	-	1	1	7	10	8	6	6	13	9	9	4	5	3	-	-
	4 Burns and Scalds	1379	39	216	191	174	129	749	139	64	63	55	107	85	45	26	24	14	7	-
	5 Poison	175	39	10	2	9	1	61	9	3	3	4	18	30	14	19	10	4	-	-
	6 Drowning	2259	16	58	73	53	58	258	289	233	239	225	342	270	180	124	83	15	1	-
	7 Suffocation	790	526	29	4	6	5	570	10	22	17	11	31	39	44	22	13	8	3	-
	8 Otherwise	824	149	14	11	9	8	191	32	47	54	62	97	99	76	82	63	21	-	-
	ORDER 3. (HOMICIDE.)																			
	1 Murder and Manslaughter	238	85	2	2	3	1	93	6	6	11	19	34	30	20	13	1	3	2	-
	ORDER 4. (SUICIDE.)																			
	1 Gunshot Wounds	57	-	-	-	-	-	-	-	-	3	9	11	13	11	6	4	-	-	-
	2 Cut, Stab	201	-	-	-	-	-	-	-	-	2	3	35	48	47	43	19	4	-	-
	3 Poison	83	-	-	-	-	-	-	-	-	2	7	15	16	19	19	4	1	-	-
	4 Drowning	134	-	-	-	-	-	-	-	1	6	9	24	12	31	26	22	3	-	-
	5 Hanging	384	-	-	-	-	-	-	-	1	10	14	33	60	98	99	56	10	3	-
	6 Otherwise	104	-	-	-	-	-	-	-	1	5	5	15	22	27	14	12	3	-	-
	ORDER 5. (EXECUTION.)																			
	1 Hanging	10	-	-	-	-	-	-	-	-	1	3	5	-	1	-	-	-	-	-
	Other violent Deaths (not classed)	222	9	4	2	6	2	23	13	15	10	15	36	20	29	26	20	13	2	-
	Sudden Deaths (Cause unascertained)	2147	468	56	15	10	11	560	23	29	20	46	137	227	281	360	323	127	14	-
	Causes not specified or ill-defined	2395	1265	125	51	39	15	1495	53	37	41	35	70	93	114	171	200	78	7	1

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1867—FEMALES—*cont.*

Class.	CAUSES OF DEATH.	FEMALES.																	
		ALL AGES.	AGES AT DEATH.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	ORDER 5.																			
	1 Nephritis	176	10	3	6	4	3	26	10	2	4	8	16	21	29	23	25	11	1	-
	2 Ischuria	32	1	-	-	-	-	1	1	-	-	1	1	4	5	4	12	3	-	-
	3 Nephria	925	3	17	3	7	5	35	16	19	32	56	130	158	177	152	113	32	5	-
	4 Diabetes	246	-	-	1	-	2	3	11	12	15	20	43	33	45	35	24	5	-	-
	5 Stone	23	-	-	-	-	-	-	1	1	-	1	1	2	4	6	5	1	1	-
	6 Cystitis	63	1	1	-	-	-	2	2	1	2	-	5	15	7	9	14	3	2	1
	7 *Kidney Disease, &c.*	770	10	6	9	8	3	36	15	17	21	31	75	102	112	155	128	69	9	-
	ORDER 6.																			
	1 Ovarian Dropsy	247	-	-	-	-	-	-	-	-	1	8	39	50	53	54	30	6	1	-
	2 *Uterus Disease, &c.*	987	1	1	2	1	1	6	-	2	19	35	146	210	250	161	117	38	3	-
	ORDER 7.																			
	1 Arthritis	24	-	1	-	2	-	3	2	1	1	-	3	3	4	-	3	3	1	-
	2 *Joint Disease, &c.*	720	20	23	18	16	12	89	72	88	63	47	76	74	83	54	51	21	2	-
	ORDER 8.																			
	1 Phlegmon	184	40	12	6	1	3	62	8	7	5	12	23	16	17	17	9	6	2	-
	2 Ulcer	240	22	9	4	3	-	38	3	1	-	3	10	10	33	42	53	39	8	-
	3 *Skin Disease, &c.*	160	74	15	7	5	3	104	2	1	-	1	3	11	5	11	12	6	3	1
IV.	ORDER 1.																			
	1 Premature Birth	3889	3889	-	-	-	-	3889	-	-	-	-	-	-	-	-	-	-	-	-
	2 Cyanosis	215	172	12	7	3	3	197	8	2	2	1	3	1	-	1	-	-	-	-
	3 Spina Bifida	223	218	4	-	-	-	222	1	-	-	-	-	-	-	-	-	-	-	-
	4 Other Malformations	203	183	9	3	3	1	199	3	-	1	-	-	-	-	-	-	-	-	-
	5 Teething	1933	878	942	109	4	-	1933	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																			
	1 Paramenia	115	-	-	-	-	-	-	-	5	23	10	19	27	28	3	-	-	-	-
	2 Childbirth (*see* Metria)	2346	-	-	-	-	-	-	-	-	118	351	987	888	52	-	-	-	-	-
	ORDER 3.																			
	1 Old Age	16,251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2798	9045	4047	361
	ORDER 4.																			
	1 Atrophy and Debility	15,352	10,451	1373	387	138	74	12423	142	51	43	30	80	135	272	846	1310	15	4	1
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																			
	1 Fractures and Contusions	993	24	44	34	22	19	143	83	36	24	18	39	57	84	114	146	176	71	2
	2 Gunshot	10	-	-	-	-	-	-	2	2	1	1	2	-	1	1	-	-	-	-
	3 Cut, Stab	23	1	1	1	-	-	3	4	1	1	2	1	2	3	1	2	2	1	-
	4 Burns and Scalds	1221	53	172	125	147	105	602	222	67	35	20	31	27	32	28	61	76	18	2
	5 Poison	106	23	6	2	3	4	38	7	4	3	11	9	10	9	6	7	2	-	-
	6 Drowning	417	16	35	45	26	8	130	38	30	40	24	44	30	32	21	18	10	-	-
	7 Suffocation	562	479	17	5	2	4	507	4	2	2	4	3	8	11	9	7	4	1	-
	8 Otherwise	292	119	8	10	4	2	143	12	11	12	4	11	20	18	18	18	18	7	-
	ORDER 3. (HOMICIDE.)																			
	1 Murder and Manslaughter	154	91	2	3	1	1	98	4	2	1	4	19	10	6	4	4	2	-	-
	ORDER 4. (SUICIDE.)																			
	1 Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 Cut, Stab	67	-	-	-	-	-	-	-	-	1	5	16	19	16	6	4	-	-	-
	3 Poison	52	-	-	-	-	-	-	-	1	7	10	10	6	11	5	2	-	-	-
	4 Drowning	94	-	-	-	-	-	-	-	-	21	11	16	12	13	10	8	3	-	-
	5 Hanging	104	-	-	-	-	-	-	-	-	3	7	12	15	29	19	17	2	-	-
	6 Otherwise	36	-	-	-	-	-	-	-	-	4	3	6	9	7	1	6	-	-	-
	ORDER 5. (EXECUTION.)																			
	1 Hanging	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Other Violent Deaths (not classed)	77	2	2	1	1	1	7	7	2	1	2	4	7	5	5	10	22	5	-
	Sudden Deaths (Cause unascertained)	1359	354	44	29	18	8	453	24	17	15	20	94	130	149	149	197	96	15	-
	Causes not specified or ill-defined	2235	1072	139	50	22	16	1299	58	27	38	30	77	99	129	195	193	73	15	2

ENGLAND.—Supplementary Table of the

[The principles upon which the Causes of Death are tabled have been explained in previous Annual Reports. It will be sufficient to state now that all the Diseases, either having a distinct character, or fatal to any considerable number of persons, are classified under 114 heads; some of which, however, include groups of very distinct diseases,—such as are fatal to only a *few persons*, or *diseases* which are often confounded with other diseases. The rule has been to refer the distinct diseases to heads under which the cases were so numerous, that the additional numbers would not interfere with the calculated proportions. Where it is desired,

Class and Order in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF MALES.																	
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	TOTAL	11,066	1865	338	148	88	72	2511	228	227	297	363	830	983	1146	1542	1744	1021	168	6
Class I.																				
I.—1	Chicken-pox	22	13	4	3	1	1	22	–	–	–	–	–	–	–	–	–	–	–	–
4	Cynanche Maligna	85	15	14	9	9	10	57	14	2	3	1	3	–	2	1	1	1	–	–
9	Blister	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Erysipelas after Vaccination	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
11	Boil	7	3	–	–	–	–	3	–	–	–	–	–	–	1	2	–	1	–	–
18	Rheumatism of Heart or Pericardium	419	–	–	1	2	1	4	37	47	63	47	56	50	44	36	28	7	–	–
19	Miliaria	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Mumps	48	14	8	6	2	4	34	8	1	–	–	–	–	1	2	2	–	–	–
	Erythema	6	4	1	–	–	–	5	–	–	–	–	–	–	–	–	–	–	1	–
II.—1	Ulcer of Groin	2	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Gonorrhœa	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Malignant Pustule	4	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
III.—2	Inanition of Infancy	504	500	4	–	–	–	504	–	–	–	–	–	–	–	–	–	–	–	–
3	Rickets	74	23	31	10	3	3	70	3	–	1	–	–	–	–	–	–	–	–	–
	Bronchocele	7	–	–	–	–	–	–	–	1	–	–	–	1	2	1	1	1	–	–
	Cretinism	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
IV.—2	Porrigo	6	3	–	2	–	–	5	–	–	–	–	–	1	–	–	–	–	–	–
	Scabies	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Tape Worm	2	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Hydatid in Liver	12	–	–	–	–	–	–	–	1	1	1	2	2	3	2	–	–	–	–
Class II.																				
I.—2	Anæmia	254	142	19	6	4	3	174	8	1	3	–	5	8	12	21	16	3	3	–
	Hydropericardium	138	9	3	1	–	–	13	2	1	4	4	8	12	14	26	33	20	1	–
3	Melanosis	10	–	–	–	–	–	–	–	–	–	–	–	1	4	4	1	–	–	–
	Fungus Hæmatodes	29	–	–	–	3	–	3	2	–	–	–	1	6	4	3	5	4	1	–
	Sweep's Cancer	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	Lupus	23	–	–	–	–	–	–	–	1	–	3	–	–	3	4	6	6	–	–
	Polypus	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–
5	Gangræna senilis	301	–	–	–	–	–	–	–	–	–	–	–	–	–	22	91	146	42	
	Bedsore	43	–	–	–	–	–	–	–	–	–	–	–	1	2	3	12	18	7	–
II.—1	Adenitis	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	White Swelling	7	–	–	–	–	–	–	1	1	4	–	1	–	–	–	–	–	–	–
	Psoas abscess	201	–	–	1	1	2	4	12	18	26	30	47	27	17	17	2	1	–	–
2	Tubercular Peritonitis	76	15	7	2	1	1	26	9	10	5	9	9	2	3	1	1	1	–	–
3	Hæmoptysis	809	–	–	3	1	1	5	6	11	37	91	226	185	128	77	36	6	1	–
	Pneumothorax	15	1	–	–	–	–	1	–	–	1	–	8	4	1	–	–	–	–	–
Class III.																				
I.—1	Myelitis	78	2	3	3	1	2	11	6	3	8	5	5	14	11	10	3	2	–	–
3	Shaking Palsy	22	–	–	–	–	–	–	–	–	–	–	–	–	2	3	10	2	–	–
4	Fright	2	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Melancholy	31	–	–	–	–	–	–	–	–	–	–	3	5	4	13	3	3	–	–
8	Neuralgia	18	–	–	–	–	–	–	–	–	1	–	1	5	2	4	4	–	1	–
	Spinal Marrow Disease	134	2	2	1	3	1	9	6	3	11	8	14	18	22	21	18	4	–	–
	Necrencephalus (Softening of the Brain)	1132	1	–	4	1	2	8	2	4	6	8	66	112	168	296	307	142	12	1
	Ophthalmia	21	16	1	1	1	–	19	–	–	–	–	1	–	–	–	–	1	–	–
	Otitis	50	9	4	1	1	5	20	7	6	3	3	3	4	2	1	–	1	–	–
	Idiopathic Tetanus	16	2	–	–	1	1	4	2	2	2	2	1	–	–	2	–	1	–	–
	Cataract (Operation)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Amaurosis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
II.—1	Carditis	42	–	1	–	–	–	1	2	1	2	1	5	4	6	6	7	6	1	–
	Endocarditis	63	1	–	–	–	–	1	2	7	3	5	8	5	12	12	7	1	–	–

(*continued at page* 128.)

CAUSES of DEATH at different Periods of Life, in the Year 1867.

partial correction, however, can now be made by means of the following Supplementary Tables, containing many of the deaths from distinct diseases, such as chicken-pox, mumps, epistaxis, dry gangrene, polypus, rickets, bronchocele, &c. &c., and deaths from other forms of disease, such as softening of the brain (necrencephalus), which are returned in many cases under other heads, as paralysis, &c.

These Tables are an extension of the Tables of Causes of Death in England, pp. 120–125.]

Class and Order in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	TOTAL	9807	1328	301	112	83	59	1883	246	216	402	536	1203	1288	926	1071	1181	691	156	8
Class I.																				
I.—1	Chicken-pox	24	15	4	4	–	–	23	–	–	1	–	–	–	–	–	–	–	–	–
4	Cynanche Maligna	78	9	9	10	7	4	39	25	6	2	2	1	–	2	1	–	–	–	–
8	Malaria	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
9	Erysipelas after Vaccination	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
11	Boil	4	1	1	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–
18	Rheumatism of Heart or Pericardium	374	1	–	2	2	3	8	42	69	61	24	42	42	28	34	19	5	–	–
19	Mumps	40	10	8	3	3	2	26	8	1	–	–	1	–	3	–	1	–	–	–
	Erythema	9	7	–	–	–	–	7	–	–	–	–	–	–	–	1	–	1	–	–
	Yellow Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II.—1	Ulcer of Groin	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Gonorrhœa	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Necusia	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Malignant Pustule	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
III.—2	Inanition of Infancy	384	378	6	–	–	–	384	–	–	–	–	–	–	–	–	–	–	–	–
3	Rickets	73	16	40	9	6	–	71	1	1	–	–	–	–	–	–	–	–	–	–
	Bronchocele	17	–	–	–	–	–	–	–	1	1	–	2	2	2	5	2	2	–	–
IV.—2	Porrigo	7	3	2	2	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–
	Scabies	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Tape Worm	4	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	Hydatid in Liver	10	–	–	–	–	–	–	1	1	–	–	2	2	2	–	2	–	–	–
Class II.																				
I.—2	Anæmia	337	118	18	5	–	–	141	5	8	8	23	42	40	20	21	16	12	1	–
	Hydropericardium	164	4	2	1	1	1	9	2	3	3	3	9	11	16	33	55	17	2	1
3	Melanosis	9	–	–	–	–	–	–	–	–	–	–	1	–	1	4	2	1	–	–
	Fungus Hæmatodes	32	–	–	1	1	1	3	–	–	2	1	3	3	5	5	5	2	3	–
	Lupus	35	–	–	–	–	–	–	–	1	2	4	7	1	4	6	5	3	1	1
	Polypus	18	–	–	–	–	1	1	–	–	–	–	1	7	3	2	1	2	1	–
5	Gangræna senilis	242	–	–	–	–	–	–	–	–	–	–	–	–	2	25	72	103	36	4
	Bedsore	97	–	–	–	–	–	–	–	–	–	1	–	2	6	6	28	32	21	1
II.—1	White Swelling	5	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–
	Psoas abscess	140	1	1	1	–	1	4	9	8	9	10	39	27	19	9	3	3	–	–
2	Tubercular Peritonitis	107	5	10	–	5	2	22	14	14	22	13	9	8	2	3	–	–	–	–
3	Hæmoptysis	388	2	–	–	–	1	3	4	12	38	55	78	67	49	49	22	10	1	–
	Pneumothorax	5	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Class III.																				
I.—1	Myelitis	61	1	–	2	3	–	6	7	3	4	5	8	10	4	10	4	–	–	–
3	Shaking Palsy	17	–	–	–	–	–	–	–	–	–	–	1	–	1	4	6	4	1	–
4	Fright	7	–	–	1	–	–	1	–	–	–	–	1	–	1	–	2	2	–	–
	Grief	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	Rage	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Melancholy	34	–	–	–	–	–	–	–	–	1	2	3	2	8	8	8	2	–	–
6	Hysteria	26	–	–	–	–	–	–	–	1	5	2	10	4	2	2	–	–	–	–
8	Neuralgia	24	–	–	–	–	–	–	–	–	–	2	3	2	4	4	6	3	–	–
	Spinal Marrow Disease	133	3	5	2	2	2	14	5	8	14	5	19	17	20	15	12	4	–	–
	Necrencephalus (Softening of the Brain)	687	2	2	2	2	–	8	3	1	6	12	26	71	116	181	154	97	12	–
	Ophthalmia	13	6	1	1	2	1	11	1	–	–	–	–	–	–	1	–	–	–	–
	Otitis	49	7	2	1	1	2	13	13	7	3	4	3	1	–	2	3	–	–	–
	Idiopathic Tetanus	7	–	1	1	–	–	2	1	–	–	–	2	1	–	1	–	–	–	–
	Catalepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Amaurosis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
II.—1	Carditis	40	2	2	–	1	–	5	1	3	–	2	4	6	4	7	4	4	–	–
	Endocarditis	63	–	–	–	–	1	1	5	10	4	4	8	7	8	7	7	2	–	–
3	Angina Pectoris	96	–	–	–	–	–	–	–	–	–	1	6	7	17	14	30	17	4	–
	Syncope	219	–	–	–	2	–	2	1	–	3	7	25	34	31	27	47	39	3	–
	Hypertrophy	217	–	–	1	–	–	1	5	5	9	9	14	19	40	46	51	16	2	–
	Phlebitis	49	1	–	–	–	–	1	3	3	1	2	6	10	11	7	4	1	–	–
	Piles	5	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
	Embolism	21	–	–	–	–	–	–	1	–	1	–	5	10	1	1	1	1	–	–

(*continued at page* 129.)

ENGLAND.—Supplementary Table of the Causes

Class and Order in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF MALES.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
Class III.—*cont.*																				
II.—3	Angina Pectoris	166	1	–	–	–	–	1	–	1	2	2	5	15	23	42	63	9	3	–
	Syncope	195	1	–	2	–	–	3	1	3	2	3	18	15	22	30	51	39	7	1
	Hypertrophy	252	–	–	–	–	–	–	3	6	9	10	28	29	49	50	54	12	2	–
	Phlebitis	35	–	–	2	–	–	2	3	3	1	2	3	5	3	7	2	4	–	–
	Piles	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Embolism	11	1	–	–	–	–	1	–	–	–	–	3	–	3	2	–	2	–	–
III.—1	Œdema Glottidis	25	11	1	1	–	2	15	3	–	–	–	1	1	–	5	–	–	–	–
	Laryngismus Stridulus	229	148	66	8	2	2	226	3	–	–	–	–	–	–	–	–	–	–	–
3	Empyema	73	–	2	2	–	1	5	5	1	5	8	19	5	11	8	5	1	–	–
	Diaphragmitis	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
5	Emphysema	130	1	–	3	1	1	6	–	2	1	2	7	30	31	44	45	11	1	–
6	Grinder's Asthma	6	–	–	–	–	–	–	–	–	1	–	–	3	1	1	–	–	–	–
	Epistaxis	40	6	1	1	2	–	10	1	4	–	1	4	4	7	5	2	2	–	–
	Congestion of Lungs	1284	441	106	44	23	16	630	25	16	16	18	45	78	103	130	121	88	12	2
	Pulmonary Apoplexy	76	2	2	1	–	–	5	–	–	1	3	7	10	15	19	9	6	1	–
IV.—2	Stomatitis	43	27	12	2	1	–	42	–	–	–	–	–	–	–	1	–	–	–	–
	Glossitis	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Pharyngitis	7	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	–	–
	Œsophagitis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
5	Perforation of Intestines	62	1	–	–	–	–	1	1	1	–	3	6	11	13	16	8	2	–	–
6	Congenital Hernia	8	7	1	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–	–
	Femoral Hernia	17	–	–	–	–	–	–	–	–	–	–	1	–	2	3	4	1	1	–
	Inguinal Hernia	52	3	–	1	–	–	4	–	–	1	4	1	2	5	11	15	7	2	–
	Scrotal Hernia	12	1	–	–	–	–	1	–	–	–	–	1	–	1	2	3	3	1	–
	Umbilical Hernia	12	2	–	–	–	–	2	1	–	–	–	–	–	1	3	5	–	–	–
	Operation for Hernia	36	1	–	–	–	–	1	–	–	–	–	6	10	4	6	8	1	–	–
7	Obstruction of Bowels	439	73	4	6	5	6	94	8	11	14	15	27	34	41	70	83	39	3	–
11	Dyspepsia	107	13	1	2	–	–	16	–	1	1	–	4	8	10	22	26	15	3	1
	Pyrosis	8	–	–	–	–	–	–	1	–	–	–	–	–	–	5	1	1	–	–
	Hæmatemesis (vomiting of blood)	179	1	–	1	–	–	2	1	1	3	6	20	27	37	43	27	9	3	–
	Melæna	106	22	2	1	2	–	27	1	1	1	1	13	11	14	8	20	9	–	–
14	Gallstone	24	–	–	–	–	–	–	–	–	–	2	–	2	3	9	2	6	–	–
15	Cirrhosis	500	1	–	–	–	–	1	–	1	–	2	42	101	143	140	64	6	–	–
V.—5	Gravel	18	–	–	–	–	–	–	–	–	–	1	–	3	1	2	3	8	–	–
	Stone (Operation registered)	30	–	–	1	3	–	4	–	–	2	–	–	3	3	5	11	2	–	–
6	Catarrh of Bladder	93	–	–	–	–	–	–	–	–	–	–	–	5	5	19	38	24	2	–
7	Prostatic Disease	413	–	–	–	–	–	–	–	–	–	–	3	8	11	40	162	159	29	1
	Bladder Disease	502	–	1	–	–	–	1	8	3	3	5	8	19	42	84	183	126	20	–
	Diuresis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Hæmaturia	68	–	–	–	–	–	–	–	1	–	–	2	1	4	13	27	17	3	–
	Uræmia	29	–	–	–	–	–	–	–	–	–	1	1	2	4	4	7	9	1	–
	Addison's Disease	23	–	–	–	–	–	–	–	–	–	2	5	7	1	6	1	1	–	–
VI.—2	Orchitis	11	2	–	–	–	–	2	–	–	–	–	2	2	1	–	3	1	–	–
	Pelvic Abscess	16	–	–	–	–	–	–	1	2	1	4	1	2	1	2	2	–	–	–
	Dis. or Abscess of Perinæum	23	1	–	1	–	–	2	1	–	–	–	2	4	1	4	9	–	–	–
	Hydrocele	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
VII.—1	Ostitis	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Periostitis	8	–	–	–	–	–	–	1	–	1	1	2	–	–	1	2	–	–	–
2	Exostosis	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Mollities Ossium	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Caries	147	3	4	5	2	1	15	14	18	17	19	19	11	14	9	10	1	–	–
	Necrosis	65	–	–	–	–	1	1	2	6	6	4	12	7	3	11	9	4	–	–
VIII.—1	Whitlow	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Pyæmia	131	8	5	–	2	2	17	7	11	7	11	15	20	15	16	10	1	1	–
3	Eczema	74	51	7	1	–	–	59	–	–	–	1	–	–	3	–	6	3	2	–
	Ecthyma	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
	Herpes	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Pemphigus	18	11	1	1	–	–	13	–	–	–	–	–	1	–	2	1	1	–	–
	Impetigo	9	6	2	–	1	–	9	–	–	–	–	–	–	–	–	–	–	–	–
	Ichthyosis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Psoriasis	20	12	1	–	–	–	13	–	–	1	–	–	1	–	2	2	1	–	–
	Lepra	4	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–
	Elephantiasis	10	–	–	–	–	1	1	–	–	–	–	–	–	1	1	6	1	–	–
	Rupia	4	1	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–
	Pompholyx	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Class IV.																				
I.—4	Anus imperforatus	118	118	–	–	–	–	118	–	–	–	–	–	–	–	–	–	–	–	–
	Cleft Palate	45	45	–	–	–	–	45	–	–	–	–	–	–	–	–	–	–	–	–
	Nævus on Neck	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hare Lip	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
N. S.	Abscess, Tumor	238	53	14	7	6	2	82	8	11	11	10	19	14	16	29	28	10	–	–

of Death at different Periods of Life, in the Year 1867—*continued.*

Class and Order in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.
Class III.—*cont.*																				
III.—1	Œdema Glottidis	9	4	2	–	1	1	8	–	–	–	–	–	–	–	–	1	–	–	–
	Laryngismus Stridulus	101	64	25	2	2	4	97	3	–	–	–	1	–	–	–	–	–	–	–
3	Empyema	30	2	–	2	1	1	6	5	–	4	2	4	3	–	4	2	–	–	–
	Diaphragmitis	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
5	Emphysema	148	2	2	–	–	–	4	1	2	1	4	7	26	26	28	34	14	1	–
6	Epistaxis	24	4	–	–	–	1	5	1	–	1	3	3	1	2	5	2	–	1	–
	Congestion of Lungs	1109	318	95	35	20	12	480	31	11	17	20	42	64	60	90	140	119	35	–
	Pulmonary Apoplexy	40	5	–	–	–	–	5	–	1	3	3	4	6	1	8	6	3	–	–
IV.—2	Stomatitis	52	31	13	1	–	–	45	2	–	–	2	–	1	–	1	1	–	–	–
	Glossitis	2	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Pharyngitis	6	3	–	–	–	–	3	–	–	–	–	1	1	–	–	1	–	–	–
	Œsophagitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
5	Perforation of Intestines	69	–	–	–	–	–	–	2	–	6	12	11	13	9	7	8	1	–	–
6	Congenital Hernia	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Femoral Hernia	85	–	–	–	–	–	–	–	–	–	–	1	6	18	19	25	16	–	–
	Inguinal Hernia	20	–	–	–	–	–	–	–	–	–	–	1	1	2	5	10	1	–	–
	Umbilical Hernia	67	11	–	–	–	–	11	–	–	–	–	–	5	8	16	17	10	–	–
	Operation for Hernia	44	–	–	–	–	–	–	–	–	–	–	–	6	11	15	11	1	–	–
7	Obstruction of Bowels	459	44	3	5	6	5	63	7	5	12	8	22	36	57	75	110	54	10	–
11	Dyspepsia	152	13	3	–	1	–	17	1	1	1	–	8	11	14	30	41	24	4	–
	Pyrosis	4	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
	Hæmatemesis (vomiting of blood)	116	4	1	–	–	2	7	1	2	5	7	12	7	16	22	27	8	2	–
	Melæna	62	19	1	1	1	–	22	–	–	3	1	5	1	10	5	13	2	–	–
14	Gallstone	33	–	–	–	–	–	–	–	–	1	3	5	11	10	3	–			
15	Cirrhosis	313	–	–	–	–	–	–	–	–	1	8	16	50	93	88	51	5	1	–
V.—5	Gravel	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Stone (Operation registered)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
6	Catarrh of Bladder	17	–	–	–	–	–	–	–	–	–	–	3	5	2	1	3	1	2	–
7	Bladder Disease	68	–	–	–	1	–	1	2	–	2	1	4	8	13	11	12	13	1	–
	Hæmaturia	22	–	1	–	–	–	1	1	–	–	–	3	3	4	5	3	2	–	–
	Uræmia	13	–	–	–	–	1	1	–	–	–	–	2	3	1	2	4	–	–	–
	Addison's Disease	20	–	–	–	–	–	–	–	1	–	2	4	4	5	2	2	–	–	–
	Enuresis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
VI.—2	Hysteritis	55	–	–	–	–	–	–	–	–	5	10	20	14	4	1	1	–	–	–
	Pelvic Abscess	51	–	–	–	–	–	–	–	–	4	3	13	17	10	2	2	–	–	–
	Ovariotomy	14	–	–	–	–	–	–	–	–	1	–	8	3	2	–	–	–	–	–
VII.—1	Ostitis	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Periostitis	6	–	–	–	1	–	1	1	–	–	1	1	–	–	1	1	–	–	–
2	Mollities Ossium	7	–	–	–	–	–	–	–	–	2	1	–	–	–	1	3	–	–	–
	Caries	82	1	–	1	1	3	6	9	14	12	6	5	8	7	6	5	3	1	–
	Necrosis	50	1	1	3	2	–	7	8	3	2	3	2	5	4	9	4	2	1	–
VIII.—1	Pyæmia	115	13	5	4	1	3	26	6	5	5	12	21	14	10	10	4	1	1	–
3	Urticaria	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Eczema	60	36	7	2	1	1	47	–	–	–	1	1	1	1	3	2	2	1	1
	Ecthyma	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Herpes	5	–	1	1	–	–	2	–	1	–	–	–	–	–	–	2	–	–	–
	Pemphigus	10	2	1	1	1	–	5	1	–	–	–	–	1	–	1	2	–	–	–
	Impetigo	4	3	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–	–
	Ichthyosis	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	Psoriasis	18	10	–	–	–	–	10	–	–	–	–	1	3	–	1	1	1	1	–
	Lepra	8	3	–	–	1	–	4	–	–	–	–	–	1	1	1	–	–	1	–
	Elephantiasis	11	–	–	–	–	–	–	–	–	–	–	–	2	3	3	2	1	–	–
	Rupia	4	1	1	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–
	Pompholyx	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Class IV.																				
I.—4	Anus imperforatus	49	49	–	–	–	–	49	–	–	–	–	–	–	–	–	–	–	–	–
	Cleft Palate	26	26	–	–	–	–	26	–	–	–	–	–	–	–	–	–	–	–	–
	Hare Lip	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
II.—1	Menorrhagia	62	–	–	–	–	–	–	–	–	4	2	9	21	24	2	–	–	–	–
	Chlorosis	22	–	–	–	–	–	–	–	1	12	2	5	1	1	–	–	–	–	–
2	Miscarriage	55	–	–	–	–	–	–	–	–	2	6	22	24	1	–	–	–	–	–
	Abortion	75	–	–	–	–	–	–	–	–	3	13	31	26	2	–	–	–	–	–
	Puerperal Mania	85	–	–	–	–	–	–	–	–	1	17	51	15	1	–	–	–	–	–
	Phlegmasia Dolens	65	–	–	–	–	–	–	–	–	6	9	28	20	2	–	–	–	–	–
	Cæsarian Operation	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
	Extra-uterine Fœtation	11	–	–	–	–	–	–	–	–	–	2	5	3	1	–	–	–	–	–
	Retention of Placenta	34	–	–	–	–	–	–	–	–	–	4	19	11	–	–	–	–	–	–
	Breast Abscess	9	–	–	–	–	–	–	–	–	2	1	4	2	–	–	–	–	–	–
	Flooding	483	–	–	–	–	–	–	–	–	11	35	196	225	16	–	–	–	–	–
	Deformed Pelvis	10	–	–	–	–	–	–	–	–	–	1	8	–	1	–	–	–	–	–
	Puerperal Convulsions	366	–	–	–	–	–	–	–	–	56	117	123	68	2	–	–	–	–	–
	Placenta Prævia	149	–	–	–	–	–	–	–	–	4	14	56	69	6	–	–	–	–	–
	Rupture of Uterus	41	–	–	–	–	–	–	–	–	–	2	17	22	–	–	–	–	–	–
	Craniotomy	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
N. S.	Abscess, Tumor	270	59	23	5	3	3	93	6	2	9	5	14	24	30	32	35	17	3	–

CAUSES of DEATH in London at different Periods of Life in the Year 1867—Males.

Class.	CAUSES OF DEATH.	MALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	ALL CAUSES - - -	36,378	9,925	3294	1572	813	525	16,129	1092	493	723	1139	2593	3106	3226	3125	2734	1652	351	15
	SPECIFIED CAUSES -	36,200	9,828	3286	1567	811	525	16,017	1090	491	723	1133	2586	3101	3211	3114	2718	1650	351	15
	(Classes.)																			
I.	ZYMOTIC DISEASES -	7795	2746	1248	726	450	278	5448	480	156	148	190	323	335	268	209	147	77	13	1
II.	CONSTITUTIONAL „ -	7380	865	432	247	104	83	1731	210	89	284	539	1242	1288	997	620	273	101	6	-
III.	LOCAL „ -	15112	3402	1167	478	205	121	5373	286	157	198	249	802	1271	1736	2086	1893	917	138	6
IV.	DEVELOPMENTAL „ -	4138	2515	377	81	10	8	2991	13	3	-	2	5	5	17	63	323	522	186	3
V.	VIOLENT DEATHS -	1775	300	62	35	42	35	474	101	86	93	153	214	202	193	136	82	33	8	-
	(Orders.)																			
I.	1. Miasmatic Diseases -	6910	2173	1221	714	448	274	4830	477	153	142	181	272	262	211	173	130	65	13	1
	2. Enthetic „ -	283	182	6	4	1	1	194	-	-	1	3	17	17	17	17	7	10	-	-
	3. Dietic „ -	468	266	18	8	1	3	296	3	2	4	5	33	55	39	19	10	2	-	-
	4. Parasitic „ -	134	125	3	-	-	-	128	-	1	1	1	1	1	1	-	-	-	-	-
II.	1. Diathetic „ -	834	40	10	12	4	10	76	9	6	3	16	34	78	164	207	146	89	6	-
	2. Tubercular „ -	6546	825	422	235	100	73	1655	201	83	281	523	1208	1210	833	413	127	12	-	-
III.	1. Diseases of Nervous System - -	4344	1444	289	147	66	39	1985	98	40	52	56	163	306	362	467	512	270	32	1
	2. „ Organs of Circulation -	1564	9	6	3	2	4	24	35	31	48	48	167	240	304	308	257	91	10	
	3. „ Respiratory Organs - -	6710	1695	836	296	119	64	3010	90	31	42	83	254	408	659	882	765	405	77	
	4. „ Digestive Organs - -	1393	219	18	22	10	9	278	29	17	24	30	106	168	228	245	198	63	7	
	5. „ Urinary Organs - -	834	5	5	6	3	3	22	11	17	17	13	84	123	158	157	139	82	11	
	6. „ Organs of Generation -	10	-	-	-	-	-	-	-	-	-	-	1	4	3	-	2	-	-	
	7. „ Organs of Locomotion -	161	6	6	4	4	2	22	21	19	12	12	23	15	13	14	7	3	-	
	8. „ Integumentary System -	96	24	7	-	1	-	32	2	2	3	7	4	7	9	13	13	3	1	
IV.	1. Congenital Malformations and Dev. Diseases of Children	1255	1011	220	21	-	2	1254	1	-	-	-	-	-	-	-	-	-	-	
	2. Dev. Diseases, Adults	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3. „ Old People	936	-	-	-	-	-	-	-	-	-	-	-	-	-	-	223	519	186	
	4. Diseases of Nutrition	1947	1504	157	60	10	6	1737	12	3	-	2	5	5	17	63	100	3	-	
V.	1. Accident or Negligence - - - -	1516	263	61	34	39	34	431	98	83	85	135	177	160	142	102	67	28	8	
	3. Homicide - - -	49	35	-	-	-	1	36	3	1	-	2	1	2	3	1	-	-	-	
	4. Suicide - - -	176	-	-	-	-	-	-	-	1	6	11	32	37	43	31	13	2	-	
	5. Execution - - -	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	
	Violent Deaths not classed - - - -	31	2	1	1	3	-	7	-	1	2	4	2	3	5	2	2	3	-	
	Sudden Deaths, Cause unascertained - -	38	7	3	-	-	-	10	-	-	-	2	2	2	7	5	9	1	-	
	Causes not specified -	140	90	5	5	2	-	102	2	2	-	4	5	3	3	6	7	1	-	

(*continued at page* 132.)

CAUSES of DEATH in London at different Periods of Life in the Year 1867—Females.

Class.	CAUSES OF DEATH.	FEMALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ALL CAUSES - - -	34,546	8048	3217	1537	887	523	14,212	1054	462	748	1014	2395	2491	2692	2955	3335	2502	651	35
	SPECIFIED CAUSES -	34,386	7958	3210	1537	886	521	14,112	1052	462	748	1011	2390	2483	2681	2940	3326	2495	651	35
	(Classes.)																			
I.	ZYMOTIC DISEASES -	7506	2354	1263	799	493	300	5209	534	138	161	206	331	263	229	196	131	90	18	–
II.	CONSTITUTIONAL „ -	6863	701	405	188	108	61	1463	201	152	332	480	1169	1069	847	603	373	149	23	2
III.	LOCAL „ -	14891	2532	1148	442	245	133	4500	258	150	209	260	705	971	1508	2011	2307	1289	217	6
IV.	DEVELOPMENTAL „ -	4793	2094	346	76	16	12	2544	16	3	21	37	130	125	36	88	459	927	381	26
V.	VIOLENT DEATHS -	833	277	48	32	24	15	396	43	19	25	28	55	55	61	42	56	40	12	1
	(Orders.)																			
I.	1. Miasmatic Diseases -	6852	1869	1229	789	489	300	4676	529	135	157	198	310	243	207	179	117	84	17	–
	2. Enthetic „ -	213	170	9	1	–	–	180	–	1	2	6	13	7	2	1	1	–	–	–
	3. Dietic „ -	303	192	21	5	3	–	221	3	2	1	2	7	12	20	16	12	6	1	–
	4. Parasitic „ -	138	123	4	4	1	–	132	2	–	1	–	1	1	–	–	1	–	–	–
II.	1. Diathetic „ -	1605	31	18	15	9	4	72	11	7	7	12	80	219	355	372	307	138	23	2
	2. Tubercular „ -	5258	670	392	173	99	57	1391	190	145	325	468	1089	850	492	231	66	11	–	–
III.	1. Diseases of Nervous System - -	3958	1070	274	131	90	37	1602	72	35	49	52	146	205	313	447	550	410	74	3
	2. „ Organs of Circulation -	1711	9	3	5	5	7	29	31	39	42	58	153	185	291	346	368	150	19	–
	3. „ Respiratory Organs - -	6365	1285	840	286	133	77	2621	94	30	56	62	183	271	495	819	1042	589	101	2
	4. „ Digestive Organs - -	1493	126	18	8	9	8	169	37	15	25	47	110	192	263	267	246	105	16	1
	5. „ Urinary Organs - -	416	5	4	4	2	2	17	7	11	14	19	48	54	78	84	62	20	2	–
	6. „ Organs of Generation -	228	–	–	–	–	–	–	–	2	4	10	40	51	53	35	26	4	3	–
	7. „ Organs of Locomotion -	133	7	4	3	5	1	20	16	17	16	10	18	10	9	8	7	2	–	–
	8. „ Integumentary System -	87	30	5	5	1	1	42	1	1	3	2	7	3	6	5	6	9	2	–
IV.	1. Congenital Malformations and Dev. Diseases of Children	1036	806	185	37	1	1	1030	5	1	–	–	–	–	–	–	–	–	–	–
	2. Dev. Diseases, Adults	302	–	–	–	–	–	–	–	–	18	35	123	115	11	–	–	–	–	–
	3. „ Old People	1656	–	–	–	–	–	–	–	–	–	–	–	–	–	–	322	927	381	26
	4. Diseases of Nutrition	1799	1288	161	39	15	11	1514	11	2	3	2	7	10	25	88	137	–	–	–
V.	1. Accident or Negligence - - - -	675	227	47	31	24	14	343	39	19	18	17	36	36	41	32	44	37	12	1
	3. Homicide - - -	59	50	–	1	–	–	51	2	–	–	–	3	2	–	–	1	–	–	–
	4. Suicide - - - -	83	–	–	–	–	–	–	–	–	7	11	16	14	19	9	7	–	–	–
	5. Execution - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Violent Deaths not classed - - - -	16	–	1	–	–	1	2	2	–	–	–	–	3	1	1	4	3	–	–
	Sudden Deaths, Cause unascertained - -	32	9	–	–	–	–	9	–	–	–	1	1	1	3	7	5	5	–	–
	Causes not specified -	128	81	7	–	1	2	91	2	–	–	2	4	7	8	8	4	2	–	–

(*continued at page* 133.)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1867—MALES—*continued.*

Class.	CAUSES OF DEATH.	MALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
I.	ORDER 1.																			
	1 Small-pox	740	151	73	65	53	34	376	68	29	35	68	88	50	17	5	4	–	–	–
	2 Measles	569	115	220	123	51	33	542	21	1	1	2	1	1	–	–	–	–	–	–
	3 Scarlatina	736	68	157	148	113	61	547	148	17	8	6	5	3	2	–	–	–	–	–
	4 Diphtheria	204	41	43	26	27	20	157	24	5	–	1	3	5	3	3	3	–	–	–
	5 Quinsy	12	1	1	–	2	–	4	1	–	–	–	2	–	2	2	1	–	–	–
	6 Croup	384	80	105	82	47	40	354	29	1	–	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	1041	411	317	165	32	32	1007	34	–	–	–	–	–	–	–	–	–	–	–
	8 Typhus	1102	27	42	58	50	41	218	127	77	73	79	118	130	118	91	50	18	3	–
	9 Erysipelas	148	40	4	2	1	1	48	3	–	3	4	10	19	22	13	16	8	2	–
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	31	–	–	–	–	–	–	–	1	1	–	2	4	5	8	7	2	1	–
	12 Influenza	18	8	–	–	–	–	8	–	–	–	–	1	–	1	1	4	3	–	–
	13 Dysentery	45	8	1	–	2	1	12	–	–	1	4	5	11	5	4	3	–	–	–
	14 Diarrhœa	1586	1152	246	37	14	5	1454	5	3	5	3	10	9	8	29	25	28	6	1
	15 Cholera	126	66	12	7	5	5	95	2	2	2	1	4	5	6	5	3	1	–	–
	16 Ague	8	–	–	1	–	–	1	–	–	–	1	1	–	3	–	2	–	–	–
	17 Remittent Fever	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	18 Rheumatism	151	–	–	–	1	1	2	15	16	13	12	21	24	19	11	12	5	1	–
	19 *Other Zymotic Diseases*	6	5	–	–	–	–	5	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Syphilis	224	182	6	4	1	–	193	–	–	1	3	13	9	2	3	–	–	–	–
	2 Stricture of Urethra	55	–	–	–	–	–	–	–	–	–	–	2	8	15	13	7	10	–	–
	3 Hydrophobia	2	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–
	4 Glanders	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	27	–	–	2	–	–	2	2	–	–	1	2	2	2	5	3	1	–	–
	2 Want of Breast-milk	253	250	3	–	–	–	253	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	62	16	15	6	1	3	41	1	2	2	1	5	4	2	1	2	1	–	–
	4 Alcoholism { a Del. Trem. b Intemp.	90	–	–	–	–	–	–	–	–	1	2	23	32	20	9	3	–	–	–
		38	–	–	–	–	–	–	–	–	1	1	3	17	8	4	2	–	–	–
	ORDER 4.																			
	1 Thrush	127	124	3	–	–	–	127	–	–	–	–	–	–	–	–	–	–	–	–
	2 Worms, &c.	7	1	–	–	–	–	1	–	1	1	1	1	1	1	–	–	–	–	–
II.	ORDER 1.																			
	1 Gout	73	–	–	–	–	1	–	–	–	–	–	–	5	22	27	19	5	–	–
	2 Dropsy	247	35	9	3	2	1	50	8	5	1	9	12	22	28	46	34	29	3	–
	3 Cancer	419	–	–	2	–	3	5	–	1	2	7	21	49	110	123	76	24	1	–
	4 Noma	18	1	1	7	2	6	17	1	–	–	–	–	–	–	–	–	–	–	–
	5 Mortification	72	4	–	–	–	–	4	–	–	–	–	1	2	4	11	17	31	2	–
	ORDER 2.																			
	1 Scrofula	181	52	25	6	2	6	91	16	18	12	12	14	6	5	6	1	–	–	–
	2 Tabes Mesenterica	616	354	129	58	10	15	566	27	6	4	5	4	2	1	1	–	–	–	–
	3 Phthisis	4977	108	66	63	35	23	295	96	53	265	506	1190	1202	827	406	126	11	–	–
	4 Hydrocephalus	772	311	202	108	53	29	703	62	6	–	–	–	–	–	–	–	1	–	–
III.	ORDER 1.																			
	1 Cephalitis	423	99	59	49	30	22	259	40	10	18	6	35	26	13	11	4	–	1	–
	2 Apoplexy	894	53	20	3	4	3	83	14	7	9	18	45	99	145	193	193	78	9	1
	3 Paralysis	731	1	1	–	–	1	3	4	2	2	7	28	71	101	144	213	140	16	–
	4 Insanity	61	–	–	–	–	–	–	–	–	1	1	6	13	10	10	14	5	1	–
	5 Chorea	8	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	6 Epilepsy	184	4	5	2	5	1	17	5	6	9	13	24	38	27	18	16	10	1	–
	7 Convulsions	1583	1249	188	82	22	10	1551	22	3	–	–	–	2	–	2	2	1	–	–
	8 *Brain Disease, &c.*	465	33	16	11	5	2	72	13	11	12	11	25	56	66	89	70	36	4	–
	ORDER 2.																			
	1 Pericarditis	70	2	2	1	–	1	6	6	7	4	1	13	11	9	8	5	–	–	–
	2 Aneurism	111	–	–	–	–	–	–	–	1	2	1	22	40	20	15	7	3	–	–
	3 *Heart Disease, &c.*	1383	7	4	2	2	3	18	29	23	42	46	132	189	275	285	245	88	10	1
	ORDER 3.																			
	1 Laryngitis	191	71	48	14	8	6	147	10	3	–	2	8	3	4	10	3	1	–	–
	2 Bronchitis	3728	809	361	135	56	20	1381	26	7	9	18	84	196	400	614	578	342	69	4
	3 Pleurisy	89	2	4	2	–	1	9	3	1	4	10	13	15	12	15	4	3	–	–
	4 Pneumonia	2061	710	399	129	53	37	1328	43	13	23	44	117	130	151	107	80	20	5	–
	5 Asthma	306	–	–	1	–	–	1	–	1	1	3	9	33	55	92	82	28	1	–
	6 *Lung Disease, &c.*	335	103	24	15	2	–	144	8	6	5	6	23	31	37	44	18	11	2	–
	ORDER 4.																			
	1 Gastritis	34	4	1	3	1	–	9	–	–	1	1	3	2	4	4	8	2	–	–
	2 Enteritis	148	61	3	7	2	3	76	8	6	2	3	10	7	12	10	9	5	–	–
	3 Peritonitis	86	11	–	3	2	1	17	7	6	5	5	9	9	9	11	6	2	–	–
	4 Ascites	57	1	1	1	–	1	4	5	–	–	2	2	12	8	14	5	5	–	–
	5 Ulceration of Intestines	54	5	–	–	–	–	5	–	–	2	2	7	10	6	13	5	3	1	–
	6 Hernia	74	7	1	–	–	–	8	1	1	–	1	8	8	14	12	14	5	2	–
	7 Ileus	92	26	1	2	1	1	31	4	2	5	3	8	3	8	8	16	4	–	–
	8 Intussusception	25	10	–	–	3	–	13	1	1	1	–	–	3	1	1	3	1	–	–
	9 Stricture of Intestines	17	–	–	–	–	–	–	–	–	–	–	–	–	5	3	3	1	–	–
	10 Fistula	17	1	–	–	–	–	1	–	–	–	–	1	1	4	6	3	1	–	–
	11 *Stomach Disease, &c.*	133	23	3	3	–	2	31	–	–	1	–	8	12	19	23	29	7	3	–
	12 *Pancreas Disease, &c.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13 Hepatitis	88	1	–	1	–	–	2	1	–	2	5	9	11	20	20	15	3	–	–
	14 Jaundice	115	61	2	1	1	1	66	–	–	1	2	3	4	9	12	11	6	1	–
	15 *Liver Disease, &c.*	442	8	3	1	–	–	12	2	1	3	6	36	85	107	108	65	17	–	–
	16 *Spleen Disease, &c.*	11	–	3	–	–	–	3	–	–	1	–	2	1	2	–	1	1	–	–

(*continued at page* 134.)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1867—FEMALES—*continued.*

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
I.	ORDER 1.																			
	1 Small-pox	605	160	70	67	41	26	364	57	11	29	40	54	29	16	2	2	1	–	–
	2 Measles	574	113	200	124	70	34	541	27	3	3	–	–	–	–	–	–	–	–	–
	3 Scarlatina	715	56	123	147	109	90	525	148	18	11	3	8	1	1	–	–	–	–	–
	4 Diphtheria	243	26	47	37	32	12	154	58	6	5	2	5	3	5	5	–	–	–	–
	5 Quinsy	10	1	1	–	–	–	2	1	1	2	–	–	–	–	3	1	–	–	–
	6 Croup	357	57	96	76	70	22	321	35	1	–	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	1237	378	419	224	112	57	1190	44	3	–	–	–	–	–	–	–	–	–	–
	8 Typhus	1082	24	42	60	35	48	209	131	69	82	90	107	123	123	89	42	13	4	–
	9 Erysipelas	129	49	3	1	1	–	54	2	1	1	1	5	6	11	21	15	11	1	–
	10 Metria	168	–	–	–	–	–	–	–	–	8	42	85	33	–	–	–	–	–	–
	11 Carbuncle	14	–	–	–	–	–	–	–	1	–	1	–	2	1	6	1	2	–	–
	12 Influenza	18	5	1	–	–	–	6	–	–	–	–	–	–	1	1	3	6	1	–
	13 Dysentery	46	9	2	3	2	2	18	2	1	–	1	2	2	4	7	3	5	1	–
	14 Diarrhœa	1383	936	215	43	10	5	1209	6	2	2	2	14	14	21	31	34	40	8	–
	15 Cholera	114	53	10	1	5	2	71	6	2	2	3	5	5	10	2	6	2	–	–
	16 Ague	7	–	–	4	–	–	4	1	–	–	–	–	–	–	1	–	–	1	–
	17 Remittent Fever	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	18 Rheumatism	142	–	–	–	–	2	2	11	16	12	12	25	25	14	11	9	4	1	–
	19 *Other Zymotic Diseases*	6	2	–	2	2	–	6	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Syphilis	212	170	9	1	–	–	180	–	–	2	6	13	7	2	1	1	–	–	–
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	19	–	–	–	–	–	–	1	–	–	–	1	2	4	2	5	3	1	–
	2 Want of Breast-milk	184	184	–	–	–	–	184	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	56	8	21	5	3	–	37	2	2	1	2	2	1	1	1	5	2	–	–
	4 Alcoholism { *a* Del.Trem.	14	–	–	–	–	–	–	–	–	–	–	1	3	3	6	1	–	–	–
	4 Alcoholism { *b* Intemp.	30	–	–	–	–	–	–	–	–	–	–	3	6	12	7	1	1	–	–
	ORDER 4.																			
	1 Thrush	128	121	3	1	1	–	126	1	–	–	–	–	–	–	–	1	–	–	–
	2 Worms, &c.	10	2	1	3	–	–	6	1	–	1	–	1	1	–	–	–	–	–	–
II.	ORDER 1.																			
	1 Gout	23	–	–	–	–	–	–	–	–	–	–	2	2	4	7	7	1	–	–
	2 Dropsy	386	26	10	7	3	2	48	7	6	2	6	18	32	48	72	92	45	9	1
	3 Cancer	1070	–	–	–	1	–	1	1	–	5	6	56	185	297	278	177	59	4	1
	4 Noma	24	2	3	8	5	1	19	3	1	–	–	1	–	–	–	–	–	–	–
	5 Mortification	102	3	–	–	–	1	4	–	–	–	–	3	–	6	15	31	33	10	–
	ORDER 2.																			
	1 Scrofula	165	50	25	7	6	2	90	15	9	5	2	10	13	9	9	2	1	–	–
	2 Tabes Mesenterica	528	271	130	47	17	6	471	24	11	5	3	5	3	2	2	2	–	–	–
	3 Phthisis	3951	108	74	49	28	30	289	86	119	313	463	1074	834	481	220	62	10	–	–
	4 Hydrocephalus	614	241	163	70	48	19	541	65	6	2	–	–	–	–	–	–	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	344	59	65	40	34	15	213	36	12	13	9	15	16	6	13	11	–	–	–
	2 Apoplexy	941	25	17	9	6	3	60	6	5	9	19	41	72	158	204	200	142	25	–
	3 Paralysis	818	1	2	2	3	1	9	3	1	3	6	31	40	83	139	255	205	41	2
	4 Insanity	72	–	–	–	–	–	–	–	1	2	–	6	11	8	13	15	14	2	–
	5 Chorea	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	6 Epilepsy	151	3	1	3	–	2	9	4	9	9	12	29	19	15	20	13	11	1	–
	7 Convulsions	1265	954	167	69	38	13	1241	14	1	1	–	3	3	–	–	–	2	–	–
	8 *Brain Disease, &c.*	364	28	22	8	9	3	70	9	4	11	6	21	44	43	58	56	36	5	1
	ORDER 2.																			
	1 Pericarditis	62	2	2	2	1	2	9	3	6	6	3	9	6	6	7	5	1	1	–
	2 Aneurism	39	–	–	–	–	–	–	–	–	–	1	8	8	8	7	5	1	1	–
	3 *Heart Disease, &c.*	1610	7	1	3	4	5	20	28	33	36	54	136	171	277	332	358	148	17	–
	ORDER 3.																			
	1 Laryngitis	132	35	30	15	11	2	93	10	1	1	–	9	7	8	3	–	–	–	
	2 Bronchitis	3885	651	408	108	56	34	1257	27	7	12	22	62	145	324	609	853	481	84	2
	3 Pleurisy	80	2	2	2	2	1	9	6	2	7	8	11	11	4	10	5	7	–	–
	4 Pneumonia	1639	506	382	153	57	35	1133	44	15	34	25	74	66	72	71	56	41	8	–
	5 Asthma	320	–	–	–	1	–	1	–	1	–	2	13	16	63	88	97	36	3	–
	6 *Lung Disease, &c.*	309	91	18	8	6	5	128	7	4	2	5	14	26	24	38	31	24	6	–
	ORDER 4.																			
	1 Gastritis	46	5	–	1	1	–	7	–	1	–	2	3	5	6	5	12	4	1	–
	2 Enteritis	144	46	6	4	3	2	61	15	3	7	2	9	12	8	9	14	3	1	–
	3 Peritonitis	130	5	–	–	1	3	9	8	2	8	20	19	19	13	15	12	5	–	–
	4 Ascites	81	–	–	–	–	–	–	1	2	–	1	4	11	15	21	22	3	1	–
	5 Ulceration of Intestines	71	3	1	–	–	–	4	3	1	4	7	6	11	13	12	6	4	–	–
	6 Hernia	93	5	–	–	–	–	5	–	–	–	–	1	4	19	23	22	17	2	–
	7 Ileus	87	13	–	–	–	2	15	–	1	2	3	6	6	9	15	15	11	4	–
	8 Intussusception	34	5	1	–	1	–	7	2	2	1	–	1	3	3	7	6	2	–	–
	9 Stricture of Intestines	21	–	–	–	–	–	–	–	–	–	–	1	3	4	5	4	3	1	–
	10 Fistula	8	–	–	–	–	–	–	–	–	–	1	5	1	–	1	–	1	–	–
	11 *Stomach Disease, &c.*	174	17	4	1	1	1	24	1	1	–	4	12	21	24	27	34	21	4	1
	12 *Pancreas Disease, &c.*	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	13 Hepatitis	98	–	1	–	–	–	1	1	1	1	1	3	17	27	25	18	3	–	–
	14 Jaundice	98	21	3	–	–	–	24	1	–	1	–	3	9	13	13	21	12	1	–
	15 *Liver Disease, &c.*	395	6	1	–	2	–	9	4	1	1	5	35	66	106	87	61	18	2	–
	16 *Spleen Disease, &c.*	12	–	1	2	–	–	3	1	–	–	–	–	3	1	3	–	1	–	–

(*continued at page* 135.)

CAUSES of DEATH in London at different Periods of Life in the Year 1867—Males—*continued.*

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	Order 5.																			
	1 Nephritis	42	2	2	1	–	1	6	1	4	1	2	4	4	7	6	4	3	–	–
	2 Ischuria	11	–	–	–	–	–	–	–	–	–	–	1	3	1	2	2	2	–	–
	3 Nephria	341	2	2	2	–	–	6	3	6	7	6	52	67	80	69	35	10	–	–
	4 Diabetes	49	–	–	–	–	–	–	1	3	2	1	7	10	11	4	8	2	–	–
	5 Stone	37	–	–	2	2	1	5	–	–	–	–	3	–	5	8	10	6	–	–
	6 Cystitis	53	–	–	–	–	–	–	–	–	–	–	1	3	6	13	16	11	3	–
	7 *Kidney Disease, &c.*	301	1	1	1	1	1	5	6	4	7	4	16	36	43	55	64	43	8	–
	Order 6.																			
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	10	–	–	–	–	–	–	–	–	–	–	1	4	3	–	2	–	–	–
	Order 7.																			
	1 Arthritis	5	1	–	–	–	–	1	–	–	–	–	1	2	–	–	–	1	–	–
	2 *Joint Disease, &c.*	156	5	6	4	4	2	21	21	19	12	12	22	13	13	14	7	2	–	–
	Order 8.																			
	1 Phlegmon	46	6	1	–	1	–	8	2	2	3	6	3	6	6	6	4	–	–	–
	2 Ulcer	26	4	–	–	–	–	4	–	–	–	–	1	1	2	7	7	3	1	–
	3 *Skin Disease, &c.*	24	14	6	–	–	–	20	–	–	–	1	–	–	1	–	2	–	–	–
IV.	Order 1.																			
	1 Premature Birth	594	594	–	–	–	–	594	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	72	67	2	–	–	2	71	1	–	–	–	–	–	–	–	–	–	–	–
	3 Spina Bifida	22	21	1	–	–	–	22	–	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	68	67	1	–	–	–	68	–	–	–	–	–	–	–	–	–	–	–	–
	5 Teething	499	262	216	21	–	–	499	–	–	–	–	–	–	–	–	–	–	–	–
	Order 2.																			
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Order 3.																			
	1 Old Age	936	–	–	–	–	–	–	–	–	–	–	–	–	–	–	223	519	186	8
	Order 4.																			
	1 Atrophy and Debility	1947	1504	157	60	10	6	1737	12	3	–	2	5	5	17	63	100	3	–	–
V.	Order 1. (Accident or Negligence.)																			
	1 Fractures and Contusions	676	7	18	5	11	9	50	41	27	38	72	100	104	98	73	46	20	7	–
	2 Gunshot	4	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
	3 Cut, Stab	12	–	–	–	–	–	–	2	1	–	1	4	1	1	1	1	–	–	–
	4 Burns and Scalds	139	7	29	22	23	17	98	14	4	2	1	3	5	2	4	3	3	–	–
	5 Poison	38	6	2	1	2	–	11	–	–	1	1	5	5	7	5	3	–	–	–
	6 Drowning	305	2	1	3	–	4	10	37	44	37	52	49	33	22	12	8	1	–	–
	7 Suffocation	254	211	9	1	1	2	224	1	5	3	3	1	3	6	4	2	1	1	–
	8 Otherwise	88	30	2	2	2	2	38	3	2	3	4	14	9	6	2	4	3	–	–
	Order 3. (Homicide.)																			
	1 Murder and Manslaughter	49	35	–	–	–	1	36	3	1	–	2	1	2	3	1	–	–	–	–
	Order 4. (Suicide.)																			
	1 Gunshot Wounds	15	–	–	–	–	–	–	–	–	1	4	2	3	4	1	–	–	–	–
	2 Cut, Stab	44	–	–	–	–	–	–	–	–	–	–	12	11	10	7	4	–	–	–
	3 Poison	30	–	–	–	–	–	–	–	–	1	3	3	9	6	8	–	–	–	–
	4 Drowning	21	–	–	–	–	–	–	–	–	1	2	4	2	8	4	–	–	–	–
	5 Hanging	43	–	–	–	–	–	–	–	–	1	2	7	9	9	9	6	–	–	–
	6 Otherwise	23	–	–	–	–	–	–	–	1	2	–	4	3	6	2	3	2	–	–
	Order 5. (Execution.)																			
	1 Hanging	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	31	2	1	1	3	–	7	–	1	2	4	2	3	5	2	2	3	–	–
	Sudden Deaths (Cause unascertained)	38	7	3	–	–	–	10	–	–	–	2	2	2	7	5	9	1	–	–
	Causes not specified or ill-defined	140	90	5	5	2	–	102	2	2	–	4	5	3	8	6	7	1	3	–

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1867—FEMALES—*continued.*

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 5.																			
	1 Nephritis	21	1	–	1	–	–	2	1	1	1	1	3	2	2	2	5	1	–	–
	2 Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–
	3 Nephria	202	2	2	1	2	1	8	2	6	2	10	29	28	43	41	26	7	–	–
	4 Diabetes	34	–	–	–	–	–	–	1	2	6	4	4	5	4	3	4	1	–	–
	5 Stone	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	6 Cystitis	5	–	1	–	–	–	1	–	–	–	–	–	2	–	–	–	1	1	–
	7 *Kidney Disease, &c.*	148	2	1	2	–	1	6	3	2	5	4	11	16	28	36	27	9	1	–
	ORDER 6.																			
	1 Ovarian Dropsy	41	–	–	–	–	–	–	–	–	–	2	5	8	11	8	6	1	–	–
	2 *Uterus Disease, &c.*	187	–	–	–	–	–	–	–	2	4	8	35	43	42	27	20	3	3	–
	ORDER 7.																			
	1 Arthritis	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	2 *Joint Disease, &c.*	131	7	4	3	4	1	19	16	17	16	10	18	10	9	8	6	2	–	–
	ORDER 8.																			
	1 Phlegmon	39	11	3	1	–	1	16	1	1	3	2	6	2	2	3	2	1	–	–
	2 Ulcer	19	1	1	2	–	–	4	–	–	–	–	1	1	2	–	3	7	1	–
	3 *Skin Disease, &c.*	29	18	1	2	1	–	22	–	–	–	–	–	–	2	2	1	1	1	–
IV.	ORDER 1.																			
	1 Premature Birth	528	528	–	–	–	–	528	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	62	52	3	2	–	1	58	3	1	–	–	–	–	–	–	–	–	–	–
	3 Spina Bifida	39	37	1	–	–	–	38	1	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	34	31	2	–	–	–	33	1	–	–	–	–	–	–	–	–	–	–	–
	5 Teething	373	158	179	35	1	–	373	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Paramenia	12	–	–	–	–	–	–	–	–	3	2	–	2	5	–	–	–	–	–
	2 Childbirth (*see* Metria)	290	–	–	–	–	–	–	–	–	15	33	123	113	6	–	–	–	–	–
	ORDER 3.																			
	1 Old Age	1656	–	–	–	–	–	–	–	–	–	–	–	–	–	–	322	927	381	26
	ORDER 4.																			
	1 Atrophy and Debility	1799	1288	161	39	15	11	1514	11	2	3	2	7	10	25	88	137	–	–	–
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																			
	1 Fractures and Contusions	188	6	15	6	4	3	34	17	4	2	1	7	17	28	17	28	22	10	1
	2 Gunshot	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Cut, Stab	4	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–
	4 Burns and Scalds	176	12	28	20	17	10	87	16	12	10	6	9	3	7	5	10	10	1	–
	5 Poison	18	3	1	–	–	–	4	1	–	1	3	3	3	–	1	1	1	–	–
	6 Drowning	36	2	–	1	1	–	4	2	2	3	4	10	6	1	2	1	1	–	–
	7 Suffocation	207	186	3	1	1	1	192	1	–	1	1	2	–	3	3	2	2	–	–
	8 Otherwise	46	18	–	3	1	–	22	1	1	1	1	4	7	2	3	2	1	1	–
	ORDER 3. (HOMICIDE.)																			
	1 Murder and Manslaughter	59	50	–	1	–	–	51	2	–	–	–	3	2	–	–	1	–	–	–
	ORDER 4. (SUICIDE.)																			
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	17	–	–	–	–	–	–	–	–	–	2	3	6	4	2	–	–	–	–
	3 Poison	14	–	–	–	–	–	–	–	–	2	2	4	–	5	1	–	–	–	–
	4 Drowning	22	–	–	–	–	–	–	–	–	5	4	5	2	3	2	1	–	–	–
	5 Hanging	16	–	–	–	–	–	–	–	–	–	–	1	4	4	4	3	–	–	–
	6 Otherwise	14	–	–	–	–	–	–	–	–	–	3	3	2	3	–	3	–	–	–
	ORDER 5. (EXECUTION.)																			
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	16	–	1	–	–	1	2	2	–	–	–	–	3	1	1	4	3	–	–
	Sudden Deaths (Cause unascertained)	32	9	–	–	–	–	9	–	–	–	1	1	1	3	7	5	5	–	–
	Causes not specified or ill-defined	128	81	7	–	1	2	91	2	–	–	2	4	7	8	8	4	2	–	–

11
12
13 H
14 Jau
15 *Liver*
16 *Spleen Di*

(*continued at*

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND.		I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ALL CAUSES - - -	242588	228487	36378	34546	19632	18053	13960	13119	11396	11002
	SPECIFIED CAUSES -	238046	224893	36200	34386	19291	17812	13384	12901	11099	10771
	(CLASSES.)										
I.	ZYMOTIC DISEASES -	45729	45260	7795	7506	3147	3093	2427	2339	1770	1754
II.	CONSTITUTIONAL „ -	42960	46463	7380	6863	3930	4016	2505	2788	2015	2483
III.	LOCAL „ -	99137	88434	15112	14391	8224	7247	5527	4873	4526	3976
IV.	DEVELOPMENTAL „ -	37563	40527	4138	4793	3047	3127	2574	2700	2296	2380
V.	VIOLENT DEATHS -	12357	4209	1775	833	943	329	651	201	492	178
	(ORDERS.)										
I.	1. MIASMATIC DISEASES -	42288	42697	6910	6852	2854	2867	2214	2194	1612	1629
	2. ENTHETIC „ -	1068	841	283	213	91	79	53	45	28	18
	3. DIETIC „ -	1687	1073	468	303	134	83	106	60	69	59
	4. PARASITIC „ -	686	649	134	138	68	64	54	40	61	48
II.	1. DIATHETIC „ -	6728	10792	834	1605	711	995	493	754	394	645
	2. TUBERCULAR „ -	36232	35671	6546	5258	3219	3021	2012	2034	1621	1838
III.	1. DISEASES OF NERVOUS SYSTEM - -	32551	27816	4344	3958	2542	2099	1839	1551	1426	1204
	2. „ ORGANS OF CIRCULATION -	11210	11574	1564	1711	1261	1205	711	741	633	643
	3. „ RESPIRATORY ORGANS - -	38452	33731	6710	6365	2771	2418	1936	1700	1571	1316
	4. „ DIGESTIVE ORGANS - - -	10490	10516	1393	1493	906	1014	641	586	512	530
	5. „ URINARY ORGANS - - -	4698	2235	834	416	548	249	283	123	296	106
	6. „ ORGANS OF GENERATION -	82	1234	10	228	12	137	8	86	3	89
	7. „ ORGANS OF LOCOMOTION -	1003	744	161	133	107	54	71	50	54	52
	8. „ INTEGUMENTARY SYSTEM -	651	584	96	87	77	71	38	36	31	36
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	8203	6463	1255	1036	650	510	570	419	397	316
	2. DEV. DISEASES, ADULTS	-	2461	-	302	-	190	-	143	-	97
	3. „ OLD PEOPLE	12395	16251	936	1656	1234	1391	921	1166	962	1113
	4. DISEASES OF NUTRITION	16965	15352	1947	1799	1163	1036	1083	972	937	854
V.	1. ACCIDENT OR NEGLIGENCE - - - -	11224	3624	1516	675	788	274	555	170	436	140
	3. HOMICIDE - - -	238	154	49	59	10	6	13	4	8	8
	4. SUICIDE - - - -	963	358	176	83	116	34	65	20	39	23
	5. EXECUTION - - -	10	1	3	-	1	1	-	-	1	-
	VIOLENT DEATHS NOT CLASSED - - - -	222	77	31	16	28	14	18	7	8	7
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	2147	1359	38	32	142	84	118	83	163	104
	CAUSES NOT SPECIFIED -	2395	2235	140	128	199	157	158	135	134	127

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1867.

V. South Western.		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthshire and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
17722	17705	28358	26340	13756	13304	43547	40555	26679	24545	16202	15462	14958	13856
17298	17304	27677	25790	13460	13080	42699	40002	26315	24256	16011	15291	14812	13300
2408	2360	5204	5200	2084	2145	10121	9775	4540	4637	4160	4331	2073	2120
3301	3868	4406	4797	2133	2876	7087	7514	4477	5090	2731	3034	2995	3134
7282	6806	11627	10205	5873	5004	17600	15877	11795	10097	5594	5030	5977	4928
3339	3981	4780	5013	2733	2320	5785	6109	4011	4024	2577	2641	2283	2939
968	289	1660	575	637	235	2106	727	1492	408	949	255	984	179
2197	2213	4816	4897	1924	2020	9584	9388	4229	4407	3982	4200	1966	2030
79	49	130	115	36	26	196	162	77	57	58	47	37	30
83	45	194	131	85	56	265	154	140	83	98	61	45	38
49	53	64	57	39	43	76	71	94	90	22	23	25	22
737	1179	854	1320	414	723	837	1360	630	1039	374	541	450	631
2564	2689	3552	3477	1719	2153	6250	6154	3847	4051	2357	2493	2545	2503
2198	2071	3682	3132	2251	1802	5460	4644	4340	3520	1992	1669	2477	2166
954	1018	1331	1388	716	712	1589	1728	1216	1252	704	685	531	491
2743	2444	4604	3837	1901	1578	7959	7140	4273	3612	1896	1721	2083	1600
878	833	1279	1301	636	651	1686	1669	1289	1224	673	674	597	481
386	182	551	268	292	122	620	339	447	207	221	131	220	92
5	97	10	145	6	79	5	158	12	109	5	53	6	53
70	48	75	50	39	25	173	129	144	116	71	66	38	21
43	53	95	84	32	35	108	70	74	57	32	31	25	24
532	403	919	726	564	442	1475	1149	1045	806	563	450	233	206
–	192	–	315	–	163	–	447	–	238	–	156	–	218
1387	2043	1593	1942	1084	1231	1296	1690	1173	1473	729	920	1080	1617
1420	1343	2268	2030	1085	984	3014	2814	1793	1507	1285	1115	970	898
865	239	1494	536	534	199	1895	657	1353	340	874	232	914	162
10	11	33	8	7	5	55	32	22	6	11	5	20	10
83	34	106	29	74	24	119	33	96	51	54	15	35	7
1	–	–	–	–	–	4	–	–	–	–	–	–	–
9	5	27	2	22	7	33	5	21	11	10	3	15	–
199	169	319	193	119	77	650	371	115	79	72	42	212	125
225	232	362	357	177	147	198	182	249	210	119	129	434	431

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND.		I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ORDER 1.										
I.	1 Small-pox	1416	1097	740	605	96	64	157	103	69	61
	2 Measles	3385	3223	569	574	249	271	226	223	122	97
	3 Scarlatina	6206	6094	736	715	194	179	138	130	192	236
	4 Diphtheria	1250	1350	204	243	126	144	83	71	81	88
	5 Quinsy	117	84	12	10	15	10	5	2	3	3
	6 Croup	2343	2044	334	357	144	148	121	97	88	80
	7 Whooping-cough	5334	6339	1041	1237	373	425	273	319	173	184
	8 Typhus	8261	8601	1102	1082	544	594	403	464	299	322
	9 Erysipelas	797	653	148	129	64	56	33	42	41	27
	10 Metria	–	1066	–	168	–	79	–	47	–	51
	11 Carbuncle	164	71	31	14	19	7	13	6	5	3
	12 Influenza	284	323	18	18	38	43	20	23	15	20
	13 Dysentery	507	455	45	46	72	45	16	25	20	10
	14 Diarrhœa	10396	9455	1586	1383	747	641	631	539	414	376
	15 Cholera	510	412	126	114	41	35	15	23	26	14
	16 Ague	64	57	8	7	10	9	5	3	2	4
	17 Remittent Fever	43	43	3	2	3	3	4	5	2	3
	18 Rheumatism	1176	1080	151	142	118	109	71	69	52	47
	19 *Other Zymotic Diseases*	55	50	6	6	1	5	–	3	8	3
	ORDER 2.										
	1 Syphilis	858	840	224	212	71	79	42	45	20	18
	2 Stricture of Urethra	197	–	55	–	20	–	10	–	8	–
	3 Hydrophobia	9	1	2	1	–	–	1	–	–	–
	4 Glanders	4	–	2	–	–	–	–	–	–	–
	ORDER 3.										
	1 Privation	63	46	27	19	2	–	1	–	1	–
	2 Want of Breast-milk	805	632	253	184	61	52	59	46	45	40
	3 Purpura and Scurvy	241	230	62	56	21	21	17	12	8	15
	4 Alcoholism { *a* Del. Trem.	326	43	90	14	33	6	26	1	10	1
	4 Alcoholism { *b* Intemp.	252	122	36	30	17	4	3	1	5	3
	ORDER 4.										
	1 Thrush	605	558	127	128	51	50	49	31	60	45
	2 Worms, &c.	81	91	7	10	17	14	5	9	1	3
II.	ORDER 1.										
	1 Gout	290	87	78	23	66	12	25	5	12	6
	2 Dropsy	3014	4081	247	386	298	328	186	265	162	191
	3 Cancer	2650	5895	419	1070	267	579	218	435	150	405
	4 Noma	70	104	18	24	4	6	6	4	2	3
	5 Mortification	704	625	72	102	76	70	58	45	68	40
	ORDER 2.										
	1 Scrofula	1641	1297	181	165	178	138	97	87	102	95
	2 Tabes Mesenterica	3641	3241	616	528	269	192	194	173	177	183
	3 Phthisis	26999	28133	4977	3951	2430	2414	1485	1611	1185	1456
	4 Hydrocephalus	4041	3000	772	614	342	277	236	163	157	104
III.	ORDER 1.										
	1 Cephalitis	2337	1883	423	344	157	104	106	72	99	74
	2 Apoplexy	5223	5183	894	941	531	522	350	339	311	283
	3 Paralysis	5404	5406	731	818	502	484	465	431	334	337
	4 Insanity	303	337	61	72	31	24	55	29	36	26
	5 Chorea	21	29	3	3	1	–	1	2	1	3
	6 Epilepsy	1201	1111	184	151	130	113	96	84	64	62
	7 Convulsions	14807	11451	1583	1263	805	596	563	422	403	289
	8 *Brain Disease, &c.*	3255	2416	465	364	385	256	203	172	178	130
	ORDER 2.										
	1 Pericarditis	303	289	70	62	19	25	21	12	18	13
	2 Aneurism	378	125	111	39	50	14	21	2	15	5
	3 *Heart Disease, &c.*	10529	11160	1383	1610	1192	1166	669	727	600	625
	ORDER 3.										
	1 Laryngitis	753	527	191	132	76	44	39	26	25	19
	2 Bronchitis	20543	19830	3728	3885	1354	1373	887	891	717	670
	3 Pleurisy	510	355	89	80	47	30	27	19	22	21
	4 Pneumonia	11809	9309	2061	1639	872	601	676	549	554	423
	5 Asthma	2259	1489	306	320	152	109	120	78	70	55
	6 *Lung Disease, &c.*	2573	2221	335	309	270	261	187	137	183	128
	ORDER 4.										
	1 Gastritis	311	431	34	46	20	39	19	19	21	19
	2 Enteritis	1491	1367	148	144	79	94	72	74	61	51
	3 Peritonitis	653	918	86	130	45	88	44	39	29	53
	4 Ascites	275	449	57	81	12	46	21	24	16	22
	5 Ulceration of Intestines	450	478	54	71	54	44	30	23	19	15
	6 Hernia	467	460	74	93	49	40	30	22	23	19
	7 Ileus	602	577	92	87	63	63	31	33	29	30
	8 Intussusception	155	141	25	34	15	15	9	10	7	6
	9 Stricture of Intestines	122	156	17	21	19	18	6	13	7	11
	10 Fistula	67	33	17	8	5	3	4	–	1	1
	11 *Stomach Disease, &c.*	1440	1508	133	174	101	148	115	80	76	75
	12 *Pancreas Disease, &c.*	9	9	–	1	–	–	–	1	–	–
	13 Hepatitis	673	646	88	98	47	37	23	24	21	36
	14 Jaundice	769	724	115	98	83	66	46	48	32	51
	15 *Liver Disease, &c.*	2959	2573	442	395	307	306	188	171	169	140
	16 *Spleen Disease, &c.*	47	46	11	12	7	7	3	5	1	1

(*continued at page* 140.)

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1867—*continued.*

V. SOUTH WESTERN.		VI. WEST MIDLAND.		VII. NORTH MIDLAND.		VIII. NORTH WESTERN.		IX. YORKSHIRE.		X. NORTHERN.		XI. MONMOUTHSH. AND WALES.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
7	6	47	37	53	32	55	40	136	108	52	38	4	3
206	172	249	231	81	98	934	854	263	258	357	349	109	96
124	111	828	838	113	117	1852	1738	397	391	1364	1386	268	253
68	73	166	182	67	82	196	185	124	145	70	65	68	72
10	11	27	22	5	6	10	5	11	11	2	2	11	2
138	101	248	263	88	87	620	475	239	209	161	139	115	88
371	440	490	630	261	327	1069	1305	465	636	463	579	355	457
571	630	869	894	462	532	1748	1774	985	1016	643	678	635	615
44	36	120	82	39	32	124	86	97	85	53	53	34	25
–	59	–	130	–	45	–	203	–	134	–	81	–	69
17	12	19	7	12	5	17	8	15	3	9	4	7	2
42	50	23	23	29	35	43	36	27	38	17	24	12	13
39	24	68	54	23	24	121	110	54	60	31	42	18	15
432	388	1444	1319	599	515	2497	2318	1215	1134	631	652	200	190
20	12	27	20	19	15	89	68	50	35	71	52	26	24
2	4	5	4	3	2	10	7	6	6	8	8	5	3
1	–	11	15	1	3	7	2	2	3	3	–	6	7
96	81	169	139	67	60	184	169	134	128	45	44	89	92
9	3	6	7	2	3	8	5	9	7	2	4	4	4
63	49	114	115	23	26	161	162	62	57	45	47	33	30
16	–	16	–	11	–	33	–	14	–	10	–	4	–
–	–	–	–	1	–	2	–	–	–	3	–	–	–
–	–	–	–	1	–	–	–	1	–	–	–	–	–
–	1	11	6	3	3	9	9	4	2	2	5	3	1
35	29	117	85	42	36	72	63	57	43	44	35	20	19
19	9	19	23	12	14	32	37	27	21	18	13	6	9
20	3	19	4	14	–	64	6	24	3	16	2	10	3
9	3	28	13	14	3	88	39	28	14	18	6	6	6
39	44	56	45	38	41	71	61	79	79	20	20	15	14
10	9	8	12	1	2	5	10	15	11	2	3	10	8
27	8	42	8	8	4	12	4	13	7	5	8	2	2
367	520	406	530	188	327	427	538	310	428	179	229	244	339
256	577	301	696	168	347	320	715	238	545	139	268	174	258
2	3	15	14	1	2	15	31	3	9	2	4	2	4
85	71	90	72	49	43	63	72	66	50	49	32	28	28
162	120	182	149	95	63	286	223	158	111	77	64	123	82
210	200	361	338	178	159	584	487	402	376	505	473	145	132
1960	2212	2666	2727	1262	1794	4583	4897	2795	3181	1475	1707	2091	2183
232	157	343	263	184	137	797	547	492	383	300	249	186	106
101	102	224	202	117	97	462	377	355	294	170	125	123	92
503	515	605	595	313	239	688	693	579	562	241	265	208	229
445	532	690	656	355	356	744	718	498	436	346	314	294	324
16	39	23	39	7	14	25	42	12	20	22	11	15	21
3	4	1	4	2	3	4	6	2	3	3	1	–	–
101	112	186	152	58	46	151	180	109	102	62	48	60	61
698	489	1527	1184	1166	872	2983	2338	2451	1861	981	788	1647	1347
331	278	426	300	233	175	403	290	334	242	167	117	130	92
23	20	22	23	19	17	50	46	28	33	13	20	20	18
21	12	30	9	17	2	48	20	29	2	26	12	10	3
910	986	1279	1356	680	693	1491	1662	1159	1217	665	653	501	465
74	37	54	50	42	23	113	91	87	61	37	30	20	14
1389	1379	2499	2240	892	802	4878	4682	2389	2156	921	970	889	782
40	31	66	36	18	14	89	53	41	39	33	11	38	21
825	641	1330	1081	641	490	2175	1766	1276	1024	656	569	743	526
175	111	249	116	102	57	421	277	245	141	154	76	265	149
245	245	406	314	206	192	283	271	235	191	95	65	128	108
27	36	38	47	19	19	54	92	42	58	19	24	18	32
112	100	176	173	90	94	302	295	201	181	152	97	98	64
46	55	86	134	35	59	104	152	80	110	54	60	44	38
19	29	21	63	11	27	34	58	40	54	22	28	22	17
39	38	40	63	23	40	71	69	70	65	28	30	22	20
39	45	74	55	23	25	76	70	31	41	22	22	26	28
46	60	72	64	44	39	72	65	82	65	32	41	39	30
15	19	22	9	8	7	26	17	9	5	9	12	10	7
12	26	16	22	9	6	11	15	10	9	5	6	10	9
2	2	12	7	4	2	7	6	8	1	3	1	4	2
182	176	209	217	97	81	199	227	153	176	97	84	78	70
1	2	2	1	–	1	2	1	2	1	1	1	1	–
43	45	74	57	31	22	158	132	109	88	44	76	35	31
61	50	98	100	55	61	101	88	102	87	41	41	35	34
230	210	335	284	186	167	462	377	345	281	143	148	152	94
4	–	4	5	1	1	7	5	5	2	1	3	3	5

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND.		I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ORDER 5.										
	1 Nephritis	266	176	42	21	27	17	15	9	12	9
	2 Ischuria	74	32	11	4	5	1	4	4	7	2
	3 Nephria	1278	925	341	202	134	95	57	38	64	40
	4 Diabetes	434	246	49	34	34	30	30	16	32	19
	5 Stone	178	23	37	2	17	5	14	2	19	1
	6 Cystitis	318	63	53	5	27	7	19	3	23	3
	7 *Kidney Disease, &c.*	2150	770	301	148	304	94	144	51	139	32
	ORDER 6.										
	1 Ovarian Dropsy	-	247	-	41	-	28	-	18	-	22
	2 *Uterus Disease, &c.*	82	987	10	187	12	109	8	68	3	67
	ORDER 7.										
	1 Arthritis	51	24	5	2	6	2	2	1	2	3
	2 *Joint Disease, &c.*	952	720	156	131	101	52	69	49	52	49
	ORDER 8.										
	1 Phlegmon	246	184	46	39	31	20	13	11	11	12
	2 Ulcer	203	240	26	19	20	31	12	17	9	15
	3 *Skin Disease, &c.*	202	160	24	29	26	20	13	8	11	9
IV.	ORDER 1.										
	1 Premature Birth	5101	3889	594	528	414	333	406	286	286	220
	2 Cyanosis	266	215	72	62	31	24	22	19	16	14
	3 Spina Bifida	168	223	22	39	10	14	14	9	7	14
	4 Other Malformations	301	203	68	34	40	22	21	15	13	6
	5 Teething	2367	1933	499	373	155	117	107	90	75	62
	ORDER 2.										
	1 Paramenia	-	115	-	12	-	11	-	6	-	7
	2 Childbirth (*see* Metria)	-	2346	-	290	-	179	-	137	-	90
	ORDER 3.										
	1 Old Age	12395	16251	936	1656	1234	1391	921	1166	962	1113
	ORDER 4.										
	1 Atrophy and Debility	16965	15352	1947	1799	1163	1036	1083	972	937	854
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)										
	1 Fractures and Contusions	5603	993	676	188	302	86	248	41	154	33
	2 Gunshot	114	10	4	-	11	3	9	2	7	-
	3 Cut, Stab	80	23	12	4	6	2	5	1	3	-
	4 Burns and Scalds	1379	1221	139	176	73	78	33	49	38	46
	5 Poison	175	106	38	18	15	5	12	11	6	5
	6 Drowning	2259	417	305	36	212	39	129	20	125	18
	7 Suffocation	790	562	254	207	50	31	33	21	33	14
	8 Otherwise	824	292	88	46	119	30	86	25	70	24
	ORDER 3. (HOMICIDE.)										
	1 Murder and Manslaughter	238	154	49	59	10	6	13	4	8	8
	ORDER 4. (SUICIDE.)										
	1 Gunshot Wounds	57	-	15	-	9	-	4	-	2	-
	2 Cut, Stab	201	67	44	17	20	6	12	4	6	5
	3 Poison	83	52	30	14	7	2	3	2	2	3
	4 Drowning	134	94	21	22	15	10	9	7	11	6
	5 Hanging	384	104	43	16	46	10	21	4	14	6
	6 Otherwise	104	36	23	14	19	6	16	3	4	3
	ORDER 5. (EXECUTION.)										
	1 Hanging	10	1	3	-	1	1	-	-	1	-
	Other Violent Deaths (not classed)	222	77	31	16	28	14	18	7	8	7
	Sudden Deaths (Cause unascertained)	2147	1359	38	32	142	84	118	83	163	104
	Causes not specified or ill-defined	2395	2235	140	128	199	157	158	135	134	127

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1867—*continued*.

V. South Western.		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthsh. and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
10	10	29	22	16	7	66	36	22	24	12	17	15	4
11	5	4	4	5	1	9	5	6	3	7	1	5	2
89	58	159	123	39	37	191	176	102	66	50	42	52	48
35	12	58	33	33	20	65	37	57	24	24	14	12	7
8	3	19	1	11	–	14	–	19	4	6	2	14	3
21	7	43	3	16	3	51	13	38	9	11	7	16	3
212	87	239	82	167	54	224	72	203	77	111	48	106	25
–	14	–	26	–	11	–	38	–	21	–	10	–	18
5	83	10	119	6	68	5	120	12	88	5	43	6	35
3	–	11	4	3	2	6	3	6	3	5	2	2	2
67	48	64	46	36	23	167	126	138	113	66	64	36	19
15	11	37	24	11	12	38	19	27	19	11	13	6	4
13	20	28	40	12	11	39	27	24	31	11	14	9	15
15	22	30	20	9	12	31	24	23	7	10	4	10	5
352	245	631	452	386	300	879	654	683	507	347	272	123	92
13	14	39	27	8	11	31	22	15	2	18	11	1	9
8	8	17	32	10	16	38	34	25	29	11	15	6	13
26	19	34	24	21	13	33	30	22	19	16	16	7	5
133	117	198	191	139	102	494	409	300	249	171	136	96	87
–	8	–	13	–	18	–	16	–	17	–	3	–	4
–	184	–	302	–	145	–	431	–	221	–	153	–	214
1387	2043	1593	1942	1084	1231	1296	1699	1173	1473	729	920	1080	1617
1420	1343	2268	2030	1085	984	3014	2814	1793	1507	1285	1115	970	898
357	65	653	119	283	48	982	184	890	117	565	68	493	44
15	2	19	–	5	–	16	1	10	2	12	–	6	–
9	2	17	3	3	3	9	3	10	2	3	2	3	1
93	79	327	237	67	60	297	233	121	105	84	81	107	77
9	1	22	11	18	16	20	13	23	13	9	11	3	2
266	41	244	50	95	35	356	87	200	39	137	28	190	24
50	26	105	77	28	23	135	95	47	40	37	25	18	3
66	23	107	39	35	14	80	41	52	22	27	17	94	11
10	11	33	8	7	5	55	32	22	6	11	5	20	10
5	–	8	–	5	–	5	–	3	–	1	–	–	–
15	4	18	8	13	–	38	8	25	10	8	5	2	–
5	5	11	5	3	5	9	5	5	8	8	2	–	1
14	8	14	4	10	5	15	10	21	18	2	4	2	–
37	15	46	8	37	14	50	9	40	14	34	4	16	4
7	2	9	4	6	–	2	1	2	1	1	–	15	2
1	–	–	–	–	–	4	–	–	–	–	–	–	–
9	5	27	2	22	7	33	5	21	11	10	3	15	–
199	169	319	193	119	77	650	371	115	79	72	42	212	125
225	232	362	357	177	147	198	182	249	210	119	129	434	431

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867.

Class.	CAUSES OF DEATH.	MALES.															
		Division I. London.			Division II. South Eastern Counties.					Division III. South Midland Counties.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ALL CAUSES - - -	26192	7834	2352	2925	6082	3823	4744	2058	2379	1778	1584	1767	2555	552	1517	1828
	SPECIFIED CAUSES -	26092	7784	2324	2893	5974	3776	4652	1996	2372	1756	1534	1722	2501	542	1471	1786
	(CLASSES.)																
I.	ZYMOTIC DISEASES -	5698	1616	481	454	1134	595	718	246	456	319	242	330	445	77	295	263
II.	CONSTITUTIONAL „ -	5350	1551	479	588	1066	861	1014	401	447	320	288	314	414	102	234	386
III.	LOCAL „ -	10856	3277	979	1308	2457	1583	1978	903	1059	733	615	666	977	207	581	689
IV.	DEVELOPMENTAL „ -	2901	965	272	410	988	576	726	347	291	308	334	332	537	116	289	367
V.	VIOLENT DEATHS -	1287	375	113	133	329	161	216	99	119	76	55	80	128	40	72	81
	(ORDERS.)																
I.	1. MIASMATIC DISEASES -	5065	1421	424	384	1062	535	649	224	421	282	223	303	403	65	271	246
	2. ENTHETIC „ -	203	61	19	19	15	22	25	10	12	2	3	9	11	4	6	6
	3. DIETIC „ -	342	98	28	34	35	27	28	10	21	27	7	13	16	5	11	6
	4. PARASITIC „ -	88	36	10	17	22	11	16	2	2	8	9	5	15	3	7	5
II.	1. DIATHETIC „ -	591	196	47	79	198	159	203	72	70	73	51	57	92	22	48	80
	2. TUBERCULAR „ -	4759	1355	432	509	868	702	811	329	377	247	237	257	322	80	186	306
III.	1. DISEASES OF NERVOUS SYSTEM - -	2956	1070	318	373	779	498	613	279	396	251	169	224	328	61	216	194
	2. „ ORGANS OF CIRCULATION -	1146	308	110	221	357	259	317	107	141	96	82	80	108	31	56	117
	3. „ RESPIRATORY ORGANS - -	4953	1380	377	430	851	497	672	321	331	260	232	233	357	70	203	250
	4. „ DIGESTIVE ORGANS - -	985	301	107	151	270	191	196	98	117	78	82	75	116	28	70	75
	5. „ URINARY ORGANS - - -	624	159	51	105	143	97	128	75	52	37	34	36	48	14	24	38
	6. „ ORGANS OF GENERATION -	5	4	1	-	6	2	2	2	-	-	-	2	2	-	2	2
	7. „ ORGANS OF LOCOMOTION -	119	34	8	11	34	20	31	11	18	8	10	7	12	1	6	9
	8. „ INTEGUMENTARY SYSTEM -	68	21	7	12	17	19	19	10	4	3	6	9	6	2	4	4
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	899	285	71	112	217	126	134	61	82	50	78	54	113	36	80	77
	2. DEV. DISEASES, ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OLD PEOPLE	654	201	81	160	350	267	315	142	101	127	125	141	184	46	80	117
	4. DISEASES OF NUTRITION	1348	479	120	138	421	183	277	144	108	131	131	137	240	34	129	173
V.	1. ACCIDENT OR NEGLIGENCE - - - -	1094	323	99	115	294	116	178	85	101	62	48	69	113	34	60	68
	2. HOMICIDE - -	39	8	2	-	2	3	4	1	2	3	2	3	2	-	1	-
	3. SUICIDE - -	129	40	7	21	28	36	23	8	11	8	5	7	12	5	9	8
	4. EXECUTION - - -	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS NOT CLASSED - - -		2	5	2	4	6	11	5	5	3	-	1	1	1	2	5
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	24	4	19	3	43	17	42	37	1	6	38	34	10	-	17	12
	CAUSES NOT SPECIFIED -	15	46	9	29	65	30	50	25	6	16	12	11	44	10	29	30
		85															

(*continued at page* 148.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867.

Class.	CAUSES OF DEATH.	FEMALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ALL CAUSES - - -	25023	7410	2113	2613	5459	3562	4372	2047	2236	1711	1425	1647	2391	488	1502	1719
	SPECIFIED CAUSES -	24944	7358	2084	2598	5392	3521	4301	2000	2222	1689	1387	1619	2357	474	1466	1687
	(CLASSES.)																
I.	ZYMOTIC DISEASES -	5555	1511	440	430	1102	612	648	301	402	303	220	320	449	75	279	291
II.	CONSTITUTIONAL „ -	4954	1473	436	532	1086	893	1060	445	464	323	309	363	492	118	324	395
III.	LOCAL „ -	10430	3120	841	1141	2150	1376	1749	831	965	693	501	555	843	167	569	580
IV.	DEVELOPMENTAL „ -	3399	1072	322	440	960	580	765	382	344	343	333	356	549	108	281	386
V.	VIOLENT DEATHS -	606	182	45	55	94	60	79	41	47	27	24	25	24	6	13	35
	(ORDERS.)																
I.	1. MIASMATIC DISEASES -	5080	1360	412	386	1051	563	596	271	370	287	205	300	414	71	267	280
	2. ENTHETIC „ -	158	47	8	12	18	17	24	8	11	2	3	10	12	–	6	1
	3. DIETIC „ -	227	63	13	15	17	18	19	14	16	7	8	7	10	3	4	5
	4. PARASITIC „ -	90	41	7	17	16	14	9	8	5	7	4	3	13	1	2	5
II.	1. DIATHETIC „ -	1167	352	86	123	300	193	256	123	120	107	87	94	131	38	69	108
	2. TUBERCULAR „ -	3787	1121	350	409	786	700	804	322	344	216	222	269	361	80	255	287
III.	1. DISEASES OF NERVOUS SYSTEM - -	2743	947	268	323	651	374	535	216	345	237	141	163	267	35	266	157
	2. „ ORGANS OF CIRCULATION -	1273	330	108	190	333	253	287	142	137	106	71	92	124	34	79	98
	3. „ RESPIRATORY ORGANS - -	4701	1335	329	386	715	428	572	317	336	235	174	197	288	59	187	224
	4. „ DIGESTIVE ORGANS - -	1067	334	92	163	301	215	236	99	96	75	77	69	107	24	75	68
	5. „ URINARY ORGANS - -	303	89	24	44	68	51	57	29	21	14	16	12	25	9	10	16
	6. „ ORGANS OF GENERATION -	179	40	9	20	41	33	31	12	12	16	8	10	17	2	8	13
	7. „ ORGANS OF LOCOMOTION -	102	25	6	9	18	8	13	6	8	6	5	7	13	2	3	6
	8. „ INTEGUMENTARY SYSTEM -	62	20	5	6	23	14	18	10	10	4	9	5	2	2	1	3
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	740	236	60	79	171	104	101	55	74	41	39	38	102	14	57	54
	2. DEV. DISEASES, ADULTS	213	73	16	36	48	31	48	27	21	23	24	17	27	3	9	19
	3. „ OLD PEOPLE -	1185	357	114	188	389	265	365	184	147	164	150	162	214	60	99	170
	4. DISEASES OF NUTRITION	1261	406	132	137	352	180	251	116	102	115	120	139	206	31	116	143
V.	1. ACCIDENT OR NEGLIGENCE - - - -	485	154	36	45	74	55	65	35	36	22	19	22	19	6	13	33
	3. HOMICIDE - - -	54	5	–	–	3	1	2	–	4	–	–	–	–	–	–	–
	4. SUICIDE - - -	55	23	5	7	15	4	7	1	7	4	2	3	4	–	–	–
	5. EXECUTION - - -	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	VIOLENT DEATHS, NOT CLASSED - - - -	12	–	4	3	1	–	5	5	–	1	3	–	1	–	–	2
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	12	6	14	–	18	11	25	30	–	2	30	23	5	–	15	8
	CAUSES NOT SPECIFIED -	67	46	15	15	49	30	46	17	14	20	8	5	29	14	21	24

(*continued at page* 149.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	MALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ALL CAUSES - - -	3935	3281	4180	2297	1626	5793	3631	4375	4584	977	2617	9957	3161	7062
	SPECIFIED CAUSES -	3875	3208	4016	2268	1579	5691	3501	4259	4443	910	2500	9747	3085	6992
	(CLASSES.)														
I.	ZYMOTIC DISEASES -	628	498	644	342	204	859	469	534	671	79	334	1970	462	1688
II.	CONSTITUTIONAL „ -	703	598	714	381	312	1051	751	806	773	160	466	1368	506	1133
III.	LOCAL „ -	1694	1289	1543	1045	681	2417	1286	1853	1969	443	1114	4028	1383	2690
IV.	DEVELOPMENTAL „ -	669	705	922	386	307	1098	754	794	788	176	405	1711	578	1122
V.	VIOLENT DEATHS -	181	118	193	114	75	266	241	272	242	52	181	670	156	359
	(ORDERS.)														
I.	1. MIASMATIC DISEASES -	574	460	578	308	192	798	425	474	594	68	306	1854	412	1582
	2. ENTHETIC „ -	10	11	7	11	4	32	10	22	37	4	5	35	10	39
	3. DIETIC „ -	35	14	20	11	8	19	16	29	30	6	20	64	26	48
	4. PARASITIC „ -	9	13	39	12	-	10	18	9	10	1	3	17	14	19
II.	1. DIATHETIC „ -	136	136	122	84	85	232	138	198	165	43	117	222	131	176
	2. TUBERCULAR „ -	567	462	592	297	227	819	613	608	608	117	349	1146	375	957
III.	1. DISEASES OF NERVOUS SYSTEM - -	551	403	472	339	199	724	404	532	608	155	371	1328	440	780
	2. „ ORGANS OF CIRCULATION -	242	176	215	153	77	323	161	240	261	79	120	362	207	302
	3. „ RESPIRATORY ORGANS - -	590	444	537	364	266	942	460	716	743	136	418	1680	497	1130
	4. „ DIGESTIVE ORGANS - -	202	152	158	120	96	272	171	219	214	41	135	440	162	287
	5. „ URINARY ORGANS - -	76	84	136	52	36	113	68	117	111	25	56	149	60	150
	6. „ ORGANS OF GENERATION -	1	-	2	1	1	1	-	2	-	-	-	5	2	3
	7. „ ORGANS OF LOCOMOTION -	21	18	15	10	3	28	10	19	19	1	6	25	6	18
	8. „ INTEGUMENTARY SYSTEM -	11	12	8	6	3	14	12	8	13	6	8	39	9	20
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN.	124	130	143	65	53	175	102	137	144	13	50	366	121	225
	2. DEV. DISEASES, ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OLD PEOPLE	269	295	398	179	137	473	253	345	319	99	218	433	208	316
	4. DISEASES OF NUTRITION	276	280	381	142	117	450	399	312	325	64	137	912	249	581
V.	1. ACCIDENT OR NEGLIGENCE - - - -	155	107	174	106	70	229	231	229	214	49	162	607	142	320
	3. HOMICIDE - - -	2	2	4	-	-	2	-	3	4	-	4	16	1	8
	4. SUICIDE - - -	18	9	12	8	5	32	6	32	18	1	13	36	12	26
	5. EXECUTION - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	VIOLENT DEATHS NOT CLASSED - - - -	6	-	2	-	-	3	4	2	6	2	2	11	1	5
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	30	54	79	15	14	32	68	70	70	17	42	133	32	25
	CAUSES NOT SPECIFIED -	30	19	85	14	33	70	62	46	71	50	75	77	44	45

(*continued at page* 150.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	FEMALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ALL CAUSES - - -	3658	3214	4130	2228	1639	5898	3545	4395	4589	909	2374	8831	2859	6778
	SPECIFIED CAUSES -	3619	3151	4001	2202	1595	5807	3418	4282	4473	854	2292	8657	2806	6708
	(CLASSES.)														
I.	ZYMOTIC DISEASES -	623	483	648	303	204	841	503	509	642	76	343	1947	470	1722
II.	CONSTITUTIONAL „ -	850	715	918	443	402	1335	724	964	929	195	487	1488	547	1151
III.	LOCAL „ -	1396	1195	1385	952	628	2341	1143	1742	1943	361	969	3306	1143	2483
IV.	DEVELOPMENTAL „ -	697	700	983	457	336	1203	909	986	879	203	448	1745	589	1149
V.	VIOLENT DEATHS -	53	58	67	47	25	87	49	81	80	19	45	171	57	203
	(ORDERS.)														
I.	1. MIASMATIC DISEASES -	578	459	592	284	192	803	458	476	588	64	326	1862	424	1633
	2. ENTHETIC „ -	11	3	4	7	3	23	4	12	24	2	1	36	11	41
	3. DIETIC „ -	29	13	17	10	4	6	14	11	18	9	12	33	23	36
	4. PARASITIC „ -	5	8	35	2	5	9	27	10	12	1	4	16	12	12
II.	1. DIATHETIC „ -	228	190	227	124	112	394	202	347	253	64	153	372	171	307
	2. TUBERCULAR „ -	622	525	691	319	290	941	522	617	676	131	334	1116	376	814
III.	1. DISEASES OF NERVOUS SYSTEM - -	438	350	416	267	182	718	391	513	586	104	331	1086	331	694
	2. „ ORGANS OF CIRCULATION -	250	178	215	194	99	312	146	267	308	78	125	340	203	334
	3. „ RESPIRATORY ORGANS - -	453	417	446	312	229	889	368	646	704	102	328	1321	404	978
	4. „ DIGESTIVE ORGANS - -	167	161	202	129	82	294	173	215	231	59	137	389	141	344
	5. „ URINARY ORGANS - -	34	30	42	21	13	54	36	53	56	4	29	83	33	63
	6. „ ORGANS OF GENERATION -	20	33	36	16	9	33	14	25	26	8	9	48	16	38
	7. „ ORGANS OF LOCOMOTION -	22	14	16	9	6	14	8	11	16	3	–	13	6	12
	8. „ INTEGUMENTARY SYSTEM -	12	12	12	4	3	27	7	12	16	3	10	26	9	20
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	102	88	126	47	34	131	88	103	122	19	26	284	89	186
	2. DEV. DISEASES, ADULTS	29	29	39	21	20	52	41	58	53	8	33	110	43	68
	3. „ OLD PEOPLE -	290	319	504	256	156	658	447	526	430	115	247	518	228	404
	4. DISEASES OF NUTRITION	276	264	314	133	126	362	423	299	274	61	142	833	229	491
V.	1. ACCIDENT OR NEGLIGENCE - - - -	46	43	51	43	22	67	40	67	71	19	41	161	52	192
	3. HOMICIDE - - -	2	2	4	1	1	6	–	3	2	–	–	3	1	2
	4. SUICIDE - - - -	5	9	9	3	1	12	7	11	7	–	4	7	4	7
	5. EXECUTION - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - - -	–	4	3	–	1	2	2	–	–	–	–	–	–	2
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	13	31	60	11	7	19	70	62	53	6	20	75	23	16
	CAUSES NOT SPECIFIED -	26	32	69	15	37	72	57	51	63	49	62	99	30	54

(*continued at page* 151.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued.*

Class.	CAUSES OF DEATH.	MALES.															
		DIVISION VII. NORTH MIDLAND COUNTIES.					DIVISION VIII. NORTH WESTERN COUNTIES.		DIVISION IX. YORKSHIRE.			DIVISION X. NORTHERN COUNTIES.				DIVISION XI. MONMOUTHSHIRE AND WALES.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ALL CAUSES - -	2809	216	3952	3405	3374	5761	37786	21206	3209	2264	8233	4885	2512	572	2300	7916	4742
	SPECIFED CAUSES -	2783	214	3842	3313	3308	5671	37028	20904	3174	2237	8171	4841	2439	560	2217	7514	4581
	(CLASSES.)																	
I.	ZYMOTIC DISEASES -	484	33	581	468	518	1082	9039	3583	598	359	2178	1296	586	100	335	1030	708
II.	CONSTITUTIONAL ,, -	389	41	606	574	523	925	6162	3567	531	379	1328	894	405	104	383	1650	962
III.	LOCAL ,, -	1160	85	1616	1477	1535	2550	15050	9444	1354	997	2813	1702	853	226	992	3000	1985
IV.	DEVELOPMENTAL ,, -	646	46	842	646	553	817	4968	3086	546	379	1349	671	454	103	319	1252	712
V.	VIOLENT DEATHS ,, -	104	9	197	148	179	297	1809	1224	145	123	503	278	141	27	188	582	214
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES -	460	27	530	425	482	1010	8574	3353	545	331	2082	1243	565	92	315	962	689
	2. ENTHETIC ,, -	6	2	7	13	8	21	175	56	13	8	34	19	2	3	3	28	6
	3. DIETIC ,, -	13	-	33	21	18	39	226	95	30	15	48	30	17	3	12	22	11
	4. PARASITIC ,, -	5	4	11	9	10	12	64	79	10	5	14	4	2	2	5	18	2
II.	1. DIATHETIC ,, -	84	10	135	85	100	150	687	465	94	71	175	125	62	12	64	244	142
	2. TUBERCULAR ,, -	305	31	471	489	423	775	5475	3102	437	308	1153	769	343	92	319	1406	820
III.	1. DISEASES OF NERVOUS SYSTEM -	427	29	670	547	578	862	4598	3441	554	345	1111	570	245	66	328	1223	926
	2. ,, ORGANS OF CIRCULATION -	162	10	190	169	185	287	1302	904	179	133	297	261	122	24	92	264	175
	3. ,, RESPIRATORY ORGANS - -	388	26	470	513	504	974	6985	3577	381	315	967	544	298	87	416	1077	590
	4. ,, DIGESTIVE ORGANS - -	113	13	181	153	176	295	1391	1002	151	136	306	224	114	29	107	281	209
	5. ,, URINARY ORGANS - -	57	7	83	71	74	107	513	331	71	45	84	67	55	15	36	117	67
	6. ,, ORGANS OF GENERATION -	2	-	2	-	2	2	3	9	1	2	2	3	-	-	-	5	1
	7. ,, ORGANS OF LOCOMOTION -	6	-	10	13	10	14	159	116	12	16	32	22	14	3	8	20	10
	8. ,, INTEGUMENTARY SYSTEM -	5	-	10	11	6	9	99	64	5	5	14	11	5	2	5	13	7
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	144	9	158	118	135	188	1287	884	97	64	351	113	84	15	56	136	41
	2. DEV. DISEASES, ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. ,, OLD PEOPLE -	198	27	353	279	227	261	1035	811	191	171	287	216	177	49	121	532	427
	4. DISEASES OF NUTRITION	304	10	331	249	191	368	2646	1391	258	144	711	342	193	39	142	584	244
V.	1. ACCIDENT OR NEGLIGENCE - - - -	82	4	166	125	157	266	1629	1121	128	104	469	263	119	23	182	539	193
	3. HOMICIDE - - -	-	-	3	1	3	13	42	14	4	4	8	1	2	-	2	10	8
	4. SUICIDE - - -	17	4	23	17	13	12	107	75	11	10	21	13	17	3	1	28	6
	5. EXECUTION - - -	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - - -	5	1	5	5	6	6	27	14	2	5	5	1	3	1	3	5	7
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	8	1	39	57	14	58	592	92	13	10	26	29	15	2	53	103	56
	CAUSES NOT SPECIFIED -	18	1	71	35	52	32	166	210	22	17	36	15	58	10	30	299	105

(*continued at page* 152.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	FEMALES.															
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ALL CAUSES	2830	198	3775	3313	3188	5398	35157	19233	3020	2292	7739	4495	2619	609	2073	7198	4585
	SPECIFIED CAUSES	2819	197	3692	3254	3118	5334	34668	19010	2979	2267	7694	4452	2543	602	2005	6868	4427
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	521	34	621	466	503	1044	8731	3666	569	402	2222	1318	707	84	347	1000	773
II.	CONSTITUTIONAL ,,	571	29	758	785	733	1087	6427	4033	615	442	1514	835	532	153	423	1645	1066
III.	LOCAL ,,	989	82	1383	1306	1244	2220	13657	7964	1169	964	2468	1552	782	228	835	2478	1615
IV.	DEVELOPMENTAL ,,	680	49	864	648	579	887	5222	3044	566	414	1357	674	479	131	362	1640	937
V.	VIOLENT DEATHS	58	3	66	49	59	96	631	303	60	45	133	73	43	6	38	105	36
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES	507	26	573	445	469	990	8398	3487	534	386	2152	1280	686	82	320	947	763
	2. ENTHETIC ,,	1	–	11	7	7	12	150	47	9	1	18	19	10	–	9	19	2
	3. DIETIC ,,	7	1	19	8	21	19	135	62	16	5	38	14	8	1	10	24	4
	4. PARASITIC ,,	6	7	18	6	6	23	48	70	10	10	14	5	3	1	8	10	4
II.	1. DIATHETIC ,,	141	8	209	190	175	223	1137	801	131	107	256	159	89	37	87	319	225
	2. TUBERCULAR ,,	430	21	549	595	558	864	5290	3232	484	335	1258	676	443	116	336	1326	841
III.	1. DISEASES OF NERVOUS SYSTEM	356	20	546	439	441	723	3921	2729	438	353	868	493	227	81	273	1028	865
	2. ,, ORGANS OF CIRCULATION	148	8	166	215	175	291	1437	948	180	124	302	229	123	31	96	274	121
	3. ,, RESPIRATORY ORGANS	317	35	382	438	406	833	6307	2957	354	301	850	521	285	65	348	833	419
	4. ,, DIGESTIVE ORGANS	116	13	213	146	163	272	1397	964	126	134	321	216	100	37	87	245	149
	5. ,, URINARY ORGANS	27	2	37	33	23	46	293	152	26	29	60	35	29	7	16	45	31
	6. ,, ORGANS OF GENERATION	15	3	25	20	16	27	131	81	15	13	27	23	1	2	4	29	20
	7. ,, ORGANS OF LOCOMOTION	2	–	6	5	12	24	105	91	18	7	27	25	10	4	4	13	4
	8. ,, INTEGUMENTARY SYSTEM	8	1	8	10	8	4	66	42	12	3	13	10	7	1	7	11	6
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	110	4	139	97	92	167	982	667	84	55	287	104	45	14	42	112	52
	2. DEV. DISEASES, ADULTS	38	–	48	42	35	70	377	197	28	13	86	43	20	7	32	125	61
	3. ,, OLD PEOPLE	254	29	418	270	260	322	1377	1009	238	226	371	253	223	73	149	851	617
	4. DISEASES OF NUTRITION	278	16	259	239	192	328	2486	1171	216	120	613	274	191	37	139	552	207
V.	1. ACCIDENT OR NEGLIGENCE	49	1	55	45	49	88	569	253	49	38	126	64	37	5	36	91	35
	3. HOMICIDE	–	–	2	–	3	2	30	4	1	1	2	3	–	–	1	8	1
	4. SUICIDE	9	2	7	1	5	6	27	38	8	5	4	5	5	1	1	6	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	VIOLENT DEATHS, NOT CLASSED	–	–	2	3	2	–	5	8	2	1	1	1	1	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	–	25	34	14	44	327	55	11	13	12	20	10	–	35	53	37
	CAUSES NOT SPECIFIED	7	1	58	25	56	20	162	168	30	12	33	23	66	7	33	277	121

(*continued at page 153.*)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	MALES.																
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.								
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
I.	ORDER 1.																	
	1 Small-pox	522	164	54	23	57	11	4	1	46	28	4	–	13	1	52	13
	2 Measles	423	118	28	18	88	24	87	32	28	23	17	70	77	–	10	1
	3 Scarlatina	497	192	47	31	79	27	45	12	39	18	4	19	14	4	23	17
	4 Diphtheria	139	48	17	20	52	32	18	4	17	5	2	14	23	5	2	15
	5 Quinsy	9	3	–	3	5	2	3	2	2	2	–	–	–	–	1	–
	6 Croup	265	91	28	17	51	23	29	19	25	17	18	12	29	3	8	9
	7 Whooping-cough	820	197	24	60	160	80	46	27	49	24	45	54	30	6	23	42
	8 Typhus	841	183	78	74	194	88	147	41	61	47	51	44	79	24	43	54
	9 Erysipelas	104	37	7	12	25	15	9	3	4	5	3	5	9	2	3	2
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	22	8	1	6	3	2	6	2	3	2	4	2	–	–	1	1
	12 Influenza	16	–	2	2	7	19	6	4	–	2	2	3	4	1	7	1
	13 Dysentery	33	6	6	6	31	7	24	4	2	5	1	2	4	–	1	1
	14 Diarrhœa	1156	320	110	87	251	172	181	56	124	88	62	69	107	14	91	76
	15 Cholera	101	13	12	9	22	2	6	2	4	3	3	–	2	–	1	2
	16 Ague	6	2	–	1	6	1	2	–	2	–	–	–	1	1	–	1
	17 Remittent Fever	3	–	–	–	1	–	2	–	2	–	–	–	–	1	–	1
	18 Rheumatism	104	37	10	15	30	25	34	14	13	13	7	9	11	3	5	10
	19 *Other Zymotic Diseases*	4	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.																	
	1 Syphilis	161	50	13	11	13	16	21	10	10	2	2	6	9	2	5	6
	2 Stricture of Urethra	39	10	6	8	2	6	4	–	2	–	–	3	2	2	1	–
	3 Hydrophobia	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	4 Glanders	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																	
	1 Privation	25	1	1	–	–	–	1	1	–	–	–	–	1	–	–	–
	2 Want of Breast-milk	181	59	13	15	16	11	12	7	14	16	4	3	9	2	7	4
	3 Purpura and Scurvy	43	13	6	4	4	7	6	–	3	2	–	3	4	2	2	1
	4 Alcoholism { *a* Del. Trem.	66	17	7	8	11	6	6	2	4	9	2	6	1	1	2	1
	4 Alcoholism { *b* Intemp.	27	8	1	7	4	3	3	–	–	–	1	1	1	–	–	–
	ORDER 4.																	
	1 Thrush	84	33	10	13	20	10	6	2	2	8	8	5	14	2	7	3
	2 Worms, &c.	4	3	–	4	2	1	10	–	–	–	1	–	1	1	–	2
II.	ORDER 1.																	
	1 Gout	48	28	2	13	11	16	19	7	6	4	6	3	2	–	1	3
	2 Dropsy	169	65	13	22	95	68	90	23	30	29	15	20	40	3	24	25
	3 Cancer	307	82	30	35	70	51	79	32	27	30	24	26	38	14	19	40
	4 Noma	15	3	–	–	2	1	1	–	1	1	1	1	–	–	–	1
	5 Mortification	52	18	2	9	20	23	14	10	6	9	5	7	11	5	4	11
	ORDER 2.																	
	1 Scrofula	135	42	4	25	45	40	50	18	12	10	10	23	14	3	5	20
	2 Tabes Mesenterica	418	150	48	43	102	51	47	26	34	23	43	22	31	4	24	13
	3 Phthisis	3624	1023	330	379	639	533	628	251	276	183	157	177	235	65	135	257
	4 Hydrocephalus	582	140	50	62	82	78	86	34	55	31	27	35	42	8	22	16
III.	ORDER 1.																	
	1 Cephalitis	300	100	23	18	52	27	43	17	16	20	9	6	22	3	12	18
	2 Apoplexy	658	181	55	91	166	96	134	44	65	54	34	47	61	19	27	43
	3 Paralysis	486	203	42	52	139	109	129	73	106	50	49	50	78	22	62	48
	4 Insanity	37	18	6	2	12	8	8	1	39	1	2	2	3	–	6	2
	5 Chorea	1	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–
	6 Epilepsy	131	40	13	23	40	19	30	18	28	14	6	12	12	2	12	10
	7 Convulsions	1007	427	149	119	277	152	179	78	106	86	44	80	125	9	66	47
	8 *Brain Disease, &c.*	336	100	29	68	93	86	90	48	36	26	25	26	27	6	31	23
	ORDER 2.																	
	1 Pericarditis	50	16	4	4	6	4	2	3	4	1	2	3	4	–	1	6
	2 Aneurism	80	25	6	4	14	8	22	2	8	2	2	1	2	2	1	3
	3 *Heart Disease, &c.*	1016	267	100	213	337	247	293	102	129	93	78	76	102	29	54	108
	ORDER 3.																	
	1 Laryngitis	143	37	11	14	20	14	23	5	12	2	5	5	5	1	2	7
	2 Bronchitis	2723	784	221	193	420	239	337	165	153	135	106	111	174	29	87	92
	3 Pleurisy	64	17	8	5	13	6	15	8	8	3	4	4	3	1	1	3
	4 Pneumonia	1559	399	103	147	289	141	205	90	98	75	82	85	136	25	73	102
	5 Asthma	217	84	5	23	34	38	32	25	16	16	12	11	16	4	17	28
	6 *Lung Disease, &c.*	247	59	29	48	75	59	60	28	44	29	23	17	23	10	23	18
	ORDER 4.																	
	1 Gastritis	19	10	5	2	6	3	5	4	5	4	3	2	4	–	–	1
	2 Enteritis	102	29	17	15	24	18	15	7	16	7	6	6	13	4	7	13
	3 Peritonitis	66	16	4	8	15	11	5	6	6	7	3	6	6	6	5	5
	4 Ascites	41	16	–	1	6	3	1	1	2	1	3	9	3	–	2	1
	5 Ulceration of Intestines	35	13	6	10	7	16	10	11	10	3	3	2	8	2	2	–
	6 Hernia	53	16	5	5	14	13	12	5	4	3	10	3	5	–	3	2
	7 Ileus	71	12	9	12	14	13	18	6	4	4	4	7	6	–	2	4
	8 Intussusception	18	6	1	2	7	2	3	1	3	2	1	1	1	–	–	1
	9 Stricture of Intestines	13	4	–	2	4	7	2	4	4	–	–	–	1	–	–	1
	10 Fistula	7	9	1	1	–	1	2	1	–	1	–	1	–	–	2	–

(*continued at page* 154.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	FEMALES.															
		Division I. London.			Division II. South Eastern Counties.					Division III. South Midland Counties.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Herifordshire.	8. Buckinghamshire.	9. Oxfordshire.	10, Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
I.	ORDER 1.																
	1 Small-pox	475	82	48	14	40	4	4	2	23	19	3	–	9	1	38	10
	2 Measles	427	127	20	17	94	25	95	40	23	24	15	67	81	–	12	1
	3 Scarlatina	475	184	56	36	78	16	36	13	32	17	5	17	14	4	15	26
	4 Diphtheria	169	47	27	25	44	51	17	7	16	2	3	11	18	3	3	15
	5 Quinsy	10	–	–	–	5	1	3	1	–	–	–	–	1	–	1	–
	6 Croup	236	86	35	23	49	30	27	19	20	6	11	11	26	5	11	7
	7 Whooping-cough	942	244	51	61	202	81	46	35	52	38	44	59	41	5	21	59
	8 Typhus	824	197	61	78	195	113	139	69	45	57	62	58	101	17	68	56
	9 Erysipelas	93	31	5	13	18	11	9	5	7	6	5	7	4	1	4	8
	10 Metria	134	29	5	9	28	13	19	10	9	5	4	6	3	1	7	12
	11 Carbuncle	11	3	–	2	2	1	2	–	2	1	1	–	–	–	1	1
	12 Influenza	12	4	2	3	9	21	6	4	3	5	1	5	5	–	3	1
	13 Dysentery	35	8	3	6	19	7	12	1	2	4	4	5	3	–	4	3
	14 Diarrhœa	1042	259	82	73	218	147	157	46	121	89	35	49	93	25	66	61
	15 Cholera	83	23	8	8	20	–	4	3	4	6	1	–	2	–	6	4
	16 Ague	6	1	–	2	3	4	–	–	–	–	–	–	–	2	–	1
	17 Remittent Fever	2	–	–	–	3	–	–	–	–	–	1	–	1	–	–	3
	18 Rheumatism	100	35	7	16	22	38	20	13	11	8	10	4	11	7	6	12
	19 *Other Zymotic Diseases*	4	–	2	–	2	–	–	3	–	–	–	1	1	–	1	–
	ORDER 2.																
	1 Syphilis	158	46	8	12	18	17	24	8	11	2	3	10	12	–	6	1
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1 Privation	16	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Want of Breast-milk	134	41	9	10	7	11	14	10	13	6	5	6	7	2	4	3
	3 Purpura and Scurvy	44	10	2	3	7	4	3	4	2	1	3	1	3	1	–	1
	4 Alcoholism { *a* Del.Trem.	11	3	–	–	3	1	2	–	–	–	–	–	–	–	–	1
	4 Alcoholism { *b* Intemp.	22	7	1	2	–	2	–	–	1	–	–	–	–	–	–	–
	ORDER 4.																
	1 Thrush	82	39	7	15	14	11	2	8	5	3	2	1	13	1	1	5
	2 Worms, &c.	8	2	–	2	2	3	7	–	–	4	2	2	–	–	1	–
II.	ORDER 1.																
	1 Gout	14	7	2	2	1	4	5	–	2	1	–	1	1	–	–	–
	2 Dropsy	284	88	14	30	99	64	96	39	24	44	34	30	54	11	32	36
	3 Cancer	773	231	66	78	181	108	134	78	84	54	42	59	73	25	32	66
	4 Noma	18	5	1	1	3	–	1	1	–	1	1	1	1	–	–	–
	5 Mortification	78	21	3	12	16	17	20	5	10	7	10	3	2	2	5	6
	ORDER 2.																
	1 Scrofula	122	36	7	20	31	35	34	18	15	9	7	23	10	2	7	14
	2 Tabes Mesenterica	357	119	52	37	66	34	42	13	28	24	37	18	16	6	24	20
	3 Phthisis	2854	846	251	314	614	557	660	269	252	170	160	212	305	64	213	235
	4 Hydrocephalus	454	120	40	38	75	74	68	22	49	13	18	16	30	8	11	18
III.	ORDER 1.																
	1 Cephalitis	228	95	21	14	31	14	33	12	10	14	9	5	12	4	7	11
	2 Apoplexy	705	188	48	97	146	95	131	53	69	59	39	29	56	7	46	34
	3 Paralysis	568	207	43	73	134	93	119	65	78	65	34	62	64	13	65	50
	4 Insanity	41	24	7	2	4	8	9	1	12	1	3	1	6	–	1	5
	5 Chorea	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	6 Epilepsy	111	29	11	14	36	18	34	11	29	13	7	6	10	1	7	11
	7 Convulsions	883	325	107	96	227	90	143	40	92	69	37	47	91	6	52	28
	8 *Brain Disease, &c.*	255	78	31	27	73	56	66	34	55	15	11	13	28	4	28	18
	ORDER 2.																
	1 Pericarditis	43	12	2	2	8	9	3	3	2	4	1	1	2	–	–	2
	2 Aneurism	30	7	2	–	4	2	7	1	–	–	–	–	1	–	–	1
	3 *Heart Disease, &c.*	1195	311	104	188	321	242	277	138	135	102	70	91	121	34	79	95
	ORDER 3.																
	1 Laryngitis	92	35	5	8	15	6	9	6	6	4	2	3	7	–	3	1
	2 Bronchitis	2868	803	214	209	369	258	337	200	183	121	102	111	137	40	78	119
	3 Pleurisy	59	14	7	5	12	7	5	1	5	4	4	–	1	2	1	2
	4 Pneumonia	1218	344	77	111	207	95	131	57	98	71	53	57	115	13	68	74
	5 Asthma	238	73	9	15	32	17	30	15	13	8	5	12	10	4	14	12
	6 *Lung Disease, &c.*	226	66	17	38	80	45	60	38	31	27	8	14	18	–	23	16
	ORDER 4.																
	1 Gastritis	30	11	5	7	11	10	8	3	3	3	4	–	4	2	–	3
	2 Enteritis	100	29	15	10	29	16	28	11	14	7	12	9	13	2	10	7
	3 Peritonitis	104	22	4	12	30	16	22	8	4	6	5	6	6	1	6	5
	4 Ascites	60	16	5	8	15	5	11	7	2	6	2	2	4	2	6	–
	5 Ulceration of Intestines	57	11	3	8	9	14	11	2	2	2	4	2	7	2	8	1
	6 Hernia	61	29	3	5	11	12	8	4	3	6	3	3	2	1	2	2
	7 Ileus	68	18	1	9	17	13	18	6	5	4	5	3	8	2	2	4
	8 Intussusception	23	9	2	3	2	4	4	2	–	2	3	1	–	2	–	2
	9 Stricture of Intestines	17	3	1	5	6	5	2	–	2	2	–	1	4	–	1	3
	10 Fistula	5	3	–	1	1	–	–	1	–	–	–	–	–	–	–	–

(*continued at page 155*.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	MALES.													
		Division IV. Eastern Counties.			Division V. South Western Counties.					Division VI. West Midland Counties.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
I.	ORDER 1.														
	1 Small-pox	61	6	2	3	1	2	–	1	1	–	1	27	4	14
	2 Measles	46	48	28	38	20	87	12	49	30	3	10	122	7	77
	3 Scarlatina	30	89	73	30	43	19	16	16	35	1	15	338	55	384
	4 Diphtheria	24	29	28	19	5	21	16	7	21	2	12	53	16	60
	5 Quinsy	1	1	1	1	–	5	–	4	3	1	2	12	6	7
	6 Croup	43	22	23	17	3	56	34	26	28	4	17	88	25	84
	7 Whooping-cough	70	42	61	54	30	121	119	47	67	3	51	163	40	166
	8 Typhus	115	86	98	58	46	227	101	139	158	19	86	361	82	163
	9 Erysipelas	21	5	15	6	7	12	8	11	17	6	11	50	6	30
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	1	2	2	4	–	5	1	7	4	1	1	5	4	4
	12 Influenza	2	8	5	5	1	12	6	18	3	1	2	11	1	5
	13 Dysentery	7	9	4	3	2	16	10	8	8	2	9	21	5	23
	14 Diarrhœa	120	87	207	46	16	180	83	107	170	19	62	533	137	523
	15 Cholera	13	6	7	4	–	5	6	5	4	–	2	9	2	10
	16 Ague	1	–	1	–	–	–	–	2	2	–	–	1	1	1
	17 Remittent Fever	2	–	–	–	–	–	–	1	1	–	–	8	1	1
	18 Rheumatism	17	16	19	16	15	30	12	23	42	6	24	50	18	29
	19 *Other Zymotic Diseases*	–	4	4	4	1	–	1	3	–	–	1	2	2	1
	ORDER 2.														
	1 Syphilis	9	6	5	7	3	30	7	16	33	3	4	33	8	33
	2 Stricture of Urethra	1	5	2	4	1	2	3	6	4	1	1	2	2	6
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1 Privation	–	1	–	–	–	–	–	–	2	–	3	3	–	3
	2 Want of Breast-milk	20	10	15	6	3	5	7	14	16	5	11	32	18	35
	3 Purpura and Scurvy	5	1	2	3	–	3	7	6	4	–	–	7	2	6
	4 Alcoholism { *a* Del. Trem.	7	1	2	2	2	9	1	6	2	1	3	10	2	1
	4 Alcoholism { *b* Intemp.	3	1	1	–	3	2	1	3	6	–	3	12	4	3
	ORDER 4.														
	1 Thrush	9	12	39	10	–	7	14	8	9	1	1	17	13	15
	2 Worms, &c.	–	1	–	2	–	3	4	1	1	–	2	–	1	4
II.	ORDER 1.														
	1 Gout	1	4	7	1	1	8	4	13	12	2	1	5	12	10
	2 Dropsy	62	44	56	40	36	122	78	91	62	23	65	115	60	81
	3 Cancer	52	56	42	28	36	78	48	66	68	14	45	71	41	62
	4 Noma	1	1	–	–	–	1	–	1	3	–	–	3	1	3
	5 Mortification	20	31	17	15	12	23	8	27	20	4	6	28	17	15
	ORDER 2.														
	1 Scrofula	38	32	32	18	28	53	27	36	41	10	19	55	21	36
	2 Tabes Mesenterica	45	52	80	21	16	48	61	64	60	5	29	137	37	93
	3 Phthisis	413	327	445	225	155	644	478	458	445	96	273	846	279	727
	4 Hydrocephalus	71	51	35	33	28	74	47	50	62	6	28	108	38	101
III.	ORDER 1.														
	1 Cephalitis	37	29	33	15	7	34	17	28	32	5	14	88	19	66
	2 Apoplexy	130	91	90	69	38	181	73	142	98	46	59	155	100	147
	3 Paralysis	108	96	130	80	47	135	85	98	149	33	68	178	95	167
	4 Insanity	5	13	18	6	4	2	1	3	2	–	3	8	4	6
	5 Chorea	1	–	–	2	–	–	–	1	–	–	–	–	–	1
	6 Epilepsy	35	16	13	21	14	28	21	17	35	4	16	64	22	45
	7 Convulsions	165	99	139	99	69	223	140	167	193	42	169	719	157	247
	8 *Brain Disease, &c.*	70	59	49	47	20	121	67	76	99	25	42	116	43	101
	ORDER 2.														
	1 Pericarditis	7	6	5	2	2	6	6	7	6	–	4	8	2	2
	2 Aneurism	6	6	3	4	1	13	2	1	10	1	2	3	3	11
	3 *Heart Disease, &c.*	229	164	207	147	74	304	153	232	245	78	114	351	202	289
	ORDER 3.														
	1 Laryngitis	6	8	11	16	8	21	10	19	7	1	1	18	5	22
	2 Bronchitis	283	196	238	188	117	485	208	391	412	77	213	879	246	672
	3 Pleurisy	7	6	9	3	5	11	11	10	9	5	5	28	6	13
	4 Pneumonia	208	161	185	107	89	296	158	175	218	38	131	511	171	261
	5 Asthma	19	20	31	17	14	58	30	56	30	5	31	123	27	33
	6 *Lung Disease, &c.*	67	53	63	33	33	71	43	65	67	10	37	121	42	129
	ORDER 4.														
	1 Gastritis	6	8	7	3	2	8	3	11	4	3	4	19	2	6
	2 Enteritis	26	22	13	17	10	31	40	14	20	5	16	80	23	32
	3 Peritonitis	11	8	10	5	5	16	9	11	14	4	7	24	14	22
	4 Ascites	6	3	7	3	2	8	1	5	5	–	2	6	–	3
	5 Ulceration of Intestines	8	8	3	7	6	10	7	9	8	1	6	8	4	13
	6 Hernia	12	5	6	8	2	17	8	4	11	3	7	27	11	15
	7 Ileus	11	7	11	11	8	10	6	11	19	3	7	24	10	9
	8 Intussusception	3	2	2	1	–	3	4	7	3	1	2	6	5	5
	9 Stricture of Intestines	1	1	5	–	1	2	4	5	6	2	–	4	1	3
	10 Fistula	1	–	–	1	–	–	1	–	4	1	1	1	2	3

(*continued at page* 156.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.													
		Division IV. Eastern Counties.			Division V. South Western Counties.					Division VI. West Midland Counties.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
I.	ORDER 1.														
	1 Small-pox	53	6	2	1	1	1	-	3	2	-	1	22	3	9
	2 Measles	29	32	36	21	17	89	8	37	14	1	7	117	7	85
	3 Scarlatina	37	117	82	26	38	17	17	13	33	-	29	332	46	398
	4 Diphtheria	30	29	29	19	1	25	18	10	23	3	16	58	17	65
	5 Quinsy	1	1	1	2	1	2	4	2	5	2	2	7	1	5
	6 Croup	42	12	26	13	11	31	21	25	32	2	14	108	30	77
	7 Whooping-cough	67	47	70	77	28	130	136	69	73	11	72	192	62	220
	8 Typhus	122	89	111	60	47	250	122	151	166	22	99	359	88	160
	9 Erysipelas	7	8	12	3	4	12	6	11	10	4	3	35	11	19
	10 Metria	11	8	32	8	7	14	11	19	16	2	10	50	24	28
	11 Carbuncle	2	1	-	1	3	5	-	3	1	-	1	2	1	2
	12 Influenza	5	11	4	5	2	16	13	14	8	3	3	6	1	2
	13 Dysentery	2	6	2	1	2	9	4	8	7	-	6	18	-	23
	14 Diarrhœa	138	79	159	35	20	164	85	84	153	11	44	498	113	500
	15 Cholera	10	2	2	-	-	8	3	1	2	-	-	5	2	11
	16 Ague	2	-	2	-	-	-	-	4	1	-	-	2	-	1
	17 Remittent Fever	2	-	1	-	-	-	-	-	3	-	2	7	2	1
	18 Rheumatism	18	8	21	12	10	23	10	21	38	3	17	41	13	27
	19 *Other Zymotic Diseases*	-	3	-	-	-	2	-	1	1	-	-	3	3	-
	ORDER 2.														
	1 Syphilis	11	3	4	7	3	23	4	12	24	2	1	36	11	41
	2 Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.														
	1 Privation	-	-	-	-	-	-	-	1	1	1	1	2	-	1
	2 Want of Breast-milk	19	7	14	5	3	3	10	8	12	7	4	23	18	21
	3 Purpura and Scurvy	7	5	3	4	1	1	3	-	3	-	5	5	3	7
	4 Alcoholism { *a* Del. Trem.	1	-	-	1	-	1	-	1	1	1	-	-	-	2
	4 Alcoholism { *b* Intemp.	2	1	-	-	-	1	1	1	1	-	2	3	2	5
	ORDER 4.														
	1 Thrush	5	6	34	2	3	7	24	8	10	1	2	13	8	11
	2 Worms, &c.	-	2	1	-	2	2	3	2	2	-	2	3	4	1
II.	ORDER 1.														
	1 Gout	4	1	1	-	-	5	-	3	4	1	-	-	-	3
	2 Dropsy	76	51	64	46	63	166	97	148	102	27	81	153	68	99
	3 Cancer	132	127	146	69	40	198	94	176	128	35	65	192	96	180
	4 Noma	2	1	-	-	-	1	2	-	2	-	1	3	2	6
	5 Mortification	14	10	16	9	9	24	9	20	17	1	6	24	5	19
	ORDER 2.														
	1 Scrofula	39	23	33	18	14	40	22	26	38	9	15	31	14	42
	2 Tabes Mesenterica	68	48	67	24	22	55	51	48	58	5	22	118	32	103
	3 Phthisis	462	436	558	260	242	795	418	497	523	107	276	884	300	637
	4 Hydrocephalus	53	18	33	17	12	51	31	46	57	10	21	83	30	62
III.	ORDER 1.														
	1 Cephalitis	25	23	26	6	9	45	25	17	28	7	20	58	17	72
	2 Apoplexy	109	95	79	71	46	194	93	111	121	26	74	133	85	151
	3 Paralysis	102	100	135	74	50	162	95	151	159	23	74	168	61	171
	4 Insanity	2	19	5	6	9	12	5	7	9	-	3	14	5	8
	5 Chorea	-	1	2	-	-	3	1	-	-	-	1	1	1	1
	6 Epilepsy	20	23	19	16	7	36	20	33	34	1	12	53	17	35
	7 Convulsions	134	45	110	55	43	163	103	125	151	34	114	583	112	190
	8 *Brain Disease, &c.*	46	44	40	39	18	103	49	69	84	13	33	71	33	66
	ORDER 2.														
	1 Pericarditis	9	1	3	3	-	7	3	7	3	-	2	12	2	4
	2 Aneurism	2	1	2	3	-	4	2	3	2	-	3	2	1	1
	3 *Heart Disease, &c.*	239	176	210	188	99	301	141	257	303	78	120	326	200	329
	ORDER 3.														
	1 Laryngitis	5	7	7	6	-	9	12	10	11	-	4	17	2	16
	2 Bronchitis	226	215	229	185	117	528	168	381	456	54	171	744	235	580
	3 Pleurisy	7	9	5	5	3	16	5	2	4	2	5	18	3	4
	4 Pneumonia	149	135	139	83	55	221	125	157	161	27	107	417	118	251
	5 Asthma	17	13	25	14	13	35	18	31	16	4	17	44	12	23
	6 *Lung Disease, &c.*	49	38	41	19	41	80	40	65	56	15	24	81	34	104
	ORDER 4.														
	1 Gastritis	7	5	7	6	3	9	10	8	9	2	10	15	5	6
	2 Enteritis	16	22	13	13	7	28	30	22	26	15	21	65	15	31
	3 Peritonitis	15	14	24	8	6	19	13	9	18	5	6	43	19	43
	4 Ascites	4	7	11	6	3	13	4	3	8	1	8	24	4	18
	5 Ulceration of Intestines	8	4	3	5	3	12	12	6	15	-	2	22	10	14
	6 Hernia	6	1	12	4	4	18	9	10	11	-	5	15	7	17
	7 Ileus	12	6	12	5	5	22	12	16	11	1	9	22	7	14
	8 Intussusception	3	2	1	5	1	8	1	4	1	2	-	4	1	1
	9 Stricture of Intestines	4	4	3	5	1	9	6	5	6	-	5	5	-	6
	10 Fistula	1	-	-	-	-	1	-	1	-	-	2	1	-	4

(*continued at page 157.*)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	MALES.																
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
I.	ORDER 1.																	
	1 Small-pox	10	-	6	4	33	2	53	132	4	-	18	31	3	-	2	2	-
	2 Measles	16	5	19	29	12	60	874	216	38	9	187	73	82	15	24	64	21
	3 Scarlatina	31	2	29	23	28	243	1609	313	35	49	638	494	193	39	26	41	201
	4 Diphtheria	17	-	19	11	20	37	159	102	12	10	39	27	2	2	7	33	27
	5 Quinsy	3	-	1	1	-	1	9	7	2	-	-	1	1	-	-	9	4
	6 Croup	18	2	18	17	33	70	550	213	15	11	88	29	40	4	18	69	27
	7 Whooping-cough	70	4	74	41	72	87	982	319	81	65	246	150	60	7	62	178	115
	8 Typhus	95	3	153	93	118	213	1530	709	134	82	359	215	58	11	92	351	192
	9 Erysipelas	12	-	10	9	8	7	117	84	5	8	31	15	6	1	6	16	12
	10 Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11 Carbuncle	3	1	3	2	3	3	14	13	1	1	5	4	-	-	2	4	1
	12 Influenza	2	-	10	9	8	6	37	12	9	6	5	7	2	3	2	4	6
	13 Dysentery	7	1	7	6	2	10	111	41	9	4	15	11	4	1	3	10	5
	14 Diarrhœa	164	8	154	151	122	230	2267	965	181	69	370	154	99	8	45	111	44
	15 Cholera	2	-	5	9	3	3	86	39	7	4	53	14	4	-	4	15	7
	16 Ague	-	-	1	1	1	-	10	6	-	-	6	1	1	-	-	5	-
	17 Remittent Fever	-	-	1	-	-	1	6	1	1	-	-	2	1	-	2	3	1
	18 Rheumatism	9	1	20	19	18	30	154	113	11	10	21	14	9	1	18	45	26
	19 *Other Zymotic Diseases*	1	-	-	-	1	2	6	8	-	1	1	1	-	-	2	2	-
	ORDER 2.																	
	1 Syphilis	2	-	7	9	5	18	143	45	11	6	27	14	2	2	2	25	6
	2 Stricture of Urethra	3	1	-	4	3	3	30	11	1	2	6	3	-	1	1	3	-
	3 Hydrophobia	-	1	-	-	-	-	2	-	-	-	1	2	-	-	-	-	-
	4 Glanders	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	ORDER 3.																	
	1 Privation	2	-	1	-	-	3	6	3	1	-	2	-	8	-	-	2	1
	2 Want of Breast-milk	8	-	17	12	5	10	62	34	17	6	26	9	8	1	9	11	-
	3 Purpura and Scurvy	2	-	4	2	4	3	29	23	2	2	8	7	2	1	1	2	3
	4 Alcoholism { *a* Del. Trem.	-	-	7	3	4	13	51	18	3	3	4	9	3	-	2	2	6
	4 Alcoholism { *b* Intemp.	1	-	4	4	5	10	78	17	7	4	8	5	4	1	-	5	1
	ORDER 4.																	
	1 Thrush	5	4	11	8	10	10	61	69	6	4	13	4	1	2	2	13	-
	2 Worms, &c.	-	-	-	1	-	2	3	10	4	1	1	-	1	-	3	5	2
II.	ORDER 1.																	
	1 Gout	2	-	5	1	-	1	11	9	1	3	1	4	-	-	2	-	-
	2 Dropsy	36	5	61	31	55	68	359	260	32	18	90	55	28	6	35	137	72
	3 Cancer	31	4	57	44	32	66	254	155	47	36	64	49	21	5	19	92	63
	4 Noma	-	1	-	-	-	1	14	3	-	-	1	-	1	-	-	2	-
	5 Mortification	15	-	12	9	13	14	49	38	14	14	19	17	12	1	8	13	7
	ORDER 2.																	
	1 Scrofula	26	3	26	20	20	27	259	126	18	14	44	23	6	4	16	80	27
	2 Tabes Mesenterica	29	2	31	79	37	73	511	334	45	23	296	180	24	5	41	75	29
	3 Phthisis	223	23	359	349	308	579	4004	2245	329	221	654	484	268	69	214	1170	707
	4 Hydrocephalus	27	3	55	41	58	96	701	397	45	50	159	82	45	14	48	81	57
III.	ORDER 1.																	
	1 Cephalitis	27	-	28	32	30	54	408	322	17	16	92	59	15	4	22	73	28
	2 Apoplexy	49	8	118	57	81	102	586	446	75	58	118	73	36	14	33	101	74
	3 Paralysis	69	9	119	92	66	166	578	366	88	44	147	121	59	19	39	144	111
	4 Insanity	1	-	3	1	2	7	18	9	3	-	6	7	9	-	2	4	9
	5 Chorea	-	-	-	-	2	2	2	1	-	1	3	-	-	-	-	-	-
	6 Epilepsy	6	-	18	18	16	26	125	84	15	10	24	16	19	3	9	25	26
	7 Convulsions	238	9	308	289	322	428	2555	1963	307	181	643	239	80	19	190	813	644
	8 *Brain Disease, &c.*	37	3	76	58	59	77	326	250	49	35	78	55	27	7	33	63	34
	ORDER 2.																	
	1 Pericarditis	5	-	3	3	3	10	40	20	7	1	4	8	1	-	2	9	9
	2 Aneurism	5	-	6	3	3	6	42	24	1	4	16	8	2	-	2	7	1
	3 *Heart Disease, &c.*	152	10	181	163	174	271	1220	860	171	128	277	245	119	24	88	248	165
	ORDER 3.																	
	1 Laryngitis	9	1	10	13	9	16	97	75	10	2	27	6	2	2	3	11	6
	2 Bronchitis	171	13	231	263	214	550	4328	2009	199	181	449	282	154	36	210	460	219
	3 Pleurisy	2	-	5	9	2	14	75	36	3	2	11	13	7	2	5	17	16
	4 Pneumonia	144	7	159	170	161	260	1915	1076	116	84	362	170	95	29	139	404	200
	5 Asthma	26	1	19	14	42	75	346	205	23	17	79	43	25	7	41	126	98
	6 *Lung Disease, &c.*	36	4	46	44	76	59	224	176	30	29	39	30	15	11	18	59	51
	ORDER 4.																	
	1 Gastritis	5	-	6	4	4	14	40	38	2	2	9	5	3	2	6	4	3
	2 Enteritis	18	1	28	22	21	31	271	167	19	15	62	58	28	4	14	50	34
	3 Peritonitis	4	1	5	13	12	12	92	63	13	4	20	24	8	2	3	32	9
	4 Ascites	3	-	5	-	3	4	30	28	10	2	13	7	2	-	4	12	6
	5 Ulceration of Intestines	4	1	3	8	7	14	57	55	10	5	9	12	5	2	9	6	7
	6 Hernia	2	-	13	3	5	11	65	25	2	4	9	7	3	3	5	14	7
	7 Ileus	8	2	18	9	7	9	63	59	8	15	13	8	10	1	6	26	7
	8 Intussusception	2	-	2	3	1	3	23	7	1	1	6	3	-	-	1	6	3
	9 Stricture of Intestines	2	-	3	4	-	2	9	7	1	2	3	-	1	1	-	7	3
	10 Fistula	-	-	2	1	1	3	4	6	2	-	2	-	1	-	-	3	1

(*continued at page* 153.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
I.	ORDER 1.																	
	1 Small-pox	4	–	4	3	21	6	34	103	3	2	17	21	–	–	–	2	1
	2 Measles	25	8	28	21	16	58	796	219	32	7	194	62	80	13	23	57	16
	3 Scarlatina	39	–	31	12	35	232	1506	317	37	37	655	480	222	29	27	34	192
	4 Diphtheria	13	–	36	18	15	27	158	120	14	11	27	25	12	1	8	31	33
	5 Quinsy	1	–	2	1	2	2	3	7	2	2	1	–	–	1	1	1	–
	6 Croup	23	1	21	22	20	54	421	190	7	12	70	36	29	4	11	58	19
	7 Whooping-cough	84	1	87	87	68	106	1199	450	107	79	294	191	90	4	33	214	160
	8 Typhus	121	7	167	108	129	198	1576	792	128	96	349	214	100	15	78	321	216
	9 Erysipelas	7	1	10	6	8	12	74	66	7	12	19	18	13	3	4	17	4
	10 Metria	11	2	8	7	17	26	177	122	7	5	44	20	16	1	20	27	22
	11 Carbuncle	3	–	1	–	1	3	5	2	1	–	4	–	–	–	1	1	–
	12 Influenza	3	1	10	6	15	5	31	20	3	15	9	8	5	2	2	5	6
	13 Dysentery	9	–	3	8	4	13	97	44	8	8	23	14	4	1	3	8	4
	14 Diarrhœa	155	3	131	129	97	214	2104	893	155	86	381	164	103	4	44	102	44
	15 Cholera	–	–	6	3	6	6	62	26	7	2	42	8	2	–	2	12	10
	16 Ague	–	–	1	1	–	–	7	3	3	–	4	4	–	–	–	1	2
	17 Remittent Fever	–	–	2	1	–	–	2	2	1	–	–	–	–	–	2	1	4
	18 Rheumatism	8	2	25	12	13	26	143	105	12	11	16	15	9	4	11	54	27
	19 *Other Zymotic Diseases*	1	–	–	–	2	2	3	6	–	1	3	–	1	–	–	1	3
	ORDER 2.																	
	1 Syphilis	1	–	11	7	7	12	150	47	9	1	18	19	10	–	9	19	2
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																	
	1 Privation	–	–	–	–	3	1	8	2	–	–	4	1	–	–	–	1	–
	2 Want of Breast-milk	4	–	15	6	11	9	54	30	12	1	23	9	3	–	4	13	2
	3 Purpura and Scurvy	3	1	4	1	5	6	31	15	3	3	7	2	3	1	3	4	2
	4 Alcoholism { *a* Del. Trem.	–	–	–	–	–	–	6	3	–	–	2	–	–	–	–	3	–
	4 Alcoholism { *b* Intemp.	–	–	–	1	2	3	36	12	1	1	2	2	2	–	3	3	–
	ORDER 4.																	
	1 Thrush	5	7	18	6	5	19	42	63	9	7	12	5	2	1	5	9	–
	2 Worms, &c.	1	–	–	–	1	4	6	7	1	3	2	–	1	–	3	1	4
II.	ORDER 1.																	
	1 Gout	1	–	1	2	–	–	4	6	1	–	1	5	1	1	–	2	–
	2 Dropsy	64	4	88	74	97	91	447	356	38	34	105	62	42	20	34	183	122
	3 Cancer	62	4	105	103	73	116	599	398	82	65	129	78	46	15	41	120	97
	4 Noma	1	–	1	–	–	6	25	6	2	1	4	–	–	–	2	2	–
	5 Mortification	13	–	14	11	5	10	62	35	8	7	17	14	–	1	10	12	6
	ORDER 2.																	
	1 Scrofula	15	1	17	19	11	35	188	92	10	9	39	15	5	5	16	52	14
	2 Tabes Mesenterica	38	–	25	60	36	55	432	222	45	39	301	138	30	4	37	74	21
	3 Phthisis	348	18	467	484	477	715	4182	2523	399	259	806	457	350	94	260	1150	773
	4 Hydrocephalus	29	2	40	32	34	59	488	325	30	28	112	66	58	13	23	50	33
III.	ORDER 1.																	
	1 Cephalitis	26	–	27	21	23	49	328	264	16	14	64	45	12	4	20	51	21
	2 Apoplexy	57	4	83	52	43	111	582	431	62	69	108	94	48	15	36	85	108
	3 Paralysis	60	5	116	100	75	125	593	289	91	56	126	125	48	15	21	172	131
	4 Insanity	1	–	5	5	3	5	37	13	3	4	5	1	5	–	2	8	11
	5 Chorea	1	–	–	1	1	2	4	3	–	–	–	1	–	–	–	–	–
	6 Epilepsy	7	–	16	13	10	35	145	76	14	12	16	20	9	3	11	28	22
	7 Convulsions	168	8	239	207	250	348	1990	1486	212	163	498	182	73	35	156	639	552
	8 *Brain Disease, &c.*	36	3	60	40	36	48	242	167	40	35	51	25	32	9	27	45	20
	ORDER 2.																	
	1 Pericarditis	2	–	3	4	8	2	44	29	2	2	7	9	4	–	5	8	5
	2 Aneurism	–	–	1	1	–	3	17	–	2	–	7	2	1	2	2	5	1
	3 *Heart Disease, &c.*	146	8	162	210	167	286	1376	919	176	122	288	218	118	29	89	261	115
	ORDER 3.																	
	1 Laryngitis	6	3	4	8	2	13	78	49	7	5	15	12	2	1	1	9	4
	2 Bronchitis	152	16	220	233	181	521	4161	1757	197	202	446	318	172	34	196	381	205
	3 Pleurisy	3	1	4	3	3	5	48	34	2	3	5	4	2	–	2	14	5
	4 Pneumonia	114	10	87	138	141	208	1558	864	108	52	318	145	88	18	113	306	107
	5 Asthma	17	1	17	8	14	39	238	121	15	5	33	28	11	4	15	81	53
	6 *Lung Disease, &c.*	25	4	50	48	65	47	224	132	25	34	33	14	10	8	21	42	45
	ORDER 4.																	
	1 Gastritis	4	–	2	5	8	20	72	50	3	5	11	7	5	1	5	19	8
	2 Enteritis	17	2	26	25	24	38	257	153	9	19	48	32	14	3	10	33	21
	3 Peritonitis	11	–	19	13	16	22	130	92	10	8	23	21	11	5	13	15	10
	4 Ascites	5	–	8	7	7	6	52	46	3	5	13	9	5	1	3	10	4
	5 Ulceration of Intestines	6	1	14	9	10	10	59	52	5	8	19	5	4	2	5	7	8
	6 Hernia	1	–	8	7	9	11	59	36	2	3	9	11	2	–	7	17	4
	7 Ileus	7	1	20	6	5	12	53	40	6	10	20	10	8	3	3	12	15
	8 Intussusception	2	–	2	2	1	1	16	4	1	–	6	4	1	1	2	3	2
	9 Stricture of Intestines	–	–	2	3	1	2	13	6	–	3	2	3	1	–	3	4	2
	10 Fistula	–	–	2	–	–	1	5	–	–	1	–	1	–	–	–	1	1

(*continued at page 159.*)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	MALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ORDER 4.—*continued*.																
	11 *Stomach Disease, &c.*	100	28	5	15	36	14	26	10	19	15	13	13	22	5	13	15
	12 *Pancreas Disease, &c.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13 Hepatitis	62	15	11	11	12	9	13	2	5	2	1	5	5	1	–	4
	14 Jaundice	73	27	15	12	20	17	20	14	8	6	3	4	7	2	9	7
	15 *Liver Disease, &c.*	319	96	27	54	101	64	63	25	30	22	32	16	35	7	25	21
	16 *Spleen Disease, &c.*	6	4	1	1	4	–	1	1	1	1	–	–	–	1	–	–
	ORDER 5.																
	1 Nephritis	33	7	2	3	5	8	9	2	2	3	5	3	–	–	1	1
	2 Ischuria	7	3	1	2	–	1	–	2	1	–	–	–	1	1	1	–
	3 Nephria	261	62	18	38	31	18	31	16	16	14	2	5	5	4	1	10
	4 Diabetes	35	14	–	3	9	5	9	8	8	1	5	5	6	–	1	4
	5 Stone	29	8	–	1	8	5	1	2	1	2	–	2	4	1	1	3
	6 Cystitis	40	10	3	6	8	4	8	1	2	4	3	3	2	1	2	2
	7 *Kidney Disease, &c.*	219	55	27	52	82	56	70	44	22	13	19	18	30	7	17	18
	ORDER 6.																
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	5	4	1	–	6	2	2	2	–	–	–	2	2	–	2	2
	ORDER 7.																
	1 Arthritis	5	–	–	1	1	–	2	2	1	–	1	–	–	–	–	–
	2 *Joint Disease, &c.*	114	34	8	10	33	20	29	9	17	8	9	7	12	1	6	9
	ORDER 8.																
	1 Phlegmon	36	6	4	5	10	7	7	2	2	1	–	–	3	1	3	3
	2 Ulcer	21	4	1	1	2	4	8	5	–	–	3	6	1	1	–	1
	3 *Skin Disease, &c.*	11	11	2	6	5	8	4	3	2	2	3	3	2	–	1	–
IV.	ORDER 1.																
	1 Premature Birth	429	131	34	69	150	81	77	37	46	36	54	43	82	25	66	54
	2 Cyanosis	68	12	2	6	5	6	12	2	8	–	1	2	5	2	1	3
	3 Spina Bifida	15	6	1	1	4	2	1	2	1	–	1	5	2	2	2	1
	4 Other Malformations	48	14	6	7	18	6	5	4	3	5	3	1	2	1	4	2
	5 Teething	349	122	28	29	40	31	39	16	24	9	19	3	22	6	7	17
	ORDER 2.																
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1 Old Age	654	201	81	160	350	267	315	142	101	127	125	141	184	46	80	117
	ORDER 4.																
	1 Atrophy and Debility	1348	479	120	138	421	183	277	144	108	131	131	137	240	34	129	173
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																
	1 Fractures and Contusions	476	167	33	62	79	59	65	37	29	37	13	29	60	21	25	34
	2 Gunshot	4	–	–	3	4	–	4	–	1	1	–	1	2	–	3	1
	3 Cut, Stab	9	3	–	1	2	1	1	1	–	–	1	1	–	–	3	–
	4 Burns and Scalds	94	27	18	8	28	11	21	5	6	4	2	7	5	1	2	6
	5 Poison	25	10	3	3	3	2	5	2	3	1	2	1	3	–	1	1
	6 Drowning	212	68	25	17	114	20	39	22	30	12	14	13	26	9	6	19
	7 Suffocation	210	33	11	9	13	8	13	7	9	3	5	6	6	1	1	2
	8 Otherwise	64	15	9	12	51	15	30	11	23	4	11	11	11	2	19	5
	ORDER 3. (HOMICIDE.)																
	1 Murder and Manslaughter	39	8	2	–	2	3	4	1	2	3	2	3	2	–	1	–
	ORDER 4. (SUICIDE.)																
	1 Gunshot Wounds	9	4	2	2	1	1	4	1	–	1	–	2	–	–	–	1
	2 Cut, Stab	29	14	1	3	2	11	2	2	1	2	1	2	3	1	–	2
	3 Poison	22	8	–	3	2	1	–	1	–	–	1	–	1	1	–	–
	4 Drowning	15	6	–	3	6	4	1	1	1	2	–	–	4	1	1	–
	5 Hanging	33	6	4	6	14	14	10	2	2	2	3	3	1	2	3	5
	6 Otherwise	21	2	–	4	3	5	6	1	7	1	–	–	3	–	5	–
	ORDER 5. (EXECUTION.)																
	1 Hanging	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Other violent Deaths (not classed)	24	2	5	2	4	6	11	5	5	3	–	1	1	1	2	5
	Sudden Deaths Cause (unascertained)	15	4	19	3	43	17	42	37	1	6	38	34	10	–	17	12
	Causes not specified or ill-defined	85	46	9	29	65	30	50	25	6	16	12	11	44	10	29	30

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	FEMALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ORDER 4.—*continued*.																
	11 *Stomach Disease, &c.*	126	38	10	19	50	34	31	14	15	7	8	8	12	2	12	16
	12 *Pancreas Disease, &c.*	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	13 Hepatitis	63	27	8	5	12	9	9	2	7	-	4	3	2	1	3	4
	14 Jaundice	69	21	8	7	21	15	16	7	8	4	4	8	9	1	9	5
	15 *Liver Disease, &c.*	275	94	26	63	84	61	67	31	29	25	22	23	35	5	21	11
	16 *Spleen Disease, &c.*	8	3	1	1	3	1	1	1	2	1	-	-	1	1	-	-
	ORDER 5.																
	1 Nephritis	15	6	-	-	5	3	5	4	1	-	3	3	1	-	-	1
	2 Ischuria	3	-	1	-	-	-	1	-	-	-	1	-	-	-	1	2
	3 Nephria	139	52	11	23	27	11	24	10	9	5	6	2	8	3	1	4
	4 Diabetes	23	7	4	2	9	10	5	4	3	3	1	-	4	2	2	1
	5 Stone	2	-	-	1	1	2	1	-	-	1	-	1	-	-	-	-
	6 Cystitis	3	-	2	-	2	3	2	-	-	-	-	-	2	-	1	-
	7 *Kidney Disease, &c.*	118	24	6	18	24	22	19	11	8	5	5	6	10	4	5	8
	ORDER 6.																
	1 Ovarian Dropsy	30	7	4	2	6	9	6	5	2	3	2	2	4	-	2	3
	2 *Uterus Disease, &c.*	149	33	5	18	35	24	25	7	10	13	6	8	13	2	6	10
	ORDER 7.																
	1 Arthritis	1	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	2 *Joint Disease, &c.*	101	24	6	9	17	8	13	5	8	6	5	6	13	2	3	6
	ORDER 8.																
	1 Phlegmon	31	5	3	1	3	3	10	3	5	-	2	1	1	1	-	1
	2 Ulcer	12	5	2	4	11	8	5	3	1	3	7	4	1	-	-	1
	3 *Skin Disease, &c.*	19	10	-	1	9	3	3	4	4	1	-	-	-	1	1	1
IV.	ORDER 1.																
	1 Premature Birth	385	114	29	43	118	74	63	35	35	31	27	24	70	11	49	39
	2 Cyanosis	49	10	3	9	6	3	4	2	5	-	-	4	5	-	3	2
	3 Spina Bifida	30	8	1	2	6	2	2	2	-	1	5	1	2	-	-	-
	4 Other Malformations	22	9	3	4	7	2	7	2	4	3	4	1	-	-	1	2
	5 Teething	254	95	24	21	34	23	25	14	30	6	3	8	25	3	4	11
	ORDER 2.																
	1 Paramenia	6	4	2	4	3	2	-	2	-	2	-	2	1	-	-	1
	2 Childbirth (*see* Metria)	207	69	14	32	45	29	48	25	21	21	24	15	26	3	9	18
	ORDER 3.																
	1 Old Age	1135	357	114	188	389	265	365	184	147	164	150	162	214	60	99	170
	ORDER 4.																
	1 Atrophy and Debility	1261	406	132	137	352	180	251	116	102	115	120	139	206	31	116	143
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																
	1 Fractures and Contusions	135	45	8	14	23	21	19	9	14	3	3	4	4	3	2	8
	2 Gunshot	-	-	-	-	1	2	-	-	1	-	-	-	1	-	-	-
	3 Cut, Stab	3	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	4 Burns and Scalds	115	49	12	8	22	15	22	11	8	9	4	6	6	1	4	11
	5 Poison	11	6	1	2	-	-	2	1	2	2	2	3	-	-	-	2
	6 Drowning	26	8	2	9	9	7	9	5	5	3	1	2	3	1	-	5
	7 Suffocation	164	32	11	5	11	5	7	3	4	2	5	1	1	1	4	3
	8 Otherwise	31	13	2	7	8	4	5	6	2	2	4	6	4	-	3	4
	ORDER 3. (HOMICIDE.)																
	1 Murder and Manslaughter	54	5	-	-	3	1	2	-	4	-	-	-	-	-	-	-
	ORDER 4. (SUICIDE.)																
	1 Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 Cut, Stab	10	7	-	1	2	1	2	-	1	2	-	-	1	-	-	-
	3 Poison	11	3	-	-	1	-	1	-	-	2	-	-	-	-	-	-
	4 Drowning	14	5	3	3	5	1	1	-	2	-	2	1	2	-	-	-
	5 Hanging	11	4	1	3	4	2	1	-	1	-	-	2	1	-	-	-
	6 Otherwise	9	4	1	-	3	-	2	1	3	-	-	-	-	-	-	-
	ORDER 5. (EXECUTION.)																
	1 Hanging	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Other Violent Deaths (not classed)	12	-	4	3	1	-	5	5	-	1	3	-	1	-	-	2
	Sudden Deaths (Cause unascertained)	12	6	14	-	18	11	25	30	-	2	30	23	5	-	15	8
	Causes not specified or ill-defined	67	46	15	15	49	30	46	17	14	20	8	5	29	14	21	24

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	MALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ORDER 4.—*continued.*														
	11 *Stomach Disease, &c.*	30	27	19	16	14	69	34	49	34	9	22	80	28	36
	12 *Pancreas Disease, &c.*	–	–	–	–	–	1	–	–	–	–	–	1	–	1
	13 Hepatitis	10	5	6	7	7	9	9	11	13	2	8	21	7	23
	14 Jaundice	13	8	11	6	11	19	8	17	14	1	12	31	22	18
	15 *Liver Disease, &c.*	63	48	58	35	27	67	37	64	59	6	41	105	33	91
	16 *Spleen Disease, &c.*	1	–	–	–	1	2	–	1	–	–	–	3	–	1
	ORDER 5.														
	1 Nephritis	5	2	5	3	–	5	1	1	3	–	4	12	–	10
	2 Ischuria	2	1	4	1	–	4	3	3	–	1	–	1	1	1
	3 Nephria	25	18	21	11	9	22	14	33	27	10	11	45	21	45
	4 Diabetes	8	9	15	9	6	3	7	10	6	3	8	20	8	13
	5 Stone	2	6	11	1	1	3	1	2	3	–	2	10	–	4
	6 Cystitis	5	5	13	4	2	8	1	6	10	1	4	15	3	10
	7 *Kidney Disease, &c.*	29	43	67	23	18	68	41	62	62	10	27	46	27	67
	ORDER 6.														
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	1	–	2	1	1	1	–	2	–	–	–	5	2	3
	ORDER 7.														
	1 Arthritis	1	1	–	–	–	3	–	–	1	–	–	5	1	4
	2 *Joint Disease, &c.*	20	17	15	10	3	25	10	19	18	1	6	20	5	14
	ORDER 8.														
	1 Phlegmon	4	4	3	2	1	5	3	4	3	3	3	15	5	8
	2 Ulcer	2	2	5	1	–	5	6	1	4	1	2	15	–	6
	3 *Skin Disease, &c.*	5	6	–	3	2	4	3	3	6	2	3	9	4	6
IV.	ORDER 1.														
	1 Premature Birth	84	97	105	46	33	126	66	81	91	7	34	253	89	157
	2 Cyanosis	8	4	4	2	3	4	1	3	8	2	1	12	3	13
	3 Spina Bifida	1	3	3	3	1	3	–	1	5	–	1	6	4	1
	4 Other Malformations	7	2	4	3	2	5	5	11	8	–	4	8	6	8
	5 Teething	24	24	27	11	14	37	30	41	32	4	10	87	19	46
	ORDER 2.														
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1 Old Age	269	295	398	179	137	473	253	345	319	99	218	433	208	316
	ORDER 4.														
	1 Atrophy and Debility	276	280	381	142	117	450	399	312	325	64	137	912	249	581
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)														
	1 Fractures and Contusions	55	26	73	42	31	109	69	106	100	22	65	267	75	124
	2 Gunshot	2	1	4	–	2	5	3	5	5	–	3	3	5	3
	3 Cut, Stab	–	1	2	4	–	3	1	1	2	2	–	6	–	7
	4 Burns and Scalds	14	9	15	13	4	24	21	31	27	3	21	195	17	64
	5 Poison	3	–	3	3	2	1	1	2	2	1	2	8	2	7
	6 Drowning	46	29	50	23	13	53	116	56	53	11	28	81	28	43
	7 Suffocation	19	7	7	12	5	15	3	15	9	2	4	23	5	62
	8 Otherwise	16	34	20	9	13	14	17	13	16	8	39	24	10	10
	ORDER 3. (HOMICIDE.)														
	1 Murder and Manslaughter	2	2	4	–	–	2	–	8	4	–	4	16	1	8
	ORDER 4. (SUICIDE.)														
	1 Gunshot Wounds	1	–	1	–	–	2	–	3	–	–	–	2	1	5
	2 Cut, Stab	3	–	3	–	3	6	1	5	5	1	3	6	1	2
	3 Poison	2	–	–	2	–	3	–	–	2	–	–	2	3	4
	4 Drowning	6	3	2	1	–	5	1	7	3	–	4	1	2	4
	5 Hanging	3	5	6	5	1	13	3	15	7	–	6	22	4	7
	6 Otherwise	3	1	–	–	1	3	1	2	1	–	–	3	1	4
	ORDER 5. (EXECUTION.)														
	1 Hanging	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Other violent Deaths (not classed)	6	–	2	–	–	3	4	2	6	2	2	11	1	5
	Sudden Deaths (Cause unascertained)	30	54	79	15	14	32	68	70	70	17	42	133	32	25
	Causes not specified or ill-defined	30	19	85	14	33	70	62	46	71	50	75	77	44	45

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ORDER 4.—*continued.*														
	11 *Stomach Disease, &c.*	20	25	30	11	15	68	44	38	49	11	25	51	28	53
	12 *Pancreas Disease, &c.*	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	13 Hepatitis	11	11	14	11	3	11	8	12	3	1	2	19	5	27
	14 Jaundice	17	14	20	7	3	17	6	17	19	7	10	33	11	20
	15 *Liver Disease, &c.*	42	46	52	42	28	58	18	64	54	14	30	69	28	89
	16 *Spleen Disease, &c.*	1	–	–	–	–	–	–	–	–	–	2	1	1	1
	ORDER 5.														
	1 Nephritis	2	–	7	1	1	1	5	2	2	–	5	6	3	6
	2 Ischuria	2	–	–	–	–	2	2	1	–	–	1	1	–	2
	3 Nephria	14	13	13	5	5	18	6	24	32	2	8	36	15	30
	4 Diabetes	5	7	7	1	1	3	4	3	6	1	4	9	6	7
	5 Stone	1	–	–	1	–	–	1	1	1	–	–	–	–	–
	6 Cystitis	1	1	1	–	1	2	3	1	–	–	–	1	1	1
	7 *Kidney Disease, &c.*	9	9	14	13	10	28	15	21	15	1	11	30	8	17
	ORDER 6.														
	1 Ovarian Dropsy	6	7	9	4	–	4	4	2	4	–	1	9	3	9
	2 *Uterus Disease, &c.*	14	26	27	12	9	29	10	23	22	8	8	39	13	29
	ORDER 7.														
	1 Arthritis	2	1	–	–	–	–	–	–	1	–	–	2	–	1
	2 *Joint Disease, &c.*	20	13	16	9	6	14	8	11	15	3	–	11	6	11
	ORDER 8.														
	1 Phlegmon	6	3	3	–	–	4	5	2	4	1	3	7	4	5
	2 Ulcer	4	4	7	3	1	11	1	4	6	1	5	14	4	10
	3 *Skin Disease, &c.*	2	5	2	1	2	12	1	6	6	1	2	5	1	5
IV.	ORDER 1.														
	1 Premature Birth	66	64	90	26	20	75	58	66	79	13	16	164	62	118
	2 Cyanosis	6	2	6	3	1	6	1	3	4	–	–	7	5	11
	3 Spina Bifida	5	3	6	1	1	3	–	3	6	–	4	14	4	4
	4 Other Malformations	2	4	–	5	2	4	1	7	4	1	1	10	2	6
	5 Teething	23	15	24	12	10	43	28	24	29	5	5	89	16	47
	ORDER 2.														
	1 Paramenia	3	1	3	–	1	3	2	2	2	–	–	8	2	1
	2 Childbirth (*see* Metria)	26	28	36	21	19	49	39	56	51	8	33	102	41	67
	ORDER 3.														
	1 Old Age	290	319	504	256	156	658	447	526	430	115	247	518	228	404
	ORDER 4.														
	1 Atrophy and Debility	276	264	314	133	126	362	423	299	274	61	142	833	229	491
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)														
	1 Fractures and Contusions	10	6	17	12	6	18	11	18	25	5	8	26	9	46
	2 Gunshot	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	3 Cut, Stab	–	–	–	1	–	1	–	–	–	–	–	–	–	3
	4 Burns and Scalds	14	12	20	9	13	23	6	28	31	10	21	85	24	66
	5 Poison	1	1	3	–	–	1	–	–	1	–	1	5	1	3
	6 Drowning	4	10	4	5	1	11	10	14	3	–	2	26	8	11
	7 Suffocation	12	2	–	14	–	7	1	4	5	–	2	8	4	58
	8 Otherwise	5	12	7	2	2	6	10	3	6	4	7	11	6	5
	ORDER 3. (HOMICIDE.)														
	1 Murder and Manslaughter	2	2	4	1	1	6	–	3	2	–	–	3	1	2
	ORDER 4. (SUICIDE.)														
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	2	2	1	–	–	2	1	1	1	–	1	3	1	2
	3 Poison	1	–	2	1	1	2	–	1	–	–	–	–	2	3
	4 Drowning	1	3	2	1	–	2	–	5	2	–	–	–	–	2
	5 Hanging	1	1	4	1	–	5	6	3	3	–	1	4	–	–
	6 Otherwise	–	3	–	–	–	1	–	1	1	–	2	–	1	–
	ORDER 5. (EXECUTION.)														
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	–	4	3	–	1	2	2	–	–	–	–	–	–	2
	Sudden Deaths (Cause unascertained)	13	31	60	11	7	19	70	62	53	6	20	75	23	16
	Causes not specified or ill-defined	26	32	69	15	37	72	57	51	63	49	62	99	30	54

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued.*

Class.	CAUSES OF DEATH.	MALES.																		
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	Order 4.—*continued.*																	
	11 *Stomach Disease, &c.*	16	4	33	15	29	45	154	112	18	23	44	29	21	3	13	26	39
	12 *Pancreas Disease, &c.*	–	–	–	–	–	–	2	1	–	1	1	–	–	–	1	–	–
	13 Hepatitis	5	–	4	7	15	32	126	97	8	4	18	16	8	2	7	18	10
	14 Jaundice	13	1	10	15	16	16	85	77	19	6	23	15	2	1	13	14	8
	15 *Liver Disease, &c.*	30	3	49	49	55	97	365	257	38	50	73	40	22	8	24	62	66
	16 *Spleen Disease, &c.*	1	–	–	–	–	2	5	3	–	2	1	–	–	–	1	1	1
	Order 5.																	
	1 Nephritis	3	1	3	3	6	7	59	17	2	3	5	5	2	–	3	6	6
	2 Ischuria	2	–	3	–	–	1	8	5	1	–	2	1	3	1	–	3	2
	3 Nephria	10	–	8	10	11	31	160	88	8	6	20	17	11	2	12	32	8
	4 Diabetes	7	–	11	10	10	12	53	39	10	8	10	10	3	1	1	5	6
	5 Stone	2	–	5	2	2	1	13	15	3	1	1	4	1	–	1	7	6
	6 Cystitis	7	1	1	3	4	13	38	28	7	3	5	3	2	1	5	7	4
	7 *Kidney Disease, &c.*	26	5	52	43	41	42	182	139	40	24	41	27	33	10	14	57	35
	Order 6.																	
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	2	–	2	–	2	2	3	9	1	2	2	3	–	–	–	5	1
	Order 7.																	
	1 Arthritis	–	–	–	1	2	–	6	5	1	–	2	1	2	–	–	1	1
	2 *Joint Disease, &c.*	6	–	10	12	8	14	153	111	11	16	30	21	12	3	8	19	9
	Order 8.																	
	1 Phlegmon	2	–	2	6	1	1	37	24	3	–	3	5	2	1	1	5	–
	2 Ulcer	1	–	5	3	3	5	34	20	1	3	5	4	2	–	–	4	5
	3 *Skin Disease, &c.*	2	–	3	2	2	3	28	20	1	2	6	2	1	1	4	4	2
IV.	Order 1.																	
	1 Premature Birth	108	7	106	78	87	108	771	570	64	49	219	60	56	12	33	66	24
	2 Cyanosis	1	1	2	2	2	7	24	14	1	–	3	7	3	–	1	–	–
	3 Spina Bifida	1	–	3	4	2	6	32	20	3	2	6	3	2	–	4	2	–
	4 Other Malformations	4	–	5	8	4	4	29	19	3	–	7	5	3	1	2	4	1
	5 Teething	30	1	42	26	40	63	431	261	26	13	116	38	15	2	16	64	16
	Order 2.																	
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Order 3.																	
	1 Old Age	198	27	353	279	227	261	1035	811	191	171	287	216	177	49	121	532	427
	Order 4.																	
	1 Atrophy and Debility	304	10	331	249	191	368	2646	1391	258	144	711	342	193	39	142	584	244
V.	Order 1. (Accident or Negligence.)																	
	1 Fractures and Contusions	46	2	67	61	107	107	875	766	56	68	318	155	80	12	93	299	101
	2 Gunshot	–	–	1	2	2	4	12	7	2	1	6	4	2	–	1	4	1
	3 Cut, Stab	1	–	1	–	1	–	9	7	2	1	2	–	–	1	–	2	1
	4 Burns and Scalds	14	–	20	15	18	30	267	102	13	6	40	29	11	4	24	64	19
	5 Poison	3	–	5	7	3	–	20	13	5	5	9	–	–	–	1	1	1
	6 Drowning	12	1	50	18	14	90	266	147	37	16	56	54	22	5	28	115	47
	7 Suffocation	5	1	5	10	7	16	119	41	5	1	25	11	1	–	2	14	2
	8 Otherwise	1	–	17	12	5	19	61	38	8	6	13	10	3	1	33	40	21
	Order 3. (Homicide.)																	
	1 Murder and Manslaughter	–	–	3	1	3	13	42	14	4	4	8	1	2	–	2	10	8
	Order 4. (Suicide.)																	
	1 Gunshot Wounds	2	–	2	1	–	1	4	2	–	1	–	–	1	–	–	–	–
	2 Cut, Stab	6	–	2	4	1	7	31	20	3	2	4	2	2	–	–	2	–
	3 Poison	1	–	1	–	1	1	8	3	1	1	4	2	–	2	–	–	–
	4 Drowning	2	–	5	–	3	2	13	18	1	2	1	–	1	–	–	1	1
	5 Hanging	6	4	12	7	8	1	49	30	6	4	11	9	13	1	–	11	5
	6 Otherwise	–	–	1	5	–	–	2	2	–	–	1	–	–	–	1	14	–
	Order 5. (Execution.)																	
	1 Hanging	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	5	1	5	5	6	6	27	14	2	5	5	1	3	1	3	5	7
	Sudden Deaths (Cause unascertained)	8	1	39	57	14	58	592	92	13	10	26	29	15	2	53	103	56
	Causes not specified or ill-defined	18	1	71	35	52	32	166	210	22	17	36	15	58	10	30	299	105

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1867—*continued*.

Class.	CAUSES OF DEATH.	FEMALES.																
		DIVISION VII. NORTH MIDLAND COUNTIES.					DIVISION VIII. NORTH WESTERN COUNTIES.		DIVISION IX. YORKSHIRE.			DIVISION X. NORTHERN COUNTIES.				DIVISION XI. MONMOUTHSHIRE AND WALES.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ORDER 4.—*continued.*																	
	11 *Stomach Disease, &c.*	18	3	31	14	15	21	206	120	25	31	32	30	17	5	8	26	36
	12 *Pancreas Disease, &c.*	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–
	13 Hepatitis	4	–	13	4	1	25	107	73	11	4	36	26	7	7	4	20	7
	14 Jaundice	12	–	21	12	16	17	71	69	13	5	19	12	7	3	6	21	7
	15 *Liver Disease, &c.*	28	6	45	38	50	85	292	211	38	32	81	44	17	6	17	58	24
	16 *Spleen Disease, &c.*	1	–	–	–	–	1	4	2	–	–	1	1	1	–	1	4	–
	ORDER 5.																	
	1 Nephritis	2	–	2	1	2	3	33	22	1	1	9	3	5	–	–	2	2
	2 Ischuria	–	–	1	–	–	1	4	2	1	–	–	1	–	–	–	1	1
	3 Nephria	8	–	9	12	8	19	157	46	9	11	21	13	8	–	9	25	14
	4 Diabetes	3	2	3	5	7	11	26	19	2	3	4	6	2	2	3	1	3
	5 Stone	–	–	–	–	–	–	–	3	1	–	1	1	–	–	1	1	1
	6 Cystitis	–	–	2	1	–	1	12	6	2	1	1	–	5	1	1	1	1
	7 *Kidney Disease, &c.*	14	–	20	14	6	11	61	54	10	13	24	11	9	4	2	14	9
	ORDER 6.																	
	1 Ovarian Dropsy	1	–	8	–	2	5	33	16	3	2	3	6	–	1	1	12	5
	2 *Uterus Disease, &c.*	14	3	17	20	14	22	98	65	12	11	24	17	1	1	3	17	15
	ORDER 7.																	
	1 Arthritis	–	–	–	1	1	1	2	2	1	–	–	1	1	–	–	1	1
	2 *Joint Disease, &c.*	2	–	6	4	11	23	103	89	17	7	27	24	9	4	4	12	3
	ORDER 8.																	
	1 Phlegmon	4	–	2	4	2	–	19	13	4	2	4	5	3	1	1	3	–
	2 Ulcer	1	–	4	2	4	3	24	25	5	1	7	5	2	–	5	4	6
	3 *Skin Disease, &c.*	3	1	2	4	2	1	23	4	3	–	2	–	2	–	1	4	–
IV.	ORDER 1.																	
	1 Premature Birth	88	2	92	64	54	98	556	422	48	37	170	64	28	10	20	48	24
	2 Cyanosis	–	1	1	8	1	2	20	1	1	–	4	1	5	1	1	5	3
	3 Spina Bifida	3	–	6	3	4	7	27	25	3	1	10	3	–	2	5	6	2
	4 Other Malformations	3	1	4	3	2	6	24	16	1	2	11	4	1	–	2	2	1
	5 Teething	16	–	36	19	31	54	355	203	31	15	92	32	11	1	14	51	22
	ORDER 2.																	
	1 Paramenia	5	–	8	3	2	3	13	16	–	1	1	1	1	–	2	1	1
	2 Childbirth (*see* Metria)	33	–	40	39	33	67	364	181	28	12	85	42	19	7	30	124	60
	ORDER 3.																	
	1 Old Age	254	29	418	270	260	322	1377	1009	238	226	371	253	223	73	149	851	617
	ORDER 4.																	
	1 Atrophy and Debility	278	16	259	239	192	328	2486	1171	216	120	613	274	191	37	139	552	207
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1 Fractures and Contusions	10	–	12	11	15	23	161	92	14	11	43	16	7	2	12	22	10
	2 Gunshot	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	3 Cut, Stab	–	–	3	–	–	1	2	2	–	–	1	1	–	–	1	–	–
	4 Burns and Scalds	18	–	16	12	14	38	195	80	15	10	44	20	16	1	16	43	18
	5 Poison	3	–	5	6	2	1	12	9	1	3	6	4	–	1	–	1	1
	6 Drowning	2	–	11	10	12	13	74	30	4	5	8	11	8	1	4	15	5
	7 Suffocation	9	1	4	4	5	4	91	27	9	4	16	5	4	–	–	2	1
	8 Otherwise	7	–	4	2	1	8	33	12	6	4	8	7	2	–	3	8	–
	ORDER 3. (HOMICIDE.)																	
	1 Murder and Manslaughter	–	–	2	–	3	2	30	4	1	1	2	3	–	–	1	8	1
	ORDER 4. (SUICIDE.)																	
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	–	–	–	–	–	8	10	–	–	1	–	4	–	–	–	–	–
	3 Poison	2	1	1	–	1	1	4	6	2	–	1	1	–	–	–	1	–
	4 Drowning	1	–	1	–	3	3	7	15	1	2	–	3	1	–	–	–	–
	5 Hanging	6	1	5	1	1	2	7	7	4	3	2	1	–	1	1	3	–
	6 Otherwise	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	2	–
	ORDER 5. (EXECUTION.)																	
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	–	–	2	3	2	–	5	8	2	1	1	1	1	–	–	–	–
	Sudden Deaths (Cause unascertained)	4	–	25	34	14	44	327	55	11	13	12	20	10	–	35	53	37
	Causes not specified or ill-defined	7	1	58	25	56	20	162	163	30	12	33	23	66	7	33	277	121

POPULATION 1861, AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES in the Ten Years 1851–60, and DEATHS from SEVERAL CAUSES in the Year 1867, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND.

No.	DIVISIONS AND REGISTRATION COUNTIES.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES to 1,000 Persons living, 1851–60.	DEATHS FROM SEVERAL CAUSES IN 1867. (*See Note.*) Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	ENGLAND:	20,066,224	22	2513	6588	12300	2600	11873	16,862	1450	1066	2346	607	962	19,851	922	55,042	72,183	16,86
	DIVISIONS.																		
I.	LONDON - - - -	2,803,989	24	1345	1143	1451	447	2278	2184	277	168	290	36	91	2969	240	3928	13075	260
II.	SOUTH EASTERN -	1,847,661	20	160	520	373	270	798	1138	120	79	179	81	117	1388	76	4844	5189	127
III.	SOUTH MIDLAND -	1,295,515	20	260	449	268	154	592	867	75	47	137	43	41	1170	38	3096	3636	85
IV.	EASTERN - - - -	1,142,562	21	130	219	428	169	357	621	68	51	90	35	30	790	40	2641	2887	67
V.	SOUTH WESTERN -	1,835,714	20	13	378	235	141	811	1201	80	59	184	92	63	820	32	4172	5192	125
VI.	WEST MIDLAND - -	2,436,568	22	84	480	1666	346	1120	1763	202	130	302	46	122	2763	47	5393	8441	223
VII.	NORTH MIDLAND -	1,288,928	21	85	179	230	149	588	994	71	45	145	64	47	1114	34	3056	3479	87
VIII.	NORTH WESTERN -	2,935,540	26	95	1783	3590	381	2374	3522	210	203	431	79	231	4815	157	9480	15099	285
IX.	YORK - - - - -	2,015,541	23	244	521	788	269	1101	2001	182	134	221	65	114	2349	85	5976	7885	190
X.	NORTHERN - - -	1,151,372	22	90	706	2750	135	1042	1321	106	81	153	41	73	1283	123	3182	3617	120
XI.	WELSH - - - - -	1,312,834	21	7	205	521	139	812	1250	59	69	214	25	33	390	50	4274	3683	110
	I.—LONDON.																		
	MIDDLESX. (*pt. of*)	2,030,814	23	997	850	972	308	1762	1665	197	134	207	28	68	2198	184	6478	9654	189
	SURREY (*part of*) -	579,748	25	246	245	376	95	441	380	68	29	69	4	14	579	36	1869	2715	53
	KENT (*part of*) -	193,427	22	102	48	103	44	75	139	12	5	14	4	9	192	20	581	706	11
	II.—SOUTH EASTERN.																		
1	**SURREY** (*ex.-metrop.*)	273,264	18	37	35	67	45	121	152	25	9	32	5	12	160	17	693	816	1
2	**KENT** (*extra-metrop.*)	545,272	20	97	182	157	96	362	339	43	28	45	16	50	469	42	1253	1566	44
3	**SUSSEX** - - -	366,836	19	15	49	43	83	161	201	26	13	29	40	14	319	2	1090	925	2
4	**HAMPSHIRE** -	456,654	20	8	182	81	35	92	286	18	19	48	12	36	338	10	1288	1244	2
5	**BERKSHIRE** - -	205,635	20	3	72	25	11	62	110	8	10	25	8	5	102	5	520	638	1
	III.—SOUTH MIDLAND.																		
6	**MIDDLESX.** (*ex.met.*)	187,325	20	69	51	71	33	101	106	11	9	21	3	4	245	8	528	667	1
7	**HERTFORDSHIRE**	177,452	19	47	47	35	7	62	104	11	5	21	7	9	177	9	353	495	1
8	**BUCKINGHAMS.** -	147,207	21	7	32	9	5	89	113	8	4	24	3	5	97	4	317	406	
9	**OXFORDSHIRE** -	171,233	21	–	137	36	25	113	102	12	6	15	8	7	118	–	389	430	1
10	**NORTHAMPTON.**	231,079	21	22	158	28	41	71	180	13	3	26	9	7	200	4	540	645	
11	**HUNTINGDONS.** -	59,137	20	2	–	8	8	11	41	3	1	3	1	–	39	–	129	129	
12	**BEDFORDSHIRE** -	140,479	21	90	22	38	5	44	111	7	7	9	10	5	157	7	348	390	
13	**CAMBRIDGESH.** -	181,603	21	23	2	43	30	101	110	10	12	18	2	4	137	6	492	474	
	IV.—EASTERN.																		
14	**ESSEX** - - -	379,705	20	114	75	67	54	137	237	26	11	26	7	9	258	23	875	1043	
15	**SUFFOLK** - -	335,409	20	12	80	206	58	89	175	13	8	28	19	15	166	8	763	861	
16	**NORFOLK** - -	427,448	21	4	64	155	57	131	209	27	32	36	9	6	366	9	1003	983	

NOTE.—The Total Deaths from ALL CAUSES in each Division, County, and District, of which the numbers here given form a part, will be found at pp. 28–38. For Tables showing the number of deaths of Males and Females, under *each* cause in the Divisions and Counties of England, see pp. 136–159.

POPULATION 1861, AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES in the Ten Years 1851–60, and DEATHS from SEVERAL CAUSES in the Year 1867, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND—*continued*.

No.	REGISTRATION COUNTIES.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES to 1,000 Persons living, 1851–60.	DEATHS FROM SEVERAL CAUSES IN 1867.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	V.—SOUTH WESTERN.																		
17	WILTSHIRE - -	236,027	21	4	59	56	33	131	118	9	8	21	10	4	81	4	485	676	161
18	DORSETSHIRE -	182,193	19	2	37	81	6	58	93	11	7	19	3	4	36	-	397	495	100
19	DEVONSHIRE -	589,278	20	3	176	36	46	251	477	24	14	49	28	25	344	13	1439	1831	353
20	CORNWALL - -	364,848	20	-	20	33	34	255	223	14	11	39	19	14	168	9	896	828	290
21	SOMERSETSHIRE	463,368	20	4	86	29	17	116	290	22	19	56	32	16	191	6	955	1362	353
	VI.—WEST MIDLAND.																		
22	GLOUCESTERSH.	443,335	21	3	44	68	44	140	324	27	16	51	11	15	323	6	968	1447	322
23	HEREFORDSHIRE	106,796	20	-	4	1	5	14	41	10	2	8	4	2	30	-	203	238	71
24	SHROPSHIRE -	260,409	20	2	17	44	28	123	185	14	10	33	5	15	106	2	549	746	226
25	STAFFORDSHIRE	769,541	25	49	239	670	111	355	720	85	50	102	17	39	1031	14	1730	3001	841
26	WORCESTERSH. -	294,953	20	7	14	101	33	102	170	17	24	41	2	5	250	4	579	901	213
27	WARWICKSHIRE	561,334	23	23	162	782	125	386	323	49	28	67	7	46	1023	21	1364	2108	562
	VII.—NORTH MIDLAND.																		
28	LEICESTERSH. -	243,648	22	14	41	70	30	154	216	19	11	33	5	16	319	2	571	705	162
29	RUTLANDSHIRE	23,479	18	-	13	2	-	5	10	1	2	-	1	1	11	-	41	61	12
30	LINCOLNSHIRE -	404,143	19	10	47	60	55	161	320	20	8	40	20	10	285	11	826	852	263
31	NOTTINGHAMS.	323,784	22	7	50	35	29	128	201	15	7	39	15	14	280	12	833	951	197
32	DERBYSHIRE -	293,874	22	54	28	63	35	140	247	16	17	33	23	6	219	9	785	910	238
	VIII.—NORTH WESTERN.																		
33	CHESHIRE - -	470,174	22	8	118	475	64	193	416	19	26	67	11	23	444	9	1294	1807	393
34	LANCASHIRE -	2,465,366	26	87	1670	3115	317	2181	3106	191	177	364	68	208	4371	148	8186	13292	2440
	IX.—YORK.																		
35	WEST RIDING -	1,530,007	24	235	435	630	222	769	1561	150	122	181	32	85	1858	65	4768	6534	1527
36	E.RIDING (WITH YK.)	274,425	22	7	70	72	26	188	262	12	7	28	12	17	336	14	728	735	205
37	NORTH RIDING -	211,109	19	2	16	86	21	144	178	20	5	12	21	12	155	6	480	616	168
	X.—NORTHERN.																		
38	DURHAM - - -	542,125	23	35	381	1293	66	540	708	50	44	85	14	38	751	95	1460	1817	636
39	NORTHUMBERL.	343,025	22	52	135	974	52	341	429	33	20	42	15	25	318	22	941	1065	351
40	CUMBERLAND -	205,276	21	3	162	415	14	150	158	19	16	19	7	8	202	6	618	583	184
41	WESTMORLAND	60,946	18	-	28	68	3	11	26	4	1	7	5	2	12	-	163	152	33
	XI.—WELSH.																		
42	MONMOUTHSH. -	196,977	23	2	47	53	15	145	170	10	20	30	4	6	89	6	474	764	226
43	SOUTH WALES -	699,722	22	4	121	75	64	392	672	33	27	124	9	18	213	27	2320	1910	687
44	NORTH WALES -	416,135	20	1	37	393	60	275	408	16	22	60	12	9	88	17	1480	1009	250

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1867, in the DISTRICTS of England.

I.—LONDON.

No.	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	Deaths from several Causes in 1867. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	MIDDLESEX (*part of*).																		
1	KENSINGTON	185,950	19 *	53	93	75	35	188	127	22	7	17	2	11	238	19	679	902	170
2	CHELSEA	63,439	26 (25)	20	32	16	8	46	33	5	5	4	–	4	61	7	242	296	33
3	ST. GEORGE HANOVER SQUARE	87,771	18 (19)	6	29	38	13	43	23	6	8	4	–	1	57	8	234	339	112
4	WESTMINSTER	68,213	26	18	20	30	10	95	48	8	5	8	1	2	88	7	259	336	62
5	ST. MARTIN-IN-THE-FIELDS	22,689	23	8	4	6	1	33	10	1	–	3	1	1	9	1	76	99	25
6	ST. JAMES WESTMINSTER	35,326	23	3	17	9	2	36	8	3	–	4	–	–	18	2	103	143	11
7	MARYLEBONE	161,680	24	39	116	76	39	156	71	10	7	16	1	6	218	15	432	777	143
8	HAMPSTEAD	19,106	17	–	7	14	–	9	12	2	2	1	1	–	23	–	59	56	9
9	PANCRAS	198,788	23 (22)	67	91	101	45	159	104	19	15	20	3	3	205	16	646	926	197
10	ISLINGTON	155,341	21	264	38	150	36	113	409	13	17	22	1	6	173	16	455	830	95
11	HACKNEY	83,295	21 (19)	28	16	46	18	74	73	9	5	18	5	4	80	9	305	366	72
12	ST. GILES	54,076	28	29	21	21	8	68	31	5	4	3	1	–	78	2	197	336	38
13	STRAND	42,979	22 (24)	12	16	15	5	47	21	3	11	2	–	1	41	4	116	209	40
14	HOLBORN	44,862	23	34	30	26	9	45	19	2	3	3	–	1	34	4	185	270	26
15	CLERKENWELL	65,681	23	20	47	40	13	35	48	4	2	5	2	2	68	6	177	312	34
16	ST. LUKE	57,073	24 (27)	18	30	30	–	61	38	3	5	9	1	1	65	2	155	232	39
17	EAST LONDON	40,687	25 (27)	10	12	8	5	19	27	2	4	1	–	2	28	5	96	123	18
18	WEST LONDON	27,145	25	10	6	26	4	13	34	6	–	3	1	2	11	–	145	167	118
19	LONDON CITY	45,555	19 (22)	6	4	11	5	7	27	3	–	1	2	–	14	–	68	117	30
20	SHOREDITCH	129,364	26 (24)	38	44	53	11	98	107	21	10	12	2	3	136	17	413	591	66
21	BETHNAL GREEN	105,101	23	69	47	39	9	126	91	11	7	17	3	1	127	8	337	544	92
22	WHITECHAPEL	78,970	28	40	33	21	5	68	85	8	6	6	–	7	106	9	296	434	188
23	ST. GEORGE-IN-THE-EAST	48,891	29	23	19	20	6	45	48	8	1	4	–	–	69	5	158	213	46
24*a*	STEPNEY	56,572	27	41	14	34	7	49	42	4	3	6	–	3	55	3	140	230	61
24*b*	MILE END OLD TOWN	73,064	24	29	51	37	5	66	64	11	4	10	1	2	92	13	237	398	49
25	POPLAR	79,196	26 (24)	112	13	30	9	63	65	8	3	8	–	5	104	6	268	408	130
	SURREY (*part of*).																		
26	ST. SAVIOUR SOUTHWARK	36,170	29	11	28	7	4	19	16	3	3	1	–	1	29	1	106	187	34
27	ST. OLAVE SOUTHWARK	19,056		7	5	11	7	6	21	5	1	4	–	–	9	2	126	110	129
28	BERMONDSEY	58,355	26	45	21	66	12	56	39	9	5	9	–	2	86	7	181	282	36
29	ST. GEORGE SOUTHWARK	55,510	27	39	13	40	8	50	34	4	1	2	–	–	53	2	196	243	41
30	NEWINGTON	82,220	24	15	28	60	8	65	52	10	5	6	–	2	65	–	260	355	86
31	LAMBETH	162,044	23	81	96	83	34	127	114	19	6	22	–	3	179	11	480	775	75
32	WANDSWORTH	70,403	22 (20)	24	20	32	9	43	43	7	2	16	2	2	64	6	209	320	54
33	CAMBERWELL	71,488	23	12	22	73	10	65	49	10	4	7	2	3	74	6	249	341	60
34	ROTHERHITHE	24,502	25	12	12	4	3	10	12	1	2	2	–	1	20	1	62	102	42
	KENT (*part of*).																		
35	GREENWICH	127,670	24 (23)	75	33	59	26	44	94	9	2	9	3	7	139	17	418	499	125
36	LEWISHAM	65,757	18	27	15	44	18	31	45	3	3	5	1	2	53	3	163	207	33

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY (*ex.-metrop.*)																		
37	EPSOM	22,409	16	2	5	8	3	15	9	3	–	4	–	–	9	1	55	56	16
38	CHERTSEY	18,642	18	2	8	1	9	10	7	1	–	1	–	–	10	1	42	64	18
39	GUILDFORD	29,330	19	1	–	6	5	14	27	6	1	4	–	3	10	1	92	77	20
40	FARNHAM	30,707	17 (20)	2	3	–	1	8	9	2	2	3	–	5	13	–	61	72	17
41	FARNBOROUGH	14,318	14 (16)	3	–	–	–	–	9	–	–	–	–	–	3	–	22	18	7
42	HAMBLEDON	13,907	17	–	–	1	–	2	4	–	1	3	1	–	3	–	31	34	7
43	DORKING	12,445	17	1	1	2	–	1	9	1	1	2	3	–	4	1	27	25	3
44	REIGATE	20,109	17	5	1	2	2	8	8	2	–	2	1	1	7	1	62	52	13
45	GODSTONE	9,642	17	–	–	2	1	11	4	–	–	1	–	–	6	–	28	24	5
46	CROYDON	46,474	19	12	8	32	11	32	21	7	1	6	–	2	61	5	117	202	36
47	KINGSTON	36,479	18	2	5	9	9	9	38	1	2	3	–	1	16	1	110	110	31
48	RICHMOND	18,802	20	7	4	4	4	11	7	2	1	3	–	–	18	6	46	82	20
	2.—KENT (*ex.-metrop.*)																		
49	BROMLEY	20,368	16	3	–	32	14	11	10	3	–	2	–	3	14	1	53	54	20
50	DARTFORD	32,316	18	17	29	7	4	1	29	4	2	3	–	3	22	7	54	91	42
51	GRAVESEND	18,782	23	–	4	19	2	15	22	1	–	2	–	4	21	–	43	71	22
52	NORTH AYLESFORD	19,121	20	3	4	6	1	13	22	1	1	1	–	6	11	1	36	48	23
53	HOO	2,861	25	–	–	–	–	1	3	–	–	–	–	–	1	–	15	12	4
54	MEDWAY	51,805	23 (20)	13	54	23	4	48	40	4	3	4	3	9	54	9	170	195	33
55	MALLING	21,447	19	4	1	3	2	9	11	–	1	–	4	1	16	–	60	71	14
56	SEVENOAKS	22,039	18	–	–	1	4	3	11	3	1	2	1	2	4	–	47	43	13
57	TUNBRIDGE	34,271	20	11	15	2	9	26	11	3	–	4	–	5	25	3	89	90	17
58	MAIDSTONE	38,670	23 (21)	2	3	4	2	15	23	6	5	3	–	4	41	–	105	122	32

*NOTE.—In calculating the average annual rate of mortality from all causes in London, a correction has been made by distributing the deaths in *hospitals* proportionally over every district. The second rate of mortality (in figures of different character) is the result of a further correction,—in Chelsea and Greenwich for the Military and Naval Hospitals, in Wandsworth for the County Lunatic Asylum, and in the other London Districts for Workhouses situated out of the Districts to which they belong.

In all the other Districts of England the second rate of mortality is the result of a correction for either a Naval or Military Hospital or Camp, a County Lunatic Asylum or a Workhouse situated out of the District to which it belongs. The particulars of these corrections are given in the Supplement to the 25th Report, pp. xl-lviii.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1867, in the DISTRICTS of England—*continued*.

II.—SOUTH EASTERN COUNTIES—*continued*.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1867.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	2.—KENT (*ex.-metrop.*)—*continued*.																		
59	Hollingbourn	13,784	19		1	-	8	4	9	1	2	1	-	-	5	2	29	40	7
60	Cranbrook	13,412	17	-	2	-	-	2	7	-	1	-	-	-	3	-	25	35	3
61	Tenterden	10,947	19	-	-	-	-	1	4	-	-	2	-	-	3	-	19	12	4
62	West Ashford	15,137	20	-	14	4	1	11	20	1	1	2	-	-	7	-	29	45	6
63	East Ashford	12,286	18	-	2	11	3	-	8	1	-	2	1	2	6	-	17	22	4
64	Bridge	11,316	18	-	1	-	1	-	10	-	-	1	1	1	6	1	19	27	2
65	Canterbury	16,643	23	1	9	3	3	1	10	1	1	1	-	1	9	1	43	57	13
66	Blean	16,161	18	-	7	5	1	10	12	2	-	2	4	-	8	4	41	48	9
67	Faversham	18,867	20	4	-	3	8	22	14	1	3	2	1	1	9	3	42	43	19
68	Milton	14,775	21	9	3	3	1	18	21	1	-	2	-	1	18	8	33	36	17
69	Sheppey	18,494	19	29	10	6	12	27	13	-	1	1	1	1	27	1	29	43	7
70	Thanet	31,862	21	1	2	9	7	12	29	2	1	1	-	1	59	1	88	76	20
71	Eastry	25,900	19	-	9	7	-	28	14	1	2	1	-	1	21	-	62	73	13
72	Dover	31,571	20	-	7	5	2	41	26	5	1	3	-	2	47	-	66	125	31
73	Elham	26,929	18 (19)	-	5	3	7	40	8	2	1	2	-	2	31	-	41	73	26
74	Romney Marsh	5,703	21	-	-	1	-	3	2	-	1	1	-	-	1	-	8	14	7
	3.—SUSSEX.																		
75	Rye	11,927	20	-	-	-	1	1	4	-	-	-	-	-	3	-	37	21	11
76	Hastings	26,631	18	-	4	2	1	7	27	2	2	4	5	2	28	-	120	98	24
77	Battle	12,680	17	-	-	-	7	3	7	-	-	5	1	2	10	-	25	37	3
78	Eastbourne	10,721	17	-	-	-	3	4	13	1	-	1	4	1	8	-	33	17	9
79	Hailsham	12,668	17	-	1	-	-	12	10	1	-	-	7	-	2	-	35	21	8
80	Ticehurst	14,626	19	2	2	-	-	11	13	-	-	2	-	1	9	-	30	34	6
81	Uckfield	17,260	19	1	11	1	2	2	8	7	2	2	1	-	3	-	38	31	7
82	East Grinstead	14,067	17	2	1	1	4	1	2	1	-	1	-	-	7	-	28	36	8
83	Cuckfield	17,163	18	-	-	-	4	3	7	-	-	1	2	-	5	-	34	26	10
84	Lewes	26,995	19	-	2	17	6	15	18	1	1	1	4	1	16	1	92	80	16
85	Brighton	77,693	22	3	20	11	13	72	39	3	3	4	4	2	164	-	258	270	39
86	Steyning	24,053	18	3	-	1	10	13	16	2	2	-	-	3	26	1	75	49	15
87	Horsham	15,313	18	3	-	-	2	3	8	-	-	1	2	-	13	-	45	41	10
88	Petworth	9,397	19	-	-	4	7	-	1	-	-	-	3	-	4	-	22	18	5
89	Thakeham	7,567	18	-	-	2	11	-	2	1	-	2	1	1	2	-	21	10	6
90	Worthing	18,921	18	-	-	-	7	4	6	3	1	2	-	-	4	-	56	44	8
91	Westhampnett	14,811	18	-	1	-	-	5	3	1	2	1	2	-	4	-	48	27	14
92	Chichester	14,775	21	-	-	-	3	1	10	1	-	1	1	-	9	-	53	27	10
93	Midhurst	12,581	18	1	-	-	2	4	4	2	-	1	-	1	3	-	28	22	9
94	Westbourne	6,957	17	-	7	4	-	-	3	-	-	-	3	-	4	-	12	16	3
	4.—HAMPSHIRE.																		
95	Havant	7,212	19	-	1	1	-	-	3	-	-	-	-	-	4	-	20	27	6
96	Portsea Island	94,828	23 (22)	-	82	15	4	23	74	7	4	12	1	9	140	1	300	350	66
97	Alverstoke	22,653	26 (20)	3	17	8	3	-	25	-	-	3	-	3	33	5	85	66	17
98	Fareham	14,864	21 (18)	1	6	2	-	4	18	-	-	2	-	1	5	-	53	30	10
99	Isle of Wight	55,362	17	-	56	12	8	37	49	1	4	7	3	4	36	1	140	123	45
100	Lymington	12,094	18	-	1	-	-	-	6	-	-	1	-	-	4	-	28	17	9
101	Christchurch	10,438	18	-	-	11	1	3	5	-	1	1	-	-	3	-	54	31	6
102	Ringwood	5,357	18	-	-	1	-	-	-	-	-	1	-	1	1	-	10	10	2
103	Fordingbridge	6,377	20	-	3	-	-	-	2	-	-	1	1	1	1	2	14	13	2
104	New Forest	13,509	17	-	2	-	-	-	1	-	3	2	-	-	3	-	28	21	6
105	Southampton	43,414	24	-	3	4	2	-	32	2	-	4	1	9	47	-	131	114	29
106	South Stoneham	25,542	17	-	1	4	1	-	14	2	1	3	-	3	10	-	73	75	18
107	Romsey	10,771	19	1	-	14	3	1	2	-	-	-	-	-	2	-	27	23	6
108	Stockbridge	7,286	19	-	4	1	3	-	2	-	1	1	-	-	4	-	24	27	2
109	Winchester	26,607	20	1	4	2	1	3	8	2	2	2	-	2	19	-	72	84	16
110	Droxford	10,665	18	-	-	-	1	-	7	-	-	3	-	-	5	-	25	26	4
111	Catherington	2,497	19	-	-	-	1	1	-	1	-	-	-	-	-	-	4	2	2
112	Petersfield	7,853	19	-	-	-	3	3	4	-	-	-	-	-	2	-	17	15	9
113	Alresford	7,182	16	-	-	-	1	1	3	2	-	-	-	1	1	-	21	8	4
114	Alton	12,063	18	2	1	-	-	-	11	-	-	3	-	-	5	-	14	43	6
115	Hartley Wintney	11,480	19	-	-	1	2	-	1	-	-	1	1	2	5	-	26	25	5
116	Basingstoke	17,429	19	-	1	-	1	13	9	-	1	1	1	-	3	1	56	44	13
117	Whitchurch	5,522	22	-	-	1	-	1	3	1	1	-	3	-	1	-	10	12	1
118	Andover	17,132	18	-	-	4	-	2	7	-	1	-	1	-	3	-	44	29	9
119	Kingsclere	8,517	19	-	-	-	-	-	-	-	-	-	-	-	1	-	12	29	2
	5.—BERKSHIRE.																		
120	Newbury	19,999	21	1	1	5	1	1	9	-	-	5	1	1	6	-	46	47	14
121	Hungerford	19,882	20	-	-	1	-	4	8	1	1	2	5	1	8	-	42	65	17
122	Faringdon	15,688	21	-	5	1	-	-	19	-	1	1	-	1	3	-	51	41	11
123	Abingdon	20,861	23 (22)	-	21	2	2	6	11	1	-	1	-	-	11	-	55	79	13
124	Wantage	17,308	20	-	21	2	1	2	12	1	-	-	-	1	5	-	39	53	15
125	Wallingford	14,017	20	-	5	-	1	3	7	-	-	3	1	1	3	-	29	40	6
126	Bradfield	15,771	19	-	1	-	-	3	5	-	-	4	1	-	11	-	33	41	8
127	Reading	25,876	22	1	3	10	3	9	19	3	5	2	-	-	21	4	69	80	17
128	Wokingham	14,465	18	-	1	-	-	2	3	-	2	3	-	-	4	-	33	47	8
129	Cookham	13,031	18	-	1	-	-	3	4	1	1	-	-	-	10	-	21	39	11
130	Easthampstead	7,436	16	-	-	-	1	3	1	-	-	2	-	-	2	-	30	23	5
131	Windsor	21,301	20	1	13	4	2	26	12	1	-	2	-	-	18	1	69	83	15

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1867, in the Districts of England—*continued*.

III. SOUTH MIDLAND COUNTIES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	Deaths from several Causes in 1867.														
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	6.—MIDDLES. (*ex.-met.*)																	
132	Staines	15,976	19	5	4	2	2	1	11	1	–	4	–	–	21	–	30	41	15
133	Uxbridge	23,155	22 (19)	26	5	7	2	11	16	1	–	1	–	1	15	1	89	77	20
134	Brentford	50,534	22	19	3	26	7	46	30	4	3	6	1	1	68	3	133	197	29
135	Hendon	19,220	18	8	12	11	3	21	19	2	1	2	–	1	37	1	66	101	26
136	Barnet	19,128	25 (18)	1	2	3	2	–	5	–	–	3	1	–	13	–	76	52	19
137	Edmonton	59,312	18	10	25	22	17	22	25	3	5	5	1	1	91	3	134	199	57
	7.—HERTFORDSH.																		
138	Ware	16,515	18	2	9	8	1	3	16	2	–	–	–	1	10	–	24	42	11
139	Bishop Stortford	20,212	18	4	12	2	–	1	14	–	1	2	3	2	11	1	40	67	10
140	Royston	25,014	19	–	2	–	–	2	11	2	1	3	–	1	25	1	42	53	17
141	Hitchin	25,603	19	–	4	–	–	1	12	–	1	3	2	–	27	1	52	54	12
142	Hertford	15,391	17	22	10	9	1	–	8	1	1	–	2	–	12	1	30	51	5
143	Hatfield	8,400	18	4	–	2	–	–	2	–	–	2	–	1	3	–	15	18	5
144	St. Albans	18,926	19	6	8	2	–	15	9	1	1	3	–	–	26	2	38	64	16
145	Watford	20,355	20	3	–	7	3	19	14	3	–	3	–	2	22	–	68	78	16
146	Hemel Hempstead	13,922	21	2	1	–	2	10	10	1	–	2	–	1	20	1	30	31	6
147	Berkhampstead	13,204	21	4	1	5	–	11	8	1	–	3	–	1	21	2	14	37	5
	8.—BUCKINGHAMS.																		
148	Amersham	13,240	22	–	6	–	3	14	10	–	1	3	1	–	16	–	39	57	10
149	Eton	22,353	18	2	7	1	–	4	12	1	1	4	–	–	15	–	46	66	15
150	Wycombe	35,138	21	–	8	4	–	35	27	1	–	7	–	1	31	2	60	84	15
151	Aylesbury	23,600	22 (21)	2	–	–	–	30	26	1	–	3	–	2	19	2	53	86	17
152	Winslow	9,265	22	1	–	1	2	4	6	1	1	2	–	–	2	–	23	21	3
153	Newport Pagnell	24,855	21	2	2	3	–	2	19	2	1	4	2	–	9	–	54	59	18
154	Buckingham	13,756	22	–	9	–	–	–	13	2	–	1	–	2	5	–	42	33	1
	9.—OXFORDSHIRE.																		
155	Henley	18,200	19	–	20	2	–	11	10	1	1	1	4	–	8	–	33	40	8
156	Thame	15,305	21	–	–	1	1	20	6	1	–	1	1	–	4	–	35	36	6
157	Headington	17,185	23 (22)	–	13	9	4	10	14	5	2	–	–	–	26	–	65	45	18
158	Oxford	20,037	21 (22)	–	10	5	5	4	11	1	–	3	–	–	21	–	49	47	13
159	Bicester	15,555	21	–	6	7	3	14	11	1	–	1	2	1	19	–	41	36	13
160	Woodstock	14,236	20	–	29	6	1	14	11	1	1	1	–	2	6	–	31	46	11
161	Witney	23,238	20	–	5	2	6	16	12	–	2	2	1	3	11	–	60	53	11
162	Chipping Norton	17,306	19	–	4	1	1	8	6	–	–	3	–	1	10	–	34	34	9
163	Banbury	30,171	21	–	50	3	4	16	21	2	–	3	–	–	13	–	41	93	16
	10.—NORTHAMPTN.																		
164	Brackley	13,471	21	1	18	13	1	3	19	–	–	2	1	–	4	1	36	23	5
165	Towcester	13,004	23	1	–	–	2	1	4	–	–	2	–	1	6	–	22	34	12
166	Potterspury	11,632	20	–	24	6	2	4	3	–	–	4	–	–	10	–	32	31	8
167	Hardingstone	9,928	20	1	2	1	4	–	5	1	–	1	–	–	8	–	18	39	7
168	Northampton	41,152	25 (24)	3	27	1	9	7	22	5	1	4	–	4	90	2	105	149	29
169	Daventry	20,600	20	–	5	–	4	6	12	2	–	2	1	1	4	–	42	66	10
170	Brixworth	15,367	20	–	1	–	1	2	21	1	–	1	–	–	6	–	31	35	12
171	Wellingborough	24,224	22	–	40	2	1	32	16	2	1	3	1	–	17	–	84	69	14
172	Kettering	18,995	20	–	37	–	9	6	34	1	–	3	2	–	8	–	37	55	7
173	Thrapston	14,065	20	–	1	–	–	2	12	–	1	1	3	–	15	–	31	36	5
174	Oundle	15,463	19	–	3	2	1	–	7	–	–	–	1	–	4	–	22	29	10
175	Peterborough	33,178	20	16	–	3	7	8	25	1	–	3	–	1	23	1	80	79	33
	11.—HUNTINGDON.																		
176	Huntingdon	20,518	20	1	–	2	2	4	18	–	1	1	–	–	16	–	47	54	14
177	St. Ives	19,654	20	–	–	1	–	3	13	3	–	–	–	–	5	–	44	43	14
178	St. Neots	18,965	19	1	–	5	6	4	10	–	–	2	1	–	18	–	38	32	18
	12.—BEDFORDSH.																		
179	Bedford	38,072	20 (19)	5	9	2	1	23	28	2	2	2	2	2	41	1	109	89	30
180	Biggleswade	25,393	21	2	7	28	–	6	24	2	–	2	–	2	34	2	59	92	23
181	Ampthill	16,970	21	2	–	2	–	2	11	–	2	1	–	2	16	3	40	34	6
182	Woburn	11,684	22	–	–	1	–	–	10	2	1	–	3	–	5	1	29	44	4
183	Leighton Buzzard	17,648	22	6	2	2	2	4	11	1	1	–	1	–	16	–	31	58	6
184	Luton	30,712	20	75	4	3	2	9	27	–	1	4	4	1	45	–	80	73	16
	13.—CAMBRIDGES.																		
185	Caxton	10,966	19	–	–	8	1	1	5	–	1	2	–	1	13	1	19	17	10
186	Chesterton	25,083	20	3	–	7	1	20	13	–	1	4	1	–	20	1	35	56	14
187	Cambridge	26,361	20	–	–	12	2	8	10	2	2	4	–	–	32	1	92	86	13
188	Linton	13,510	19	2	–	5	1	11	11	–	2	1	–	–	8	–	37	42	7
189	Newmarket	28,675	20	–	2	8	15	16	22	2	2	1	–	–	15	2	92	60	11
190	Ely	21,928	21	4	–	2	2	18	17	2	2	1	–	2	13	–	60	64	23
191	North Witchford	14,791	21	2	–	–	4	2	7	3	–	1	–	1	5	–	25	53	14
192	Whittlesey	6,966	23	1	–	–	4	3	5	–	–	1	1	–	10	–	25	9	5
193	Wisbech	33,323	22	11	–	1	–	22	20	1	2	3	–	–	21	1	57	87	16

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1867, in the DISTRICTS of England—*continued*.

IV.—EASTERN COUNTIES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	Deaths from several Causes in 1867.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	14.—ESSEX.																		
194	West Ham	59,319	20	54	19	21	18	33	38	6	3	4	1	2	67	6	158	257	62
195	Epping	16,549	18	4	3	3	2	6	17	2	1	–	1	1	11	1	31	31	11
196	Ongar	11,317	18	1	–	3	–	3	3	–	1	1	–	–	1	4	26	38	10
197	Romford	26,965	20	13	14	6	5	18	28	2	–	1	–	1	29	1	55	65	18
198	Orsett	11,595	21	4	1	–	2	2	7	–	2	1	1	–	6	–	17	29	11
199	Billericay	15,031	21 (19)	1	5	2	4	6	5	2	–	–	–	2	9	2	34	49	6
200	Chelmsford	32,765	19	1	2	2	8	15	13	1	1	3	1	1	14	3	87	62	15
201	Rochford	18,282	21	2	15	1	1	4	12	1	–	2	1	–	15	–	26	44	9
202	Maldon	22,556	21	2	4	2	1	–	8	2	–	1	–	–	12	1	46	51	14
203	Tendring	27,105	20	–	2	8	1	–	17	–	–	1	–	–	23	1	55	77	16
204	Colchester	23,815	22	2	–	2	4	–	30	4	–	1	–	1	19	2	60	69	15
205	Lexden	22,950	19	2	–	6	1	3	20	1	–	4	1	–	8	–	52	49	12
206	Witham	16,324	21	10	4	1	2	–	17	2	–	1	–	1	5	–	43	31	8
207	Halstead	18,482	22	10	4	1	1	2	8	1	1	2	–	–	8	–	34	34	6
208	Braintree	17,170	21	3	–	1	2	39	7	2	2	1	–	–	15	–	41	58	5
209	Dunmow	19,759	20	5	1	1	–	6	2	1	–	–	–	–	7	2	63	53	5
210	Saffron Walden	19,721	19	–	1	7	2	–	5	1	–	3	1	–	9	–	47	46	11
	15.—SUFFOLK.																		
211	Risbridge	17,432	20	–	5	–	4	7	18	–	–	2	2	1	19	–	33	51	6
212	Sudbury	31,415	20	3	3	4	3	5	9	2	–	–	2	–	21	–	63	53	12
213	Cosford	17,376	20	–	1	1	3	9	10	–	–	3	3	1	7	–	26	50	6
214	Thingoe	18,224	19 (20)	–	3	–	–	8	12	–	1	3	2	–	4	–	49	46	10
215	Bury St. Edmunds	13,318	23 (22)	–	3	–	2	3	9	1	–	–	–	–	12	–	36	37	15
216	Mildenhall	9,595	20	1	2	–	–	11	4	–	–	–	–	2	2	–	19	17	8
217	Stow	20,908	19	1	3	1	1	5	10	–	1	–	1	2	8	1	53	45	11
218	Hartismere	17,665	20	–	2	3	9	5	7	–	1	2	–	–	1	–	41	59	6
219	Hoxne	14,694	20	–	–	1	5	3	6	–	–	4	1	–	5	1	30	26	12
220	Bosmere	16,174	19	–	2	2	3	2	13	–	–	2	7	–	6	–	30	38	5
221	Samford	12,736	20	1	–	2	1	1	12	1	–	2	–	–	2	–	21	26	3
222	Ipswich	37,881	22	1	6	8	3	15	8	5	1	5	–	3	27	–	128	134	22
223	Woodbridge	22,754	20 (19)	–	1	3	1	3	7	–	1	1	1	1	12	1	44	76	8
224	Plomesgate	20,720	20	–	–	2	4	2	10	1	1	1	–	1	2	1	41	49	16
225	Blything	26,848	20	2	4	25	10	4	6	–	1	2	–	4	10	1	66	64	13
226	Wangford	13,619	21	–	–	17	3	4	5	1	–	1	–	–	3	–	41	28	9
227	Mutford	24,050	20	3	45	137	6	2	29	2	1	–	–	–	25	3	42	62	14
	16.—NORFOLK.																		
228	Yarmouth	30,338	25	2	24	45	2	1	21	3	3	3	–	1	103	1	90	103	23
229	Flegg	8,631	20	1	1	2	1	–	6	–	–	1	–	1	9	–	17	23	4
230	Tunstead	14,516	21	–	1	3	5	2	7	–	–	4	2	–	12	–	37	26	7
231	Erpingham	20,874	21	–	2	17	7	3	6	1	–	–	2	1	10	1	47	41	8
232	Aylsham	19,052	21	–	1	11	3	1	10	2	1	–	–	–	7	–	39	33	9
233	St. Faiths	11,298	18	–	–	–	–	–	4	1	1	–	–	–	2	1	30	20	4
234	Norwich	74,891	25	1	21	44	12	17	47	4	9	5	2	–	120	1	216	216	68
235	Forehoe	12,818	20	–	1	1	–	4	9	1	1	1	–	–	7	1	27	26	8
236	Henstead	11,290	19	–	2	3	1	–	4	1	1	1	–	–	–	–	25	24	7
237	Blofield	11,521	20 (18)	–	3	11	–	1	5	1	1	–	–	–	4	–	28	29	9
238	Loddon	14,242	19	–	1	5	2	2	5	–	–	2	–	–	9	–	31	34	5
239	Depwade	25,248	20	–	2	5	1	7	7	2	–	1	2	2	8	–	46	51	14
240	Guiltcross	11,541	22	–	–	–	2	6	3	–	3	2	–	–	4	–	21	34	9
241	Wayland	11,562	20	–	–	–	2	6	4	–	3	2	–	–	4	1	17	29	7
242	Mitford	28,020	20	–	–	–	4	6	9	1	2	5	1	–	9	1	55	61	9
243	Walsingham	21,118	20	–	–	3	8	10	9	3	3	1	–	–	8	–	51	21	9
244	Docking	17,596	21	–	2	3	2	9	6	–	1	1	–	–	5	–	44	33	11
245	Freebridge Lynn	13,486	18	–	–	–	1	14	6	–	–	1	–	–	1	–	25	20	5
246	Kings Lynn	16,701	22	–	1	–	1	13	15	–	–	1	–	–	12	2	50	34	17
247	Downham	20,264	21	–	1	2	1	11	8	3	1	1	–	–	20	–	39	56	15
248	Swaffham	13,747	19	–	1	–	1	6	15	2	2	4	–	1	3	–	22	33	4
249	Thetford	18,694	20	–	–	–	1	12	3	2	–	–	–	–	9	–	46	36	8

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																		
250	Highworth	19,237	21	1	9	3	4	–	9	1	3	1	–	2	6	–	35	39	14
251	Cricklade	11,470	20	–	8	1	–	1	7	–	–	4	1	–	2	–	19	20	5
252	Malmsbury	14,556	19	–	4	1	1	7	6	–	2	1	–	1	6	2	34	29	11
253	Chippenham	22,029	21	–	4	1	5	8	24	2	–	1	3	–	7	–	54	44	24
254	Calne	8,885	20	–	1	1	2	3	3	–	–	2	–	–	3	–	13	13	4
255	Marlborough	9,774	19	–	–	2	1	6	4	–	–	1	–	–	4	1	19	27	7
256	Devizes	21,680	21 (20)	–	3	–	1	30	8	–	2	2	1	1	7	–	47	77	14
257	Melksham	17,233	22	–	12	–	1	32	14	1	–	–	1	–	12	1	43	90	18
258	Bradford-on-Avon	10,475	22	–	1	–	–	14	8	–	–	2	–	–	3	–	19	37	7

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1867, in the Districts of England—*continued.*

V. SOUTH WESTERN COUNTIES—*continued.*

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851–60.	Deaths from several Causes in 1867. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	17.—WILTSHIRE—*cont.*																		
259	Westbury	11,751	22	–	1	–	2	8	1	–	1	2	–	–	6	–	15	45	2
260	Warminster	15,942	20	–	–	1	1	10	4	2	–	–	1	–	5	–	31	46	5
261	Pewsey	12,466	19	–	1	2	–	1	5	1	–	2	–	–	1	–	20	31	11
262	Amesbury	8,127	20	1	–	2	7	8	3	–	–	–	–	–	–	–	27	29	3
263	Alderbury	14,770	23 (22)	1	–	12	4	–	3	–	–	–	–	–	5	–	48	39	18
264	Salisbury	9,039	24	1	1	2	–	3	–	–	–	–	–	–	3	–	26	30	3
265	Wilton	10,674	21	–	9	10	4	–	4	–	–	–	–	–	–	–	17	15	6
266	Tisbury	9,862	19	–	4	17	5	–	7	1	–	2	3	–	6	–	13	32	5
267	Mere	8,057	21	–	1	1	–	–	8	1	–	1	–	–	5	–	5	33	4
	18.—DORSETSHIRE.																		
268	Shaftesbury	12,986	20	1	1	2	1	–	4	–	1	3	–	1	1	–	39	41	5
269	Sturminster	10,340	20	–	–	15	1	–	8	1	–	2	–	–	–	–	25	24	5
270	Blandford	14,821	17	–	10	5	2	–	10	–	–	1	–	1	2	–	30	37	8
271	Wimborne	17,253	13	–	–	6	–	–	4	3	1	3	–	–	7	–	35	34	8
272	Poole	13,742	20	–	–	23	–	13	20	2	1	2	–	–	2	–	32	72	9
273	Wareham	17,072	19	1	2	6	–	29	14	–	2	2	1	–	3	–	40	54	7
274	Weymouth	27,291	18	–	–	15	–	1	6	–	1	5	–	1	13	–	41	94	21
275	Dorchester	24,810	21	–	–	4	2	5	6	2	–	1	–	1	2	–	57	49	10
276	Sherborne	13,463	20	–	–	4	–	5	11	1	1	–	1	–	1	–	31	40	9
277	Beaminster	13,587	20	–	–	1	–	4	8	–	–	–	–	–	3	–	26	30	3
278	Bridport	16,828	21	–	24	–	–	1	2	2	–	–	1	–	2	–	41	40	15
	19.—DEVONSHIRE.																		
279	Axminster	19,758	20	1	–	1	7	15	9	–	–	–	2	1	8	2	39	47	11
280	Honiton	22,729	19	–	–	23	2	10	6	3	1	2	–	–	8	–	55	48	13
281	St. Thomas	48,405	19	–	3	4	3	2	41	–	1	7	–	2	23	–	113	150	32
282	Exeter	33,742	24	–	2	2	–	10	13	2	1	5	–	2	31	–	85	134	24
283	Newton Abbot	59,063	18	2	39	1	3	29	79	5	–	8	–	2	38	2	172	200	27
284	Totnes	32,942	19	–	–	–	1	15	59	2	–	1	6	2	7	2	50	120	26
285	Kingsbridge	19,394	18	–	–	–	–	3	6	2	1	1	9	–	4	–	40	65	8
286	Plympton St. Mary	20,502	19	–	16	–	–	5	18	–	–	3	1	1	5	–	39	58	16
287	Plymouth	62,599	24	–	59	1	5	46	59	2	1	7	–	2	75	5	209	271	45
288	East Stonehouse	14,343	27 (24)	–	6	1	5	3	18	–	–	3	2	1	20	–	74	45	10
289	Stoke Damerel	50,440	23 (22)	–	36	–	1	1	46	2	5	3	–	2	55	–	117	168	30
290	Tavistock	35,265	20	–	1	–	–	21	17	–	2	3	1	–	17	2	70	92	21
291	Okehampton	18,580	18	–	–	–	–	11	28	1	1	–	–	–	5	–	32	52	14
292	Crediton	20,274	18	–	1	–	–	7	12	2	–	–	2	4	5	–	39	44	12
293	Tiverton	30,875	21	–	1	–	7	3	8	–	–	2	–	–	10	–	67	80	20
294	South Molton	19,532	18	–	9	–	1	10	19	–	–	2	–	–	6	–	37	60	14
295	Barnstaple	36,293	18	–	2	3	3	24	4	2	1	1	4	3	18	–	92	102	14
296	Torrington	16,876	17	–	1	–	5	6	12	1	–	–	–	2	3	–	41	25	7
297	Bideford	17,790	19	–	–	–	1	23	20	–	–	–	1	–	4	–	41	46	7
298	Holsworthy	9,876	18	–	–	–	2	7	3	–	–	1	–	1	2	–	27	24	2
	20.—CORNWALL.																		
299	Stratton	8,028	20	–	1	–	–	1	3	–	–	2	–	–	1	–	12	21	12
300	Camelford	7,784	19	–	–	–	–	1	4	–	–	–	–	–	4	–	19	14	3
301	Launceston	17,005	19	–	–	–	–	15	12	2	–	1	6	–	11	–	31	43	12
302	St. Germans	17,631	21	–	17	–	12	3	21	2	1	–	2	1	13	–	37	44	14
303	Liskeard	33,562	20	–	–	–	5	17	16	2	1	6	2	3	13	–	75	94	22
304	Bodmin	19,691	20 (19)	–	–	–	–	7	11	–	2	1	1	–	4	5	47	37	13
305	St. Columb	16,754	18	–	–	1	–	5	2	–	–	2	5	1	8	–	26	48	10
306	St. Austell	33,797	20	–	–	–	–	15	22	1	1	4	–	–	13	–	73	71	13
307	Truro	43,070	20	–	–	3	2	47	26	–	1	7	–	1	20	–	103	104	31
308	Falmouth	23,332	20	–	1	–	2	3	10	–	1	1	–	3	28	1	54	45	37
309	Helston	30,033	20	–	–	9	1	7	19	2	2	3	2	–	6	1	110	58	40
310	Redruth	57,173	21	–	–	16	9	107	41	1	–	6	–	2	20	2	173	122	34
311	Penzance	54,554	21	–	1	2	2	29	35	4	2	6	1	3	27	–	126	122	45
312	Scilly Islands	2,431	18	–	–	2	1	–	1	–	–	–	–	–	–	–	10	5	4
	21.—SOMERSETSH.																		
312a	Williton	19,918	18	–	1	–	1	2	10	1	–	2	1	1	5	–	38	46	8
312b	Dulverton	6,158	16	–	–	–	1	–	5	–	–	2	1	–	1	–	8	16	3
314	Wellington	20,480	18	–	1	3	–	3	5	–	–	–	–	–	5	–	45	45	12
315	Taunton	35,601	20	–	5	–	–	3	36	3	2	5	–	–	30	1	74	75	30
316	Bridgwater	34,420	19	–	9	4	–	5	27	2	1	9	1	1	13	–	78	74	21
317	Langport	18,077	19	–	–	2	–	–	12	–	1	7	3	–	6	1	43	39	18
318	Chard	25,591	20	–	8	–	2	8	11	–	3	8	–	4	3	–	52	89	18
319	Yeovil	28,189	21	–	–	6	2	4	6	–	–	3	–	1	7	–	63	53	17
320	Wincanton	21,500	20	–	4	1	–	3	13	–	–	1	4	–	7	1	38	52	10
321	Frome	23,704	22	–	3	–	1	6	8	2	1	3	11	1	11	–	44	80	28
322	Shepton Mallet	16,619	20	–	2	2	2	4	13	–	1	–	3	1	1	1	26	33	11
323	Wells	21,889	21 (19)	–	1	–	1	1	24	1	2	–	2	1	8	–	48	73	19
324	Axbridge	36,106	17	–	2	1	2	4	27	1	1	–	3	–	16	1	56	112	32
325	Clutton	23,721	19	–	15	–	1	–	20	2	1	2	–	–	10	–	39	62	13
326	Bath	68,336	22	1	29	4	2	39	26	5	3	4	2	4	38	1	156	277	62
327	Keynsham	21,802	19	2	8	3	–	11	13	–	–	2	1	1	9	–	50	65	13
328	Bedminster	41,257	20	1	3	3	2	23	34	5	3	8	–	1	21	–	97	171	38

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1867, in the DISTRICTS of England—*continued*.

VI.—WEST MIDLAND COUNTIES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1867.														
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	22.—GLOUCESTERS.																		
329	Bristol	66,027	27 (28)	1	4	4	6	37	60	4	5	3	–	3	60	1	180	297	89
330	Clifton	91,687	21 (20)	–	15	32	5	48	100	6	2	15	1	4	88	–	238	390	49
331	Chipping Sodbury	18,763	19	–	2	–	–	3	13	2	1	–	1	1	4	–	27	53	22
332	Thornbury	16,499	17	–	–	3	–	4	13	1	1	2	–	1	3	–	14	27	11
333	Dursley	13,331	21	–	–	5	1	–	6	–	–	4	–	1	8	–	27	31	16
334	Westbury-on-Severn	20,189	18	–	10	2	3	5	22	4	3	2	–	1	10	1	35	53	13
335	Newent	12,420	19	–	–	–	–	1	5	1	1	2	–	–	5	–	25	20	5
336	Gloucester	34,950	22 (21)	–	3	14	6	3	16	2	–	4	3	–	52	–	81	82	24
337	Wheatenhurst	7,813	19	–	–	4	–	5	2	–	–	3	–	–	2	1	12	19	7
338	Stroud	36,448	22	–	6	1	11	8	15	1	–	5	3	–	14	–	62	118	30
339	Tetbury	6,110	18	–	2	–	–	8	2	–	–	–	–	–	4	–	13	12	5
340	Cirencester	20,934	20	–	–	–	–	4	3	1	–	2	1	–	7	–	30	75	6
341	Northleach	10,395	19	1	–	–	5	3	4	–	–	1	–	–	3	–	28	25	5
342	Stow-on-the-Wold	9,687	18	–	1	–	2	3	4	1	2	1	–	–	1	–	15	21	6
343	Winchcomb	10,082	18	1	–	–	–	2	4	–	–	1	–	–	4	–	22	12	4
344	Cheltenham	49,792	19	–	1	2	4	5	39	3	–	5	2	4	52	3	114	171	20
345	Tewkesbury	14,908	21	–	–	1	1	1	7	1	1	1	–	–	6	–	25	41	10
	23.—HEREFORDSH.																		
346	Ledbury	14,880	18	–	–	–	4	3	3	1	1	1	–	–	1	–	27	26	6
347	Ross	16,306	20	–	3	1	–	–	6	4	–	2	3	–	3	–	31	38	10
348	Hereford	39,287	21	–	–	–	1	2	20	4	1	–	–	–	21	–	100	94	36
349	Weobly	9,018	20	–	–	–	–	2	4	–	–	2	1	1	–	–	9	15	5
350	Bromyard	11,811	20	–	–	–	–	4	5	–	–	2	–	1	1	–	19	28	4
351	Leominster	15,494	21	–	1	–	–	3	3	1	–	1	–	–	4	–	17	37	10
	24.—SHROPSHIRE.																		
352	Ludlow	17,721	19	–	2	–	–	20	11	2	2	5	1	1	8	–	25	70	16
353	Clun	10,615	18	–	6	2	–	18	3	–	–	1	–	1	4	–	20	26	7
354	Church Stretton	6,289	18	–	1	–	–	6	–	1	–	3	–	–	–	–	8	20	5
355	Cleobury Mortimer	8,304	18	1	–	–	5	7	4	2	–	–	1	–	2	–	18	16	7
356	Bridgnorth	15,920	19	–	–	2	3	1	7	–	–	1	–	1	4	1	26	40	11
357	Shiffnal	11,994	18	–	1	–	1	–	15	1	–	2	–	1	9	–	18	43	12
358	Madeley	30,403	21	–	2	12	6	4	45	–	2	6	–	1	9	1	68	83	36
359	Atcham	19,455	18	–	1	1	2	3	10	2	2	1	1	1	1	–	38	38	20
360	Shrewsbury	25,784	25 (24)	–	2	6	5	18	19	–	1	5	–	2	27	–	77	76	29
361	Oswestry	23,817	19	–	–	3	1	19	10	2	2	2	–	3	3	–	67	59	26
362	Ellesmere	14,611	19	–	2	4	3	1	8	–	–	1	–	–	6	–	26	25	8
362*a*	Wem	10,644	20	1	–	4	–	1	5	1	–	1	1	–	4	–	34	24	9
363*b*	Whitchurch	11,272	20*	–	–	8	–	1	5	–	1	1	–	2	7	–	24	20	8
364	Market Drayton	14,260	20	–	–	1	–	2	4	1	–	1	–	2	3	–	22	47	3
365	Wellington	23,873	22	–	–	–	1	10	29	1	–	3	–	–	14	–	43	92	16
366	Newport	15,447	20	–	–	1	1	12	10	1	–	–	1	–	5	–	35	67	13
	25.—STAFFORDSH.																		
367	Stafford	24,474	22 (20)	1	–	5	–	9	8	2	–	3	2	–	21	–	75	55	24
368	Stone	21,026	20	1	1	3	3	14	18	1	4	5	–	1	12	–	66	77	10
369	Newcastle-under-Lyme	24,567	23	8	12	41	4	12	26	3	2	1	–	1	17	–	52	102	117
370	Wolstanton	54,256	26	24	64	241	9	35	87	17	10	5	–	3	119	–	141	310	52
371	Stoke-upon-Trent	71,308	26	11	54	139	31	80	119	12	11	15	–	6	126	2	274	384	87
372	Leek	24,806	24	–	4	63	1	16	18	2	5	1	2	–	26	1	87	101	16
373	Cheadle	20,988	21	–	5	20	1	9	7	1	–	6	–	2	10	1	42	63	21
374	Uttoxeter	14,787	20	–	1	4	–	12	3	–	2	4	3	2	4	–	29	49	11
375	Burton-upon-Trent	41,065	21 (20)	1	13	4	4	30	14	5	2	8	6	–	36	2	126	126	37
376	Tamworth	15,504	20	–	4	–	1	7	35	–	–	–	–	–	10	–	28	46	17
377	Lichfield	27,541	20	1	1	6	6	18	14	3	–	2	–	4	12	1	59	70	22
378	Penkridge	18,662	20	–	3	7	3	9	14	4	–	1	–	4	9	1	41	57	19
379	Wolverhampton	126,902	28	–	10	55	16	35	107	14	5	18	2	5	191	3	278	465	125
380	Walsall	59,908	23	1	4	13	17	11	70	5	2	9	1	3	107	–	97	234	51
381	West Bromwich	92,480	24	1	45	32	7	23	70	4	3	11	–	2	140	2	151	370	96
382	Dudley	130,267	26	–	18	37	8	35	110	12	4	13	1	6	191	1	184	492	136
	26.—WORCESTERS.																		
383	Stourbridge	68,726	23	2	5	34	2	31	49	3	1	5	1	1	71	–	115	228	60
384	Kidderminster	30,307	21	–	–	–	2	6	15	1	4	2	–	–	26	1	74	75	23
385	Tenbury	7,366	17	–	–	2	–	2	1	–	–	–	–	–	–	–	13	16	4
386	Martley	15,098	18	–	2	1	2	2	5	1	–	6	–	–	5	1	28	34	13
387	Worcester	30,969	23	–	–	2	4	9	25	4	4	6	–	–	38	–	77	123	26
388	Upton-on-Severn	21,010	20 (19)	–	–	–	1	1	9	1	3	–	–	1	8	–	33	52	13
389	Evesham	14,767	19	–	2	2	2	16	8	2	2	5	–	–	7	–	27	36	8
390	Pershore	13,865	17	–	1	–	2	1	9	–	2	1	1	–	9	–	24	35	7
391	Droitwich	19,237	18	–	1	1	4	1	5	1	2	–	–	1	17	–	20	65	19
392	Bromsgrove	26,259	20	–	2	5	3	17	19	1	3	5	–	1	26	–	72	70	14
393	Kings Norton	47,349	17	5	1	54	11	16	25	3	3	11	–	1	43	2	96	167*	26

* The mortality for Whitchurch is the average annual rate in 7¾ years.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1867, in the Districts of England—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	Deaths from several causes in 1867. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	27.—WARWICKSH.																		
394	Birmingham	212,621	27	10	93	508	67	188	133	21	5	32	2	20	568	5	629	1004	304
395	Aston	100,522	21	9	45	238	31	118	68	12	8	10	1	9	269	7	247	438	103
396	Meriden	11,290	18	–	–	1	1	8	3	2	–	3	–	–	5	1	23	29	5
397	Atherstone	12,118	20	–	–	4	–	8	16	–	3	4	–	–	14	–	18	27	7
398	Nuneaton	13,054	23	–	1	3	6	2	5	2	–	–	–	2	6	1	33	44	8
399	Foleshill	19,997	25	–	–	2	–	2	15	1	1	1	–	1	19	3	41	44	12
400	Coventry	41,647	25	1	5	–	3	2	14	3	3	5	1	8	57	2	82	143	25
401	Rugby	24,436	19	–	–	3	2	7	10	1	3	3	2	3	20	–	32	44	15
402	Solihull	13,231	18	1	1	1	6	2	4	–	1	–	–	1	6	–	21	39	5
403	Warwick	44,047	21 (20)	–	9	3	2	11	23	2	2	2	–	1	33	2	124	93	34
404	Stratford-on-Avon	21,249	19	–	1	1	1	22	5	–	2	3	–	–	9	–	44	66	15
405	Alcester	16,878	21	–	1	10	1	12	1	2	–	3	1	–	8	–	21	55	5
406	Shipston-on-Stour	19,852	20	–	1	5	5	3	5	2	–	1	–	1	7	–	37	55	18
407	Southam	10,392	19	2	5	3	–	1	16	1	–	–	–	–	2	–	12	27	6

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSH.																		
408	Lutterworth	15,515	19	–	–	1	2	1	9	–	–	1	–	–	1	–	28	34	5
409	Market Harborough	16,059	20	–	3	2	3	7	8	–	–	–	–	–	7	–	34	31	5
410	Billesdon	7,272	16	–	3	1	1	–	5	–	–	1	–	–	1	–	8	10	–
411	Blaby	14,305	21	10	8	4	–	2	2	1	–	2	1	1	13	–	25	35	11
412	Hinckley	16,374	23	–	3	3	1	12	55	2	–	4	–	1	9	1	31	38	7
413	Market Bosworth	13,428	19	–	–	1	1	6	14	–	–	2	–	2	5	–	32	29	14
414	Ashby-de-la-Zouch	28,543	21	–	17	2	1	12	27	3	2	8	2	2	19	–	50	91	24
415	Loughborough	24,147	23	–	–	1	12	14	21	3	2	5	–	1	22	–	54	59	13
416	Barrow on-Soar	19,778	22	1	3	2	1	28	4	3	1	1	1	1	21	–	50	64	19
417	Leicester	68,056	25	3	2	38	6	71	63	5	6	8	–	8	214	1	218	280	58
418	Melton Mowbray	20,171	19	–	2	15	2	1	8	2	–	1	1	–	7	–	41	34	6
	29.—RUTLANDSH.																		
419	Oakham	11,112	19	–	10	1	–	4	5	1	2	–	–	–	4	–	23	27	6
420	Uppingham	12,367	18	–	3	1	–	1	5	–	–	–	1	1	7	–	18	34	6
	30.—LINCOLNSH.																		
421	Stamford	18,213	20	–	1	–	–	7	17	3	–	4	2	1	8	–	31	63	14
422	Bourn	20,113	19	–	–	1	3	14	22	–	1	–	–	–	12	–	28	40	15
423	Spalding	22,129	20	1	1	–	4	22	19	2	1	2	1	1	15	2	43	54	14
424	Holbeach	18,402	21	1	–	1	–	2	9	1	–	2	2	1	6	–	36	39	8
425	Boston	37,969	19	1	3	3	7	25	20	3	–	4	3	–	31	2	86	82	25
426	Sleaford	24,019	19	–	1	3	4	12	19	1	2	1	–	1	21	–	35	59	12
427	Grantham	28,886	19	4	2	1	2	2	42	2	–	4	1	–	47	2	57	82	24
428	Lincoln	47,063	20	–	3	14	1	17	33	1	–	5	2	–	24	–	122	92	34
429	Horncastle	24,718	19	–	3	2	14	13	13	1	2	2	1	1	11	1	47	36	10
430	Spilsby	28,799	19	–	7	3	3	21	31	–	–	–	2	2	10	–	75	47	11
431	Louth	34,711	20	–	–	3	1	5	16	2	1	3	2	–	21	1	79	35	18
432	Caistor	37,517	19	1	6	9	8	5	23	–	1	5	–	–	38	2	65	96	38
433	Glanford Brigg	34,731	19	1	17	7	3	11	38	2	–	6	1	1	30	–	72	68	25
434	Gainsborough	25,973	20	1	3	13	5	5	18	2	–	2	3	2	11	1	50	59	15
	31.—NOTTINGHAM.																		
435	East Retford	22,677	19	2	5	4	3	8	7	–	1	3	4	–	11	–	37	54	15
436	Worksop	20,704	20	1	2	5	–	11	8	–	–	6	3	2	6	–	53	64	11
437	Mansfield	30,593	21	–	–	3	–	16	29	–	1	8	1	1	21	–	75	71	16
438	Basford	74,257	23	2	11	4	5	25	47	3	2	8	–	1	53	7	179	216	54
439	Radford	30,479	25	–	10	1	2	16	27	1	1	4	5	1	46	2	109	106	17
440	Nottingham	74,693	27	–	14	10	7	26	49	6	2	4	–	5	111	1	229	295	50
441	Southwell	24,425	19	1	4	3	2	13	10	–	–	3	2	1	10	–	57	47	11
442	Newark	30,186	20	1	2	2	10	10	19	5	–	3	–	2	11	1	73	53	14
443	Bingham	15,670	19	–	2	3	–	3	5	–	–	–	–	1	11	1	21	45	9
	32.—DERBYSHIRE.																		
444	Shardlow	31,113	20	–	10	12	4	6	15	2	2	5	5	2	11	2	72	74	13
445	Derby	51,049	24	1	4	30	6	23	52	2	7	3	3	1	62	1	179	184	51
446	Belper	51,711	21	–	2	7	2	24	49	1	4	9	2	1	37	1	121	144	24
447	Ashborne	20,648	20	–	–	2	4	12	21	2	–	1	3	–	9	–	60	34	9
448	Chesterfield	61,779	22	46	10	7	8	38	51	6	2	6	4	1	48	2	150	238	86
449	Bakewell	31,378	20	2	2	2	3	19	10	1	–	–	3	–	9	2	76	66	19
450	Chapel-en-le-Frith	14,020	20	1	–	–	1	5	17	–	1	–	2	–	6	–	28	42	14
451	Hayfield	32,176	23	4	–	8	7	13	32	2	1	9	1	1	37	1	99	128	22

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1867, in the DISTRICTS of England—*continued*.

VIII.—NORTH WESTERN COUNTIES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851–60.	Deaths from several causes in 1867. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	33.—CHESHIRE.																		
452	STOCKPORT	94,360	26	–	17	108	6	14	88	5	4	19	1	4	137	4	246	505	56
453	MACCLESFIELD	61,543	25	–	–	58	4	13	38	–	3	6	–	2	43	1	191	270	26
454	ALTRINCHAM	40,517	20	1	9	18	4	4	17	3	2	4	1	2	33	–	109	134	33
455	RUNCORN	26,792	21	–	8	10	7	13	19	2	4	3	3	5	24	–	72	91	33
456	NORTHWICH	33,070	22	–	13	16	5	25	33	1	2	3	1	1	16	1	97	106	43
457	CONGLETON	34,596	23	4	–	45	1	17	20	–	–	4	–	–	30	–	93	109	26
458	NANTWICH	40,955	20	2	2	27	5	25	41	2	–	10	1	1	26	–	103	108	32
459	GREAT BOUGHTON (CHESTER)	58,501	22	1	20	17	12	37	59	5	3	7	3	2	45	2	164	152	51
460a	WIRRAL	18,420	19	–	11	37	5	4	19	–	1	2	–	1	9	–	54	58	12
460b	BIRKENHEAD	61,420		–	38	139	15	41	82	1	7	9	1	5	81	1	165	274	84
	34.—LANCASHIRE.																		
461	LIVERPOOL	269,742	33	22	296	301	20	334	461	25	12	29	2	34	507	19	1031	1798	419
462	WEST DERBY	225,845	23	5	176	479	59	310	294	28	20	31	3	27	382	23	929	1126	246
463	PRESCOT	73,127	24 (23)	1	7	41	19	49	73	–	5	14	–	3	97	2	198	333	94
464	ORMSKIRK	46,252	19	3	4	97	20	31	62	4	7	9	–	1	38	6	134	217	34
465	WIGAN	94,561	27	20	166	594	5	143	158	2	9	16	48	10	234	5	229	569	179
466	WARRINGTON	43,875	24	1	3	19	3	49	44	2	4	5	–	7	61	1	117	173	64
467	LEIGH	37,700	25	–	10	31	2	27	39	4	3	8	–	–	48	3	123	194	39
468	BOLTON	130,269	27	2	85	191	10	98	142	10	10	17	1	8	221	14	411	853	117
469	BURY	101,135	23	–	26	55	4	17	136	6	6	20	–	3	126	2	310	440	66
470	BARTON-UPON-IRWELL	39,038	22	–	10	22	4	10	47	3	–	8	2	7	52	1	117	161	42
471	CHORLTON	169,579	24	3	136	259	16	211	197	11	19	28	3	11	408	4	596	1001	69
472	SALFORD	105,335	26	2	115	84	25	141	157	6	9	16	–	17	311	7	342	638	85
473	MANCHESTER	243,988	31	2	182	335	29	262	418	15	17	37	1	25	697	6	913	1614	346
474	ASHTON	134,753	27	2	82	210	11	64	138	16	5	14	–	16	168	2	388	567	84
475	OLDHAM	111,276	25	–	51	142	6	24	83	6	13	17	2	5	137	8	342	562	92
476	ROCHDALE	91,754	24	1	24	54	18	88	77	6	4	14	–	–	97	9	270	457	63
477	HASLINGDEN	69,781	22	–	59	69	10	60	60	6	6	18	–	9	74	6	181	332	51
478	BURNLEY	75,595	24	–	47	3	9	42	93	2	5	7	–	3	88	3	263	287	37
479	CLITHEROE	20,476	21	1	2	2	–	9	15	2	5	2	–	–	7	2	47	68	6
480	BLACKBURN	119,942	26	5	106	62	3	70	137	8	6	20	–	4	171	6	380	793	93
481	CHORLEY	41,678	23	7	25	26	2	39	57	1	1	6	–	2	41	2	120	159	29
482	PRESTON	110,523	27	–	37	47	26	54	131	15	8	17	–	8	326	12	396	595	67
483	FYLDE	25,682	19	–	1	2	5	5	19	2	1	4	4	–	24	3	65	76	24
484	GARSTANG	12,425	18	–	13	1	–	2	5	2	–	–	–	1	8	–	35	27	13
485	LANCASTER	35,297	23 (21)	–	5	1	2	30	13	1	1	4	1	4	10	–	109	136	39
486	ULVERSTON	35,738	20	10	2	8	9	12	50	8	1	3	1	3	38	2	140	116	51

IX.—YORKSHIRE.

	35.—WEST RIDING.																		
487	SEDBERGH	4,391	19	–	–	–	–	–	1	1	–	–	2	–	–	–	14	–	–
488	SETTLE	12,528	20	–	–	–	–	2	12	–	1	2	2	1	2	–	31	31	9
489	SKIPTON	31,343	21	–	15	3	1	22	21	4	–	4	1	–	7	2	95	113	19
490	PATELEY BRIDGE	9,534	21	–	–	–	3	10	5	–	–	1	5	2	2	–	24	25	3
491	RIPON	15,742	20	–	–	5	2	2	4	1	–	–	2	1	1	–	32	28	13
492a	GREAT OUSEBURN	11,534	18*	1	–	1	3	2	4	–	–	1	1	1	9	–	23	35	6
492b	KNARESBOROUGH	17,176	21	1	1	2	4	11	9	1	–	4	1	7	11	–	33	65	7
492c	WETHERBY	6,486	18*	–	–	–	–	2	1	1	–	1	–	–	4	–	23	9	2
492d	KIRKDEIGHTON	941		–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
493a	OTLEY	18,669	22	–	8	3	1	8	14	2	–	5	3	3	17	1	46	65	7
493b	WHARFEDALE	15,453		–	–	2	1	22	15	2	2	2	–	–	10	1	60	48	6
494	KEIGHLEY	43,122	23	–	17	5	5	4	43	1	3	6	–	1	43	1	191	184	17
495	TODMORDEN	31,113	20	–	3	5	3	11	39	7	–	3	–	2	16	3	67	121	24
496	SADDLEWORTH	18,631	24	–	9	5	–	3	22	3	2	4	–	1	18	–	55	63	7
497	HUDDERSFIELD	131,336	22	–	17	6	21	34	174	9	18	9	–	9	106	3	436	423	97
498	HALIFAX	128,673	24	1	92	10	1	21	116	8	5	14	3	5	90	3	440	566	94
499	BRADFORD	196,475	26	25	44	59	22	131	194	26	30	19	4	9	247	13	690	878	154
500a	KIRKSTALL	49,440	24	14	2	20	10	36	43	3	4	6	–	2	61	3	137	219	34
500b	HUNSLET	25,763		7	6	11	5	25	33	2	4	3	–	5	59	1	95	192	15
500c	HOLBECK	15,824		4	1	19	3	24	17	–	–	3	–	–	22	4	51	79	8
500d	BRAMLEY	11,391		2	–	4	5	11	14	–	1	1	–	–	16	–	32	46	2
501	LEEDS	117,566	28	23	22	41	18	87	148	9	7	10	1	4	245	6	376	699	124
502	DEWSBURY	92,883	25	42	55	105	25	50	145	21	9	11	–	3	96	9	306	425	67
503	WAKEFIELD	54,899	24 (23)	10	3	64	8	24	42	4	4	10	1	2	68	1	192	241	66
504a	PONTEFRACT	14,635	22†	5	1	–	–	5	9	1	–	1	–	–	10	1	34	35	9
504b	HEMSWORTH	7,793	16	–	1	1	1	6	7	–	1	–	–	–	1	–	15	16	7
504c	CASTLEFORD	19,954	†	–	–	5	7	18	17	1	1	2	–	3	38	–	47	69	20
505	BARNSLEY	45,797	24	–	48	24	4	21	35	3	5	9	–	3	58	2	123	161	382
506	WORTLEY	38,511	21	–	4	26	8	9	25	6	3	6	–	2	20	1	107	129	26
507	ECCLESALL BIERLOW	63,618	23	8	13	65	12	27	34	8	4	9	2	5	109	3	231	285	25
508	SHEFFIELD	128,951	28	47	35	111	28	54	165	15	10	17	–	8	299	1	412	763	134
509	ROTHERHAM	44,350	22	6	11	16	1	29	38	6	3	6	–	–	72	1	125	224	53
510	DONCASTER	39,388	22	25	14	5	2	22	70	2	2	3	1	2	36	3	76	103	31
511	THORNE	16,011	21	–	2	–	7	1	18	1	–	7	1	–	13	–	35	37	11
512	GOOLE	15,153	21	14	9	5	3	20	7	–	2	1	–	1	29	–	41	76	18
513	SELBY	16,001	21	–	1	2	8	10	10	1	1	2	2	1	15	1	32	30	15
514a	TADCASTER	5,996	19	–	–	–	–	1	1	1	–	–	–	1	1	–	16	14	4
514b	BRAMHAM	12,936		–	–	–	–	4	7	–	–	–	–	–	7	1	25	37	11

* The mortality for Great Ouseburn and Wetherby is the average annual rate in 6½ years.
† The mortality for Castleford is returned with Pontefract.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1867, in the DISTRICTS of England—*continued.*

IX.—YORKSHIRE—*continued.*

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851–60.	Deaths from several Causes in 1867.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	36.—EAST RIDING (WITH YORK).																		
515	York	59,909	24 (23)	–	–	5	4	26	32	2	1	8	7	4	65	–	183	161	39
516	Pocklington	16,710	19	–	–	4	1	4	5	1	–	2	–	–	12	1	28	29	11
517	Howden	15,001	23	–	2	–	6	22	14	–	–	1	2	1	13	1	29	39	9
518	Beverley	21,029	19	–	–	13	1	5	15	–	–	2	–	–	21	1	43	42	12
519	Sculcoates	51,956	22	5	44	27	3	42	80	6	4	7	1	8	116	1	151	155	35
520	Hull	56,888	25	2	18	14	5	29	93	1	2	3	1	4	68	8	173	211	56
521	Patrington	9,681	20	–	4	1	1	15	9	1	–	1	–	–	1	–	30	20	6
522	Skirlaugh	9,654	19	–	1	–	–	12	5	–	–	–	1	–	24	1	24	14	8
523	Driffield	19,226	20	–	1	8	3	30	7	1	–	1	–	–	21	1	45	29	15
524	Bridlington	14,371	20	–	–	–	2	3	2	–	–	3	–	–	13	–	22	35	14
	37.—NORTH RIDING.																		
525	Scarborough	30,425	21	–	–	11	2	19	20	3	–	–	–	1	48	2	71	102	28
526	Malton	23,483	19	–	–	1	7	22	10	3	1	–	1	1	23	–	40	61	15
527	Easingwold	10,148	18	1	–	3	–	5	6	1	1	–	6	–	6	–	19	19	4
528	Thirsk	12,299	18	–	–	5	–	2	8	–	–	2	7	1	6	–	23	38	11
529	Helmsley	11,832	19	–	–	–	2	11	5	–	–	1	–	1	8	1	32	34	10
530	Pickering	10,549	19	–	–	1	1	5	4	2	–	–	–	2	6	–	21	38	6
531	Whitby	23,633	20	–	4	19	3	13	34	3	1	4	2	2	14	1	68	68	22
532	Guisbrough	22,128	20	–	4	9	4	27	58	3	–	4	–	–	29	2	61	66	28
533	Stokesley	10,381	20	–	–	3	1	3	7	–	–	–	1	1	5	–	18	19	7
534	Northallerton	12,174	19	1	2	–	–	9	7	–	–	–	–	1	1	–	26	47	9
535	Bedale	8,650	18	–	6	1	1	2	4	1	–	–	–	1	1	–	18	20	4
536	Leyburn	10,105	17	–	–	1	–	13	5	–	–	1	2	1	2	–	22	27	6
537	Askrigg	5,649	20	–	–	2	–	2	2	–	–	–	1	–	–	–	16	16	2
538	Reeth	6,196	20	–	–	3	–	–	3	1	1	–	–	–	1	–	19	16	5
539	Richmond	13,457	19	–	–	27	–	11	5	3	1	–	1	1	5	–	26	45	11

X.—NORTHERN COUNTIES.

	38.—DURHAM.																		
540	Darlington	26,122	20	3	4	7	2	18	13	3	–	5	–	4	28	6	79	76	28
541*a*	Stockton	57,999	22	–	27	31	6	61	93	10	4	9	1	–	70	7	183	237	98
541*b*	Hartlepool	29,153		–	24	79	3	7	25	2	–	3	–	–	66	–	78	71	25
542	Auckland	50,491	23	1	144	75	10	65	114	1	7	5	1	3	74	5	144	143	61
543	Teesdale	20,880	19	–	–	31	6	–	6	–	–	4	2	2	6	3	52	66	10
544	Weardale	16,418	21	–	1	42	5	2	17	1	–	5	2	–	5	2	66	71	10
545	Durham	70,274	23	4	42	332	3	35	97	2	7	8	1	5	64	49	160	184	64
546	Easington	27,293	20	7	17	13	1	16	24	3	–	6	1	3	18	3	52	73	39
547	Houghton-le-Spring	21,773	21	–	3	7	3	20	20	1	2	5	–	–	39	3	56	62	25
548	Chester-le-Street	27,660	21	–	22	91	1	15	24	–	3	–	1	3	43	4	59	93	45
549	Sunderland	90,704	25	–	6	136	10	120	91	15	9	19	–	6	137	2	252	319	96
550	South Shields	44,849	24	14	20	198	9	121	87	4	4	6	5	2	98	3	101	244	76
551	Gateshead	59,409	26	6	71	251	7	60	97	8	8	10	–	10	94	8	178	178	59
	39.—NORTHUMBRL.																		
552	Newcastle-upon-Tyne	110,968	27	2	60	447	12	171	224	10	2	22	9	8	159	12	383	498	145
553	Tynemouth	77,955	23	26	51	350	5	83	77	3	6	11	1	4	82	8	214	268	90
554	Castle Ward	14,943	19	–	4	23	5	2	6	2	1	1	–	2	14	1	24	34	14
555	Hexham	31,850	19	–	7	26	7	9	13	3	4	2	–	2	14	–	82	76	17
556	Haltwhistle	6,693	17	–	–	–	4	–	2	2	–	–	–	–	2	–	14	5	2
557	Bellingham	7,080	14	–	2	15	–	4	9	2	–	–	–	1	–	–	13	13	7
558	Morpeth	24,003	19	24	2	62	12	49	42	1	4	1	–	2	28	–	65	54	30
559	Alnwick	21,053	19	–	8	9	3	14	6	4	–	2	–	3	9	–	52	48	6
560	Belford	6,260	16	–	–	16	3	1	1	–	–	1	–	–	3	–	9	7	4
561	Berwick	21,362	19	–	–	23	1	1	38	5	2	1	2	3	4	–	47	34	24
562	Glendale	13,211	15	–	–	3	–	4	11	1	1	1	3	–	3	1	26	20	4
563	Rothbury	7,147	15	–	1	–	–	3	–	–	–	–	–	–	–	–	12	8	8
	40.—CUMBERLAND.																		
564	Alston	6,404	20	2	–	–	1	4	1	2	–	1	–	1	11	–	12	31	2
565	Penrith	22,322	19	–	8	78	–	5	6	1	3	2	1	1	9	–	41	54	18
566	Brampton	10,866	17	–	–	1	–	4	7	1	–	–	–	1	2	–	25	12	4
567	Longtown	10,469	17	–	4	5	–	1	–	1	–	–	4	–	2	1	33	19	4
568	Carlisle	44,820	23	–	100	68	4	68	49	12	6	6	–	2	52	1	170	131	37
569	Wigton	23,273	19	–	5	26	3	8	9	–	1	–	–	–	1	1	67	43	11
570	Cockermouth	41,292	22	–	7	133	2	30	38	–	2	1	1	–	76	2	133	140	33
571	Whitehaven	39,950	23	–	31	104	3	25	44	3	3	9	1	3	49	1	114	131	58
572	Bootle	5,880	16	1	7	–	1	5	4	–	1	–	–	–	–	–	23	22	17
	41.—WESTMORL.																		
573	East Ward	15,411	18	–	2	2	1	3	7	1	–	1	–	–	1	–	36	26	5
574	West Ward	8,072	18	–	3	11	–	2	6	–	–	1	–	–	–	–	8	14	10
575	Kendal	37,463	19	–	23	55	2	6	18	3	1	5	5	2	11	–	119	112	18

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1867, in the Districts of England—*continued.*

XI.—MONMOUTHSHIRE and WALES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	Deaths from several Causes in 1867.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	42.—MONMOUTHS.																		
576	Chepstow	17,941	20	–	3	1	–	15	8	–	1	5	–	–	3	–	48	43	17
577	Monmouth	30,244	19	–	26	4	1	8	16	1	5	4	3	1	10	–	72	93	25
578*a*	Abergavenny	19,527	25	–	2	1	1	8	8	6	3	3	–	2	4	–	47	83	18
578*b*	Bedwelty	47,565		–	10	7	5	90	59	1	4	5	1	1	26	2	101	233	68
579	Pontypool	30,288	23	–	2	32	–	8	23	2	1	1	–	–	8	1	69	127	31
580	Newport	51,412	22	2	4	8	8	16	56	–	6	12	–	2	38	3	137	185	67
	43.—SOUTH WALES.																		
	GLAMORGANSHIRE.																		
581*a*	Cardiff	58,285	23*	–	23	20	2	46	68	6	5	9	3	1	49	5	191	202	93
581*b*	Pontypridd	30,387	*	–	2	–	1	51	86	2	5	10	–	–	21	–	132	171	48
582	Merthyr Tydfil	93,008	29*	–	21	9	7	35	114	9	6	27	–	3	42	4	297	408	159
583	Bridgend	26,465	20	–	–	1	–	44	40	–	–	1	1	–	2	1	67	84	22
584	Neath	58,533	22	1	24	1	1	18	61	1	1	10	1	1	14	–	193	169	75
585*a*	Swansea	51,260	20	–	20	2	2	20	30	1	3	9	–	3	26	6	154	214	45
585*b*	Gower	8,316		–	1	–	–	2	7	–	–	2	–	–	1	–	28	14	3
	CARMARTHENSHIRE.																		
586	Llanelly	27,979	20	–	1	3	1	21	45	1	1	6	–	1	7	2	108	60	30
587	Llandovery	14,775	18	1	3	1	–	7	7	1	1	1	–	–	–	–	56	27	14
588	Llandilofawr	17,222	19	–	–	1	–	–	10	1	–	5	–	–	2	–	91	17	7
589	Carmarthen	36,675	21	–	1	14	2	6	9	2	2	6	–	–	4	1	146	62	25
	PEMBROKESHIRE.																		
590	Narberth	21,344	19	1	1	–	3	19	22	1	–	1	–	1	–	1	82	26	11
591	Pembroke	29,003	19	1	–	4	1	24	23	1	1	2	–	1	5	–	83	46	28
592	Haverfordwest	37,343	21	–	–	4	27	24	22	2	1	2	2	1	6	–	149	62	20
	CARDIGANSHIRE.																		
593	Cardigan	13,585	19	–	–	2	1	1	9	–	–	3	–	–	2	–	53	31	4
594	Newcastle-in-Emlyn	19,081	18	–	–	1	–	–	5	–	–	2	–	–	–	–	88	25	4
595	Lampeter	9,904	18	–	–	1	2	3	5	–	–	–	–	–	–	–	32	9	4
596	Aberayron	13,540	20	–	–	–	3	1	6	–	–	6	–	–	1	–	50	12	7
597	Aberystwith	25,464	19	–	–	4	1	13	16	–	–	3	1	1	3	–	68	49	9
598	Tregaron	10,737	18	–	–	–	1	1	2	1	–	3	–	–	–	–	32	17	5
	BRECKNOCKSHIRE.																		
599	Builth	8,305	18	–	3	–	–	7	12	–	–	2	–	1	2	–	29	12	4
600	Brecknock	17,279	21	–	–	7	–	3	4	–	1	3	1	1	1	5	34	36	14
601	Crickhowell	22,457	25	–	–	–	4	11	23	2	–	3	–	1	13	–	61	73	26
602	Hay	10,819	22	–	–	–	3	7	21	2	–	1	–	–	9	1	14	32	6
	RADNORSHIRE.																		
603	Presteigne	15,671	19	–	5	–	1	17	18	–	–	3	–	1	3	1	30	25	10
604	Knighton	10,379	16	–	16	–	–	8	3	–	–	4	–	1	–	–	26	14	7
605	Rhayader	6,816	18	–	–	–	1	3	4	–	–	–	–	–	–	–	17	13	7
	44.-NORTH WALES.																		
	MONTGOMERYSHIRE.																		
606	Machynlleth	12,695	21	–	1	1	1	13	6	–	–	2	–	–	7	2	53	23	13
607	Newtown	23,732	21	–	16	17	1	36	16	1	2	4	–	–	7	3	93	59	1
608	Montgomery	19,097	19	–	4	–	2	16	8	1	–	2	2	–	8	–	70	42	9
609	Llanfyllin	21,699	19	–	–	19	1	5	15	–	–	6	2	–	2	–	67	38	11
	FLINTSHIRE.																		
610	Holywell	39,941	21	–	–	121	8	34	34	–	4	4	1	–	6	–	119	110	34
	DENBIGHSHIRE.																		
611	Wrexham	47,975	22	1	–	14	10	13	38	4	6	10	1	4	15	–	111	152	44
612	Ruthin	16,083	19	–	–	1	1	4	7	–	–	2	1	–	2	–	32	28	6
613	St. Asaph	27,518	21 (20)	–	–	29	9	18	19	1	2	5	–	–	5	–	85	78	20
614	Llanrwst	12,770	19	–	2	6	1	10	10	–	1	2	1	–	1	–	37	27	9
	MERIONETHSHIRE.																		
615	Corwen	16,107	18	–	–	3	–	9	6	–	1	3	–	1	5	–	67	31	13
616	Bala	6,352	18	–	–	–	–	8	6	–	–	–	–	–	3	–	23	15	1
617	Dolgelly	12,482	18	–	–	3	6	3	15	1	–	–	–	2	1	–	61	24	10
618	Festiniog	18,289	19	–	1	24	1	17	27	–	1	1	–	–	5	–	79	70	16
	CARNARVONSHIRE.																		
619	Pwllheli	20,908	18	–	–	31	3	19	18	–	–	4	–	–	1	–	45	17	4
620	Carnarvon	32,425	22	–	4	44	4	22	106	4	2	8	–	2	14	8	164	112	26
621	Bangor	36,309	21	–	1	48	2	14	38	3	–	2	–	–	4	1	149	115	14
622	Conway	13,896	18	–	1	3	4	6	9	–	–	3	1	–	–	–	46	28	8
	ANGLESEY.																		
623	Anglesey	38,157	19	–	7	29	6	28	30	1	3	2	3	–	2	3	179	40	11

* The mortality for Pontypridd is returned with Cardiff and Merthyr Tydfil.

Changes in the Constitution of Districts during the Year 1867.

[The Name of the District is in Small Capitals, that of the Subdistrict in *Italics*. The Figures (in parentheses) in Cols. 1. and 4. show the number of the District.]

Superintendent Registrar's District and Registrar's *Subdistrict* from which a Transference was made.	Date of Change.	Place and Population (1861) transferred from the District in Column 1 to the District in Column 4.	Superintendent Registrar's District and Registrar's *Subdistrict* to which an addition was made.
Northwich (456); *Middlewich*	8th March -	Goostrey-with-Barnshaw - 268	Congleton (457); *Church Hulme.*

Note.—In the various Tables of Abstracts given in this Report, the Area and Population are stated for the above Districts and Sub-districts according to the alterations here indicated.

OCCASIONAL TABLES.

	Pages
VIOLENT DEATHS in ENGLAND in each of the Five Years 1863–67 . . .	174–179
VIOLENT DEATHS in ENGLAND at different Periods of Life in the Five Years 1863–67.—MALES	180–182
Ditto Ditto. FEMALES	183–185
VIOLENT DEATHS in ENGLAND and in each of the ELEVEN DIVISIONS in the Five Years 1863–67.—MALES	186–188
Ditto Ditto. FEMALES	189–191
ENGLAND. DEATHS returned as having occurred from SUICIDE in each of the Five Years 1863–67	192
ENGLAND. DEATHS at different Periods of Life returned as having occurred from SUICIDE in the Five Years 1863–67.—MALES	193
Ditto Ditto. FEMALES	194
DEATHS returned as having occurred from SUICIDE in ENGLAND and in each of the ELEVEN DIVISIONS in the Five Years 1863–67.—MALES . . .	195
Ditto Ditto. FEMALES	196
ENGLAND. DEATHS returned as having occurred from MURDER and INFANTICIDE in each of the Five Years 1863–67	197
ENGLAND. DEATHS at different Periods of Life returned as having occurred from MURDER and INFANTICIDE in the Five Years 1863–67.—MALES . .	198
Ditto Ditto. FEMALES	199
DEATHS returned as having occurred from MURDER and INFANTICIDE in ENGLAND and in each of the ELEVEN DIVISIONS in the Five Years 1863–67.—MALES and FEMALES	200
ENGLAND. DEATHS returned as having occurred from MANSLAUGHTER in each of the Five Years 1863–67	201
ENGLAND. DEATHS at different Periods of Life returned as having occurred from MANSLAUGHTER in the Five Years 1863–67.—MALES . . .	202
Ditto Ditto. FEMALES	203
DEATHS returned as having occurred from MANSLAUGHTER in ENGLAND and in each of the ELEVEN DIVISIONS in the Five Years 1863–67.—MALES and FEMALES .	204

VIOLENT DEATHS IN ENGLAND, in each

No.	Causes of Death.	Total Violent Deaths during the 5 Years 1863-67.			Annual Average of the 5 Years 1863-67.			Males and Females.				
		Males and Females.	Males.	Females.	Males and Females.	Males.	Females.	1863.	1864.	1865.	1866.	1867.
	TOTAL VIOLENT DEATHS IN THE FIVE YEARS 1863-67	*83353	62708	21145	16770·6	12541·6	4229·0	15680	17018	17374	16915	16366
1	Connected with RAILWAYS	4175	3896	279	835·0	779·2	55·8	647	796	947	908	877
2	MINES—											
	Connected with COAL MINES	5128	5101	27	1025·6	1020·2	5·4	984	914	897	1014	1319
	Connected with COPPER, TIN, IRON, &c. MINES	770	764	6	154·0	152·8	1·2	168	201	143	135	123
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	28114	22520	5594	5622·8	4504·0	1118·8	5112	5720	5977	5842	5463
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	14942	7417	7525	2988·4	1483·4	1505·0	2949	3306	3059	2783	2845
5	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*)	23328	17968	5360	4665·6	3593·6	1172·0	4500	4763	4968	4818	4779
6	VIOLENCE,—(*not being stated whether it was of the above kind, or otherwise*)	6896	5042	1854	1379·2	1008·4	370·8	1320	1318	1383	1415	1460
1	RAILWAYS.											
	Run over on Line	2705	2504	201	541·0	500·8	40·2	424	503	572	611	595
	Fall from Carriage or Engine	196	180	16	39·2	36·0	3·2	28	36	50	41	41
	Collision	82	66	16	16·4	13·2	3·2	3	13	29	10	27
	Carriage off Rail, &c.	31	24	7	6·2	4·8	1·4	6	7	13	5	–
	Explosion of Boiler	10	9	1	2·0	1·8	·2	2	4	3	1	–
	Crushed	560	546	14	112·0	109·2	2·8	80	100	142	137	101
	Fall of Earth on	5	5	–	1·0	1·0	–	–	2	3	–	–
	Fall of Heavy Substances on	96	96	–	19·2	19·2	–	20	30	19	18	9
	Locomotive Machinery	23	22	1	4·6	4·4	·2	10	8	2	3	–
	Burns and Scalds	2	2	–	·4	·4	–	1	–	1	–	–
	Other Deaths (*manner not stated*)	465	442	23	93·0	88·4	4·6	73	93	113	82	104
2	MINES.											
	COAL MINES.											
	Fall of Coal, Stone, &c. on	2012	2012	–	402·4	402·4	–	415	395	377	385	440
	Crushed	214	212	2	42·8	42·4	·4	47	46	43	50	28
	Fall in Pit or Shaft	578	570	8	115·6	114·0	1·6	134	115	115	104	110
	Broken Rope, &c.	40	40	–	8·0	8·0	–	4	15	5	7	9
	Explosion of Firedamp	731	731	–	146·2	146·2	–	178	119	74	191	169
	Chokedamp	135	135	–	27·0	27·0	–	11	19	41	43	21
	Machinery in Mines	97	96	1	19·4	19·2	·2	17	22	23	17	18
	Explosion of Steam Boiler	8	8	–	1·6	1·6	–	–	–	8	–	–
	Killed by Wagon, Tramway, &c.	460	444	16	92·0	88·8	3·2	99	96	91	87	87
	Killed by Tub	215	215	–	43·0	43·0	–	25	36	45	53	56
	Blasting	106	106	–	21·2	21·2	–	14	20	20	27	25
	Burns or Scalds	6	6	–	1·2	1·2	–	1	1	2	1	1
	Drowned	42	42	–	8·4	8·4	–	15	9	4	4	10
	Fall of Horse on (in Shaft)	6	6	–	1·2	1·2	–	–	6	–	–	–
	Explosion of Sulphur	5	5	–	1·0	1·0	–	–	–	3	–	2
	Explosion (*not stated how*)	320	320	–	64·0	64·0	–	–	–	–	–	320
	Accidentally Killed (*not stated how*)	153	153	–	30·6	30·6	–	24	15	46	45	23
	COPPER, TIN, IRON, &c. MINES.											
	Fall of Stone, Wood, &c. on	266	265	1	53·2	53·0	·2	46	71	52	47	50
	Crushed	119	119	–	23·8	23·8	–	36	33	26	17	7
	Fall in Shaft	172	171	1	34·4	34·2	·2	40	39	34	30	29
	Fall from Kibble, Ladder, &c.	13	13	–	2·6	2·6	–	4	2	1	5	1
	Machinery in Mines	26	25	1	5·2	5·0	·2	7	6	6	4	3
	Explosion of Steam Boiler	3	3	–	·6	·6	–	–	1	–	2	–
	Killed by Wagon, Tramway, &c.	32	29	3	6·4	5·8	6	6	16	3	6	1
	Blasting	70	70	–	14·0	14·0	–	20	14	18	7	11
	Drowned	18	18	–	3·6	3·6	–	2	–	–	7	
	Suffocated	5	5	–	1·0	1·0	–	–	3	–	2	–
	Accidentally Killed (*not stated how*)	46	46	–	9·2	9·2	–	7	16	3	8	11

Note.—The Violent Deaths, of which the *details* are here given, are included in the Abstracts co

* The deaths of 498 males and 123 females were returned as having occurred during intemperance; namely, 112 males and 1
81 males and

of the FIVE YEARS 1863-67. (*See note.*)

MALES.					FEMALES.					CAUSES OF DEATH.
1863.	1864.	1865.	1866.	1867.	1863.	1864.	1865.	1866.	1867.	
11635	12376	13165	12735	12657	4045	4442	4269	4180	4209	TOTAL VIOLENT DEATHS IN THE FIVE YEARS 1863-67.
607	745	885	837	822	40	51	62	71	55	Connected with RAILWAYS.
978	906	890	1010	1317	6	8	7	4	2	MINES— Connected with COAL MINES.
163	198	141	134	123	–	3	2	1	–	Connected with COPPER, TIN, IRON, &c. MINES.
4105	4636	4833	4626	4320	1007	1084	1144	1216	1143	MECHANICAL INJURIES (*not connected with Mines or Railways*).
1469	1580	1521	1297	1450	1480	1726	1538	1386	1395	CHEMICAL INJURIES (*not connected with Mines or Railways*).
3338	3588	3810	3661	3571	1162	1175	1158	1157	1208	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*).
970	923	1025	1070	1054	350	395	358	345	406	VIOLENCE,—(*it not being stated whether it was of the above kind, or otherwise*).
										RAILWAYS.
396	460	533	558	557	28	43	39	53	38	Run over on Line.
26	35	46	35	38	2	1	4	6	3	Fall from Carriage or Engine.
3	11	21	8	23	–	2	8	2	4	Collision.
2	7	10	5	–	4	–	3	–	–	Carriage off Rail, &c.
1	4	3	1	–	1	–	–	–	–	Explosion of Boiler.
79	99	138	133	97	1	1	4	4	4	Crushed.
–	2	3	–	–	–	–	–	–	–	Fall of Earth on.
20	30	19	18	9	–	–	–	–	–	Fall of Heavy Substances on.
10	7	2	3	–	–	1	–	–	–	Locomotive Machinery.
1	–	1	–	–	–	–	–	–	–	Burns and Scalds.
69	90	109	76	98	4	3	4	6	6	Other Deaths (*manner not stated*).
										MINES.
										COAL MINES.
415	395	377	385	440	–	–	–	–	–	Fall of Coal, Stone, &c. on.
47	46	42	50	27	–	–	1	–	1	Crushed.
131	114	113	103	109	3	1	2	1	1	Fall in Pit or Shaft.
4	15	5	7	9	–	–	–	–	–	Broken Rope, &c.
178	119	74	191	169	–	–	–	–	–	Explosion of Firedamp.
11	19	41	43	21	–	–	–	–	–	Chokedamp.
16	22	23	17	18	1	–	–	–	–	Machinery in Mines.
–	–	8	–	–	–	–	–	–	–	Explosion of Steam Boiler.
97	89	87	84	87	2	7	4	3	–	Killed by Wagon, Tramway, &c.
25	36	45	53	56	–	–	–	–	–	Killed by Tub.
14	20	20	27	25	–	–	–	–	–	Blasting.
1	1	2	1	1	–	–	–	–	–	Burns or Scalds.
15	9	4	4	10	–	–	–	–	–	Drowned.
–	6	–	–	–	–	–	–	–	–	Fall of Horse on (in Shaft).
–	–	3	–	2	–	–	–	–	–	Explosion of Sulphur.
–	–	–	–	320	–	–	–	–	–	Explosion (*not stated how*).
24	15	46	45	23	–	–	–	–	–	Accidentally Killed (*not stated how*).
										COPPER, TIN, IRON, &c. MINES.
46	71	52	46	50	–	–	–	1	–	Fall of Stone, Wood, &c. on.
36	33	26	17	7	–	–	–	–	–	Crushed.
40	38	34	30	29	–	1	–	–	–	Fall in Shaft.
4	2	1	5	1	–	–	–	–	–	Fall from Kibble, Ladder, &c.
7	5	6	4	3	–	1	–	–	–	Machinery in Mines.
–	1	–	2	–	–	–	–	–	–	Explosion of Steam Boiler.
6	15	1	6	1	–	1	2	–	–	Killed by Wagon, Tramway, &c.
20	14	18	7	11	–	–	–	–	–	Blasting.
2	–	–	7	9	–	–	–	–	–	Drowned.
–	3	–	2	–	–	–	–	–	–	Suffocated.
7	16	3	8	12	–	–	–	–	–	Accidentally Killed (*not stated how*).

Causes of Death (Class V., Orders 1-5), published in the Report for each respective year.
females in 1863; 117 males and 25 females in 1864; 94 males and 19 females in 1865; 94 males and 23 females in 1866; and 33 females in 1867.

VIOLENT DEATHS in ENGLAND, in each

No.	CAUSES OF DEATH.	TOTAL VIOLENT DEATHS during the 5 Years 1863-67.			ANNUAL AVERAGE of the 5 Years 1863-67.			MALES AND FEMALES.				
		Males and Females.	Males.	Females.	Males and Females.	Males.	Females.	1863.	1864.	1865.	1866.	1867.
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).											
	Fall from Scaffold, Ladder	729	720	9	145·8	144·0	1·8	125	166	161	158	119
	Fall from Window	325	193	132	65·0	38·6	26·4	57	61	67	76	64
	Fall down Stairs	1499	817	682	299·8	163·4	136·4	245	277	328	335	294
	Fall in Ships and Boats	505	502	3	101·0	100·4	·6	88	106	98	111	102
	Fall from Height	1856	1658	198	371·2	331·6	39·6	302	311	397	401	445
	Fall in Walking	194	127	67	38·8	25·4	13·4	34	34	25	43	58
	Fall of Heavy Substances on	2178	2006	172	435·6	401·2	34·4	405	437	465	455	416
	Fall (*not stated how*)	2849	1822	827	529·8	364·4	165·4	442	522	582	534	569
	By Horse or other Animals	1416	1324	92	283·2	264·8	18·4	292	303	319	267	233
	Horse Conveyance	6302	5366	936	1260·4	1073·2	187·2	1145	1285	1409	1311	1152
	Steam Boiler	249	236	13	49·8	47·2	2·6	60	45	40	62	42
	Machinery in Factory, Cotton Mill, &c.	308	245	63	61·6	49·0	12·6	22	43	96	77	70
	Machinery, Agricultural	360	304	56	72·0	60·8	11·2	56	75	88	61	80
	Other Machinery, or kind not distinguished	910	846	64	182·0	169·2	12·8	224	177	150	197	162
	Fracture (*not stated how*)	4241	2903	1338	848·2	580·6	267·6	817	961	851	829	783
	Fight	24	24	–	4·8	4·8	–	1	–	4	11	8
	Blow, &c.	508	403	105	101·6	80·6	21·0	91	92	125	108	92
	Cut Throat	1297	969	328	259·4	193·8	65·6	262	259	242	264	270
	Cut, Stab	493	381	112	98·6	76·2	22·4	97	122	103	87	84
	Gun-shot Wounds	923	862	61	184·6	172·4	12·2	165	196	175	198	189
	Other Wounds, &c.	131	103	28	26·2	20·6	5·6	–	16	29	36	50
	Traumatic Tetanus	549	442	107	109·8	88·4	21·4	89	133	115	111	101
	Injury at Birth	468	267	201	93·6	53·4	40·2	93	99	108	90	77
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).											
	BURNS by—											
	Clothes taking Fire	2194	798	1396	438·8	159·6	279·2	453	526	391	426	398
	Conflagration	93	46	47	18·6	9·2	9·4	21	11	12	11	38
	Lime	11	10	1	2·2	2·0	·2	–	1	4	3	
	Nitric Acid	2	2	–	·4	·4	–	1	–	–	1	–
	Sulphuric Acid	5	5	–	1·0	1·0	–	2	1	1	1	–
	Paraffin	2	2	–	·4	·4	–	–	1	–	–	
	Manner not stated, or otherwise than by the above Causes	6175	2590	3585	1235·0	518·0	717·0	1225	1390	1273	1115	1172
	SCALDS by drinking Hot Water	216	133	83	43·2	26·6	16·6	48	50	55	32	31
	Manner not stated, or otherwise than by the above Cause	3664	2196	1468	732·8	439·2	293·6	731	786	817	678	652
	EXPLOSION of—											
	Gunpowder	143	124	19	28·6	24·8	3·8	12	37	25	24	45
	Gases	33	28	5	6·6	5·6	1·0	7	5	5	6	10
	Naphtha	3	2	1	·6	·4	·2	–	–	2	1	–
	Nitro-glycerine	6	6	–	1·2	1·2	–	–	–	–	–	
	Fireworks	21	17	4	4·2	3·4	·8	13	–	5	–	
	Gun Cotton	5	3	2	1·0	·6	·4	–	2	3	–	–
	Petroleum	2	–	2	·4	–	·4	–	1	1	–	–
	Tar Boiler	2	2	–	·4	·4	–	–	2	–	–	–
	Manner not stated	34	31	3	6·8	6·2	·6	6	10	3	10	
	LIGHTNING	73	59	14	14·6	11·8	2·8	4	10	19	22	18
	SUN STROKE	161	128	33	32·2	25·6	6·6	21	27	31	38	44
	POISONED by—											
	Arsenic	83	34	49	16·6	6·8	9·8	15	23	16	19	10
	Mercury	58	36	22	11·6	7·2	4·4	11	16	14	7	10
	Opium	114	61	53	22·8	12·2	10·6	25	22	26	14	27
	Morphia	32	19	13	6·4	3·8	2·6	2	4	10	11	5
	Laudanum and Syrup of Poppies	426	249	177	85·2	49·8	35·4	80	95	77	77	97
	Strychnia	41	14	27	8·2	2·8	5·4	4	11	13	5	8
	Prussic Acid and Cyanide of Potassium	151	118	33	30·2	23·6	6·6	34	28	28	28	33
	Essential Oil of Almonds	31	15	16	6·2	3·0	3·2	10	2	11	5	3
	Oxalic Acid	66	28	38	13·2	5·6	7·6	11	14	9	17	15
	Sulphuric Acid	53	35	18	10·6	7·0	3·6	14	9	13	10	7
	Nitric Acid	16	7	9	3·2	1·4	1·8	2	4	–	6	
	Muriatic Acid	5	5	–	1·0	1·0	–	1	2	1	1	–
	Carbolic Acid	5	4	1	1·0	·8	·2	–	–	–	3	
	Salts of Lead	242	203	39	48·4	40·6	7·8	34	39	62	58	49
	Improper Medicine (*not stated what kind*)	17	8	9	3·4	1·6	1·8	4	2	3	3	
	Overdose of Medicine	52	31	21	10·4	6·2	4·2	8	16	7	15	
	Godfrey's Cordial	56	32	24	11·2	6·4	4·8	18	13	7	9	
	Improper Food	33	16	17	6·6	3·2	3·4	11	5	8	5	

of the Five Years 1863–67—*continued*.

MALES.					FEMALES.					Causes of Death.
1863.	1864.	1865.	1866.	1867.	1863.	1864.	1865.	1866.	1867.	
										MECHANICAL INJURIES (*not connected with Mines or Railways*).
124	165	159	155	117	1	1	2	3	2	Fall from Scaffold, Ladder.
35	38	37	44	39	22	23	30	32	25	Fall from Window.
145	168	164	200	140	100	109	164	155	154	Fall down Stairs.
88	106	98	109	101	–	–	–	2	1	Fall in Ships and Boats.
277	276	354	355	396	25	35	43	46	49	Fall from Height.
22	27	15	25	38	12	7	10	18	20	Fall in Walking.
370	399	440	414	383	35	38	25	41	33	Fall of Heavy Substances on.
303	363	414	368	374	139	159	168	166	195	Fall (*not stated how*).
269	283	301	251	220	23	20	18	16	15	By Horse or other Animals.
951	1113	1203	1113	986	194	172	206	198	166	Horse Conveyance.
57	45	39	58	37	3	–	1	4	5	Steam Boiler.
17	32	80	62	54	5	11	16	15	16	Machinery in Factory, Cotton Mill, &c.
50	63	72	50	69	6	12	16	11	11	Machinery, Agricultural.
206	163	140	184	153	18	14	10	13	9	Other Machinery, or kind not distinguished.
560	673	594	541	535	257	288	257	288	248	Fracture (*not stated how*).
1	–	4	11	8	–	–	–	–	–	Fight.
71	79	101	81	71	20	13	24	27	21	Blow, &c.
201	195	190	182	200	61	63	52	82	70	Cut Throat.
75	97	78	70	61	22	25	25	17	23	Cut, Stab.
155	178	167	185	177	10	18	8	13	12	Gun-shot Wounds.
–	11	24	29	39	–	5	5	7	11	Other Wounds, &c.
71	105	97	89	80	18	28	18	22	21	Traumatic Tetanus.
57	56	62	50	42	36	43	46	40	36	Injury at Birth.
										CHEMICAL INJURIES (*not connected with Mines or Railways*).
163	186	133	161	155	290	340	258	265	243	Burns by— Clothes taking Fire.
14	7	4	6	15	7	4	8	5	23	Conflagration.
–	1	3	3	3	–	–	1	–	–	Lime.
1	–	–	1	–	–	–	–	–	–	Nitric Acid.
2	1	1	1	–	–	–	–	–	–	Sulphuric Acid.
–	1	–	–	1	–	–	–	–	–	Paraffin.
516	575	522	478	499	709	815	751	637	673	*Manner not stated, or otherwise than by the above Causes.*
38	32	25	18	20	10	18	30	14	11	Scalds by drinking Hot Water.
449	457	500	398	392	282	329	317	280	260	*Manner not stated, or otherwise than by the above Cause.*
11	31	20	22	40	1	6	5	2	5	Explosion of— Gunpowder.
5	5	5	5	8	2	–	–	1	2	Gases.
–	–	2	–	–	–	–	–	1	–	Naphtha.
–	–	–	–	6	–	–	–	–	–	Nitro-glycerine.
9	–	5	–	3	4	–	–	–	–	Fireworks.
–	–	3	–	–	–	2	–	–	–	Gun Cotton.
–	–	–	–	–	–	1	1	–	–	Petroleum.
–	2	–	–	–	–	–	–	–	–	Tar Boiler.
5	9	2	10	5	1	1	1	–	–	*Manner not stated.*
3	9	16	17	14	1	1	3	5	4	Lightning.
19	22	27	30	30	2	5	4	8	14	Sun Stroke.
6	9	6	8	5	9	14	10	11	5	Poisoned by— Arsenic.
5	10	9	4	8	6	6	5	3	2	Mercury.
15	8	16	7	15	10	14	10	7	12	Opium.
2	3	5	5	4	–	1	5	6	1	Morphia.
45	51	44	50	59	35	44	33	27	38	Laudanum and Syrup of Poppies.
1	2	6	–	5	3	9	7	5	3	Strychnia.
23	25	20	25	25	11	3	8	3	8	Prussic Acid and Cyanide of Potassium.
5	1	4	2	3	5	1	7	3	–	Essential Oil of Almonds.
6	6	5	5	6	5	8	4	12	9	Oxalic Acid.
8	5	9	6	7	6	4	4	4	–	Sulphuric Acid.
–	3	–	2	2	2	1	–	4	2	Nitric Acid.
1	2	1	1	–	–	–	–	–	–	Muriatic Acid.
–	–	–	3	1	–	–	–	–	1	Carbolic Acid.
29	32	57	45	40	5	7	5	13	9	Salts of Lead.
2	1	1	1	3	2	1	2	2	2	Improper Medicine (*not stated what kind*).
5	8	5	10	3	3	8	2	5	3	Overdose of Medicine.
12	7	3	5	5	6	6	4	4	4	Godfrey's Cordial.
5	2	6	1	2	6	3	2	4	2	Improper Food.

VIOLENT DEATHS in ENGLAND, in each

No.	CAUSES OF DEATH.	TOTAL VIOLENT DEATHS during the 5 Years 1863-67.			ANNUAL AVERAGE of the 5 Years 1863-67.			MALES AND FEMALES.				
		Males and Females.	Males.	Females.	Males and Females.	Males.	Females.	1863.	1864.	1865.	1866.	1867.
4	CHEMICAL INJURIES—*cont.*											
	POISONED by—*cont.*:											
	Aconite	6	5	1	1·2	1·0	·2	1	2	1	2	–
	Belladonna	6	6	–	1·2	1·2	–	3	–	1	1	1
	Alcohol	35	24	11	7·0	4·8	2·2	8	10	5	9	3
	Ammonia	8	2	6	1·6	·4	1·2	1	1	2	2	2
	Hartshorn	3	2	1	·6	·4	·2	–	–	1	1	1
	Chlorodyne	4	4	–	·8	·8	–	1	–	–	3	–
	Vermin Killer	20	7	13	4·0	1·4	2·6	1	1	1	8	9
	Turpentine	3	3	–	·6	·6	–	–	1	–	1	1
	Phosphorus	15	3	12	3·0	·6	2·4	4	6	1	–	4
	Sulphate of Copper	3	2	1	·6	·4	·2	–	2	1	–	–
	Colchicum	3	2	1	·6	·4	·2	1	2	–	–	–
	Disinfecting Fluid	3	2	1	·6	·4	·2	–	–	1	2	–
	Nitrate of Potash	3	2	1	·6	·4	·2	1	1	–	–	1
	Chloride of Zinc	8	1	7	1·6	·2	1·4	2	1	1	1	3
	Spirits of Salt	3	3	–	·6	·6	–	2	–	1	–	–
	Cantharides	2	–	2	·4	–	·4	2	–	–	–	–
	Fungi	6	2	4	1·2	·4	·8	–	1	3	–	2
	Mussels	8	8	–	1·6	1·6	–	3	2	1	1	1
	Manner not stated, or otherwise than by the above Causes	477	242	235	95·4	48·4	47·0	91	111	87	91	97
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).											
	DROWNED—											
	While Bathing	797	792	5	159·4	158·4	1·0	167	133	200	158	139
	By Fall from Ships and Boats	384	367	17	76·8	73·4	3·4	34	47	99	103	101
	By Shipwreck	260	244	16	52·0	48·8	3·2	36	37	48	97	42
	While Sliding and Skating	116	113	3	23·2	22·6	·6	–	39	23	4	50
	By Bursting of Reservoir	221	129	92	44·2	25·8	18·4	–	221	–	–	–
	Not stated how	*12324	10376	2448	2564·8	2075·2	489·6	2492	2438	2687	2638	2569
	SUFFOCATED by—											
	Food, &c.	362	260	102	72·4	52·0	20·4	55	84	77	75	71
	Bed Clothes	2332	1178	1154	466·4	235·6	230·8	466	455	451	447	513
	Overlaying	682	379	303	136·4	75·8	60·6	86	128	154	182	132
	Mephitic Gas	46	38	8	9·2	7·6	1·6	14	8	10	6	8
	Lime, Brick—Kiln	67	67	–	13·4	13·4	–	12	18	10	16	11
	Charcoal	16	15	1	3·2	3·0	·2	3	4	5	–	4
	Chloroform	43	35	8	8·6	7·0	1·6	10	9	12	5	7
	Carbonic Acid Gas	65	63	2	13·0	12·6	·4	18	8	19	13	7
	Fall of Earth on	8	7	1	1·6	1·4	·2	4	3	–	1	–
	Nitric Acid Gas	2	2	–	·4	·4	–	–	–	–	2	–
	Naphtha	2	2	–	·4	·4	–	–	1	1	–	–
	Petroleum	2	–	2	·4	–	·4	2	–	–	–	–
	Falling into Privy	2	–	2	·4	–	·4	–	–	2	–	–
	Sulphur Fumes	5	5	–	1·0	1·0	–	–	2	1	2	–
	Manner not stated, or otherwise than by the above Causes	2661	1560	1101	532·2	312·0	220·2	486	518	542	511	604
	Hanged (*not executed*)	2581	2093	488	516·2	418·6	97·6	536	540	553	487	465
	Executed†	71	68	3	14·2	13·6	·6	21	21	6	12	11
	Strangled	279	175	104	55·8	35·0	20·8	58	49	68	59	45
6	Suicide (*manner not stated*)	379	296	83	75·8	59·2	16·6	51	58	77	98	95
	Murder (*manner not stated*)	323	168	155	64·6	33·6	31·0	75	84	59	68	37
	Manslaughter (*manner not stated*)	386	276	110	77·2	55·2	22·0	90	83	69	80	64
	Accident (*not otherwise described*)	2282	1937	345	456·4	387·4	69·0	450	396	430	522	484
	Injury (*what kind not stated*)	1487	1154	333	297·4	230·8	66·6	309	293	307	282	296
	Infanticide (*manner not stated*)	327	146	181	65·4	29·2	36·2	80	48	83	48	68
	Neglect	383	205	178	76·6	41·0	35·6	59	89	78	72	85
	Gelatio	18	17	1	3·6	3·4	·2	1	–	–	–	17
	Exposure to Cold	514	368	146	102·8	73·6	29·2	56	99	118	99	142
	Navel Hæmorrhage	572	313	259	114·4	62·6	51·8	121	129	111	96	115
	Amputation	173	137	36	34·6	27·4	7·2	26	36	40	35	36
	Operation	29	13	16	5·8	2·6	3·2	–	3	8	7	11
	Sea Sickness	3	1	2	·6	·2	·4	1	–	1	–	1
	Swallowing a Pin	3	–	3	·6	–	·6	–	–	1	1	1
	Swallowing a Halfpenny	2	2	–	·4	·4	–	–	–	–	1	1
	Other Violent Deaths	15	9	6	3·0	1·8	1·2	1	–	1	6	7

* The totals of Drowned (not stated how) include the deaths of 690 males and 157 females returned as "found drowned" in 1863; 736

† The number of persons executed in the several years will not necessarily correspond with those in the same years of the "Criminal table are classed under the years in

of the Five Years 1863–67—*continued*.

MALES.					FEMALES.					Causes of Death.
1863.	1864.	1865.	1866.	1867.	1863.	1864.	1865.	1866.	1867.	
										CHEMICAL INJURIES—*cont.*
1	2	1	1	–	–	–	–	1	–	Poisoned by—*cont.*:
3	–	1	1	1	–	–	–	–	–	Aconite.
7	7	2	6	2	1	3	3	3	1	Belladonna.
–	–	1	–	1	1	1	1	2	1	Alcohol.
–	–	1	1	–	–	–	–	–	1	Ammonia.
1	–	–	3	–	–	–	–	–	–	Hartshorn.
–	1	–	2	4	1	–	1	6	5	Chlorodyne.
–	1	–	1	1	–	–	–	–	–	Vermin Killer.
3	–	–	–	–	1	6	1	–	4	Turpentine.
–	1	1	–	–	–	1	–	–	–	Phosphorus.
–	2	–	–	–	1	–	–	–	–	Sulphate of Copper.
–	–	1	1	–	–	–	–	1	–	Colchicum.
1	–	–	–	1	–	1	–	–	–	Disinfecting Fluid.
–	–	1	–	–	2	1	–	1	3	Nitrate of Potash.
2	–	1	–	–	–	–	–	–	–	Chloride of Zinc.
–	–	–	–	–	2	–	–	–	–	Spirits of Salt.
–	–	1	–	1	–	1	2	–	1	Cantharides.
3	2	1	1	1	–	–	–	–	–	Fungi.
										Mussels.
43	51	44	50	54	48	60	43	41	43	*Manner not stated, or otherwise than by the above Causes.*
										ASPHYXIA, &c.
										(*not connected with Mines or Railways*).
165	133	199	158	137	2	–	1	–	2	Drowned—
33	42	99	101	92	1	5	–	2	9	While Bathing.
36	31	44	91	42	–	6	4	6	–	By Fall from Ships and Boats.
–	39	23	4	47	–	–	–	–	3	By Shipwreck.
–	129	–	–	–	–	92	–	–	–	While Sliding and Skating.
1981	1990	2183	2157	2065	511	448	504	481	504	By Bursting of Reservoir.
										Not stated how.
41	61	52	55	51	14	23	25	20	20	Suffocated by—
212	231	235	233	267	254	224	216	214	246	Food, &c.
40	69	91	103	76	46	59	63	79	56	Bed Clothes.
9	8	9	4	8	3	–	1	2	–	Overlaying.
12	18	10	16	11	–	–	–	–	–	Mephitic Gas.
3	3	5	–	4	–	1	–	–	–	Lime, Brick—Kiln.
5	8	12	4	6	5	1	–	1	1	Charcoal.
17	8	18	13	7	1	–	1	–	–	Chloroform.
4	3	–	–	–	–	–	–	1	–	Carbonic Acid Gas.
–	–	–	2	–	–	–	–	–	–	Fall of Earth on.
–	1	1	–	–	–	–	–	–	–	Nitric Acid Gas.
–	–	–	–	–	2	–	–	–	–	Naphtha.
–	–	–	–	–	–	–	2	–	–	Petroleum.
–	2	1	2	–	–	–	–	–	–	Falling into Privy.
										Sulphur Fumes.
280	325	321	286	348	206	193	221	225	256	*Manner not stated, or otherwise than by the above Causes.*
443	436	459	386	369	93	104	94	101	96	Hanged (*not executed*).
20	21	6	11	10	1	–	–	1	1	Executed.
37	30	42	35	31	21	19	26	24	14	Strangled.
39	46	59	77	75	12	12	18	21	20	Suicide (*manner not stated*).
45	37	28	37	21	30	47	31	31	16	Murder (*manner not stated*).
63	56	47	62	48	27	27	22	18	16	Manslaughter (*manner not stated*).
378	337	373	443	406	72	59	57	79	78	Accident (*not otherwise described*).
252	230	240	214	218	57	63	67	68	78	Injury (*what kind not stated*).
32	19	37	27	31	48	29	46	21	37	Infanticide (*manner not stated*).
32	39	48	44	42	27	50	30	28	43	Neglect.
1	–	–	–	16	–	–	–	–	1	Gelatio.
37	64	94	75	98	19	35	24	24	44	Exposure to Cold.
69	65	62	53	64	52	64	49	43	51	Navel Hæmorrhage.
20	29	33	30	25	6	7	7	5	11	Amputation.
–	1	4	3	5	–	2	4	4	6	Operation.
1	–	–	–	–	–	–	1	–	1	Sea Sickness.
–	–	–	–	–	–	–	1	1	1	Swallowing a Pin.
–	–	–	1	1	–	–	–	–	–	Swallowing a Halfpenny.
1	–	–	4	4	–	–	1	2	3	Other Violent Deaths.

males and 163 females in 1864; 618 males and 144 females in 1865; 685 males and 165 females in 1866; and 669 males and 173 females in 1867. Returns," inasmuch as the executions recorded in each year in the latter are derived from the dates of conviction, while the numbers in this which the deaths are registered.

VIOLENT DEATHS in ENGLAND at different Periods of Life, in the Five Years 1863–67—Males.

No.	Causes of Death.	All Ages.	Ages at Death.—Males.																
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
			Infants under 1 Month.	Others.																	
	TOTAL VIOLENT DEATHS in the Five Years 1863–67	* 62708	1956	2433	2016	1816	1500	1259	10980	3820	4321	4538	4894	8276	7965	7085	5685	3349	1318	267	10
1	Connected with RAILWAYS	3896	–	–	8	13	13	19	53	108	186	343	633	875	649	492	334	159	58	5	1
2	MINES—																				
	Connected with Coal Mines	5101	1	2	1	3	3	2	12	52	783	770	699	1088	827	525	253	75	11	1	–
	Connected with Copper, Tin, Iron, &c., Mines	764	–	1	–	–	–	–	1	8	70	121	120	169	144	82	39	7	3	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	22520	314	145	294	245	256	246	1500	1249	1726	1566	1598	3047	3267	3181	2722	1692	785	180	7
4	CHEMICAL INJURIES (*not connected with Railways*)	7417	63	412	1195	1098	910	659	4337	793	200	149	185	395	400	344	287	188	107	32	–
5	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*)	17968	853	1770	463	397	269	283	4035	1416	1316	1328	1325	2070	2058	1830	1500	861	205	23	1
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*)	5042	725	103	55	60	49	50	1042	194	240	261	334	632	620	631	545	367	149	26	1
1	RAILWAYS.																				
	Run over on Line	2504	–	–	8	10	11	16	45	86	135	215	380	516	403	316	236	118	48	5	1
	Fall from Carriage or Engine	180	–	–	–	1	–	1	2	3	4	16	36	59	29	15	6	9	1	–	–
	Collision	66	–	–	–	–	–	–	–	–	2	3	8	16	20	12	4	1	–	–	–
	Carriage off Rail, &c.	24	–	–	–	1	–	–	1	–	1	–	1	6	9	5	–	1	–	–	–
	Explosion of Boiler	9	–	–	–	–	–	–	–	–	1	1	3	3	1	–	–	–	–	–	–
	Crushed	546	–	–	–	1	1	1	3	11	25	70	118	122	89	59	35	12	2	–	–
	Fall of Earth on	5	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–
	Fall of Heavy Substances on	96	–	–	–	–	–	–	–	1	1	8	20	31	19	13	2	1	–	–	–
	Locomotive Machinery	22	–	–	–	–	–	–	–	–	–	2	3	7	4	1	3	1	1	–	–
	Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Other Deaths (*manner not stated*)	442	–	–	–	–	1	1	2	7	17	28	63	112	74	70	47	16	6	–	–
2	MINES.																				
	Coal Mines.																				
	Fall of Coal, Stone, &c. on	2012	1	–	–	–	–	–	1	3	212	258	295	452	358	261	148	22	2	–	–
	Crushed	212	–	–	–	–	–	–	–	1	40	30	19	50	37	19	8	7	1	–	–
	Fall in Pit or Shaft	570	–	1	–	1	1	1	4	6	83	83	63	117	105	58	27	21	3	–	–
	Broken Rope, &c.	40	–	–	–	–	–	–	–	–	3	6	5	10	7	6	3	–	–	–	–
	Explosion of Firedamp	731	–	–	–	–	–	–	–	–	76	131	130	175	144	52	17	5	1	–	–
	Chokedamp	135	–	–	–	–	–	–	–	–	20	19	19	28	27	16	4	1	1	–	–
	Machinery in Mines	96	–	–	–	–	–	–	–	6	24	18	8	17	8	10	4	1	–	–	–
	Explosion of Steam Boiler	8	–	–	–	–	–	–	–	–	1	2	2	2	1	–	–	–	–	–	–
	Killed by Wagon, Tramway, &c.	444	–	1	1	2	1	1	6	34	130	73	35	48	50	36	18	11	2	1	–
	Killed by Tub	215	–	–	–	–	–	–	–	1	120	34	14	14	9	10	7	5	1	–	–
	Blasting	106	–	–	–	–	1	–	1	–	6	8	15	32	27	15	2	–	–	–	–
	Burns or Scalds	6	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–
	Drowned	42	–	–	–	–	–	–	–	–	4	8	10	10	5	3	2	–	–	–	–
	Fall of Horse on (in Shaft)	6	–	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–	–	–
	Explosion of Sulphur	5	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–
	,, (*not stated how*)	320	–	–	–	–	–	–	–	–	42	73	55	87	36	18	8	1	–	–	–
	Accidentally Killed (*not stated how*)	153	–	–	–	–	–	–	–	1	21	26	27	38	11	18	10	1	–	–	–
	Copper, Tin, Iron, &c. Mines.																				
	Fall of Stone, Wood, &c. on	265	–	–	–	–	–	–	–	1	12	34	42	72	62	23	17	2	–	–	–
	Crushed	119	–	–	–	–	–	–	–	–	8	15	17	24	24	23	5	3	–	–	–
	Fall in Shaft	171	–	–	–	–	–	–	–	7	17	36	29	34	21	20	5	–	2	–	–
	Fall from Kibble, Ladder, &c.	13	–	–	–	–	–	–	–	–	2	4	1	1	4	–	1	–	–	–	–
	Machinery in Mines	25	–	–	–	–	–	–	–	–	6	6	3	4	3	–	2	–	1	–	–
	Explosion of Steam Boiler	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	Killed by Wagon, Tramway, &c.	29	–	–	–	–	–	–	–	–	11	6	3	4	2	–	2	1	–	–	–
	Blasting	70	–	–	–	–	–	–	–	–	4	10	15	15	15	8	3	–	–	–	–
	Drowned	18	–	–	–	–	–	–	–	–	–	3	4	3	4	3	1	–	–	–	–
	Suffocated	5	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–
	Accidentally Killed (*not stated how*)	46	–	1	–	–	–	–	1	–	8	7	6	8	8	5	3	–	–	–	–

* Of these deaths 498 are stated to have occurred to Males in a state of intoxication when the accidents or other violence which proved fatal befel them. These persons were of the following ages:—One aged 10 and under 15, 13 aged 15–20, 38 aged 20–25, 90 aged 25–35, 92 aged 35–45, 127 aged 45–55, 83 aged 55–65, 46 aged 65–75, and 8 aged 75–85.

VIOLENT DEATHS in ENGLAND at different Periods of Life, in the Five Years 1863–67—MALES—*continued.*

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—MALES.																	
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
			Infants under 1 Month.	Others.																	
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																				
	Fall from Scaffold, Ladder	720	–	–	–	1	1	–	2	2	29	41	74	102	131	145	127	46	20	1	–
	Fall from Window	193	–	2	8	8	8	5	31	7	7	8	20	40	18	23	21	9	8	1	–
	Fall down Stairs	817	1	7	12	11	11	4	46	17	12	15	17	46	101	142	172	150	85	13	1
	Fall in Ships and Boats	502	–	–	2	–	–	–	2	5	30	103	79	96	82	56	35	13	–	1	–
	Fall from Height	1658	2	18	19	14	16	11	80	75	106	107	133	248	253	249	213	143	47	4	–
	Fall in Walking	127	–	–	–	–	–	–	–	8	5	2	5	12	13	24	31	16	10	1	–
	Fall of Heavy Substances on	2006	–	3	9	16	18	26	72	112	121	118	208	401	364	296	219	78	17	–	–
	Fall (*not stated how*)	1822	6	58	46	24	24	24	182	85	101	61	77	180	228	242	264	213	139	48	2
	By Horse or other Animals	1324	–	1	17	20	20	17	75	101	200	126	74	165	182	160	123	87	26	5	–
	Horse Conveyance	5366	–	16	131	113	110	114	484	531	497	316	285	622	707	762	635	392	116	19	–
	Steam Boiler	236	–	1	1	–	–	–	2	4	19	28	41	55	31	32	18	6	–	–	–
	Machinery in Factory, Cotton Mill, &c.	245	–	–	1	–	–	–	1	7	60	48	34	34	27	21	6	6	1	–	–
	Machinery, Agricultural	304	–	–	–	4	3	3	10	19	68	36	19	38	32	35	23	22	2	–	–
	Other Machinery or kind not distinguished	846	–	–	1	1	1	5	8	31	162	132	91	129	119	87	72	13	2	–	–
	Fracture (*not stated how*)	2903	24	28	31	22	23	20	148	129	124	134	187	307	392	428	386	322	260	82	4
	Fight	24	–	–	–	–	–	–	–	1	–	3	5	7	3	2	2	1	–	–	–
	Blow, &c.	403	8	2	5	3	4	2	24	28	22	44	36	82	74	52	24	13	4	–	–
	Cut Throat	969	4	3	3	1	–	2	13	5	–	10	27	158	231	201	201	94	27	2	–
	Cut, Stab	381	4	1	6	2	6	6	25	15	32	38	35	64	49	48	41	26	7	1	–
	Gun-shot Wounds	862	–	–	–	2	3	2	7	21	78	125	110	174	147	104	65	27	3	1	–
	Other Wounds, &c.	103	1	1	1	–	3	–	6	8	10	9	12	14	13	14	9	3	4	1	–
	Traumatic Tetanus	442	–	1	1	3	5	5	15	38	43	62	29	73	70	58	35	12	7	–	–
	Injury at Birth	267	264	3	–	–	–	–	267	–	–	–	–	–	–	–	–	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																				
	BURNS by—																				
	Clothes taking Fire	798	–	15	67	135	176	142	535	189	11	4	9	8	11	6	8	8	6	3	–
	Conflagration	46	–	1	–	2	3	2	8	10	3	1	3	4	3	3	2	7	1	1	–
	Lime	10	–	–	–	–	–	–	–	–	1	1	–	1	2	3	2	–	–	–	–
	Nitric Acid	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Sulphuric Acid	5	–	–	–	1	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–
	Paraffin	2	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	*2590	7	94	277	387	419	390	1574	422	70	37	40	80	62	61	69	83	69	23	–
	SCALDS by drinking Hot Water	133	–	1	35	51	29	11	127	4	–	–	1	1	–	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Cause	2196	1	165	768	484	253	91	1762	92	67	31	44	66	63	29	22	10	7	3	–
	EXPLOSION OF—																				
	Gunpowder	124	–	–	–	2	2	–	4	10	18	15	10	27	15	17	6	2	–	–	–
	Gases	28	–	1	–	1	–	–	2	1	1	2	–	6	7	4	3	2	–	–	–
	Naphtha	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Nitro Glycerine	6	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–	–	–	–	–
	Fireworks	17	–	1	–	–	–	–	1	–	1	4	1	1	2	4	3	–	–	–	–
	Gun Cotton	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Tar Boiler	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Manner not stated	†31	–	–	–	–	–	1	1	–	2	7	2	6	7	4	1	1	–	–	–
	LIGHTNING	59	–	–	–	1	–	–	1	2	1	5	2	17	14	5	6	3	3	–	–
	SUN STROKE	128	–	1	2	2	2	1	8	16	7	7	11	17	23	15	12	7	4	1	–
	POISONED by—																				
	Arsenic	34	–	–	2	3	–	4	9	8	1	1	–	2	1	7	3	2	–	–	–
	Mercury	36	–	1	–	1	–	–	2	2	1	3	2	3	11	5	4	1	2	–	–
	Opium	61	3	9	2	1	3	1	19	–	–	–	–	10	10	8	10	2	2	–	–
	Morphia	19	2	4	1	–	1	–	8	–	–	–	1	2	3	1	3	–	1	–	–
	Laudanum and Syrup of Poppies	249	25	66	11	8	3	–	113	–	1	6	6	21	22	27	26	20	6	1	–
	Strychnia	14	–	1	–	–	–	–	1	–	–	–	4	2	3	3	1	–	–	–	–
	Prussic Acid and Cyanide of Potassium	118	–	–	1	2	3	–	6	–	–	6	9	26	28	31	8	4	–	–	–
	Essential Oil of Almonds	15	–	–	–	–	–	–	–	1	1	–	1	2	5	1	4	–	–	–	–
	Oxalic Acid	28	–	–	–	–	–	–	–	–	–	–	3	3	6	7	3	1	–	–	–
	Sulphuric Acid	35	–	–	4	3	3	1	11	3	2	2	2	2	5	6	2	–	–	–	–
	Nitric Acid	7	–	–	–	–	1	–	1	–	–	–	1	2	2	1	–	–	–	–	–
	Muriatic Acid	5	–	1	–	–	–	–	1	1	–	–	–	1	–	1	1	–	–	–	–
	Carbolic Acid	4	–	–	–	1	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–
	Salts of Lead	203	–	–	–	–	–	–	–	–	1	5	7	44	51	44	37	13	1	–	–
	Improper Medicine (*not stated what kind*)	8	2	3	2	–	–	–	7	–	–	–	–	–	–	–	1	–	–	–	–
	Overdose of Medicine	31	4	11	1	1	1	1	19	–	–	–	–	1	2	2	2	4	1	–	–
	Godfrey's Cordial	32	9	19	4	–	–	–	32	–	–	–	–	–	–	–	–	–	–	–	–

* One death was recorded from each of the following causes :—Muriatic acid, age 25 ; and phosphorus, age 15.

† One death was recorded from each of the following causes :—Benzine, age 65 ; and ether, age 25.

VIOLENT DEATHS in ENGLAND at different Periods of Life, in the FIVE YEARS 1863–67—MALES—*continued.*

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—MALES.																	
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85– and upwards.
			Infants under 1 Month.	Others.																
4	CHEMICAL INJURIES —*continued.*																			
	POISONED by—*cont.*																			
	Improper Food	16	1	4	–	–	3	1	9	2	3	–	–	–	–	1	–	1	–	–
	Aconite	5	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	1	–
	Belladonna	6	–	–	–	–	1	1	2	–	–	–	–	2	2	–	–	–	–	–
	Alcohol	24	1	–	–	3	2	2	8	11	1	–	2	–	–	–	1	1	–	–
	Ammonia	2	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Hartshorn	2	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	Chlorodyne	4	–	2	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–
	Vermin Killer	7	–	–	–	1	–	–	1	–	–	–	2	1	1	–	1	1	–	–
	Turpentine	3	1	–	1	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
	Phosphorus	3	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–
	Sulphate of Copper	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Colchicum	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Disinfecting Fluid	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Nitrate of Potash	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Chloride of Zinc	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Spirits of Salt	3	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–
	Fungi	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Mussels	8	–	–	–	–	–	–	–	1	–	–	2	2	–	1	2	–	–	–
	Manner not stated, or otherwise than by the above Causes	*242	7	11	12	10	4	8	52	13	5	8	14	28	33	39	34	13	3	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																			
	DROWNED—																			
	While Bathing	792	–	–	–	–	–	1	1	67	240	224	123	76	35	18	8	–	–	–
	By Fall from Ships and Boats	367	–	–	–	–	–	–	–	18	50	78	69	32	35	20	10	5	–	–
	By Shipwreck	244	–	–	–	–	–	–	–	–	6	10	41	64	80	35	8	–	–	–
	While Sliding and Skating	113	–	–	–	–	–	2	2	21	29	21	21	15	4	–	–	–	–	–
	By Bursting of Reservoir	129	–	1	4	2	2	7	16	16	14	9	7	10	20	19	9	8	1	–
	Not stated how	†10376	61	49	323	358	241	258	1290	1244	885	853	903	1460	1328	1028	783	475	114	12
	SUFFOCATED by—																			
	Food, &c.	260	3	35	32	12	6	2	90	11	5	1	3	19	27	32	37	22	10	3
	Bed Clothes	1178	237	905	25	8	–	–	1175	–	1	–	–	–	1	1	–	–	–	–
	Overlaying	379	105	270	4	–	–	–	379	–	–	–	–	–	–	–	–	–	–	–
	Mephitic Gas	38	–	1	–	–	–	–	1	2	–	–	6	3	9	9	6	2	–	–
	Lime—Brick Kiln	67	–	–	–	–	–	–	–	2	6	3	5	8	20	16	7	–	–	–
	Charcoal	15	–	–	–	–	–	–	–	1	1	1	–	6	1	2	–	3	–	–
	Chloroform	35	–	–	1	–	–	–	1	1	4	4	2	8	9	4	1	1	–	–
	Carbonic Acid Gas	63	–	–	–	–	–	–	–	–	4	6	5	14	11	13	8	–	2	–
	Fall of Earth on	7	–	–	–	–	–	–	–	–	–	–	3	1	1	1	1	–	–	–
	Nitric Acid Gas	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Naphtha	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Sulphur Fumes	5	–	–	1	–	–	–	1	–	1	–	–	1	1	–	1	–	–	–
	Manner not stated, or otherwise than by the above Causes	‡1560	404	507	73	17	20	13	1034	30	47	46	40	83	86	92	39	49	11	3
	Hanged (*not executed*)	2093	–	–	–	–	–	–	–	2	21	59	77	175	360	508	547	276	63	5
	Executed	68	–	–	–	–	–	–	–	–	–	7	17	31	8	3	1	1	–	–
	Strangled	175	43	2	–	–	–	–	45	1	2	6	2	13	21	28	34	19	4	–
6	Suicide (*manner not stated*)	296	–	–	–	–	–	–	–	–	2	6	18	35	52	76	58	37	11	1
	Murder (*manner not stated*)	168	62	6	1	–	2	1	72	7	3	4	20	20	13	15	9	3	1	1
	Manslaughter (*manner not stated*)	276	9	6	4	–	–	1	20	5	11	18	33	61	51	36	23	9	8	1
	Accident (*not otherwise described*)	1937	6	13	22	35	21	30	127	119	148	153	174	292	275	235	210	126	52	5
	Injury (*what kind not stated*)	1154	19	22	17	21	20	15	114	53	64	45	58	169	150	171	150	121	45	14
	Infanticide (*manner not stated*)	146	136	9	1	–	–	–	146	–	–	–	–	–	–	–	–	–	–	–
	Neglect	205	161	28	5	3	–	–	197	2	1	1	–	1	–	2	1	–	–	–
	Gelatio	17	–	1	–	–	–	–	1	–	–	–	1	3	1	1	3	5	2	–
	Exposure to Cold	368	24	12	1	–	5	–	42	6	6	20	11	26	48	50	70	55	30	4
	Navel Hæmorrhage	313	308	5	–	–	–	–	313	–	–	–	–	–	–	–	–	–	–	–
	Amputation	137	–	–	1	–	1	–	2	1	4	12	16	23	29	23	18	9	–	–
	Operation	13	–	–	–	–	–	–	–	–	–	1	2	2	1	2	3	2	–	–
	Sea Sickness	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Swallowing Halfpenny	2	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	Other Violent Deaths	§9	–	1	3	1	–	2	7	1	1	–	–	–	–	–	–	–	–	–

* One death was recorded from each of the following causes—Nitrate of silver, age 25; camphor, age 25; gas, age 10; Morrison's pills, age 15; conium, age 3; nitro glycerine, age 25; soap lees, age 4; acetic acid, age 1; bug poison, age 25; and nitre, age 55.

† Of these 3398 were returned as "found drowned."

‡ One death was recorded from petroleum, age 10.

§ One death was recorded from each of the following causes:—Starvation, age 10; swallowing nut-shell, age 1; bitten by donkey, age 4; swallowing a needle, age under one year; killed by game cock, age 2; fright from storm, age 4; hæmorrhage from extraction of teeth, age 5; circumcision, age 1; and stung by wasp, age 1.

VIOLENT DEATHS in ENGLAND at DIFFERENT PERIODS OF LIFE, in the FIVE YEARS 1863–67—FEMALES.

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—FEMALES.																	
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
			Infants under 1 Month.	Others.																	
	TOTAL VIOLENT DEATHS IN THE FIVE YEARS 1863–67	* 21145	1764	2245	1562	1261	979	719	8530	2017	770	784	604	1144	1221	1416	1307	1420	1453	442	37
1	Connected with RAILWAYS	279	–	–	7	6	4	4	21	27	25	18	17	32	29	47	27	26	6	4	–
2	MINES—																				
	Connected with COAL MINES	27	–	–	–	–	1	–	1	2	3	3	6	3	1	1	–	2	–	–	–
	Connected with COPPER, TIN, IRON, &c. MINES	6	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	1	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	5594	247	113	228	190	123	113	1014	380	175	146	129	332	415	507	564	690	900	315	27
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	7525	46	391	963	814	706	516	3436	1300	363	270	196	315	300	280	267	364	337	91	6
5	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*)	5860	796	1637	311	212	121	68	3145	246	159	294	215	346	355	450	335	221	89	3	2
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*)	1854	675	104	53	39	24	18	913	61	44	47	41	114	121	131	114	116	121	29	2
1	RAILWAYS.																				
	Run over on Line	201	–	–	6	5	4	3	18	22	19	11	14	22	21	31	16	18	5	4	–
	Fall from Carriage or Engine	16	–	–	1	–	–	–	1	1	–	2	–	1	–	4	4	3	–	–	–
	Collision	16	–	–	–	–	–	–	–	–	1	–	1	3	5	2	3	1	–	–	–
	Carriage off Rail, &c.	7	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	1	–	–	–
	Explosion of Boiler	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Crushed	14	–	–	–	–	–	–	–	3	4	2	–	2	1	1	1	–	–	–	–
	Locomotive Machinery	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Other Deaths (*manner not stated*)	23	–	–	–	–	–	1	1	–	1	2	1	3	1	7	3	3	1	–	–
2	MINES.																				
	COAL MINES.																				
	Crushed	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Fall in Pit or Shaft	8	–	–	–	–	–	–	–	1	–	3	4	–	–	–	–	–	–	–	–
	Machinery in Mine	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Killed by Wagon, Tramway, &c.	16	–	–	–	–	1	–	1	1	3	5	1	2	–	1	–	2	–	–	–
	COPPER, TIN, IRON, &c., MINES.																				
	Fall of Stone, Wood, &c. on	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Fall in Shaft	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Machinery in Mine	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Killed by Wagon, Tramway, &c.	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																				
	Fall from Scaffold, Ladder	9	–	–	–	–	1	–	1	–	–	–	–	–	1	1	4	2	–	–	–
	Fall from Window	132	–	2	10	9	4	1	26	4	4	7	10	21	18	13	6	14	5	4	–
	Fall down Stairs	682	–	6	4	5	6	2	23	15	6	5	12	40	60	104	142	133	112	29	1
	Fall in Ships and Boats	3	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	Fall from Height	198	1	14	20	12	4	6	57	17	11	5	5	16	13	20	23	16	11	4	–
	Fall in Walking	67	–	–	–	1	–	–	1	–	4	1	1	3	4	12	8	16	12	5	–
	Fall of Heavy Substances on	172	–	6	5	7	14	13	45	48	16	13	4	8	13	8	5	9	3	–	–
	Fall (*not stated how*)	827	4	29	33	17	18	13	114	33	16	12	10	27	58	71	67	135	209	62	8

* Of these deaths 123 are stated to have occurred to Females in a state of intoxication when the accident or other violence which proved fatal befel them. These persons were of the following ages:—2 aged 15 and under 20, 5 aged 20–25, 14 aged 25–35, 31 aged 35–45, 39 aged 45–55, 18 aged 55–65, 12 aged 65–75, and 2 aged 75–85.

VIOLENT DEATHS in ENGLAND at different Periods of Life, in the Five Years 1863-67—FEMALES—*continued.*

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—FEMALES.																
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
			Infants under 1 Month.	Others.																	
3	MECHANICAL INJURIES —*continued.*																				
	By Horse or other Animals	92	–	2	8	12	5	7	34	11	1	3	1	1	5	6	6	16	6	2	–
	Horse Conveyance	936	1	7	106	106	58	46	324	145	27	17	10	32	57	75	112	74	51	10	2
	Steam Boiler	13	–	–	–	–	–	–	–	3	3	–	1	4	2	–	–	–	–	–	–
	Machinery in Factory, Cotton Mill, &c.	63	–	–	–	–	–	–	–	–	18	21	8	3	10	3	–	–	–	–	–
	Machinery, Agricultural	56	–	1	–	1	–	1	3	4	6	6	2	7	8	14	1	5	–	–	–
	Other Machinery or kind not distinguished	64	–	–	1	–	–	1	2	8	16	14	9	7	1	2	3	1	1	–	–
	Fracture (*not stated how*)	1338	23	28	33	10	9	13	116	38	14	12	13	27	42	65	111	220	469	197	14
	Blow, &c.	105	10	5	1	1	1	2	20	10	9	3	2	21	17	10	7	6	–	–	–
	Cut Throat	328	8	4	2	1	–	2	17	3	1	5	18	68	69	63	49	28	7	–	–
	Cut, Stab	112	1	3	4	3	1	2	14	11	2	3	7	18	13	16	10	8	7	1	2
	Gun-shot Wounds	61	–	–	–	2	–	1	3	7	10	6	8	10	5	7	3	1	1	–	–
	Other Wounds, &c.	28	1	1	–	2	1	2	7	3	1	1	1	–	3	7	–	1	3	1	–
	Traumatic Tetanus	107	–	2	1	1	1	1	6	15	9	12	7	18	16	9	7	5	3	–	–
	Injury at Birth	201	198	3	–	–	–	–	201	–	–	–	–	–	–	–	–	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																				
	BURNS by—																				
	Clothes taking Fire	1396	–	21	52	97	152	131	453	338	105	65	37	65	49	57	50	86	73	17	11
	Conflagration	47	–	2	–	1	6	1	10	9	8	4	1	1	3	–	6	2	3	–	–
	Lime	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	3585	6	104	280	318	356	292	1356	820	215	113	65	130	113	107	134	216	237	74	5
	SCALDS by drinking Hot Water	83	–	2	22	30	20	5	79	4	–	–	–	–	–	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Cause	1468	2	154	576	345	155	67	1299	79	13	6	9	7	6	12	12	11	14	–	–
	EXPLOSION of—																				
	Gunpowder	19	–	–	–	–	–	1	1	4	1	4	3	2	2	–	1	1	–	–	–
	Gases	5	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–
	Naphtha	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Fireworks	4	–	–	–	–	1	–	1	1	–	–	1	1	–	–	–	–	–	–	–
	Petroleum	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Gun Cotton	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Manner not stated	3	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
	LIGHTNING	14	–	–	–	–	–	2	2	1	3	–	1	1	–	3	1	2	–	–	–
	SUN STROKE	33	–	2	1	3	1	2	9	4	6	2	–	4	3	2	1	2	–	–	–
	POISONED by—																				
	Arsenic	49	–	2	2	1	2	2	9	1	2	8	8	5	6	4	4	2	–	–	–
	Mercury	22	–	–	–	–	1	–	1	1	1	1	4	1	4	7	1	1	–	–	–
	Opium	53	2	9	2	1	–	–	14	–	–	2	–	2	5	7	10	9	4	–	–
	Morphia	13	1	3	–	–	–	–	4	2	–	1	–	1	–	2	2	–	1	–	–
	Laudanum and Syrup of Poppies	177	14	45	10	4	2	1	76	4	–	6	5	15	19	21	19	11	1	–	–
	Strychnia	27	–	–	–	–	–	–	–	–	–	8	5	5	4	4	–	1	–	–	–
	Prussic Acid and Cyanide of Potassium	33	–	–	1	–	–	2	3	2	–	5	3	10	5	4	–	1	–	–	–
	Essential Oil of Almonds	16	–	1	–	1	–	–	2	–	–	1	–	4	7	–	1	1	–	–	–
	Oxalic Acid	38	–	–	–	–	–	–	–	–	–	5	5	5	11	11	1	–	–	–	–
	Sulphuric Acid	18	1	1	2	1	1	–	6	2	1	–	–	2	2	1	3	1	–	–	–
	Nitric Acid	9	–	–	–	1	–	–	1	–	–	–	3	3	1	1	–	–	–	–	–
	Carbolic Acid	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Salts of Lead	39	–	–	2	–	–	–	2	–	1	9	5	10	6	5	1	–	–	–	–
	Improper Medicine (*not stated what kind*)	9	–	3	–	–	–	1	4	1	1	1	1	–	–	–	–	1	–	–	–
	Overdose of Medicine	21	4	9	–	–	–	–	13	1	–	1	1	2	1	1	–	1	–	–	–
	Godfrey's Cordial	24	7	16	1	–	–	–	24	–	–	–	–	–	–	–	–	–	–	–	–
	Improper Food	17	–	–	2	–	2	1	5	5	1	1	2	–	3	–	–	–	–	–	–
	Aconite	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Alcohol	11	–	–	–	1	3	–	4	4	–	–	1	–	2	–	–	–	–	–	–
	Ammonia	6	1	–	1	–	–	–	2	–	–	–	–	–	–	3	–	1	–	–	–
	Hartshorn	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Vermin Killer	13	–	–	–	–	–	–	–	–	1	–	4	3	1	3	–	1	–	–	–
	Phosphorus	12	–	1	1	2	–	–	4	2	1	1	2	–	2	–	–	–	–	–	–
	Sulphate of Copper	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

VIOLENT DEATHS in ENGLAND at different Periods of Life, in the Five Years 1863–67—FEMALES—*continued.*

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—FEMALES.																	
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and upwards.
			Infants under 1 Month.	Others.																	
4	CHEMICAL INJURIES —*continued.*																				
	POISONED by—*cont.*																				
	Colchicum	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Disinfecting Fluid	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Nitrate of Potash	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Chloride of Zinc	7	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	–	–	–	
	Cantharides	2	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
	Fungi	4	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	1	–	–	
	Manner not stated, or otherwise than by the above Causes	*235	7	15	6	8	3	8	47	12	2	24	27	32	40	21	16	10	4	–	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																				
	DROWNED—																				
	While Bathing	5	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	
	By Fall from Ships and Boats	17	–	–	–	–	1	–	1	2	1	5	6	–	–	2	–	–	–	–	
	By Shipwreck	16	–	–	–	–	–	–	–	2	1	3	3	4	3	–	–	–	–	–	
	While Sliding and Skating	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	
	By Bursting of Reservoir	92	–	4	2	3	2	1	12	13	6	7	9	12	15	11	3	4	–	–	
	Not stated how	†2448	63	30	203	182	102	48	628	194	137	241	155	247	223	244	197	132	49	–	1
	SUFFOCATED by—																				
	Food, &c.	102	3	15	16	7	3	6	50	7	3	3	1	1	3	13	7	8	5	1	–
	Bed Clothes	1154	203	905	33	4	4	1	1150	1	–	–	–	–	–	3	–	–	–	–	
	Overlaying	303	69	231	2	1	–	–	303	–	–	–	–	–	–	–	–	–	–	–	
	Mephitic Gas	8	–	1	2	–	–	1	4	1	–	1	–	–	1	1	–	–	–	–	
	Charcoal	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Chloroform	8	–	–	1	–	–	–	1	1	–	2	2	1	1	–	–	–	–	–	
	Carbonic Acid Gas	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
	Fall of Earth on	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Falling into Privy	2	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	
	Petroleum	2	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	
	Manner not stated, or otherwise than by the above Causes	‡1101	411	450	49	14	9	9	942	21	11	9	11	17	16	23	25	13	12	–	1
	Hanged (*not executed*)	488	–	–	–	–	–	–	–	–	–	14	27	53	78	141	94	58	21	2	
	Executed	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	
	Strangled	104	46	1	3	1	–	–	51	1	–	4	–	6	14	12	8	6	2	–	
6	Suicide (*manner not stated*)	83	–	–	–	–	–	–	–	–	–	11	9	11	14	16	8	9	5	–	
	Murder (*manner not stated*)	155	68	7	4	4	1	1	85	4	3	3	4	20	15	9	5	3	4	–	
	Manslaughter (*manner not stated*)	110	6	8	4	3	2	1	24	4	–	3	10	19	17	13	10	5	5	–	–
	Accident (*not otherwise described*)	345	1	14	22	19	12	12	80	27	21	11	6	23	27	33	34	30	36	10	2
	Injury (*what kind not stated*)	333	16	17	14	8	5	3	63	21	9	10	8	24	27	29	30	40	56	16	–
	Infanticide (*manner not stated*)	181	174	7	–	–	–	–	181	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	178	135	19	8	2	1	1	166	3	2	1	–	1	2	1	1	–	1	–	–
	Gelatio	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Exposure to Cold	146	22	20	–	2	2	–	46	1	4	3	–	7	11	14	20	24	13	3	–
	Navel Hæmorrhage	259	251	8	–	–	–	–	259	–	–	–	–	–	–	–	–	–	–	–	–
	Amputation	36	–	–	–	–	–	–	–	–	5	2	1	6	5	8	5	4	–	–	–
	Operation	16	1	3	–	1	–	–	5	1	–	–	1	3	3	2	–	1	–	–	–
	Sea Sickness	2	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Swallowing a Pin	3	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	Other Violent Deaths	§6	1	–	–	–	1	–	2	–	–	1	–	–	–	1	1	–	1	–	–

* One death was recorded from each of the following causes:—Creosote, age under one year; lobelia, age 25; sulphate of zinc, age 45; impure water, age 2; caustic soda, age 35; conium, age 4; veratria, age 35; antimony, aged 35; soap, age 35; yewberries, age 2; paraffin oil, age 35; Holloway's pills, age 35; and salts of sorrel, age 35.

† Of these deaths 802 were returned as "found drowned."

‡ One death was recorded from artificial teeth.

§ One death was recorded from each of the following causes:—Swallowing a hook, age 3; stung by a bee, age 55; swallowing a fish bone, age 45; killed by a game cock, age 75; hæmorrhage from extraction of teeth, age under one month; and swallowing a plum stone, age 15.

VIOLENT DEATHS IN ENGLAND, and in each of the ELEVEN DIVISIONS, in the FIVE YEARS 1863–67—MALES.

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
	TOTAL VIOLENT DEATHS IN THE FIVE YEARS 1863–67	62708	8890	4642	3144	2561	4852	8137	3247	10756	6545	4813	5121
1	Connected with RAILWAYS	3896	422	250	243	95	125	419	226	727	490	481	418
2	MINES—												
	Connected with COAL MINES	5101	–	–	–	–	56	1094	273	883	713	870	1212
	Connected with COPPER, TIN, IRON, &c. MINES	764	–	1	2	–	347	55	39	19	99	77	125
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	22520	3754	1629	1263	924	1936	2567	1176	4032	2435	1437	1367
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	7417	1048	529	307	255	497	1263	441	1379	749	486	463
5	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*)	17968	3048	1664	894	881	1555	2117	829	3059	1693	1168	1060
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*)	5042	618	569	435	406	336	622	263	657	366	294	476
1	RAILWAYS.												
	Run over on Line	2504	262	148	170	55	79	243	143	484	336	321	263
	Fall from Carriage or Engine	180	24	10	11	4	8	35	7	37	18	8	18
	Collision	66	11	10	3	3	1	5	7	11	7	3	5
	Carriage off Rail, &c.	24	1	3	4	1	2	5	–	–	5	2	1
	Explosion of Boiler	9	1	–	3	–	1	–	–	1	1	2	–
	Crushed	546	40	18	20	15	13	70	29	109	73	95	64
	Fall of Earth on	5	–	3	–	–	–	–	–	–	–	–	2
	Fall of Heavy Substances on	96	17	17	5	2	6	5	4	15	18	–	7
	Locomotive Machinery	22	3	1	–	2	–	6	1	2	–	1	6
	Burns and Scalds	2	1	–	–	–	–	–	–	–	1	–	–
	Other Deaths (*manner not stated*)	442	62	40	27	12	15	50	35	68	31	49	52
2	MINES.												
	COAL MINES.												
	Fall of Coal, Stone, &c. on	2012	–	–	–	–	25	458	125	365	160	305	574
	Crushed	212	–	–	–	–	10	34	10	64	21	53	20
	Fall in Pit or Shaft	570	–	–	–	–	13	200	38	97	72	81	69
	Broken Rope, &c.	40	–	–	–	–	–	22	–	2	5	9	2
	Explosion of Firedamp	731	–	–	–	–	1	208	16	184	78	60	184
	Chokedamp	135	–	–	–	–	2	22	12	16	8	38	37
	Machinery in Mines	96	–	–	–	–	–	14	3	20	12	24	23
	Explosion of Steam Boiler	8	–	–	–	–	–	1	–	–	–	7	–
	Killed by Wagon, Tramway, &c.	444	–	–	–	–	1	17	32	78	28	93	195
	Killed by Tub	215	–	–	–	–	–	11	3	15	2	182	2
	Blasting	106	–	–	–	–	1	28	11	28	5	9	24
	Burns or Scalds	6	–	–	–	–	–	1	2	1	1	–	1
	Drowned	42	–	–	–	–	–	11	6	10	–	2	13
	Fall of Horse on (in Shaft)	6	–	–	–	–	–	6	–	–	–	–	–
	Explosion of Sulphur	5	–	–	–	–	–	5	–	–	–	–	–
	Explosion (*not stated how*)	320	–	–	–	–	–	–	–	–	320	–	–
	Accidentally Killed (*not stated how*)	153	–	–	–	–	3	56	15	3	1	7	68
	COPPER, TIN, IRON, &c. MINES.												
	Fall of Stone, Wood, &c. on	265	–	–	2	–	55	29	24	9	62	35	49
	Crushed	119	–	–	–	–	95	3	–	2	6	5	8
	Fall in Shaft	171	–	–	–	–	108	5	7	4	3	22	22
	Fall from Kibble, Ladder, &c.	13	–	–	–	–	9	–	1	–	–	1	2
	Machinery in Mines	25	–	–	–	–	16	–	–	1	1	3	4
	Explosion of Steam Boiler	3	–	–	–	–	3	–	–	–	–	–	–
	Killed by Wagon, Tramway, &c.	29	–	–	–	–	1	–	–	1	21	2	4
	Blasting	70	–	–	–	–	32	1	2	2	6	9	18
	Drowned	18	–	–	–	–	14	–	–	–	–	–	4
	Suffocated	5	–	–	–	–	4	–	–	–	–	–	1
	Accidentally Killed (*not stated how*)	46	–	1	–	–	10	17	5	–	–	–	13

VIOLENT DEATHS in ENGLAND, and in each of the Eleven Divisions, in the Five Years 1863–67—MALES—*continued.*

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
3	MECHANICAL INJURIES (*not connected with Mines or Railways.*)												
	Fall from Scaffold, Ladder	720	203	58	46	11	46	79	25	147	64	26	15
	Fall from Window	193	83	13	3	2	12	10	1	46	8	11	4
	Fall down Stairs	817	149	47	18	11	43	109	32	226	93	51	38
	Fall in Ships and Boats	502	79	50	1	12	45	19	8	116	22	88	62
	Fall from Height	1658	247	90	70	35	111	160	77	432	192	124	120
	Fall in Walking	127	44	5	6	1	2	9	–	39	5	6	10
	Fall of Heavy Substances on	2006	224	104	70	64	166	225	110	423	271	159	190
	Fall (*not stated how*)	1822	513	135	70	35	172	184	88	268	179	104	74
	By Horse or other Animals	1324	151	97	103	80	179	155	92	136	168	78	85
	Horse Conveyance	5366	811	362	330	313	508	673	306	966	517	258	262
	Steam Boiler	236	14	3	–	22	7	50	11	33	42	25	29
	Machinery in Factory, Cotton Mill, &c.	245	4	3	3	3	2	24	10	88	87	10	11
	Machinery, Agricultural	304	10	29	35	34	46	35	30	16	34	10	25
	Other Machinery or kind not distinguished	846	92	26	13	14	39	125	30	212	138	79	78
	Fracture (*not stated how*)	2903	524	246	202	132	249	311	144	401	267	193	234
	Fight	24	2	2	1	–	1	2	–	8	5	1	2
	Blow, &c.	403	83	22	16	4	27	43	12	79	55	38	24
	Cut Throat	969	217	106	59	33	77	111	59	147	93	52	15
	Cut, Stab	381	106	28	25	20	26	33	21	52	35	21	14
	Gun-shot Wounds	862	102	124	62	57	98	110	61	85	68	49	46
	Other Wounds, &c.	103	7	5	7	2	11	30	10	5	9	4	13
	Traumatic Tetanus	442	49	51	46	29	50	28	25	66	54	31	13
	Injury at Birth	267	40	23	17	10	19	42	24	41	29	19	3
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).												
	BURNS by—												
	Clothes taking Fire	798	196	49	29	16	26	124	2	201	75	36	44
	Conflagration	46	26	2	2	2	1	2	1	6	4	–	–
	Lime	10	2	1	1	–	3	–	–	1	2	–	–
	Nitric Acid	2	1	1	–	–	–	–	–	–	–	–	–
	Sulphuric Acid	5	–	–	–	–	–	–	–	2	3	–	–
	Paraffin	2	2	–	–	–	–	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	2590	171	184	105	103	196	571	187	432	289	157	195
	SCALDS by drinking Hot Water	133	17	15	15	8	26	27	9	3	5	3	5
	Manner not stated, or otherwise than by the above Cause	2196	288	107	83	59	135	329	116	518	227	175	159
	EXPLOSION of—												
	Gunpowder	124	7	26	–	1	17	15	2	15	11	11	19
	Gases	28	2	3	–	–	1	8	1	4	3	3	3
	Naphtha	2	1	–	1	–	–	–	–	–	–	–	–
	Nitro-glycerine	6	–	–	–	–	–	–	–	–	–	5	1
	Fireworks	17	3	–	–	–	7	3	–	–	4	–	–
	Gun Cotton	3	–	–	–	–	–	–	–	–	1	–	2
	Tar Boiler	2	–	–	–	–	–	–	–	2	–	–	–
	Manner not stated	31	9	1	–	–	3	10	1	3	1	1	2
	LIGHTNING	59	1	6	7	7	2	10	11	1	10	3	1
	SUN STROKE	128	14	27	14	11	15	14	11	6	3	6	7
	POISONED by—												
	Arsenic	34	5	2	–	7	3	2	4	3	3	3	2
	Mercury	36	8	4	1	1	7	6	2	4	1	–	2
	Opium	61	9	5	3	7	5	3	6	12	10	1	–
	Morphia	19	7	1	–	–	1	5	1	–	3	–	1
	Laudanum and Syrup of Poppies	249	36	7	7	9	7	31	42	39	32	34	5
	Strychnia	14	5	–	1	–	–	4	–	2	1	1	–
	Prussic Acid and Cyanide of Potassium	118	70	12	3	1	1	9	3	10	4	5	–
	Essential Oil of Almonds	15	7	2	2	–	–	1	–	–	1	2	–
	Oxalic Acid	28	12	3	1	–	3	1	1	4	1	1	1
	Sulphuric Acid	35	13	5	2	3	1	4	–	6	–	1	–
	Nitric Acid	7	3	–	–	–	1	1	–	–	2	–	–
	Muriatic Acid	5	3	–	–	–	–	1	–	–	–	1	–
	Carbolic Acid	4	–	1	–	–	–	1	–	1	–	–	1
	Salts of Lead	203	55	26	10	6	16	35	8	28	10	7	2
	Improper Medicine (*not stated what kind*)	8	1	1	–	1	–	1	1	–	1	2	–
	Overdose of Medicine	31	6	3	1	–	–	3	2	7	5	2	2
	Godfrey's Cordial	32	2	–	5	–	3	2	5	4	10	1	–

VIOLENT DEATHS in ENGLAND, and in each of the Eleven Divisions, in the Five Years 1863–67—MALES—*continued.*

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
4	CHEMICAL INJURIES—*cont.*												
	POISONED by—*cont.:*												
	Improper Food	16	4	2	1	-	1	4	-	1	3	-	-
	Aconite	5	2	1	1	-	-	1	-	-	-	-	-
	Belladonna	6	2	-	-	1	-	3	-	-	-	-	-
	Alcohol	24	3	2	1	-	1	3	1	3	1	8	1
	Ammonia	2	-	-	-	-	-	-	-	1	1	-	-
	Hartshorn	2	-	1	-	1	-	-	-	-	-	-	-
	Chlorodyne	4	-	1	-	-	-	1	-	2	-	-	-
	Vermin Killer	7	-	-	-	-	-	4	2	-	1	-	-
	Turpentine	3	-	-	1	1	-	-	1	-	-	-	-
	Phosphorus	3	2	-	-	-	-	1	-	-	-	-	-
	Sulphate of Copper	2	-	1	-	1	-	-	-	-	-	-	-
	Colchicum	2	-	-	-	-	-	-	1	1	-	-	-
	Disinfecting Fluid	2	-	1	-	-	-	-	-	-	-	-	1
	Nitrate of Potash	2	-	-	-	-	-	-	-	2	-	-	-
	Chloride of Zinc	1	1	-	-	-	-	-	-	-	-	-	-
	Spirits of Salt	3	1	-	-	-	-	-	-	1	1	-	-
	Fungi	2	-	-	-	1	1	-	-	-	-	-	-
	Mussels	8	3	2	-	-	1	2	-	-	-	-	-
	Manner not stated, or otherwise than by the above Causes	212	48	24	10	8	13	21	20	54	20	17	7
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).												
	DROWNED—												
	While Bathing	792	97	93	64	38	48	68	33	150	68	73	60
	By Fall from Ships and Boats	367	99	37	13	38	33	13	1	20	28	55	30
	By Shipwreck	244	-	20	1	5	124	-	-	40	2	42	10
	While Sliding and Skating	113	46	2	5	2	5	10	2	38	-	3	-
	By bursting of Reservoir	129	-	-	-	-	-	-	-	-	129	-	-
	Not stated how	10376	1285	942	529	585	910	1310	474	1771	1051	710	809
	SUFFOCATED by—												
	Food, &c.	260	72	23	14	8	25	40	14	27	20	12	5
	Bed Clothes	1178	618	67	28	9	36	40	13	302	41	22	2
	Overlaying	379	121	15	20	9	49	19	11	58	47	28	2
	Mephitic Gas	38	4	5	1	4	3	4	4	5	2	4	2
	Lime,—Brick Kiln	67	4	5	3	1	12	5	3	16	4	7	7
	Charcoal	15	5	1	2	-	1	1	-	1	2	1	1
	Chloroform	35	12	3	2	-	4	4	-	6	2	2	-
	Carbonic Acid Gas	63	4	7	4	-	5	6	7	9	10	6	5
	Fall of Earth on	7	6	-	-	-	-	-	-	-	-	-	1
	Nitric Acid Gas	2	-	-	-	1	-	1	-	-	-	-	-
	Naphtha	2	-	-	-	-	-	-	-	2	-	-	-
	Sulphur Fumes	5	-	-	-	-	-	-	-	1	-	-	4
	Manner not stated, or otherwise than by the above Causes	1560	334	145	95	64	104	348	70	217	72	64	47
	Hanged (*not executed*)	2093	289	275	97	108	187	228	183	319	208	127	72
	Executed	68	14	9	3	4	4	10	1	18	2	2	1
	Strangled	175	38	15	13	5	5	10	13	59	5	10	2
6	Suicide (*manner not stated*)	296	36	40	46	33	28	38	16	25	1	3	30
	Murder (*manner not stated*)	168	56	11	10	9	2	20	5	9	11	20	15
	Manslaughter (*manner not stated*)	276	41	16	12	12	12	37	11	48	43	13	31
	Accident (*not otherwise described*)	1937	89	288	221	236	127	283	88	192	61	76	276
	Injury (*what kind not stated*)	1154	159	94	85	73	72	132	85	174	101	104	75
	Infanticide (*manner not stated*)	146	52	16	5	6	17	8	3	22	13	2	2
	Neglect	205	72	14	8	5	15	20	12	39	11	5	4
	Gelatio	17	1	3	2	-	2	2	3	3	1	-	-
	Exposure to Cold	368	35	44	14	12	35	43	18	65	43	29	30
	Navel Hæmorrhage	313	50	29	22	15	21	25	17	48	51	30	5
	Amputation	137	19	12	7	5	4	14	3	31	26	9	7
	Operation	13	4	1	1	-	-	-	1	1	2	3	-
	Sea Sickness	1	1	-	-	-	-	-	-	-	-	-	-
	Swallowing a Halfpenny	2	-	-	-	-	1	-	-	-	1	-	-
	Other Violent Deaths	9	3	1	2	-	-	-	1	-	1	-	1

VIOLENT DEATHS IN ENGLAND, and in each of the ELEVEN DIVISIONS, in the FIVE YEARS 1863-67—FEMALES.

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
	TOTAL VIOLENT DEATHS IN THE FIVE YEARS 1863-67	21145	4095	1533	1024	804	1498	2900	1225	3729	2116	1187	1034
1	Connected with RAILWAYS	279	26	25	18	13	11	24	22	44	26	42	28
2	MINES— Connected with COAL MINES	27	–	–	–	–	–	7	–	11	1	3	5
	Connected with COPPER, TIN, IRON, &c. MINES	6	–	–	–	–	4	–	–	–	–	–	2
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	5594	1172	405	283	188	427	693	284	1005	596	331	210
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	7525	1092	518	329	802	513	1249	494	1329	768	459	472
5	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*)	5860	1445	419	266	194	406	725	324	1040	581	256	204
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*)	1854	360	166	128	107	137	202	101	300	144	96	113
1	RAILWAYS.												
	Run over on Line	201	19	14	14	7	11	18	15	30	20	31	22
	Fall from Carriage or Engine	16	4	–	1	–	–	–	1	5	3	2	–
	Collision	16	1	9	–	–	–	1	1	4	–	–	–
	Carriage off Rail, &c.	7	–	–	–	4	–	3	–	–	–	–	–
	Explosion of Boiler	1	–	–	–	–	–	–	–	–	1	–	–
	Crushed	14	1	–	–	–	–	–	–	3	2	6	2
	Locomotive Machinery	1	–	–	–	–	–	1	–	–	–	–	–
	Other Deaths (*manner not stated*)	23	1	2	3	2	–	1	5	2	–	3	4
2	MINES.												
	COAL MINES.												
	Crushed	2	–	–	–	–	–	1	–	1	–	–	–
	Fall in Pit or Shaft	8	–	–	–	–	–	6	–	1	1	–	–
	Machinery in Mines	1	–	–	–	–	–	–	–	1	–	–	–
	Killed by Wagon, Tramway, &c.	16	–	–	–	–	–	–	–	8	–	3	5
	COPPER, TIN, IRON, &c. MINES.												
	Fall of Stone, Wood, &c. on	1	–	–	–	–	–	–	–	–	–	–	1
	Fall in Shaft	1	–	–	–	–	1	–	–	–	–	–	–
	Machinery in Mines	1	–	–	–	–	1	–	–	–	–	–	–
	Killed by Wagon, Tramway, &c.	3	–	–	–	–	2	–	–	–	–	–	1
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).												
	Fall from Scaffold, Ladder	9	3	1	1	–	–	–	1	2	–	1	–
	Fall from Window	132	54	8	6	2	8	5	3	28	5	10	3
	Fall down Stairs	682	121	28	20	10	46	103	24	202	68	40	20
	Fall in Ships and Boats	3	1	–	–	–	–	–	–	2	–	–	–
	Fall from Height	198	56	12	5	3	14	26	7	32	17	15	11
	Fall in Walking	67	29	1	1	1	5	2	–	20	5	2	1
	Fall of Heavy Substances on	172	27	5	8	4	17	14	11	35	27	12	12
	Fall (*not stated how*)	827	244	66	38	33	65	125	39	94	71	41	11
	By Horse or other Animals	92	12	5	6	3	13	15	3	12	11	4	8
	Horse Conveyance	936	236	59	29	20	46	115	46	197	95	53	40

VIOLENT DEATHS in ENGLAND, and in each of the Eleven Divisions, in the Five Years 1863–67—FEMALES—*continued.*

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
3	MECHANICAL INJURIES—*cont.*												
	Steam Boiler	13	–	–	–	–	1	–	1	5	6	–	–
	Machinery in Factory, Cotton Mill, &c.	63	–	1	1	–	3	10	1	18	29	–	–
	Machinery, Agricultural	56	–	3	5	2	8	10	10	2	7	2	7
	Other Machinery or kind not distinguished	64	1	2	2	–	3	10	2	20	11	8	5
	Fracture (*not stated how*)	1338	193	123	91	71	116	143	87	182	162	98	72
	Blow, &c.	105	38	6	3	1	9	8	3	24	7	6	–
	Cut Throat	328	73	26	22	15	29	37	19	52	32	20	3
	Cut, Stab	112	32	13	6	2	5	12	4	27	6	3	2
	Gun-shot Wounds	61	2	8	3	8	7	10	2	9	7	1	4
	Other Wounds, &c.	28	4	1	1	–	4	6	4	–	–	2	6
	Traumatic Tetanus	107	14	14	14	6	15	7	3	17	9	5	3
	Injury at Birth	201	32	23	21	7	13	35	14	25	21	8	2
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).												
	BURNS by—												
	Clothes taking Fire	1396	393	86	56	32	53	192	5	294	147	68	70
	Conflagration	47	23	1	–	1	1	2	–	12	5	1	1
	Lime	1	–	–	–	–	1	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	3585	265	258	158	179	308	713	291	559	870	215	269
	SCALDS by drinking Hot Water	83	15	10	5	2	9	17	10	8	3	1	3
	Manner not stated, or otherwise than by the above Cause	1468	198	80	64	52	89	223	78	335	144	103	102
	EXPLOSION of—												
	Gunpowder	19	5	–	–	–	4	3	1	–	1	3	2
	Gases	5	1	–	–	–	–	3	–	–	–	1	–
	Naphtha	1	–	–	–	–	–	–	–	1	–	–	–
	Fireworks	4	1	–	–	–	3	–	–	–	–	–	–
	Gun Cotton	2	–	–	–	2	–	–	–	–	–	–	–
	Petroleum	2	–	–	1	–	–	–	–	–	1	–	–
	Manner not stated	3	1	–	–	–	–	1	–	1	–	–	–
	LIGHTNING	14	–	–	1	3	–	2	4	3	–	–	1
	SUN STROKE	33	4	8	3	1	2	5	2	3	3	2	–
	POISONED by—												
	Arsenic	49	5	5	1	5	5	4	9	2	5	2	6
	Mercury	22	5	3	–	–	–	7	1	–	6	–	–
	Opium	53	9	5	4	3	2	1	11	10	7	1	–
	Morphia	13	3	2	1	–	–	–	2	2	1	1	1
	Laudanum and Syrup of Poppies	177	23	10	9	5	7	13	41	30	13	19	2
	Strychnia	27	1	5	–	1	4	8	3	1	4	–	–
	Prussic Acid and Cyanide of Potassium	33	17	2	–	–	–	5	2	–	3	4	–
	Essential Oil of Almonds	16	11	1	–	–	1	1	–	1	–	1	–
	Oxalic Acid	38	21	1	3	–	3	2	1	6	–	1	–
	Sulphuric Acid	18	8	2	–	–	2	1	–	3	–	2	–
	Nitric Acid	9	3	–	–	–	1	1	–	1	2	1	–
	Carbolic Acid	1	1	–	–	–	–	–	–	–	–	–	–
	Salts of Lead	39	12	3	–	–	–	2	–	7	4	11	–
	Improper Medicine (*not stated what kind*)	9	1	1	–	1	1	2	1	–	1	–	1
	Overdose of Medicine	21	5	1	–	2	–	1	3	4	5	–	–
	Godfrey's Cordial	24	1	1	4	1	–	–	8	3	6	–	–
	Improper Food	17	2	3	–	1	–	3	–	3	1	4	–
	Aconite	1	–	–	–	–	–	1	–	–	–	–	–
	Alcohol	11	1	–	–	–	–	–	–	3	–	4	3
	Ammonia	6	3	–	–	–	–	1	–	2	–	–	–

VIOLENT DEATHS in ENGLAND, and in each of the Eleven Divisions, in the Five Years 1863-7—FEMALES—*continued.*

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
4	CHEMICAL INJURIES—*cont.*												
	POISONED by—												
	Hartshorn	1	–	–	–	–	–	–	–	1	–	–	–
	Vermin Killer	13	1	2	–	–	–	6	1	–	2	1	–
	Phosphorus	12	4	2	–	–	–	1	1	–	3	–	1
	Sulphate of Copper	1	–	–	1	–	–	–	–	–	–	–	–
	Colchicum	1	–	–	–	–	–	–	–	–	–	1	–
	Disinfecting Fluid	1	–	–	–	–	–	–	–	–	–	–	1
	Nitrate of Potash	1	–	–	–	–	–	–	–	–	1	–	–
	Chloride of Zinc	7	4	2	–	–	1	–	–	–	–	–	–
	Cantharides	2	–	–	–	–	–	1	1	–	–	–	–
	Fungi	4	1	–	–	2	1	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	235	44	24	18	9	15	27	18	34	25	12	9
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).												
	DROWNED—												
	While Bathing	5	–	–	–	–	2	–	–	1	–	1	1
	By Fall from Ships and Boats	17	3	2	1	1	1	–	–	4	1	4	–
	By Shipwreck	16	–	–	–	–	6	–	–	1	–	9	–
	While Sliding and Skating	3	–	–	–	–	1	2	–	–	–	–	–
	By Bursting of Reservoir	92	–	–	–	–	–	–	–	–	92	–	–
	Not stated how	2448	307	213	137	116	209	315	175	434	278	119	145
	SUFFOCATED by—												
	Food, &c.	102	37	4	5	4	6	16	6	10	10	2	2
	Bed Clothes	1154	605	52	21	6	43	44	16	296	44	21	6
	Overlaying	303	85	15	15	3	32	14	15	60	41	21	2
	Mephitic Gas	8	4	–	–	1	–	–	–	1	1	–	1
	Charcoal	1	–	1	–	–	–	–	–	–	–	–	–
	Chloroform	8	5	–	–	–	1	–	–	1	–	1	–
	Carbonic Acid Gas	2	–	1	–	–	–	–	1	–	–	–	–
	Fall of Earth on	1	–	1	–	–	–	–	–	–	–	–	–
	Petroleum	2	–	–	–	–	–	–	–	–	2	–	–
	Falling into Privy	2	–	–	2	–	–	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	1101	291	72	54	39	49	284	57	134	53	44	24
	Hanged (*not executed*)	488	68	45	28	20	52	42	51	75	55	31	21
	Executed	3	–	1	–	–	1	–	–	1	–	–	–
	Strangled	104	40	12	3	4	3	8	3	22	4	3	2
6	Suicide (*manner not stated*)	83	12	10	10	10	8	10	3	3	2	–	15
	Murder (*manner not stated*)	155	40	17	12	4	6	19	7	14	16	7	13
	Manslaughter (*manner not stated*)	110	15	3	4	6	15	9	6	35	8	3	6
	Accident (*not otherwise described*)	345	27	36	34	35	30	48	23	54	11	11	36
	Injury (*what kind not stated*)	333	62	23	25	26	21	37	22	49	26	24	18
	Infanticide (*manner not stated*)	181	42	22	14	1	19	14	7	30	19	8	5
	Neglect	178	83	9	4	3	4	11	8	33	10	10	3
	Gelatio	1	–	–	–	–	–	1	–	–	–	–	–
	Exposure to Cold	146	26	17	11	3	9	18	10	28	11	6	7
	Navel Hæmorrhage	259	38	27	12	17	23	26	11	43	32	22	8
	Amputation	36	8	1	2	2	1	5	1	9	4	2	1
	Operation	16	5	1	–	–	–	1	2	1	4	2	–
	Sea Sickness	2	–	–	–	–	–	–	–	–	–	1	1
	Swallowing a Pin	3	–	–	–	–	1	–	1	–	1	–	–
	Other Violent Deaths	6	2	–	–	–	–	3	–	1	–	–	–

ENGLAND.—DEATHS returned as having occurred from SUICIDE in each of the Five Years 1863–67.

No.	CAUSES OF DEATH.	TOTAL NUMBER of SUICIDES during the 5 Years 1863-67.			ANNUAL AVERAGE of the 5 Years 1863–67.			MALES AND FEMALES.					MALES.					FEMALES.				
		Males & Females.	Males.	Females.	Males & Females.	Males.	Females.	1863	1864	1865	1866	1867	1863	1864	1865	1866	1867	1863	1864	1865	1866	1867
	SUICIDES IN THE FIVE YEARS 1863–67	6696	4905	1791	1339·2	981·0	358·2	1319	1340	1392	1329	1316	974	993	1024	951	963	345	347	368	378	353
1	Connected with RAILWAYS	62	51	11	12·4	10·2	2·2	7	16	13	10	16	7	11	10	9	14	–	5	3	1	2
2	MINES— Connected with COAL MINES	3	1	2	·6	·2	·4	1	1	–	1	–	–	1	–	–	–	1	–	–	1	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	1720	1351	369	344·0	270·2	73·8	328	340	339	360	353	266	271	273	268	273	62	69	66	92	80
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	679	364	315	135·8	72·8	63·0	123	153	137	130	136	67	86	69	59	83	56	67	68	71	53
5	ASPHYXIA, &c., suspension of Respiration	3853	2842	1011	770·6	568·4	202·2	809	772	826	730	716	595	578	613	538	518	214	194	213	192	198
6	SUICIDE (*manner not stated*)	379	296	83	75·8	59·2	16·6	51	58	77	98	95	39	46	59	77	75	12	12	18	21	20
1	RAILWAYS.																					
	Run over on Line	61	50	11	12·2	10·0	2·2	7	15	13	10	16	7	10	10	9	14	–	5	3	1	2
	Other Deaths (*manner not stated*)	1	1	–	·2	·2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
2	MINES.																					
	COAL MINES.																					
	Fall in Pit or Shaft	3	1	2	·6	·2	·4	1	1	–	1	–	–	1	–	–	–	1	–	–	1	–
3	MECHANICAL INJURIES. (*not connected with Mines or Railways*).																					
	Fall from Window	93	46	47	18·6	9·2	9·4	9	17	22	26	19	7	8	10	12	9	2	9	12	14	10
	Fall down Stairs	2	2	–	·4	·4	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–
	Fall in Ships and Boats	1	1	–	·2	·2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Fall from Height	30	23	7	6·0	4·6	1·4	4	5	5	7	9	4	3	4	6	6	–	2	1	1	3
	Fall (*not stated how*)	1	–	1	·2	–	·2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Horse Conveyance	2	2	–	·4	·4	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
	Fracture (*not stated how*)	4	1	3	·8	·2	·6	–	2	1	1	–	–	–	–	1	–	–	2	1	–	–
	Cut Throat	1235	948	287	247·0	189·6	57·4	249	245	235	251	255	195	192	188	180	193	54	53	47	71	62
	Cut, Stab	56	40	16	11·2	8·0	3·2	8	4	17	14	13	6	2	14	10	8	2	2	3	4	5
	Gunshot Wounds	296	288	8	59·2	57·6	1·6	56	65	53	60	57	53	64	56	58	57	3	1	2	2	–
4	CHEMICAL INJURIES. (*not connected with Mines or Railways*).																					
	BURNS by— Clothes taking Fire	2	–	2	·4	–	·4	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
	Manner not stated, or otherwise than by the above Cause	4	–	4	·8	–	·8	1	–	1	2	–	–	–	–	–	–	1	–	1	2	–
	SCALDS by drinking Hot Water	1	1	–	·2	·2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Manner not stated	1	–	1	·2	–	·2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	POISONED by— Arsenic	29	10	19	5·8	2·0	3·8	7	4	6	8	4	3	1	1	3	2	4	3	5	5	2
	Mercury	19	9	10	3·8	1·8	2·0	7	4	3	3	2	4	2	1	1	1	3	2	2	2	1
	Opium	11	7	4	2·2	1·4	·8	3	1	3	1	3	2	–	2	1	2	1	1	1	–	1
	Morphia	3	2	1	·6	·4	·2	–	1	2	–	–	–	1	1	–	–	–	–	1	–	–
	Laudanum	101	65	36	20·2	13·0	7·2	16	26	17	17	25	11	15	11	10	18	5	11	6	7	7
	Strychnia	30	7	23	6·0	1·4	4·6	3	8	9	4	6	–	–	4	–	3	3	8	5	4	3
	Prussic Acid and Cyanide of Potassium	121	99	22	24·2	19·8	4·4	24	26	24	20	27	19	23	17	18	22	5	3	7	2	5
	Essential Oil of Almonds	19	10	9	3·8	2·0	1·8	7	1	7	2	2	4	–	3	1	2	3	1	4	1	–
	Oxalic Acid	58	23	35	11·6	4·6	7·0	8	14	7	15	14	4	6	3	4	6	4	8	4	11	8
	Sulphuric Acid	20	13	7	4·0	2·6	1·4	4	3	7	5	1	4	3	4	1	1	–	–	3	4	–
	Nitric Acid	8	3	5	1·6	·6	1·0	1	2	–	2	3	–	1	–	–	2	1	1	–	2	1
	Muriatic Acid	3	3	–	·6	·6	–	–	1	1	1	–	–	1	1	1	–	–	–	–	1	–
	Aconite	3	2	1	·6	·4	·2	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
	Vermin Killer	17	5	12	3·4	1·0	2·4	1	1	1	7	7	–	1	–	1	3	1	–	1	6	4
	Phosphorus	4	1	3	·8	·2	·6	1	2	–	–	1	1	–	–	–	–	–	2	–	1	1
	Chloride of Zinc	5	–	5	1·0	–	1·0	1	1	–	1	2	–	–	–	–	–	1	1	–	1	2
	Manner not stated, or otherwise than by the above Causes	220	104	116	44·0	20·8	23·2	37	57	47	41	38	13	31	21	18	21	24	26	26	23	17
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																					
	*DROWNED— *Not stated how*	1115	638	477	223·0	127·6	95·4	245	205	230	207	228	182	123	121	128	134	113	82	109	79	94
	SUFFOCATED by— Chloroform	2	2	–	·4	·4	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Cause	6	6	–	1·2	1·2	–	1	2	2	1	–	1	2	2	1	–	–	–	–	–	–
	Hanged	2370	2081	489	514·0	416·2	97·8	532	540	551	486	461	438	436	457	385	365	94	104	94	101	96
	Strangled	160	115	45	32·0	23·0	9·0	31	24	42	35	27	24	16	32	24	19	7	8	10	12	8
6	Suicide (*manner not stated*)	379	296	83	75·8	59·2	16·6	51	58	77	98	95	39	46	59	77	75	12	12	18	21	20

* These totals include the deaths of 2 females returned as "Found Drowned" in 1865; 1 male in 1866, and 1 male in 1867.

ENGLAND.—DEATHS at different PERIODS of LIFE, returned as having occurred from SUICIDE, in the FIVE YEARS 1863–67—MALES.

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—MALES.											
			5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	SUICIDES IN THE FIVE YEARS 1863–67	4905	–	21	130	252	664	949	1135	1066	550	126	12	–
1	Connected with RAILWAYS	51	–	–	2	5	7	14	14	8	1	–	–	–
2	MINES— Connected with COAL MINES	1	–	–	–	–	–	–	1	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	1351	–	–	26	68	259	314	276	253	120	31	4	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	364	–	–	13	35	63	80	89	56	24	3	1	–
5	ASPHYXIA, &c., suspension of Respiration	2842	–	19	83	126	300	489	679	691	368	81	6	–
6	SUICIDE (*manner not stated*)	296	–	2	6	18	35	52	76	58	37	11	1	–
1	RAILWAYS.													
	Run over on Line	50	–	–	2	5	7	14	13	8	1	–	–	–
	Other Deaths (*manner not stated*)	1	–	–	–	–	–	–	1	–	–	–	–	–
2	MINES.													
	COAL MINES.													
	Fall in Pit or Shaft	1	–	–	–	–	–	–	1	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).													
	Fall from Window	46	–	–	1	2	19	5	10	3	4	2	–	–
	Fall down Stairs	2	–	–	–	–	–	1	–	1	–	–	–	–
	Fall in Ships and Boats	1	–	–	–	–	–	–	–	1	–	–	–	–
	Fall from Height	23	–	–	2	–	6	8	4	2	1	–	–	–
	Horse Conveyance	2	–	–	–	–	–	1	1	–	–	–	–	–
	Fracture (*not stated how*)	1	–	–	–	–	–	1	–	–	–	–	–	–
	Cut Throat	948	–	–	8	27	158	231	201	200	94	27	2	–
	Cut, Stab	40	–	–	2	1	8	6	6	12	4	–	1	–
	Gun-shot Wounds	288	–	–	13	38	68	61	54	34	17	2	1	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).													
	SCALDS by drinking Hot Water	1	–	–	–	–	1	–	–	–	–	–	–	–
	POISONED by—													
	Arsenic	10	–	–	–	–	–	1	5	2	2	–	–	–
	Mercury	9	–	–	1	–	–	4	3	1	–	–	–	–
	Opium	7	–	–	–	–	–	2	2	3	–	–	–	–
	Morphia	2	–	–	–	–	1	1	–	–	–	–	–	–
	Laudanum	65	–	–	4	3	11	11	11	13	10	1	1	–
	Strychnia	7	–	–	–	2	1	1	3	–	–	–	–	–
	Prussic Acid and Cyanide of Potassium	99	–	–	4	9	23	24	28	7	4	–	–	–
	Essential Oil of Almonds	10	–	–	–	1	1	4	1	3	–	–	–	–
	Oxalic Acid	23	–	–	–	3	2	5	6	6	1	–	–	–
	Sulphuric Acid	13	–	–	1	2	1	3	5	1	–	–	–	–
	Nitric Acid	3	–	–	–	1	1	1	–		–	–	–	–
	Muriatic Acid	3	–	–	–	–	1	–	1	1	–	–	–	–
	Aconite	2	–	–	–	–	1	1	–	–	–	–	–	–
	Vermin Killer	5	–	–	–	2	1	1	–	1	–	–	–	–
	Phosphorus	1	–	–	–	–	–	–	–	–	1	–	–	–
	Manner not stated, or otherwise than by the above Causes *	104	–	–	3	12	18	21	24	18	6	2	–	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).													
	DROWNED (*not stated how*) †	638	–	3	23	48	109	108	144	114	73	15	1	–
	SUFFOCATED by—													
	Chloroform	2	–	–	–	–	1	1	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Cause ‡	6	–	–	1	–	3	–	1	1	–	–	–	–
	Hanged	2081	–	15	58	76	175	359	508	546	276	63	5	–
	Strangled	115	–	1	1	2	12	21	26	30	19	3	–	–
6	Suicide (*manner not stated*)	296	–	2	6	18	35	52	76	58	37	11	1	–

* One death was recorded from each of the following causes:—Salts of lead, at 35 years of age; carbolic acid, at 45; belladonna, at 35; sulphate of copper, at 55; and camphor, at 25.

† Of these deaths two were returned as "found drowned."

‡ One death was recorded from each of the following causes:—Charcoal, age 25; and carbonic acid gas, age 25.

ENGLAND.—DEATHS at different PERIODS of LIFE, returned as having occurred from SUICIDE, in the FIVE YEARS 1863–67—FEMALES.

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—FEMALES.											
			5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	SUICIDES IN THE FIVE YEARS 1863–67	1791	1	14	165	163	272	330	382	261	155	45	3	–
1	Connected with RAILWAYS	11	–	–	–	1	2	5	2	1	–	–	–	–
2	MINES— Connected with COAL MINES	2	–	–	–	2	–	–	–	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	369	–	2	8	23	76	83	77	57	34	8	1	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	315	–	2	41	46	61	69	56	22	16	2	–	–
5	ASPHYXIA, &c., suspension of Respiration	1011	1	10	105	82	122	159	231	173	96	30	2	–
6	SUICIDE (*manner not stated*)	83	–	–	11	9	11	14	16	8	9	5	–	–
1	RAILWAYS.													
	Run over on Line	11	–	–	–	1	2	5	2	1	–	–	–	–
2	MINES.													
	COAL MINES.													
	Fall in Pit or Shaft	2	–	–	–	2	–	–	–	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).													
	Fall from Window	47	–	–	4	3	12	10	7	2	8	–	1	–
	Fall from Height	7	–	–	–	1	2	4	–	–	–	–	–	–
	Fall (*not stated how*)	1	–	–	–	–	–	–	–	1	–	–	–	–
	Fracture (*not stated how*)	3	–	–	–	–	–	1	1	1	–	–	–	–
	Cut Throat	287	–	1	3	17	60	64	61	43	26	7	–	–
	Cut, Stab	16	–	1	–	–	1	2	7	4	–	1	–	–
	Gun-shot Wounds	8	–	–	1	2	1	2	1	1	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).													
	BURNS by— Clothes taking Fire	2	–	–	–	–	1	–	1	–	–	–	–	–
	Manner not stated, or otherwise than by the above Cause	4	–	–	–	–	1	–	1	2	–	–	–	–
	SCALDS (*manner not stated*)	1	–	–	–	–	–	–	1	–	–	–	–	–
	POISONED by— Arsenic	19	–	–	2	6	1	2	3	3	2	–	–	–
	Mercury	10	–	1	–	2	1	1	4	1	–	–	–	–
	Opium	4	–	–	–	–	–	2	–	1	1	–	–	–
	Morphia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Laudanum	1	–	–	1	–	–	–	–	–	–	–	–	–
	Strychnia	36	–	–	4	2	7	8	8	3	4	–	–	–
	Prussic Acid and Cyanide of Potassium	23	–	–	6	5	4	3	4	–	1	–	–	–
	Essential Oil of Almonds	22	–	–	3	3	7	4	4	–	1	–	–	–
	Oxalic Acid	9	–	–	–	–	3	5	–	–	1	–	–	–
	Sulphuric Acid	35	–	–	4	5	5	10	10	1	–	–	–	–
	Nitric Acid	8	–	–	–	–	2	2	–	3	1	–	–	–
	Chloride of Zinc	5	–	–	–	2	2	1	–	–	–	–	–	–
	Aconite	5	–	–	–	–	–	1	2	2	–	–	–	–
	Vermin Killer	1	–	–	–	–	1	–	–	–	–	–	–	–
	Phosphorus	12	–	1	–	3	3	1	3	–	1	–	–	–
	Manner not stated, or otherwise than by the above Causes *	3	–	–	1	1	–	1	–	–	–	–	–	–
		115	–	–	20	17	23	28	15	6	4	2	–	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).													
	DROWNED (*not stated how*) †	477	1	10	87	55	64	73	77	71	32	7	–	–
	Hanged	439	–	–	14	27	53	78	142	94	58	21	2	–
	Strangled	45	–	–	4	–	5	8	12	8	6	2	–	–
6	Suicide (*manner not stated*)	83	–	–	11	9	11	14	16	8	9	5	–	–

* One death was recorded from each of the following causes:—Ammonia, at 45 years of age; sulphate of copper, at 65; salts of sorrel, at 35; paraffin oil, at 35; alcohol, at 35; and antimony, at 35.

† Of these deaths two were returned as "found drowned."

DEATHS returned as having occurred from SUICIDE IN ENGLAND, and in each of the ELEVEN DIVISIONS, in the FIVE YEARS 1863-67—MALES.

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
	SUICIDES IN THE FIVE YEARS 1863-67	4905	907	597	286	244	396	529	354	750	446	259	137
1	Connected with RAILWAYS	51	10	11	8	–	6	5	3	3	4	1	–
2	MINES— Connected with COAL MINES	1	–	–	–	–	–	1	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	1351	319	166	80	51	112	149	81	185	122	66	20
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	364	130	26	9	12	15	37	32	61	18	21	3
5	ASPHYXIA, &c., suspension of Respiration	2842	412	354	143	148	235	299	222	476	301	168	84
6	SUICIDE (*manner not stated*)	296	36	40	46	33	28	38	16	25	1	3	30
1	RAILWAYS.												
	Run over on Line	50	10	10	8	–	6	5	3	3	4	1	–
	Other Deaths (*manner not stated*)	1	–	1	–	–	–	–	–	–	–	–	–
2	MINES. COAL MINES.												
	Fall in Pit or Shaft	1	–	–	–	–	–	1	–	–	–	–	–
3	MECHANICAL INJURIES. (*not connected with Mines or Railways*).												
	Fall from Window	46	17	3	–	1	3	2	1	14	3	1	1
	Fall down Stairs	2	2	–	–	–	–	–	–	–	–	–	–
	Fall in Ships and Boats	1	–	–	–	–	–	–	–	–	1	–	–
	Fall from Height	23	7	4	–	–	1	2	–	3	5	1	–
	Horse Conveyance	2	2	–	–	–	–	–	–	–	–	–	–
	Fracture (*not stated how*)	1	–	–	–	1	–	–	–	–	–	–	–
	Cut Throat	948	209	106	53	33	76	108	59	141	93	51	14
	Cut, Stab	40	9	6	5	–	4	1	4	5	4	1	1
	Gun-shot Wounds	288	73	47	17	16	28	36	17	22	16	12	4
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).												
	SCALDS by drinking Hot Water	1	–	–	–	–	–	1	–	–	–	–	–
	POISONED by— Arsenic	10	1	–	–	1	–	1	4	2	1	–	–
	Mercury	9	2	1	–	–	2	–	1	2	–	–	1
	Opium	7	1	–	–	–	1	–	2	1	2	–	–
	Morphia	2	1	–	–	–	–	–	–	–	1	–	–
	Laudanum	65	15	2	1	3	1	3	9	14	4	7	1
	Strychnia	7	2	–	1	–	–	3	–	–	1	–	–
	Prussic Acid and Cyanide of Potassium	99	59	8	1	1	1	9	2	9	4	5	–
	Essential Oil of Almonds	10	7	–	1	–	–	–	–	–	–	2	–
	Oxalic Acid	23	10	3	1	–	3	1	1	3	–	1	–
	Sulphuric Acid	13	6	2	–	–	1	1	–	2	–	1	–
	Muriatic Acid	3	2	–	–	–	–	1	–	–	–	–	–
	Vermin Killer	5	–	–	–	–	–	3	1	–	1	–	–
	Nitric Acid	3	2	–	–	–	1	–	–	–	–	–	–
	Aconite	2	1	–	1	–	–	–	–	–	–	–	–
	Phosphorus	1	–	–	–	–	–	1	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	104	21	10	3	7	5	8	12	28	4	5	1
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).												
	DROWNED (*not stated how*)	638	105	71	39	38	48	64	34	102	90	36	11
	SUFFOCATED by— Chloroform	2	–	–	–	–	–	2	–	–	–	–	–
	Manner not stated, or otherwise than by the above Cause	6	2	1	1	–	–	1	–	1	–	–	–
	Hanged	2031	289	271	97	107	186	227	181	319	206	127	71
	Strangled	115	16	11	6	3	1	5	7	54	5	5	2
6	Suicide (*manner not stated*)	296	36	40	46	33	28	38	16	25	1	3	30

DEATHS returned as having occurred from SUICIDE in ENGLAND, and in each of the ELEVEN DIVISIONS, in the FIVE YEARS 1863–67—FEMALES.

No.	CAUSES OF DEATH.	ENGLAND.	DIVISIONS. I.—LONDON.	II.—SOUTH EASTERN.	III.—SOUTH MIDLAND.	IV.—EASTERN.	V.—SOUTH WESTERN.	VI.—WEST MIDLAND.	VII.—NORTH MIDLAND.	VIII.—NORTH WESTERN.	IX.—YORKSHIRE.	X.—NORTHERN.	XI.—MONMOUTHSHIRE AND WALES.
	SUICIDES IN THE FIVE YEARS 1863–67	1791	378	176	105	84	164	173	139	241	186	92	53
1	Connected with RAILWAYS	11	1	4	2	–	2	–	1	–	–	1	–
2	MINES— Connected with COAL MINES	2	–	–	–	–	–	1	–	–	1	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	369	96	30	23	17	33	36	21	56	30	24	3
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	315	100	18	11	7	25	41	28	30	31	16	8
5	ASPHYXIA, &c., suspension of Respiration	1011	169	114	59	50	96	85	86	152	122	51	27
6	SUICIDE (*manner not stated*)	83	12	10	10	10	8	10	3	3	2	–	15
1	RAILWAYS. Run over on Line	11	1	4	2	–	2	–	1	–	–	1	–
2	MINES. COAL MINES. Fall in Pit or Shaft	2	–	–	–	–	–	1	–	–	1	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).												
	Fall from Window	47	23	3	2	1	2	2	2	8	1	3	–
	Fall from Height	7	5	1	–	–	–	–	–	–	–	1	–
	Fall (*not stated how*)	1	–	–	–	–	–	–	–	–	–	–	1
	Fracture (*not stated how*)	3	3	–	–	–	–	–	–	–	–	–	–
	Cut Throat	287	57	25	20	12	29	31	17	45	29	20	2
	Cut, Stab	16	7	1	1	1	2	–	1	3	–	–	–
	Gun-shot Wounds	8	1	–	–	3	–	3	1	–	–	–	–
4	CHEMICAL INJURIES. (*not connected with Mines or Railways*).												
	BURNS by— Clothes taking Fire	2	1	–	–	–	–	1	–	–	–	–	–
	Manner not stated, or otherwise than by the above Cause	4	–	–	–	–	3	1	–	–	–	–	–
	SCALDS (*manner not stated*)	1	–	–	–	–	1	–	–	–	–	–	–
	POISONED by— Arsenic	19	4	1	–	1	3	1	4	2	–	1	2
	Mercury	10	3	1	–	–	–	2	–	–	4	–	–
	Opium	4	–	–	–	–	1	–	–	2	1	–	–
	Morphia	1	–	1	–	–	–	–	–	–	–	–	–
	Laudanum	36	9	–	1	1	–	4	8	5	5	2	1
	Strychnia	23	1	4	–	1	3	7	3	1	3	–	–
	Prussic Acid and Cyanide of Potassium	22	13	2	–	–	–	2	1	–	2	2	–
	Essential Oil of Almonds	9	7	–	–	–	1	–	–	–	–	1	–
	Oxalic Acid	35	21	–	3	–	3	1	1	5	–	1	–
	Sulphuric Acid	7	4	–	–	–	1	–	–	1	–	1	–
	Vermin Killer	12	1	2	–	–	–	6	1	–	1	1	–
	Nitric Acid	5	2	–	–	–	1	1	–	1	–	–	–
	Aconite	1	–	–	–	–	–	1	–	–	–	–	–
	Phosphorus	3	1	–	–	–	–	1	–	–	1	–	–
	Chloride of Zinc	5	3	1	–	–	1	–	–	–	–	–	–
	Manner not stated, or otherwise than by the above Causes	116	30	6	7	4	7	13	10	13	14	7	5
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).												
	DROWNED (*not stated how*)	477	89	64	30	26	41	40	35	62	65	19	6
	Hanged	489	69	45	28	20	52	42	51	75	55	31	21
	Strangled	45	11	5	1	4	3	3	–	15	2	1	–
6	Suicide (*manner not stated*)	83	12	10	10	10	8	10	3	3	2	–	15

ENGLAND.—DEATHS returned as having occurred from MURDER and INFANTICIDE in each of the Five Years 1863–67.

No.	CAUSES OF DEATH.	TOTAL NUMBER of MURDERS and INFANTICIDES during the 5 Years 1863–67.			ANNUAL AVERAGE of the 5 Years 1863–67.			MALES AND FEMALES.					MALES.					FEMALES.				
		Males & Females.	Males.	Females.	Males & Females.	Males.	Females.	1863	1864	1865	1866	1867	1863	1864	1865	1866	1867	1863	1864	1865	1866	1867
	MURDERS AND INFANTICIDES IN THE FIVE YEARS 1863–67	1263	630	633	252·6	126·6	126·6	256	246	254	259	248	132	108	129	135	126	124	138	125	124	122
2	MINES— Connected with COAL MINES	4	4	–	·8	·8	–	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	218	121	97	43·6	24·2	19·4	37	38	45	49	49	20	17	30	24	30	17	21	15	25	19
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	24	8	16	4·8	1·6	3·2	7	6	3	1	7	1	2	2	–	3	6	4	1	1	4
5	ASPHYXIA, &c., suspension of Respiration	291	147	144	58·2	29·4	28·8	44	54	46	83	64	26	26	21	40	34	18	28	25	43	30
6	OTHER VIOLENCE	726	350	376	145·2	70·0	75·2	164	148	160	126	128	81	63	76	71	59	83	85	84	55	69
2	MINES. COAL MINES. Fall in Pit or Shaft	4	4	–	·8	·8	–	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																					
	Fall from Window	1	1	–	·2	·2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Fracture (*not stated how*)	47	27	20	9·4	5·4	4·0	5	9	10	12	11	3	3	6	6	9	2	6	4	6	2
	Blow, &c.	47	27	20	9·4	5·4	4·0	9	6	9	11	12	4	4	6	7	6	5	2	3	4	6
	Cut Throat	56	19	37	11·2	3·8	7·4	9	14	6	12	15	4	4	2	2	7	5	10	4	10	8
	Cut, Stab	49	35	14	9·8	7·0	2·8	13	6	14	11	5	8	5	12	7	3	5	1	2	4	2
	Gun-shot Wounds	17	11	6	3·4	2·2	1·2	1	3	4	3	6	1	1	2	2	5	–	2	2	1	1
	Other Wounds, &c.	1	1	–	·2	·2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																					
	BURNS (*manner not stated*)	1	–	1	·2	–	·2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	EXPLOSION of Gunpowder	4	1	3	·8	·2	·6	–	–	–	–	4	–	–	–	–	1	–	–	–	–	3
	POISONED by—																					
	Arsenic	3	1	2	·6	·2	·4	1	–	1	1	–	–	–	1	–	–	1	–	–	1	–
	Mercury	1	1	–	·2	·2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Laudanum	5	1	4	1·0	·2	·8	1	4	–	–	–	1	–	–	–	–	–	4	–	–	–
	Strychnia	1	1	–	·2	·2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	Prussic Acid	4	–	4	·8	–	·8	4	–	–	–	–	–	–	–	–	–	4	–	–	–	–
	Vitriol	1	–	1	·2	–	·2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Sulphuric Acid	1	1	–	·2	·2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	Manner not stated	3	2	1	·6	·4	·2	–	–	–	–	3	–	–	–	–	2	–	–	–	–	1
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																					
	DROWNED (*not stated how*)	58	33	25	11·6	6·6	5·0	10	7	5	19	17	8	2	2	11	10	2	5	3	8	7
	SUFFOCATED (*manner not stated*)	153	79	74	30·6	15·8	14·8	17	27	24	50	35	10	13	14	25	17	7	14	10	25	18
	Strangled	80	35	45	16·0	7·0	9·0	17	20	17	14	12	8	11	5	4	7	9	9	12	10	5
6	Murder (*manner not stated*)	322	168	154	64·4	33·6	30·8	75	84	58	68	37	45	37	28	37	21	30	47	30	31	16
	Injury (*what kind not stated*)	3	1	2	·6	·2	·4	–	–	3	–	–	–	–	1	–	–	–	–	2	–	–
	Infanticide (*manner not stated*)	329	148	181	65·8	29·6	36·2	80	50	83	48	68	32	21	37	27	31	48	29	46	21	37
	Neglect	54	22	32	10·8	4·4	6·4	6	12	12	7	17	3	5	7	·	3	3	7	5	3	14
	Exposure to Cold	10	5	5	2·0	1·0	1·0	3	1	2	1	3	1	–	1	1	2	2	1	1	–	1
	Navel Hæmorrhage	7	5	2	1·4	1·0	·4	–	1	2	2	2	–	–	2	2	1	–	1	–	–	1
	Starvation	1	1	–	·2	·2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–

ENGLAND.—DEATHS at different Periods of Life returned as having occurred from Murder and Infanticide in the Five Years 1863–67—Males.

No.	Causes of Death.	All Ages.	Ages at Death.—Males.																		
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
			Infants under 1 Month.	Others.																	
	MURDERS and INFANTICIDES in the Five Years 1863-67	630	377	39	12	3	4	3	438	16	4	15	36	44	32	22	15	6	1	1	–
2	MINES—																				
	Connected with Coal Mines	4	–	1	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	121	27	4	4	1	–	2	38	6	–	9	16	21	18	5	5	3	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	8	1	3	–	–	1	–	5	–	–	1	–	–	–	2	–	–	–	–	–
5	ASPHYXIA, &c., suspension of Respiration	147	118	15	6	2	1	–	142	3	–	1	–	1	–	–	–	–	–	–	–
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*)	350	231	16	2	–	2	1	252	7	4	4	20	21	13	15	9	3	1	1	–
2	MINES.																				
	Coal Mines.																				
	Fall in Pit or Shaft	4	–	1	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																				
	Fall from Window	1	–	–	–	–		–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Fracture (*not stated how*)	27	13	–	1	–		–	14	–	–	1	2	1	5	–	2	2	–	–	–
	Blow, &c.	27	6	–	–	–		–	6	–	–	5	5	3	5	2	1	–	–	–	–
	Cut Throat	19	4	3	3	1	–	2	13	5	–	–	–	–	–	–	1	–	–	–	–
	Cut, Stab	35	4	1	–	–	–	–	5	1	–	2	6	13	5	2	–	1	–	–	–
	Gun-shot Wounds	11	–	–	–	–	–	–	–	–	–	1	2	3	3	1	1	–	–	–	–
	Other Wounds, &c.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																				
	Explosion of—Gunpowder	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Poisoned by—Arsenic	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Mercury	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Laudanum	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Strychnia	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Sulphuric Acid	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Manner not stated	2	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																				
	Drowned (*not stated how*)	33	10	11	5	1	1	–	28	3	–	1	–	1	–	–	–	–	–	–	–
	Suffocated (*manner not stated*)	79	75	2	1	1	–	–	79	–	–	–	–	–	–	–	–	–	–	–	–
	Strangled	35	33	2	–	–	–	–	35	–	–	–	–	–	–	–	–	–	–	–	–
6	Murder (*manner not stated*)	168	62	6	1	–	2	1	72	7	3	4	20	20	13	15	9	3	1	1	–
	Injury (*what kind not stated*)	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Infanticide (*manner not stated*)	148	138	9	1	–	–	–	148	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	22	22	–	–	–	–	–	22	–	–	–	–	–	–	–	–	–	–	–	–
	Exposure to Cold	5	4	1	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–
	Navel Hæmorrhage	5	5	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–
	Starvation	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

ENGLAND.—DEATHS at different Periods of Life returned as having occurred from Murder and Infanticide in the Five Years 1863–67—Females.

No.	Causes of Death.	All Ages.	Ages at Death.—Females.																		
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
			Infants under 1 Month.	Others.																	
	MURDERS AND INFANTICIDES IN THE FIVE YEARS 1863–67	633	433	25	10	7	3	5	483	16	4	7	10	43	36	14	7	9	4	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	97	32	4	3	1	–	2	42	5	–	2	5	19	13	5	2	4	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	16	1	–	–	2	–	2	5	4	–	2	–	1	3	–	–	1	–	–	–
5	ASPHYXIA, &c., suspension of Respiration	144	122	6	3	–	1	–	132	3	–	–	–	3	5	–	–	1	–	–	–
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*)	376	278	15	4	4	2	1	304	4	4	3	5	20	15	9	5	3	4	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																				
	Fracture (*not stated how*)	20	14	–	–	–	–	–	14	–	–	–	–	–	1	3	–	2	–	–	–
	Blow, &c.	20	9	–	–	–	–	–	9	–	–	–	–	6	4	–	1	–	–	–	–
	Cut Throat	37	8	4	2	1	–	2	17	3	–	2	1	6	4	1	1	2	–	–	–
	Cut, Stab	14	1	–	1	–	–	–	2	1	–	–	2	6	2	1	–	–	–	–	–
	Gun-shot Wounds	6	–	–	–	–	–	–	–	1	–	–	2	1	2	–	–	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																				
	BURNS (*manner not stated*)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	EXPLOSION of—Gunpowder	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
	POISONED by—Arsenic	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Laudanum	4	–	–	–	1	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–
	Prussic Acid	4	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–	–	–	–
	Sulphuric Acid	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Manner not stated	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																				
	DROWNED (*not stated how*)	25	12	5	3	–	1	–	21	1	–	–	–	2	1	–	–	–	–	–	–
	SUFFOCATED (*manner not stated*)	74	71	1	–	–	–	–	72	1	–	–	–	–	–	–	–	1	–	–	–
	Strangled	45	39	–	–	–	–	–	39	1	–	–	–	1	4	–	–	–	–	–	–
6	Murder (*manner not stated*)	154	67	7	4	4	1	1	84	4	3	3	4	20	15	9	5	3	4	–	–
	Injury (*what kind not stated*)	2	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Infanticide (*manner not stated*)	181	174	7	–	–	–	–	181	–	–	–	–	–	–	–	–	–	–	–	–
	Neglect	32	29	1	–	–	1	–	31	–	1	–	–	–	–	–	–	–	–	–	–
	Exposure to Cold	5	5	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–
	Navel Hæmorrhage	2	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS returned as having occurred from MURDER and INFANTICIDE in ENGLAND and in each of the ELEVEN DIVISIONS, in the FIVE YEARS 1863–67—MALES and FEMALES.

No.	CAUSES OF DEATH.	ENGLAND.		DIVISIONS.																							
				I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.		V. SOUTH WESTERN.		VI. WEST MIDLAND.		VII. NORTH MIDLAND.		VIII. NORTH WESTERN.		IX. YORKSHIRE.		X. NORTHERN.		XI. MONMOUTHSHIRE AND WALES.	
		MALES.	FEMALES.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	MURDERS AND INFANTICIDES IN THE FIVE YEARS 1863–67	630	633	258	251	39	58	24	34	20	11	37	32	45	52	16	23	81	83	41	43	42	22	27	21
2	MINES— Connected with COAL MINES	4	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	
3	MECHANICAL INJURIES	121	97	33	44	5	7	3	4	1	3	4	1	9	9	3	2	30	22	11	2	13	2	9	
4	CHEMICAL INJURIES	8	16	1	7	–	5	–	–	1	–	2	1	1	1	1	1	1	–	1	–	–	1	–	
5	ASPHYXIA, &c., suspension of Respiration	147	144	85	85	7	7	5	5	2	3	12	5	3	7	4	5	17	14	4	5	7	4	1	
6	VIOLENCE (*it not being stated whether it was of the above kind or otherwise*)	350	376	139	115	27	39	16	25	16	5	19	25	28	35	8	15	33	47	25	36	22	15	17	1
2	MINES. COAL MINES. Fall in Pit or Shaft	4	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																								
	Fall from Window	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Fractures (*not stated how*)	27	20	9	12	2	1	1	–	1	–	1	1	1	1	1	–	3	5	3	–	4	–	1	
	Blow, &c.	27	20	7	13	1	–	–	1	–	–	–	–	2	2	–	–	9	3	4	–	3	1	1	
	Cut Throat	19	37	8	15	–	1	1	2	–	3	1	–	3	5	–	2	5	6	–	2	–	–	1	
	Cut, Stab	35	14	7	4	–	1	–	1	–	–	2	–	1	–	2	–	12	7	3	–	5	1	3	
	Gun-shot Wounds	11	6	1	–	2	4	1	–	–	–	–	–	2	1	–	–	1	1	1	–	1	–	2	
	Other Wounds, &c.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																								
	Burns (*manner not stated*)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	Explosion of Gunpowder	1	3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	POISONED by—																								
	Arsenic	1	2	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
	Mercury	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	Laudanum	1	4	–	–	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Strychnia	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Prussic Acid	–	4	–	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Sulphuric Acid	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Vitriol	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Manner not stated	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																								
	Drowned (*not stated how*)	33	25	7	10	3	1	–	2	1	3	6	2	1	1	1	1	7	1	2	1	4	1	1	
	Suffocated (*not stated how*)	79	74	63	53	2	1	1	1	–	–	2	3	–	4	2	1	6	6	2	3	1	2	–	
	Strangled	35	45	15	22	2	5	4	2	1	–	4	–	2	2	1	3	4	7	–	1	2	1	–	
6	Murder (*manner not stated*)	168	154	56	40	11	17	10	11	9	4	2	6	20	19	5	7	9	14	11	16	20	7	15	
	Injury (*what kind not stated*)	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
	Infanticide (*manner not stated*)	148	181	54	42	16	22	5	14	6	1	17	19	8	14	3	7	22	30	13	19	2	8	2	
	Neglect	22	32	20	28	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	1	–	–	–	
	Exposure to Cold	5	5	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Navel Hæmorrhage	5	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	
	Starvation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	

ENGLAND.—Deaths returned as having occurred from Manslaughter, in each of the Five Years 1863–67.

No.	Causes of Death.	Total Number of Manslaughters during the 5 Years 1863–67.			Annual Average of the 5 Years 1863–67.			Males and Females.					Males.					Females.				
		Males & Females.	Males.	Females.	Males & Females.	Males.	Females.	1863	1864	1865	1866	1867	1863	1864	1865	1866	1867	1863	1864	1865	1866	1867
	CASES OF MANSLAUGHTER IN THE FIVE YEARS 1863-67	863	653	210	172·6	130·6	42·0	143	166	189	221	144	105	123	140	173	112	38	43	49	48	32
1	Connected with RAILWAYS -	43	33	10	8·6	6·6	2·0	-	7	23	1	12	-	7	16	1	9	-	-	7	-	3
2	MINES— Connected with COAL MINES	50	50	-	10·0	10·0	-	1	-	8	35	6	1	-	8	35	6	-	-	-	-	-
3	MECHANICAL INJURIES (*not connected with Mines or Railways*) - - - -	330	262	68	66·0	52·4	13·6	42	66	78	90	54	34	56	64	66	42	8	10	14	24	12
4	CHEMICAL INJURIES (*not connected with Mines or Railways*) - - - - -	18	10	8	3·6	2·0	1·6	3	3	4	7	1	2	2	2	4	-	1	1	2	3	1
5	ASPHYXIA, &c., suspension of Respiration - - -	14	11	3	2·8	2·2	·6	5	1	4	2	2	4	1	3	1	2	1	-	1	1	-
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*) - - -	408	287	121	81·6	57·4	24·2	92	89	72	86	69	64	57	47	66	53	28	32	25	20	16
1	RAILWAYS.																					
	Run over on Line - - -	6	6	-	1·2	1·2	-	-	-	4	1	1	-	-	4	1	1	-	-	-	-	-
	Collision - - - -	32	22	10	6·4	4·4	2·0	-	7	16	-	9	-	7	9	-	6	-	-	7	-	3
	Carriage off Rail, &c. - -	3	3	-	·6	·6	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-
	Other Deaths (*manner not stated*) - - - - -	2	2	-	·4	·4	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
2	MINES. COAL MINES.																					
	Crushed - - - - - -	3	3	-	·6	·6	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-
	Fall in Pit or Shaft - - -	5	5	-	1·0	1·0	-	1	-	-	-	4	1	-	-	-	4	-	-	-	-	-
	Explosion of Firedamp - -	34	34	-	6·8	6·8	-	-	-	-	32	2	-	-	-	32	2	-	-	-	-	-
	Killed (*not stated how*) - -	8	8	-	1·6	1·6	-	-	-	8	-	-	-	-	8	-	-	-	-	-	-	-
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																					
	Fall down Stairs - - -	2	-	2	·4	-	·4	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
	Fall of Heavy Substances on Fall (*not stated how*) -	2	2	-	·4	·4	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
		9	7	2	1·8	1·4	·4	1	2	2	1	3	1	2	1	1	2	-	-	1	-	1
	By Horse or other Animals -	1	-	1	·2	-	·2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	Horse conveyance - - -	41	28	13	8·2	5·6	2·6	3	7	7	18	6	3	4	5	11	5	-	3	2	7	1
	Steam Boiler - - - -	13	12	1	2·6	2·4	·2	1	12	-	-	-	-	12	-	-	-	1	-	-	-	-
	Machinery, Agricultural -	1	1	-	·2	·2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Fracture (*not stated how*) -	65	57	8	13·0	11·4	1·6	10	10	21	15	9	9	8	20	13	7	1	2	1	2	2
	Fight - - - - - -	20	20	-	4·0	4·0	-	-	4	3	9	4	-	4	3	9	4	-	-	-	-	-
	Blow, &c. - - - - -	135	103	32	27·0	20·6	6·4	21	25	36	34	19	15	21	28	25	14	6	4	8	9	5
	Cut Throat - - - - -	3	2	1	·6	·4	·2	2	-	-	1	-	2	-	-	-	-	-	-	-	1	-
	Cut, Stab - - - - -	28	23	5	5·6	4·6	1·0	2	5	6	5	10	2	4	5	4	8	-	1	1	1	2
	Gun-shot Wounds - - -	8	5	3	1·6	1·0	·6	1	1	2	2	2	1	1	2	-	1	-	-	-	2	1
	Other Wounds, &c. - - -	2	2	-	·4	·4	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																					
	BURNS (*manner not stated*) -	4	2	2	·8	·4	·4	1	-	2	1	-	1	-	1	-	-	-	-	1	1	-
	POISONED by—																					
	Arsenic - - - - -	2	-	2	·4	-	·4	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-
	Opium - - - - -	2	1	1	·4	·2	·2	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
	Laudanum - - - -	2	2	-	·4	·4	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	Strychnia - - - -	2	1	1	·4	·2	·2	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-
	Prussic Acid - - -	1	1	-	·2	·2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Overdose of Medicine -	1	-	1	·2	-	·2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Whiskey - - - -	1	1	-	·2	·2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Muriatic Acid - - -	1	1	-	·2	·2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Manner not stated - -	2	1	1	·4	·2	·2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																					
	DROWNED (*not stated how*) -	9	8	1	1·8	1·6	·2	2	1	4	1	1	2	1	3	1	1	-	-	1	-	-
	SUFFOCATED (*manner not stated*)	5	3	2	1·0	·6	·4	3	-	-	1	1	2	-	-	-	1	1	-	-	1	-
6	Manslaughter (*manner not stated*) - - - - -	387	276	111	77·4	55·2	22·2	90	83	70	80	64	63	56	47	62	48	27	27	23	18	16
	Injury (*what kind not stated*) -	3	2	1	·6	·4	·2	-	-	1	2	-	-	-	-	2	-	-	-	1	-	-
	Neglect - - - - -	12	7	5	2·4	1·4	1·0	1	2	1	4	4	1	-	-	2	4	-	2	1	2	-
	Exposure to Cold - - -	3	2	1	·6	·4	·2	-	2	-	-	1	-	1	-	-	1	-	1	-	-	-
	Navel Hæmorrhage - - -	3	-	3	·6	-	·6	1	2	-	-	-	-	-	-	-	-	1	2	-	-	-

ENGLAND.—DEATHS at DIFFERENT PERIODS OF LIFE returned as having occurred from MANSLAUGHTER in the FIVE YEARS 1863–67—MALES.

No.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.—MALES.																		
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
			Infants under 1 Month.	Others.																	
	CASES OF MANSLAUGHTER IN THE FIVE YEARS 1863-67	653	12	15	5	2	8	2	44	16	34	51	85	141	117	86	46	21	11	1	–
1	Connected with RAILWAYS	33	–	–	–	–	–	–	–	–	–	–	9	8	8	6	1	1	–	–	–
2	MINES— Connected with COAL MINES	50	–	–	–	–	–	–	–	–	5	10	9	7	10	8	–	–	1	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	262	–	1	1	1	7	1	11	10	17	20	32	59	47	35	19	10	2	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	10	–	2	–	–	–	–	2	1	–	1	–	2	1	–	2	1	–	–	–
5	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*)	11	–	3	–	–	–	–	3	–	1	1	2	3	–	1	–	–	–	–	–
6	VIOLENCE (*it not being stated whether it was of the above kind, or otherwise*)	287	12	9	4	1	1	1	28	5	11	19	33	62	51	36	24	9	8	1	–
1	RAILWAYS.																				
	Run over on Line	6	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–
	Collision	22	–	–	–	–	–	–	–	–	–	–	6	4	4	6	1	1	–	–	–
	Carriage off Rail, &c.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Other Deaths (*manner not stated*)	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
2	MINES. COAL MINES.																				
	Crushed	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	Fall in Pit or Shaft	5	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–
	Explosion of Fire Damp	34	–	–	–	–	–	–	–	–	4	7	6	4	6	6	–	–	1	–	–
	Killed (*not stated how*)	8	–	–	–	–	–	–	–	–	1	3	3	–	–	1	–	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																				
	Fall of Heavy Substances on	2	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	Fall (*not stated how*)	7	–	–	–	–	–	–	–	–	1	–	–	1	1	3	–	1	–	–	–
	Horse Conveyance	28	–	1	–	1	2	–	4	5	2	2	–	2	2	3	3	4	1	–	–
	Steam Boiler	12	–	–	–	–	–	–	–	–	3	3	4	1	–	–	1	–	–	–	–
	Machinery, Agricultural	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Fracture (*not stated how*)	57	–	–	–	–	2	–	2	1	4	2	3	13	11	14	6	1	–	–	–
	Fight	20	–	–	–	–	–	–	–	1	–	1	5	5	2	3	2	1	–	–	–
	Blow, &c.	103	–	–	–	–	2	–	2	3	4	6	11	30	24	12	7	3	1	–	–
	Cut Throat	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Cut, Stab	23	–	–	1	–	–	–	1	–	1	4	8	3	6	–	–	–	–	–	–
	Gun-shot Wounds	5	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–
	Other Wounds, &c.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																				
	BURNS (*manner not stated*)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	POISONED by—																				
	Opium	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Laudanum	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Strychnia	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Prussic Acid	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Muriatic Acid	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Alcohol	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Manner not stated	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																				
	DROWNED (*not stated how*)	8	–	–	–	–	–	–	–	–	1	1	2	3	–	1	–	–	–	–	–
	SUFFOCATED (*manner not stated*)	3	–	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
6	Manslaughter (*manner not stated*)	276	9	6	4	–	–	1	20	5	11	18	33	61	51	36	23	9	8	1	–
	Injury (*what kind not stated*)	2	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Neglect	7	2	2	–	1	–	–	5	–	–	1	–	–	–	–	1	–	–	–	–
	Exposure to Cold	2	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–

ENGLAND.—Deaths at different Periods of Life returned as having occurred from Manslaughter in the Five Years 1863–67—Females.

No.	Causes of Death.	All Ages.	Ages at Death.—Females.																	
			Total under 1 Year.		1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75	85 and upwards.
			Infants under 1 Month.	Others.																
	CASES of MANSLAUGHTER in the Five Years 1863–67	210	12	12	7	6	3	3	43	8	–	6	16	41	35	25	17	9	10	–	–
1	Connected with RAILWAYS	10	–	–	–	–	–	–	–	–	–	–	1	3	3	1	2	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*)	68	–	1	1	2	–	2	6	2	–	2	5	18	14	9	4	4	4	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*)	8	1	–	2	–	1	–	4	1	–	1	–	1	–	–	–	–	1	–	–
5	ASPHYXIA, &c., suspension of Respiration (*not connected with Mines or Railways*)	3	1	1	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
6	VIOLENCE (*it not being stated whether it was of the above kind or otherwise*)	121	10	10	4	3	2	1	30	5	–	3	10	19	18	15	11	5	5	–	–
1	RAILWAYS.																				
	Collision	10	–	–	–	–	–	–	–	–	–	–	1	3	3	1	2	–	–	–	–
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																				
	Fall down Stairs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Fall (*not stated how*)	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	By Horse or other Animals	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Horse Conveyance	13	–	–	1	1	–	1	3	2	–	–	–	–	1	2	1	1	3	–	–
	Steam Boiler	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Fracture (*not stated how*)	8	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	1	–	–
	Blow, &c.	32	–	1	–	1	–	1	3	–	–	–	2	10	9	4	2	2	–	–	–
	Cut Throat	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Cut, Stab	5	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
	Gun-shot Wounds	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
4	CHEMICAL INJURIES (*not connected with Mines or Railways*).																				
	Burns (*manner not stated*)	2	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Poisoned by—																				
	Arsenic	2	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Opium	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Strychnia	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Overdose of Medicine	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Manner not stated	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
5	ASPHYXIA, &c. (*not connected with Mines or Railways*).																				
	Drowned (*not stated how*)	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocated (*manner not stated*)	2	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
6	Manslaughter (*manner not stated*)	111	7	8	4	3	2	1	25	4	–	3	10	19	17	13	10	5	5	–	–
	Injury (*what kind not stated*)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Neglect	5	–	2	–	–	–	–	2	1	–	–	–	–	1	1	–	–	–	–	–
	Exposure to cold	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Navel hæmorrhage	3	3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS returned as having occurred from MANSLAUGHTER in ENGLAND and in each of the ELEVEN DIVISIONS, in the FIVE YEARS 1863–67—MALES and FEMALES.

No.	CAUSES OF DEATH.	ENGLAND.		DIVISIONS.																							
				I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.		V. SOUTH WESTERN.		VI. WEST MIDLAND.		VII. NORTH MIDLAND.		VIII. NORTH WESTERN.		IX. YORKSHIRE.		X. NORTHERN.		XI. MONMOUTHSHIRE AND WALES	
		MALES.	FEMALES.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	TOTAL MANSLAUGHTERS IN THE FIVE YEARS 1863–67	653	210	97	29	42	12	16	8	15	6	36	20	94	20	18	7	128	73	88	20	31	5	88	
1	Connected with RAILWAYS	33	10	8	–	9	7	–	–	–	–	3	–	2	–	–	–	6	3	1	–	–	–	4	
2	MINES—																								
	Connected with COAL MINES	50	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	3	–	1	–	–	–	41	
3	MECHANICAL INJURIES	262	68	46	11	13	2	3	1	2	–	18	2	48	10	6	1	61	29	38	9	16	2	11	
4	CHEMICAL INJURIES	10	8	–	–	1	–	–	1	–	–	–	1	–	–	1	–	4	3	2	2	2	–	–	
5	ASPHYXIA, &c., suspension of Respiration	11	3	1	1	2	–	–	–	–	–	1	1	–	–	–	–	3	1	3	–	–	–	1	
6	VIOLENCE (*it not being stated whether it was of the above kind or otherwise*)	287	121	42	17	17	3	13	6	13	6	12	16	41	10	11	6	51	37	43	9	13	3	31	
1	RAILWAYS.																								
	Run over on Line	6	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	1	
	Collision	22	10	8	–	5	7	–	–	–	–	–	–	2	–	–	–	6	3	–	–	–	–	1	
	Carriage off Rail, &c.	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Other Deaths (*manner not stated*)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
2	MINES. COAL MINES.																								
	Crushed	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	
	Fall in Pit or Shaft	5	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–	–	–	
	Explosion of Fire Damp	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	32	
	Killed (*not stated how*)	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	
3	MECHANICAL INJURIES (*not connected with Mines or Railways*).																								
	Fall down Stairs	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
	Fall of Heavy Substances on	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
	Fall (*not stated how*)	7	2	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	3	–	–	–	–	
	By Horse or other Animals	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Horse Conveyance	28	13	15	2	–	–	–	1	–	–	2	–	1	2	1	–	5	4	3	3	–	1	1	
	Steam Boiler	12	1	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	–	–	1	–	–	–	
	Machinery, Agricultural	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Fracture (*not stated how*)	57	8	10	1	2	–	–	–	–	–	3	–	14	1	1	–	8	5	12	1	5	–	2	
	Fight	20	–	1	–	2	–	–	–	–	–	1	–	1	–	1	–	5	–	4	–	2	–	3	
	Blow, &c.	103	32	15	7	7	2	2	–	–	–	10	2	13	4	2	1	31	13	12	2	6	1	5	
	Cut Throat	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	
	Cut, Stab	23	5	3	1	2	–	1	–	2	–	–	–	3	1	–	–	7	3	3	–	2	–	–	
	Gun-shot Wounds	5	3	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	1	1	–	–	–	
	Other Wounds	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
4	CHEMICAL INJURIES.																								
	Burns (*manner not stated*)	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	
	POISONED by—																								
	Arsenic	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Opium	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Laudanum	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
	Strychnia	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	
	Prussic Acid	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Overdose of Medicine	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Whiskey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Muriatic Acid	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Manner not stated	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
5	ASPHYXIA, &c.																								
	DROWNED (*manner not stated*)	8	1	1	–	2	–	–	–	–	–	1	1	–	–	–	–	1	–	2	–	–	–	1	
	Suffocated (*manner not stated*)	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	
6	Manslaughter (*manner not stated*)	276	111	41	15	16	3	12	5	12	6	12	15	37	9	11	6	48	35	43	8	13	3	31	
	Injury (*what kind not stated*)	2	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
	Neglect	7	5	1	2	1	–	–	1	–	–	–	–	3	–	–	–	2	–	–	–	–	–	–	
	Exposure to Cold	2	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
	Navel Hæmorrhage	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	

APPENDIX.

CONTENTS.

	Page
Letter to the Registrar General on the Causes of Death in England in 1867, by William Farr, Esq., M.D., F.R.S., D.C.L. . . .	207—226
Tables	227—248

Letter to the Registrar General on the Causes of Death in England, by William Farr, Esq., M.D., F.R.S.

Year 1867.

Sir,

Epidemic cholera ended last year, and left few traces of its existence except in London, Liverpool, and Durham. Diarrhœa, upon the other hand, was very frequent and fatal all over the face of the country, except in Wales and some of the mountainous regions supplied with pure water.

The rate of mortality, as shown in your report, differed little from the average; but in general the mortality of children was lower, of people of advanced ages higher, than the average of 30 years. The cold weather of January was exceedingly fatal to the aged. On the night of January 5–6 the thermometer at Greenwich fell to 14° centigrade below the freezing point of water,* and the deaths in London alone registered during the subsequent week suddenly rose to 1891. The excess was 385 deaths over the deaths of the same week of the year before, and of that excess 395 occurred in people above the age of 40. The same chill frost extinguished thousands of lives in other parts of the kingdom, where it penetrated the hut on the mountain side, the cottage in the valley, and here and there the mansion in the ancestral park.

What are Causes of Death.

The human organism, although the force with which it is animated is indestructible, dies inevitably under a great variety of conditions. In one instance death is the direct effect of mechanical violence; a mere shock of arrested motion converts the life force into a new form: in another instance blood is lost and the processes of nutrition are stayed: then agents like fire or frost disintegrate the parts, or chemical forces like opium still for ever the living action in sleep. Submersion under water or stoppage of the air-ways shuts out oxygen, and with the cessation of the supply of this element life is extinguished as suddenly as the light of a lamp; so also life slowly goes out when the supply of food is insufficient, as the flame of a lamp dies when oil is withheld.

Adverse living molecular forms too assert their powers over the structure, and, as in small-pox, syphilis, glanders, cholera, and the other zymotic diseases, transform the body into their own substance and habitation, so that it can live no longer its own life, but is transformed first into multitudes of organic particles, and then mayhap, after many transmutations, into air, water, and earth. What was a living nature of the highest form becomes a dull cloud of matter, again after cycles of changes to be incarnated.

The constitution of the tissues undergoes transformations in cancer and tubercle and other analogous diseases as the blood does apparently in diabetes.

The most common form of disease is inflammation and its results in the several organs of which the body is a confederation; and upon taking up these organs singly each is found to have its well characterized diseases: the brain, no longer the seat of intelligence, sensibility, and reason, becomes the seat of madness; the heart loses its wonderful hydraulic precision; the

* It was 6°·6 of Fahrenheit, which has its zero 32° of its own scale below the freezing point of water.

lungs neither drink up nor discharge breath; the stomach transmutes its aliments no longer or transmutes them amiss; the liver and the kidneys fail to supply their specific distillations; the joints decay; the muscular system, once finely adjusted in its movements, is paralysed; the skin loses its fresh colour, and changes into ulcer and leprosy. The formative forces in some cases go wrong, or stop and leave organs unfinished. The reproductive system, too, which creates and perpetuates generations in endless succession, itself kills the parent and the child in one flood,—one throe of agony.

Now, when it is considered how multitudinous and complex the causes are, not of the one phenomenon, but of the many phenomena of death, for death has its many phases as well as life, it can scarcely be surprising to find that out of nearly half a million of deaths no causes were assigned in eight thousand or more instances. In 4630 cases no causes were specified; in 3506 cases it is only inferred that the deaths were sudden, as in them inquests were usually held.

Through the cooperation of the medical practitioners of England and Wales the majority of cases are certified on forms supplied by the Registrar General. In London about 93 per cent. of the deaths are certified, as far as the causes are concerned, by the medical attendants, 5 by the coroners, leaving only 2 in 100 uncertified. Out of 1578 deaths in London recently analysed 26 were uncertified, of which 4 only are recorded where the deceased had no medical attendant. One of the counties, Northampton, taken at hazard, yielded this result: out of every 100 deaths 91 were certified, 7 were uncertified; 2 died without medical attendance. In some few counties many of the people get no qualified medical advice during life, the medical man lives at great distances, or the people, ignorant themselves, apply for relief to irregular practitioners, men sometimes of natural ability, but often possessing no claim to confidence, except that founded on boundless faith in their own nostrums, which perform the same amazing miracles now as were performed in the dark ages by relics, charms, and exorcisms.

It must be stated, moreover, that the causes of death assigned are often inadequate, and frequently erroneous. A person is dead. What was the cause of his death? is the question addressed to the medical attendant. He has all the information to guide him in his answer that he employed during life in the treatment; but that may be insufficient. Some few years ago "dropsy" would have been returned, and was accepted in medical science as a disease, a cause of death. It is still used rightly in some cases. But many cases are traced back further; the dropsy is found (1) to be associated with albuminous urine, and affections of the kidney, such as Bright's disease; or (2) it is the result of retarded circulation from organic disease of the heart; or (3) it is *ascites*, an effusion into the peritoneal sac from obstructed circulation through the liver; or (4) it is hydrocele, perhaps from injury; or (5) it is ovarian dropsy; or (6) it is a consequence of scarlet fever; or (7) it is anæmic; or (8) it comes on suddenly with fever; or (9) it is general and associated with scurvy. Now after the first step is made in defining the seat and source of the "dropsy" we have got at one link of the chain of causes. The dropsy of scurvy, or anæmia, may be traced to famine, or to insufficiency of some elements of diet; that cause is primary. Then the scarlet fever is the cause of the dropsy; but what is the cause of the first disease? how was the dead child infected? Ascites, the cirrhosis of the liver, may be traced to alcoholism as its primary cause; or the heart disease may be derived from rheumatic fever. And the rheumatic fever may be the result of exposure to malaria of a specific kind. Now in many cases the primary cause can, but in many cases it cannot, be discovered. Yet to be able to prevent death, the primary cause is of first importance, as it sets the rest in motion.

There are affections of the brain, of the chest, and of other internal parts, which can be distinguished by the pathologist on actual inspection, but not otherwise; while other fatal functional derangements cannot, under the most favourable conditions, in some cases, be connected with any changes in the material structure of organs, even with the help of the best available instruments.

Observers, with excellent intentions, are not always competent, or do not devote the required time to their investigations. Their means of observation are sometimes restricted; they only see the patient for a few moments in his last hours, or for a few minutes at a public dispensary; while from children the subjective symptoms cannot be gathered.

Where the organic injury is evident in the dead body, and is the proximate cause of death, the inquiry after the first cause only commences. Thus a man is found dead in the road in blood, with a wound through his head; that was lethal; but with what instrument was the wound inflicted? A pistol. Who fired the pistol? The man now dead, or another man? Himself. Then was it an accident or a suicide? What were the motives of suicide? Another man. Is the manslayer a soldier fighting, or a duellist? or is he guilty of murder, manslaughter, or justifiable homicide? In a railway accident the question "who is to blame?" involves "what was the cause," what were the circumstances of the overthrow or collision?

On inquiries into the causes of this class the great tribunals of European justice are occupied. To these causes of death by the violence or malice or recklessness of men importance is everywhere attached. But the causes of the whole deaths of a nation partially inquired into everywhere have nowhere been published, except in England. Your returns are at present, it is to be regretted, unique. And while they are avowedly incomplete, as the chain of causes is not always traced, and the true cause is sometimes mistaken, I hope to be able to show that the returns are of use in their imperfect state, that they require improvement in the present day, and that they are of incalculable interest to mankind.

It is true that 48,634 persons died at the age of 75 and upwards in the year, and thus attained advanced ages; 650 lived to the age of 95 and upwards; of whom 70 lived a hundred years and upwards, which is the term of human life. But how fared it with the multitude? 134,187 persons died in ripe manhood at the age of 25 and under 65 years; while 242,325, under the age of 25, were cut off and perished in childhood and youth! Of the total recorded deaths only 392 were referred to homicide; and paramountly important as the deaths from this cause unquestionably are, occupying too so large a portion of our juridical force, and testifying as the reduced number does to law and police efficiency, it brings out with still greater force the magnitude of the sacrifices of life from other agencies. What these agencies are is assuredly well worth careful inquiry. Death is inevitable, but why is life cut short? Why do the people of England live only a mean lifetime of 41 years?

Biology includes in its sphere of research death, which like birth is common to man and to every living thing; so the extension of that science will shed light on the causes of death. The laws of life involve the laws of death; and every forward step of the biologist will open new fields in vital statistics. In the meantime the existing knowledge admits of so many practicable applications as to justify us in asking for its extension by all the means of accurate observation. It places at the disposal of men now an incalculable control over the duration and happiness of their lives; and it opens to the future a prospect of discovering not indeed elixirs of life, not secrets of earthly immortality to any individual, but protection against many of the dangers which beset the human race.

Science will naturally advance, and the extension of skilful practitioners to the remoter parts of the country will supply good observers. To them we must trust. Where death happens in such circumstances as render it impossible to obtain a satisfactory certificate from a medical man in attendance, the cause, I submit, in the interests of science and of human safety should be investigated by a medical officer specially appointed in each registration district.*

One important step has been taken by a committee nominated by the Royal College of Physicians, who have drawn up a complete nomenclature of the pathological causes of death. This will be distributed among the practitioners of the United Kingdom, and will thus facilitate the identification of that great class of causes. Synonymes are given in the Latin, French, Italian, and German languages.

Progress of Public Health possible.

Malthus maintained at one time that attempts to prevent the ravages of epidemical diseases are hopeless, inasmuch as the population always presses on the means of subsistence. Now population is dependent on two factors, the yearly births of children and the number of years the children live; and if subsistence is limited population is also limited. The population of England may be less, but can never be greater, than the subsistence it can command. It is not, however, necessary that the subsistence itself should be produced in England: other products of the same exchangeable value can in the present state of transport in the world always be converted into subsistence. Manchester lives as well as a county consisting of farmers and agricultural labourers. A nation then is not "cabined, cribbed, confined" by its acres; it can create on one acre of land produce worth the agricultural products of a thousand acres. Subsistence is a limited but not a fixed quantity. Its extension may keep pace with the extension of population. Then the births of the present day suffice to sustain a population much larger than the population existing; and yet the births might be increased by one third, as will be evident when it is considered that more than two million women of the age of 15—55 are unmarried, and that the three million women of that age married, "or otherwise to the same extent as married women bearing children," bear on an average only 22 children annually to every 100 women.† The reproductive power of the nation is thus under "restraint," as Mr. Malthus called it, and the experience of France implies that without diminishing the number of persons in the married state the annual births may here fall very considerably below the present numbers. Then there is the great opening of emigration. Vast regions of America, Australia, Asia, and Africa are unpeopled, or are peopled by unsettled unproductive savages. Colonial settlements,—plantations, as Bacon called them,—are the glory of England. Other races have transiently conquered the nations of the earth; England has planted Englishmen on continents from which time cannot dislodge them. These plantations call perpetually for recruits.

To dread, therefore, any ill consequences from arresting epidemics, or to argue on *a priori* grounds that it is impossible in opposition to nature to save life, to prolong life, to strengthen, and in every respect to improve the English race, is illogical; for give them health, and if the increased numbers cannot be sustained on subsistence by their industry within the shores of those islands, the births will naturally decline; but the natural remedies are increased industry to command produce from abroad, and emigration to seek after subsistence on the vast trans-oceanic territories.

Then the very conditions which diminish the numbers killed in the battle of life diminish the numbers wounded; and as every single death

---

* See 27th Annual Report of Reg. Gen., App.

† See Census Reports, Vol. II. pp. xxii and xxiv, and Vol. III. p. 21.

by violence implies the injury or mutilation of survivors, so nearly all the zymotic diseases leave irreparable traces in the blind, the deaf, the weak in body or brain. By removing the discovered causes of death you at the same time remove conditions which prevent the progress towards perfection of the English race. We have, therefore, everything to hope, and nothing to dread from measures of public health and of public safety.

I. Zymotic Diseases.

There are four orders in this class, which includes the whole series of epidemic, endemic, and contagious diseases. The miasmatic order (1) includes fevers and all the diseases affecting man by specific matters through air and water; scarlatina and ague are types of its two sections. Small-pox connects this order with (2), enthetic affections, such as syphilis and glanders, which are propagated by inoculation.

(3) The dietic order includes, as causes of death, whatever is the direct result either of the want of the natural elements of food, or of the consumption as diet of noxious matters. Famine, scurvy, want of breast milk, alcoholism are types. (4) Parasitic diseases differ from those of the two first orders, inasmuch as the organisms which give rise to them have a well defined, independent existence, and a distinct place in the animal and vegetable kingdom; their propagation has many points of analogy with the action of molecular multiplication in zymoses. Trichina, tænia, (tape-worm), acarus scabiei (itch), oidium albicans (thrush), sarcina ventriculi are types of 55 parasites giving rise to diseases.*

This class of diseases was fatal to 90,989 persons. It occasioned 20 in every 100 deaths, and the deaths to the population were in the proportion of 4·288 deaths to 1000 persons living. The mortality of zymotic diseases, except in 1860, has never in any year since 1851 been lower. 1860 was a year of exceptionally low temperature, and of abundant rainfall. In the present year the temperature was also below, and the rainfall was above the average. The year 1867 also followed an epidemic year, and as a general rule the deaths in years after epidemic years fall below the standard. The cholera, which to every 1,000,000 living was fatal to 685 in 1866, was fatal to only 43 in 1867; the deaths from diarrhœa in the same number rose from 818 to 937; the mortality from almost every other disease, except diarrhœa, subsided (Table 12). Comparing the deaths to a million living in the three quinquenniads (1850–64), deaths from small-pox fell from 279 to 191; deaths by measles rose from 406 to 478: by scarlatina and diphtheria the deaths rose from 891 to 1190; by croup from 225 to 279; by whooping-cough from 497 to 527. The increase by these causes in the fifteen years did much more than countervail the decrease in the deaths from small-pox. Diarrhœa and cholera in the two years, 1865 and 1866, sustained the high mortality. In 1867 there was, notwithstanding eruptions of some forms, a decisive fall of zymotic activity; even fever declined. The storm was followed by a calm.

Several of the zymotic diseases, as a rule, only occur once in life, and they attack the young, following each other as age advances in a certain order of developed intensity. Thus whooping-cough is most fatal in the first year of age, so is diarrhœa; measles is most lethal in the second year, croup in the second year, diphtheria in the second year, searlatina in the third year or the fourth. Then few deaths from whooping-cough, few from measles happen after childhood; none from croup. Few deaths from these causes occur past five years of age. Afterwards scarlatina and diphtheria overtake the young travellers in life, and slay one-third of their victims. Vaccination interferes with small-pox, which is fatal to nearly equal numbers over and under five years of age; for many adults still die of small-pox.

* In Nomenclature of Diseases, prepared by College of Physicians, pp. 232–235, fifty-five human parasites are enumerated. See Sir H. Holland on Hypothesis of Insect Life as a cause of Disease, in Med. Notes and Reflections, p. 567.

Fever, erysipelas, carbuncle, influenza, dysentery, ague, rheumatism, and puerperal fever (metria), are most fatal to adults.

To prevent the ravages of these causes we have to go beyond their pathological phenomena; and it must be recollected that every death represents several occurrent cases, varying with age, with hygienic condition, and with medical treatment. The exact determination of the factors of mortality in the several types of disease lies at the foundation of therapeutics, yet it has been strangely neglected. The new Clinical Society might well take this in hand. To illustrate what is here meant Dr. Murchison shows that in the ten years, 1848–57, at the London Fever Hospital the mortality of cases of continued fever was at the rate of 10 per cent. at the age of 15–25, and 15 per cent. at the age of 25–35; so to 10 and to 15 deaths at the two ages there were 100 cases of fever. Proceeding further in the analysis of the three forms of such fever he shows that the mortality from typhus at the same two ages is 7 and 16, from enteric fever 18 and 22, from relapsing fever next to nothing. That is in the London Fever Hospital.* The rates vary in private houses according to the condition of those houses; and we may assume that the danger varies under different lines of medical treatment. Here is a wide field for interfering with the operation of pathological causes of death. It is the great function of the medical profession. They arrest, they render less lethal, zymotic diseases, by drugs, diet, and hygienic regulation. The force Physic has at its command is undetermined, but it will increase as the science and the art increase, and as the distribution and the organization of the profession are improved.

Intermittent and remittent fevers are known to be generally induced by marshes. Dr. Salisbury endeavours to trace ague to the pollen of a palmella. Whatever the direct agent may be we know that the danger from these diseases is obviated in two ways; (1) by avoiding marshy tracts altogether, and (2) by draining and converting the marshes into cultivated land, as has been done partially in England. On the undrained lands of the lower valleys of the Thames, and of other English rivers, where their waters are slow, sluggish, thrown out of their channels by milldams, thousands of the population suffer from ague, rheumatism, and neuralgia, while many die of these and of other diseases. Drainage of the marsh land, removal of obstructions to rivers, and engineering improvements of the water channels will obliterate countless evils.

The mere aggregation of people together in close apartments generates or diffuses the zymotic matter. Thus, place lying-in women in close proximity to each other, or mix them up with the patients of a general hospital and they die of puerperal fever; place many wounded men in a ward where cleanliness is neglected, and erysipelas, pyæmia, gangrene spring up; imprison men within narrow walls, or crowd them in rooms and typhus breaks out. The general and special hospitals of the country have been, until quite recently, erected without any special reference to the dangers accruing from the assemblage of great masses of sick people within the walls of one building, so that the efforts of the most skilful medical officers are frequently defeated; but a better system of hospital construction, with more cubic space, is likely to prevail, with due provision for effective changes of air, and then the evils of agglomeration will be mitigated. It is only recently that the subject has attracted the attention of surgeons,† who will no doubt anxiously watch the results of

---

* Murchison on Fever, pp. 221, 369, and 531.

† Sir Astley Cooper, in his lectures as reported in the Lancet, refers to cold and other causes of gangrene, but has no reference, as far as I can find, to its origin in the poison of hospitals. Under erysipelas this passage occurs: "In hospital practice surgeons were "formerly exceedingly afraid to operate in autumn and spring, for it has often happened "that the *stimulating effects of adhesive plaster* have produced this disease, and have led to "the death of the patient. Sometimes it is epidemic and sometimes contagious." *Lancet*, Vols. I., II., edited by T. Wakley, surgeon, 1826, p. 247. Pyæmia is not referred to specifically by the great surgeon.

the new arrangements. Sir Henry Thomson and Sir James Simpson will, we may hope, continue their researches so as to determine accurately the mortality after the various kinds of amputation in hospitals and in private houses.

To limit the operation of zymotic diseases overcrowding in towns must be absolutely prohibited : the mere accumulation of masses of living people within narrow limits either generates or insures the diffusion of epidemic disease. The plague which almost destroyed Athens was aggravated by the policy of Pericles when he brought the outlying country population within the walls. It is now as then a conflict of difficulties; for the question arises, where can the people live if you turn them out of cellars or garrets ; and the alternative is in appearance cruel. But as a healthy city of a limited number of inhabitants enjoys life and fulfils the destiny of its race, while a crowded, suffering, sickly, degenerated city of twice the population only drags on a wretched existence in violation of the principles of life and the operations of nature, laws against over-crowding must be rigorously enforced. A wise humanity involving self-preservation is the law of every city.

Small-pox.

To render the body insusceptible of one zymotic disease of a disfiguring and distressing nature is in itself a good thing, and there is no evidence to show, nor is it likely, that pure vaccine lymph induces any other disease than cowpox. The number of deaths after vaccination is inconsiderable. It bears no comparison with the number of deaths by natural small-pox. And the opposition to vaccination on any of these grounds is irrational.

It is, however, by no means proved, that the general mortality under unfavourable sanitary conditions is much reduced by rendering a child insusceptible of one type, while he remains exposed to all other types of zymotic disease. This was clearly pointed out in a remarkable treatise by Dr. Robert Watt, lecturer on the theory and practice of medicine in Glasgow. The work was dedicated to Sir Gilbert Blane. Dr. Watt found that, in accordance with his own experience, the Glasgow burial registers showed a decisive decline of the deaths by small-pox after the introduction of vaccination. His researches extended over the 30 years 1783–1812,* which he divided into *five* equal periods of six years each. In the first three periods (1783–1800), before " vaccination could have had any influence," the deaths by small-pox in 100 deaths from all causes were 20, 18, 19; in the fourth period (1801–6), vaccination had nearly reached its maximum, and the deaths by small-pox fell to 9; in the fifth period (1807–12), when vaccination had " been pretty fully established, " perhaps as much so as in any other city in the empire," the proportion fell to 4. This gratifying result was to some extent counterbalanced by a slight increase in the proportion of deaths by whooping-cough, and a great increase in the deaths by measles. What was still more strange, Dr. Watt found that the proportion of deaths under 10 years of age, to the deaths at all ages, was rather greater in the last than in the first 6 years. He does " not see the smallest ground for the hypothesis that " vaccination does positive harm " " by infusing some peccant . . . . humor " into the constitution." But in the first period, " when a third of all the " deaths under 5 years of age were caused by small-pox," a child had the best chance of reaching its tenth year. Dr. Watt was far from expecting this result. He had found that " more than 50 per cent. of the " human species died before they were 10 years of age," and that 20 out of 100 born, excluding still-born, " perished by this dreadful malady."†

* Appendix to Treatise on Chincough, by Robert Watt, M.D. (1813), pp. 375–379.

† Dr. Watt describes vividly his astonishment, pp. 334–336 :—

" I began to reflect how different the case must be now! In eight years little more than 600 had died of the small-pox; whereas in 1784 the deaths by that disease alone

This is an important point in pathology ; and it must be admitted that although there were defects in his data Dr. Watt succeeds in showing (1) that small-pox was one of the great causes of death in Glasgow down to the year 1800, (2) that the deaths by small-pox were reduced to a fifth of their original number by vaccination, and (3) that the children died in nearly the same numbers as before, but of other forms of disease.

Glasgow was then rapidly increasing, and it is possible that the births were then increasing ; the mortality is therefore less than it appears to be by Dr. Watt's method. But this does not invalidate his induction. Glasgow has always been famous for its statistics, and these unfortunately show an increase of the mortality of children. Thus in the five years 1821–5 the mortality of boys under five years of age was 8·08, in 1831–5 it was* 9·78. In the year 1865 the mortality of boys in Glasgow was 11·48, of girls 10·36.† These recent returns confirm the principle. Small-pox is no longer so fatal as it was before vaccination was introduced ; in Glasgow it caused in the year 1864 no longer 20 but 2 in 100 deaths ; only 180 in 6054 deaths, that is 3 per cent. of the deaths under 5 years of age ; yet the mortality of children is certainly as high, probably higher, than it was in the last 18 years of the last century.

The compulsory vaccination in England has reduced further the fatality of small-pox, but since 1853 other diseases have so prevailed as to counter-balance the gain under this head. The mortality of children has not declined in a corresponding degree.

It is singular that Dr. Watt, evidently a practitioner of great sagacity, and a philosophical professor of medicine, does not at all advert to the wretched sanitary condition in which the increasing population of Glasgow lived at the time he was writing. Yet a part of Glasgow, so late as 1841, is thus described by M'Culloch.‡ "It consists of a labyrinth of "narrow lanes or wynds, whence numberless entrances lead off to small "squares, courts, or closes, which usually have a dunghill [human] in the "centre. These wynds and courts are formed of old, ill-ventilated, and "mostly dilapidated houses, varying from two to four stories in height, "without water, and let out in stories or flats ; one of the latter often "serving for the residence of two or three families. Frequently, however, "the flats are let out in lodgings, as many as 15 or 20 individuals being "occasionally found huddled together in a single room . . . . Filth, desti-"tution, and misery prevail to a frightful extent." I cite this passage to

---

amounted to 425, and in 1791 to 607, which on both occasions exceeded the fourth of the whole deaths in the year.

"To ascertain the real amount of this saving of infantile life, I turned up one of the later years, and by accident that of 1808, when to my utter astonishment, I found that still a half or more than a half perished before the tenth year of their age! I could hardly believe the testimony of my senses, and therefore began to turn up other years, when I found that in all of them the proportion was less than in 1808; but still in taking an average of several years, it amounted to nearly the same thing as at any former period during the last 30 years. This was a discovery I by no means expected, and how it could have come to pass appeared to me inexplicable.

"From every circumstance which had come under my observation, the efficacy of vaccine inoculation appeared certain. The experience of 13 years' pretty extensive practice had confirmed me fully in this opinion. But still the question recurred, how are we to account for the same or nearly the same number of deaths under 10 years of age? As no new disease has appeared, the deficiency occasioned by the want of the small-pox must have been made up by a greater mortality among the other diseases of children. Has it been equally divided among them, or has a greater share fallen to some than to others?" ["An inquiry into the relative mortality of the principal diseases of children in Glasgow. Appendix to Treatise on Chincough, pp. 334–336. By Robert Watt, M.D. (1813)."]

* M'Culloch; Statistics of British Empire, Vol. II. p. 547. Lancet, 1835–6, No. 12., paper by Mr. Edmonds.

† Report by Dr. Stark, F.R.S.E., 10th Report of Registrar General of Scotland, p. xxxiv.

‡ Geographical Dictionary, Vol. I, pp. 904–5, Art. Glasgow.

show under what circumstances the suppression of a most fatal type of disease did not diminish the mortality in Glasgow. And it is under unfavourable conditions of the same kind, although less in degree, that the mortality is now sustained in England, where the town populations constantly increasing, without equivalent arrangements for drainage and for accommodation in dwellings, are every year exposed to increasing dangers.

There are two diseases, scarlatina, and diphtheria itself a new type of disease, which have been exceedingly fatal since the year 1855, when diphtheria was first distinguished in the returns. Up to 1857 it was apparently confounded with cynanche maligna; but in 1858 it became popular, and in that year 4836 deaths, in 1859 no less than 9587 deaths, were ascribed to diphtheria. In 1858 and 1859 the deaths from scarlatina and diphtheria together were 30,317 and 29,494; in the two years 1863–4 the deaths from the same causes rose to 36,982 and 35,164. The mortality in 1858–9, from small-pox, had fallen to 3·35 and 1·97 annually in 10,000 living, while from scarlatina and diphtheria the mortality had risen in the two years to 15·72 and 15·13. In 1863–4 the mortality from small-pox was 2·93 and 3·73, from scarlatina and diphtheria 18·18 and 17·08.* While small-pox dwindled, these two zymotic diseases flourished at the expense of the growing population.

Small-pox, as a general rule, occurs only once in life; some children enjoy immunity against attack; they cannot be vaccinated, they cannot be inoculated; others are infected by the slightest exposure; and under infection some take the disease slightly, some malignantly, fatally. So it is with scarlatina, which now sweeps away a family of children, and is then slight or even unperceived in other families during the same epidemic; epidemics, however, varying in intensity and character from time to time, from place to place.†

It is impossible, in the present state of science, to reduce under any simple law the phenomena of disease development; but disease development is evidently associated with the life development of species, and has with it some analogies. It is, for instance, found by the English Life Table that of 1000 children born alive, 703 live to the end of the tenth year, 297 die in the 10 years of current life; and the deaths, frequent at first, become less frequent as the age of puberty is approached. The deaths run down rapidly from 149 in the first year to 5 in the tenth year of life; and they are the results of many types of disease, springing up in a certain order. The rate of death is, under the same conditions over a series of years, nearly constant. There is a determinable law of morbility, as there is a determined law of mortality.

While the living units of the generation have fallen in the proportion of three tenths, their constituent elements have augmented by growth: thus while, according to the determinations of M. Quetelet, the weight of 703 children of the age of 10 years is 17,702 kilograms,‡ the weight of 1000 children at birth is only 3055 kilograms; and going back to the ova, of which 1,000,000 would not be of the bulk of a cubic inch, or still further to their germ cells and sperm cells, which are microscopic points, we arrive at the elementary units of which these 1000 live-born children are the survivors. The embryo in its development is subject to casualties which probably increase as we approach its origin. But with this we have nothing to do. It contains in little elements which it has derived from both its parents, and which will or

---

* See Tables, pp. 234–9.

† Sydenham describes simple scarlatina distinctly: he does not refer to the throat affections, and says the patient can only die by the doctor's default. Joseph Frank describes the disease now as the most dreadful scourge in Europe. *See* Maladies éteintes et maladies nouvelles par C. Anglada, 1869, pp. 304–50.

‡ Quetelet sur l'homme, Vol. II. p. 37, 1 kilogram = 2·2 lbs. avoirdupois.

may reproduce their nature, the nature of their ancestors, and what is more immediately to our present purpose, the diseases by which they perished. To explain various phenomena in reproduction hitherto inexplicable, Mr. Darwin advances the theory of Pangenesis, in which he assumes that all the organs of the parents are represented by gemmules in the embryo.* It is a species of atomic theory in biology. Adopting the hypothesis for the moment, let us suppose that certain gemmules or corpuscles, or "germinal matters," are in the system of a child, capable of becoming the small-pox "granulations" of Chaveau, alone or after coalescence with the granulations of a small-pox patient, then it is conceivable that their metamorphosis, having exhausted the material, may leave the system insusceptible of any further invasion. The same reasoning will apply to measles, scarlatina, typhus, and other types of disease not recurrent.†

The human frame is built up of molecules passing through the evolutions which constitute the various phases of human life. But these molecules are completely deranged by other molecules of lower forms of life, such as the small-pox "granulations," *variolads* as they may be named, which convert variable quantities of the substance of the child's body into their forms, to be finally transformed into pus or into other corpuscles according as the child's life survives or succumbs in the struggle. Each zymotic disease is generated, we may conceive, by species of living molecules, which may be of a twofold nature, bearing some such relation to each other as the germ and sperm plasms of plants and animals, and becoming proliferous after coalescence, give rise to the various forms of epidemic disease. The danger of bringing great numbers of people into close proximity is well known; it evidently increases the chances of the coalescence, propagation, and diffusion of the various active disease molecules.

The life of these zymotic generations is the death of the elemental part of the human organism, and yet their development depends on its existence. This to some extent limits epidemics. The black death destroyed according to some accounts half the population of England; and the very force of its zymotic principle destroyed the pasture on which the death fed;

---

* Animals and Plants under Domestication. Darwin, Vol. II., pp. 357–404.

† Mr. Darwin gives a correct and succinct account of the current doctrine of the functional independence of the elements of the body:—

"Physiologists agree that the whole organism consists of a multitude of elemental parts, which are to a great extent independent of each other. Each organ, says Claude Bernard, has its proper life, its autonomy; it can develop and reproduce itself independently of the adjoining tissues. The great German authority, Virchow, asserts still more emphatically that each system, as the nervous or osseous system, or the blood, consists of an 'enormous mass of minute centres of action . . . . Every element 'has its own special action, and even though it derive its stimulus to activity from other 'parts, yet alone effects the actual performance of its duties . . . . Every single 'epithelial and muscular fibre-cell leads a sort of parasitical existence in relation to the 'rest of the body . . . . Every single bone-corpuscle really possesses conditions of 'nutrition peculiar to itself.' Each element, as Mr. Paget remarks, lives its appointed time, and then dies, and after being cast off or absorbed, is replaced * * * Whether each of the innumerable autonomous elements of the body is a cell or the modified product of a cell, is a more doubtful question, even if so wide a definition be given to the term, as to include cell-like bodies without walls and without nuclei. * * * * * Physiologists maintain, as we have seen, that each cell, though to a large extent dependent on others, is likewise, to a certain extent, independent or autonomous. I go one small step further, and assume that each cell casts off a free gemmule, which is capable of reproducing a similar cell. * * An atom of small-pox matter, so minute as to be borne by the wind, must multiply itself many thousandfold in a person thus inoculated. It has recently been ascertained that a minute portion of the mucous discharge from an animal affected with rinderpest, if placed in the blood of a healthy ox, increases so fast that in a short space of time 'the whole mass of blood, weighing many 'pounds, is infected, and every small particle of that blood contains enough poison to 'give, within less than 48 hours, the disease to another animal.'" [Animals and Plants under Domestication. By C. Darwin, M.A., F.R.S. Vol. II. pp. 368-9-70-77-78.

it put an end to a mass of the people living; and to this extent at least it diminished its own mass; it burnt up in a few years its elements in those surviving; and it encountered other organizations, whose career it could not arrest. So every year recent epidemics subside on this ground; or they are limited by the operation of conflicting disease molecules. For if there is a struggle for existence among the visible forms of life, and if the struggle is the severer, the nearer these forms are allied, is there not also the same struggle among the elementary independent particles of life, to which epidemics are due? Theirs is also a struggle for subsistence.*

The constituent units of the body, however independent they may be in their action, are not independent in the same sense as infusorial units, but form parts of one whole, of one *microcosm*, on whose life they depend. As the one may be called the corpuscular life the other may be called the cosmical life of the species: and each species has conditions favourable to its own existence, unfavourable to other existences; alter these conditions essentially, and the life of a given species, gains or loses its ascendency; the matter of which it disposed, no longer employed in its further development towards perfection, is abstracted and appropriated by other forms of life. The Glasgow victims were gathered together from all quarters, from the Highlands, from Ireland, and from elsewhere; they were lodged in conditions unsuitable to human life; but excessively favourable to the generation of disease molecules, which abounded in the air, water, and food, as well as in their own structures. To render them unassailable by *variolads*—the matter of small-pox—was not enough, for it left them exposed to the other forms of disease. Thus in a garden where the flowers are neglected, to keep off thistle-down merely leaves the ground open to the world of surrounding weeds.

The spread of small-pox, scarlet fever, and diseases of that kind is analogous to many chemical and natural phenomena. Thus a spark falls, the fire spreads, and a city is in flames. The process of combustion, like a plague, is propagated. Atoms of hydrogen and oxygen combine the instant they touch a kindred flame, and combustion goes on self-sustained so long as those elements are supplied. Water is the product. But the flame may be kindled by other elements in combustion; and water will not generate water; not so with fermentation. A little leaven leavens the whole lump; and the leaven left propagates other leaven. Yeast in wort converts its sugar into alcohol; wines ferment and undergo various changes; so do milk, butter, cheese, and other animal products; each fermentation has at least one specific chemical product, be it alcohol, acetic acid, lactic acid, or butyric acid; and also one ferment. It is the great merit of Pasteur to have established by ingenious and experimental research, that all these ferments consist of organic molecules, propagated from previous molecules of the same kind. He has shown not that spontaneous generation is impossible, on the confines of the three kingdoms, under every possible condition, but that the fermentations in all the cases he examined were set in motion by specific pre-existing germs; multiplying indefinitely by reproduction under given conditions.

Through self-propagating chemical action, as instanced in combustion, we enter the region of fermentations, where there is also chemical combination, but in dependence on the action of living corpuscles on lifeless matter of organic origin.

Again, we find living molecules in living animals inducing series of changes in the cosmical life, as for example in the ox or in the silkworm.† This differs from fermentation; it is a case of strange corpuscles at work

* Thucydides notices that during the plague of Athens other diseases declined: "And "besides this, none of those diseases to which they were accustomed afflicted them at "that time; or whatever there was ended in this." Hist. L. II. 51. He refers to this twice, and it has been since matter of common observation.

† See Pasteur on Silkworm disease.

in the midst of the constituent corpuscles of a living being. The struggle and the reaction of the conflicting elements produce the phenomena of diseases, such as small-pox. Granules of vaccine lymph, for example, inserted in the arm of a child, give rise to heat, swelling, redness, pustules, maturation, cicatrix ; in cows they produce a disease of another form, cow-pox ; in horses they give rise to grease. The corpuscles are specific in their nature, as is shown by the reactions, nearly uniform, which follow in the same animals ; reproducing themselves in the same structures ; and giving rise to indelible modifications of the corpuscles (biads) of which individuals affected are built up. The diseases of this nature are called zymotic diseases; the peculiar processes zymoses ; to distinguish them from fermentations, with which they have more points of contact than they have with combustion, or any common propagated chemical action. This class of diseases may be designated by a letter ; or by an arbitrary word invented for the purpose ; and so may the process ; but it is quite in accordance with English practice to designate a class of phenomena by a name derived from the Greek, without thereby implying that the new name is either limited or defined by the Greek root.*

Each disease has its peculiar germinal matter ; which can sometimes be isolated, as in the case of small-pox, cow-pox, syphilis, glanders, purulent ophthalmia, cholera ; while in other cases, as in influenza, its existence is assumed by analogy and hypothesis. It is useful for the sake of explanation and discussion to give these various matters names ; thus the vaccine lymph is called *vaccinine ;* the granulations of Chaveau, *vaccinads ;* variola lymph, *varioline* ; and its corresponding elements, *variolads.* Instead of cells, globules, germs, granules, gemmules, protoplasm, germinal matter, or other descriptive names which have been given to the organic units, it will be convenient to adopt some such generic word as the "atom" of chemists. Monad has been appropriated in another sense, and "biad" from bios, (βίος life, evidently allied to *βία force*) the root of biology, may be conveniently employed. The ultimate organic atom of chemists, like the inorganic atom, is beyond the reach of the microscope ; but these *biads* may be, or become visible. Physically they are like blood-corpuscles (*hæmads*).

The zymotic elements differ essentially in their powers, but it is not likely that they can all be distinguished by the microscope. They are known by their effects. By them and by other causes out of 1000 born in Liverpool, 518 children were destroyed in the first ten years of their life ; some by small-pox, many by measles, scarlatina, whooping-cough, many by typhus and enteric fever ; one disease prevailing in one year, another disease prevailing in another, but still yielding the like fatal results. This represents what Dr. Watt found at Glasgow long ago. Out of 1000 children born in London, 351 die under ten years of age by zymotic diseases and other causes ; the deaths are less by 167 than the deaths in Liverpool. How much less is the loss of life by these diseases in the healthy districts of England ! There, out of 1000, only 205 children die in the first ten years of life. The enormous difference cannot be ascribed to vaccination, as common in town as in country ; the protection of life against small-pox alone leaves it still at the mercy of the other dangerous diseases of the insalubrious city. There the conditions are in favour of disease-life, and in the highest degree unfavourable to human life.

---

* Lavoisier called a well-known gas *oxygen,* on the ground that it forms in combination all the acids with which chemists were then acquainted. Ὄξος is "sour wine," "vinegar"; and "vinegarmaker" would be a tolerably literal translation of "oxygen," but by no means a good definition of that wonderful element. Some writers have foolishly objected to the name, since the discovery of hydrochloric, and other acids containing no oxygen. So when *zymosis* derived from the Greek root *ζύμη leaven* is employed to designate a series of disease processes in men and animals, it is not intended to confound these processes with fermentation. If fermentation expressed the idea, that word would be used. ζύμη is probably drawn by a similar process from ΖΕΩ to boil, seethe, bubble ; the bubbling of boiling water, and fermentation presenting some points of resemblance; intestine motion and heat.

Protection against small-pox, and against all forms of imported disease, if that were practicable, should not be neglected; the isolation of the invaded individual; the destruction of the secretions by chemical agencies; chlorine, ozone (permanganate of potash), carbolic acid, sulphurous acid, vinegar, camphor, and other substances, found by experience to be destructive, or prejudicial to the zymotic elements, should all be brought into play. These elements are causes of death, but an order of causes lies still higher.

The primary object to aim at, is placing a healthy stock of men in conditions of air, water, warmth, food, dwelling, and work most favourable to their development. The vigor of their own life is the best security men have against the invasion of their organization by low corpuscular forms of life; for such the propagating matters of zymotic diseases may be held to be. Vaccinate by all means; but at the same time provide streets, spaces, dwellings, water, drainage. Do not leave the dirt in rookeries, in pits, in dunghills. What are municipal bodies, town councillors, aldermen, mayors, provosts good for, if they cannot by administrative measures displace rookeries by healthy habitations, supply the people with water, and with the means of "cleanliness," which stands proverbially "next to godliness"?

If we ascend from zymotic disease to its generating element, and from this to bad dwellings, bad habits, and bad municipal organization, causes are often found lying beyond these in bad laws. A city becomes the seat of trade and manufactures, in which many workmen from the country are required: families are brought together, and are crowded in existing houses; and it is found impossible to extend the house accommodation by building new houses, on account of the existing land tenures. The owners, whether corporations or individuals, hold on limited tenures, and as they cannot sell the freehold, or grant leases for long terms of years, the land is unavailable for building purposes. Houses are not built to meet the demand, and the want of decent dwellings is inevitable. To abolish all the rookeries is possible now, with free and cheap locomotion, if the law give facilities to the acquisition of that necessity of healthy life—sites for dwelling-houses. A bad land tenure is a cause of death.

Again, as properties are often let on lease for terms of years at stipulated rents, under covenants by tenants to pay rates and taxes, the tenant cannot justly be called upon to pay within his term the cost of permanent improvements, which will pass into the landlord's hands when the lease expires; the landlord should by law pay the capital, the tenant the interest.

The study of the causes of death in the zymotic class enables us to lay down some rules for the limitation of their ravages.

1. This is a primary rule: place the population in the sanitary conditions found by experience to be most favourable to health. Without this preliminary, all the other measures are futile. The elements of the body fall into decay and degeneracy of themselves, under unfavourable conditions, without any external infection.

2. Fortify the body by a mild disease, if any such is known, against a severe disease. Vaccination, or even inoculation, if vaccination had not been discovered, is properly practised under this rule. But it should be universal to be really successful. The inoculation of a few spreads small-pox among the many. To operate on the mortality, protection against *every one of the fatal zymotic diseases is required;* otherwise the suppression of one disease-element opens the way to others.

3. The suppression of zymotic action by specific applications in the earliest stage of invasion is sometimes possible, as in the diarrhœal stage of cholera. Careful experiments on this matter are required; for the prodromal stage is not always detected, and treatment is either not tried, or, if successful, the existence of the disease itself is questioned.

4. The suppression of the generating beds of disease in unhealthy populations can scarcely fail to be efficacious. To suppress plague, suppress the wretched sanitary conditions of Egypt; to suppress yellow fever, go to St. Thomas, New Orleans, and its other breeding grounds; to put a stop to pandemic outbreaks of cholera, cleanse the waters of India, and improve the condition of the population; to extinguish enteric fever and typhus in our cities extinguish the rookeries.

5. Syphilis is dealt with on this principle under the Contagious Diseases Act. The forcible detention of infecting women in hospitals is humane and justifiable; but why is the principle not extended to both sexes? Here, to be successful, all the ascertainable sources must be stopped.

6. The destruction of the zymotic germs by chemical agents, by fire, and by disinfectants should in all cases be enforced.

7. Water in rivers charged with sewage, or shallow wells, conveys the germs unchanged (zymads) of some zymotic diseases, as it conveys animalcules and the ova of worms. The pure water of the hills is the safest.

8. The diffusion of several zymotic diseases, among them small-pox, measles, and scarlatina, is probably effected by detached flakes floating in the air. This danger is lessened by some such treatment as Dr. W. Budd has suggested.*

The chemical destruction of the dejections in these diseases, and especially in enteric fever and cholera, are measures of precaution which should never be neglected.

Earth is a great disinfectant, and the changes going on in the soil soon convert the excreta into harmless manures. There is no evidence to show that the disturbed cemeteries of the dead in past plagues have ever given rise to new outbreaks; and the dry earth applied on Mr. Moule's system is as safe a disinfectant as can be used, but in epidemic seasons the stuff should be buried and not be scattered on the ground. It would be well too, as in dangerous times such precautions cannot be adopted in dealing

---

* The following is a summary of the precautions recommended by Dr. W. Budd:

1. The room [in which the patient is detached] is dismantled of all needless woollen or other draperies which might possibly serve to harbour the poison.

1*. Thorough ventilation of the room to be maintained by an open fire and other means added.

2. A basin, charged with chloride or carbolate of lime or some other convenient disinfectant, is kept constantly on the bed for the patient to spit into.

3. A large vessel, containing water impregnated with chlorides or with Condy's fluid, always stands in the room for the reception of all bed and body linen immediately on its removal from the person of the patient.

4. Pocket-handkerchiefs are proscribed, and small pieces of rag are used instead for wiping the mouth and nose. Each piece, after being once used, is immediately burnt.

5. As the hands of nurses of necessity become frequently soiled by the specific excreta, a good supply of towels and two basins, one containing water with Condy's fluid or chlorides, and another plain soap and water, are always at hand for the immediate removal of the taint.

6. All glasses, cups, or other vessels used by or about the patient are scrupulously cleaned before being used by others.

7. The discharges from the bowel and kidney are received *on their very issue from the body* into vessels charged with disinfectants.

8. About the fourth day of the eruption the surface of the body, scalp included, to be anointed *twice a day* with olive oil slightly impregnated with camphor; the oiling to be continued until the patient is well enough to take a warm bath, in which the whole skin is well scrubbed, disinfecting soap being abundantly used. The baths to be repeated every other day until four have been taken.

9. Ten days after health is quite re-established the patient may, in new clothes, without risk, re-enter his family.

10. The children of the poor, who have no means of isolating their children, to be treated in small model hospitals or houses set apart by towns or parishes for the purpose.

11. The sewers to be kept in a state of permanent disinfection where the disease prevails. This is done in Bristol under the direction of the Health Officer.

with sewage, to disinfect it in the houses and in the sewers on its way to irrigation fields.

9. The assembly of large masses of men in pilgrimages, or in any way, produces often coalescences of zymotic elements, which thus acquire intense activity, and spread far and near: conditions for the regulation of such assemblages may be therefore fairly enforced.

10. The vessels which place distant shores in communication should be under strict sanitary regulation, to intercept the transit of epidemics.

11. The interception of the intercourse and commerce of nations by quarantine is injurious to their vital interests. It should be kept within the narrowest limits; and England should carefully abstain from treading in the steps of the fanatical populations of the Mediterranean. They should be invited to follow her example by its success.

12. As zymotic diseases of domestic animals are governed by the same general laws as the corresponding diseases of men, similar methods of prevention should be pursued in dealing with live stock.

By observing these simple rules we shall limit the ravages of common epidemics and perhaps avert those secular plagues which have several times depopulated Europe. New species of diseases,—of zymads may be generated, and these may under unfavourable conditions spread with destructive virulence among men, but never, we may hope, so as to recal the ravages of the Athens plague, of the Antonine plague in the second century, of the Gallus plague in the third century, of the dreadful Justinian plague of the sixth century, of the devastating black death of the fourteenth century, of the sweating sickness so fatal to Englishmen, and, still more recently, the great plagues of the seventeenth century. Cholera has been virtually subdued, and we have no reason to despair of success in the future encounters of science with these impalpable but fell destroyers.

II. Constitutional Diseases.

Constitutional diseases are of variable and uncertain seat. They are characterised by the production of matters, not its natural constituents, from the elements of the body, which they deteriorate or destroy. Cancer is a type; in its different forms it was fatal in the year to 2,650 males and to 5,895 females, chiefly after the age of growth—of reproduction—was over. Mortification occurs still later in life, and is more fatal to men than to women.

The Tubercular order occurs in some of its forms in early childhood. Then supervenes hydrocephalus, with tubercles on the brain and its membranes; or tabes mesenterica, with similar deposits in the mesenteric glands; or scrofula, with deposits in the bones and the integumentary system.

Phthisis is the most fatal not only of this order, but of all the forms of disease. It is especially the disease of youth and early manhood.

III. Local Diseases.

These include the inflammations of all parts of the body. By the production of pus they are associated with the second class of diseases. They include all the mechanical changes, such as hernia, as well as functional diseases, such as insanity. In England four tenths of the deaths fall under this great class.

The deaths ascribed to diabetes have increased of late years; the increase is very observable since 1858; and the mortality rose to its maximum in 1864, while since that year down to 1867 it has been stationary (see Table 12, p. 236). Diabetes is characterized by an

abundant flow of urine containing grape sugar, which has been traced to the blood, and by Bernard to a secretion in the liver of *glycogene* or *amyline*, transformed into sugar by the aid of a ferment.*

The Tables 26, 27, show the deaths in England from diabetes extending over a period of 20 years. In the first period (1848–54) the annual deaths were 405, in the second period 557: the mortality to a million living in the two periods was 23 and 28. The mortality of males in the second period was nearly the same as the mortality of females at all ages up to 15: then it became as 21 to 14 at the ages 15–25; in middle life and onwards (25–65) as 2 to 1; after 65 the disparity became as 4 males to one female. The deaths of children were few; the mortality doubled every 5 years up to 15; and then went on increasing up to the age of 75; when the fatal process gave way to others as life wore away.

IV. Developmental Diseases.

The child is prematurely born, is ill-formed, feeble; the mother perishes in giving birth to her children; or the body decays, and its elements fade away. The deaths under these heads are in the proportion of 17 in 100 deaths from all causes.

I have singled out one cause of death for investigation, on account of its special importance. It is childbirth.

The weddings of each year are followed, as the months roll on, by the births, and in some unhappy circumstances the births are darkened by the funeral pall of death. That does not often happen, but the cases are sufficiently numerous to attract attention on this ground alone. 3412 mothers died by childbirth in the year.

For 21 years on an average, 50 in 10,000 childbearing mothers died. It is 199 chances to 1 that the mother will survive; but at the bottom of the urn lies that one fatal black ball. Then risk is incurred five times by mothers on an average.

The chances of death vary from year to year: thus in 1848, out of 10,000, 61 mothers, while in 1857 42, died; in 1862–7 the proportion was 48 out of the same number bearing children. The mortality is greatest in first pregnancies.

Two grave defects in the registers of the United Kingdom deprive them of much of their utility as pedigrees, and as records of facts for the solution of the great problems of population. Neither the age of mothers at the births of each of their children, nor the order of birth, is recorded; so that the number of children borne by women at different ages, and in the course of their lives, cannot be ascertained. This defect was supplied in the first schedule of the Scotch Act, but the important parts of the schedule were unfortunately discontinued after 1855. Dr. Stark turned some of the precious results of that year's registration to account; and so has Dr. Duncan in his valuable work on Fecundity.† Dr. Duncan proves from various sources that the mortality in the first pregnancy is to that in subsequent pregnancies nearly as two to one; and from the data he has collected it may be assumed, until further observations are made, that about 1 wife in 8 or 10 is sterile.

How can we determine the number of firstborn children in England annually? It must evidently bear some relation to the marriages. Now the annual number of legitimate children in the six years 1862–67 was 695,597, and the annual marriages in the six years 1856–61, with which they may be fairly compared, were 162,681, of which 147,804 were mar-

* See a good account of the pathology of diabetes in Dr. J. H. Bennett's excellent lectures on clinical medicine, 4th ed., p. 909. See also Dr. Pavy's careful researches on the nature of diabetes, 2d ed., 1869. For a masterly exposition of the phenomena of the disease, see Sir Thomas Watson's lectures.

† See Dr. Stark's 1st Report to Registrar General of Scotland, p. xviii; also Dr. Duncan on Fecundity, Fertility, Sterility, &c. Black, Edinburgh, 1866, pp. 241–7.

riages of spinsters: so that the births to a marriage are 4·276; the births to each woman married are 4·706. The births to each procreant wife—if only 133,024, or *nine* in *ten* wives, have living children—must be 5·229. Consequently as families consist of one, two, three, four, up to ten or more children, and every family has one firstborn child, it is evident that the firstborn children in wedlock will be to the total children so born as 133,024 to 695,597; or as 1 to 5·229. We can from these proportions infer that about 19 per cent. of the children in wedlock are firstborn; but to get the number of women bearing first children, the mothers of the children born out of wedlock must be brought into account, and some corrections must be made. This being done, it will be found that the 3600 annual deaths in childbirth during the six years 1862–67 imply about 48 deaths to 10,000 delivered; and if, as is found by other observations, the mortality in first deliveries is proportionally to the mortality in subsequent deliveries as 2 to 1, the mortality among English mothers will be 80 in 10,000 for first children, and 40 for subsequent deliveries, taken in the aggregate.*

There were 1066 deaths in the year 1867 referred to metria (puerperal fever), and 2346 to the other dangers of childbearing, including, specifically, miscarriages 55, abortion 75, puerperal mania 85, puerperal convulsions 366, phlegmasia dolens 65, extra-uterine fœtation 11, retention of placenta 34, breast abscess 9, flooding 483, placenta prævia 149, rupture of uterus 41, deformed pelvis 10, operation for craniotomy 1, Cæsarian operation 4; the particular causes of 958 deaths being unassigned. In addition to these deaths by childbirth, the particulars of 521 deaths by other diseases after childbearing are given, as these other diseases were the main causes of death. Then 16 other deaths by diseases are specified as having occurred to pregnant women. There are about 576,262 women† with child, and the deaths among them would amount to 6339, at the rate common to their age. It is not likely that early pregnancy is mentioned in the certificates, unless it had a direct connexion with the death; so as 3949 of the deaths are here accounted for, the deaths from other diseases must have been less than the deaths among men from those other diseases at the corresponding ages. Small-pox, scarlet fever, enteric fever, typhus, cholera, are almost invariably fatal to the women with child attacked; but whether they enjoy a certain immunity from attacks of disease, well deserves inquiry.

I have endeavoured to show in the Tables 19–25 the mortality of childbearing women at different ages during the 7 years 1848–54, and 13 years 1855–67. In the former period 5·31, in the latter period 4·83 women in 1000 delivered died. The mortality was lowest in the middle of the childbearing age (25–35): then about 4 in 1000 died; at the earlier age (15–25) the mortality was 6 or 7 in 1000; so at the later age (35–45) it was 6; and at the extreme age of 45–55 it ranged up to 7 or 9.

The mortality is shown from *metria*, and from all other causes. It is twice as high from *metria* at the earlier age 15–25 as it is at the subsequent ages: thus the rate is then 2·66, and afterwards 1·38 in the 13 years 1855–67. The mortality from all other causes is higher in the early than in the middle period; but it increases rapidly as age advances. The higher mortality from metria in early life can scarcely be explained, without taking into account the element of non-recurrence in zymotic diseases. Few recover from severe attacks of metria, but may not those who have had slight attacks be to some extent exempt for the future? The first deliveries test the mother's physical capacity as a child-bearer. And for obvious reasons, as where the pelvis is narrow, some succumb in the hour of trial.

---

* See Note on Firstborn, page 226.

† Equal to three-fourths of the annual births, pregnancy running about nine months.

In England the mortality by childbirth to every 10,000 *women living*, in the four decenniads of age from 15 to 55, was 3·96, 8·96, 8·66, and 0·65 in the period from 1855–67 ; in the preceding period it was higher at all ages. The excess in the middle age 25–35 is due to the great proportion of married childbearing women at that age, and to the number of pregnancies then occurring. The excess of violent deaths among males of 15 and under 35 does not raise the mortality from all causes to the same pitch as the mortality of females. At the age 25–35 the deaths to 10,000 living men are 95·5, while the mortality of women at the corresponding age is 98·7 ; the excess is 3·2, with which the mortality by childbearing, 8·96, may be compared.

The mortality by childbirth is much less under the age of 35 in the healthy districts than it is in London and the large towns ; but after 35 the women in the country die by childbearing in larger numbers than the women in the towns. In towns they are more exposed to puerperal fever; in the country many, probably, perish for want of skilful help. During the ten years 1851–60, to 10,000 births in the Eastern Division (Essex, Suffolk, Norfolk), 41 mothers died in childbirth, in London 49, in Lancashire and Cheshire 54, in Wales and Monmouthshire 61 : in the healthy districts the mortality in childbearing was 43, in the large towns 49. Nothing in England approaches the fatality to mothers in Wales, where they must be greatly mismanaged.*

In the English and Welsh healthy districts the mortality at the ages 15–45 of women is higher than the mortality of men from all causes : thus, of 1000 living at the age 25–35, the men die at the rate of 8·18, the women at the rate of 8·94 ; the excess on women is 0·76 ; and the excess is nearly the same through the whole of the procreant part of life.†

How can the dangers of childbearing, which have been traced to various causes, be alleviated ? This question was asked many years ago, and was answered by the establishment of lying-in hospitals. Many of the mothers are poor married women ; and some of them, unmarried, abandoned, inexperienced, repudiated by society, incur double dangers. What seemed more likely to save these women in travail from peril than the Maternity ? Unfortunately, experience has proved that the assemblage of childbearing women under one roof gives rise to fatal epidemics of childbirth fever ; and the mortality is almost invariably in excess of the mortality in detached dwellings. No help is to be expected from Maternities.

There is hope, however, to see the mortality sensibly reduced by the progress of midwifery. The mechanism is better understood. And various difficult problems will no doubt be solved, as has been the case in *placenta prævia*.

Cases in country places are in the hands of midwives and men, who are sometimes skilful by instinct, but are often not well versed in the art as it is now practised by the skilful. Educated nurses as well as physicians are required to secure the best chance of life to mother and child. And it is satisfactory to know that this want is now attracting attention. The Lady who has done so much good in other directions is, I believe, directing her attention to this question.

Young mothers themselves require instruction and special care. By living naturally and in conformity with the laws of life, they save at the same time themselves and their offspring. Few women in advanced pregnancy can stand hard work, to which they are sometimes exposed.

The utmost care on the part of medical men who practise as accoucheurs is indispensable. That puerperal fever has been transmitted from patient to patient is deplorably true. No precautions can be too great.

---

* See Tables 23, 24, p. 244.

† See Table 22, p. 243.

Then the contagion of scarlatina evidently in some cases lights up a puerperal disease, which has not yet been distinguished from puerperal fever. So does erysipelas, and so do perhaps other diseases. The dangers of a general hospital to puerperal women have been revealed by recent experience. Students cannot study in the dissecting room and at the same time practise midwifery without risk.

Nurses are often mediums of disease. Nothing is more fatal than any of the forms of dirt and uncleanliness in the lying-in chamber. Where fever comes on, disinfectants should be strenuously used.

By the greater attention this subject will attract, now its full importance is precisely known, we may hope to see a great diminution in the risks of childbirth.

At present the mortality is greater among women whose lives are insured at the childbearing age than it is among men. And the premium for the insurance of a pregnant woman is generally higher than the common tabular rates. The previous data show that the general risk of a first delivery in England is covered by a premium of 16*s.* on 100*l.*, and of subsequent deliveries by a premium of 8*s.*; the premium of 10*s.* for each of 200 deliveries taken indiscriminately covers the common risks. It has been noticed that after a woman has borne nine children*, the pregnancies often follow each other in rapid succession, probably from an obvious physical cause, and that the danger increases; age advancing is itself a danger.

V. Violent Deaths.

This class of deaths by electrical, chemical, and mechanical agencies presents in the first instance distinct changes in the body. A living man thrown into the flames of a fiery furnace is consumed as instantly as so much coal, and is converted into nearly the same chemical products. An actress is scorched by her clothes taking fire, and dies in a few hours; or a burnt child lives for some days, and then dies of ulcer of the duodenum. The ulcer of the duodenum is the immediate cause of death; but we ascend from the ulcer to the burn; from the burn to the combustible dress; and from that, perhaps, to the negligence of the mother. Poisons give rise to trains of morbid processes, which are easily confounded with zymotic and with local diseases. Mechanical injuries produce physical, chemical, and vital changes; if not immediately fatal, they are generally followed by inflammation and its consequences. Thus the deaths of this class are allied on the one hand to local diseases by their pathology, and to zymotic diseases by their external causation; but this is their distinctive character: they can always be referred to some external cause, and that external cause is generally controllable by human agency.

It is only correct to say, that deaths by violence are more frequent in civilized than in barbarous communities, when we leave out of sight the slaughters of war and the perils of starvation. But as the progress of civilization depends very much upon the free application and employment of the vast forces of nature in the intercourse and arts of life, it is found practically in this country that deaths by violence are rapidly increasing in England. Special precautions are demanded.

There is no increase of death from murder and manslaughter in the 10 years 1858–67, nor is there any increase in the deaths ascribed to suicide; but in the deaths said to be by accident or negligence the increase is too manifest. Thus 7 in 10,000 died by violence in the year 1857; and 8 in 10,000 in the year 1867. The deaths by violence to the same population ranged from 7·16 to 7·60 in the four years 1851–54; from 7·95 to 8·35 in the four years 1864–67.

---

* See Duncan on Fecundity, Fertility, Sterility, &c., pages 131 and 247.

To get at the primary causes, the violent deaths for each of the five years 1863-67 are given in a series of tables (pp. 174–204), under various heads. The deaths of males and females are classed under the heads of (1) railways, (2) mines, (3) mechanical injuries elsewhere, (4) chemical injuries elsewhere, and (5) asphyxia, with a great variety of sub-divisions. A great increase in the deaths on railways and in coal mines is noticeable.

I have the honour to be,
Sir,
Your obedient servant,
WILLIAM FARR.

To . . . . . .
The Registrar General.

NOTE on FIRSTBORN (*referred to on page* 223).

To get the number of *firstborn* children by *mother* from the total number of children c born in wedlock to w wives: let 0·9 or any fraction s be the co-efficient of fertility, then it is evident that $sw = w' =$ number of procreant wives out of w wives. $\frac{c}{w'} = \frac{c}{sw} = f = \frac{695,597}{133,024}$ = average number of children in the family of a fertile mother, made up of families compounded variously of one, two, three . . . n children; unless the wife has before marriage borne children every family thus constituted has necessarily one *firstborn* child to mother: and the number of *firstborns* in the legitimate births of a year are thus determinable, as they $= w' = \frac{c}{f}$.

To determine from the English returns the mortality from childbirth, on the assumption that the first child-bearing is twice as fatal as those following, we have this equation:

$$2xa + xb = d = \text{deaths by childbirth} \quad \therefore x = \frac{d}{2a + b} = \cdot 003975 = \frac{3,600}{905,590}$$

where $2x$ represents the rate of mortality in the first pregnancy, a represents the number of such childbirths in the given year, and b = the childbirths of all other orders from second to last inclusive.

Let d include the mothers either married or single dying in childbirth. Then to complete the estimate of the firstborn the children born out of wedlock must be brought into account; their average numbers in the six years were 46,181. What numbers of children in the aggregate do these mothers bear out of wedlock? not *two* probably on an average: and if the proportion of the firstborn among the children is taken at *two* in *three* it will imply that two such women bear on an average three illegitimate children; that two-thirds of the illegitimate are firstborn.

ANNUAL BIRTHS IN ENGLAND IN THE SIX YEARS 1862-67.

	Total Children Born.	First-born.	Second-born and others.
	$(a + b)$	(a)	(b)
Children born -	741,778	163,812	577,966
Legitimate -	695,597	133,024	562,573
Illegitimate -	46,181	30,788?	15,393?

ENGLAND.

ANNUAL MARRIAGES in the 6 years 1856-61 -	162,682
HUSBANDS marrying for FIRST TIME -	139,930
WIDOWERS - - - - - - -	22,752
WIVES marrying for FIRST TIME -	147,805
WIDOWS - - - - - - -	14,877
CHILDREN BORN ANNUALLY, 1862-67 - -	741,778
IN WEDLOCK - - - - - -	695,597
OUT OF WEDLOCK - - - - -	46,181
(d) ANNUAL DEATHS of MOTHERS by CHILDBEARING in the 6 years 1862-67	3,600

The above reasoning supplies us with the means of answering this question approximatively: What is the proportion of firstborn to mothers in the population? Among the portion of the population born in wedlock nearly 1 in 5, or 19 in 100, are firstborn. This proportion could only be disturbed to any extent by emigration or by a difference between the rate of mortality among the firstborn and the subsequent born children of families. The proportions among the children not born in wedlock would be very different; and there is reason to believe that the casualties of infancy cut down their numbers.

The number of men exceeds the number of women who marry more than once; hence the proportion of firstborn children to total children of fathers is less than the proportion of firstborn children to mothers. Thus the mean annual number of children born in wedlock in England (1862-67) was 695,597; the mean annual number of marriages (1856–61) was 162,682; that is 162,682 men married 162,682 women in those years; now if we divide 695,597 by the annual number of husbands marrying one or more times in their lives, namely, about 139,930, the mean number of legitimate children by one wife or more to each husband is 4·971.

Thus if the fathers marrying at 28, aged 34 when their children are born, divide their property equally among their legitimate children, and nine in ten fathers have children, the nine fathers will have on an average 5·52 children, and will leave at death, taken at the age of 64, about 3 children, so the property will be divided into 3 parcels on an average. This is exclusive of the sub-divisions of the property of childless fathers.

In France the proportions of children are much lower: to each husband only 3·637 children are born to his one or more marriages: and, taking nine in ten as fertile, the average family will consist of 4·041 children; so, taking the proportions to survive as the same, the property will only be divided into *two* parcels.

The firstborn to fathers in 100 of the population will be 18 in England, 25 in France; *one* in *five* or *six* in England, *one* in *four* in France, is a firstborn child.

Second-born children are fewer in number than firstborn: and firstborn = last-born children.

TABLE 1.—**Excess** or **Defect** of **Annual Rate** of **Mortality per 1000** of **Males** and **Females** in **England** in the **Year 1867** over or under the **Mean Annual Mortality** of the **30 Years 1838-67.**

	AGES.—MALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 &upwds
MEAN of 30 YEARS –	23·33	72·42	8·79	4·95	7·90	9·93	13·03	18·16	31·53	68·54	147·74	309·22	446·87
YEAR 1867 – – –	23·40	67·98	6·60	4·07	7·26	10·80	14·34	17·61	31·59	78·91	157·44	355·38	521·54
EXCESS of 1867 –	0·07	−4·44	−2·19	−0·88	−0·64	0·87	1·31	−0·55	0·06	10·37	9·70	46·16	74·67

The Table may be read thus :—The Mortality per 1000 of Males in the Year 1867, at ages 25 and under 35, exceeded the Mean Mortality per 1000 of 30 Years by ·87, while, on the contrary, at the age 15 and under 25 the Mortality in the Year 1867 was *less* than the Mean Mortality of 30 Years by ·64; the deficiency being indicated by prefixing the minus sign thus (−0·64).

	AGES.—FEMALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 &upwds
MEAN of 30 YEARS –	21·51	62·46	8·67	5·10	8·22	10·15	12·30	15·67	28·56	57·52	135·36	283·07	432·05
YEAR 1867 – – –	20·65	58·41	6·29	3·91	7·33	9·31	11·49	16·10	31·14	51·19	148·42	299·25	442·22
EXCESS of 1867 –	−0·86	−4·05	−2·38	−1·19	−0·89	−0·84	−0·81	0·43	2·58	−6·33	13·06	16·18	10·17

TABLE 2.—**Deaths** in **England** from **Scarlatina, Cynanche Maligna,** and **Diphtheria,** for each of the **Years 1855** to **1867.***

YEARS.	TOTAL.	SCARLATINA.	CYNANCHE MALIGNA, and DIPHTHERIA.	CYNANCHE MALIGNA.	DIPHTHERIA.
1855 – –	17,314	16,929	385	199	186
1856 – –	14,160	13,557	603	374	229
1857 – –	14,229	12,646	1,583	1,273	310
1858 – –	30,317	23,711	6,606	1,770	4,836
1859 – –	29,494	19,310	10,184	597	9,587
1860 – –	14,517	9,305	5,212	376	4,836
1861 – –	13,594	9,077	4,517	303	4,214
1862 – –	19,737	14,834	4,903	341	4,562
1863 – –	36,982	30,475	6,507	384	6,123
1864 – –	35,164	29,700	5,464	366	5,098
1865 – –	21,845	17,700	4,145	193	3,952
1866 – –	14,685	11,685	3,000	226	2,774
1867 – –	15,063	12,300	2,763	163	2,600
Total – –	277,101	221,229	55,872	6,565	49,307

* Previously to 1859 Diphtheria was referred to Scarlatina. Previously to 1861 Cynanche Maligna was referred to Scarlatina; since that time to Diphtheria.

TABLE 3.—**Deaths** in **England** from **Diphtheria** and **Cynanche Maligna,** at different AGES, in each of the **Years 1855-67.**

YEARS.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Under 5 Years.	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
1855 –	385	56	52	47	45	33	233	84	17	20	8	7	8	7	1	–	–	–
1856 –	603	44	62	81	54	57	298	175	65	33	8	11	6	4	3	–	–	–
1857 –	1583	109	138	137	152	160	696	512	224	86	31	19	8	6	–	1	–	–
1858 –	6606	552	741	692	695	635	3315	1897	686	361	134	80	56	42	26	7	2	–
1859 –	10184	878	1122	1103	1116	1031	5300	2751	1091	536	213	122	69	50	37	11	4	–
1860 –	5212	448	558	500	621	551	2678	1413	542	321	79	69	43	36	17	14	–	–
1861 –	4517	361	528	501	507	471	2368	1217	419	258	93	60	41	35	16	10	–	–
1862 –	4903	412	645	594	560	513	2724	1242	432	264	91	54	39	29	18	9	1	–
1863 –	6507	585	903	744	813	664	3709	1651	515	291	121	78	61	43	27	6	–	–
1864 –	5464	527	694	681	661	535	3098	1292	425	300	130	82	60	46	26	4	1	–
1865 –	4145	387	518	459	476	446	2286	1053	328	227	95	43	41	38	20	11	3	–
1866 –	3000	282	420	404	355	296	1757	706	194	135	71	44	38	27	21	6	1	–
1867 –	2763	317	394	325	332	250	1618	690	154	122	65	29	35	23	20	5	2	–
Total –	55,872	4,958	6,775	6,268	6,387	5,692	30,080	14,683	5092	2954	1139	698	505	391	232	84	14	–

TABLE 4.—**Deaths** in **England** from **Scarlatina** (exclusive of **Deaths** by **Diphtheria** and **Cynanche Maligna**), at different AGES, in each of the **Years 1855–67.**

YEARS.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Under 5 Years.	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
1855 –	16929	1181	2306	2700	2537	1957	10631	4523	1078	438	128	71	36	15	8	1	–	–
1856 –	13357	985	1930	2161	2085	1689	8830	3419	806	332	88	55	20	10	3	–	–	–
1857 –	12646	855	1790	2032	1988	1462	8127	3252	766	321	104	40	23	7	3	3	–	–
1858 –	23711	1444	3468	3980	3638	2860	15390	6160	1325	557	159	69	33	10	6	2	–	–
1859 –	19310	1294	2824	3062	2992	2379	12551	4937	1050	469	174	80	26	12	7	4	–	–
1860 –	9305	636	1378	1499	1409	1143	6068	2329	477	287	77	37	19	7	4	–	–	–
1861 –	9077	572	1288	1490	1423	1119	5892	2317	447	264	91	31	21	10	–	4	–	–
1862 –	14834	903	2158	2454	2268	1786	9569	3893	818	364	117	42	16	9	2	3	1	–
1863 –	30475	1761	4050	4886	4683	3842	19222	8192	1820	805	267	113	34	15	5	2	–	–
1864 –	29700	1778	3915	4682	4571	3763	18709	8027	1711	796	280	102	44	20	7	4	–	–
1865 –	17700	1118	2497	2914	2613	2140	11282	4759	953	448	158	56	23	14	7	–	–	–
1866 –	11685	690	1741	2038	1835	1415	7719	2964	571	267	109	30	19	5	1	–	–	–
1867 –	12300	805	1803	2064	1961	1457	8093	3269	551	251	97	26	9	1	2	1	–	–
Total –	221229	13,972	31,151	35,962	34,003	26,995	142,083	58,041	12367	5599	1849	752	323	135	55	24	1	–

TABLE 5.—**Deaths** in **each** of the **Counties** of **England** from **Scarlatina** for **each** of the **Years 1853–1867.**

No.	REGISTRATION COUNTIES.	DEATHS BY SCARLATINA. (*See* Note.) 1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
	ENGLAND & WALES	15,699	18,528	17,314	14,160	14,229	30,317	19,907	9,681	9,077	14,834	30,475	29,700	17,700	11,685	12,300
	I.—LONDON	2,016	3,477	2,611	1,819	1,599	4,184	3,481	2,017	2,381	3,492	4,955	3,244	2,179	1,892	1,451
	II.—SOUTH EASTERN COUNTIES.															
1	Surrey (*extra-metropol.*)	81	118	137	103	89	355	188	79	53	151	390	314	246	71	67
2	Kent (*extra-metropol.*)	350	444	404	393	218	651	423	259	287	297	687	709	374	130	137
3	Sussex	66	188	337	153	173	514	283	85	40	71	353	483	251	138	43
4	Hampshire	87	303	727	378	311	444	350	83	24	308	744	238	337	184	81
5	Berkshire	125	161	153	136	122	353	93	18	17	70	153	151	236	32	25
	III.—SOUTH MIDLAND COUNTIES.															
6	Middlesex (*extra-metro.*)	51	296	164	78	59	134	157	131	55	139	345	160	85	50	71
7	Hertfordshire	40	34	145	89	22	84	90	40	26	110	411	377	92	33	35
8	Buckinghamshire	59	73	244	21	23	95	93	43	99	166	39	114	79	13	9
9	Oxfordshire	23	50	62	20	110	393	114	18	19	24	153	244	90	10	36
10	Northamptonshire	38	256	198	63	35	158	171	39	10	55	377	803	143	25	28
11	Huntingdonshire	14	28	59	29	98	33	26	17	5	10	146	61	43	29	8
12	Bedfordshire	5	69	338	143	25	95	53	26	11	30	153	382	113	32	38
13	Cambridgeshire	9	157	532	171	53	86	85	83	25	55	363	245	50	22	43
	IV.—EASTERN COUNTIES.															
14	Essex	103	262	433	346	162	355	178	101	83	388	775	281	165	105	67
15	Suffolk	48	50	111	190	164	376	119	76	41	108	820	353	86	40	206
16	Norfolk	45	60	113	284	534	738	281	81	113	202	235	568	320	128	155
	V.—SOUTH WESTERN COUNTIES.															
17	Wiltshire	45	191	177	74	75	239	222	60	40	116	292	260	251	54	56
18	Dorsetshire	31	83	73	70	256	375	179	61	6	42	147	138	112	295	81
19	Devonshire	103	376	564	620	527	891	391	73	75	353	778	1,054	321	77	36
20	Cornwall	254	198	230	407	291	425	234	153	162	165	995	572	97	13	33
21	Somersetshire	76	108	155	218	159	479	393	91	49	126	775	1,013	355	73	29
	VI.—WEST MIDLAND COUNTIES.															
22	Gloucestershire	125	124	86	136	257	731	553	142	102	111	1,162	453	142	95	68
23	Herefordshire	80	66	83	46	73	106	34	19	7	12	39	206	48	8	1
24	Shropshire	237	303	141	77	156	196	127	148	135	234	223	147	122	37	44
25	Staffordshire	1,571	917	430	358	641	1,194	1,186	303	194	807	1,147	1,134	907	703	670
26	Worcestershire	242	382	192	71	105	227	316	138	40	81	353	584	193	111	101
27	Warwickshire	731	574	194	371	357	1,185	518	170	96	354	676	966	475	477	782
	VII.—NORTH MIDLAND COUNTIES.															
28	Leicestershire	212	75	39	62	215	452	204	34	15	33	524	164	66	59	70
29	Rutlandshire	3	12	28	2	3	45	30	3	2	8	54	48	22	–	2
30	Lincolnshire	347	1,312	598	123	124	651	200	128	139	193	495	662	415	82	60
31	Nottinghamshire	567	516	143	71	76	752	414	76	50	68	123	467	389	76	35
32	Derbyshire	470	506	136	56	276	622	376	60	31	50	179	381	150	75	63
	VIII.—NORTH WESTERN COUNTIES.															
33	Cheshire	693	336	260	269	650	568	390	229	192	400	952	393	300	553	475
34	Lancashire	3,110	2,189	3,058	2,651	2,761	6,226	2,337	1,143	1,259	2,793	4,580	4,854	3,634	3,150	3,115
	IX.—YORKSHIRE.															
35	West Riding	1,554	1,511	1,009	1,059	1,405	2,931	2,962	1,192	475	963	2,218	3,135	2,273	870	630
36	East Riding (with York)	383	220	104	97	231	250	89	133	275	204	638	470	131	56	72
37	North Riding	105	253	235	100	64	166	74	46	90	241	316	179	33	28	86
	X.—NORTHERN COUNTIES.															
38	Durham	549	430	635	1,045	458	417	458	533	1,015	861	1,216	403	179	283	1,293
39	Northumberland	358	148	249	543	803	334	164	480	768	356	235	140	61	553	974
40	Cumberland	66	352	413	152	74	207	213	163	150	116	191	110	94	152	415
41	Westmorland	61	95	32	28	14	12	6	10	18	54	34	33	8	2	68
	XI.—MONMOUTHSHIRE AND WALES.															
42	Monmouthshire	142	346	230	133	33	233	277	161	43	21	248	773	257	55	53
43	South Wales	122	561	605	462	349	798	1,014	449	181	127	501	1,990	1,538	277	75
44	North Wales	302	318	447	443	499	557	361	287	179	211	274	244	238	537	393

NOTE.—In the years 1853 to 1858 the above numbers include diphtheria and cynanche maligna. In the years 1859 and 1860 they include cynanche maligna; and in the years 1861 to 1867 the numbers relate only to scarlatina.

TABLE 6.—**Ages** of the **Persons** who **Died** from **Fever** (**Typhus, Typhia,** and **Typhinia**) in **England** in the **Year 1867.**

——	ALL AGES.	0—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwds.
Persons -	16,862	3224	2192	1504	3095	1815	1548	1290	1075	803	278	37	1
Males -	8,261	1578	1057	671	1510	879	754	650	586	420	137	19	-
Females -	8,601	1646	1135	833	1585	936	794	640	489	383	141	18	1

TABLE 7.—**Deaths** in **England** from **Fever** in the **Twenty Years 1848–67,** and **Annual Rate** of **Mortality** to 10,000 Persons living.

AGES.	DEATHS in the 20 Years 1848–67.		AVERAGE ANNUAL RATE of MORTALITY to 10,000 Persons living at each Age.	
	Males.	Females.	Males.	Females.
ALL AGES - - -	177,500	183,992	9·38	9·29
Under 5 Years - - -	35,298	35,717	13·63	13·94
5— - - -	21,298	24,072	9·42	10·65
10— - - -	13,971	17,548	6·80	8·69
15— - - -	30,732	33,438	8·67	9·10
25— - - -	19,612	19,935	7·10	6·54
35— - - -	16,358	15,752	7·55	6·64
45— - - -	14,293	12,904	8·64	7·52
55— - - -	12,458	11,444	11·43	10·07
65— - - -	9,507	8,905	16·68	12·46
75— - - -	3,574	3,769	17·32	14·28
85— - - -	390	490	15·39	12·57
95 and upwards -	9	18	9·26	9·08

TABLE 8.—**Annual Number** of **Cases** (estimated) and of **Deaths** by **Fever** in **England** in the **Eighteen Years 1848–66** and in the **Year 1867.**

AGES.	ANNUAL CASES. (Estimated.)*		ANNUAL DEATHS. (Returned.)		To 10,000 Persons living at each Age the Annual Number of			
					CASES. (Estimated.)		DEATHS.	
	1848-66	1867	1848-66	1867	1848-66	1867	1848-66	1867
ALL AGES - - -	150,617	147,119	18,140	16,862	81·33	68·65	9·42	7·87
Under 5 Years - -	39,247	35,464	3,568	3,224	153·77	118·84	13·98	10·80
5— - - -	31,424	30,310	2,273	2,192	139·81	120·77	10·11	8·73
10— - - -	25,059	23,858	1,580	1,504	123·56	105·96	7·79	6·68
15— - - -	33,230	31,995	3,214	3,095	92·40	81·68	8·94	7·90
25— - - -	12,887	11,778	1,986	1,815	44·54	37·92	6·86	5·84
35— - - -	6,530	6,284	1,609	1,548	28·95	25·33	7·13	6·24
45— - - -	3,569	3,377	1,364	1,290	21·36	17·42	8·16	6·65
55— - - -	2,523	2,258	1,201	1,075	22·81	18·29	10·86	8·71
65— - - -	1,551	1,344	927	803	24·33	18·16	14·53	10·85
75 and upwards -	597	451	418	316	22·27	16·09	15·59	11·26

* The facts from which this estimate is obtained were kindly supplied by Dr. Murchison from the records of the London Fever Hospital. (*See* Registrar-General's Twenty-fifth Annual Report, page 176.)

TABLE 9.—**Deaths** from **Fever—Typhus, Typhia,** and **Typhinia**—in **England** to 10,000 Persons living, and Proportional Number to 1000 Deaths, in each of the **Years 1850-67.**

YEARS.	Number of Deaths registered.	Deaths to 10,000 Persons living.*	Proportional Number to 1000 Deaths.
1850	15,374	8·66	43
1851	17,930	10·15	46
1852	18,641	10·41	47
1853	18,554	10·25	45
1854	18,893	10·28	44
1855	16,470	8·89	39
1856	16,182	8·60	42
1857	19,016	9·97	46
1858	17,883	9·28	40
1859	15,877	8·14	36
1860	13,012	6·63	31
1861	15,440	7·76	36
1862	18,721	9·31	43
1863	18,017	8·86	38
1864	20,106	9·77	41
1865	23,034	11·09	47
1866	21,104	10·05	43
1867	16,862	7·95	36
Mean - -	17,840	9·23	41

* The mortality from Fever here given is taken from Table 12, and inasmuch as it includes a proportion of the mortality from causes not specified it differs from that given in Table 8.

TABLE 10.—**Deaths** by **Erysipelas** at **different Ages** in **England** in each of the **Years 1862-67.**

SEX	YEARS.	AGES.																	
		ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
Persons	1862	1523	458	49	36	13	7	563	29	33	43	30	70	113	143	166	182	128	20	-
	1863	1920	612	62	31	22	18	745	25	31	39	49	112	137	177	216	213	146	30	-
	1864	2104	618	55	30	15	15	733	15	22	38	61	110	171	194	274	271	180	34	1
	1865	1963	579	53	29	8	8	682	31	27	42	42	96	154	190	237	242	183	36	1
	1866	1675	527	64	26	10	10	637	35	22	33	44	73	129	146	187	159	189	21	-
	1867	1450	467	35	18	13	11	544	23	31	25	31	82	115	127	169	167	115	21	-
Males	1862	790	233	22	14	9	2	280	14	19	22	16	35	51	90	97	90	70	6	-
	1863	1039	302	32	12	15	10	371	9	18	19	29	58	74	108	131	123	81	18	-
	1864	1129	309	32	14	8	9	372	10	10	19	29	56	94	100	168	160	93	18	-
	1865	1047	279	25	9	6	4	323	18	14	25	18	55	81	111	148	126	114	14	-
	1866	845	235	32	13	3	5	288	20	9	25	22	35	66	86	115	61	108	10	-
	1867	797	232	15	8	6	6	287	17	19	19	13	35	70	81	95	89	61	11	-
Females	1862	733	225	27	22	4	5	283	15	17	21	14	35	62	53	69	92	58	14	-
	1863	881	310	30	19	7	8	374	16	13	20	20	54	63	69	85	90	65	12	-
	1864	975	309	23	16	7	6	361	5	12	19	32	54	77	94	106	111	87	16	1
	1865	916	300	33	20	2	4	359	13	13	17	24	41	73	79	89	116	69	22	1
	1866	830	292	32	13	7	5	349	15	13	8	22	38	63	60	72	98	81	11	-
	1867	653	215	20	10	7	5	257	6	12	6	18	47	45	46	74	78	54	10	-

TABLE **11.—Causes** of **Death** registered in **England** in each of the **Ten Years 1858-1867.**

Class.	CAUSES OF DEATH.	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
	ALL CAUSES - - -	449,656	440,781	422,721	435,114	436,566	473,837	495,531	490,909	500,689	471,075
	SPECIFIED CAUSES -	440,922	432,476	414,060	427,360	429,000	465,874	487,732	482,509	492,111	462,939
	(CLASSES.)										
I.	ZYMOTIC DISEASES -	110,971	106,645	75,849	87,986	91,539	119,731	118,825	113,948	115,972	90,989
II.	CONSTITUTIONAL „ -	82,416	81,788	82,088	84,987	83,024	84,393	87,190	88,504	89,907	89,423
III.	LOCAL „ -	163,489	159,686	171,037	167,454	170,651	174,603	189,039	184,877	192,444	187,571
IV.	DEVELOPMENTAL „ -	69,895	69,708	70,311	71,948	68,842	71,467	75,660	77,806	76,873	78,090
V.	VIOLENT DEATHS -	14,151	14,649	14,775	14,985	14,944	15,680	17,018	17,374	16,915	16,866
	(ORDERS.)										
I.	1. MIASMATIC DISEASES -	106,278	101,699	71,804	83,324	86,881	114,538	113,051	107,650	110,059	84,985
	2. ENTHETIC „ -	1,195	1,273	1,252	1,355	1,449	1,578	1,793	1,914	1,893	1,909
	3. DIETIC „ -	2,112	2,301	2,206	2,095	2,149	2,456	2,810	2,957	2,888	2,760
	4. PARASITIC „ -	1,386	1,372	1,087	1,212	1,060	1,159	1,171	1,427	1,132	1,335
II.	1. DIATHETIC „ -	16,790	16,433	16,404	16,233	16,412	16,651	17,392	17,437	17,482	17,520
	2. TUBERCULAR „ -	65,626	65,355	65,684	68,754	66,612	67,742	69,798	71,067	72,425	71,903
III.	1. DISEASES OF NERVOUS SYSTEM - -	53,961	54,531	55,577	55,625	55,692	57,428	59,627	60,264	61,164	60,367
	2. „ ORGANS OF CIRCULATION -	16,426	17,133	18,758	18,076	18,709	19,505	22,419	22,272	22,190	22,784
	3. „ RESPIRATORY ORGANS - -	65,516	59,853	68,408	64,310	67,565	67,280	75,376	69,952	77,249	72,183
	4. „ DIGESTIVE ORGANS - -	19,246	19,842	19,718	20,327	19,421	20,516	20,969	21,774	21,084	21,006
	5. „ URINARY ORGANS - -	4,683	4,736	4,990	5,222	5,328	5,578	6,104	6,274	6,621	6,933
	6. „ ORGANS OF GENERATION -	1,148	1,199	1,118	1,129	1,227	1,219	1,294	1,241	1,241	1,316
	7. „ ORGANS OF LOCOMOTION -	1,164	1,285	1,466	1,624	1,588	1,765	1,860	1,860	1,642	1,747
	8. „ INTEGUMENTARY SYSTEM -	1,345	1,107	1,002	1,141	1,121	1,312	1,390	1,240	1,253	1,235
IV.	DEVELOPMENTAL DISEASES 1. „ OF CHILDREN	12,412	12,300	12,706	13,116	12,787	13,498	13,921	14,360	14,634	14,666
	2. „ ADULTS -	2,114	2,314	2,233	2,168	2,198	2,508	2,607	2,576	2,596	2,461
	3. „ OLD PEOPLE	28,509	27,104	28,442	27,373	26,780	27,268	29,498	28,709	28,546	28,646
	4. DISEASES OF NUTRITION	26,860	27,990	26,930	29,291	27,077	28,193	29,634	32,161	31,097	32,317
V.	1. ACCIDENT OR NEGLIGENCE - - - -	12,523	13,056	12,991	13,187	13,055	13,772	15,091	15,232	14,886	14,848
	2. BATTLE - - - -	†	†	†	†	†	†	†	†	†	†
	3. HOMICIDE - - -	344	338	377	320	418	399	412	443	480	392
	4. SUICIDE - - - -	1,275	1,248	1,365	1,347	1,317	1,319	1,340	1,392	1,329	1,316
	5. EXECUTION‡ - - -	9	7	10	11	17	21	21	6	12	11
	VIOLENT DEATHS NOT CLASSED - - - -	..	..	32	120	137	169	154	301	208	299
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	3,096	2,821	2,894	2,697	2,778	3,008	3,321	3,173	3,585	3,506
	CAUSES NOT SPECIFIED -	5,638	5,484	5,767	5,057	4,788	4,955	4,478	5,227	4,993	4,630
I.	ORDER 1.										
	1 Small-pox - - -	6,460	3,848	2,749	1,320	1,628	5,964	7,684	6,411	3,029	2,513
	2 Measles - - -	9,271	9,548	9,557	9,055	9,800	11,349	8,323	8,562	10,940	6,588
	3 Scarlatina - - -	30,317	19,907	9,681	9,077	14,834	30,475	29,700	17,700	11,685	12,300
	4 Diphtheria - - -	§	9,587	5,212	4,517	4,903	6,507	5,464	4,145	3,000	2,600
	5 Quinsy - - - -	623	426	319	342	323	334	378	319	271	201
	6 Croup - - - -	6,220	5,636	4,380	4,397	5,667	6,957	6,777	5,921	5,168	4,387
	7 Whooping-cough - -	11,648	8,976	8,555	12,309	12,272	11,275	8,570	8,647	15,764	11,873
	8 Typhus - - - -	17,883	15,877	13,012	15,440	18,721	18,017	20,106	23,034	21,104	16,862

† Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

‡ The number of persons executed in the several years will not necessarily correspond with that in the same years of the "Criminal Returns," inasmuch as the executions recorded in each year in the latter are derived from the dates of conviction, while the numbers in this Table are classed under the years in which the deaths are registered.

§ The cases of angina membranacea which would now be put to diphtheria were formerly classed under the same head as scarlatina, but were distinguished in the notes.

TABLE 11.—**Causes** of **Death** registered in **England** in each of the **Ten Years 1858–1867**—*continued.*

Class.	CAUSES OF DEATH.	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
	9 Erysipelas	2,026	1,954	1,665	1,542	1,523	1,920	2,104	1,963	1,675	1,450
	10 Metria	1,068	1,238	987	886	940	1,155	1,484	1,333	1,197	1,066
	11 Carbuncle	246	236	247	193	206	237	266	265	228	235
	12 Influenza	1,794	1,112	1,130	746	915	919	804	596	651	607
	13 Dysentery	1,478	1,379	1,156	1,416	1,044	1,051	1,000	1,072	1,096	962
	14 Diarrhœa	13,853	18,331	9,702	18,746	11,112	14,943	16,432	23,531	17,170	19,851
	15 Cholera	673	887	327	837	511	807	934	1,291	14,378	922
	16 Ague	207	233	203	149	150	141	112	117	135	121
	17 Remittent Fever	569	400	314	254	284	198	202	80	123	86
	18 Rheumatism	1,942	2,124	1,998	1,982	1,943	2,175	2,559	2,530	2,338	2,256
	19 Other Zymotic Diseases	..	..	110	116	105	114	152	133	107	105
	ORDER 2.										
	1 Syphilis	1,006	1,089	1,067	1,177	1245	1,386	1,550	1,647	1,662	1,698
	2 Stricture of Urethra	186	177	178	168	199	183	229	244	191	197
	3 Hydrophobia	2	4	3	4	1	4	12	19	36	10
	4 Glanders	1	3	4	6	4	5	2	4	4	4
	ORDER 3.										
	1 Privation	62	52	68	63	73	54	106	74	74	109
	2 Want of Breast-milk	997	1,017	1,002	970	1006	1,158	1,253	1,410	1,410	1,437
	3 Purpura and Scurvy	341	342	361	405	353	409	392	424	471	471
	4 Alcoholism { *a* Del. Trem.	424	545	457	415	471	471	592	612	487	369
	4 Alcoholism { *b* Intemp.	288	345	318	242	246	364	467	437	446	374
	ORDER 4.										
	1 Thrush	1,236	1,217	920	1,055	904	961	1,006	1,244	966	1,163
	2 Worms, &c.	150	155	167	157	156	198	165	183	166	172
II.	ORDER 1.										
	1 Gout	245	238	268	247	284	248	309	361	359	377
	2 Dropsy	8,758	8,119	7,823	7,301	7,247	7,414	7,386	7,567	7,332	7,095
	3 Cancer	6,433	6,676	6,827	7,276	7,396	7,479	8,117	7,922	8,293	8,545
	4 Noma	161	159	122	174	197	180	165	181	172	174
	5 Mortification	1,193	1,241	1,264	1,235	1,288	1,330	1,415	1,406	1,326	1,329
	ORDER 2.										
	1 Scrofula	3,004	2,995	2,860	3,457	3,416	3,277	3,111	2,963	2,901	2,938
	2 Tabes Mesenterica	5,017	4,982	4,680	5,692	5,203	5,877	5,941	6,698	6,377	6,882
	3 Phthisis	50,442	50,149	51,024	51,931	50,962	51,072	53,046	53,734	55,714	55,042
	4 Hydrocephalus	7,163	7,229	7,120	7,674	7,031	7,516	7,700	7,672	7,433	7,041
III.	ORDER 1.										
	1 Cephalitis	3,463	3,451	3,518	3,426	3,580	3,869	4,014	4,199	4,146	4,220
	2 Apoplexy	8,629	8,631	9,181	8,795	9,136	9,721	10,322	10,215	10,297	10,406
	3 Paralysis	8,980	9,189	9,752	9,812	9,733	9,762	10,609	10,693	10,504	10,810
	4 Insanity	535	446	536	529	535	555	662	558	650	640
	5 Chorea	53	55	66	71	52	63	73	88	63	50
	6 Epilepsy	2,359	2,219	2,454	2,464	2,443	2,574	2,406	2,468	2,468	2,312
	7 Convulsions	25,488	25,954	25,205	25,423	25,286	26,008	25,382	26,722	27,431	26,258
	8 *Brain Disease, &c.*	4,454	4,586	4,865	5,105	4,927	4,876	5,159	5,321	5,605	5,671
	ORDER 2.										
	1 Pericarditis	586	616	575	541	559	597	629	566	543	592
	2 Aneurism	350	371	368	387	373	418	479	499	450	503
	3 *Heart Disease, &c.*	15,490	16,146	17,315	17,148	17,777	18,490	21,311	21,207	21,197	21,689
	ORDER 3.										
	1 Laryngitis	1,439	1,319	1,166	1,253	1,478	1,561	1,610	1,382	1,286	1,285
	2 Bronchitis	29,093	25,998	32,347	30,986	32,526	32,025	38,969	36,428	41,334	40,373
	3 Pleurisy	846	916	882	781	833	907	941	866	858	865
	4 Pneumonia	26,486	24,514	25,264	22,914	23,713	24,181	24,470	22,489	25,155	21,118
	5 Asthma	4,513	4,224	4,325	3,892	4,087	3,999	4,228	3,975	3,682	3,748
	6 *Lung Disease, &c.*	3,139	2,882	4,424	4,484	4,928	4,907	5,158	4,812	4,934	4,794
	ORDER 4.										
	1 Gastritis	789	827	704	809	765	838	883	802	765	742
	2 Enteritis	3,309	3,416	3,154	3,333	2,911	3,234	3,164	3,289	2,928	2,858
	3 Peritonitis	1,466	1,555	1,551	1,563	1,488	1,637	1,736	1,633	1,504	1,571
	4 Ascites	665	766	750	728	745	735	719	749	702	724
	5 Ulceration of Intestines	860	776	847	856	870	858	907	851	858	928
	6 Hernia	766	762	817	852	827	848	805	890	874	927
	7 Ileus	1,107	1,139	1,170	1,199	1,091	1,166	1,154	1,141	1,172	1,179
	8 Intussusception	239	271	245	276	280	246	292	258	295	296
	9 Stricture of Intestines	264	289	301	272	257	288	295	265	315	278
	10 Fistula	116	99	115	115	109	89	108	88	108	100
	11 *Stomach Disease, &c.*	2,750	2,698	2,866	2,736	2,730	2,800	2,747	2,881	2,930	2,948
	12 *Pancreas Disease, &c.*	11	22	12	18	16	12	10	12	17	18
	13 Hepatitis	1,353	1,488	1,329	1,386	1,262	1,402	1,429	1,474	1,401	1,319
	14 Jaundice	1,203	1,255	1,262	1,344	1,292	1,426	1,533	1,566	1,464	1,493
	15 *Liver Disease, &c.*	4,285	4,417	4,531	4,704	4,680	4,853	5,121	5,809	5,659	5,532
	16 *Spleen Disease, &c.*	63	62	64	86	98	84	66	66	92	93

* Classed with *Erysipelas.*

† Classed with *Disease of Stomach.*

TABLE **11.—Causes** of **Death** registered in **England** in each of the **Ten Years 1858–1867**—*continued.*

Class.	CAUSES OF DEATH.	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
	ORDER 5.										
	1 Nephritis	265	284	245	306	273	335	390	381	406	442
	2 Ischuria	118	103	96	102	104	143	126	140	121	106
	3 Nephria	1,105	1,258	1,390	1,448	1,541	1,700	1,793	1,860	2,039	2,203
	4 Diabetes	514	480	536	537	574	551	665	669	678	680
	5 Stone	199	191	179	168	196	172	184	189	193	201
	6 Cystitis	256	276	299	343	342	340	383	325	393	381
	7 *Kidney Disease, &c.*	2,226	2,144	2,245	2,318	2,298	2,337	2,563	2,710	2,791	2,920
	ORDER 6.										
	1 Ovarian Dropsy	239	277	244	235	280	255	259	209	218	247
	2 *Uterus, &c. Disease*	909	922	874	894	947	964	1,035	1,032	1,023	1,069
	ORDER 7.										
	1 Arthritis	77	81	68	79	70	73	89	74	70	75
	2 *Joint Disease, &c.*	1,087	1,204	1,398	1,545	1,518	1,692	1,771	1,786	1,572	1,672
	ORDER 8.										
	1 Phlegmon	711	466	413	454	409	530	550	453	482	430
	2 Ulcer	332	364	332	401	387	435	463	424	403	443
	3 *Skin Disease, &c.*	302	277	257	286	325	347	377	363	368	362
IV.	ORDER 1.										
	1 Premature Birth	7,307	7,432	7,642	7,610	7,706	8,121	8,339	8,791	8,943	8,990
	2 Cyanosis	386	403	398	420	459	456	465	483	514	481
	3 Spina Bifida	313	356	350	394	386	402	371	377	413	391
	4 Other Malformations	385	379	420	441	424	403	461	438	471	504
	5 Teething	4,021	3,730	3,896	4,251	3,812	4,116	4,285	4,271	4,293	4,300
	ORDER 2.										
	1 Paramenia	51	56	47	59	61	75	75	86	111	115
	2 Childbirth (*see* Metria)	2,063	2,258	2,186	2,109	2,137	2,433	2,532	2,490	2,485	2,346
	ORDER 3.										
	1 Old Age	28,509	27,104	28,442	27,373	26,780	27,268	29,498	28,709	28,546	28,646
	ORDER 4.										
	1 Atrophy and Debility	26,860	27,990	26,930	29,291	27,077	28,193	29,634	32,161	31,097	32,317
V.	ORDER 1.										
	(ACCIDENT OR NEGLIGENCE.)										
	1 Fractures & Contusions	5,159	5,482	5,417	5,589	5,397	5,852	6,500	6,843	6,661	6,596
	2 Gunshot	136	104	103	120	111	108	126	112	131	124
	3 Cut, Stab	80	75	81	41	54	82	115	93	97	103
	4 Burns and Scalds	3,125	2,978	3,166	3,053	2,767	2,766	2,987	2,713	2,533	2,600
	5 Poison	282	279	240	258	262	277	274	273	278	281
	6 Drowning	2,124	2,494	2,264	2,351	2,463	2,488	2,714	2,823	2,786	2,676
	7 Suffocation	903	952	1,061	1,014	1,219	1,147	1,245	1,309	1,263	1,352
	8 Otherwise	714	692	659	761	782	1,052	1,130	1,066	1,137	1,116
	ORDER 3.										
	(HOMICIDE.)										
	1 Murder & Manslaughter	344	338	377	320	418	399	412	443	480	392
	ORDER 4.										
	(SUICIDE.)										
	1 Gunshot Wounds	60	54	59	59	54	56	65	58	60	57
	2 Cut, Stab	243	270	276	257	215	257	249	252	265	268
	3 Poison	119	112	156	122	128	121	154	135	128	135
	4 Drowning	197	208	219	225	204	245	205	230	207	228
	5 Hanging	570	540	569	592	611	562	564	591	522	488
	6 Otherwise	86	64	86	92	105	78	103	126	147	140
	ORDER 5.										
	(EXECUTION.)										
	1 Hanging	9	7	10	11	17	21	21	6	12	11
	Violent Deaths (not classed)	..	..	32	120	137	169	154	301	208	299
	Sudden Deaths (Cause unascertained)	3,096	2,821	2,894	2,697	2,778	3,008	3,321	3,173	3,585	3,506
	Cause not specified or ill-defined	5,638	5,484	5,767	5,057	4,788	4,955	4,478	5,227	4,993	4,630

TABLE **12.—Causes of Death** registered in **England** in each of the **Seventeen Years 1851–1867**. To 1,000,000 PERSONS LIVING the DEATHS from each CLASS of CAUSES, and from each CAUSE.

Class.	CAUSES OF DEATH.	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
	ALL CAUSES - -	21987	22363	22882	23520	22659	20504	21745	23032	22323	21239	21626	21467	23053	23855	23387	23606	21983
	SPECIFIED CAUSES -	21659	22023	22526	23157	22277	20152	21447	22872	22178	21093	21490	21329	22906	23693	23234	23433	21814
	(CLASSES.)																	
I.	ZYMOTIC DISEASES	5089	5366	4940	6367	4759	4310	4901	5757	5469	3863	4424	4551	5887	5770	5489	5522	4283
II.	CONSTITUTIONAL ,,	4570	4637	4874	4570	4568	4224	4297	4275	4194	4182	4273	4128	4150	4237	4261	4281	4214
III.	LOCAL ,,	7623	7568	8132	7815	8452	7576	7925	8480	8189	8712	8420	8484	8584	9182	8903	9162	8844
IV.	DEVELOPMENTAL ,,	3661	3696	3820	3646	3739	3303	3599	3626	3575	3582	3619	3423	3513	3678	3746	3661	3686
V.	VIOLENT DEATHS -	716	756	760	759	759	739	725	734	751	754	754	743	772	826	835	807	794
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES -	4882	5154	4723	6128	4521	4106	4681	5513	5215	3633	4191	4319	5632	5489	5184	5241	4004
	2. ENTHETIC ,, -	49	50	48	67	64	56	60	62	65	63	67	72	77	87	94	90	90
	3. DIETIC ,, -	92	93	103	107	112	90	99	110	119	112	105	107	121	137	142	137	136
	4. PARASITIC ,, -	66	69	66	65	62	58	61	72	70	55	61	53	57	57	69	54	62
II.	1. DIATHETIC ,, -	945	942	973	916	924	832	849	871	842	836	816	816	819	845	839	832	826
	2. TUBERCULAR ,, -	3625	3695	3901	3654	3644	3392	3448	3404	3352	3346	3457	3312	3331	3392	3422	3449	3385
III.	1. DISEASES OF NERVOUS SYSTEM - -	2792	2806	2845	2802	2827	2662	2705	2800	2796	2831	2797	2769	2824	2896	2902	2912	2841
	2. ,, OF ORGANS OF CIRCULATION -	668	699	760	734	786	726	775	852	879	956	909	980	959	1089	1072	1056	1077
	3. ,, OF RESPIRATORY ORGANS - -	2759	2846	3118	2856	3439	2812	3057	3399	3069	3484	3233	3358	3308	3663	3369	3678	3405
	4. ,, OF DIGESTIVE ORGANS - -	1052	1063	1041	1036	1011	993	1005	998	1018	1004	1022	966	1008	1017	1049	1004	994
	5. ,, OF URINARY ORGANS - -	180	191	201	205	214	219	217	242	243	254	263	265	274	297	302	315	322
	6. ,, OF ORGANS OF GENERATION -	54	49	53	55	56	55	56	59	61	57	57	61	60	63	60	59	62
	7. ,, OF ORGANS OF LOCOMOTION -	62	64	67	81	76	71	68	60	66	75	82	79	87	90	90	78	85
	8. ,, OF INTEGUMENTARY SYSTEM -	56	50	47	46	43	38	42	70	57	51	57	56	64	67	59	60	53
IV.	1. DEV. DIS. OF CHILDREN	1366	1361	1353	1305	1232	1203	1267	644	631	647	660	636	663	676	691	696	694
	2. ,, OF ADULTS -	134	132	131	116	106	100	105	110	119	114	109	109	124	127	124	123	114
	3. ,, OF OLD PEOPLE	1471	1474	1614	1441	1606	1271	1409	1479	1390	1449	1377	1331	1340	1434	1382	1361	1354
	4. DISEASES OF NUTRITION	690	729	722	784	795	729	818	1393	1435	1372	1473	1347	1386	1441	1549	1481	1522
V.	1. ACCIDENT OR NEGLIGENCE - - -								649	670	662	663	649	677	734	733	709	700
	2. BATTLE* - - -								*	*	*	*	*	*	*	*	*	*
	3. HOMICIDE - - -								18	17	19	16	21	20	20	21	23	19
	4. SUICIDE - - -	716	756	760	759	759	739	725	66	64	70	68	65	66	64	67	64	66
	5. EXECUTION - - -								·5	·4	·5	·6	1	1	1	·3	·6	·4
	VIOLENT DEATHS NOT CLASSED - - - -								..	..	2	6	7	8	7	14	10	11
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	196	201	222	217	223	185	178	160	145	146	136	133	147	162	153	173	166
	CAUSES NOT SPECIFIED -	132	139	134	146	159	167	120	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡

* Order 2, comprising Violent Deaths IN BATTLE, is omitted as inapplicable to the civil population.
‡ See note relating to Causes not specified, page 189.

TABLE **12.—Causes of Death** registered in **England** in each of the **Seventeen Years 1851-67.** To 1,000,000 PERSONS LIVING the DEATHS from each CLASS of CAUSES, and from each CAUSE—*cont.*

Class.	CAUSES OF DEATH.	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
I.	ORDER 1.																	
	1. Small-pox	396	409	174	153	136	121	206	335	197	140	66	81	203	373	309	144	118
	2. Measles	530	326	270	505	397	379	313	481	490	487	455	487	558	404	412	521	310
	3. Scarlatina	771	1055	867	1008	935	752	746	1572	1021	493	456	738	1498	1443	852	556	580
	4. Diphtheria									492	265	227	244	320	265	200	143	123
	5. Quinsy	21	22	23	19	20	22	25	32	22	16	17	16	16	18	15	13	9
	6. Croup	236	227	202	218	239	277	277	323	289	223	221	282	342	329	285	246	207
	7. Whooping-cough	447	448	619	532	550	490	531	604	460	436	619	610	554	416	416	751	559
	8. Typhus	1015	1041	1025	1028	889	860	997	928	814	663	776	931	886	977	1109	1005	795
	9. Erysipelas	113	116	100	105	122	113	83	105	100	85	78	76	94	102	95	80	68
	10. Metria	57	54	44	52	58	57	44	54	63	50	45	47	57	72	64	57	50
	11. Carbuncle	9	13	14	16	14	13	13	13	12	13	10	10	12	13	13	11	11
	12. Influenza	122	76	99	58	193	55	73	93	57	58	38	45	45	39	29	31	29
	13. Dysentery	124	154	104	106	78	71	89	77	71	59	71	52	52	49	52	52	45
	14. Diarrhœa	833	984	784	1091	689	734	1111	719	940	494	944	552	735	798	1133	818	937
	15. Cholera	64	77	244	1094	45	40	60	35	45	17	42	25	40	45	62	685	43
	16. Ague	9	8	10	10	8	7	10	11	12	10	7	7	7	5	6	6	6
	17. Remittent Fever	34	37	39	35	31	9	14	30	21	16	13	14	10	10	4	6	4
	18. Rheumatism	101	107	105	98	117	106	89	101	109	102	100	97	107	124	122	111	106
	19. Other *Zymotic* Diseases	..	..	..	..	..	..	..	..	..	6	6	5	6	7	6	5	5
	ORDER 2.																	
	1. Syphilis	34	35	34	52	51	47	50	52	56	54	59	62	68	75	79	79	80
	2. Stricture of Urethra	14	14	13	14	12	9	10	10	9	9	8	10	9	11	12	9	9
	3. Hydrophobia	1	·8	·6	·9	1	·3	·2	·1	·2	·2	·2	·05	·2	·6	1	2	·5
	4. Glanders	..	..	..	..	..	..	..	·05	·2	·2	·3	·2	·2	·1	2	·2	·2
	ORDER 3.																	
	1. Privation	3	3	4	5	5	4	3	3	3	3	3	4	3	5	4	4	5
	2. Want of Breast Milk	31	33	35	40	46	37	43	52	52	52	49	50	57	61	68	67	68
	3. Purpura and Scurvy	14	13	15	15	17	12	13	18	18	18	20	18	20	19	20	22	22
	4. Alcoholism { *a* Del. Tremens	28	27	28	30	29	24	25	22	28	23	21	23	23	29	29	23	17
	{ *b* Intemperance	16	17	21	17	15	13	15	15	18	16	12	12	18	23	21	21	18
	ORDER 4.																	
	1. Thrush	66	69	66	65	62	58	61	64	62	46	53	45	47	49	60	46	55
	2. Worms, &c.	..	..	..	..	..	..	..	8	8	9	8	8	10	8	9	8	8
II.	ORDER 1.																	
	1. Gout	12	12	12	13	15	14	12	13	12	14	12	14	12	15	17	17	18
	2. Dropsy	558	547	569	511	505	436	443	454	416	399	367	360	365	359	364	349	334
	3. Cancer	295	306	313	317	325	311	325	334	342	348	366	338	368	394	381	395	403
	4. Noma	5	5	6	7	10	9	10	8	8	6	9	10	9	8	9	8	8
	5. Mortification	75	72	73	68	69	62	59	62	64	69	62	64	65	69	68	63	63
	ORDER 2.																	
	1. Scrofula	147	144	151	142	161	150	146	156	154	146	174	170	161	151	143	138	138
	2. Tabes Mesenterica	255	282	274	307	257	253	282	260	255	238	286	259	289	289	323	304	324
	3. Phthisis	2781	2826	3034	2791	2822	2601	2627	2616	2572	2599	2611	2633	2511	2578	2587	2653	2595
	4. Hydrocephalus	442	463	442	414	404	388	393	372	371	363	386	350	370	374	369	354	332
III.	ORDER 1.																	
	1. Cephalitis	205	206	200	204	187	181	178	180	177	179	172	178	190	195	202	197	199
	2. Apoplexy	450	441	469	455	467	440	439	448	443	468	442	454	478	501	492	490	490
	3. Paralysis	429	442	463	455	481	452	457	466	471	497	493	484	480	515	515	500	509
	4. Insanity	31	30	26	29	27	20	21	28	23	27	27	27	27	32	27	31	30
	5. Chorea	4	4	4	3	4	3	2	3	3	3	4	3	3	3	4	3	2
	6. Epilepsy	100	108	117	112	115	111	115	122	114	125	124	121	127	117	119	118	109
	7. Convulsions	1391	1371	1370	1337	1345	1273	1286	1322	1330	1284	1278	1257	1279	1282	1287	1306	1239
	8. *Brain Disease, &c.*	182	204	196	207	201	182	207	231	235	248	257	245	240	251	256	267	267
	ORDER 2.																	
	1. Pericarditis	32	33	31	32	32	28	30	30	32	29	27	28	29	31	27	23	23
	2. Aneurism	16	15	17	17	17	18	17	18	19	19	19	19	21	23	24	21	24
	3. *Heart Disease, &c.*	620	651	712	685	737	680	728	804	828	908	863	883	909	1035	1021	1009	1022
	ORDER 3.																	
	1. Laryngitis	53	60	61	62	62	69	71	75	68	59	63	73	77	78	67	61	61
	2. Bronchitis	978	953	1237	1092	1467	1144	1341	1509	1332	1648	1558	1617	1574	1894	1754	1968	1902
	3. Pleurisy	56	53	47	52	62	47	46	44	47	45	39	41	45	46	42	41	41
	4. Pneumonia	1245	1196	1331	1280	1406	1204	1230	1374	1257	1287	1152	1179	1189	1189	1083	1198	995
	5. Asthma	277	241	284	232	294	218	227	234	217	220	196	203	182	205	191	175	177
	6. *Lung Disease, &c.*	150	143	158	158	148	130	142	163	148	225	225	245	241	251	232	235	226
	ORDER 4.																	
	1. Gastritis	41	38	37	41	44	43	43	41	42	36	41	38	41	43	39	36	35
	2. Enteritis	218	218	202	197	174	172	179	172	176	161	167	145	159	154	158	139	135
	3. Peritonitis	71	73	70	78	75	70	74	76	80	79	79	74	80	84	79	72	74
	4. Ascites	39	39	42	41	45	40	39	34	39	38	37	37	36	35	36	33	34
	5. Ulceration of Intestines	48	55	56	50	47	50	47	45	40	43	43	43	42	44	41	41	44
	6. Hernia	40	38	43	45	47	50	43	40	39	42	43	41	42	39	43	42	44
	7. Ileus	63	61	63	67	64	63	59	57	58	60	60	54	57	56	55	56	55
	8. Intussusception	15	14	13	14	13	15	13	12	14	12	14	14	12	14	12	14	14

TABLE 12.—**Causes** of **Death** registered in **England** in each of the **Seventeen Years 1851-67.** T
1,000,000 PERSONS LIVING the DEATHS from each CLASS of CAUSES, and from each CAUSE—*cont.*

Class.	CAUSES OF DEATH.	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	18
	9. Stricture of Intestines	14	16	13	14	13	13	15	14	15	15	14	13	14	14	13	15	
	10. Fistula	7	5	6	6	5	4	5	6	5	6	6	5	4	5	4	5	
	11. *Stomach Disease, &c.*	126	121	110	110	127	125	128	143	138	146	140	136	138	133	139	140	13
	12. *Pancreas Disease, &c.*	·5	·3	·5	·7	·3	·6	1	1	1	·6	·9	1	1	·5	1	·8	
	13. Hepatitis	82	89	84	82	78	76	76	70	76	68	70	63	69	69	71	67	6
	14. Jaundice	73	72	68	69	70	76	76	62	64	64	68	64	70	74	75	70	7
	15. *Liver Disease, &c.*	210	220	229	217	206	192	203	222	228	231	236	233	239	249	280	269	20
	16. *Spleen Disease, &c.*	4	4	4	4	3	3	4	3	3	3	4	5	4	3	3	4	
	ORDER 5.																	
	1. Nephritis	10	11	13	11	13	14	14	14	15	12	15	14	16	19	18	19	2
	2. Ischuria	6	6	6	6	6	4	5	6	5	5	5	5	7	6	7	6	
	3. Nephria	27	32	35	42	43	51	52	57	65	71	73	77	84	87	90	97	10
	4. Diabetes	23	21	23	24	24	23	25	27	25	27	27	29	27	32	32	32	3
	5. Stone	12	12	12	10	13	12	10	10	10	9	8	10	8	9	9	9	
	6. Cystitis	12	13	13	15	15	14	14	13	14	15	17	17	17	19	16	19	1
	7. *Kidney Disease, &c.*	90	96	99	97	100	101	97	115	109	115	118	113	115	125	130	133	13
	ORDER 6.																	
	1. Ovarian Dropsy	11	10	12	12	11	11	12	12	14	12	12	14	13	13	10	10	1
	2. *Uterus Disease, &c.*	43	39	41	43	45	44	44	47	47	45	45	47	47	50	50	49	4
	ORDER 7.																	
	1. Arthritis	4	5	4	5	4	4	3	4	4	3	4	3	4	4	4	3	
	2. *Joint Disease, &c.*	58	59	63	76	72	67	65	56	62	72	78	76	83	86	86	75	7
	ORDER 8.																	
	1. Phlegmon	27	20	17	13	14	7	9	37	24	21	23	21	26	27	22	23	2
	2. Ulcer	18	17	19	19	15	15	16	17	19	17	20	19	21	22	20	19	2
	3. *Skin Disease, &c.*	11	13	11	14	14	16	17	16	14	13	14	16	17	18	17	18	1
IV.	ORDER 1.																	
	1. Premature Birth†	1072†	1066†	1048†	1016†	964†	956†	1004†	379	382	390	383	383	399	405	423	426	42
	2. Cyanosis	13	16	16	16	16	18	18	20	21	20	21	23	22	23	23	24	2
	3. Spina Bifida	12	14	15	13	13	16	17	16	18	18	20	19	20	18	18	20	1
	4. Other Malformations	20	19	16	22	20	19	19	20	19	21	22	21	20	22	21	22	2
	5. Teething	249	246	258	238	219	194	209	209	191	198	214	190	202	208	206	204	20
	ORDER 2.																	
	1. Paramenia	5	5	6	4	3	3	3	3	3	2	3	3	4	4	4	5	
	2. Childbirth (*see* Metria)	129	127	125	112	103	97	102	107	116	112	106	106	120	123	120	118	11
	ORDER 3.																	
	1. Old Age	1471	1474	1614	1441	1606	1271	1409	1479	1390	1449	1377	1331	1340	1434	1382	1361	135
	ORDER 4.																	
	1. Atrophy and Debility†	690†	729†	722†	784†	795†	729†	818†	1393	1435	1372	1473	1347	1386	1441	1549	1481	152
V.	ORDER 1. (ACCIDENT or NEGLIGENCE).																	
	1. Fractures and Contusions	*	*	*	*	*	*	*	267	282	277	281	267	288	316	330	317	31
	2. Gunshot	*	*	*	*	*	*	*	7	5	5	6	6	5	6	5	6	
	3. Cut, Stab	*	*	*	*	*	*	*	4	4	4	2	3	4	6	4	5	
	4. Burns and Scalds	*	*	*	*	*	*	*	162	153	161	154	138	136	145	131	121	12
	5. Poison	*	*	*	*	*	*	*	15	14	12	13	13	14	13	13	13	1
	6. Drowning	*	*	*	*	*	*	*	110	128	115	118	122	122	132	136	133	12
	7. Suffocation	*	*	*	*	*	*	*	47	49	54	51	61	56	61	63	60	6
	8. Otherwise	*	*	*	*	*	*	*	37	35	34	38	39	52	55	51	54	5
	ORDER 3. (HOMICIDE.)	* In this part of the Table, which comprises Deaths in 1851-57, the Violent Deaths are not distinguished according to ORDERS, &c., but are placed indiscriminately in the next line following.																
	1. Murder and Manslaughter								18	17	19	16	21	20	20	21	23	1
	ORDER 4. (SUICIDE.)																	
	1. Gunshot Wounds	*	*	*	*	*	*	*	3	3	3	3	3	3	3	3	3	
	2. Cut, Stab	*	*	*	*	*	*	*	13	14	14	13	11	13	12	12	13	1
	3. Poison	*	*	*	*	*	*	*	6	6	8	6	6	6	7	7	6	
	4. Drowning	*	*	*	*	*	*	*	10	11	11	11	10	12	10	11	10	1
	5. Hanging	*	*	*	*	*	*	*	30	27	30	30	30	28	27	28	25	2
	6. Otherwise	*	*	*	*	*	*	*	4	3	4	5	5	4	5	6	7	
	ORDER 5. (EXECUTION.)																	
	1. Hanging	*	*	*	*	*	*	*	·5	·4	·5	·6	1	1	1	·3	·6	
	Violent Deaths (not classed)	716	756	760	759	759	739	725	..	..	2	6	7	8	7	14	10	1
	Sudden Deaths (cause unascertained)	196	201	222	217	223	185	178	160	145	146	136	138	147	162	153	173	16
	Causes not specified or ill-defined	132	139	134	146	159	167	120	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡

† In the years 1851-57 cases of so-called "debility" and "premature birth" were classed together; when the new classification was introduced "premature birth" was kept apart, and "debility" and "atrophy" were thrown into one line.
‡ For the years 1858-67 the number of deaths in which the cause was not specified was distributed pro ratâ over all the causes in the Table.

TABLE 13.—**Causes of Death in England in 1867.** Proportional Numbers dying from each Class of Causes, and from each Cause.

Class.	CAUSES OF DEATH.	1867 Deaths to 1,000,000 *Persons living.*	1867 Proportional Number in 1,000,000 Deaths.
	ALL CAUSES	21,983	1,000,000
	(CLASSES.)		
I.	ZYMOTIC DISEASES	4,288	195,070
II.	CONSTITUTIONAL ,,	4,215	191,712
III.	LOCAL ,,	8,840	402,128
IV.	DEVELOPMENTAL ,,	3,680	167,415
V.	VIOLENT DEATHS	795	36,159
	SUDDEN DEATHS, CAUSE UNASCERTAINED	165	7,516
	(ORDERS.)		
I.	1. MIASMATIC DISEASES	4,005	182,198
	2. ENTHETIC ,,	90	4,003
	3. DIETIC ,,	130	5,917
	4. PARASITIC ,,	63	2,862
II.	1. DIATHETIC ,,	826	37,561
	2. TUBERCULAR ,,	3,389	154,151
III.	DISEASES OF—		
	1. NERVOUS SYSTEM	2,845	129,419
	2. ORGANS OF CIRCULATION	1,074	48,846
	3. RESPIRATORY ORGANS	3,402	154,751
	4. DIGESTIVE ORGANS	990	45,034
	5. URINARY ORGANS	327	14,864
	6. ORGANS OF GENERATION	62	2,821
	7. ORGANS OF LOCOMOTION	82	3,745
	8. INTEGUMENTARY SYSTEM	58	2,648
IV.	1. DEV. DISEASES OF CHILDREN	691	31,441
	2. ,, ADULTS	116	5,276
	3. ,, OLD PEOPLE	1,350	61,414
	4. DIS. OF NUTRITION	1,523	69,284
V.	1. ACCIDENT OR NEGLIGENCE	700	31,833
	2. BATTLE	*	*
	3. HOMICIDE	18	840
	4. SUICIDE	62	2,821
	5. EXECUTION	·5	24
	OTHER VIOLENT DEATHS NOT CLASSED	14	641
I.	ORDER 1.		
	1 Small-pox	118	5,388
	2 Measles	310	14,124
	3 Scarlatina	580	26,370
	4 Diphtheria	123	5,574
	5 Quinsy	9	431
	6 Croup	207	9,405
	7 Whooping-cough	559	25,454
	8 Typhus	795	36,150
	9 Erysipelas	68	3,109
	10 Metria	50	2,285
	11 Carbuncle	11	504
	12 Influenza	29	1,301
	13 Dysentery	45	2,062
	14 Diarrhœa	937	42,559
	15 Cholera	43	1,977
	16 Ague	6	259
	17 Remittent Fever	4	184
	18 Rheumatism	106	4,837
	19 Other Zymotic Dis.	5	225
	ORDER 2.		
	1 Syphilis	80	3,641
	2 Stricture of Urethra	9	422
	3 Hydrophobia	·5	21
	4 Glanders	·2	9
	ORDER 3.		
	1 Privation	5	234
	2 Want of Breast-milk	68	3,080
	3 Purpura and Scurvy	22	1,010
	4 Alcohol. { *a* Del.Trem. / *b* Intem.	17 / 18	791 / 802
	ORDER 4.		
	1 Thrush	55	2,493
	2 Worms, &c.	8	369
II.	ORDER 1.		
	1 Gout	18	808
	2 Dropsy	334	15,211
	3 Cancer	403	18,320
	4 Noma	8	373
	5 Mortification	63	2,849
	ORDER 2.		
	1 Scrofula	138	6,299
	2 Tabes Mesenterica	324	14,754
	3 Phthisis	2,595	118,003
	4 Hydrocephalus	332	15,095
III.	ORDER 1.		
	1 Cephalitis	199	9,047
	2 Apoplexy	490	22,309
	3 Paralysis	509	23,175
	4 Insanity	30	1,372
	5 Chorea	2	107
	6 Epilepsy	109	4,957
	7 Convulsions	1,239	56,294
	8 *Brain Disease, &c.*	267	12,158
	ORDER 2.		
	1 Pericarditis	28	1,269
	2 Aneurism	24	1,078
	3 *Heart Disease, &c.*	1,022	46,499
	ORDER 3.		
	1 Laryngitis	61	2,755
	2 Bronchitis	1,902	86,554
	3 Pleurisy	41	1,854
	4 Pneumonia	995	45,275
	5 Asthma	177	8,035
	6 *Lung Disease, &c.*	226	10,278
	ORDER 4.		
	1 Gastritis	35	1,591
	2 Enteritis	135	6,127
	3 Peritonitis	74	3,368
	4 Ascites	34	1,552
	5 Ulceration of Intest.	44	1,990
	6 Hernia	44	1,987
	7 Ileus	55	2,528
	8 Intussusception	14	635
	9 Stricture of Intest.	13	596
	10 Fistula	5	214
	11 *Stomach Disease, &c.*	139	6,320
	12 *Pancreas Disease, &c.*	·8	39
	13 Hepatitis	62	2,828
	14 Jaundice	70	3,201
	15 *Liver Disease, &c.*	261	11,859
	16 *Spleen Disease, &c.*	4	199
IV.	ORDER 1.		
	1 Premature Birth	423	19,272
	2 Cyanosis	23	1,031
	3 Spina Bifida	18	838
	4 Other Malformations	24	1,081
	5 Teething	203	9,219
	ORDER 2.		
	1 Paramenia	5	247
	2 Childbirth (*see* Metria)	111	5,029
	ORDER 3.		
	1 Old Age	1,350	61,414
	ORDER 4.		
	1 Atrophy and Debility	1,523	69,284
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)		
	1 Fractures and Contusions	310	14,141
	2 Gunshot	6	266
	3 Cut, Stab	5	221
	4 Burns and Scalds	123	5,574
	5 Poison	13	602
	6 Drowning	126	5,737
	7 Suffocation	64	2,899
	8 Otherwise	53	2,393
	ORDER 3. (HOMICIDE.)		
	1 Murder and Manslaughter	18	840
	ORDER 4. (SUICIDE.)		
	1 Gunshot Wounds	3	122
	2 Cut, Stab	13	575
	3 Poison	6	289
	4 Drowning	11	489
	5 Hanging	22	1,046
	6 Otherwise	7	300
	ORDER 5. (EXECUTION.)		
	1 Hanging	·5	24
	Other Violent Deaths (not classed)	14	641
	Sudden Deaths (Cause unascertained)	165	7,516

* Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

NOTE.—The causes of 4,630 deaths were not specified. In calculating the proportional numbers they have been distributed pro rata over all the causes in the Table.

TABLE 14.—**Mean Annual Rate** of **Mortality** in **England** from each CLASS of CAUSES and from each CAUSE during **Three Periods** of **Five Years**; and **Rate** of **Mortality** in the Year **1867.**

CLASSES.	CAUSES OF DEATH.	ANNUAL DEATHS to 1,000,000 LIVING. 15 Years 1850–64.	5 Years 1850–54.	5 Years 1855–59.	5 Years 1860–64.	Year 1867.
	ALL CAUSES	22200·2*	22299·3	22052·6	22248·7	21,983
	SPECIFIED CAUSES	21921·5*	21377·3	21784·3	22102·5	21,818
	(CLASSES.)					
I.	ZYMOTIC DISEASES	5064·0	5234·1	5039·5	4892·3	4288
II.	CONSTITUTIONAL „	4368·0	4598·6	4311·6	4194·0	4215
III.	LOCAL „	8148·8	7644·6	8124·4	8676·6	8840
IV.	DEVELOPMENTAL „	3595·1	3653·8	3568·4	3563·0	3680
V.	VIOLENT DEATHS	752·5	746·2	741·6	769·6	795
	SUDDEN DEATHS, CAUSE UNASCERTAINED	177·2	207·2	178·2	146·2	165
	CAUSES NOT SPECIFIED	—	214·3	149·6†	—	—
	(ORDERS.)					
I.	1. MIASMATIC DISEASES	4830·7	5019·2	4807·2	4652·8	4005
	2. ENTHETIC „	62·3	51·5	61·7	73·5	90
	3. DIETIC „	106·7	97·6	106·0	116·4	130
	4. PARASITIC „	64·3	65·8	64·6	56·6	63
II.	1. DIATHETIC „	877·8	943·6	863·6	826·4	826
	2. TUBERCULAR „	3490·2	3655·0	3448·0	3367·6	3389
III.	DISEASES OF—					
	1. NERVOUS SYSTEM	2786·3	2777·0	2758·0	2823·4	2845
	2. ORGANS OF CIRCULATION	824·1	700·0	803·6	968·6	1074
	3. RESPIRATORY ORGANS	3111·1	2769·0	3155·2	3409·2	3402
	4. DIGESTIVE ORGANS	1015·8	1039·0	1005·0	1003·6	990
	5. URINARY ORGANS	229·4	190·6	227·0	270·6	327
	6. ORGANS OF GENERATION	56·5	52·4	57·4	59·6	62
	7. ORGANS OF LOCOMOTION	72·4	66·2	68·2	82·6	82
	8. INTEGUMENTARY SYSTEM	53·2	50·4	50·0	59·0	58
IV.	1. DEV. DISEASES OF CHILDREN	995·6	1335·0	995·4	656·4	691
	2. „ ADULTS	117·6	128·0	108·0	116·6	116
	3. „ OLD PEOPLE	1437·0	1493·8	1431·0	1386·2	1350
	4. DIS. OF NUTRITION	1044·9	697·0	1034·0	1403·8	1523
V.	1. ACCIDENT OR NEGLIGENCE	691·8	696·2	694·8	677·0	700
	2. BATTLE	‡	‡	‡	‡	‡
	3. HOMICIDE	—	—	17·5	19·2	18
	4. SUICIDE	—	—	65·0	66·6	62
	5. EXECUTION	—	—	·5	·8	·5
	OTHER VIOLENT DEATHS NOT CLASSED	26·8	50·0	22·7	6·0	14

CLASSES.	CAUSES OF DEATH.	ANNUAL DEATHS to 1,000,000 LIVING. 15 Years 1850–64.	5 Years 1850–54.	5 Years 1855–59.	5 Years 1860–64.	Year 1867.
I.	ORDER 1.					
	1 Small-pox	222·9	279·0	199·0	190·6	118
	2 Measles	432·1	406·0	412·0	478·2	310
	3 Scarlatina	1061·4	890·8	1103·6	925·6	580
	4 Diphtheria				264·2	123
	5 Quinsy	21·1	22·4	24·2	16·6	9
	6 Croup	261·9	225·2	281·0	279·4	207
	7 Whooping-cough	516·9	496·6	527·0	527·0	559
	8 Typhus	913·1	995·0	897·6	846·6	795
	9 Erysipelas	101·1	111·6	104·6	87·0	68
	10 Metria	54·5	54·0	55·2	54·2	50
	11 Carbuncle	12·2	12·0	13·0	11·6	11
	12 Influenza	75·3	86·6	94·2	45·0	29
	13 Dysentery	84·8	120·6	77·2	56·6	45
	14 Diarrhœa	803·5	867·4	838·6	704·6	937
	15 Cholera	128·2	305·8	45·0	33·8	43
	16 Ague	8·7	9·2	9·6	7·2	6
	17 Remittent Fever	22·9	35·2	21·0	12·6	4
	18 Rheumatism	104·1	101·8	104·4	106·0	106
	19 Other Zymotic Dis.	—	—	—	6·0	5
	ORDER 2.					
	1 Syphilis	50·7	37·2	51·2	63·6	80
	2 Stricture of Urethra	10·9	13·4	10·0	9·4	9
	3 Hydrophobia	·5	·9	·4	·3	·5
	4 Glanders	—	—	§·13	·2	·2
	ORDER 3.					
	1 Privation	3·7	3·8	3·6	3·6	5
	2 Want of Breast-milk	44·3	33·0	46·0	53·8	68
	3 Purpura and Scurvy	16·3	14·4	15·6	19·0	22
	4 Alcohol a Del.Trem	26·0	28·6	25·6	23·8	17
	4 Alcohol b Intem.	16·4	17·8	15·2	16·2	18
	ORDER 4.					
	1 Thrush	58·4	65·8	61·4	48·0	55
	2 Worms, &c.	—	—	3 2	8·6	8
II.	ORDER 1.					
	1 Gout	13·0	12·4	13·2	13·4	18
	2 Dropsy	456·7	549·4	450·8	370·0	334
	3 Cancer	332·8	302·2	327·4	368·8	403
	4 Noma	7·8	6·0	9·0	8·4	8
	5 Mortification	67·5	73·6	63·2	65·8	63
	ORDER 2.					
	1 Scrofula	152·9	144·8	153·4	160·4	138
	2 Tabes Mesenterica	266·1	264·8	261·4	272·2	324
	3 Phthisis	2675·1	2811·2	2647·6	2566·4	2595
	4 Hydrocephalus	396·1	434·2	385·6	368·6	332

* The Mean Annual Mortality in the 15 years from All Causes and from Specified Causes is the mean of the three quinquennial periods, and does not correspond exactly with the totals of the Orders and Classes; because under certain heads, for example, *Homicide*, *Suicide*, and *Causes not specified*, &c., the complete details cannot be given for the entire period.

† Mean of 3 years.

‡ Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

§ Mean of 2 years.

NOTE.—In a certain number of cases in each year the cause of death was not stated. In calculating the proportional numbers, since 1855, they have been distributed pro ratâ over all the causes in the Table.

TABLE **14.—Mean Annual Rate** of **Mortality** in **England** from each CLASS of CAUSES and from each CAUSE during **Three Periods** of **Five Years**; and **Rate** of **Mortality** in the Year **1867**—*continued.*

CLASSES.	CAUSES OF DEATH.	ANNUAL DEATHS to 1,000,000 LIVING. 15 Years 1850-64.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.	Year 1867.
III.	ORDER 1.					
	1 Cephalitis	187·5	199·0	180·6	182·8	199
	2 Apoplexy	456·7	454·2	447·4	468·6	490
	3 Paralysis	466·5	440·2	465·4	493·8	509
	4 Insanity	27·0	29·2	23·8	28·0	30
	5 Chorea	3·3	3·6	3·0	3·2	2
	6 Epilepsy	114·7	105·8	115·4	122·8	109
	7 Convulsions	1313·3	1352·6	1311·2	1276·0	1239
	8 *Brain Disease, &c.*	217·3	192·4	211·2	248·2	267
	ORDER 2.					
	1 Pericarditis	30·6	32·6	30·4	28·8	28
	2 Aneurism	18·1	16·2	17·8	20·2	24
	3 *Heart Disease, &c.*	775·4	651·2	755·4	919·6	1022
	ORDER 3.					
	1 Laryngitis	66·0	59·0	69·0	70·0	61
	2 Bronchitis	1344·4	1016·4	1358·6	1658·2	1902
	3 Pleurisy	47·9	51·4	49·2	43·2	41
	4 Pneumonia	1244·1	1239·0	1294·2	1199·2	995
	5 Asthma	232·5	258·2	238·0	201·2	177
	6 *Lung Disease, &c.*	176·2	145·0	146·2	237·4	226
	ORDER 4.					
	1 Gastritis	39·9	37·2	42·6	39·8	35
	2 Enteritis	180·3	209·0	174·6	157·2	135
	3 Peritonitis	75·5	72·4	75·0	79·2	74
	4 Ascites	38·5	39·6	39·4	36·6	34
	5 Ulceration of Intestines	46·5	50·8	45·8	43·0	44
	6 Hernia	42·1	41·2	43·8	41·4	44
	7 Ileus	60·5	63·8	60·2	57·4	55
	8 Intussusception	13·4	13·6	13·4	13·2	14
	9 Stricture of Intestines	14·1	14·2	14·0	14·0	13
	10 Fistula	5·3	5·8	5·0	5·2	5
	11 *Stomach Disease, &c.*	129·8	118·6	132·2	138·6	139
	12 *Pancreas Disease, &c.*	·7	·6	·8	·8	·8
	13 Hepatitis	75·5	83·6	75·2	67·8	62
	14 Jaundice	69·1	69·6	69·6	68·0	70
	15 *Liver Disease, &c.*	221·0	215·2	210·2	237·6	261
	16 *Spleen Disease, &c.*	3·6	3·8	3·2	3·8	4
	ORDER 5.					
	1 Nephritis	13·4	11·0	14·0	15·2	21
	2 Ischuria	5·5	5·8	5·2	5·6	5
	3 Nephria	54·7	32·0	53·6	78·4	104
	4 Diabetes	25·4	23·0	24·8	28·4	32
	5 Stone	10·6	12·0	11·0	8·8	9
	6 Cystitis	14·7	13·0	14·0	17·0	18
	7 *Kidney Disease, &c.*	105·1	93·8	104·4	117·2	138
	ORDER 6.					
	1 Ovarian Dropsy	12·1	11·4	12·0	12·8	12
	2 *Uterus, &c. Disease*	44·4	41·0	45·4	46·8	50
	ORDER 7.					
	1 Arthritis	3·9	4·2	3·8	3·6	4
	2 *Joint Disease, &c.*	68·5	62·0	64·4	79·0	78
IV.	ORDER 8.					
	1 Phlegmon	20·7	20·2	18·2	23·6	20
	2 Ulcer	18·2	18·4	16·4	19·8	21
	3 *Skin Disease, &c.*	14·3	11·8	15·4	15·6	17
	ORDER 1.					
	1 Premature Birth	724·2	1043·6	737·0	392·0	423
	2 Cyanosis	18·1	14·0	18·6	21·8	23
	3 Spina Bifida	16·1	13·2	16·0	19·0	18
	4 Other Malformations	20·2	20·0	19·4	21·2	24
	5 Teething	217·0	244·2	204·4	202·4	203
	ORDER 2.					
	1 Paramenia	3·9	5·4	3·0	3·2	5
	2 Childbirth (*see* Metria)	113·7	122·6	105·0	113·4	111
	ORDER 3.					
	1 Old Age	1437·0	1493·8	1431·0	1386·2	1350
	ORDER 4.					
	1 Atrophy and Debility	1044·9	697·0	1034·0	1403·8	1523
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)					
	1 Fractures and Contusions				265·8	310
	2 Gunshot				5·6	6
	3 Cut, Stab				3·8	5
	4 Burns and Scalds				146·8	123
	5 Poison				13·0	13
	6 Drowning				121·8	126
	7 Suffocation				56·6	64
	8 Otherwise				43·6	53
	ORDER 3. (HOMICIDE.)					
	1 Murder and Manslaughter				19·2	18
	ORDER 4. (SUICIDE.)	752·5	746·2	741·6		
	1 Gunshot Wounds				3·0	3
	2 Cut, Stab				12·6	13
	3 Poison				6·6	6
	4 Drowning				10·8	11
	5 Hanging				29·0	22
	6 Otherwise				4·6	7
	ORDER 5. (EXECUTION.)					
	1 Hanging				·8	·5
	Other Violent Deaths (not classed)				6·0	14
	Sudden Deaths (Cause unascertained)	177·2	207·2	178·2	146·2	165
	Cause not specified or ill-defined	—	214·8	149·0*	—	—

* Mean of 3 years.

TABLE **15.—Causes** of **Death** in **England** in the **Year 1867,** arranged in the order of Mortality.

CAUSES OF DEATH.	Number of Deaths registered in the Year 1867.	*Proportional Number* from each Cause to 1,000,000 Deaths from All Causes.	CAUSES OF DEATH.	Number of Deaths registered in the Year 1867.	*Proportional Number* from each Cause to 1,000,000 Deaths from All Causes.
Phthisis	55,042	118,003	Ulceration of Intestines	928	1,990
Bronchitis	40,373	86,554	Hernia	927	1,987
Atrophy and Debility	32,317	69,284	Cholera	922	1,977
Old Age	28,646	61,414	Pleurisy	865	1,854
Convulsions	26,258	56,294	Gastritis	742	1,591
Heart Disease	21,689	46,499	Ascites	724	1,552
Pneumonia	21,118	45,275	Diabetes	680	1,458
Diarrhœa	19,851	42,559	Insanity	640	1,372
Typhus	16,862	36,150	Influenza	607	1,301
Scarlatina	12,300	26,370	Pericarditis	592	1,269
Whooping-cough	11,873	25,454	Other Malformations	504	1,081
Paralysis	10,810	23,175	Aneurism	503	1,078
Apoplexy	10,406	22,309	Hanging (Suicide)	488	1,046
Premature Birth	8,990	19,272	Cyanosis	481	1,031
Cancer	8,545	18,320	Purpura and Scurvy	471	1,010
Dropsy	7,095	15,211	Ulcer	443	950
Hydrocephalus	7,041	15,095	Nephritis	442	948
Tabes Mesenterica	6,882	14,754	Phlegmon	430	922
Fracture and Contusion (Accident)	6,596	14,141	Murder and Manslaughter	392	840
Measles	6,588	14,124	Spina Bifida	391	832
Brain Disease, &c.	5,671	12,158	Cystitis	381	817
Liver Disease, &c.	5,532	11,859	Gout	377	808
Lung Disease, &c.	4,793	10,278	Intemperance	374	802
Croup	4,387	9,405	Delirium Tremens	369	791
Teeth	4,300	9,219	Skin	332	776
Cephalitis	4,220	9,047	Other Violent Deaths (not classed)	299	641
Asthma	3,748	8,035	Intussusception	296	635
Sudden Deaths (Cause unascertained)	3,506	7,516	Poison (Accident)	281	602
Stomach Disease, &c.	2,948	6,320	Stricture of Intestines	278	596
Scrofula	2,938	6,299	Cut, Stab (Suicide)	268	575
Kidney Disease, &c.	2,920	6,260	Ovarian Dropsy	247	530
Enteritis	2,858	6,127	Carbuncle	235	504
Drowning (Accident)	2,676	5,737	Drowning (Suicide)	228	489
Burns and Scalds (Accident)	2,600	5,574	Stone	201	431
Diphtheria	2,600	5,574	Quinsy	201	431
Small-pox	2,513	5,388	Stricture of Urethra	197	422
Childbirth	2,346	5,029	Noma	174	373
Epilepsy	2,312	4,957	Worms	172	369
Rheumatism	2,256	4,837	Otherwise (Suicide)	140	300
Nephria	2,203	4,723	Poison (Suicide)	135	289
Syphilis	1,698	3,641	Gunshot (Accident)	124	266
Joint Disease, &c.	1,672	3,584	Ague	121	259
Peritonitis	1,571	3,368	Paramenia	115	247
Jaundice	1,493	3,201	Privation	109	234
Erysipelas	1,450	3,109	Ischuria	106	227
Want of Breast Milk	1,437	3,080	Other Zymotic Diseases	105	225
Suffocation (Accident)	1,352	2,899	Cut, Stab (Accident)	103	221
Mortification	1,329	2,849	Fistula	100	214
Hepatitis	1,319	2,828	Spleen Disease, &c.	93	199
Laryngitis	1,285	2,755	Remittent Fever	86	184
Ileus	1,179	2,528	Arthritis	75	161
Thrush	1,163	2,493	Gunshot wounds (Suicide)	57	122
Otherwise (Accident)	1,116	2,393	Chorea	50	107
Uterus Disease, &c.	1,069	2,291	Pancreas Disease	18	39
Metria	1,066	2,285	Hanging (Execution)	11	24
Dysentery	962	2,062	Hydrophobia	10	21
			Glanders	4	9

Note.—The causes of 4,630 deaths were not specified. In calculating the proportional numbers they have been distributed pro ratâ over all the causes in the Table.

TABLE **16.**—**Deaths** in **England** of **Women** after **Childbearing** in **1867** classed under the **Diseases** in Column 1., and neither referred to **Childbirth** nor to **Metria** in the Abstracts.

CAUSES OF DEATH.	ALL AGES.	AGES.				
		15–	20–	25–	35–	45 and upwards.
Col. 1	2	3	4	5	6	7
TOTAL	521	12	101	222	181	5
CLASS I.						
Small-pox	34	2	10	12	10	–
Measles	2	–	1	1	–	–
Scarlet Fever	37	3	12	20	2	–
Diphtheria	1	–	–	–	1	–
Typhus	31	1	8	13	9	–
Erysipelas	2	–	–	1	1	–
Influenza	1	–	–	1	–	–
Dysentery	3	–	1	2	–	–
Diarrhœa	23	1	2	9	10	1
Cholera	2	–	–	1	1	–
Remittent Fever	1	–	–	1	–	–
Rheumatism	10	–	5	3	1	1
Syphilis	2	–	1	1	–	–
Purpura	1	–	–	1	–	–
CLASS II.						
Dropsy	12	–	2	4	6	–
Cancer	3	–	–	2	1	–
Scrofula	1	–	–	1	–	–
Phthisis	131	2	28	61	40	–
CLASS III.						
Cephalitis	2	–	–	2	–	–
Apoplexy	4	–	1	1	2	–
Paralysis	4	–	–	3	–	1
Epilepsy	1	–	–	–	1	–
Brain Disease	6	–	1	3	1	1
Pericarditis	2	–	1	–	1	–
Heart Disease	57	2	7	22	25	1
Laryngitis	1	–	–	1	–	–
Bronchitis	41	–	9	16	16	–
Pleurisy	3	–	1	1	1	–
Pneumonia	38	–	5	15	18	–
Asthma	5	–	1	2	2	–
Lung Disease	11	–	–	3	8	–
Gastritis	2	–	–	2	–	–
Enteritis	4	–	–	1	3	–
Ileus	2	–	–	–	2	–
Stomach Disease	3	–	2	1	–	–
Hepatitis	5	–	–	–	5	–
Jaundice	3	–	–	2	1	–
Liver Disease	6	–	–	4	2	–
Nephria	13	1	2	4	6	–
Kidney Disease	9	–	1	3	5	–
Joint Disease	2	–	–	2	–	–

TABLE **17.**—**Deaths** in **England** of **Women** in **1867** who were returned as **pregnant,** classed under the Diseases in Column 1.

CAUSES OF DEATH.	ALL AGES.	AGES.				
		15–	20–	25–	35–	45 and upwds.
Col. 1.	2	3	4	5	6	7
TOTAL	16	–	1	7	8	–
CLASS I.						
Measles	1	–	–	–	1	–
Typhus	2	–	–	–	2	–
CLASS II.						
Cancer	1	–	–	–	1	–
Phthisis	3	–	–	2	1	–
CLASS III.						
Cephalitis	1	–	–	1	–	–
Apoplexy	1	–	–	1	–	–
Heart Disease	1	–	–	–	1	–
Gastritis	1	–	–	1	–	–
Enteritis	1	–	–	–	1	–
Stomach Disease	1	–	–	–	1	–
Nephria	2	–	1	1	–	–
Kidney Disease	1	–	–	1	–	–

TABLE **18.—Deaths** in **England** of **Women in Childbirth** in each of the **Years 1847–67.**

YEARS.	NUMBER OF DEATHS FROM			DEATHS OF MOTHERS TO 10,000 CHILDREN BORN ALIVE.
	METRIA AND CHILDBIRTH.	METRIA.	ACCIDENTS OF CHILDBIRTH.	
1847 – –	3226	784	2442	60
1848 – –	3445	1365	2080	61
1849 – –	3339	1165	2174	58
1850 – –	3252	1113	2139	55
1851 – –	3290	1009	2281	53
1852 – –	3247	972	2275	52
1853 – –	3063	795	2268	50
1854 – –	3009	954	2055	47
1855 – –	2979	1079	1900	47
1856 – –	2888	1067	1821	44
1857 – –	2787	836	1951	42
1858 – –	3131	1068	2063	48
1859 – –	3496	1238	2258	51
1860 – –	3173	987	2186	46
1861 – –	2995	886	2109	43
1862 – –	3077	940	2137	43
1863 – –	3588	1155	2433	49
1864 – –	4016	1484	2532	54
1865 – –	3823	1333	2490	51
1866 – –	3682	1197	2485	49
1867 – –	3412	1066	2346	44
21 years 1847–67 –	68,918	22,493	46,425	50

TABLE **19.—Mortality** of **Women** by **Childbearing** at **different Ages** in **England,** in the **7 Years 1848–54,** and in the **13 Years 1855–67.**

AGES of WOMEN.	FEMALE POPULATION at the Middle of the Years		ANNUAL RATE OF MORTALITY. To every 1,000 WOMEN living, the NUMBER of DEATHS by						AGES of WOMEN.
			Child-birth and Metria.	Child-birth.	Metria.	Child-birth and Metria.	Child-birth.	Metria.	
	1851.	1861.	7 Years 1848-54.			13 Years 1855-67.			
15–25	1,746,854	1,893,742	·411	·240	·171	·396	·233	·163	15–25
25–35	1,417,298	1,588,756	·936	·643	·343	·896	·575	·321	25–35
35–45	1,072,611	1,245,887	·981	·742	·239	·866	·648	·218	35–45
45–55	782,010	893,779	·085	·069	·016	·065	·052	·013	45–55
15–55	5,018,773	5,622,164	·645	·435	·210	·589	·393	·196	15–55

TABLE **20.—Deaths** of **Mothers** bearing **Children** at **different Ages** in **England,** in the **7 Years 1848–54,** and in the **13 Years 1855–67.**

AGES.	Estimated Number of Women bearing Children.		DEATHS registered in the 7 Years 1848–54.						DEATHS registered in the 13 Years 1855–67.						AGES.
			CHILDBIRTH and METRIA.		CHILDBIRTH.		METRIA.		CHILDBIRTH and METRIA.		CHILDBIRTH.		METRIA.		
	1851.	1861.	In the 7 Years 1848–54.	An-nually.	In the 7 Years 1848–54.	An-nually.	In the 7 Years 1848–54.	An-nually.	In the 13 Years 1855–67.	An-nually.	In the 13 Years 1855–67.	An-nually.	In the 13 Years 1855–67.	An-nually.	
15–25	107,440	116,474	5,025	717·9	2,940	420·0	2,085	297·9	9,754	750·3	5,731	440·8	4,023	309·5	15–25
25–35	328,720	368,487	9,779	1397·0	6,378	911·1	3,401	485·9	18,504	1423·3	11,880	913·8	6,624	509·5	25–35
35–45	166,140	192,979	7,359	1051·3	5,568	795·4	1,791	255·9	14,026	1079·0	10,493	807·2	3,533	271·8	35–45
45–55	7,545	8,623	466	66·6	380	54·3	86	12·3	760	58·5	604	46·5	156	12·0	45–55
15–55	609,845	686,563	22,629	3232·8	15,266	2180·8	7,363	1052·0	43,044	3311·1	28,708	2208·3	14,336	1102·8	15–55

TABLE **21.—Mortality** of **Mothers** by **Childbearing** at **different Ages** in **England,** in the **7 Years 1848–54,** and in the **13 Years 1855–67.**

AGE of MOTHER.	ANNUAL RATE of MORTALITY. To every 1000 MOTHERS bearing CHILDREN, the NUMBER of DEATHS by						AGE of MOTHER.
	Childbirth.	Metria.	Childbirth and Metria.	Childbirth and Metria.	Childbirth.	Metria.	
	7 Years 1848–54.			13 Years 1855–67.			
15–25	3·91	2·77	6·68	6·44	3·78	2·66	15–25
25–35	2·77	1·48	4·25	3·86	2·48	1·38	25–35
35–45	4·79	1·54	6·33	5·59	4·18	1·41	35–45
45–55	7·20	1·63	8·83	6·78	5·39	1·39	45–55
15–55	3·58	1·73	5·31	4·83	3·22	1·61	15–55

From the Swedish returns (1776–1855) it appears that 100 childbearings produced 101·62 children, viz., 2·82 stillborn, 98·80 quickborn; consequently 100 quickborn children imply 101·21 childbearings. In the year 1852 in England 624,012 children were born alive by 617,902 mothers; of whom 6,036 bore twins, 37 bore triplets. So 99 mothers bore 100 live children; or 100 live children implied 99 childbearings. To these should be added the childbearings yielding still-births unregistered.

TABLE **22.—Relative Mortality** of **Men** and **Women** at different Ages in **England** in the **Years 1851–60;** in the **64 Healthy Districts** of **England** in the **Years 1849–53;** and in **Sweden** in the **Years 1830–35.**

ANNUAL MORTALITY FROM ALL CAUSES TO 1,000 LIVING.

AGES.	MEN.			WOMEN.			EXCESS of MORTALITY of WOMEN over MORTALITY of MEN.			AGES.
	ENGLAND, 1851-60.*	HEALTHY DISTRICTS of ENGLAND, 1849-53.	SWEDEN, 1830-35.	ENGLAND, 1851-60.*	HEALTHY DISTRICTS of ENGLAND, 1849-53.	SWEDEN, 1830-35.	ENGLAND, 1851-60.	HEALTHY DISTRICTS of ENGLAND, 1849-53.	SWEDEN, 1830-35.	
15–25	7·68	6·91	6·55	8·08	7·65	5·64	+ ·40	+ ·74	− ·91	15–25
25–35	9·55	8·18	11·50	9·87	8·94	8·89	+ ·32	+ ·76	−2·61	25–35
35–45	12·61	9·28	16·45	11·88	9·98	12·59	− ·73	+ ·70	−3·86	35–45
45–55	17·59	12·73	25·09	15·06	11·92	18·21	− 2·53	− ·81	−6·88	45–55
55–65	30·35	22·94	40·28	27·54	21·62	31·74	− 2·81	−1·32	−8·54	55–65
65–75	66·82	54·86	78·26	55·84	49·92	69·50	−10·98	−4·94	−8·76	65–75

* The mortality has been re-calculated from the population—corrected for erroneous statements of age—as given at p. 109, Vol. 3, Census Report, 1861.

TABLE **23.—Annual Mortality** from **Childbirth** and **Metria** in the **10 Years 1851–60** in **England,** in the **64 Healthy Districts,** and in **11 Large Towns.**

Ages.	Annual Mortality to 1000 Women living.		
	England, 1851–60.	Healthy Districts, 1851–60.	London and Ten Large Town Districts, 1851–60.
15–25	·383	·274	·371
25–35	·881	·778	·835
35–45	·884	·821	·766
45–55	·070	·079	·053

TABLE **24.—Deaths** of **Women** in **Childbirth,** during the **10 Years 1851–60,** in the **Registration Divisions** of **England,** in the **64 Healthy Districts,** and in the **11 Large Towns.**

——	Births in the 10 Years, 1851–60.	Deaths from Childbirth and Metria in 10 Years, 1851–60.	Deaths of Mothers to 10,000 Children born alive.
England – – –	6,471,650	31,060	48
Division I – – –	864,563	4,239	49
Division II – – –	536,806	2,301	43
Division III – – –	414,329	1,795	43
Division IV – – –	361,970	1,491	41
Division V – – –	564,805	2,483	44
Division VI – – –	810,100	3,550	44
Division VII – – –	426,038	2,019	47
Division VIII – – –	999,820	5,351	54
Division IX – – –	695,439	3,365	48
Division X – – –	385,388	1,968	51
Division XI – – –	411,892	2,497	61
In 64 Healthy Districts –	312,402	1,356	43
In 11 Large Towns – –	1,402,304	6,862	49

TABLE **25.—Childbearings** at Four Periods of Life in **Sweden (1830–35).***

Age.	Women living at Two Enumerations 1830 & 1835.	Childbearings in Five Years 1831–35.	Proportional Numbers	
			Of 100 Women living the Numbers bearing Children annually.†	Women living to One Annual Childbearing.
1	2	3	4	5
15–25	515,257	79,225	6·15	16·26
25–35	428,718	248,589	23·19	4·31
35–45	383,771	148,610	15·49	6·46
45–55	298,047	7,189	·96	103·65
15–55	1,625,793	483,613	11·90	8·40

* See Registrar General's Sixth Annual Report, pp. 268–71, and p. 281.

† This column is derived by multiplying the number of childbearings in the five years 1831–5 (col. 3.) by 100, and then dividing by 2½ times the women living at the two enumerations 1830 and 1835 (col. 2).

TABLE **26.—Population 1851** and **1861,** and **Deaths** registered from **Diabetes** in **England** at **different Ages** in the **7 Years 1848–54,** and in the **13 Years 1855–67.**

Ages.	Population (corrected for errors of Age).				Deaths registered from Diabetes, 1848–54.						Deaths registered from Diabetes, 1855–67.					
	1851.		1861.		In the 7 Years 1848–54.			Annually in the 7 Years 1848–54.*			Annually in the 13 Years 1855–67.*			In the 13 Years 1855–67.		
	Males.	Females.	Males.	Females.	Persons.	Males.	Females.	Males.	Females.	**Persons.**	**Persons.**	Males.	Females.	Persons.	Males.	Females.
All Ages	8,808,662	9,174,187	9,801,152	10,318,162	2,833	1,935	893	276·4	128·4	404·8	557·1	366·4	190·7	7,247	4,764	2,483
Under 5 Years	1,180,430	1,174,915	1,358,356	1,349,561	45	25	20	3·6	2·9	6·5	6·5	3·9	2·6	85	51	34
5– –	1,053,510	1,045,298	1,175,945	1,174,316	57	34	23	4·9	3·3	8·2	9·8	5·0	4·8	128	65	63
10– –	967,007	952,248	1,062,588	1,048,152	104	63	41	9·0	5·9	14·9	19·6	10·4	9·2	255	135	120
15– –	1,671,634	1,746,854	1,826,796	1,893,742	376	248	128	35·4	18·3	53·7	65·1	38·5	26·6	846	500	346
25– –	1,323,621	1,417,298	1,395,508	1,588,756	486	316	170	45·1	24·3	69·4	88·7	55·2	33·5	1,154	718	436
35– –	1,017,018	1,072,611	1,108,592	1,245,887	495	336	159	48·0	22·7	70·7	93·5	59·8	33·7	1,215	777	438
45– –	734,314	782,010	883,311	893,779	464	322	142	46·0	20·3	66·3	96·3	65·5	30·8	1,253	852	401
55– –	482,788	528,185	581,158	580,966	411	300	111	42·9	15·9	58·8	96·2	68·0	28·2	1,251	884	367
65– –	268,052	311,135	289,555	387,730	312	225	87	32·1	12·4	44·5	65·8	48·2	17·6	856	627	229
75– –	97,008	123,610	106,306	134,630	81	65	16	9·3	2·3	11·6	14·4	11·2	3·2	188	146	42
85– –	12,745	19,009	12,532	19,656	2	1	1	·1	·1	·2	1·2	·7	·5	16	9	7
95 & upwards	535	1,014	455	987	–	–	–	–	–	—	—	–	–	–	–	–

* These results have been slightly adjusted in the decimal place, in order that they should cast.

TABLE **27.—Mortality** from **Diabetes** at **different Ages** in **England** in the **7 Years 1848–54,** and in the **13 Years 1855–67.**

Ages.	Annual Rate of Mortality from Diabetes. Number of Deaths to every 100,000 of Population.						Ages.
	In the 7 Years 1848–54.			In the 13 Years 1855–67.			
	Males.	Females.	**Persons.**	**Persons.**	Males.	Females.	
All Ages –	3·1	1·4	2·3	2·8	3·7	1·9	All Ages.
Under 5 Years	·3	·2	·3	·2	·3	·2	Under 5 Years.
5–	·5	·3	·4	·4	·4	·4	5–
10–	·9	·6	·8	·9	1·0	·9	10–
15–	2·1	1·0	1·6	1·7	2·1	1·4	15–
25–	3·4	1·7	2·5	3·0	4·0	2·1	25–
35–	4·7	2·1	3·4	4·0	5·4	2·7	35–
45–	6·3	2·6	4·4	5·4	7·4	3·5	45–
55–	8·9	3·0	5·8	8·3	11·7	4·9	55–
65–	12·0	4·0	7·7	9·7	16·7	4·5	65–
75–	9·6	1·8	5·2	6·0	10·6	2·4	75–
85–	1·1	·8	·9	3·8	5·5	2·7	85–

TABLE **28.—Deaths** in **England** of **Males** at **different Ages** returned at Inquests as resulting from **Murder** and **Manslaughter** in the **Year 1867.**

CAUSES OF DEATH.	ALL AGES.	AGES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
MURDER AND MANSLAUGHTER	238	85	2	2	3	1	93	6	6	30	34	30	20	13	1	3	2	–
MURDER	126	73	1	1	1	1	82	5	1	11	7	6	8	4	1	–	1	–
MANSLAUGHTER	112	7	1	1	2	–	11	1	5	19	27	24	12	9	–	3	1	–
MURDER—																		
Fractures	9	4	–	–	–	–	4	–	–	1	–	2	–	1	1	–	–	–
Blow	6	2	–	–	–	–	2	–	–	1	2	–	1	–	–	–	–	–
Cut, Stab	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Cut Throat	7	2	–	–	–	1	3	3	–	–	–	–	–	1	–	–	–	–
Gun Shot	5	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	–
Explosion of Gunpowder	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Poison (not stated what kind)	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	10	5	1	1	1	–	8	2	–	–	–	–	–	–	–	–	–	–
Suffocation	17	17	–	–	–	–	17	–	–	–	–	–	–	–	–	–	–	–
Strangling	7	7	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Infanticide	31	31	–	–	–	–	31	–	–	–	–	–	–	–	–	–	–	–
Neglect	3	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Exposure to Cold	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Navel Hæmorrhage	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Starvation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(Not stated how)	21	3	–	–	–	–	3	–	–	5	3	3	5	1	–	–	1	–
MANSLAUGHTER—																		
Fall	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Horse Conveyance	5	–	–	1	–	–	1	1	2	–	–	–	1	–	–	–	–	–
Fractures	7	–	–	–	1	–	1	–	–	–	1	1	1	3	–	–	–	–
Blow, &c.	14	–	–	–	–	–	–	–	–	2	2	7	1	2	–	–	–	–
Fight	4	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Cut, Stab	8	–	–	–	–	–	–	–	–	4	2	2	–	–	–	–	–	–
Gun Shot	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Agricultural Machinery	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	4	2	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–
Exposure to Cold	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Railways—Run over on Line	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
„ Collision	6	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–
„ (Manner not stated)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Coal Mines—Fall in Pit or Shaft	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
„ Explosion of Fire Damp	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(Not stated how)	48	3	1	–	–	–	4	–	3	7	16	7	4	3	–	3	1	–

TABLE **29.—Deaths** in **England** of **Females** at **different Ages** returned at Inquests as resulting from **Murder** and **Manslaughter** in the **Year 1867.**

CAUSES OF DEATH.	ALL AGES.	AGES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
MURDER AND MANSLAUGHTER	154	91	2	3	1	1	98	4	2	5	19	10	6	4	4	2	–	–
MURDER	122	88	2	2	–	1	93	3	2	–	12	4	2	2	4	–	–	–
MANSLAUGHTER	32	3	–	1	1	–	5	1	–	5	7	6	4	2	–	2	–	–
MURDER—																		
Fractures	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Blow, &c.	6	4	–	–	–	–	4	–	–	–	2	–	–	–	–	–	–	–
Cut, Stab	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cut Throat	8	3	–	1	–	1	5	1	–	–	1	–	–	–	1	–	–	–
Gun Shot	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Explosion of Gunpowder	3	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
Poison (not stated what kind)	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	4	–	–	–	–	4	–	–	–	2	1	–	–	–	–	–	–
Suffocation	18	17	–	–	–	–	17	–	–	–	–	–	–	–	1	–	–	–
Strangling	5	5	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Infanticide	37	37	–	–	–	–	37	–	–	–	–	–	–	–	–	–	–	–
Neglect	14	13	–	–	–	–	13	–	1	–	–	–	–	–	–	–	–	–
Exposure to Cold	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Navel Hæmorrhage	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(Not stated how)	16	3	2	–	–	–	5	1	1	–	5	–	1	2	1	–	–	–
MANSLAUGHTER—																		
Fall	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Horse Conveyance	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fractures	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Blow, &c.	5	1	–	–	–	–	1	–	–	1	–	1	2	–	–	–	–	–
Cut, Stab	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Gunshot	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison (not stated what kind)	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Railways—Collision	3	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
(Not stated how)	16	2	–	–	–	–	2	1	–	3	3	4	1	–	–	2	–	–

TABLE **30.—Proportion** of **Suicides** consummated to every **1,000,000** of the **Population** of **England, 1858–67.**

MEANS EMPLOYED.	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
Gunshot Wounds - -	3	3	3	3	3	3	3	3	3	3
Cutting, Stabbing - -	13	14	14	13	11	13	12	12	13	13
Poisoning - - - -	6	6	8	6	6	6	7	7	6	6
Drowning - - - -	10	11	11	11	10	12	10	11	10	11
Hanging - - - -	30	27	30	30	30	28	27	28	25	22
Otherwise - - - -	4	3	4	5	5	4	5	6	7	7
All Ways - -	66	64	70	68	65	66	64	67	64	62

TABLE **31.—Deaths** and **Mortality** in **England** by **Burns** and **Scalds** in the **Years 1848–67.**

AGES.	DEATHS				AVERAGE ANNUAL DEATHS in the 19 Years 1848–66.		AVERAGE ANNUAL RATE of MORTALITY in the 19 Years 1848–66 to 100,000 Living.		RATE of MORTALITY to 100,000 Living in 1867.	
	In the 19 Years 1848–66.		In 1867.							
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL AGES - -	26,668	27,025	1,379	1,221	1,404	1,424	14·9	14·4	13·3	11·0
Under 5 Years - -	14,926	12,270	749	602	786	646	61·3	50·8	50·2	40·4
5– - - -	3,678	6,329	139	222	194	333	17·2	29·6	11·0	17·8
10– - - -	1,015	1,646	64	67	53	87	5·2	8·6	5·7	5·9
15– - - -	2,013	1,246	119	55	106	66	6·0	3·6	6·2	2·7
25– - - -	1,661	685	107	31	87	36	6·3	2·4	7·7	1·8
35– - - -	1,195	603	85	27	63	32	5·8	2·7	7·5	2·0
45– - - -	784	670	45	32	41	35	5·0	4·1	4·5	3·4
55– - - -	548	735	26	28	29	39	5·3	6·8	4·0	4·8
65– - - -	386	1,100	24	61	20	58	7·1	16·4	8·3	13·5
75– - - -	371	1,280	14	76	20	67	19·0	51·2	12·6	56·0
85– - - -	87	431	7	18	5	23	36·1	116·6	56·4	90·9
95 and upwards -	4	30	—	2	·2	2	42·9	159·1	—	201·9

Of the 14,926 males dying of burns under 5 years of age, 975 were less than 1 year of age, 3687 were 1 year and under 2, 3898 were 2 years and under 3, 3537 were 3 years and under 4, 2829 were 4 years and under 5. Of the 12,270 females dying under 5 years of age, 967 were less than 1 year of age, 2916 were 1 year and under 2, 2931 were 2 years and under 3, 2949 were 3 years and under 4, 2507 were 4 years and under 5.

TABLE 32.—**Deaths** by **Lightning** in **England** in each of the Four **Years 1864-67.**

Division.	District.	Date of Death.	Sex.	Occupation.	All Ages.	Ages. 0–	5–	10–	15–	20–	25–	35–	45–	55–	65 and upwds
		1864.													
2	Faversham	31 Mar.	Male	Miller	1	–	–	–	–	–	–	–	1	–	–
3	Ely	20 May	Male	Labourer	1	–	–	–	–	–	–	1	–	–	–
8	Wirral	20 May	Female	Wife of Labourer	1	–	–	–	–	–	–	–	1	–	–
9	Great Ouseburn	9 June	Male	Wheelwright	1	–	–	–	–	–	–	–	–	–	1
10	Gateshead	20 May	Male	Agricultural Labourer	1	–	–	–	–	–	1	–	–	–	–
10	Tynemouth	20 May	Male	Labourer	1	–	–	–	–	–	1	–	–	–	–
		1865.													
3	Hemel Hempstd.	17 July	Male	Labourer	1	–	–	–	–	–	–	–	–	1	–
3	Bedford	24 July	Male	Labourer	1	–	–	–	–	–	–	–	–	1	–
4	Romford	24 Aug.	Male	Labourer	1	–	–	–	1	–	–	–	–	–	–
4	Chelmsford	3 Aug.	Male	Labourer	1	–	–	–	–	–	–	1	–	–	–
4	Samford	22 Aug.	Male	Basket-maker	1	–	–	–	–	–	–	–	–	–	1
6	Kidderminster	25 Aug.	Male	Labourer	1	–	–	–	–	–	1	–	–	–	–
6	Birmingham	8 July	Female	Wife of Beerseller	1	–	–	–	–	–	–	–	1	–	–
*6	Stone	8 July	Male	Agricultural Labourer	1	–	–	–	–	–	1	–	–	–	–
7	Glandford Brigg	22 May	Male	Cottager	1	–	–	–	–	–	–	–	1	–	–
7	Glandford Brigg	16 Aug.	Male	Farm Bailiff	1	–	–	–	–	–	–	–	–	–	1
7	Ashby-de-la-Zch.	8 July	Male	Labourer	1	–	–	–	–	–	–	1	–	–	–
7	Spilsby	8 July	Female	Daughter of Labourer	1	–	–	1	–	–	–	–	–	–	–
7	Gainsborough	8 July	Female	Wife of Carrier	1	–	–	–	–	–	–	–	1	–	–
7	Newark	8 July	Male	Agricultural Labourer	1	–	–	–	–	–	1	–	–	–	–
7	Bakewell	7 July	Male	Labourer	1	–	–	–	–	–	1	–	–	–	–
8	Preston	22 May	Male	Servant	1	–	–	–	1	–	–	–	–	–	–
9	Halifax	7 July	Male	Farmer	1	–	–	–	–	–	–	1	–	–	–
9	Doncaster	22 Aug.	Male	Agricultural Labourer	1	–	–	–	1	–	–	–	–	–	–
9	Patrington	8 July	Male	Life Boatman	1	–	–	–	–	–	–	1	–	–	–
9	Scarborough	10 July	Male	Farmer	1	–	–	–	–	–	–	–	–	–	1
		1866.													
1	Kensington	30 June	Male	Son of Pigeon Dealer	1	–	–	–	1	–	–	–	1	–	–
2	Horsham	6 July	Male	Farmer	1	–	–	–	–	–	–	1	–	–	–
3	Bishop Stortford	10 Aug.	Male	Shepherd	1	–	–	–	–	–	–	–	–	–	1
4	Thingoe	4 June	Female	–	1	–	–	–	–	–	–	–	–	–	–
4	Woodbridge	4 June	Male	Son of Labourer	1	–	–	1	–	–	–	–	–	–	–
4	Norwich	22 June	Male	Gardener	1	–	–	–	–	–	1	–	–	–	–
4	Witham	11 Aug.	Male	Agricultural Labourer	1	–	–	–	–	–	1	–	–	–	–
5	Yeovil	27 June	Male	Labourer	1	–	–	–	–	–	1	–	–	–	–
5	Wincanton	30 June	Male	Labourer	1	–	–	–	–	–	–	–	–	–	1
6	Clifton	3 Feb.	Male	Sailor (at Sea)	1	–	–	–	–	1	–	–	–	–	–
6	Solihull	1 June	Male	Son of Labourer	1	–	1	–	–	–	–	–	–	–	–
7	Boston	4 June	Male	Agricultural Labourer	1	–	–	–	–	–	–	1	–	–	–
7	Spalding	30 June	Female	Wife of Agricultural Labourer.	1	–	–	–	–	–	1	–	–	–	–
7	Spalding	30 June	Female	Daughter of Agricultural Labourer.	1	1	–	–	–	–	–	–	–	–	–
7	Horncastle	29 June	Male	Cottager	1	–	–	–	–	–	–	1	–	–	–
7	Bingham	5 July	Male	Agricultural Labourer	1	–	–	–	–	–	–	–	–	1	–
8	Wigan	15 Sept.	Female	Waggon minder in a Coal Mine.	1	–	–	1	–	–	–	–	–	–	–
9	Guisborough	30 June	Male	Horsekeeper	1	–	–	–	–	–	1	–	–	–	–
11	Festiniog	28 June	Female	Wife of Farmer	1	–	–	–	–	–	–	–	–	1	–
		1867.													
3	Royston	10 May	Male	Agricultural Labourer	1	–	–	–	–	–	–	–	–	1	–
3	Woodstock	3 Sept.	Male	Agricultural Labourer	1	–	–	–	–	–	–	1	–	–	–
3	St. Neots	19 April	Female	Daughter of Labourer	1	–	–	–	–	1	–	–	–	–	–
4	Halstead	2 July	Male	Agricultural Labourer	1	–	–	–	–	–	–	–	–	–	1
4	Tunstead	1 Sept.	Female	Daughter of Labourer	1	–	1	–	–	–	–	–	–	–	–
4	Tunstead	1 Sept.	Female	Daughter of Carpenter	1	1	–	–	–	–	–	–	–	–	–
7	Caistor	30 Mar.	Male	Fisherman (at Sea)	1	–	–	–	–	–	1	–	–	–	–
7	Lincoln	23 July	Male	Agricultural Labourer	1	–	–	–	–	–	–	1	–	–	–
7	Mansfield	3 Sept.	Male	Son of Groom	1	–	1	–	–	–	–	–	–	–	–
6	Shipston on Stour.	3 Sept.	Male	Carpenter	1	–	–	–	–	–	–	–	1	–	–
9	Pontefract	27 May	Male	Market Gardener	1	–	–	–	–	–	–	–	–	1	–
6	West Bromwich	3 Sept.	Male	Labourer	1	–	–	–	–	–	–	1	–	–	–
8	Oldham	10 July	Female	Daughter of Tailor	1	–	–	1	–	–	–	–	–	–	–
9	Whitby	5 June	Male	Boat Builder	1	–	–	–	–	–	–	–	–	–	1
9	Saddleworth	3 Sept.	Male	Spinner	1	–	–	–	–	–	1	–	–	–	–
10	Alnwick	13 Aug.	Male	Roadman (at Sea)	1	–	–	–	–	–	1	–	–	–	–
11	Machynlleth	4 Sept.	Male	Son of a Farmer	1	–	–	–	–	–	1	–	–	–	–
				TOTAL	62	2	3	4	4	2	15	11	7	6	8

* This death was registered on 19th January 1866.

INDEX OF DISTRICTS.

[The following Index furnishes a reference to the *Number* of each DISTRICT in the topographical arrangement adopted in the Tables of Abstracts contained in the Report, the numbers running consecutively from 1 to 623.* In forming the alphabetical arrangement the principle is adopted of placing compound names in the order in which they are pronounced: thus, East Ashford will be found under the letter E, and *not* under A, as Ashford, East.]

For names of Towns, such as Chester, Leamington, Torquay, &c., which are not found in this "Index of Districts," see the "Index of Sub-districts" (page 253) *and "Index of certain Towns"* (page 263).

A

Aberayron, 596.
Abergavenny, 578 *a*.
Aberystwith, 597.
Abingdon, 123.
Alcester, 405.
Alderbury, 263.
Alnwick, 559.
Alresford, 113.
Alston, 564.
Alton, 114.
Altrincham, 454.
Alverstoke, 97.
Amersham, 148.
Amesbury, 262.
Ampthill, 181.
Andover, 118.
Anglesey, 623.
Ashborne, 447.
Ashby-de-la-Zouch, 414.
Ashton-under-Lyne, 474.
Askrigg, 537.
Aston, 395.
Atcham, 359.
Atherstone, 397.
Auckland, 542.
Axbridge, 324.
Axminster, 279.
Aylesbury, 151.
Aylsham, 232.

B

Bakewell, 449.
Bala, 616.
Banbury, 163.
Bangor, 621.
Barnet, 136.
Barnsley, 505.
Barnstaple, 295.
Barrow-upon-Soar, 416.
Barton-upon-Irwell, 470.
Basford, 438.
Basingstoke, 116.
Bath, 326.
Battle, 77.
Beaminster, 277.
Bedale, 535.
Bedford, 179.
Bedminster, 328.
Bedwelty, 578 *b*.
Belford, 560.
Bellingham, 557.
Belper, 446.
Berkhampstead, 147.
Bermondsey, 28.
Berwick, 561.
Bethnal Green, 21.
Beverley, 518.
Bicester, 159.
Bideford, 297.
Biggleswade, 180.
Billericay, 199.
Billesdon, 410.
Bingham, 443.
Birkenhead, 460 *b*.
Birmingham, 394.
Bishop Stortford, 139.
Blaby, 411.
Blackburn, 480.
Blandford, 270.
Blean, 66.
Blofield, 237.
Blything, 225.
Bodmin, 304.
Bolton, 468.
Bootle, 572.
Bosmere, 220.
Boston, 425.
Bourn, 422.
Brackley, 164.
Bradfield, 126.
Bradford-on-Avon, 258.
Bradford (Yorkshire), 499.
Braintree, 208.
Bramham, 514 *b*.
Bramley, 500 *d*.
Brampton, 566.
Brecknock, 600.
Brentford, 134.
Bridge, 64.
Bridgend, 583.
Bridgnorth, 356.
Bridgwater, 316.
Bridlington, 524.
Bridport, 278.
Brighton, 85.
Bristol, 329.
Brixworth, 170.
Bromley, 49.
Bromsgrove, 392.
Bromyard, 350.
Buckingham, 154.
Builth, 599.
Burnley, 478.
Burton-upon-Trent, 375.
Bury, 469.
Bury St. Edmunds, 215.

C

Caistor, 432.
Calne, 254.
Camberwell, 33.
Cambridge, 187.
Camelford, 300.
Canterbury, 65.
Cardiff, 581 *a*.
Cardigan, 593.
Carlisle, 568.
Carmarthen, 589.
Carnarvon, 620.
Castleford, 504 *c*.
Castle Ward, 554.
Catherington, 111.
Caxton, 185.
Chapel-en-le-Frith, 450.
Chard, 318.
Cheadle, 373.
Chelmsford, 200.
Chelsea, 2.
Cheltenham, 344.
Chepstow, 576.
Chertsey, 38.
Chesterfield, 448.
Chester-le-Street, 548.
Chesterton, 186.
Chichester, 92.
Chippenham, 253.
Chipping Norton, 162.
Chipping Sodbury, 331.
Chorley, 481.
Chorlton, 471.
Christchurch, 101.
Church Stretton, 354.
Cirencester, 340.
Cleobury Mortimer, 355.
Clerkenwell, 15.
Clifton, 330.

* Thus, the number of Marriages in the Aberayron District may at once be ascertained by referring, in the "*Abstract of Marriages*," to the District numbered 596 (see page 24); and in like manner the number of Births and Deaths, of Deaths at different Ages, &c. will be found by referring to the same district number in the appropriate Tables.

Clitheroe, 479.
Clun, 353.
Clutton, 325.
Cockermouth, 570.
Colchester, 204.
Congleton, 457.
Conway, 622.
Cookham, 129.
Corwen, 615.
Cosford, 213.
Coventry, 400.
Cranbrook, 60.
Crediton, 292.
Crickhowell, 601.
Cricklade, 251.
Croydon, 46.
Cuckfield, 83.

D

Darlington, 540.
Dartford, 50.
Daventry, 169.
Depwade, 239.
Derby, 445.
Devizes, 256.
Dewsbury, 502.
Docking, 244.
Dolgelly, 617.
Doncaster, 510.
Dorchester, 275.
Dorking, 43.
Dover, 72.
Downham, 247.
Driffield, 523.
Droitwich, 391.
Droxford, 110.
Dudley, 382.
Dulverton, 313 *b*.
Dunmow, 209.
Durham, 545.
Dursley, 333.

E

Easington, 546.
Easingwold, 527.
East Ashford, 63.
Eastbourne, 78.
East Grinstead, 82.
Easthampstead, 130.
East London, 17.
East Retford, 435.
Eastry, 71.
East Stonehouse, 288.
East Ward, 573.
Ecclesall Bierlow, 507.
Edmonton, 137.
Elham, 73.
Ellesmere, 362.
Ely, 190.
Epping, 195.
Epsom, 37.
Erpingham, 231.
Eton, 149.
Evesham, 389.
Exeter, 282.

F

Falmouth, 308.
Fareham, 98.
Faringdon, 122.
Farnborough, 41.
Farnham, 40.
Faversham, 67.
Festiniog, 618.
Flegg, 229.
Foleshill, 399.
Fordingbridge, 103.
Forehoe, 235.
Freebridge Lynn, 245.
Frome, 321.
Fylde, 483.

G

Gainsborough, 434.
Garstang, 484.
Gateshead, 551.
Glanford Brigg, 433.
Glendale, 562.
Gloucester, 336.
Godstone, 45.
Goole, 512.
Gower, 585 *b*.
Grantham, 427.
Gravesend, 51.
Great Boughton (Chester), 459.
Great Ouseburn, 492 *a*.
Greenwich, 35.
Guildford, 39.
Guiltcross, 240.
Guisbrough, 532.

H

Hackney, 11.
Hailsham, 79.
Halifax, 498.
Halstead, 207.
Haltwhistle, 556.
Hambledon, 42.
Hampstead, 8.
Hardingstone, 167.
Hartismere, 218.
Hartlepool, 541 *b*.
Hartley Wintney, 115.
Haslingden, 477.
Hastings, 76.
Hatfield, 143.
Havant, 95.
Haverfordwest, 592.
Hay, 602.
Hayfield, 451.
Headington, 157.
Helmsley, 529.
Helston, 309.
Hemel Hempstead, 146.
Hemsworth, 504 *b*.
Hendon, 135.
Henley, 155.
Henstead, 236.
Hereford, 348.
Hertford, 142.
Hexham, 555.
Highworth, 250.
Hinckley, 412.
Hitchin, 141.
Holbeach, 424.
Holbeck, 500 *c*.
Holborn, 14.
Hollingbourn, 59.
Holsworthy, 298.
Holywell, 610.
Honiton, 280.
Hoo, 53.
Horncastle, 429.
Horsham, 87.
Houghton-le-Spring, 547.
Howden, 517.
Hoxne, 219.
Huddersfield, 497.
Hull, 520.
Hungerford, 121.
Hunslet, 500 *b*.
Huntingdon, 176.

I

Ipswich, 222.
Isle of Wight, 99.
Islington, 10.

K

Keighley, 494.
Kendal, 575.
Kensington, 1.
Kettering, 172.
Keynsham, 327.
Kidderminster, 384.
Kingsbridge, 285.
Kingsclere, 119.
Kings Lynn, 246.
Kings Norton, 393.
Kingston, 47.
Kirkdeighton, 492 *d*.
Kirkstall, 500 *a*.
Knaresborough, 492 *b*.
Knighton, 604.

L

Lambeth, 31.
Lampeter, 595.
Lancaster, 485.
Langport, 317.
Launceston, 301.
Ledbury, 346.
Leeds, 501.
Leek, 372.
Leicester, 417.
Leigh, 467.
Leighton Buzzard, 183.
Leominster, 351.
Lewes, 84.
Lewisham, 36.
Lexden, 205.
Leyburn, 536.

Lichfield, 377.
Lincoln, 428.
Linton, 188.
Liskeard, 303.
Liverpool, 461.
Llandilofawr, 588.
Llandovery, 587.
Llanelly, 586.
Llanfyllin, 609.
Llanrwst, 614.
Loddon, 238.
London City, 19.
Longtown, 567.
Loughborough, 415.
Louth, 431.
Ludlow, 352.
Luton, 184.
Lutterworth, 408.
Lymington, 100.

M

Macclesfield, 453.
Machynlleth, 606.
Madeley, 358.
Maidstone, 58.
Maldon, 202.
Malling, 55.
Malmsbury, 252.
Malton, 526.
Manchester, 473.
Mansfield, 437.
Market Bosworth, 413.
Market Drayton, 364.
Market Harborough, 409.
Marlborough, 255.
Martley, 386.
Marylebone, 7.
Medway, 54.
Melksham, 257.
Melton Mowbray, 418.
Mere, 267.
Meriden, 396.
Merthyr Tydfil, 582.
Midhurst, 93.
Mildenhall, 216.
Mile End Old Town, 24 *b*.
Milton, 68.
Mitford, 242.
Monmouth, 577.
Montgomery, 608.
Morpeth, 558.
Mutford, 227.

N

Nantwich, 458.
Narberth, 590.
Neath, 584.
Newark, 442.
Newbury, 120.
Newcastle-in-Emlyn, 594.
Newcastle-under-Lyme, 369.
Newcastle-upon-Tyne, 552.
Newent, 335.
New Forest, 104.
Newington, 30.
Newmarket, 189.
Newport (Monmouth), 580.
Newport (Salop), 366.
Newport Pagnell, 153.
Newton Abbot, 283.
Newtown, 607.
Northallerton, 534.
Northampton, 168.
North Aylesford, 52.
Northleach, 341.
Northwich, 456.
North Witchford, 191.
Norwich, 234.
Nottingham, 440.
Nuneaton, 398.

O

Oakham, 419.
Okehampton, 291.
Oldham, 475.
Ongar, 196.
Ormskirk, 464.
Orsett, 198.
Oswestry, 361.
Otley, 493 *a*.
Oundle, 174.
Oxford, 158.

P

Pancras, 9.
Pateley Bridge, 490.
Patrington, 521.
Pembroke, 591.
Penkridge, 378.
Penrith, 565.
Penzance, 311.
Pershore, 390.
Peterborough, 175.
Petersfield, 112.
Petworth, 88.
Pewsey, 261.
Pickering, 530.
Plomesgate, 224.
Plymouth, 287.
Plympton St. Mary, 286.
Pocklington, 516.
Pontefract, 504 *a*.
Pontypool, 579.
Pontypridd, 581 *b*.
Poole, 272.
Poplar, 25.
Portsea Island, 96.
Potterspury, 166.
Prescot, 463.
Presteigne, 603.
Preston, 482.
Pwllheli, 619.

R

Radford, 439.
Reading, 127.
Redruth, 310.
Reeth, 538.
Reigate, 44.
Rhayader, 605.
Richmond (Surrey), 48.
Richmond (Yorkshire), 539.
Ringwood, 102.
Ripon, 491.
Risbridge, 211.
Rochdale, 476.
Rochford, 201.
Romford, 197.
Romney Marsh, 74.
Romsey, 107.
Ross, 347.
Rothbury, 563.
Rotherham, 509.
Rotherhithe, 34.
Royston, 140.
Rugby, 401.
Runcorn, 455.
Ruthin, 612.
Rye, 75.

S

Saddleworth, 496.
Saffron Walden, 210.
St. Albans, 144.
St. Asaph, 613.
St. Austell, 306.
St. Columb, 305.
St. Faiths, 233.
St. George Hanover Sq., 3.
St. George in-the-East, 23.
St. George Southwark, 29.
St. Germans, 302.
St. Giles, 12.
St. Ives, 177.
St. James Westminster, 6.
St. Luke, 16.
St. Martin-in-the-Fields, 5.
St. Neots, 178.
St. Olave, 27.
St. Saviour, 26.
St. Thomas, 281.
Salford, 472.
Salisbury, 264.
Samford, 221.
Scarborough, 525.
Scilly Islands. 312.
Sculcoates, 519.
Sedbergh, 487.
Selby, 513.
Settle, 488.
Sevenoaks, 56.
Shaftesbury, 268.
Shardlow, 444.
Sheffield, 508.
Sheppey, 69.
Shepton Mallet, 322.
Sherborne, 276.
Shiffnal, 357.
Shipston-on-Stour, 406.
Shoreditch, 20.
Shrewsbury, 360.
Skipton, 489.
Skirlaugh, 522.
Sleaford, 426.
Solihull, 402.
Southam, 407.
Southampton, 105.
South Molton, 294.

South Shields, 550.
South Stoneham, 106.
Southwell, 441.
Spalding, 423.
Spilsby, 430.
Stafford, 367.
Staines, 132.
Stamford, 421.
Stepney, 24 *a*.
Steyning, 86.
Stockbridge, 108.
Stockport, 452.
Stockton, 541 *a*.
Stoke Damerel, 289.
Stokesley, 533.
Stoke-upon-Trent, 371.
Stone, 368.
Stourbridge, 383.
Stow, 217.
Stow-on-the-Wold, 342.
Strand, 13.
Stratford-on-Avon, 404.
Stratton, 299.
Stroud, 338.
Sturminster, 269.
Sudbury, 212.
Sunderland, 549.
Swaffham, 248.
Swansea, 585 *a*.

T

Tadcaster, 514 *a*.
Tamworth, 376.
Taunton, 315.
Tavistock, 290.
Teesdale, 543.
Tenbury, 385.
Tendring, 203.
Tenterden, 61.
Tetbury, 339.
Tewkesbury, 345.
Thakeham, 89.
Thame, 156.
Thanet, 70.
Thetford, 249.
Thingoe, 214.
Thirsk, 528.
Thornbury, 332.
Thorne, 511.
Thrapston, 173.
Ticehurst, 80.
Tisbury, 266.
Tiverton, 293.
Todmorden, 495.
Torrington, 296.
Totnes, 284.
Towcester, 165.
Tregaron, 598.
Truro, 307.
Tunbridge, 57.
Tunstead, 230.
Tynemouth, 553.

U

Uckfield, 81.
Ulverston, 486.
Uppingham, 420.
Upton-on-Severn, 388.
Uttoxeter, 374.
Uxbridge, 133.

W

Wakefield, 503.
Wallingford, 125.
Walsall, 380.
Walsingham, 243.
Wandsworth, 32.
Wangford, 226.
Wantage, 124.
Ware, 138.
Wareham, 273.
Warminster, 260.
Warrington, 466.
Warwick, 403.
Watford, 145.
Wayland, 241.
Weardale, 544.
Wellingborough, 171.
Wellington (Salop), 365.
Wellington (Somerset), 314.
Wells, 323.
Wem, 363 *a*.
Weobly, 349.
West Ashford, 62.
Westbourne, 94.
West Bromwich, 381.
Westbury, 259.
Westbury-on-Severn, 334.
West Derby, 462.
West Ham, 194.
Westhampnett, 91.
West London, 18.
Westminster, 4.
West Ward, 574.
Wetherby, 492 *c*.
Weymouth, 274.
Wharfedale, 493 *b*.
Wheatenhurst, 337.
Whitby, 531.
Whitchurch (Hants), 117.
Whitchurch (Salop), 363 *b*.
Whitechapel, 22.
Whitehaven, 571.
Whittlesey, 192.
Wigan, 465.
Wigton, 569.
Williton, 313 *a*.
Wilton, 265.
Wimborne, 271.
Wincanton, 320.
Winchcomb, 343.
Winchester, 109.
Windsor, 131.
Winslow, 152.
Wirral, 460 *a*.
Wisbech, 193.
Witham, 206.
Witney, 161.
Woburn, 182.
Wokingham, 128.
Wolstanton, 370.
Wolverhampton, 379.
Woodbridge, 223.
Woodstock, 160.
Worcester, 387.
Worksop, 436.
Worthing, 90.
Wortley, 506.
Wrexham, 611.
Wycombe, 150.

Y

Yarmouth, 228.
Yeovil, 319.
York, 515.

INDEX OF SUB-DISTRICTS.

[In this alphabetical arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having *compound names* in the order indicated by the usual pronunciation of those names; thus, East Grinstead will be found under the letter E, and not under G as "Grinstead, East;" St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to the order in which it appears in the arrangement of the Districts in the Tables of Abstracts; thus, Abbey Holme (569; 2) is the 2d Sub-District of the Wigton District, No. 569.]

Sub-District.	District.	No.
A		
Abbey	Bath	326; 3
Abbey Holme	Wigton	569; 2
Abbots Bromley	Uttoxeter	374; 2
Abbotsbury	Weymouth	274; 4
Abbots Langley	Watford	145; 4
Aberdare	Merthyr Tydfil	582; 4
Aberdaron	Pwllheli	619; 3
Aberford	Tadcaster	514*a*; 1
Abergavenny	Abergavenny	578*a*; 3
Abergele	St. Asaph	613; 2
Abergwessin	Builth	599; 1
Aberystruth	Bedwelty	578*b*; 1
Aberystwith	Aberystwith	597; 2
Abingdon	Abingdon	123; 2
Abthorpe	Towcester	165; 1
Accrington	Haslingden	477; 5
Acton	Brentford	134; 5
Addingham	Skipton	489; 6
Alberbury	Atcham	359; 4
Albrighton	Shiffnal	357; 1
Albury	Guildford	39; 3
Alcester	Alcester	405; 2
Aldborough	Richmond (Yrks.)	539; 4
Aldbrough	Skirlaugh	522; 3
Aldeburgh	Plomesgate	224; 5
Aldeby	Loddon	238; 1
Alderbury	Alderbury	263; 1
Alderley	Macclesfield	453; 8
Aldgate	Whitechapel	22; 7
Aldington	East Ashford	63; 1
Aldridge	Walsall	380; 4
Alford	Spilsby	430; 5
Alfreton	Belper	446; 5
Allendale	Hexham	555; 3
Allerston	Pickering	530; 4
All Saints	Birmingham	394; 9
All Saints	Hastings	76; 2
All Saints	Maldon	202; 3
All Saints	Newcastle-on-Tyne.	552; 4
All Saints	Northampton	168; 2
All Souls	Marylebone	7; 1
Almondbury	Huddersfield	497; 7
Almondsbury	Thornbury	332; 1
Alnwick	Alnwick	559; 2
Alphington	St. Thomas	281; 8
Alresford	Alresford	113; 2
Alston	Alston	564; 1
Alston	Preston	482; 4
Altarnon	Launceston	301; 1
Alton	Alton	114; 1
Alton	Cheadle	373; 1
Altrincham	Altrincham	454; 2
Alverstoke	Alverstoke	97; 1
Alverthorpe	Wakefield	503; 6
Ambleside	Kendal	575; 1
Amersham	Amersham	148; 3
Amesbury	Amesbury	262; 2
Amlwch	Anglesey	623; 4
Ampthill	Ampthill	181; 2
Amroth	Narberth	590; 3
Amwell	Clerkenwell	15; 2
Ancoats	Manchester	473; 1
Andover	Andover	118; 3
Anston	Worksop	436; 3
Antony	St. Germans	302; 1
Appleby	East Ward	573; 1
Appleton Roebuck	Bramham	514*b*; 1
Appleton-upon-Wisk.	Northallerton	534; 1
Ardleigh	Tendring	203; 5
Ardsley	Wakefield	503; 7
Ardwick	Chorlton	471; 2
Arkholme	Lancaster	485; 7
Arncliffe	Settle	488; 5
Arnold	Basford	438; 5
Artillery	Whitechapel	22; 1
Arundel	Worthing	90; 3
Ashborne	Ashborne	447; 3
Ashburton	Newton Abbot	283; 4
Ashby-de-la-Zouch.	Ashby-de-la-Zouch.	414; 3
Ashford	West Ashford	62; 2
Ashley	Clifton	330; 2
Ashover	Chesterfield	448; 1
Ashton-in-Makerfield	Wigan	465; 7
Ashton Town	Ashton-under-Lyne.	474; 2
Askrigg	Askrigg	537; 1
Aslackby	Bourn	422; 2
Aspull	Wigan	465; 2
Aston Clinton	Aylesbury	151; 3
Aswarby	Sleaford	426; 5
Atcham	Atcham	359; 7
Atherstone	Atherstone	397; 1
Atherton	Leigh	467; 4
Attercliffe	Sheffield	508; 6
Attleborough	Wayland	241; 1
Audenshaw	Ashton-under-Lyne.	474; 3
Audley	Newcastle-under-Lyme.	369; 3
Aughton	Ormskirk	464; 2
Axbridge	Axbridge	324; 4
Axminster	Axminster	279; 2
Aycliffe	Darlington	540; 2
Aylesbury	Aylesbury	151; 2
Aylesford	Malling	55; 1
B		
Bacton	Tunstead	230; 4
Bainton	Driffield	523; 3
Bakewell	Bakewell	449; 1
Bala	Bala	616; 1
Baldock	Hitchin	141; 1
Balsham	Linton	188; 3
Bampton	Tiverton	293; 6
Bampton	Witney	161; 2
Banbury	Banbury	163; 4
Bangor	Bangor	621; 2
Banham	Guiltcross	240; 1
Banwell	Axbridge	324; 3
Barford	Bedford	179; 7
Barham	Bridge	64; 2
Barking Town	Romford	197; 3
Barmbrough	Doncaster	510; 2
Barmouth	Dolgelly	617; 2
Barnack	Stamford	421; 2
Barnard Castle	Teesdale	543; 2
Barnet	Barnet	136; 2
Barnoldswick	Skipton	439; 3
Barnsley	Barnsley	505; 2
Barnstaple	Barnstaple	295; 1
Barrow	Barrow-upon-Soar.	416; 1
Barrowden	Uppingham	420; 3
Barton	Barton-upon-Irwell.	470; 2
Barton	Glanford Brigg	433; 3
Baschurch	Ellesmere	362; 4
Basford	Basford	438; 3
Basingstoke	Basingstoke	116; 1
Bassingham	Newark	442; 2
Batheaston	Bath	326; 7
Bathwick	Bath	326; 2
Batley	Dewsbury	502; 2
Battersea	Wandsworth	32; 2
Battle	Battle	77; 3
Battlefield	Atcham	359; 6
Bawdeswell	Mitford	242; 3
Bawtry	Doncaster	510; 5
Beaconsfield	Amersham	148; 5
Beaminster	Beaminster	277; 4
Beaumaris	Bangor	621; 1
Beccles	Wangford	226; 2
Beckley	Rye	75; 2
Bedale	Bedale	535; 1
Bedford and Cardington.	Bedford	179; 6
Bedford and Kempston.	Bedford	179; 5
Bedlington	Morpeth	558; 2
Bedminster	Bedminster	328; 1
Begelly	Narberth	590; 6
Beighton	Rotherham	509; 1
Belbroughton	Bromsgrove	392; 2
Belford	Belford	560; 1
Belgrave	St. George Hanover-sq.	3; 3
Bellingham	Bellingham	557; 1
Belper	Belper	446; 3
Bennington	Boston	425; 2
Bennington	Newark	442; 4
Bentham	Settle	488; 1
Bere Regis	Wareham	273; 4
Berkeley	Thornbury	332; 3
Berkhampstead	Berkhampstead	147; 1
Berwick	Berwick	561; 2
Berwick Street	St. James Westminster.	6; 1
Bettwsycoed	Llanrwst	614; 2
Beverley	Beverley	518; 2
Bewdley	Kidderminster	384; 5
Bexhill	Battle	77; 1
Bexley	Dartford	50; 1
Bibury	Northleach	341; 1
Bicester	Bicester	159; 2
Bickerstaffe	Ormskirk	464; 1
Bideford	Bideford	297; 1
Bidford	Alcester	405; 4
Biggleswade	Biggleswade	180; 2
Billesdon	Billesdon	410; 1
Billinghay	Sleaford	426; 1
Billingshurst	Petworth	88; 1
Billington	Blackburn	480; 1
Bilston	Wolverhampton	379; 7
Bilton	Bramham	514*b*; 3
Binbrook	Louth	431; 3
Bingham	Bingham	443; 1
Bingley	Keighley	494; 1
Binstead	Alton	114; 2
Birkenhead	Birkenhead	460*b*; 1
Birtle	Bury	469; 4
Bishop Auckland	Auckland	542; 1
Bishops Cannings	Devizes	256; 1
Bishops Castle	Clun	353; 2
Bishops Frome	Bromyard	350; 2
Bishops Lydeard	Taunton	315; 5
BishopsTawton	Barnstaple	295; 6
Bishopstone	Wilton	265; 2
Bishop Stortford	Bishop Stortford	139; 3
Bishops Waltham	Droxford	110; 1
Bisley	Stroud	338; 3
Bitton	Keynsham	327; 1
Blackawton	Kingsbridge	285; 1

Sub-District.	District.	No.
Blackburn	Blackburn	480; 4
Blackley	Manchester	473; 9
Black Torrington	Holsworthy	298; 3
Blackwell	Mansfield	437; 3
Blaenavon	Abergavenny	578*a*; 4
Blagdon	Axbridge	324; 5
Blandford	Blandford	270; 2
Blatchinworth	Rochdale	476; 9
Bletchington	Bicester	159; 1
Blidworth	Mansfield	437; 6
Blofield	Blofield	237; 1
Bloxham	Banbury	163; 1
Bloxwich	Walsall	380; 2
Blyth	Tynemouth	553; 6
Bobbingworth	Ongar	196; 1
Bocking	Braintree	208; 2
Bockleton	Tenbury	385; 2
Bodenham	Leominster	351; 2
Bodmin	Bodmin	304; 3
Bollington	Macclesfield	453; 2
Bolsover	Chesterfield	448; 3
Bolton Eastern	Bolton	468; 11
Bolton Western	Bolton	468; 12
Bootham	York	515; 2
Bootle	Bootle	572; 2
Boroughbridge	Gt. Ouseburn	492*a*; 1
Borough Road	St. George Southwark.	29; 2
Boscastle	Camelford	300; 1
Boston	Boston	425; 4
Botesdale	Hartismere	218; 2
Bottisham	Newmarket	189; 3
Boughton	Faversham	67; 1
Bourn	Bourn	422; 3
Bourton-on-the-Water.	Stow-on-the-Wold.	342; 1
Bow	Crediton	292; 2
Bow	Poplar	25; 1
Bowling	Bradford (Yrks.)	499; 4
Boxgrove	Westhampnett	91; 4
Brabourne	East Ashford	63; 2
Brackley	Brackley	164; 1
Bracknell	Easthampstead	130; 1
Bradfield	Wortley	506; 6
Bradford Abbas	Sherborne	276; 3
Bradford East-End.	Bradford (Yrks.)	499; 5
Bradford North Western.	Bradford-on-Avon.	258; 2
Bradford South Eastern.	Bradford-on-Avon.	258; 1
Bradford West-End.	Bradford (Yrks.)	499; 6
Bradley	Westbury	259; 1
Bradwell	Maldon	202; 2
Bradworthy	Bideford	297; 5
Brafield	Hardingstone	167; 1
Brailsford	Ashborne	447; 1
Braintree	Braintree	208; 3
Bramham	Bramham	514*b*; 2
Bramley	Basingstoke	116; 2
Bramley	Bramley	500*d*; 1
Brampton	Brampton	566; 2
Brandsburton	Skirlaugh	522; 5
Brassington	Ashborne	447; 6
Bratton Clovelly	Okehampton	291; 1
Braughing	BishopStortford	139; 4
Braunton	Barnstaple	295; 5
Bray	Cookham	129; 1
Breage	Helston	309; 4
Brecknock	Brecknock	600; 3
Brenchley	Tunbridge	57; 3
Brentford	Brentford	134; 3
Brentwood	Billericay	199; 1
Bretton	Wakefield	503; 1
Brewood	Penkridge	378; 2
Bridgend	Bridgend	583; 3
Bridlington	Bridlington	524; 2
Bridgnorth	Bridgnorth	356; 2
Bridgwater	Bridgwater	316; 4
Bridport	Bridport	278; 2
Brigg	Glanford Brigg	433; 1
Brighouse	Halifax	498; 2
Brightside	Sheffield	508; 5
Brill	Thame	156; 3
Brilley	Presteigne	603; 1
Brindle	Chorley	481; 1
Britford	Alderbury	263; 3
Brixham	Totnes	284; 2
Brixton	Lambeth	31; 7
Brixworth	Brixworth	170; 3
Broad-Clist	St. Thomas	281; 4
Broadwater	Worthing	90; 1
Broadway	Evesham	389; 2
Broadwood-widger.	Holsworthy	298; 4
Brockhampton.	Bromyard	350; 3
Bromham	Devizes	256; 3
Bromley	Bromley	49; 1
Bromsgrove	Bromsgrove	392; 1
Brompton	Kensington	1; 4
Bromyard	Bromyard	350; 1
Broseley	Madeley	358; 3
Broughton	Preston	482; 5
Broughton	Salford	472; 2
Broughton	Stockbridge	108; 1
Bruton	Wincanton	320; 4
Bryngwran	Anglesey	623; 2
Bubwith	Howden	517; 2
Buckfastleigh	Totnes	284; 5
Buckingham	Buckingham	154; 2
Buckland	Faringdon	122; 3
Buckland Monachorum.	Tavistock	290; 1
Bucklebury	Bradfield	126; 1
Budbrooke	Warwick	403; 1
Budworth	Runcorn	455; 1
Bugbrooke	Northampton	168; 3
Builth	Builth	599; 3
Bulmer	Malton	526; 5
Bulmer	Sudbury	212; 1
Bulwell	Basford	438; 4
Bunbury	Nantwich	458; 3
Bungay	Wangford	226; 1
Buntingford	Royston	140; 1
Burbage	Hinckley	412; 1
Bures	Sudbury	212; 2
Burford	Witney	161; 4
Burgh	Carlisle	568; 5
Burghill	Hereford	348; 3
Burgh-le-Marsh	Spilsby	430; 4
Burnham	Axbridge	324; 2
Burnham	Docking	244; 1
Burnham	Eton	149; 3
Burnley	Burnley	478; 1
Burslem	Wolstanton	370; 3
Burton Bradstock	Bridport	278; 1
Burton-upon-Trent.	Burton-upon-Trent.	375; 4
Bury St. Edmunds.	Bury St. Edmunds.	215; 1
Bushey	Watford	145; 1
Butterworth Freeholdside.	Rochdale	476; 1
Butterworth Lordshipside.	Rochdale	476; 2
Buxton	Aylsham	232; 2
Buxton	Chapel-en-le-Frith.	450; 1
Byker	Newcastle-upon-Tyne.	552; 5
Byron	Nottingham	440; 4
Bywell	Hexham	555; 1

C

Sub-District.	District.	No.
Cadoxton	Neath	584; 5
Caerleon	Newport(Monm.)	580; 1
Cainham	Ludlow	352; 3
Caistor	Caistor	432; 2
Calbourne	Isle of Wight	99; 5
Caldbeck	Wigton	569; 3
Calehill	West Ashford	62; 1
Callington	Liskeard	303; 1
Calne	Calne	254; 1
Calton	Ashborne	447; 4
Calverley	Bradford(Yorks.)	499; 1
Camberwell	Camberwell	33; 2
Camborne	Redruth	310; 4
Camden Town	Pancras	9; 5
Camelford	Camelford	300; 2
Campden	Shipston-on-Stour.	406; 1
Campsall	Doncaster	510; 4
Canford	Poole	272; 1
Cannock	Penkridge	378; 3
Canterbury	Canterbury	65; 1
Capel	Dorking	43; 1
Capel St. Mary	Samford	221; 1
Carburton	Worksop	436; 4
Cardiff	Cardiff	581*a*; 2
Cardigan	Cardigan	593; 2
Carlford	Woodbridge	223; 1
Carlton	Basford	438; 6
Carlton	Selby	513; 1
Carlton	Worksop	436; 2
Carmarthen	Carmarthen	589; 3
Carnarvon	Carnarvon	620; 3
Carshalton	Epsom	37; 1
Cartmel	Ulverston	486; 1
Castle	Nottingham	440; 6
Castle Cary	Wincanton	320; 1
Castle Church	Stafford	367; 2
Castle Combe	Chippenham	253; 1
Castle Donington.	Shardlow	444; 1
Castleford	Castleford	504*c*; 1
Castle Precincts	Bristol	329; 2
Castle Rising	Freebridge Lynn.	245; 4
Castleton Within	Rochdale	476; 4
Castleton Without	Rochdale	476; 3
Caton	Lancaster	485; 4
Catterick	Richmond(Yrks.)	539; 2
Cave	Beverley	518; 1
Cavendish-sq.	Marylebone	7; 2
Cawthorne	Wortley	506; 1
Caxton	Caxton	185; 1
Cerne	Dorchester	275; 4
Chadderton	Oldham	475; 3
Chaddesley Corbett.	Kidderminster	384; 1
Chagford	Okehampton	291; 4
Chailey	Lewes	84; 2
Chalfont	Amersham	148; 4
Chapel-en-le-Frith.	Chapel-en-le-Frith.	450; 2
Chapeltown	Kirkstall	500*a*; 3
Chard	Chard	318; 3
Chardstock	Axminster	279; 3
Charing Cross	St. Martin-in-the Fields.	5; 1
Charlbury	Chipping Norton.	162; 1
Charles	Plymouth	287; 1
Charlton Kings	Cheltenham	344; 1
Chartham	Bridge	64; 1
Chatteris	North Witchford.	191; 1
Cheadle	Cheadle	373; 4
Cheadle	Stockport	452; 6
Chedworth	Northleach	341; 2
Cheetham	Manchester	473; 7
Chelmsford	Chelmsford	200; 2
Chelsea North East.	Chelsea	2; 3
Chelsea North West.	Chelsea	2; 2
Chelsea South	Chelsea	2; 1
Cheltenham	Cheltenham	344; 2
Chepstow	Chepstow	576; 2
Cheriton Fitzpaine.	Crediton	292; 4
Chertsey	Chertsey	38; 2
Chesham	Amersham	148; 2
Cheshunt	Edmonton	137; 6
Chesterfield	Chesterfield	448; 2
Chester Castle	Gt. Boughton	459; 2
Chester Cathedral.	Gt. Boughton	459; 3
Chester-le-Street	Chester-le-Street	548; 1
Chetton	Bridgnorth	356; 1
Cheveley	Newmarket	189; 1
Chew Magna	Clutton	325; 2
Chichester	Chichester	92; 2
Chigwell	Epping	195; 1
Chippenham	Chippenham	253; 3
Chipping	Clitheroe	479; 3
Chipping Norton	Chipping Norton	162; 2
Chipping Ongar	Ongar	196; 2
Chipping Sodbury	Chipping Sodbury	331; 1
Chirbury	Montgomery	608; 2
Chislehurst	Bromley	49; 2
Chiswick	Brentford	134; 4
Chobham	Chertsey	38; 3
Chollerton	Hexham	555; 4

Sub-District.	District.	No.
Cholsey	Wallingford	125; 1
Chorley	Chorley	481; 4
Chorlton-upon-Medlock.	Chorlton	471; 3
Christchurch	Christchurch	101; 1
Christchurch	Marylebone	7; 5
Christchurch	St. Saviour Southwark.	26; 1
Christian Malford	Chippenham	253; 4
Christow	St. Thomas	281; 9
Chudleigh	Newton Abbot	283; 2
Chulmleigh	South Molton	294; 2
Church	Bethnal Green	21; 3
Church Hulme	Congleton	457; 1
Church Stretton	Church Stretton	354; 1
Cilycwm	Llandovery	587; 8
Cirencester	Cirencester	340; 2
City Road	St. Luke	16; 2
Claines	Droitwich	391; 1
Clapham	Wandsworth	32; 1
Clarborough	East Retford	435; 2
Clare	Risbridge	211; 3
Clawson	Melton Mowbray	418; 3
Clawton	Holsworthy	298; 5
Claypole	Newark	442; 5
Cleckheaton	Bradford (Yrk.)	499; 1
Cleeve	Winchcomb	343; 2
Cleobury Mortimer	Cleobury Mortimer.	355; 1
Clifton	Clifton	330; 1
Clitheroe	Clitheroe	479; 4
Clodock	Hereford	348; 7
Clowance	Stoke Damerel	289; 2
Clun	Clun	353; 1
Clutton	Clutton	325; 3
Clyro	Hay	602; 2
Cockermouth	Cockermouth	570; 2
Coddenham	Bosmere	220; 1
Coggeshall	Witham	206; 3
Coker	Yeovil	319; 1
Colchester 1st Ward	Colchester	204; 1
Colchester 2nd Ward.	Colchester	204; 2
Colchester 3rd Ward.	Colchester	204; 3
Coleford	Monmouth	577; 1
Coleshill	Meriden	396; 1
Colne	Burnley	478; 3
Colneis	Woodbridge	223; 2
Colsterworth	Grantham	427; 1
Colton	Ulverston	486; 2
Colwich	Stafford	367; 3
Colwyn	Builth	599; 2
Colyton	Axminster	279; 4
Combe St. Nicholas.	Chard	318; 2
Combmartin	Barnstaple	295; 3
Condover	Atcham	359; 1
Congleton	Congleton	457; 2
Conisford	Norwich	234; 3
Constantine	Falmouth	308; 4
Conway	Conway	622; 1
Conwil	Carmarthen	589; 4
Conwil-Cayo	Llandovery	587; 9
Cookham	Cookham	129; 2
Corby	Bourn	422; 1
Corby	Kettering	172; 3
Corfe Castle	Wareham	273; 2
Corsham	Chippenham	253; 2
Corwen	Corwen	615; 2
Coslany	Norwich	234; 1
Costessey	Forehoe	235; 1
Cotswold	Cirencester	340; 1
Cottingham	Sculcoates	519; 2
Cowbridge	Bridgend	583; 2
Cowes	Isle of Wight	99; 1
Coxwold	Easingwold	527; 3
Cranborne	Wimborne	271; 1
Cranbrook	Cranbrook	60; 1
Cranfield	Ampthill	181; 3
Cranley	Hambledon	42; 2
Crediton	Crediton	292; 3
Creuddyn	Conway	622; 2
Crewkerne	Chard	318; 4
Criccieth	Pwllheli	619; 1
Crick	Rugby	401; 2
Crickhowell	Crickhowell	601; 5
Cricklade	Cricklade	251; 2
Cripplegate	East London	17; 2
Cromer	Erpingham	231; 2
Crompton	Oldham	475; 6
Cropredy	Banbury	163; 3
Crosby	West Derby	462; 4
Croston	Chorley	481; 5
Crowan	Helston	309; 5
Crowland	Peterborough	175; 3
Crowle	Thorne	511; 3
Croydon	Croydon	46; 1
Cuckfield	Cuckfield	83; 2
Culcheth	Leigh	467; 2
Cullompton	Tiverton	293; 2
Culmstock	Wellington (Som.)	314; 4
Cumnor	Abingdon	123; 3
Curry-Rivell	Langport	317; 3
Cwmdû	Crickhowell	601; 1

D

Sub-District.	District.	No.
Dacre Banks	Pateley Bridge	490; 4
Dale Street	Liverpool	461; 3
Dalston	Carlisle	568; 6
Dalton	Ulverston	486; 4
Danby	Guisbrough	532; 5
Daresbury	Runcorn	455; 2
Darfield	Barnsley	505; 3
Darlaston	Walsall	380; 1
Darlington	Darlington	540; 1
Darowen	Machynlleth	606; 3
Dartford	Dartford	50; 2
Dartmouth	Totnes	284; 3
Darton	Barnsley	505; 1
Darwen	Blackburn	480; 6
Daventry	Daventry	169; 2
Dawley	Madeley	358; 1
Deal	Eastry	71; 4
Deansgate	Manchester	473; 2
Deddington	Woodstock	160; 1
Dedham	Lexden	205; 5
Deeping	Bourn	422; 4
Deeping Saint Nicholas.	Spalding	423; 6
Deerhurst	Tewkesbury	345; 1
Delph	Saddleworth	496; 1
Denbigh	St. Asaph	613; 3
Dennington	Hoxne	219; 2
Dent	Sedbergh	487; 3
Denton	Grantham	427; 2
Denton	Ashton-under-Lyne.	474; 4
Deritend	Aston	395; 1
Devizes	Devizes	256; 4
Devynnock	Brecknock	600; 2
Dewchurch	Hereford	348; 1
Dewsbury	Dewsbury	502; 6
Diddlebury	Ludlow	352; 5
Didmarton	Tetbury	339; 1
Didsbury	Chorlton	471; 1
Dilhorne	Cheadle	373; 3
Dilwyn	Weobly	349; 2
Dingestow	Monmouth	577; 2
Dishforth	Ripon	491; 4
Diss	Depwade	239; 2
Ditchling	Lewes	84; 1
Docking	Docking	244; 3
Dolton	Torrington	296; 3
Doncaster	Doncaster	510; 3
Donhead	Tisbury	266; 1
Donington	Spalding	423; 2
Dorchester	Dorchester	275; 1
Dorking	Dorking	43; 2
Downham	Downham	247; 2
Downton	Alderbury	263; 2
Driffield	Driffield	523; 2
Drighlington	Bradford (Yrksh.)	499; 2
Droitwich	Droitwich	391; 3
Dronfield	Chesterfield	448; 5
Drypool	Sculcoates	519; 6
Dudley	Dudley	382; 4
Duddeston	Aston	395; 2
Duffield	Belper	446; 1
Dukinfield	Ashton-under-Lyne.	474; 6
Dulverton	Dulverton	313b
Dulwich	Camberwell	33; 1
Dummer	Basingstoke	116; 3
Dunchurch	Rugby	401; 3
Dunmow	Dunmow	209; 2
Dunnington	York	515; 6
Dunstable	Luton	184; 1
Dunster	Williton	313a; 2
Dursley	Dursley	333; 3
Duxford	Linton	188; 1

E

Sub-District.	District.	No.
Earls Barton	Wellingborough	171; 1
Earl Shilton	Hinckley	412; 3
Earl Soham	Plomesgate	224; 1
Earsdon	Tynemouth	553; 5
Easington	Easington	546; 1
Easingwold	Easingwold	527; 2
Eastbourne	Eastbourne	78; 2
East Budleigh	St. Thomas	281; 1
Eastchurch	Sheppey	69; 2
East Dereham	Mitford	242; 4
East Flegg	Flegg	229; 1
East Grinstead	East Grinstead	82; 2
Eastham	Wirral	460a; 2
East Leicester	Leicester	417; 1
East Macclesfield	Macclesfield	453; 4
East Maidstone	Maidstone	58; 5
Eastmeon	Petersfield	112; 2
East Peckham	Malling	55; 2
East Retford	East Retford	435; 3
East Sculcoates	Sculcoates	519; 7
East Stamford Bridge.	Pocklington	516; 1
East Stonehouse	East Stonehouse	288; 1
East Sunderland	Sunderland	549; 3
East Wymer	Norwich	234; 2
Eckington	Chesterfield	448; 4
Eckington	Pershore	390; 1
Ecclesfield	Wortley	506; 5
Ecclesall Bierlow	Ecclesall Bierlow	507; 4
Eccleshall	Stone	368; 2
Edenfield	Haslingden	477; 3
Edgbaston	Kings Norton	393; 2
Edgware	Hendon	135; 2
Edgworth	Bolton	468; 8
Edington	Westbury	259; 2
Edlesborough	Leighton Buzzard	183; 4
Edmonton	Edmonton	137; 3
Egham	Windsor	131; 1
Egloshayle	Bodmin	304; 4
Egremont	Whitehaven	571; 4
Egton	Whitby	531; 1
Elham	Elham	73; 2
Eling	New Forest	104; 3
Elland	Halifax	498; 5
Ellel	Lancaster	485; 1
Ellesmere	Ellesmere	362; 3
Elsdon	Rothbury	563; 2
Eltham	Lewisham	36; 2
Elton	Bury	469; 8
Ely	Ely	190; 3
Embleton	Alnwick	559; 3
Enderby	Blaby	411; 2
Enfield	Edmonton	137; 4
Ensham	Witney	161; 1
Epping	Epping	195; 2
Epsom	Epsom	37; 2
Epworth	Thorne	511; 1
Ercall Magna	Wellington (Salop)	365; 1
Erdington	Aston	395; 3
Escrick	York	515; 5
Esher	Kingston	47; 3
Eton	Eton	149; 2
Evercreech	Shepton Mallet	322; 2
Evershot	Beaminster	277; 1
Everton	West Derby	462; 2
Evesham	Evesham	389; 1
Ewhurst	Battle	77; 2
Exchange	Nottingham	440; 5
Exmouth	St. Thomas	281; 2
Eye	Hartismere	218; 3
Eynsford	Aylsham	232; 1
Eythorn	Eastry	71; 3

Sub-District.	District.	No.
F		
Failsworth	Manchester	473; 8
Fairford	Cirencester	340; 3
Fakenham	Walsingham	243; 1
Falmouth	Falmouth	308; 2
Fareham	Fareham	98; 1
Faringdon	Faringdon	122; 2
Farnborough	Farnborough	41; 1
Farnham	Farnham	40; 2
Farningham	Dartford	50; 3
Farnworth	Bolton	468; 1
Farnworth	Prescot	463; 4
Faversham	Faversham	67; 2
Fawley	New Forest	104; 2
Fazeley	Tamworth	376; 2
Feckenham	Alcester	405; 3
Fenny Stratford	Newport Pagnell	153; 1
Fenton	Stoke-upon-Trent	371; 4
Fernhurst	Midhurst	93; 2
Ferriby	Sculcoates	519; 3
Festiniog	Festiniog	618; 2
Fewston	Wharfedale	493*b*; 3
Filey	Scarborough	525; 1
Fincham	Downham	247; 3
Finchingfield	Braintree	208; 1
Finchley	Barnet	136; 3
Finsbury	St. Luke	16; 4
Fishguard	Haverfordwest	592; 4
Flamstead	Hemel Hempstead	146; 3
Flaxton	York	515; 7
Flint	Holywell	610; 3
Foleshill	Foleshill	399; 1
Folkestone	Elham	73; 1
Fontmell	Shaftesbury	268; 2
Ford	Glendale	562; 1
Fordham	Lexden	205; 4
Fordingbridge	Fordingbridge	103; 1
Formby	Ormskirk	464; 4
Forncett	Depwade	239; 4
Fornham	Thingoe	214; 2
Foston	Driffield	523; 1
Fotheringhay	Oundle	174; 3
Fowey	St. Austell	306; 1
Fownhope	Hereford	348; 2
Framfield	Uckfield	81; 2
Framlingham	Plomesgate	24; 2
Frampton	Wheatenhurst	337; 1
Frant	Ticehurst	80; 5
Frimley	Farnham	40; 1
Frodsham	Runcorn	455; 4
Frome	Frome	321; 2
Fulbourn	Chesterton	186; 2
Fulham	Kensington	1; 7
Funtington	Westbourne	94; 1
Fyfield	Abingdon	123; 1
G		
Gainsborough	Gainsborough	434; 4
Gargrave	Skipton	489; 2
Garsdale	Sedbergh	487; 2
Garstang	Garstang	484; 3
Gateshead	Gateshead	551; 2
Gawsworth	Macclesfield	453; 7
Gayton	Freebridge Lynn	245; 2
Gazeley	Newmarket	189; 4
Gedney Hill	Holbeach	424; 1
Gelligaer	Merthyr Tydfil	582; 1
Geneurglynn	Aberystwith	597; 3
Gildersome	Bramley	500*d*; 2
Gillingham	Medway	54; 2
Gillingham	Shaftesbury	268; 3
Gisburn	Clitheroe	479; 1
Glastonbury	Wells	323; 2
Glossop	Hayfield	451; 1
Gnosall	Newport (Salop)	366; 2
Godalming	Guildford	39; 5
Godshill	Isle of Wight	99; 4
Godstone	Godstone	45; 1
[illegible]lear	Huddersfield	497; 11
[illegible] Square	St. James Westminster	6; 3
	[illegible]bswsbury [illegible]chapel	502; 3 22; 6
Goole	Goole	512; 2
Gorleston	Mutford	227; 3
Gosberton	Spalding	423; 3
Goswell Street	Clerkenwell	15; 4
Gower Eastern	Gower	585*b*; 1
Gower Western	Gower	585*b*; 2
Grampound	St. Austell	306; 4
Grantham	Grantham	427; 3
Grassington	Skipton	489; 7
Gravesend	Gravesend	51; 1
Grayrigg	Kendal	575; 2
Grays	Orsett	198; 1
Gray's Inn-lane	Pancras	9; 3
Greasley	Basford	438; 1
Great Baddow	Chelmsford	200; 5
Great Burstead	Billericay	199; 2
Great Easton	Uppingham	420; 2
Great Grimsby	Caistor	432; 1
Great Marlow	Wycombe	150; 2
Great Torrington	Torrington	296; 5
Great Wakering	Rochford	201; 4
Great Waltham	Chelmsford	200; 4
Green	Bethnal Green	21; 2
Greengate	Salford	472; 3
Greenwich East	Greenwich	35; 4
Greenwich West	Greenwich	35; 3
Gresley	Burton-upon-Trent	375; 3
Greystoke	Penrith	565; 2
Gringley	East Retford	435; 1
Guildford	Guildford	39; 4
Guisbrough	Guisbrough	532; 4
Guiting	Winchcomb	343; 1
Gwennap	Redruth	310; 1
Gwnnws	Tregaron	598; 1
Gwyddelwern	Corwen	615; 1
Gyffylliog	Ruthin	612; 4
H		
Hackney	Hackney	11; 4
Hackney Road	Bethnal Green	21; 1
Haddenham	Aylesbury	151; 1
Haddenham	Ely	190; 1
Hadleigh	Cosford	213; 2
Haggerstone East	Shoreditch	20; 6
Haggerstone West	Shoreditch	20; 5
Hailsham	Hailsham	79; 1
Hale	Prescot	463; 1
Halesowen	Stourbridge	383; 1
Halesworth	Blything	225; 2
Halford	Shipston-on-Stour	406; 4
Halifax	Halifax	498; 2
Halliwell	Bolton	468; 4
Halsall	Ormskirk	464; 3
Halstead	Halstead	207; 1
Haltwistle	Haltwistle	556; 1
Hambledon	Droxford	110; 3
Hampstead	Hampstead	8; 1
Hampton	Kingston	47; 4
Hamsterley	Auckland	542; 2
Handsworth	Sheffield	508; 7
Handsworth	West Bromwich	381; 1
Hanley	Stoke-upon Trent	371; 1
Hanley	Upton-on-Severn	388; 1
Hanmer	Ellesmere	362; 2
Hanover Square	St. George Hanover-sq.	3; 1
Harberton	Totnes	284; 7
Harborne	Kings Norton	393; 3
Hardingstone	Hardingstone	167; 2
Haresfield	Wheatenhurst	337; 1
Harewood	Otley	493*a*; 1
Harleston	Depwade	239; 1
Harlow	Epping	195; 3
Harpenden	St. Albans	144; 1
Harptree	Clutton	325; 1
Harraton	Chester-le-Street	548; 2
Harrington	Whitehaven	571; 1
Harrogate	Knaresborough	492*b*; 2
Harrold	Bedford	179; 3
Harrow	Hendon	135; 1
Hartest	Sudbury	212; 5
Harting	Midhurst	93; 3
Hartington	Ashborne	447; 5
Hartland	Bideford	297; 4
Hartlepool	Hartlepool	541*b*; 1
Hartley Wintney	Hartley Wintney	115; 2
Hartshead	Ashton-under-Lyne	474; 7
Hartshorn	Ashby-de-la-Zouch	414; 2
Harwich	Tendring	203; 3
Harwood	Blackburn	480; 2
Haslingden	Haslingden	477; 4
Hatfield	Dunmow	209; 3
Hatfield	Hatfield	143; 1
Hatherleigh	Okehampton	291; 2
Havant	Havant	95; 1
Haverfordwest	Haverfordwest	592; 2
Haverhill	Risbridge	211; 1
Hawarden	Great Boughton	459; 4
Hawes	Askrigg	537; 2
Hawkesbury	Chipping Sodbury	331; 3
Hawkhurst	Cranbrook	60; 2
Hawkshead	Ulverston	486; 6
Haworth	Keighley	494; 3
Hay	Hay	602; 3
Hayes	Uxbridge	133; 3
Hayfield	Hayfield	451; 2
Hayton	Brampton	566; 1
Hazelgrove	Stockport	452; 7
Headcorn	Hollingbourn	59; 3
Headley	Farnborough	41; 2
Heaton	Lancaster	485; 2
Heaton Norris	Stockport	452; 3
Heavitree	St. Thomas	281; 6
Hebden Bridge	Todmorden	495; 1
Heckington	Sleaford	426; 4
Hedingham	Halstead	207; 2
Hedon	Sculcoates	519; 5
Hellingley	Hailsham	79; 2
Helmsley	Helmsley	529; 1
Helston	Helston	309; 2
Hemel Hempstead	Hemel Hempstead	146; 2
Hemsworth	Hemsworth	504*b*; 1
Hendon	Hendon	135; 4
Hendred	Wantage	124; 3
Henley	Henley	155; 1
Henstead	Henstead	236; 2
Hereford City	Hereford	348; 4
Herne	Blean	66; 2
Hertford	Hertford	142; 2
Hessle	Sculcoates	519; 4
Hetton-le-Hole	Houghton-le-Spring	547; 2
Heworth	Gateshead	551; 1
Hexham	Hexham	555; 2
Heytesbury	Warminster	260; 3
Heywood	Bury	469; 5
Higham Ferrers	Wellingborough	171; 2
High Bickington	Torrington	296; 1
Highclere	Kingsclere	119; 1
High Hoyland	Wortley	506; 2
High Longtown	Longtown	567; 1
Highworth	Highworth	250; 1
High Wycombe	Wycombe	150; 1
Hillingdon	Uxbridge	133; 1
Hillington	Freebridge Lynn	245; 1
Hinckley	Hinckley	412; 2
Hindley	Wigan	465; 4
Hindon	Tisbury	266; 3
Hitchin	Hitchin	141; 2
Hoddesdon	Ware	138; 1
Hodnet	Market Drayton	364; 3
Holbeach	Holbeach	424; 3
Holbeck	Holbeck	500*c*; 1
Holbrook	Samford	221; 2
Holcombe	Bury	469; 1
Hollingbourn	Hollingbourn	59; 1
Holme	Howden	517; 1
Holmfirth	Huddersfield	497; 4
Holsworthy	Holsworthy	298; 2
Holt	Erpingham	231; 3
Holt	Martley	386; 3
Holt	Wrexham	611; 2
Holyhead	Anglesey	623; 6
Holy Trinity	Coventry	400; 2
Holywell	Holywell	610; 2
Holywell	Shoreditch	20; 1
Honiton	Honiton	280; 1
Honley	Huddersfield	497; 3
Hoo	Hoo	53; 1

Sub-District.	District.	No.
Hope	Wrexham	611; 1
Horbury	Wakefield	503; 5
Horley	Reigate	44; 2
Horncastle	Horncastle	429; 2
Hornchurch	Romford	197; 4
Horndean	Catherington	111; 1
Hornsea	Skirlaugh	522; 4
Hornsey	Edmonton	137; 1
Horsforth	Wharfedale	493*b*; 2
Horsley	Belper	446; 2
Horsley	Stroud	338; 7
Horton	Bradford (Yrks.)	499; 7
Horwich	Bolton	468; 5
Hougham	Dover	72; 3
Houghton-le-Spring.	Houghton-le-Spring.	547; 1
Hovingham	Malton	526; 4
Howard Street	Liverpool	461; 2
Howden	Howden	517; 3
Hoxton New Town.	Shoreditch	20; 3
Hoxton Old Town.	Shoreditch	20; 4
Huddersfield	Huddersfield	497; 9
Hulme	Chorlton	471; 4
Hulton	Bolton	468; 2
Humber	Hull	520; 1
Humbleton	Skirlaugh	522; 1
Humbleyard	Henstead	236; 1
Hungerford	Hungerford	121; 2
Hummanby	Bridlington	524; 3
Hunslet	Hunslet	500*b*; 1
Huntingdon	Huntingdon	176; 4
Huntley	Westbury-on-Severn.	334; 2
Huntspill	Bridgwater	316; 5
Hursley	Winchester	109; 5
Hurstborne Tarrant.	Andover	118; 4
Hurstpierpoint	Cuckfield	83; 3
Hutton	Stokesley	533; 2
Hutton Bushell	Scarborough	525; 3
Huyton	Prescot	463; 3
Hyde	Stockport	452; 2
Hyson Green	Radford	439; 3
Hythe	Elham	73; 3

I

Ibstock	Market Bosworth.	413; 2
Idle	Bradford (Yrks.)	499; 11
Ilchester	Yeovil	319; 5
Ilford	Romford	197; 2
Ilfracombe	Barnstaple	295; 4
Ilkeston	Basford	438; 2
Illogan	Redruth	310; 3
Ilminster	Chard	318; 1
Ilsley	Wantage	124; 2
Ingatestone	Chelmsford	200; 1
Ipstones	Cheadle	373; 2
Iron Acton	Chipping Sodbury	331; 4
Isfield	Uckfield	81; 3
Islandshire	Berwick	561; 1
Isleworth	Brentford	134; 1
Islington	Liverpool	461; 7
Islington East	Islington	10; 2
Islington West	Islington	10; 1
Iver	Eton	149; 1
Ivinghoe	Leighton Buzzard	183; 3
Ixworth	Thingoe	214; 3

K

Kea	Truro	307; 6
Keighley	Keighley	494; 2
Kelvedon	Witham	206; 1
Kempsey	Upton-on-Severn	388; 3
Kemptown	Brighton	85; 1
Kenarth	Newcastle-in-Emlyn.	594; 1
Kendal	Kendal	575; 4
Kenilworth	Warwick	403; 3
Kenninghall	Guiltcross	240; 2
Kennington First.	Lambeth	31; 5
Kennington Second.	Lambeth	31; 6
Kensington Town	Kensington	1; 3
Kentchurch	Hereford	348; 6
Kentish Town	Pancras	9; 6
Kenton	St. Thomas	281; 10
Kent Road	St. George Southwark.	29; 1
Kenwyn	Truro	307; 5
Kerry	Newtown	607; 4
Kessingland	Mutford	227; 1
Keswick	Cockermouth	570; 1
Kettering	Kettering	172; 1
Kettlewell	Skipton	489; 1
Keynsham	Keynsham	327; 4
Kidderminster	Kidderminster	384; 3
Kildwick	Skipton	489; 4
Kilkhampton	Stratton	299; 1
Kilmersdon	Frome	321; 4
Kimberworth	Rotherham	509; 3
Kimbolton	St. Neots	178; 2
Kineton	Stratford-on-Avon.	404; 1
Kinfare	Wolverhampton	379; 2
Kingsbridge	Kingsbridge	285; 4
Kingsclere	Kingsclere	119; 2
Kingsholm	Gloucester	336; 1
Kingsland	Leominster	351; 3
Kings Langley	HemelHempstead	146; 1
Kings Lynn Middle.	Kings Lynn	246; 2
Kings Lynn North.	Kings Lynn	246; 1
Kings Lynn South.	Kings Lynn	246; 3
Kings Norton	Kings Norton	393; 1
Kingston	Kingston	47; 2
Kingston	Portsea Island.	96; 1
Kingswinford	Stourbridge	383; 3
Kington	Presteigne	603; 3
Kintbury	Hungerford	121; 1
Kippax	Castleford	504*c*; 2
Kirkburton	Huddersfield	497; 6
Kirkby Lonsdale	Kendal	575; 3
Kirkby Malham	Settle	488; 4
Kirkby Malzeard	Ripon	491; 2
Kirkby Moorside	Helmsley	529; 3
Kirkby Stephen	East Ward	573; 2
Kirkdeighton	Kirkdeighton	492*d*; 1
Kirkham	Fylde	483; 1
Kirkheaton	Huddersfield	497; 8
Kirkleatham	Guisbrough	532; 3
Kirkoswald	Penrith	565; 3
Kirkstall	Kirkstall	500*a*; 2
Kirkwhelpington	Bellingham	557; 2
Kirton-in-Holland.	Boston	425; 1
Knaresborough	Knaresborough	492*b*; 1
Knayton	Thirsk	528; 5
Kneesall	Southwell	441; 2
Knighton	Knighton	604; 1
Knockin	Oswestry	361; 1
Knottingley	Pontefract	504*a*; 1
Knott-lanes	Ashton-under-Lyne.	474; 1
Knowle	Solihull	402; 2
Knutsford	Altrincham	454; 4

L

Lady Wood	Birmingham	394; 1
Lakenheath	Mildenhall	216; 2
Lambeth Church 1st.	Lambeth	31; 3
Lambeth Church 2d.	Lambeth	31; 4
Lambourn	Hungerford	121; 3
Lampeter	Lampeter	595; 3
Lancaster	Lancaster	485; 3
Lanchester	Durham	545; 2
Landport	Portsea Island	66; 4
Langport	Langport	317; 2
Langtoft	Driffield	523; 4
Lanlivery	Bodmin	304; 1
Lansdown	Bath	326; 6
Lastingham	Pickering	530; 1
Latchford	Warrington	466; 5
Latham	Ormskirk	464; 9
Launceston	Launceston	301; 4
Lavenham	Cosford	213; 1
Lavington	Devizes	256; 2
Leadenham	Sleaford	426; 3
Leake	Loughborough	415; 2
Leamington	Warwick	403; 2
Leatherhead	Epsom	37; 3
Leather Market	Bermondsey	28; 3
Leckhampstead	Buckingham	154; 1
Ledbury	Ledbury	346; 1
Lee	Lewisham	36; 3
Leek	Leek	372; 2
Leek-Frith	Leek	372; 3
Leigh	Martley	386; 4
Leighton Buzzard	Leighton Buzzard	153; 1
Leintwardine	Ludlow	352; 1
Lenham	Hollingbourn	59; 2
Lenton	Radford	439; 1
Leominster	Leominster	351; 1
Lerrin	Liskeard	303; 4
Leven	Beverley	518; 4
Lever	Bolton	468; 13
Leverington	Wisbech	193; 1
Lewes	Lewes	84; 3
Lewisham Village	Lewisham	36; 4
Lewknor	Thame	156; 1
Leyburn	Leyburn	536; 2
Leyland	Chorley	481; 2
Leyton	West Ham	194; 3
Lichfield	Lichfield	377; 1
Liduey	Chepstow	576; 3
Lifton	Tavistock	290; 4
Limehouse	Stepney	24*a*; 3
Lincoln Home	Lincoln	428; 2
Lincoln North-east.	Lincoln	428; 3
Lincoln South-west.	Lincoln	428; 1
Lindfield	Cuckfield	83; 1
Linton	Linton	188; 2
Liskeard	Liskeard	303; 2
Litcham	Mitford	242; 5
Litherland	West Derby	462; 5
Little Bolton	Bolton	468; 10
Littlehampton	Worthing	90; 2
Littleport	Ely	190; 4
Liversedge	Dewsbury	502; 4
Llanarmon	Ruthin	612; 1
Llanarth	Abergavenny	578*a*; 1
Llanbister	Knighton	604; 2
Llanboidy	Narberth	590; 1
Llanddausaint	Anglesey	623; 5
Llanddausaint	Llandovery	587; 1
Llandebie	Llandilofawr	588; 5
Llandilo	Llandilofawr	588; 4
Llandilotalybont	Swansea	585*a*; 1
Llandingat	Llandovery	587; 5
Llandisilio	Aberayron	596; 1
Llandissilio	Narberth	590; 2
Llandwrog	Carnarvon	620; 1
Llandyfrydog	Anglesey	623; 3
Llandygwidd	Cardigan	593; 3
Llandyrnog	Ruthin	612; 6
Llandyssil	Newcastle-in-Emlyn.	594; 3
Llanelidan	Ruthin	612; 3
Llanelly	Crickhowell	601; 4
Llanelly	Llanelly	586; 2
Llanfair	Llanfyllin	609; 1
Llanfairarybryn	Llandovery	587; 6
Llanfihangel-ytraethau.	Festiniog	618; 1
Llanfynydd	Llandilofawr	588; 2
Llangadock	Llandovery	587; 2
Llangafelach	Swansea	585*a*; 2
Llangathen	Llandilofawr	588; 3
Llangattock	Crickhowell	601; 3
Llangefni	Anglesey	623; 1
Llangeitho	Tregaron	598; 2
Llangendeirne	Carmarthen	589; 1
Llangibby	Pontypool	579; 2
Llangorse	Brecknock	600; 5
Llangunider	Crickhowell	601; 2
Llanidan	Carnarvon	620; 4

Sub-District.	District.	No.
Llanllechid	Bangor	621; 3
Llannon	Llanelly	586; 4
Llanrhaiadr	Llanfyllin	609; 3
Llanrhaiadr	Ruthin	612; 5
Llanrhystyd	Aberystwith	597; 1
Llanrug	Carnarvon	620; 2
Llanrwst	Llanrwst	614; 1
Llansadwrn	Llandovery	587; 3
Llansaintffraid	Aberayron	596; 2
Llansaintffraid	Llanfyllin	609; 2
Llansamlet	Neath	584; 6
Llansilin	Oswestry	361; 2
Llantrisaint	Pontypridd	581*b*; 2
Llanvihangel	Abergavenny	578*a*; 2
Llanwenog	Lampeter	595; 4
Llanwnog	Newtown	607; 3
Llanwrtyd	Llandovery	587; 7
Lnlanybyther	Lampeter	595; 1
Llechwedd-Isaf	Conway	622; 3
Lockington	Beverley	518; 3
Lockton	Pickering	530; 5
Lockwood	Huddersfield	497; 10
Loddon	Loddon	238; 2
Lofthouse	Guisbrough	532; 1
London City North-east.	London City	19; 5
London City North-west.	London City	19; 2
London City South.	London City	19; 3
London City South-east.	London City	19; 4
London City South-west.	London City	19; 1
London Road	St. George Southwark.	29; 3
London Road	Manchester	473; 3
Long Acre	St. Martin-in-the-fields.	5; 2
Long Ashton	Bedminster	328; 2
Longbenton	Tynemouth	553; 4
Longbridge Deverill.	Warminster	260; 2
Long Buckby	Daventry	169; 3
Longnor	Leek	372; 4
Longparish	Andover	118; 1
Long Preston	Settle	488; 3
Long Sutton	Holbeach	424; 2
Longton	Preston	482; 1
Longton	Stoke-upon-Trent	371; 5
Looe	Liskeard	303; 3
Loose	Maidstone	58; 3
Loughborough	Loughborough	415; 1
Loughor	Llanelly	586; 1
Louth	Louth	431; 2
Lower Llanidloes	Newtown	607; 2
Lower Merthyr Tydfil.	Merthyr Tydfil	582; 2
Lower Mitton	Kidderminster	384; 4
Lowestoft	Mutford	227; 2
Low Longtown	Longtown	567; 2
Lowther	West Ward	574; 2
Lowton	Leigh	467; 1
Luddenden	Halifax	498; 8
Ludgershall	Andover	118; 2
Ludham	Tunstead	230; 1
Ludlow	Ludlow	352; 2
Luton	Luton	184; 2
Lutterworth	Lutterworth	408; 1
Lydbury	Clun	353; 4
Lydd	Romney Marsh	74; 2
Lydney	Chepstow	576; 3
Lyme	Axminster	279; 1
Lymington	Lymington	100; 1
Lymm	Altrincham	454; 3
Lyncombe	Bath	326; 4
Lyndhurst	New Forest	104; 1
Lytchett	Poole	272; 3
Lytham	Fylde	483; 2
Lythe	Whitby	531; 3

M

Sub-District.	District.	No.
Machynlleth	Machynlleth	606; 1
Madeley	Madeley	358; 2
Madley	Hereford	348; 5
Maesteg	Bridgend	583; 1
Maiden Newton	Dorchester	275; 3
Malmsbury Eastern.	Malmsbury	252; 1
Malmsbury Western.	Malmsbury	252; 2
Malpas	Whitchurch (Salop).	363*b*; 2
Maltby	Rotherham	509; 5
Malton	Malton	526; 3
Mancroft	Norwich	234; 4
Manhood	Westhampnett	91; 1
Manningtree	Tendring	203; 4
Mansfield	Mansfield	437; 5
Marazion	Penzance	311; 3
March	North Witchford.	191; 2
Marden	Maidstone	58; 2
Maresfield	Uckfield	81; 4
Margam	Neath	584; 1
Margate	Thanet	70; 2
Market Bosworth.	Market Bosworth	413; 1
Market Drayton.	Market Drayton.	364; 2
Market Harborough.	Market Harborough.	409; 1
Market Rasen	Caistor	432; 3
Market Street	Manchester	473; 4
Market Weighton	Pocklington	516; 3
Marlborough	Marlborough	255; 1
Marple	Stockport	452; 1
Marshfield	Chipping Sodbury	331; 2
Marske	Guisbrough	532; 2
Martley	Martley	386; 1
Martock	Yeovil	319; 3
Marton	Gainsborough	434; 6
Maryport	Cockermouth	570; 4
Masham	Bedale	535; 5
Matlock	Bakewell	449; 2
Mattishall	Mitford	242; 2
Mayfair	St. George Hanover-sq.	3; 2
Mayfield	Ashborne	447; 2
Measham	Ashby-de-la-Zouch.	414; 1
Melbourne	Royston	140; 3
Melbourne	Shardlow	444; 2
Melford	Sudbury	212; 4
Melksham	Melksham	257; 1
Mellor	Blackburn	480; 3
Meltham	Huddersfield	497; 2
Melton Mowbray.	Melton Mowbray	418; 2
Mendlesham	Hartismere	218; 1
Mere	Mere	267; 1
Meriden	Meriden	396; 2
Merthyr-Cynog.	Brecknock	600; 1
Methwold	Thetford	249; 1
Mevagissey	St. Austell	306; 3
Michelmersh	Romsey	107; 2
Micklegate	York	515; 3
Middleham	Leyburn	536; 1
Middleton	FreebridgeLynn	245; 3
Middleton	Oldham	475; 4
Middleton	Teesdale	543; 3
Middlewich	Northwich	456; 4
Middlezoy	Bridgwater	316; 3
Midhurst	Midhurst	93; 1
Midsomer Norton	Clutton	325; 4
Milborne Port	Wincanton	320; 2
Milbrook	SouthStoneham	106; 3
Mile-end New Town.	Whitechapel	22; 3
Mile-end Old Town Eastern.	Mile End Old Town.	245; 2
Mile-end Old TownWestern.	Mile End Old Town.	245; 1
Milford	Haverfordwest	592; 1
Milford	Lymington	100; 2
Milnthorpe	Kendal	575; 5
Milton	Hardingstone	167; 3
Milton	Milton	68; 1
Milton Abbas	Blandford	270; 1
Milton Abbot	Tavistock	290; 3
Milton Damerel	Holsworthy	298; 1
Milverton	Wellington (Somerset).	314; 2
Minchinhampton	Stroud	338; 6
Minehead	Williton	313*a*1
Minster	Sheppey	69; 1
Minster	Thanet	70; 1
Mirfield	Dewsbury	502; 5
Missenden	Amersham	148; 1
Misterton	Beaminster	277; 2
Misterton	Gainsborough	434; 3
Mitcham	Croydon	46; 2
Mitcheldever	Winchester	109; 1
Modbury	Kingsbridge	285; 5
Mold	Holywell	610; 5
Monk Wearmouth	Sunderland	549; 5
Monmouth	Monmouth	577; 3
Montford	Atcham	359; 5
Montgomery	Montgomery	608; 1
Morchard Bishop.	Crediton	292; 1
Moreton	Shipston-on-Stour	406; 2
Moreton Hampstead.	Newton Abbot	283; 3
Moreton Say	Market Drayton	364; 1
Morice	Stoke Damerel	289; 3
Morland	West Ward	574; 1
Morley	Dewsbury	502; 1
Morpeth	Morpeth	558; 1
Mortimer	Bradfield	126; 2
Mortlake	Richmond (Surr.)	48; 2
Mottram	Ashton-under-Lyne.	474; 8
Moulton	Brixworth	170; 8
Moulton	Spalding	423; 8
Mount Pleasant	Liverpool	461; 6
Much Wenlock	Madeley	358; 4
Much Woolton	Prescot	463; 2
Muker	Reeth	538; 1
Muncaster	Bootle	572; 1
Munslow	Ludlow	352; 4
Myddfai	Llandovery	587; 4
Mylor	Falmouth	308; 1
Mynyddyslwyn	Newport(Monm.)	580; 4
Myton	Hull	520; 8

N

Sub-District.	District.	No.
Nantmel	Rhayader	605; 5
Nantwich	Nantwich	458; 5
Narberth	Narberth	590; 4
Neath	Neath	584; 5
Needham-Market	Bosmere	220; 1
Neston	Wirral	460*a*; 1
Netheravon	Pewsey	261; 1
Netherbury	Beaminster	277; 3
Nether Hallam.	Ecclesall Bierlow	507; 1
Nevin	Pwllheli	619; 4
Newark	Newark	442; 1
Newbury	Newbury	120; 1
Newcastle-under-Lyme.	Newcastle-under-Lyme.	369; 1
Newchurch	Haslingden	477; 1
Newent	Newent	335; 1
Newhaven	Lewes	84; 1
Newlyn	St. Columb	305; 1
Newmarket	Newmarket	189; 1
Newmill	Huddersfield	497; 1
Newnham	Westbury-on-Severn.	334; 1
Newport	Cardigan	593; 1
Newport	Howden	517; 1
Newport	Newport(Monm.)	580; 1
Newport	Newport(Salop)	366; 1
Newport	Saffron Walden	210; 1
Newport	Isle of Wight	99; 1
Newport Pagnell	Newport Pagnell	153; 1
New Romney	Romney Marsh	74; 1
Newsham	Richmond (Yrks.)	539; 1
Newton	Keynsham	327; 1
Newton	Manchester	473; 1
Newton	Warrington	466; 1
Newton Abbot	Newton Abbot	283; 1
Newton	Ashton-under-Lyne.	474; 1
Newtown	Newtown	607; 1
Norbury	Clun	353; 1
Norhamshire	Berwick	561; 1
Northallerton	Northallerton	534; 1
Northam	Bideford	297; 1
North Bierley	Bradford (Yrks.)	499; 1
North Bishop-Wearmouth.	Sunderland	549; 1
North Bury	Bury	469; 1

Sub-District.	District.	No.
North Collingham	Newark	442; 1
North Curry	Taunton	315; 2
North Elmham	Mitford	242; 6
Northfleet	North Aylesford	52; 1
North Horsham	Horsham	87; 2
Northill	Launceston	301; 5
North Leeds	Leeds	501; 2
North Meols	Ormskirk	464; 5
Northowram	Halifax	498; 10
North Petherton	Bridgwater	316; 2
North Petherwin	Launceston	301; 2
North Sheffield	Sheffield	508; 2
North Shields	Tynemouth	553; 2
North Tawton	Okehampton	291; 5
North Walsham	Erpingham	231; 1
Northwich	Northwich	456; 2
North Worcester	Worcester	387; 2
Norton	Ecclesall Bierlow	507; 3
Norton	Leek	372; 1
Norwood	Lambeth	31; 8
Nuneaton	Nuneaton	398; 1
Nuneham Courtney	Abingdon	123; 4
Nunney	Frome	321; 1

O

Oakham	Oakham	419; 1
Odiham	Hartley Wintney	115; 1
Okehampton	Okehampton	291; 3
Oldbury	WestBromwich	381; 2
Oldham above Town	Oldham	475; 2
Oldham below Town	Oldham	475; 1
Oldland	Keynsham	327; 2
Old Street	St. Luke	16; 1
Old Stratford	Stratford-on-Avon	404; 4
Olney	Newport Pagnell	153; 3
Ombersley	Droitwich	391; 2
Orcheston	Amesbury	262; 1
Ore	Hastings	76; 1
Orford	Plomesgate	224; 4
Ormskirk	Ormskirk	464; 8
Orsett	Orsett	198; 2
Orton	East Ward	573; 3
Ossett	Dewsbury	502; 8
Oswaldkirk	Helmsley	529; 2
Oswaldtwisle	Blackburn	480; 5
Oswestry	Oswestry	361; 3
Otley	Otley	493*a*; 2
Ottery St. Mary	Honiton	280; 2
Oulton	Wakefield	503; 8
Oundle	Oundle	174; 1
Ovenden	Halifax	498; 9
Over	Northwich	456; 3
Overbury	Tewkesbury	345; 2
Overton	Ellesmere	362; 1
Owston	Gainsborough	434; 1
Oxford	Oxford	158; 1

P

Padiham	Burnley	478; 2
Padstow	St. Columb	305; 1
Paignton	Totnes	284; 1
Painswick	Stroud	338; 2
Palace	Brighton	85; 3
Park	Nottingham	440; 7
Parkham	Bideford	297; 3
Parracombe	Barnstaple	295; 2
Pateley Bridge	Pateley Bridge	490; 2
Patrington	Patrington	521; 1
Peckham	Camberwell	33; 3
Peldon	Lexden	205; 2
Pemberton	Wigan	465; 5
Pembrey	Llanelly	586; 3
Pembroke	Pembroke	591; 2
Penbryn	Newcastle-in-Emlyn	594; 2
Pencarreg	Lampeter	595; 2
Pendle	Burnley	478; 4
Pendleton	Salford	472; 1
Penkelly	Brecknock	600; 4
Penistone	Wortley	506; 3
Penkridge	Penkridge	378; 1
Pennal	Machynlleth	606; 2
Penrith	Penrith	565; 1
Penryn	Falmouth	308; 3
Penshurst	Sevenoaks	56; 3
Pentonville	Clerkenwell	15; 3
Penzance	Penzance	311; 4
Pershore	Pershore	390; 2
Peterborough	Peterborough	175; 2
Petersfield	Petersfield	112; 1
Petworth	Petworth	88; 2
Pewsey	Pewsey	261; 2
Phillack	Redruth	310; 5
Pickering	Pickering	530; 2
Pickhill	Thirsk	528; 2
Pilkington	Bury	469; 10
Pinchbeck	Spalding	423; 1
Pitminster	Taunton	315; 1
Pleasley	Mansfield	437; 2
Plumstead	Lewisham	36; 1
Plympton	Plympton St. Mary	286; 2
Pocklington	Pocklington	516; 2
Polden Hill	Bridgwater	316; 6
Pontefract	Pontefract	504*a*; 3
Ponteland	Castle Ward	554; 1
Pontesbury	Atcham	359; 2
Pontypool	Pontypool	579; 1
Pontypridd	Pontypridd	581*b*; 1
Pool	Montgomery	608; 3
Poole	Poole	272; 2
Poplar	Poplar	25; 2
Poppleton	Great Ouseburn	492*a*; 3
Portland	Weymouth	274; 3
Portsea Town	Portsea Island	96; 2
Portsmouth Town	Portsea Island	96; 3
Potterspury	Potterspury	166; 1
Potton	Biggleswade	180; 1
Poulton-le-Fylde	Fylde	483; 3
Prees	Wem	363*a*; 2
Prescot	Prescot	463; 5
Prestbury	Macclesfield	453; 1
Presteigne	Presteigne	603; 4
Preston	Preston	482; 2
Prestwich	Manchester	473; 10
Princes Risborough	Wycombe	150; 5
Prittlewell	Rochford	201; 2
Probus	Truro	307; 1
Puddletown	Dorchester	275; 2
Pudsey	Bradford (Yrks.)	499; 13
Pulborough	Thakeham	89; 1
Putney	Wandsworth	32; 4
Pwllheli	Pwllheli	619; 2

Q

Quorndon	Barrow-upon-Soar	416; 2

R

Radcliffe	Bury	469; 9
Radford	Radford	439; 2
Radford	Warwick	403; 5
Radnor	Presteigne	603; 2
Radwinter	Saffron Walden	310; 3
Rainford	Prescot	463; 7
Rainow	Macclesfield	453; 3
Ramsgate	Thanet	70; 3
Ramsey	Huntingdon	176; 1
Ramsgill	Pateley Bridge	490; 1
Rastrick	Halifax	498; 1
Ratcliff	Stepney	24*a*; 2
Ratcliffe-on-Trent	Bingham	443; 2
Rattlesden	Stow	217; 2
Raunds	Thrapston	173; 2
Rayleigh	Rochford	201; 1
Rectory	Marylebone	7; 3
Redmarley	Newent	335; 2
Redruth	Redruth	310; 2
Reeth	Reeth	538; 2
Regent Road	Salford	472; 4
Regent's Park	Pancras	9; 1
Reigate	Reigate	44; 1
Repton	Burton-upon-Trent	375; 2
Rhayader	Rhayader	605; 1
Rheidol	Aberystwith	597; 4
Riccall	Selby	513; 3
Richmond	Richmond (Surr.)	48; 1
Richmond	Richmond (Yrks.)	539; 1
Rickmansworth	Watford	145; 3
Rillington	Malton	526; 1
Ringwood	Ringwood	102; 1
Ripley	Belper	446; 4
Ripley	Guildford	39; 2
Ripon	Ripon	491; 1
Ripponden	Halifax	498; 6
Riseley	Bedford	179; 1
Rivington	Chorley	481; 3
Rixton	Warrington	466; 6
Road	Frome	321; 3
Rochester	Medway	54; 1
Rochford	Rochford	201; 3
Rock Bedwelty	Bedwelty	578*b*; 3
Rodborough	Stroud	338; 5
Rolvenden	Tenterden	61; 1
Romford	Romford	197; 1
Romsey	Romsey	107; 1
Roose	Pembroke	591; 3
Ropley	Alresford	113; 1
Ross	Ross	347; 2
Rossendale	Haslingden	477; 2
Rothbury	Rothbury	563; 1
Rotherfield	Uckfield	81; 1
Rotherham	Rotherham	509; 2
Rotherhithe	Rotherhithe	34; 1
Rothley	Barrow-upon-Soar	416; 3
Rothwell	Kettering	172; 2
Rothwell	Kirkstall	500*a*; 5
Rottingdean	Lewes	84; 6
Rougham	Thingoe	214; 1
Rowley Regis	Dudley	382; 1
Royston	Royston	140; 2
Royton	Oldham	475; 5
Ruabon	Wrexham	611; 3
Rugby	Rugby	401; 1
Rugeley	Lichfield	377; 3
Runcorn	Runcorn	455; 3
Ruthin	Ruthin	612; 2
Ryde	Isle of Wight	99; 3
Rye	Rye	75; 1

S

Saffron Hill	Holborn	14; 3
Saffron Walden	Saffron Walden	210; 2
Saham Toney	Swaffham	248; 2
St. Agnes	Truro	307; 3
St. Albans	St. Albans	144; 2
St. Alkmund	Derby	445; 1
St. Andrew	Newcastle-upon-Tyne	552; 2
St. Andrew	Plymouth	287; 2
St. Andrew Eastern	Holborn	14; 2
St. Andrew the Great	Cambridge	187; 3
St. Andrew the Less	Cambridge	187; 1
St. Ann	Nottingham	440; 3
St. Anne Soho	Strand	13; 1
St. Asaph	St. Asaph	613; 1
St. Aubyn	Stoke Damerel	289; 1
St. Augustine	Bristol	329; 5
St. Austell	St. Austell	306; 2
St. Bees	Whitehaven	571; 3
St. Botolph	East London	17; 1
St. Buryan	Penzance	311; 6
St. Chad	Shrewsbury	360; 2
St. Clears	Carmarthen	589; 2
St. Clement	Headington	157; 2
St. Clement	Ipswich	222; 2
St. Clement	Truro	307; 4

Sub-District.	District.	No.
St. Clement Danes	Strand	13; 3
St. Columb	St. Columb	305; 2
St. Cuthbert	Carlisle	568; 2
St. David	Exeter	282; 2
St. Davids	Haverfordwest	592; 3
St. Faiths	St. Faiths	233; 1
St. George	Bedminster	328; 4
St. George	Birmingham	394; 8
St. George	Camberwell	33; 4
St. George	Clifton	330; 3
St. George	Liverpool	461; 4
St. George	Manchester	473; 5
St. George Bloomsbury.	St. Giles.	12; 1
St. George the Martyr.	Holborn	14; 1
St. Germans	St. Germans	302; 2
St. Giles	Cambridge	187; 4
St. Giles	Northampton	168; 1
St. Giles	Reading	127; 3
St. Giles North.	St. Giles	12; 3
St. Giles South.	St. Giles	12; 2
St. Helens	Prescot	463; 6
St. Ives	Penzance	311; 2
St. Ives	St. Ives	177; 4
St. James	Bermondsey	28; 1
St. James	Bristol	329; 4
St. James	Clerkenwell	15; 1
St. James	Dover	72; 1
St. James's-square	St. James Westminster.	6; 2
St. John	Coventry	400; 1
St. John	St. George-in-the-East.	23; 3
St. John	Marylebone	7; 6
St. John	Weardale	544; 1
St. John	Westminster	4; 1
St. John the Baptist.	Gloucester	336; 3
St. John Horsleydown.	St. Olave Southwark.	27; 2
St. John Paddington.	Kensington	1; 2
St. Just-in-Penwith.	Penzance	311; 5
St. Just-in-Roseland.	Truro	307; 2
St. Keverne	Helston	309; 3
St. Lawrence	Reading	127; 2
St. Leonard	Shoreditch	20; 2
St. Mabyn	Bodmin	304; 2
St. Margaret	Ipswich	222; 3
St. Margaret	Westminster	4; 2
St. Martin	Birmingham	394; 3
St. Martin	Liverpool	461; 1
St. Martin	Oswestry	361; 4
St. Mary	Birmingham	394; 7
St. Mary	Carlisle	568; 3
St. Mary	Dover	72; 2
St. Mary	St. George-in-the-East.	23; 1
St. Mary	Hull	520; 2
St. Mary	Marylebone	7; 4
St. Mary	Newington	30; 3
St. Mary	Nottingham	440; 2
St. Mary	Reading	127; 1
St. Mary	Shrewsbury	360; 1
St. Mary Extra.	South Stoneham	106; 1
St. Mary-in-the-Castle.	Hastings	76; 3
St. Mary-le-Strand	Strand	13; 2
St. Mary Magdalen.	Bermondsey	28; 2
St. Mary the Great	Cambridge	187; 2
St. Mary Paddington.	Kensington	1; 1
St. Mary Redcliffe	Bristol	329; 1
St. Matthew	Ipswich	222; 1
St. Michael	Garstang	484; 2
St. Neots	St. Neots	178; 1
St. Nicholas	Cardiff	581*a*; 3
St. Nicholas	Durham	545; 4
St. Nicholas	Gloucester	336; 2
St. Nicholas	Newcastle-upon-Tyne.	552; 3
St. Nicholas Deptford.	Greenwich	35; 2
St. Olave	St. Olave Southwark.	27; 1
St. Oswald	Durham	545; 3
St. Osyth	Tendring	203; 1
St. Paul	Birmingham	394; 6
St. Paul	Bristol	329; 3
St. Paul	St. George-in-the-East.	23; 2
St. Paul Deptford.	Greenwich	35; 1
St. Paul Hammersmith.	Kensington	1; 6
St. Peter	Birmingham	394; 4
St. Peter	Brighton	85; 2
St. Peter	Derby	445; 2
St. Peter	Maldon	202; 4
St. Peter Hammersmith.	Kensington	1; 5
St. Peter Walworth.	Newington	30; 2
St. Philip	Birmingham	394; 5
St. Philip and Jacob.	Clifton	330; 4
St. Saviour	St. Saviour Southwark.	26; 2
St. Sidwell	Exeter	282; 1
St. Stephen	Launceston	301; 3
St. Thomas	Birmingham	394; 2
St. Thomas	Liverpool	461; 5
St. Thomas	St. Thomas	231; 7
St. Weonards	Ross	347; 3
St. Woollos	Newport (Monm.)	580; 3
Salehurst	Ticehurst	80; 2
Salisbury	Salisbury	264; 1
Saltash	St. Germans	302; 3
Saltfleet	Louth	431; 4
Sandal	Wakefield	503; 2
Sandbach	Congleton	457; 3
Sandhurst	Easthampstead	130; 2
Sandwich	Eastry	71; 1
Sankey	Warrington	466; 3
Sawbridgeworth	Bishop Stortford	139; 1
Sawtry	Huntingdon	176; 2
Saxmundham	Plomesgate	224; 6
Scarborough	Scarborough	525; 2
Scarisbrick	Ormskirk	464; 7
Scilly Islands	Scilly Islands	312; 1
Scotter	Gainsborough	434; 2
Sedbergh	Sedbergh	487; 1
Sedgefield	Stockton	541*a*; 3
Sedgley	Dudley	382; 3
Selby	Selby	513; 2
Settle	Settle	488; 2
Sevenoaks	Sevenoaks	56; 2
Shadwell	Stepney	24*a*; 1
Shaftesbury	Shaftesbury	268; 1
Shardlow	Shardlow	444; 3
Sharnbrook	Bedford	179; 2
Sharples	Bolton	468; 9
Shebbear	Torrington	296; 4
Sheffield Park	Sheffield	508; 4
Shelford	Chesterton	186; 3
Shelton	Stoke-upon-Trent	371; 2
Shepton Mallet	Shepton Mallet	322; 3
Sherborne	Sherborne	276; 2
Sherburn	Scarborough	525; 4
Sherwood	Nottingham	440; 1
Shiffnal	Shiffnal	357; 2
Shillington	Ampthill	181; 2
Shipdham	Mitford	242; 1
Shipley	Bradford (Yrks.)	499; 10
Shipston-on-Stour	Shipston-on-Stour	406; 3
Shire-Newton	Chepstow	576; 1
Shoreham	Sevenoaks	56; 1
Shoreham	Steyning	86; 1
Shrivenham	Faringdon	122; 1
Sibsey	Boston	425; 3
Silverton	Tiverton	293; 1
Singleton	Westhampnett	91; 5
Sinnington	Pickering	530; 3
Skelton	York	515; 1
Skipsea	Bridlington	524; 1
Skipton	Skipton	489; 5
Skirlaugh	Skirlaugh	522; 2
Slaidburn	Clitheroe	479; 2
Slaithwaite	Huddersfield	497; 1
Sleaford	Sleaford	426; 2
Slebech	Narberth	590; 5
Smallburgh	Tunstead	230; 2
Snaith	Goole	512; 3
Snenton	Radford	439; 4
Snettisham	Docking	244; 2
Soham	Newmarket	189; 5
Solihull	Solihull	402; 1
Sollershope	Ross	347; 1
Somerby	Melton Mowbray	418; 1
Somersham	St. Ives	177; 2
Somers Town	Pancras	9; 4
Somerton	Langport	317; 1
Soothill	Dewsbury	502; 7
Southam	Southam	407; 1
Southampton	Southampton	105; 1
South Bersted	Chichester	92; 3
South Bishop-Wearmouth.	Sunderland	549; 2
South Bury	Bury	469; 6
South-East Leeds	Leeds	501; 1
South Hackney	Hackney	11; 5
South Hamlet	Gloucester	336; 4
South Horsham	Horsham	87; 1
South Mimms	Barnet	136; 1
Southminster	Maldon	202; 1
South Molton	South Molton	294; 3
Southowram	Halifax	498; 3
South Petherton	Yeovil	319; 2
South Sheffield	Sheffield	508; 3
South Shields	South Shields	550; 2
South Stoneham	South Stoneham	106; 2
South Walsham	Blofield	237; 2
Southwell	Southwell	441; 1
South Worcester	Worcester	387; 3
Sowe	Foleshill	399; 2
Sowerby	Halifax	498; 7
Spalding	Spalding	423; 4
Spaldwick	Huntingdon	176; 3
Speen	Newbury	120; 3
Spilsby	Spilsby	430; 3
Spitalfields	Whitechapel	22; 2
Spondon	Shardlow	444; 5
Spotland Farther Side.	Rochdale	476; 6
Spotland Nearer Side.	Rochdale	476; 5
Spratton	Brixworth	170; 1
Sprowston	St. Faiths	233; 2
Stafford	Stafford	367; 1
Staindrop	Teesdale	543; 1
Staines	Staines	132; 2
Stalbridge	Sturminster	269; 1
Stalham	Tunstead	230; 3
Stalmine	Garstang	484; 1
Stamford	Stamford	421; 1
Stamfordham	Castle Ward	554; 2
Stamford Hill	Hackney	11; 2
Standish	Wigan	465; 1
Standon	Ware	138; 4
Stanhope	Weardale	544; 2
Stanley	Wakefield	503; 3
Stansted	BishopStortford	139; 2
Stanstead	Ware	138; 2
Stanway	Lexden	205; 3
Stanwix	Carlisle	568; 4
Stapleford	Shardlow	444; 4
Stapleton	Clifton	330; 6
Stayley	Ashton-under-Lyne.	474; 9
Stebbing	Dunmow	209; 1
Steyning	Steyning	86; 2
Stickney	Spilsby	430; 1
Stillington	Easingwold	527; 1
Stilton	Peterborough	175; 1
Stockbridge	Stockbridge	108; 2
Stockport First	Stockport	452; 4
Stockport Second	Stockport	452; 5
Stockton	Stockton	541*a*; 2
Stogumber	Williton	313*a*; 5
Stogursey	Williton	313*a*; 4
Stoke	Stoke Damerel	289; 4
Stoke Lane	Shepton Mallet	322; 1
Stoke Newington	Hackney	11; 1
Stokenham	Kingsbridge	285; 2
Stokesley	Stokesley	533; 1
Stoke-upon-Trent	Stoke-upon-Trent	371; 3
Stone	Stone	368; 1
Stonehouse	Stroud	338; 1
Stottesden	Cleobury Mortimer.	355; 2
Stourbridge	Stourbridge	383; 2
Stowey	Bridgwater	316; 1
Stowmarket	Stow	217; 3

Sub-District.	District.	No.
Stow-on-the-Wold	Stow-on-the-Wold	342; 2
Stradbroke	Hoxne	219; 1
Stratford	West Ham	194; 1
Stratford-on-Avon	Stratford-on-Avon	404; 3
Stratton	Depwade	239; 3
Stratton	Stratton	299; 2
Streatham	Wandsworth	32; 5
Stretford	Barton-upon-Irwell.	470; 3
Strood	North Aylesford	52; 2
Stroud	Stroud	338; 4
Studley	Alcester	405; 1
Sturminster	Sturminster	269; 2
Sturry	Blean	66; 1
Sudbury	Sudbury	212; 3
Sudbury	Uttoxeter	374; 3
Sulgrave	Brackley	164; 2
Sunbury	Staines	132; 1
Sutton	Chichester	92; 1
Sutton	Ely	190; 2
Sutton	Macclesfield	453; 6
Sutton	Sculcoates	519; 1
Sutton	Thirsk	528; 4
Sutton Coldfield	Aston	395; 4
Sutton Courtney	Abingdon	123; 5
Sutton-in-Ashfield	Mansfield	437; 4
Swaffham	Swaffham	248; 1
Swalcliffe	Banbury	163; 2
Swanage	Wareham	273; 1
Swansea	Swansea	585*a*; 3
Swavesey	St. Ives	177; 3
Swindon	Highworth	250; 2
Swinefleet	Goole	512; 1
Swineshead	Boston	425; 5
Sydenham	Lewisham	36; 5
Syston	Barrow-upon-Soar.	416; 4

T

Tadcaster	Tadcaster	514*a*; 2
Talgarth	Hay	602; 1
Talley	Llandilofawr	588; 1
Talyllyn	Dolgelly	617; 1
Tamar	Stoke Damerel	289; 5
Tamworth	Tamworth	376; 1
Tanfield	Durham	545; 1
Tanworth	Solihull	402; 3
Tardebigg	Bromsgrove	392; 3
Tarleton	Ormskirk	464; 6
Tattenhall	Great Boughton	459; 1
Tattershall	Horncastle	429; 4
Taunton St. James	Taunton	315; 4
Taunton St. Mary Magdalen	Taunton	315; 3
Tavistock	Tavistock	290; 2
Teignmouth	Newton Abbot	283; 1
Tenbury	Tenbury	385; 1
Tenby	Pembroke	591; 1
Tenterden	Tenterden	61; 2
Terrington St. Clement.	Wisbech	193; 4
Tetbury	Tetbury	339; 2
Tetford	Horncastle	429; 3
Tetney	Louth	431; 5
Tettenhall	Wolverhampton	379; 1
Tewkesbury	Tewkesbury	345; 3
Teynham	Faversham	67; 3
Thame	Thame	156; 2
Thatcham	Newbury	120; 1
Thaxted	Dunmow	209; 4
Thetford	Thetford	249; 2
Thirsk	Thirsk	528; 3
Thornbury	Thornbury	332; 2
Thorne	Thorne	511; 2
Thorney	Peterborough	175; 4
Thornhill	Dewsbury	502; 9
Thornthwaite	Pateley Bridge	490; 3
Thornton	Bradford(Yrks.)	499; 8
Thorpe	Tendring	203; 3
Thrapston	Thrapston	173; 5
Ticehurst	Ticehurst	80; 8
Tickhill	Doncaster	510; 2
Tideswell	Bakewell	449; 1
Tilehurst	Bradfield	126; 6
Tingewick	Buckingham	154; 1
Tipton	Dudley	382; 3
Tisbury	Tisbury	266; 3
Titchfield	Fareham	98; 2
Tiverton	Tiverton	293; 2
Toddington	Woburn	182; 2
Todmorden	Todmorden	495; 4
Tollesbury	Maldon	202; 2
Tonge-with-Haulgh.	Bolton	468; 2
Topcliffe	Thirsk	528; 1
Topsham	St. Thomas	281; 5
Torquay	Newton Abbot	283; 6
Totnes	Totnes	284; 4
Tottenham	Edmonton	137; 2
Tottenham Court	Pancras	9; 2
Tottington Lower End.	Bury	469; 2
Towcester	Towcester	165; 2
Town	Bethnal Green	21; 4
Toxteth Park	West Derby	462; 1
Tranmere	Birkenhead	460*b*; 2
Tredegar	Bedwelty	578*b*; 2
Tregaron	Tregaron	598; 3
Tregynon	Newtown	607; 6
Trelleck	Monmouth	577; 4
Tremadoc	Festiniog	618; 3
Trentham	Stone	368; 3
Tring	Berkhampstead	147; 2
Trinity Newington.	Newington	30; 1
Trowbridge	Melksham	257; 2
Tunbridge	Tunbridge	57; 2
Tunbridge Wells	Tunbridge	57; 1
Tunstal	Lancaster	485; 6
Tunstall	Wolstanton	370; 2
Turton	Bolton	468; 7
Turvey	Bedford	179; 4
Tutbury	Burton-upon-Trent.	375; 1
Tuxford	East Retford	435; 4
Twerton	Bath	326; 1
Twickenham	Brentford	134; 2
Twyford	Winchester	109; 4
Tynemouth	Tynemouth	553; 3

U

Uffculme	Tiverton	293; 3
Ugborough	Totnes	284; 6
Uley	Dursley	333; 2
Ulverston	Ulverston	486; 3
Uny-Lelant	Penzance	311; 1
Upholland	Wigan	465; 6
Upper Hallam	Ecclesall Bierlow	507; 2
Upper Llanidloes	Newtown	607; 1
Upper Merthyr Tydfil.	Merthyr Tydfil	582; 3
Upper Mill	Saddleworth	496; 2
Uppingham	Uppingham	420; 1
Upton-on-Severn.	Upton-on-Severn	388; 2
Upton Snodsbury	Pershore	390; 3
Upway	Weymouth	274; 1
Upwell	Wisbech	193; 6
Usk	Pontypool	579; 3
Uttoxeter	Uttoxeter	374; 1
Uxbridge	Uxbridge	133; 2

W

Waddesdon	Aylesbury	151; 4
Wadhurst	Ticehurst	80; 3
Wainfleet	Spilsby	430; 2
Wakefield	Wakefield	503; 4
Walcot	Bath	326; 5
Wall	Church Stretton	354; 2
Wallasey	Birkenhead	460*b*; 3
Wallingford	Wallingford	125; 2
Wallsend	Tynemouth	553; 1
Walmersley	Bury	469; 3
Walmgate	York	515; 4
Walpole St. Peter	Wisbech	193; 3
Walsall	Walsall	380; 3
Walsham-le-Willows.	Stow	217; 1
Walsingham	Walsingham	243; 2
Walsoken	Wisbech	193; 5
Waltham	Melton Mowbray	418; 4
Waltham Abbey	Edmonton	137; 5
Walthamstow	West Ham	194; 4
Walton	Brampton	566; 3
Walton	Chertsey	38; 1
Walton	West Derby	462; 3
Walton-le-Dale	Preston	482; 3
Wandsworth	Wandsworth	32; 3
Wantage	Wantage	124; 1
Warboys	St. Ives	177; 1
Wardleworth	Rochdale	476; 7
Ware	Ware	138; 3
Wareham	Wareham	273; 3
Wargrave	Wokingham	128; 2
Warkworth	Alnwick	559; 1
Warminster	Warminster	260; 1
Warrington	Warrington	466; 4
Warsop	Mansfield	437; 1
Warton	Lancaster	485; 8
Warwick	Warwick	403; 4
Washfield	Tiverton	293; 5
Washington	Thakeham	89; 2
Waterloo-road 1st.	Lambeth	31; 1
Waterloo-road 2d.	Lambeth	31; 2
Watford	Watford	145; 2
Wath	Ripon	491; 3
Wath	Rotherham	509; 4
Watlington	Henley	155; 2
Watton	Hereford	142; 1
Watton	Wayland	241; 2
Wavertree	West Derby	462; 7
Weaverham	Northwich	456; 1
Wedmore	Axbridge	324; 1
Wednesbury	West Bromwich	381; 5
Weedon	Daventry	169; 1
Week St. Mary	Stratton	299; 3
Weldon	Oundle	174; 2
Wellesbourne	Stratford-on-Avon	404; 2
Wellingborough	Wellingborough	171; 3
Wellington	Wellington (Salop).	365; 2
Wellington	Wellington (Somerset).	314; 3
Wells	Walsingham	243; 3
Wells	Wells	323; 1
Welwyn	Hatfield	143; 2
Wem	Wem	363*a*; 1
Wendover	Wycombe	150; 4
Wendron	Helston	309; 1
Wenhaston	Blything	225; 3
Weobly	Weobly	349; 1
West Alvington	Kingsbridge	285; 3
Westbourne	Westbourne	94; 2
West Bromwich North-east.	West Bromwich.	381; 4
West Bromwich South-west.	West Bromwich.	381; 3
West Broughton	Ulverston	486; 5
Westbury	Atcham	359; 3
Westbury	Westbury	259; 3
Westbury	Clifton	330; 5
West Derby	West Derby	462; 6
Westfirle	Lewes	84; 4
West Flegg	Flegg	229; 2
Westgate	Newcastle-upon-Tyne.	552; 1
West Hackney	Hackney	11; 3
West Ham	West Ham	194; 2
Westham	Eastbourne	78; 1
Westhoughton	Bolton	468; 3
West Leeds	Leeds	501; 3
West Leicester	Leicester	417; 2
West Leigh	Leigh	467; 3
Westleton	Blything	225; 1
West London North.	West London	18; 1
West London South.	West London	18; 2
West Macclesfield	Macclesfield	453; 5
West Maidstone	Maidstone	58; 4
Westmeon	Droxford	110; 2
Westoe	South Shields	550; 1
Westow	Malton	526; 2
West Sculcoates	Sculcoates	519; 8

Sub-District.	District.	No.
West Sheffield	Sheffield	508; 1
West Sunderland	Sunderland	549; 4
West Worcester	Worcester	387; 1
West Wycombe	Wycombe	150; 3
West Wymer	Norwich	234; 5
Wetheral	Carlisle	568; 1
Wetherby	Wetherby	492*c*; 1
Weymouth	Weymouth	274; 2
Whalley	Clitheroe	479; 5
Wheatley	Headington	157; 1
Whickham	Gateshead	551; 3
Whitby	Whitby	531; 2
Whitchurch	Cardiff	581*a*; 1
Whitchurch	Whitchurch (Salop).	363*b*; 1
Whitchurch	Whitchurch (Hants).	117; 1
Whitchurch Canonicorum.	Bridport	278; 3
Whitechapel Church.	Whitechapel	22; 5
Whitechapel North	Whitechapel	22; 4
Whitecross Street	St. Luke	16; 3
Whitehaven	Whitehaven	571; 2
Whitford	Holywell	610; 1
Whitkirk	Kirkstall	500*a*; 4
Whitley	Pontefract	504*a*; 2
Whitmore	Newcastle-under-Lyme.	369; 1
Whitstable	Blean	66; 3
Whittlesey	Whittlesey	192; 1
Whitwick	Ashby-de-la Zouch.	414; 4
Whitworth	Rochdale	476; 10
Whixley	Great Ouseburn	492*a*; 2
Wickford	Billericay	199; 3
Wickhambrook	Risbridge	211; 2
Wickham Market	Plomesgate	224; 3
Wigan	Wigan	465; 3
Wiggenhall	Downham	247; 1
Wigston	Blaby	411; 1
Wigton	Wigton	569; 1
Wilford	Basford	438; 7
Willenhall	Wolverhampton	379; 6
Willesden	Hendon	135; 3
Willingham	Chesterton	186; 1
Willingham	Gainsborough	434; 5
Williton	Williton	313*a*; 3
Wilmslow	Altrincham	454; 1
Wilsden	Bradford (Yrks.)	499; 9
Wilton	Wilton	265; 1
Wimbledon	Kingston	47; 1
Wimborne	Wimborne	271; 3
Wincanton	Wincanton	320; 3
Winchester	Winchester	109; 3
Windsor	Windsor	131; 2
Wing	Leighton Buzzard	183; 2
Wingham	Eastry	71; 2
Winkleigh	Torrington	296; 2
Winlaton	Gateshead	551; 4
Winslow	Winslow	152; 1
Winterbourne	Amesbury	262; 3
Winterton	Glanford Brigg	433; 2
Winwick	Warrington	466; 2
Wirksworth	Belper	446; 6
Wisbech	Wisbech	193; 2
Witchampton	Wimborne	271; 2
Witham	Witham	206; 2
Witheridge	South Molton	294; 1
Withern	Louth	431; 1
Withyham	East Grinstead	82; 1
Witley	Hambledon	42; 1
Witley	Martley	386; 2
Witney	Witney	161; 3
Witton	Blackburn	480; 7
Wiveliscombe	Wellington (Somers.)	314; 1
Wivenhoe	Lexden	205; 1
Woburn	Woburn	182; 1
Woking	Guildford	39; 1
Wokingham	Wokingham	128; 1
Wolsingham	Weardale	544; 3
Wolstanton	Wolstanton	370; 1
Wolverhampton Eastern.	Wolverhampton.	379; 5
Wolverhampton Western.	Wolverhampton.	379; 4
Wolverley	Kidderminster	384; 2
Wombourn	Wolverhampton	379; 2
Wombridge	Wellington (Salop).	365; 3
Woodbridge and Wilford.	Woodbridge	223; 3
Woodbridge Out	Woodbridge	223; 4
Woodbury	St. Thomas	281; 3
Woodchurch	Wirral	460*a*; 3
Woodstock	Woodstock	160; 2
Woodton	Loddon	238; 3
Wooler	Glendale	562; 2
Woolwich Arsenal	Greenwich	35; 6
Woolwich Dockyard.	Greenwich	35; 5
Wootton Basset	Cricklade	251; 1
Wootton Wawen	Stratford-on-Avon	404; 5
Worfield	Bridgnorth	356; 3
Workington	Cockermouth	570; 3
Worksop	Worksop	436; 1
Worlington	Mildenhall	216; 1
Worsbrough	Barnsley	505; 4
Worsley	Barton-upon-Irwell.	470; 1
Worth	East Grinstead	82; 3
Worthys	Winchester	109; 2
Wortley	Kirkstall	500*a*; 1
Wortley	Wortley	506; 4
Wotton-under-Edge.	Dursley	333; 1
Wragby	Horncastle	429; 1
Wray	Lancaster	485; 5
Wrenbury	Nantwich	458; 4
Wrexham	Wrexham	611; 4
Writtle	Chelmsford	200; 3
Wrotham	Malling	55; 3
Wuerdle	Rochdale	476; 8
Wybunbury	Nantwich	458; 1
Wye	East Ashford	63; 3
Wyke	Westhampnett	91; 2
Wymondham	Forehoe	235; 2

Y

Yalding	Maidstone	58; 1
Yapton	Westhampnett	91; 3
Yarkhill	Ledbury	346; 2
Yarm	Stockton	541*a*; 1
Yarmouth Northern.	Yarmouth	228; 2
Yarmouth Southern.	Yarmouth	228; 1
Yatton	Bedminster	328; 3
Yeadon	Wharfedale	493*b*; 1
Yealmpton	Plympton St. Mary	286; 1
Yeovil	Yeovil	319; 4
Yetminster	Sherborne	276; 1
Yoxall	Lichfield	377; 2
Yspytty	Llanrwst	614; 3
Ystradgunlais	Neath	584; 4
Ystradvelltey	Neath	584; 3
Ystradyfodwg	Pontypridd	581*b*; 3

INDEX OF CERTAIN TOWNS.

Towns of which the Names differ from those of the District and Sub-district in which they are respectively situated.

NAME OF TOWN.	SUPERINTENDENT REGISTRAR'S DISTRICT.	SUB-DISTRICT.	Number of District and Sub-district.
Aberavon	Neath	Margam	584; 1
Bacup	Haslingden	Newchurch	477; 1
	Rochdale	Whitworth	476; 10
Barrow	Ulverston	Dalton	486; 4
Bedworth	Foleshill	Foleshill	399; 1
Blackpool	Fylde	Poulton-le-Fylde	483; 3
Bognor	Chichester	South Bersted	92; 3
Brandon	Thetford	Methwold	249; 1
Chatham	Medway	Rochester and Gillingham	54; 1, 2
Chester	Great Boughton	Chester Castle	459; 2
		Chester Cathedral	459; 3
Church (*Lanc.*)	Blackburn	Oswaldtwisle	480; 5
Claycross	Chesterfield	Ashover	448; 1
Crewe	Nantwich	Wybunbury	458; 1
Dawlish	Newton Abbot	Teignmouth	283; 1
Dereham	Mitford	East Dereham	242; 4
Devonport	East Stonehouse	Comprises the whole of the Sub-districts	288; 1
	Stoke Damerel		289; 1–5
Droylesden	Ashton-under-Lyne	Audenshaw	474; 3
Fleetwood	Fylde	Poulton-le-Fylde	483; 3
Godmanchester	Huntingdon	Huntingdon	176; 4
Gosport	Alverstoke	Alverstoke	97; 1
Great Malvern	Upton-on-Severn	Hanley	388; 1
Guiseley	Wharfedale	Yeadon	493*b*; 1
Heckmondwike	Dewsbury	Liversedge	502; 4
Hounslow	Brentford	Isleworth	134; 1
Ironbridge	Madeley	Madeley	358; 2
Llandudno	Conway	Creuddyn	622; 2
Llanidloes	Newtown	Llanidloes, Upper and Lower	607; 1, 2
Maidenhead	Cookham	Bray and Cookham	129; 1, 2
Melcombe Regis	Weymouth	Upway and Weymouth	274; 1, 2
Middlesborough	Stockton	Yarm	541*a*; 1
	Guisbrough	Kirkleatham	532; 3
New Brighton	Birkenhead	Wallasey	460*b*; 3
Redditch	Bromsgrove	Tardebigg	392; 3
	Alcester	Studley	405; 1
Seaham Harbour	Easington	Easington	546; 1
Sheerness	Sheppey	Minster	69; 1
Sidmouth	Honiton	Ottery St. Mary	280; 2
Slough	Eton	Eton and Burnham	149; 2, 3
Southport	Ormskirk	North Meols	464; 5
Southwold	Blything	Wenhaston	225; 3
Stalybridge	Ashton-under-Lyne	Dukinfield and Hartshead	474; 6, 7
Staveley	Chesterfield	Eckington	448; 4
Tyldesley	Leigh	Atherton	467; 4
Ventnor	Isle of Wight	Godshill	99; 4
Welshpool	Montgomery	Montgomery and Pool	608; 1, 3
	Llanfyllin	Llansaintffraid	609; 2
Weston-super-Mare	Axbridge	Banwell	324; 3
Widnes	Prescot	Farnworth	463; 4

ALPHABETICAL INDEX

TO

REGISTRAR-GENERAL'S THIRTIETH ANNUAL REPORT AND APPENDIX.

PAGE

AGES of Persons married in 1867, distinguishing Bachelors, Spinsters, Widowers, Widows 26–27

at Death of Males and Females registered in 1867 in Divisions, Counties, and Districts 98–119

at Death of Males and Females in England registered from different Causes, in 1867 120–125

at Death of Males and Females in England registered from different Supplemental Causes, in 1867 126–129

at Death of Males and Females in London registered from different Causes, in 1867 130–135

AREA in Statute Acres of each Division, County, District, and Sub-district . 28–82

ARMY; Strength and Mortality in the Army at home and abroad . . xxvi

Annual Rate of Mortality per 1000 in Great Britain, England, France, Austria, and Italy, including the Deaths of Soldiers *at Home and Abroad*, 1857–67. (Table 30.) xxvii

Average Strength of the British Army at Home in 1867. (Table 31.) xxvii

Mortality of the Army at Home in 1867. (Table 32.) . . xxvii

Average Strength of the British Army Abroad in each of the Years 1864–67. (Table 33.) xxviii

Number of Deaths in the British Army at Home and Abroad, 1864–67. (Table 34.) xxviii

Annual Rate of Mortality per 1000 amongst Officers and Men in the Army Abroad, 1858–67. (Table 35.) xxviii

Strength at Home and Abroad in 1861, showing the Numbers born in the different parts of the United Kingdom and elsewhere. (Table 36.) xxix

Deaths in Army Abroad of Officers and Men belonging to England and Wales and to Great Britain, 1858–67. (Table 37.) . xxix

AUSTRIA; Estimated Population in middle of the Years 1853–67. (Table 26.) xxiv

Number, and Proportion per 1000 to Population, of Marriages, Births, and Deaths, in each of the Years 1853–67. (Table 27.) . xxv

Annual Rate of Mortality per 1000 in the Austrian Army, 1857–67. (Table 38.) xxix

BIRTHS registered in England, in each Year, 1838–1867. (Table 1.) . i

proportion to Population in each Year, 1838–67. (Table 2.) . ii

Legitimate and Illegitimate in England in the Years 1845–67, and Proportion of Males to Females. (Table 9.) . . . ix

in Counties, in 1867. Numbers, Legitimate and Illegitimate, of the two Sexes; Proportions of Male to Female Births, Legitimate and Illegitimate; Proportion of Illegitimate Births to Total Births. (Table 10.) x

in 1867 x

proportion to Population in different parts of the Country . . xi

BIRTHS—*continued.* PAGE

proportion of Male and Female Children born in the several Counties of England during each of the Years 1858–67. (Table 11.) xi

proportion to Population in Counties for each of the Years 1857–67. (Table 12.) xii

of the two Sexes xii

proportional Number of Births in each Quarter to 1,000 Births in the average Quarter, 1838–67. (Table 13.) xiii

registered in England, and proportion to Population, in each Quarter of the Years 1838–67. (Table 14.) xiii

in the four Seasons xiv

out of wedlock xiv

in quarter ending March 1867 xxxiv

in quarter ending June „ xxxviii

in quarter ending September „ xli

in quarter ending December „ xlviii

registered in each of the Divisions, Counties, Districts, and Sub-districts in 1867 28–82

excess over Deaths in each of the Divisions, Counties, Districts, and Sub-districts in 1867 28–82

registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1867 . . . 86–89

of Children born out of Wedlock registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1867 90–93

Firstborn children 222, 226

BIRTH-RATE in Counties in each of the Years 1857–67. (Table 12.) . xii

in England in each Quarter of the Years 1838–67. (Table 14.) . xiii

BUDD, DR. W.; precautions for preventing spread of Scarlet Fever . . 220

BURNS AND SCALDS; Deaths and Mortality at different Ages, in the Years 1848–67. (Table 31.—App.) 247

CAMBRIDGE; increased Mortality xxxvi

CAUSES of DEATH of Males and Females in England, at different Periods of Life, in 1867 120–125

(Supplementary Table) of Males and Females in England at different Periods of Life, in 1867 126–129

of Males and Females in London at different Periods of Life, in 1867 130–135

of Males and Females in England, and in each of the Divisions and Counties, in 1867 136–159

(from certain zymotic and other Causes) in 1867, in the Divisions, Counties, and Districts of England 160–171

Dr. Farr's Letter to the Registrar General thereon . . . 207

their nature and variety 207–209

certified and uncertified 208

primary and secondary 208

Injuries, Violence, and Accident 209

shortening of the Mean Lifetime 209

a Registration Medical Officer necessary 210

the New Nomenclature 210

registered in England in each of the Ten Years 1858–67. (Table 11.—App.) 231–233

Mortality from the several Causes in each of the Years 1851–67. (Table 12.) 234–236

CAUSES of DEATH—*continued.* PAGE

proportional Numbers dying from each Cause in 1867. (Table 13.—App.) 237

Mean Annual Rate of Mortality from different Causes during three periods of Five Years, and in 1867. (Table 14.—App.) . . 238–239

in England, in 1867, arranged in the order of Mortality. (Table 15.—App.) 240

CHILDBIRTH; Mortality in first and subsequent deliveries 222

Firstborn Children 222, 226

Causes of Mortality of Women from Childbearing . . . 223

Mortality of Childbearing Women at different Ages . . . 223

Fatality of Metria at early Childbearing Ages 223

Mortality from Childbirth in different localities 224

Lying-in Hospitals 224

Maternities 224

Progress of Midwifery 224

Transmission of Puerperal Fever 224

Nurses often mediums of Disease 225

Insurance Premiums on the Lives of Pregnant Women. . . . 225

Deaths in 1867, at different Ages, of Women after Childbearing, classed under different Diseases, and neither referred to Childbirth nor to Metria in the Abstracts. (Table 16.—App.) . 241

Deaths of Women in 1867 who were returned as pregnant, classed under certain Diseases. (Table 17.—App.) . . . 241

Deaths of Women from Metria and Childbirth in the 21 Years, 1847–67, and proportional Deaths of Mothers to Children born alive. (Table 18.—App.) 242

Mortality of Women by Childbearing, at different Ages, in 1848–54, and in 1855–67. (Table 19.—App.) 242

Deaths of Mothers bearing Children, at different Ages, in 1848–54, and in 1855–67. (Table 20.—App.) 243

Mortality of Mothers by Childbearing, at different Ages, in 1848–54, and in 1855–67. (Table 21.—App.) 243

Excess of Mortality of Women over Mortality of Men, at different Ages, in England, 1851–60; in Healthy Districts, 1849–53; and in Sweden, 1830–35. (Table 22.—App.) . . . 243

Annual Mortality from, in 1851–60, in England, in Healthy Districts, and in Large Towns. (Table 23.—App.) . . 244

Deaths of Women in 1851–60, in Registration Divisions of England, in Healthy Districts, and in Large Towns. (Table 24.—App.) 244

in Sweden, 1830–35. (Table 25.—App.) 244

COLONIAL REGISTRATION; Letter from Registrar General to Colonial Office thereon lxvi

Registration Arrangements in Australian Colonies . . . lxvii–lxxiii

" " North American Colonies . . lxxiii–lxxv

" " West Indian Colonies . . . lxxv–lxxvi

" " Mediterranean and African Colonies . lxxvi

" " Heligoland lxxvi

" " Eastern Colonies lxxvii

" " India . . . . . lxxvii–lxxix

" " Islands in British Seas . . . lxxx

CONSTITUTIONAL DISEASES 221

CROYDON; its drainage and mortality xxxix

CYNANCHE MALIGNA and DIPHTHERIA; Deaths in England at different Ages in each of the 12 Years, 1855–67. (Tables 2. and 3.—App.) . 227

PAGE

DEATHS registered in England in each Year, 1838–1867. (Table 1.) . . i
proportion to Population in each Year, 1838–67. (Table 2.) . ii
in 1867 xvi
proportion to Population xvi
Meteorology and Mortality . . . . . xvi–xix
in the four Seasons xvi
of the two Sexes xix
Mortality in different localities xx
Mortality at different Ages of Males and Females xx
proportional Number in each Quarter to 1,000 Deaths in the average Quarter, 1838–67. (Table 21.) xx
registered in England in each Quarter of the Years 1838–67. (Table 22.) xxi
registered in each of the Divisions, Counties, Districts, and Sub-districts in 1867 28–82
in 1867 in the principal Public Institutions in London . . . 83–84
registered in each of the Four Quarters of 1867 (distinguishing Males and Females), in Divisions and Counties 94–97
of Males and Females at different Ages registered in 1867 in Divisions, Counties, and Districts 98–119

DEATHS and STATE of the PUBLIC HEALTH in quarter ending March 1867. xxxvi
in quarter ending June „ . xxxviii
in quarter ending September „ . xliv
in quarter ending December „ . xlix

DEATHS FROM DIFFERENT CAUSES. (*See* CAUSES OF DEATH.)

DEATH-RATE of Males and Females in each of the Years 1838–67. (Table 15.) xiv
in Counties in each of the Years 1857–67. (Table 16.) . . xv
in each Quarter of the Years 1838–67. (Table 22.) . . . xxi

DEATH RATE; per 1000 at different Ages of Males and Females in England in each of the years 1838–67. (Tables 17, 18, 19, 20.) . . xvi–xix
Excess or Defect of Annual Rate of Mortality per 1000 of Males and Females at different Ages in the year 1867, over or under the Mean Annual Mortality of the 30 years 1838–67. (Table 1.—App.) 227
from the several causes to 1,000,000 living in each of the years 1851–67. (Table 12.) 234–236
Mean Annual Rate from different Causes during three periods of five years, and in 1867. (Table 14.—App.). . . . 238–239
Comparison of Mortality among the two Sexes at different Ages, in England 1851–60, in Healthy Districts 1849–53, and in Sweden 1830–35. (Table 22.—App.) 243

(*See also* DEATHS.)

DEVELOPMENTAL DISEASES 222

DIABETES; mortality from, at different Ages 221
Deaths and Mortality at different Ages in the 7 years 1848–54, and in the 13 years 1855–67. (Tables 26. and 27.—App.) . 245

DIPHTHERIA and CYNANCHE MALIGNA; Deaths in England at different Ages in each of the 12 Years 1855–67. (Tables 2. and 3.—App.) . 227

DISEASES (*See* CAUSES OF DEATH).

DISTRICTS: changes in the constitution of, during 1867 172
Alphabetical Index of Districts and Sub-districts . . . 249–262

DIVISIONS of England: Average Annual Rate of Mortality in the 11 Divisions in the 10 Years 1851–60, and in the Four Quarters of 1867. (Table 47.) 1

DRY EARTH as a disinfectant xxxix

PAGE

EMIGRATION in 1867 ii

from the United Kingdom, in each of the Years 1815 to 1867 (Table 54.) lix

from the United Kingdom in 1867, distinguishing the Destination, Sex, Age, Condition, Occupation, and Origin of the Emigrants. (Tables 55–56.) . . . . . lx–lxi

ENGLAND AND WALES; Summary of results of Registration—

in Year 1867 ii

in quarter ending March 1867 . . . xxxiv

in quarter ending June „ . . . xxxvii

in quarter ending September „ . . . xli

in quarter ending December „ . . . xlvii

Estimated Population of both Sexes in the middle of each of the Years 1801–1869 (*excluding Army, Navy, and Merchant Seamen Abroad*). (Table 59.) lxiv

ERYSIPELAS: Deaths at different Ages in England in the Years 1862–67. (Table 10.—App.) 230

FARR, WILLIAM, M.D.; Letter to the Registrar-General on the Causes of Death 207

FEVER; fatality of different types 212

Ages of the Persons who died from Fever (Typhus, Typhia, and Typhinia) in the Year 1867. (Table 6.—App.) . . . 229

Deaths in England at different Ages from Fever, in the 20 Years, 1848–67; and Annual Rate of Mortality. (Table 7.—App.) . 229

Annual Number of Estimated Cases, and of Deaths at different Ages, in the 20 Years, 1848–67. (Table 8.—App.) . . . 229

Deaths registered, Mortality, and Proportional Number to 1,000 Deaths in each of the 18 Years, 1850–67. (Table 9.—App.) . 230

FOREIGN STATES; Number and Proportion to Population of Marriages, Births, and Deaths xxiv

FRANCE; Estimated Population in middle of the Years 1853–67. (Table 26.) xxiv

Number, and Proportion per 1000 to Population, of Marriages, Births, and Deaths, in each of the Years 1853–67. (Table 27.) . xxv

GREAT BRITAIN; Area, Estimated Population, Marriages, Births, and Deaths in 1867. (Table 23.) xxii

Proportion per 1000 of Marriages, Births, and Deaths to Population in 1867. (Table 24.) xxiii

HEALTH; State of the Public Health in quarter ending March 1867 . xxxvi

in quarter ending June „ . xxxviii

in quarter ending September „ . xliv

in quarter ending December „ . xlix

HEALTH, PUBLIC; its progress possible 210–211

HEALTHY DISTRICTS; Mortality of Males and Females at different Ages in 1849–53. (Table 22.—App.) 243

Annual Mortality from Childbirth and Metria in 1851–60. (Table 23.—App.) 244

Deaths of Women in Childbirth in 1851–60. (Table 24.—App.) . 244

ILLEGITIMATE BIRTHS; registered in each of the Divisions, Counties, Districts, and Sub-districts in 1867 28–82

registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1867 . . . 90–93

(*See also* BIRTHS.)

PAGE

INFANTICIDE and MURDER; Deaths in England in each of the five years 1863–67 197
at different Ages during the five years 1863–67 198–199
in each of the Eleven Divisions during the five years 1863–67 . 200

INSTITUTIONS; Deaths in 1867 in the principal Public Institutions of London 83–84

IRELAND; Area, Population, Marriages, Births, and Deaths in 1867. (Table 23.) xxii
Proportion per 1000 of Marriages, Births, and Deaths to the Population in 1867. (Table 24.) xxiii
Estimated Population of both Sexes in the middle of each of the Years 1801–1869 (*excluding Army, Navy, and Merchant Seamen Abroad*). (Table 59.) lxv

ISLANDS in BRITISH SEAS; Area, Population, Births, and Deaths. (Table 25.) xxiii
Registration arrangements in lxxx

ITALY; Population, Number, and Proportion per 1000 to Population, of Marriages, Births, and Deaths, in each of the Years 1863–67. (Table 28.) xxvi

LEGITIMATE BIRTHS. (*See* BIRTHS.)

LIGHTNING; Deaths in different Districts in each of the 4 Years 1864–67. (Table 32.—App.) 248

LOCAL DISEASES 221

LONDON; Health of, in 1867 liii
Births, Deaths, and Rate of Mortality, 1855–67. (Table 48.) . liii
Deaths in Public Institutions, 1855–67. (Table 49.) . . . liv
Improved sanitary condition of South Districts liv
Deaths and Meteorology, 1849–67. (Table 50.) lv
Annual Rate of Mortality in each of the years 1840–67 in five groups of districts. (Table 52.) lvii
Deaths in 1867 in the principal Public Institutions . . . 83–84
Causes of Death of Males and Females at different Periods of Life in 1867 130–135

MANSLAUGHTER; Deaths in England in each of the five years 1863–67 . 201
at different Ages during the five years 1863–67 202–203
in each of the Eleven Divisions during the five years 1863–67 . 204

MARINE REGISTER BOOK; Number of Entries in 1867 xxx

MARRIAGES registered in England in each Year, 1838–67. (Table 1.) . i
proportion to Population in each Year, 1838–67. (Table 2.) . ii
registered in England in each Year, 1841 to 1867, in Established Church and amongst Nonconformists; showing also the Condition of Persons married. (Table 3.) iii
in 1867. iv
according to different Rites and Forms iv
proportions of Males and Females in England married at different Ages in 1867 relatively to the estimated population at the same Ages. (Table 4.) iv
Buildings registered for, in 1867 iv
in England in each Year, 1841–1867; proportion of Minors; of those who signed with Marks; of Widowers and Widows. (Table 5.) v
Re-marriages v
of Minors v
Ages of Persons married v

MARRIAGES—*continued.* PAGE

in Counties of England in 1867; proportion of Marriages to population; of those who signed in Writing, of Minors, and of Re-marriages, to Total Marriages. (Table 6.) vi

Signature of Marriage Registers vii

in England; Number and Annual rate per 1000 in each Quarter of the years 1838–67. (Table 7.) vii

Number of Buildings registered for the solemnization of Marriages in the Divisions and Counties of England, and on the Register, on 31st December 1867. (Table 8.) viii

in quarter ending March 1867 xxxiv

in quarter ending June „ xxxvii

in quarter ending September „ xli

in quarter ending December „ xlvii

Registered in England in each of the Divisions, Counties, and Districts in 1867; distinguishing the form of Marriage and whether according or *not* according to the Rites of the Established Church; and distinguishing also the seasons of Marriage, and the Marriages of Persons according to their conjugal Condition, Minority, and Signature of the Register by marks . 2–25

Ages of Persons married in 1867, distinguishing Bachelors, Spinsters, Widowers, Widows 26–27

Registered in each of the Divisions, Counties, and Districts in 1867 . 28–82

MERCHANT SEAMEN AT SEA; Mortality in each of the Years 1852–67. (Table 40.) xxxi

Causes of death in 1867 lxii

METEOROLOGY of 1867 ii

of quarter ending March 1867 xxxv

of quarter ending June „ xxxviii

of quarter ending September „ xlii

of quarter ending December „ xlix

of different parts of the Country in the year 1867. (Tables 44 & 45.) . . . . . xliv–xlvii

of Greenwich, 1849–67. (Table 46.) . . . . . xlviii–xlix

METRIA. (*See* CHILDBIRTH.)

MINORS, marriages of v
(*See also* MARRIAGES.)

MORTALITY. (*See* DEATH-RATE.)

MURDER and INFANTICIDE; Deaths in England in each of the five years 1863–67 197

at different Ages during the five years 1863–67 198–199

in each of the Eleven Divisions during the five years 1863–67 . 200

MURDER and MANSLAUGHTER; Deaths of Males and Females at different Ages returned at Inquests in the year 1867. (Tables 28, 29. —App.) 246

NEWCASTLE-ON-TYNE, its insalubrity and the causes of it . . . . xxxvi, xlv

NOMENCLATURE OF DISEASES. Prepared by College of Physicians . . 210

NORTHALLERTON, unhealthiness of xl

NORTHOWRAM; prevalence of typhoid li

OVERCROWDING, a cause of the spread of zymotic disease . . . 213

PAGE

PAUPERISM in 1867 iii
in quarter ending March 1867 xxxv
in quarter ending September „ xlii
in quarter ending December „ xlix
in each Quarter of the years 1857–67. (Table 43.) . . . xliii

POPULATION of England; natural increase in 1867 i
of England estimated to the middle of each of the years 1838–67. (Table I.) i
increase of, in quarter ending March 1867 xxxiv
„ in quarter ending June „ xxxviii
„ in quarter ending September „ xli
„ in quarter ending December „ xlviii
(*See also* UNITED KINGDOM, ENGLAND, SCOTLAND, and IRELAND.)

POPULATION (in 1861) of each Division, County, District, and Sub-district . 28–82

PRICES of Provisions in 1867 ii

PRICES of Wheat, Meat, and Potatoes in quarter ending March 1867 . . xxxv
in quarter ending June „ . xxxviii
in quarter ending September „ . xli
in quarter ending December „ . xlix
in the years 1857–67. (Table 43.) . xliii

PUBLIC HEALTH. (*See* HEALTH.)

PUBLIC INSTITUTIONS. (*See* INSTITUTIONS.)

QUARTERLY REPORTS; Summary of, for quarter ending March 1867 . xxxiv
for quarter ending June „ . xxxvii
for quarter ending September „ . xl
for quarter ending December „ . xlvii

REGISTERS and RECORDS deposited in the General Register Office . . xxxii

REGISTERS AND SEARCHES; Particulars relative to Searches made in 1867 . xxxi
Amount received in fees for Searches in 1867 xxxi
Aggregate number of Names on the Registers and number of Searches (Table 41.) xxxii

REGISTERED BUILDINGS FOR MARRIAGES on 31st December 1867. (Table 8.) viii

REGISTRATION IN BRITISH COLONIES. (*See* COLONIAL REGISTRATION.)

REGISTRATION; progress of, in 1867 . . . . . ii, xxxi

REGISTRATION MEDICAL OFFICER; appointment necessary . . . 210

RE-MARRIAGES in 1867. (*See also* MARRIAGES.) v

SALISBURY; effects of good hygienic arrangements xlvi

SANITARY KNOWLEDGE; necessity for its diffusion li

SCARLATINA, CYNANCHE MALIGNA, and DIPHTHERIA; Deaths in England in each of the Years 1855–67. (Table 2.—App.) . . 227

PAGE

SCARLATINA; Deaths in England at different Ages in each of the 12 Years, 1855–67. (Table 4.—App.) 228

Deaths in each of the Counties of England and Wales in each of the Years 1853–1867. (Table 5.—App.) 228

SCARLET FEVER; Dr. W. Budd's precautions for preventing its spread . 220

SCOTLAND; Area, Estimated Population, Marriages, Births, and Deaths in 1867. (Table 23.) xxii

Proportion per 1000 of Marriages, Births, and Deaths to Population in 1867. (Table 24.) xxiii

Estimated Population of both Sexes in the middle of each of the Years 1801–1869 (*excluding Army, Navy, and Merchant Seamen Abroad*). (Table 59.) lxv

SEA; Births and Deaths of British Subjects at Sea, 1856–67. (Table 39.) . xxix–xxx

Mortality of Merchant Seamen at Sea, 1852–67. (Table 40.) . . xxxi

Causes of Death of Merchant Seamen in 1867 lxii

SEARCHES; Number of Searches for Registers at the Central Office, 1843–67. (Table 41.) xxxii

SEX; Proportion of Male and Female Children born in the several Counties of England in each of the years 1858–67. (Table 11.) . . xi

(*See also* DEATHS.)

SMALL-POX, as affected by vaccination 213

relation of its fatality to that of other diseases 213–215

SPAIN; Population, Numbers and Proportions per 1000 of Births and Deaths in each of the Years 1861–67. (Table 29.) xxvi

SUB-DISTRICTS; Alphabetical Index of 253–262

SUICIDES in England in each of the 5 years 1863–67 192

at different Ages during the 5 Years 1863–67 . . 193–194

in each of the Eleven Divisions „ „ . . 195–196

Proportion to every 1,000,000 of the Population of England, 1858–67. (Table 30.—App.) 247

SWEDEN; Mortality of Males and Females at different Ages in 1830–35. (Table 22.—App.) 243

Childbearings at Four Periods of Life in 1830–35. (Table 25. —App.) 244

TAMWORTH; its unhealthy condition li

TERLING; epidemic of typhoid fever li

TOWN AND COUNTRY DISTRICTS; Mortality in quarter ending March 1867. xxxvi

in quarter ending June „ . xxxix

in quarter ending September „ . xliv

in quarter ending December „ . l

Area; Population 1851 and 1861; Annual Rate of Mortality per 1000 in each Quarter of the Years 1857–67. (Table 42.) . xlii

TOWNS; Population, Births, Deaths, Mortality, Temperature and Rainfall in 1867, in THIRTEEN LARGE TOWNS of the United Kingdom. (Table 51.) lvi

TOWNS—*continued.* PAGE

Annual Rate of Mortality in Thirteen Large Towns of the United Kingdom in each Week of 1867. (Table 53.) . . . lviii
„ in March quarter „ xxxvi
„ in June quarter „ xxxix
„ in September quarter „ xlv
„ in December quarter „ l
Index of certain Towns whose names differ from that of the District and Sub-district in which they are respectively situated . . 203
(LARGE); Mortality from Metria and Childbirth in 1851–60. (Table 23.—App.) 244
Deaths of Women in Childbirth in 1851–60. (Table 24.—App.) . 244

TYPHUS. (*See* FEVER.)

UNITED KINGDOM; Area, Population, Marriages, Births, and Deaths, in the Year 1867. (Table 23.) xxii
Proportion per 1000 of Marriages, Births, and Deaths to the Population in 1867. (Table 24.) xxiii
Marriages, Births, and Deaths, in quarter ending March 1867 . xxxiv
in quarter ending June „ . xxxvii
in quarter ending September „ . xl
in quarter ending December „ . xlvii
Population of both Sexes (*including Army, Navy, and Merchant Seamen Abroad*) in the middle of the Years 1801, 1811, 1821, 1831, 1841, 1851, 1861, 1866, 1867, 1868, and 1869, and the Logarithms of the same. (Tables 57, 58.) lxiii
Estimated Population of both Sexes, distinguishing England, Scotland, and Ireland, in the middle of each of the Years 1801–1869, *excluding the Army, Navy, and Merchant Seamen Abroad.* (Table 59.) . . . . . lxiv–lxv

VIOLENT DEATHS in England in each of the 5 Years 1863–67 . . . 174–179
„ at different Ages during the 5 Years 1863–67. 180–185
in each of the Eleven Divisions „ „ . 186–191
their causes and increased fatality 225

WATT, DR. ROBERT, on Small-pox and other diseases in Glasgow . . 213

WEATHER. (*See* METEOROLOGY.)

WINTERTON, prevalence of fever in xl

ZYMOTIC DISEASES 211–221
less fatal in 1867 than usual 211
fluctuations of 211
Ages at which most fatal 211
fatality of different forms of Fever 212
diffusion of Zymotic matter 212
overcrowding a great cause of the diffusion of Zymotics . . 213
Small-pox 213
Dr. Robert Watt on Small-pox and other diseases in Glasgow . 213
effects of Vaccination 213
decrease of Small-pox and increase of other diseases . . . 215
development of disease at different Ages 215

ZYMOTIC DISEASES—*continued.* PAGE

disease molecules 216
destruction of disease molecules 216
corpuscular and cosmical life 217
combustion, fermentation, zymosis 217
nomenclature of Zymotic elements 218
different powers of Zymotic elements 218
protection against infection 219
effects of defective house accommodation 219
limitation of the ravages of Zymotic disease 219
Dr. W. Budd's precautions against spread of Scarlet Fever . . 220
great secular plagues 221

LONDON:
Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

FOURTEENTH
ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

ON THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN

SCOTLAND

DURING THE

YEAR 1868;

AND

FOURTH ANNUAL REPORT

ON

VACCINATION.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1869.

4122

CONTENTS.

PAGE

Report of the Registrar-General to the Secretary of State for the Home Department, . . 5
Report to the Registrar-General, by Dr Stark, ... 7

SCOTLAND.

Births registered in Scotland during the year 1868; the average Scottish Birth-rate; the proportion of Births in the Town and Rural Districts; Illegitimate Births; proportion of Boys to Girls, etc.; with relative Tables, ... 7

Deaths registered in Scotland during the year 1868; the average Scottish Death-rate; the proportion of Deaths in the Town and Rural Districts; with relative Tables, . 11

Increase of Population, ... 13

Marriages registered in Scotland during the year 1868; the average Scottish Marriage-rate; the proportion of Marriages in the Town and Rural Districts, . . 13

Health of the Population during the year 1868, ... 13

EIGHT PRINCIPAL TOWNS.

Births in the Eight Principal Towns of Scotland during the year 1868, with the mean annual proportion of Births, and the relative Birth-rate in each Town; the proportion of Illegitimate Births, and the Sexes at Birth; with relative Tables, . . 15

Deaths in the Eight Towns during the year 1868, with the mean Death-rate in these Towns, and the proportional Death-rate in each Town; the Deaths in each Town under 5 years of age, and the Diseases which proved fatal; with relative Tables, . 16

Marriages in the Eight Towns during the year 1868, ... 21

Weather, and its influence on the Mortality; with relative Tables, ... 21

VACCINATION IN SCOTLAND—1867.

Fourth Report on Vaccination in Scotland applicable to the Children born and registered during the year 1867; showing the number and proportion who were successfully vaccinated; the number whose Vaccination had been postponed, etc. . . . 27

ABSTRACTS.

PAGE

Births registered in Scotland during each Month of the year 1868, pursuant to the Act 17° and 18° Vict. cap. 80. 31

Deaths registered in Scotland during each Month of the year 1868, ... 32

Marriages registered in Scotland during each Month of the year 1868, ... 33

Vaccination in Scotland for the year 1867, pursuant to the Act 26° and 27° Vict. cap. 108, . 34

Summary of the Deaths from All Causes at Four Periods of Life in the Eight Towns during the year 1868, ... 35

Deaths from All Causes at Four Periods of Life in each of the Eight Principal Towns of Scotland during the year 1868, ... 36

Births in the Eight Principal Towns of Scotland during each Month of the years 1862 to 1868 inclusive, distinguishing the Sexes, ... 40

Illegitimate Births in the Eight Towns during each Month of the years 1862 to 1868 inclusive, 41

Marriages in the Eight Towns during each Month of the years 1859 to 1868 inclusive, . . 41

Deaths in the Eight Principal Towns of Scotland during each Month of the years 1862 to 1868 inclusive, distinguishing the Sexes, ... 42

Meteorology of the Eight Principal Towns of Scotland during each Month of the year 1868, . 43

APPENDIX.

Extracts from Registrars' Notes, relative to the working of the Vaccination Act, . . . 44

REPORT.

TO THE

RIGHT HON^BLE. H. AUSTIN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *March* 9, 1869.

SIR,

IN conformity with the Seventh Section of the Scottish Registration Act (17° and 18° Vict. c. 80), I have the honour to submit to you a General Abstract of the Births, Deaths, and Marriages registered in Scotland during the year 1868, in order that the same may be laid before Parliament.

As in last year's Report, I have directed that this Abstract should be accompanied by a short explanatory statement as to the health of the population during the year, the diseases which were prevalent, and some of the causes which seemed to affect the proportion of Births, Deaths, and Marriages.

Being desirous of doing all in my power to aid the authorities in acquiring just views on vital statistics, so far as they bear on sanitary inquiries, I directed that the explanatory statement and tables appended to this Report, besides showing the proportion of Births, Deaths, and Marriages in the Town and Rural Districts, should also give an analysis of the Town Districts, so as to point out the varying proportions of Births, Deaths, and Marriages in the towns of Scotland, when divided into three classes according

to their population. This analysis indicates the remarkable fact, that just in proportion to the size of the town is the annual proportion of its Births, Deaths, and Marriages; that, as a general rule, the larger the town is, the greater is the proportion of its Births, Deaths, and Marriages; and that, as the towns get smaller, the proportions of each and all of these diminish till they merge in the low proportion peculiar to the Rural Districts.

Agreeably also to the Nineteenth Section of the Scottish Vaccination Act (26° and 27° Vict. c. 108), and in accordance with the arrangements referred to in my First Annual Report on Vaccination, I have the honour to submit to you my Fourth Annual Report on Vaccination, containing a general abstract of the number of children born during 1867 who have been successfully vaccinated, the number whose vaccination was postponed, and other particulars required by that Statute.

The success of the Scottish Vaccination Act may be said to have been complete, inasmuch as upwards of 97 per cent. of the surviving children of 1867 have either been vaccinated or otherwise accounted for under the provisions of the Statute. Never since the Registration Act came into operation, nor within the memory of man, has Small-pox been so rare in Scotland as during the past year, when the number of Deaths from that disease is believed to have been under 25.

I have honour to be,

Sir,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THIS Report refers to the Births, Deaths, and Marriages registered during the year 1868 in the 1018 districts into which Scotland was that year divided for the purposes of registration, and also to the vaccination of the children whose births were recorded during the year 1867.

115673 Births, 69386 Deaths, and 21853 Marriages were registered in Scotland during the year 1868; and when these numbers are compared with the estimated population, it appears that the proportion of births considerably exceeded the average of the ten previous years, while that of the deaths and marriages fell below it.

BIRTHS.

115673 Births were registered in Scotland during the year 1868, being the largest annual number of births ever entered on the Scottish Registers. Since the beginning of 1863, the number of marriages, and their proportion to the population, largely increased; and the influence which an increasing proportion of marriages has on the population is now very perceptible in the annually increasing number of births entered in the Registers, and in the proportion of births to the population. During the ten previous years the birth-rate was in the proportion of 352 births in every ten thousand persons of the estimated population, or 3·52 per cent.;

TABLE I.—Population of Scotland, estimated to the middle of each year; Births, Deaths, and Marriages registered during each year from 1855 to 1868 inclusive; the Illegitimate Births, and the excess of Births over Deaths; also the per-centage of Births, Deaths, and Marriages to the Population.

YEAR.	Population estimated to the Middle of each Year.	BIRTHS.		DEATHS.	MARRIAGES.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	42,291	3·395	1·953	0·692
1857	3,012,310	103,415	8,859	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	9,736	68,170	21,225	37,459	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,376	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,445	11,197	74,303	22,675	38,142	3·602	2·382	0·727
1865	3,136,057	113,126	11,262	70,821	23,577	42,305	3·607	2·258	0·751
1866	3,153,413	113,639	11,560	71,273	23,629	42,366	3·603	2·260	0·749
1867	3,170,769	114,115	11,912	69,024	22,521	45,091	3·595	2·145	0·707
1868	3,188,125	115,673	11,266	69,386	21,853	46,287	3·628	2·176	0·685

but during the past year the proportion was 362 births in every ten thousand, or 3·62 per cent.—the highest birth-rate ever noticed in Scotland.

Of 115673 births, 69118 were registered in the 128 Town Districts (which embrace all the towns with populations of 3000 and upwards at the census of 1861), while only 46555 births were entered on the Registers of

TABLE II.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1858 to 1868 inclusive.

	1858.		1859.		1860.		1861.		1862.		1863.		1864.		1865.		1866.		1867.		Mean per cent Ten Years.	1868.	
	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.		No.	Per cent.
FIRST QUARTER.																							
Births,	26022	3·45	25988	3·42	27118	3·55	25400	3·30	27089	3·51	26733	3·44	28177	3·61	28608	3·65	28876	3·66	27969	3·52	3·51	28736	3·60
Deaths,	17321	2·29	17102	2·25	20223	2·65	17944	2·33	19420	2·51	19229	2·47	22576	2·89	20786	2·65	19075	2·42	19981	2·51	2·49	18036	2·26
Marriages,	4486	0·59	4890	0·64	4802	0·62	4636	0·61	4763	0·62	5126	0·66	5333	0·68	5407	0·69	5627	0·71	5332	0·66	0·65	5287	0·66
Mean Temperat.	38°·2		41°·0		36°·0		38°·9		38°·8		40°·9		35°·7		35°·3		38°·0		36°·5		37°·9	40°·6	
SECOND QUARTER.																							
Births,	27846	3·69	28510	3·76	28292	3·71	29200	3·80	28728	3·73	29655	3·82	29992	3·84	30332	3·86	29801	3·78	30393	3·83	3·78	31025	3·89
Deaths,	15657	2·07	15653	2·06	18182	2·38	15947	2·07	17385	2·25	17963	2·31	18445	2·36	17066	2·17	18556	2·35	17404	2·20	2·22	16928	2·12
Marriages,	4927	0·65	5150	0·67	5329	0·69	5327	0·69	5185	0·67	5594	0·71	5710	0·73	5698	0·72	6019	0·76	5602	0·70	0·69	5660	0·71
Mean Temperat.	50°·7		50°·1		48°·2		50°·6		49°·4		49°·0		49°·9		51°·5		49°·3		49°·0		49°·7	51°·0	
THIRD QUARTER.																							
Births,	24905	3·30	25956	3·42	24914	3·26	26146	3·41	25783	3·34	26366	3·40	27063	3·47	27320	3·48	27197	3·45	27888	3·51	3·40	28393	3·56
Deaths,	14012	1·85	13340	1·76	13875	1·82	13415	1·74	14235	1·84	16273	2·09	16131	2·06	15907	2·02	15451	1·95	15106	1·90	1·90	16662	2·09
Marriages,	4081	0·54	4626	0·61	4614	0·59	4480	0·59	4370	0·69	4900	0·62	4993	0·64	5335	0·68	5089	0·64	5047	0·63	0·61	4804	0·59
Mean Temperat.	56°·1		56°·4		53°·9		56°·0		54°·4		53°·9		54°·5		57°·5		54°·4		55°·2		55°·3	57°·4	
FOURTH QUARTER.																							
Births,	25245	3·34	26089	3·44	25305	3·31	26263	3·42	25469	3·30	26587	3·42	27213	3·49	26866	3·42	27765	3·52	27865	3·51	3·41	27519	3·45
Deaths,	16549	2·19	15619	2·06	15890	2·08	15035	1·95	16155	2·09	18016	2·32	17151	2·19	17072	2·17	18191	2·30	16473	2·07	2·14	17760	2·22
Marriages,	6161	0·81	6535	0·86	6580	0·86	6453	0·84	6079	0·78	6614	0·84	6639	0·85	7137	0·91	6894	0·87	6540	0·82	0·84	6202	0·77
Mean Temperat.	41°·4		39°·7		39°·7		42°·0		42°·0		43°·6		42°·0		43°·4		43°·5		42°·3		41°·9	41°·5	
YEAR.																							
Population, ...	3927665		3041812		3054738		3066632		3083989		3101345		3118701		3136057		3153413		3170769		...	3188125	
Births,	104018	3·44	106543	3·50	105629	3·46	107099	3·48	107069	3·47	109341	3·52	112445	3·60	113126	3·60	113639	3·60	114115	3·59	3·52	115673	3·63
Deaths,	63539	2·10	61714	2·03	68170	2·23	62341	2·03	67195	2·17	71481	2·30	74303	2·38	70321	2·25	71273	2·26	69024	2·14	2·19	69386	2·17
Marriages,	19655	0·65	21201	0·69	21225	0·69	20896	0·68	20597	0·66	22234	0·71	22675	0·72	23577	0·75	23629	0·75	22521	0·70	0·70	21853	0·68

the 890 Rural Districts, which embrace the remainder of the population of Scotland. This indicates a birth-rate equal to 398 births in every ten thousand persons, or 3·98 per cent. for the Town Districts; but only 320 births in every ten thousand persons, or 3·20 per cent. for the Rural Districts.

As it is, however, very desirable to show the close connection which exists between the proportion of births, deaths, and marriages in the different masses of the population, the Town Districts have been subdivided into three sections:—1st, the Eight Principal Towns, which have each above 20,000 inhabitants; 2d, the large towns, or those which have respectively from 10,000 to 20,000 inhabitants; and 3d, the small towns, viz. those which contain from 3,000 to 10,000 inhabitants. (Table V.)

Now, it is a very remarkable fact, that just in proportion to the number of inhabitants massed together is the proportion of births, deaths, and marriages, as exhibited by this analysis of the vital statistics of Scotland for 1868. The greater the population of the town, the greater is the number and proportion of the births, of the deaths, and of the marriages, which all maintain a ratio to each other in the different divisions. Thus, take the proportion of births: it was 4·12 per cent. in the Eight Principal Towns, 3·94 per cent. in the large towns, 3·73 in the small towns, and 3·20 in

TABLE III.—Estimated Population, with the BIRTHS, DEATHS, and MARRIAGES registered in each of the Eight Divisions of Scotland during the Year 1868, and their proportion to the Population.

DIVISIONS.	Population estimated to middle of year.	BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per Cent.	Number.	Per Cent.	Number.	Per Cent.
Northern	132,879	3276	2·46	1802	1·35	559	0·42
North-Western	161,239	4554	2·82	2550	1·57	702	0·43
North-Eastern	380,130	12931	3·40	6633	1·74	2438	0·64
East Midland	529,519	18624	3·51	11003	2·07	3561	0·66
West Midland	243,275	8213	3·37	5044	2·07	1373	0·56
South-Western	1,100,447	45087	4·09	28657	2·60	8559	0·77
South-Eastern	427,623	16321	3·81	9640	2·25	3533	0·82
Southern	213,013	6667	3·12	4057	1·94	1188	0·55

TABLE IV.—Births, Illegitimate Births, Deaths, and Marriages in the Town and Rural Districts of Scotland in 1868, distinguishing the Sexes.

	ESTIMATED POPULATION, 1868			TOTAL BIRTHS.			ILLEGIT. BIRTHS.	DEATHS.			MAR-RIAGES.
	Males.	Females	Both Sexes.	Males.	Fem.	Both Sexes		Males.	Fem.	Both Sexes	
Eight Principal Towns .	440623	517136	957759	20277	19228	39505	3839	14140	13882	28022	8611
Large Towns* . . .	127878	144962	272840	5466	5299	10765	884	3361	3323	6684	2100
Small Towns* . . .	238769	266159	504928	9727	9121	18848	1761	5456	5540	10996	3335
Total Town Districts .	807270	928257	1,735,527	35470	33648	69118	6484	22957	22745	45702	14046
Rural Districts . .	696496	756102	1,452,598	23905	22650	46555	4782	11716	11968	23684	7817
SCOTLAND . .	1,503,766	1,684,359	3,188,125	59375	56298	115673	11266	34673	34713	69386	21853

* The Large Towns have Populations from 10,000 to 20,000 persons. The Small Towns have Populations from 3,000 to 10,000.

the Rural Districts. And, to correspond with these, the proportion of deaths was 2·92 per cent. in the Eight Principal Towns, 2·45 in the large towns, 2·17 in the small towns, and 1·58 in the Rural Districts. The marriages accurately corresponded to these proportions, being at the rate of 0·88 per cent. in the Eight Principal Towns, 0·77 per cent. in the large towns, 0·66 per cent. in the small towns, and 0·53 per cent. in the Rural Districts.

These striking facts prove, that just in proportion to the massing together of human beings in one place is the candle of life more quickly burnt out. But to provide for this, there is a higher proportion of marriages, and a higher proportion of births. This may be regarded as an established law in vital statistics.

The proportion of births in each of the eight divisions into which the counties of Scotland are grouped corroborates the above conclusion, being lowest where the population is most scattered, and highest where the population is most crowded. Thus, in the Northern Division (Table III.) only 2·46 per cent. of births occurred, and in the North-Western 2·82 per cent.; but in the South-Eastern Division the birth-rate was in the proportion of 3·81 per cent., and in the great manufacturing and mining South-Western Division, 4·09 per cent. of births occurred.

Of the 115673 births, 104407 were legitimate, and 11266 were illegitimate,—indicating that 9·7 per cent. of the births were illegitimate. As usual, the proportion of illegitimate births was greatest in the Rural Districts, least in the towns; for, while only 9·3 of the births were illegitimate in the Town Districts, 10·2 per cent. were illegitimate in the Rural Districts.

Table VI. shows the proportion of illegitimate births in the several divisions and counties of Scotland, and generally accords with the returns of former years. Thus, while the lowest proportion of illegitimate births is in the North-Western and Northern Divisions, respectively 6·1 and 6·3 per cent., the highest proportion is in the North-Eastern Division, viz. 15·2 per cent., and the next highest in the Southern Division, viz. 14·8 per cent. Three counties had under 5 per cent. of illegitimate births, viz. Shetland 4·1, Orkney 4·8, and Ross and Cromarty 4·5; while seven counties had above 12 per cent., viz. Elgin 13·9, Aberdeen 15·1, Kincardine 15·3, Dumfries, 15·4, Wigtown 16·4, Banff 17·1, and Kirkcudbright 17·3.

TABLE V.—Per-centage and Proportion of Births, Deaths, and Marriages to the Population in the Town and Rural Districts of Scotland in 1868; also the Per-centage of Illegitimate to Total Births.

	Per-centage to Population.							Per-cent. of Illegit. to Total Births.	Proportion to Population.						
	Births.			Deaths.			Marriages.		Births, One to every.			Deaths, One to every			Marriages, One to every
	Mal.	Fem.	Both Sexs.	Mal.	Fem	Both Sexs.			Mal.	Fem.	Both Sexs	Mal.	Fem	Both Sexs.	
8 Principal Towns .	4·60	3·71	4·12	3·21	2·68	2·92	0·88	9·7	21	26	24	31	37	34	111
Large Towns . .	4·27	3·65	3·94	2·61	2·29	2·45	0·77	8·2	23	27	25	37	43	40	129
Small Towns . .	4·07	3·42	3·73	2·28	2·08	2·17	0·66	9·3	24	29	26	43	48	46	151
Total 128 Town Dists.	4·38	3·62	3·98	2·84	2·45	2·63	0·81	9·3	22	27	25	35	41	38	123
890 Rural Districts .	3·43	2·99	3·20	1·68	1·58	1·63	0·53	10·2	29	33	31	59	63	60	185
SCOTLAND .	3·94	3·34	3·63	2·35	2·06	2·17	0·68	9·7	25	29	27	43	48	46	146

Of the children born during the year, 59375 were boys and 56298 girls, showing that the proportion of the sexes at birth was 105·4 boys to every 100 girls.

The greatest daily number of births occurred during the months of April, May, and June, when they ranged from 337 to 345 daily; the lowest number of births occurred during November and December, when they respectively averaged 285 and 301 daily. (Table XIV.)

DEATHS.

69386 Deaths were registered in Scotland during the year 1868, being in the proportion of 217 deaths in every ten thousand persons of the population, or 2·17 per cent. The average death-rate of the ten previous years was 2·19 per cent., so that the mortality of the year 1868 was below the Scottish mean.

The mean English death-rate is considerably higher than that of Scotland, averaging 225 deaths in every ten thousand persons, or 2·25 per cent. But during the year 1868 the English death-rate was in the proportion of 222 deaths in every ten thousand persons, or 2·22 per cent., so that it also was below its own average, though much above the average of Scotland.

It ought, however, to be remembered by those who are disposed to compare either the birth or the death-rate in the two countries as appearing on the Registers, that allowance ought to be made for those cases which escape registration altogether in England. What ought to be the amount of this allowance it is impossible to state; but as it appears from the estimate of the Census Commissioners of England for 1861, that no fewer than 35950 births annually escaped registration in that country between the years 1851 and 1861, the same disturbing cause may, and probably does, exist in the case of the deaths, and it will operate most extensively in the case of the large towns and of young children. If this supposition is correct, the existence in Scotland of a penalty as a means of enforcing registration may account for the better fulfilment of the provisions of the Registration Act.

Two facts may be stated which tend to show that a considerable proportion of the town deaths in England escape registration:—1st, the English death-rate is higher than that of Scotland, therefore it is only reasonable to expect that the mortality in her towns will be higher also, and that in the same ratio as the English deaths exceed those of Scotland;

TABLE VI.—Proportion of Illegitimate to every 100 Births in Scotland, its Divisions and Counties, during 1868.

DIVISIONS.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent of Illegit.
SCOTLAND.	9·7						
		Shetland	4·1	Forfar	11·7	Lanark	8·6
NORTHERN DIVISION	6·3	Orkney	4·8	Perth	10·9	Linlithgow.....	7·6
NORTH-WESTERN Do.	6·1	Caithness	8·2	Fife	8·1	Edinburgh	8 6
NORTH-EASTERN Do.	15·2	Sutherland	7·6	Kinross	10·2	Haddington	8·5
EAST-MIDLAND Do.	10·4	Ross & Cromarty	4·5	Clackmannan	9·5	Berwick	11·2
WEST-MIDLAND Do.	7·5	Inverness	7·5	Stirling	7·8	Peebles	7·3
SOUTH-WESTERN Do.	8·5	Nairn.....	9·9	Dumbarton	6·9	Selkirk	8·7
SOUTH-EASTERN Do.	8·6	Elgin	13·9	Argyll.....	7·4	Roxburgh	11·2
SOUTHERN Do.	14·8	Banff.....	17·1	Bute	7·1	Dumfries	15·4
		Aberdeen	15·1	Renfrew	7·3	Kirkcudbright	17·3
		Kincardine.....	15·3	Ayr	9·2	Wigtown.....	16·4

2d, in every country the mortality in the Rural Districts bears a certain ratio to the mortality in the Town Districts, provided the whole number of deaths occurring in each is ascertained. In England the mean annual mortality of the Rural Districts is 2·01 deaths per cent. of population. In Scotland it is only 1·70 deaths per cent. This necessarily implies that the Town Districts of England must have a higher mortality than those of Scotland, and no doubt this would be the case were all the deaths in the English towns registered. The mean mortality of the English Towns is given as 2·45 deaths per cent. of population, while the ascertained mortality of the Scottish Towns is 2·58 deaths per cent.

The Town and Rural Districts of Scotland exhibited a striking difference in the proportion of deaths. Thus, of the 69386 deaths, 45702 occurred in the 128 Town Districts, and 23684 in the Rural Districts, giving an annual proportion of 2·63 deaths in every 100 of the population in the Town Districts, but only 1·63 per cent. in the Rural Districts. (Tables IV., V., and VII.) During the ten previous years, the mean annual death-rate of the Town Districts was 2·58 per cent.; that of the Rural Districts, 1·70 per cent. The mortality in the Town Districts was therefore in excess of the average; that of the Rural Districts much below it. This fact, however, is sufficiently accounted for by the fact, that a great proportion of the Town Districts were ravaged by a severe epidemic of Scarlatina, from which the greater proportion of the Rural Districts were exempt.

In Tables IV. and V. the Town Districts are analyzed, being divided into three classes according to their respective populations, and it is interesting to note, that just in proportion to the size of the town is the mortality,—a fact which of itself proves the correctness and completeness of the statistics. Thus, in the Eight Principal Towns, the mean mortality during the year was 2·92 deaths per cent. of population. In the large towns, with populations from 10,000 to 20,000 persons, the per-centage of deaths was 2·45; in the small towns, with populations from 3,000 to 10,000, the per-centage of deaths was 2·17; while the Rural Districts had a death-rate of 1·63 per cent. Here there was a regularly increasing ratio of deaths proportionate to the mass of human beings crowded together.

TABLE VII.—Annual Rate of Mortality per cent. in the Town and Rural Districts of Scotland, in each Quarter of the Years 1858 to 1868.

Districts.	Population enumerated.		Quarter ending	Annual Rate of Mortality per cent. in each Quarter of the Years											
	1851.	1861.		1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	Mean Ten Years.	1868
Town Districts, containing towns of 3000 Inhabitants and upwards.	1,450,222	1,615,475	March	2·56	2·57	3·11	2·71	2·98	2·85	3·46	3·19	2·84	2·93	2·92	2·65
			June	2·37	2·23	2·70	2·44	2·61	2·71	2·77	2·61	2·76	2·59	2·58	2·52
			Sept.	2·19	2·00	2·03	2·04	2·14	2·50	2·51	2·48	2·32	2·22	2·24	2·59
			Dec.	2·63	2·45	2·45	2·33	2·57	2·83	2·67	2·66	2·76	2·52	2·58	2·75
			Year	2·43	2·25	2·57	2·41	2·56	2 72	2·85	2·74	2·67	2·58	2·58	2·63
Rural Districts, embracing the remainder of the Population.	1,438,520	1,446,819	March	1·92	1·78	1·96	1·42	2·05	2·06	2·25	2·03	1·93	1·75	1·91	1·79
			June	1·65	1·76	1·86	1·68	1·87	1·86	1·90	1·68	1·87	1·73	1·78	1·64
			Sept.	1·39	1·38	1·45	1·42	1·52	1·64	1·56	1·50	1·53	1·45	1·48	1·49
			Dec.	1·60	1·52	1·53	1·55	1·56	1·75	1·66	1·63	1·77	1·55	1·61	1·59
			Year	1·64	1·61	1·70	1·62	1·74	1·83	1·84	1·70	1·78	1·62	1·70	1·63

INCREASE OF THE POPULATION.

In a small country like Scotland, where emigration to England, Ireland, and the continent of Europe, goes on to a large extent, and of which no records can be kept, it is not possible to arrive at even an approximation to the true increase of the population, by deducting the numbers of those who emigrate to the Colonies, or to the States of America, from the excess of births over deaths. Still it may be stated, that the excess of births over deaths amounted during the year to 46287 persons; that of the 196321 persons who emigrated from the ports of Great Britain and Ireland at which there are emigration officers, 64961 were ascertained to be of Irish origin, 58268 English, 51956 Foreigners, 14954 Scottish, while in 6182 the place of birth was not ascertained. If 485 be added to the Scottish emigrants, as their proportion of the persons whose origin was not ascertained, the emigrants from Scotland would amount to 15439 persons, and that number deducted from the excess of births over deaths would leave 30848 as the increase of the population of Scotland during the year, being probably considerably above the actual increase.

MARRIAGES.

21853 Marriages were registered in Scotland during the year 1868, being in the proportion of 68 marriages in every ten thousand persons of the estimated population,—a proportion lower than the average of the ten previous years, when 70 marriages annually occurred in a like population; and very much below the proportion of the five previous years, during which the marriages in Scotland had greatly increased. This does not speak well for the activity of trade and commerce during the past year, seeing that the proportion of marriages affords the best test of the prosperity or dulness of our trades and manufactures.

Of the 21853 marriages, 14046 were contracted in the Town, and 7817 in the Rural Districts; indicating that in every ten thousand persons in each of these, 81 marriages occurred in the Town, but only 53 in the Rural Districts.

When the 128 Town Districts were divided into three groups according to the amount of the population in each town, just as was the case with the births and the deaths, it is found that the larger the town the higher was the proportion of marriages. Thus, in the Eight Principal Towns, marriages occurred in the proportion of 88 in every ten thousand persons; in the large towns 77 marriages occurred in a like population; in the small towns only 66 marriages occurred in a like population; while in the Rural Districts the proportion fell to 53 marriages.

HEALTH OF THE POPULATION.

In so far as the deaths are concerned, the year 1868 may be said to have been a healthy year, with a mortality below the mean; but if the amount of sickness be taken into consideration, we arrive at the conclusion that the first half of the year was unusually healthy, and the latter half of the year just as unusually unhealthy. The unhealthiness of the population during the last two quarters of the year did not, however, increase the mortality of the Rural Districts above the mean; but in the Town Districts the increased amount of sickness largely increased the proportion

of deaths, so that during the last two quarters of the year, the town deaths rose high above their average. This result was attained, not by the prevalence and fatality of one disease, but of many, and even the same disease did not take the lead in adjoining towns. Thus, in one town the leading epidemic was Measles, in another Scarlatina, in another Hooping-cough, in another Diarrhœa, in another Fever. But in all the Town Districts, during the latter half of the year, the mortality from all the diseases was greater than usual, so that the increased mortality could scarcely be attributed to any particular disease.

Continued Fever prevailed largely during 1868. In some places the leading type was Typhus (or Spotted) Fever; in others, the leading type was Enteric (Gastric or Typhoid) Fever. As a general rule, the leading type in the towns was Typhus; while in the country, Enteric Fever greatly preponderated. Scarlatina, in rather a virulent form, prevailed extensively over the country, and added largely to the number of deaths. Hooping-cough and Measles, excepting in particular districts, do not appear to have been more prevalent than usual. The extreme heat of the weather during the months of June, July, and August, caused the ordinary bowel complaints, Diarrhœa, Dysentery, and Cholera to be much more prevalent and fatal than usual; while the very sudden change from weather warmer than usual, to weather much colder than the average of former years, which occurred in the beginning of October, caused all affections of the respiratory organs to be more than usually prevalent and fatal during the latter months of the year.

One fact, however, merits special notice in this place, though it will be commented on at greater length elsewhere, and that is, that Small-pox has been almost unknown in Scotland during 1868. Even including the deaths from Varicella and Vaccinia, it is estimated that the deaths from Small-pox in Scotland during 1868 could not have exceeded 25, and were probably much below that number. Ever since the Vaccination Act was carried fully into operation, the deaths from Small-pox in Scotland have been dwindling down, and growing less from year to year, until the above gratifying result is attained.

The remarks on the weather in Scotland will be delayed until we have completed the review of the mortality in the Eight Principal Towns.

TABLE VIII.—Population of the Eight Principal Towns of Scotland, estimated to the middle of each year, with the number of Births, Deaths, and Marriages, and their proportion to the Population, in each of the years 1855 to 1868 inclusive.

Years.	Population estimated to the middle of each year.	BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per cent. to Population.	Number.	Per cent. to Population.	Number.	Per cent. to Population.
1855	826,648	28,245	3·41	22,740	2·75	6934	0 84
1856	836,633	31,885	3·81	22,248	2·65	7411	0 88
1857	846,628	32,869	3·88	23,361	2·76	7495	0 88
1858	856,613	32,555	3·80	23,420	2·73	6863	0 80
1859	866,698	33,018	3·80	22,345	2·57	7541	0·87
1860	876,683	32,945	3·75	26,028	2 95	7660	0·87
1861	886,668	34,331	3·79	23,130	2·60	7733	0·87
1862	897,507	34,443	3·83	24,965	2·78	7694	0·85
1863	907,549	35,895	3·95	27,030	2·97	8593	0·94
1864	917,591	37,072	4·05	28,828	3·14	8884	0·96
1865	927,633	38,075	4·10	28,499	3·07	9320	1·00
1866	937,675	38,552	4·11	27,448	2·92	9450	1·00
1867	947,717	39,012	4·11	26,511	2·79	8867	0·93
1868	957,759	39,513	4·12	28,031	2·92	8606	0·90

EIGHT PRINCIPAL TOWNS OF SCOTLAND.

The Registrars of the Eight Principal Towns of Scotland, viz. of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth, send to the chief office in Edinburgh weekly returns of the births, deaths, and marriages. These towns are well scattered over the face of the country, and as their united populations amount very nearly to a third of the population of Scotland, and the returns in the case of the deaths specify the age, sex, condition, and cause of death, we can from them form a very good idea of the diseases which are prevailing over the country.

BIRTHS IN THE EIGHT TOWNS.

39513 Births were registered in the Eight Principal Towns of Scotland during the year 1868, being in the very high proportion of 412 births in every ten thousand persons, or 4·12 per cent. This is the highest proportion of births ever attained by the towns of Scotland, and is unquestionably due to the greatly increased proportion of marriages which first manifested itself in 1863, and continued increasing till last year. (Table VIII.)

The birth-rate, however, varied much in the several towns. (Table IX.) Thus, in every ten thousand persons in each of these towns, there were in the proportion of 311 births in Perth, 370 in Paisley, 376 in Edinburgh, 386 in Aberdeen, 419 in Glasgow, 453 in Leith, 457 in Dundee, and 494 in Greenock.

Of the 39513 births, 35679 were legitimate, and 3834 illegitimate, indicating that 9·7 per cent. of the births were illegitimate. The proportion of illegitimate births, however, varied greatly in the several towns. (Table IX.) Thus, in Greenock, only 5·8 per cent. of the births were illegitimate, in Leith 6·1 per cent., in Paisley 8·5, in Perth 9·1, in Edinburgh 9·5, in Glasgow 9·8, in Dundee 11·5, and in Aberdeen 12·4.

Of the children born in the Eight Towns during the year, 20266

TABLE IX.—Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during the Year 1868, with their proportions to the estimated Population; also the Illegitimate Births, and their proportion to the Total Births.

1868.	Population estimated to the middle of 1868.	BIRTHS.		ILLEGIT. BIRTHS		DEATHS.		MARRIAGES.	
		Number.	Per Cent. to Pop.	Number.	Per Cent. to Total Births.	Number.	Per Cent. to Pop.	Number.	Per Cent. to Pop.
Glasgow,	443,643	18609	4·19	1827	9·8	13825	3·11	3814	0·86
Edinburgh,	176,817	6649	3·76	641	9·5	4780	2·70	1779	1·00
Dundee,	100,096	4580	4·57	527	11·5	2919	2·91	870	0·87
Aberdeen,	75,292	2912	3·86	363	12·4	2027	2·69	692	0·91
Paisley,	47,427	1758	3·70	151	8·5	1221	2·57	395	0·83
Greenock,	48,570	2402	4·94	140	5·8	1658	3·41	423	0·87
Leith,	38,791	1759	4·53	108	6·1	975	2·51	411	1·08
Perth,	27,123	844	3·11	77	9·1	626	2·30	222	0·82
EIGHT TOWNS,	957,759	39513	4·12	3834	9·7	28031	2·92	8606	0·90

were males, and 19247 females, showing that 105·2 boys were born for every 100 girls.

DEATHS IN THE EIGHT TOWNS.

28031 Deaths were registered in the Eight Towns during the year 1868, being in the proportion of 292 deaths in every ten thousand persons, or 2·92 per cent. This is a high mortality for the towns, and above the average of the thirteen previous years, which yield a mean annual proportion of 2·82 deaths per cent. of the population. It was, however, much lower than the mortality of the same towns during the years 1864 and 1865, when Fever prevailed as an epidemic, and when the mortality reached the high respective proportions of 3·14 and 3·07 deaths per cent.

The death-rate varied greatly in the Eight Towns. Thus, in every ten thousand persons in each town, 230 deaths occurred in Perth, 251 in Leith, 257 in Paisley, 269 in Aberdeen, 270 in Edinburgh, 291 in Dundee, 311 in Glasgow, and 341 in Greenock. (Table IX.)

A comparison of the death-rates in the several towns for the past ten years (Table X.) proves that the mortality in the Eight Towns does not rise and fall simultaneously, and it will immediately be shown that it is not the same epidemic diseases which take the lead in each. During the past year the mortality in Paisley and Perth was considerably below the mean of the ten previous years, that of Dundee was almost exactly at the average of the ten previous years, while all the other towns had a mortality in 1868 considerably above the average.

Of the 28031 persons who died in the Eight Towns during the year, 12728 or 45·4 per cent. were under 5 years of age. That proportion, however, varied greatly in the several towns, depending greatly on the kind of epidemic disease which prevailed among the children. Thus, in

TABLE X.—Proportion of Deaths in each of the Eight Principal Towns of Scotland during each of the Years 1858-1868 inclusive.

Towns.	Per-centage of Deaths to the Population.											
	1858.	1859.	1860	1861.	1862.	1863.	1864.	1865.	1866.	1867.	Mean Annual Mortality.	1868.
Glasgow . . .	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·28	2·98	2·88	3·03	3·11
Edinburgh . . .	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·78	2·74	2·71	2·59	2·70
Dundee	2·64	2·53	3·20	2·60	2·79	2·87	3·25	3·11	3·19	2·98	2·91	2·90
Aberdeen . . .	2 20	2·28	2·97	2·40	2·59	2·35	2·85	2·63	3·09	2·43	2 58	2·69
Paisley	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·81	2·76	2·57
Greenock . . .	2·59	3·34	2·90	2·52	3·06	4·13	4·19	3·57	3·14	2·95	3·24	3·41
Leith	2·26	1·98	2·76	2·12	2 38	2·47	2·48	2·52	2·42	2·76	2·41	2·51
Perth	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·69	2·28	2·11	2·53	2·30

TABLE XI.—Deaths of Children under Five Years of Age in each of the Eight Principal Towns of Scotland, during the year 1868.

Towns.	Number of Children under Five years of Age, in 1868.	Deaths under Five years of Age.	Per-cent. of Deaths to Population under Five years.	Towns.	Number of Children under Five years of Age, in 1868.	Deaths under Five years of Age.	Per-cent. of Deaths to Population under Five years.
Glasgow,.....	61,587	6903	11·2	Paisley, ...	6767	449	6·6
Edinburgh,...	20,637	1741	8·4	Greenock, ...	7045	844	11·9
Dundee, ...	13,200	1349	10·2	Leith, ...	5387	442	8·2
Aberdeen,.....	9376	801	8·5	Perth, ...	3388	199	5·9

Perth 31·8 per cent. of the persons who died during the year were under 5 years of age, in Edinburgh 36·4 per cent., in Paisley 36·7, in Aberdeen 39·5, in Leith 45·3, in Dundee 46·2, in Glasgow 49·9, and in Greenock 50·9 per cent.

As this mode of calculating the comparative death-rate in children gives no idea whatever of the actual mortality, Table XI. is appended, showing the proportion of children under 5 years of age who died in each town during the year. From this Table it will be seen, that the mortality of children was lowest in Perth and Paisley, highest in Greenock and Glasgow. Thus, of every 100 children under 5 years of age living in each town, 5·9 died in Perth, 6·6 in Paisley, 8·2 in Leith, 8·4 in Edinburgh, 8·5 in Aberdeen, 10·2 in Dundee, 11·2 in Glasgow, and 11·9 in Greenock.

The Zymotic (epidemic and contagious) class of diseases proved fatal to 7173 persons in the Eight Towns, and thus constituted 26 per cent. of the mortality, or cut off 76 persons during the year in every ten thousand. This is a very high proportion, showing that the diseases which we style "epidemic" had been more than usually prevalent. This class of diseases falls with especial severity on the young of the population. Hence it appears that, of the 7173 persons who died from the Zymotic class of diseases, 66·4 per cent. were under 5 years of life,—also a larger proportion than usual, indicating that the prevalent epidemic diseases had been those which attack children.

The relative proportion of deaths from the Zymotic diseases varied greatly in the Eight Towns. Thus, in Perth 20·25 per cent. of the ascertained deaths were caused by these diseases, in Aberdeen 21·98 per cent., in Edinburgh 22·80, in Dundee 24·63, in Paisley 26·30, in Leith 26·70, in Glasgow 27·58, and in Greenock 32·11. If the deaths from the Zymotic class of diseases be compared with the populations, the towns would arrange themselves in the same order (Table XIII.), Perth showing the smallest mortality from these diseases, and Greenock the largest—indeed, the proportion of deaths from that class of diseases in Greenock is enormous.

In order to point out the fact that it is not the same epidemic which takes the lead in each town, but that the epidemic constitution, whatever it be, is under subjection to local causes, of which as yet we know nothing, we may shortly mention the epidemic diseases which took the lead in each of the Eight Towns.

In Glasgow, the most fatal epidemic was Hooping-cough, which caused 945 deaths. Scarlatina was nearly equally fatal, as it caused 916 deaths; after which came the Continued Fevers (Typhus, Enteric, etc.), causing 618 deaths; followed by Diarrhœa, 448 deaths.

In Edinburgh, Scarlatina was the most fatal of the epidemics, causing 340 deaths; after which came the Continued Fevers, 174 deaths; and Diarrhœa, 171 deaths.

In Dundee, Measles was the most fatal of the epidemics, causing 191 deaths; then the Continued Fevers, 155 deaths; and Diarrhœa, 117 deaths.

In Aberdeen, Measles was the most fatal of the Zymotic class, causing 134 deaths; after which came Hooping-cough, with 69 deaths; the Continued Fevers, with 57 deaths; and Diarrhœa, 56 deaths.

In Paisley, Scarlatina was by far the most fatal of the epidemics, causing 111 deaths; then follows the Continued Fevers, 72 deaths; and Diarrhœa, 42 deaths.

In Greenock, Hooping-cough was the most fatal epidemic, causing 146

deaths; after which followed Scarlatina, 96 deaths; the Continued Fevers, 82 deaths; and Diarrhœa, 63 deaths.

In Leith, Scarlatina was by far the most fatal of the epidemics, causing 131 deaths; then followed the Continued Fevers, 36 deaths; and Diarrhœa, 30 deaths.

In Perth, Hooping-cough was the most fatal epidemic, causing 31 deaths; after which came the Continued Fevers, 25 deaths; Scarlatina, 19 deaths; and Diarrhœa, 17 deaths.

Tables XII. and XIII. show the proportion which the leading diseases and classes of disease in each town bear to the population and to the total deaths, allowance being made in both tables for those cases where the cause of death was not ascertained.

Taking the mortality of the Eight Towns in the aggregate, it appears that of the Zymotic class of diseases Scarlatina was the most fatal, causing 1704 deaths, or 6·18 per cent. of the mortality; Hooping-cough coming next with 1409 deaths, or 5·11 per cent. of the mortality; then the Continued Fevers (Typhus, Enteric, etc.), with 1219 deaths, or 4·42 per cent. of the mortality; and the Diarrhœa, with 944 deaths, or 3·42 per cent. of the mortality.

It is only of late years that the British physicians have recognised the different forms of Continued Fever, so as to be able to distinguish them, and hence resulted the idea that these fevers had changed their type. From the appended tables it will be seen that all the varied forms of Continued Fever prevail at one and the same time among the people. But in certain years, or in certain localities, one or other form becomes the leading

TABLE XII.—Per-centage of Deaths from different Diseases to the Total Death in the Eight Principal Towns of Scotland, allowing for the causes not specified.

	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Diseases	27·58	22·80	24·63	21·98	26·30	32·11	26·70	20·25
III. Tubercular Diseases	18·43	16·11	17·26	18·49	20·08	16·24	13·71	17·04
IV. Brain Diseases	6·94	10·70	8·24	10·09	8·48	7·57	8·55	9·97
V. Heart, etc., Diseases	3·14	6·42	4·49	4·84	3·11	4·94	4·64	7·56
VI. Respiratory Organs	19·35	14·08	16·25	13·19	12·60	14·00	14·94	11·89
VII. Digestive Organs	7·29	6·46	6·63	7·29	7·31	7·19	7·52	5·78
XII. Debility and Premature Birth	5·30	4·92	7·54	5·34	4·11	4·56	6·49	4·50
XV. Old Age	2·93	5·57	5·33	6·44	6·97	3·27	4·64	8·85
XVII. Violent Deaths	2·72	3·42	2·63	3·19	2·35	3·27	4·74	3·53
Small-pox	0·04	0·00	0·03	0·05	0·00	0·12	0·00	0·16
Measles	2·68	0·71	6·70	6·69	0·59	2·24	0·20	1·28
Scarlatina	6·73	7·18	1·47	2·44	9·31	6·16	13·50	3·05
Diphtheria	0·69	1·16	0·66	0·24	0·75	0·83	0·51	0·48
HOOPING-COUGH	6·94	2·49	1·79	3·44	1·93	9·37	2·68	4·98
Croup	1·17	1·62	1·37	0·54	1·85	2·24	1·44	1·44
Diarrhœa	3·29	3·61	4·10	2·79	3·52	4·04	3·09	2·73
Dysentery	0·19	0·48	0·77	0·64	0·42	0·12	0·41	0·32
Cholera	0·17	0·27	0·77	0·19	0·33	0·51	0·30	0·16
All Fevers	4·54	3·67	5·44	2·84	6·05	5·27	3·70	4·02
Viz. Typhus	2·48	2·31	3·89	1·09	2·86	3·87	1·65	2·89
Enteric	1·66	1·28	1·10	1·55	2·36	1·34	1·65	0·48
Relapsing	0·13	0·02	0·03	0·05	0·42	0·06	0·00	0·00
Continued	0·09	0·04	0·07	1·05	0·16	0·00	0·30	0·65
Infantile	0·18	0·02	0·35	0·10	0·25	0·00	0·10	0·00
Dropsy	0·93	0·82	1·89	1·74	1·93	0·89	0·92	1·28
Cancer	1·15	2·40	1·15	2·69	1·51	0·83	1·23	2·41
PHTHISIS	13·19	10·68	12·70	12·64	13·53	11·43	7·32	12·21
Apoplexy	1·19	2·66	1·93	1·94	2·18	2·05	1·13	3·37
Paralysis	1·53	2·95	2·10	2·44	3·53	1·22	2·88	2·60
Convulsions	1·78	1·56	2·38	2·74	3·36	1·28	1·85	1·12
BRONCHITIS	14·07	9·31	10·80	9·04	9·31	9·76	9·89	8·52
Pneumonia	3·80	2·61	3·54	2·69	2·60	3·08	3·60	2·09
Teething	1·92	0·84	3·68	1·89	2·10	2·31	2·16	1·61

type. Thus, of the 1219 deaths from Fevers in the Eight Towns during the year, 708 were attributed to Typhus or Spotted Fever, 417 to Enteric (also called Typhoid and Gastric Fever), 26 to Relapsing Fever, 26 to Simple Continued Fever, and 42 to Infantile Fever—which last, in fact, is Enteric Fever in the child. But the proportions in which these varied forms occurred differed widely in the several towns; for, while Typhus or Spotted Fever appears to have decidedly taken the lead in Dundee, Greenock, and Perth, Enteric or Typhoid Fever took the lead in Aberdeen, while in Leith the deaths from each were equal.

Of the other Zymotic diseases in the Eight Towns not taken notice of above, Measles caused 776 deaths, Diphtheria 204, Croup 367, Dysentery 98, Cholera 78, Influenza 77, Metria or Childbed Fever 76, Erysipelas 85, Rheumatic Fever 40, Syphilis (of which 69 cases were congenital) 90, Noma 6, Purpura 10, Ague 3, Worms 5, Pyæmia 4, and Small-pox 11, but as the deaths occurring from Varicella and Vaccinia are tabulated under this head, the real deaths attributable to Small-pox are only 6.

Of the diseases of Uncertain Seat, Cancer in the Eight Towns caused 416 deaths, Undefined Dropsy 309, Abscess 55, Hæmorrhage (of which the seat was not stated) 42, Mortification 47, Ulcer 13, Fistula 6, and Gout 4. It is somewhat remarkable, that the deaths from Cancer should be double in Aberdeen and Edinburgh to what they are in other towns. The same curious fact was remarked last year also.

The Tubercular class of diseases caused 4864 deaths in the Eight

---

TABLE XIII.—Per-centage of Deaths from different Diseases to the Population in the Eight Principal Towns of Scotland, allowing for the causes not specified.

	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	3·116	2·703	2·916	2·692	2·574	3·413	2·513	2·308
I. Zymotic Diseases	0·859	0·616	0·718	0·591	0·677	1·096	0·671	0·464
III. Tubercular Diseases	0·574	0 435	0·503	0·497	0·517	0·554	0·344	0·390
IV. Brain Diseases	0·216	0·289	0·244	0·271	0·220	0·258	0·150	0·210
V. Heart, etc., Diseases	0·095	0·173	0·130	0·130	0·080	0·168	0·116	0·173
VI. Respiratory Organs	0·603	0·380	0·470	0·355	0·324	0·477	0·375	0·272
VII. Digestive Organs	0·227	0·174	0·193	0·196	0·188	0·245	0·189	0·132
XII. Debility and Premature Birth	0·165	0·133	0·220	0·107	0·106	0·155	0·163	0·103
XV. Old Age	0·091	0·150	0·155	0·173	0·177	0·111	0·116	0·202
XVII. Violent Deaths	0·084	0·092	0·076	0·086	0·060	0·111	0·119	0·081
Small-pox	0·001	0·000	0·001	0·001	0·000	0·004	0·000	0·003
Measles	0·083	0·019	0·195	0·180	0·015	0·076	0·005	0·029
Scarlatina	0·209	0·194	0·043	0·065	0·240	0·214	0·339	0·070
Diphtheria	0·021	0·031	0·019	0·006	0·019	0·028	0·013	0·011
HOOPING-COUGH	0·216	0·067	0·052	0·092	0·049	0·320	0·067	0·114
Croup	0·036	0·044	0·039	0·014	0·047	0·076	0·036	0·033
Diarrhœa	0 102	0·097	0·119	0·075	0·090	0·138	0·077	0·062
Dysentery	0·006	0·013	0·022	0·017	0·010	0·004	0·010	0·007
Cholera	0·005	0·007	0·022	0·005	0·008	0·017	0·007	0·003
All Fevers	0·141	0·099	0·157	0·076	0·155	0·179	0·093	0·092
Viz. Typhus	0·077	0 063	0·113	0·030	0·074	0·131	0·042	0·067
Enteric	0·051	0·035	0·031	0·042	0·061	0·046	0·042	0·011
Relapsing	0·004	0·000	0·001	0·001	0·010	0·002	0·000	0·000
Continued	0·003	0·001	0·002	0·001	0·004	0·000	0·007	0·014
Infantile	0·006	0·000	0·010	0·002	0·006	0·000	0·002	0·000
Dropsy	0·029	0·022	0·054	0 047	0·069	0·030	0 023	0·029
Cancer	0·036	0·065	0·033	0·072	0·039	0·028	0·031	0·055
PHTHISIS	0·411	0·288	0·370	0·340	0·348	0·390	0·184	0·282
Apoplexy	0·039	0·071	0·055	0·052	0 056	0·070	0·028	0·077
Paralysis	0·048	0·079	0 060	0·065	0·090	0·041	0·072	0·058
Convulsions	0·055	0·042	0·068	0·074	0·008	0 043	0·046	0·025
BRONCHITIS	0·438	0·251	0 315	0·243	0·240	0·333	0·248	0·195
Pneumonia	0·118	0·070	0·103	0 072	0 067	0·105	0·090	0·048
Teething	0·060	0·022	0·107	0·051	0·054	0·078	0 054	0·036

Towns, and thus constituted 17·66 per cent. of the mortality, or cut off 51 persons during the year in every ten thousand persons. This is about the usual proportion.

Of the diseases belonging to this class, Consumption or Phthisis was the most fatal, causing in the Eight Towns 3402 deaths, or 12·35 per cent. of the mortality, or 36 deaths during the year in every ten thousand persons. The proportion of persons dying from Consumption in each of the towns was very different. Thus, of the specified deaths in each town, 7·32 per cent. died in Leith, 10·68 per cent. in Edinburgh, 11·43 in Greenock, 12·21 in Perth, 12·64 in Aberdeen, 12·70 in Dundee, 13·19 in Glasgow, and 13·53 in Paisley. If compared with the population, however, it appears that, of every ten thousand persons in each town, 18 died from Consumption in Leith, 28 in Perth, 29 in Edinburgh, 34 in Aberdeen, 35 in Paisley, 37 in Dundee, 39 in Greenock, and 41 in Glasgow.

Of the other diseases belonging to the Tubercular class, Hydrocephalus caused 855 deaths, Tabes Mesenterica 363, and Scrofula 244.

Diseases of the brain and nervous system caused 2254 deaths in the Eight Towns, or 8·18 per cent. of the general mortality. These proportions were extremely varied in the several towns. Thus, in Glasgow only 6·94 per cent. of the deaths were from brain diseases, in Greenock 7·57 per cent., in Dundee 8·24, in Paisley 8·48, in Leith 8·55, in Perth 9·97, in Aberdeen 10·09, and in Edinburgh 10·70 per cent. As compared with the population, the mortality from that class of diseases was lowest in Leith and highest in Edinburgh.

Of these diseases of the brain and nervous system, Paralysis caused 563 deaths in the Eight Towns, Apoplexy 482, Convulsions 489, Cephalitis 134, Epilepsy 56, Insanity 33, Tetanus 18, Delirium Tremens 31, Chorea 4, and undefined Disease of the Brain 444 deaths.

1163 deaths were attributed to disease of the heart and blood-vessels, which thus constituted 4·22 per cent. of the mortality.

Inflammatory affections of the respiratory organs (not including Consumption, Hooping-cough, Influenza, or Croup) caused 4611 deaths in the Eight Towns, and thus constituted 16·74 per cent. of the mortality, or 49 deaths in every ten thousand persons. This class of diseases is particularly fatal to the very young, seeing that 52 per cent. of the persons who died from this class were under 5 years of age.

Of the deaths under this class, 3257 were caused by Bronchitis, 923 by Pneumonia, 150 by Asthma, 51 by Laryngitis, 54 by Pleurisy, and 176 by undefined Disease of the Lungs.

The deaths from the inflammatory affections of the respiratory organs were lowest in Perth and highest in Glasgow. Thus, in every ten thousand persons in each town, there died from this class of diseases 27 in Perth, 32 in Paisley, 35 in Aberdeen, 37 in Leith, 38 in Edinburgh, 47 in Dundee, 48 in Greenock, but 60 in Glasgow. Even if compared with the total deaths, the several towns arrange themselves in almost the same order, viz. Perth with the smallest mortality, Glasgow with the highest. (Table XIII.)

Year after year it appears that about a third of the annual deaths are caused through affections of the respiratory organs. Thus, if to the deaths from inflammatory affections of the respiratory organs, be added all the deaths from Influenza, Croup, Hooping-cough, and Phthisis, there is a total of 9826 deaths in the Eight Towns through diseases affecting the respiratory organs, or 35·6 per cent. of the total ascertained deaths. The pro-

portion of deaths from these lung affections has therefore been somewhat above the average during the past year.

Diseases of the organs of digestion caused 1942 deaths in the Eight Towns, or 7 per cent. of the mortality. The proportion of deaths in the different towns from that class of diseases was wonderfully close, though lower in Perth than the rest.

Teething was the most fatal of the diseases ascribed to this class, causing 537 deaths in the Eight Towns, Enteritis caused 334 deaths, Disease of the Stomach 314, Disease of the Liver 280, Jaundice 64, and Inflammation of the Liver 33. Ileus caused 99 deaths, Peritonitis 78, Ulceration of the Intestines 42, Hernia 41, Gastritis 36, Ascites 30.

Of the other diseases or classes of disease, Disease of the Kidney caused 412 deaths, Diseases of the Organs of Generation 231 deaths, Rheumatism and Diseases of the Joints and Bones 156 deaths, Diseases of the Skin 28, Malformations 44, Debility from Premature Births, etc., 1461, Atrophy 225, Old Age without marked disease 1178.

Including the 76 deaths from Childbed Fever, 226 mothers died in giving birth to their children, showing that one mother died for every 174 children born alive, or 57 mothers in every ten thousand who bare children that year.

818 deaths were ascribed to violent causes, being very nearly 3 per cent. of the deaths. In proportion to the deaths, Leith had by far the highest proportion of deaths from violence, while Paisley had the lowest. In proportion to the population, Leith had also the much highest proportion, and Paisley the lowest. Thus, in every ten thousand persons in each town, 6·0 died from violent causes in Paisley, 7·6 in Dundee, 8·1 in Perth, 8·4 in Glasgow, 8·6 in Aberdeen, 9·2 in Edinburgh, 11·1 in Greenock, and 11·9 in Leith.

Of the violent deaths, 345 were caused by Fractures and Contusions, 127 by Drowning, 69 by Burns and Scalds, 24 by Poison, 24 by Hanging, 63 by Suffocation, 64 by Want of Breast Milk, 35 by Intemperance, 9 by Cuts and Stabs, 5 by Gunshot Wounds, 1 by Neglect, and 1 by Privation of Food, while 50 were ascribed to violent causes not included in the above.

MARRIAGES IN THE EIGHT TOWNS.

8606 Marriages were registered in the Eight Towns during the year 1868, being in the proportion of 90 marriages in every ten thousand persons. This is the exact mean of the ten previous years, but is greatly below that of the five previous years, for in 1865 and 1866 the proportion of marriages rose to 100 in every ten thousand persons. (Table IX.)

The falling off in the proportion of marriages appeared to be greatest in the manufacturing towns. Thus, in Paisley only 83 marriages occurred in every ten thousand persons, in Glasgow 86, and in Dundee and Greenock each only 87 in a like population; whereas, in the non-commercial town of Aberdeen, the proportion of marriages was 91, and in Edinburgh 100 in every ten thousand persons.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

In Scotland the weather has a powerful influence on the mortality, even the diseases to which we assign the term of "epidemics" being equally

with the other diseases under its influence. Excess of heat, as well as a low temperature, seem to act injuriously on the health of the population; and during the past year the evil influence of both of these was distinctly traceable in the deaths.

The weather during 1868 was peculiar. No truly wintry weather occurred during the first quarter of the year, frost and snow being almost unknown over all the lower lying portions of the country. During the second quarter, instead of suffering as usual from the cold and easterly winds, balmy south-westerly and westerly breezes were the prevalent aërial currents. The third quarter was characterized by an unusually high temperature and drought; while the fourth quarter was colder than usual, and that cold was more intensely felt, and acted more injuriously, from contrast with the unusual heat which had preceded it.

The mean temperature of the first quarter during the ten previous years was 37°·9 Fahr., and that temperature was accompanied by a mean annual mortality of 2·49 deaths in every 100 persons. (Table II.) During the unusually mild first quarter of 1868, the mean temperature was 40°·6 or 2°·7 degrees higher temperature, and the mean mortality was only 2·26 deaths in every 100 of the population. In other words, the milder winter weather of 1868 saved the lives of 1833 persons in Scotland during the first quarter of that year.

The mean temperature of the second quarter is wonderfully uniform from year to year, averaging 49°·7 in Scotland, and the difference between one year and another is chiefly caused by the keenness and strength of the east winds. In average seasons these winds blow with cutting severity, and with the above mean temperature produce an average annual death-rate of 2·22 deaths per 100 persons. During the second quarter of 1868, however, the average temperature was 51°·0: even when the east winds did blow they wanted their usual velocity and keenness, the south-west and westerly balmy breezes were much more prevalent than usual, and the mortality was consequently only at the rate of 2·12 deaths in every 100 of the population. In other words, the less severe spring weather of 1868 saved the lives of 796 persons in Scotland during the second quarter, who would have perished had the weather maintained its usual character.

The third or summer quarter, has, on the average of years, a mean temperature of 55°·3, and a mean death-rate of 1·90 deaths per 100 of population. In Scotland the third quarter is generally the healthiest, because the heat is rarely oppressive, and the mean temperature of the warmest month seldom reaches 60° Fahr. But in tropical and other countries where the summer heats are excessive, the third quarter is the most fatal of the year, because the heat induces all kinds of bowel complaints and miasmatous fevers. According, whenever the mean temperature in Scotland rises to or above 55°, bowel complaints become prevalent, and increase and prove fatal just in proportion to the rise of the mean temperature above that point. During the third quarter of 1868 the mean temperature was 57°·4, that of July having been 60°·4, that of August 58°·5, and the deaths over the country so increased under this unusual heat that the death-rate was 2·09 deaths in every 100 of the population. In other words, the increased and unusual heat during the third quarter so increased the deaths, that 1514 died in Scotland during that quarter more than would have died had the usual cooler temperature prevailed, and this increased mortality was chiefly due to the increased prevalence and fatality of the bowel complaints.

During the fourth or autumnal quarter the mean temperature falls, and

the lower temperature increases the number and proportion of deaths. The fourth quarter, on a ten years' average, has a mean temperature of 41°·9, and a mean mortality of 2·14 deaths in every 100 persons of the population. The fourth quarter of 1868 was only about half a degree of temperature colder than usual, but its hurtful effect was rendered more powerful from the circumstance that the heat which preceded it was greater than usual. Though the mean temperature, therefore, was only 41°·5, the mortality was at the rate of 2·22 deaths in every 100 of the population. In other words, the lower temperature, combined with the more sudden change

TABLE XIV.—Meteorology of Scotland for the year 1868, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1868; also the Number of Births, Deaths, and Marriages registered during each month of the year 1868.

1868.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade	56·0	60·0	63·0	69·0	74·2	84·0	88·5	91·0	86·5	66·0	62·5	59·5	91·0
Lowest Temperature in do.	12·0	15·0	18·8	22·3	22·0	32·5	35·0	38·0	29·0	23·0	17·8	16·0	12·0
Mean Day Temperatures	41·9	46·6	48·8	52·4	58·9	63·8	69·5	65·5	59·5	51·3	43·9	45·0	53·9
Mean Night Temperatures	33·0	36·7	36·8	39·6	44·0	47·5	51·3	51·5	46·9	38·5	34·6	36·2	41·4
Daily Range	8·9	9·9	12·0	12·8	14·9	16·3	18·2	14·0	12·6	12·8	9·3	8·8	12·5
Mean Temperature	37·5	41·6	42·8	46·0	51·4	55·6	60·4	58·5	53·2	44·8	39·2	40·6	47·6
Highest Temperature in Sun	84·7	95·4	115·7	129·4	125·7	135·4	143·4	135·1	130·8	125·8	91·3	75·4	143·4
Lowest on Grass at Night	6·0	14·0	15·0	17·0	15·0	27·0	25·0	12·0	22·0	12·0	10·0	10·0	6·0
Wet-bulb Temperature	36·1	39·3	40·4	43·3	48·3	51·7	56·2	55·2	50·7	42·7	37·3	39·2	45·0
Dew-point Temperature	34·3	37·1	37·9	40·6	45·3	48·2	53·0	52·6	48·6	40·7	35·2	37·5	42·6
Humidity of Air	89	86	85	84	80	77	78	83	86	87	87	90	84
Elastic Force of Vapour (inch)	·199	·221	·229	·254	·303	·339	·403	·398	·343	·254	·206	·226	·281
Number of Rainy Days	17	18	17	13	15	11	6	16	13	17	13	19	175
Amount of Rain (inches)	5·53	4·75	4·22	3·31	2·51	1·14	0·70	5·18	3·34	3·71	2·62	6·02	43·03
Amount of Cloud	7·1	6·7	6·6	7·2	6·4	5·8	5·5	6·6	6·9	5·9	6·8	6·8	6·5
Hours of Sunshine	53	89	130	141	211	264	275	183	124	123	67	58	1718
Mean Barometer (inches)	29·742	29·799	29·749	29·852	29·832	30·034	30·058	29·808	29·903	29·772	29·955	29·312	29·822
Easterly Winds (days)	10	...	1	7	6	3	8	8	14	3	10	9	79
Westerly Winds (days)	14	25	23	16	16	21	14	16	9	20	11	13	198
Births	9579	9145	10012	10242	10442	10341	9858	9341	9194	9613	8561	9345	115673
Deaths	6330	5683	6033	5764	5665	5509	5635	5851	5176	5427	5730	6603	69386
Marriages	2654	1385	1248	1331	999	3330	2078	1351	1275	1424	2183	2595	21853
Daily Births	309	315	323	341	337	345	318	301	306	310	285	301	316
Daily Deaths	204	192	195	192	183	184	182	189	172	175	191	213	189
Daily Marriages*	115	69	56	60	47	151	90	64	58	64	104	112	83

* As few or no Marriages are contracted in Scotland on Saturday or Sunday, these days are excluded from each month in calculating the daily number of Marriages.

from heat to cold, caused 673 more persons to lose their lives during the quarter than would have died had the weather been as usual.

These striking facts prove how closely our health and lives are dependent on the kind of weather which prevails.

Table XIV. shows the leading points of the meteorology of Scotland during each month of the year 1868, and their influence on the general deaths. It will be seen that as the weather improved from January to May, the daily deaths diminished from 204 in January to 183 in May; that they increased under the summer heats, so that they rose to 189 deaths daily during August; that the lowest mortality was attained in the cool month of September, when the deaths numbered 172 daily; and that they increased with the descent of temperature, till they attained the high number of 213 deaths daily during the month of December.

Table XV. shows the connection between weekly temperature and the weekly deaths in the Eight Principal Towns of Scotland, and still more strikingly proves the close dependence of the mortality on the kind of weather which prevails. In reading that table of the weekly deaths, it must be remembered that, if the extreme heat or extreme cold occurred at the end of the week, the deaths caused by that extreme heat or extreme cold would be entered on the Registers of the subsequent week. But if that heat or that cold occurred during the earlier days of the week, the mortality caused thereby is entered on the Registers during the same week.

Look, then, first at the influence of extreme heat on the general mortality. In ordinary seasons, when the heat is moderate and not extreme, the deaths diminish slowly, gradually, and pretty regularly from March till September. But when great heat occurs the deaths largely increase, from the increase and fatality of bowel complaints.

The warmest week in Scotland was the 32d week, or that ending the 8th of August, when the highest temperature was 87°·7 in the shade, and the mean temperature 65°·5. The deaths for the second and third weeks

TABLE XV.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1868.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 4	481	34·3	47·0	22·5	0·254	27	July 4	494	61·6	86·0	42·0	0·000
2	11	554	36·8	48·0	26·0	0·481	28	11	484	59·6	81·8	44·9	0·070
3	18	553	43·0	55·5	30·8	2·333	29	18	491	61·7	85·7	47·9	0·152
4	25	561	35·7	55·1	18·0	1·892	30	25	585	61·1	82·6	43·0	0·236
5	February 1	544	43·2	55·0	30·6	2·388	31	August 1	582	62·5	81·0	45·0	0·034
6	8	526	39·9	50·0	29·0	1·837	32	8	618	65·5	87·7	51·3	0·552
7	15	504	43·4	54·9	25·6	0·735	33	15	545	59·3	72·0	47·6	3·181
8	22	501	42·0	52·0	30·0	1·272	34	22	533	58·5	76·0	44·1	1·177
9	29	568	47·0	59·0	32·0	0·763	35	29	469	55·2	69·2	45·6	0·815
10	March 7	542	42·1	53·0	29·7	1·359	36	September 5	506	58·4	75·7	41·0	0·403
11	14	543	44·0	60·0	31·0	1·002	37	12	431	56·1	84·3	37·0	0·260
12	21	539	45·5	58·5	32·1	0·725	38	19	496	50·0	61·7	32·4	0·602
13	28	529	42·5	60·0	27·4	0·742	39	26	495	53·4	69·5	38·0	1·396
14	April 4	532	49·3	62·0	35·0	0·000	40	October 3	524	49·9	64·8	31·0	1·334
15	11	490	42·5	57·0	28·0	0·558	41	10	480	49·2	61·2	35·1	0·572
16	18	552	48·1	68·0	30·1	0·238	42	17	538	47·3	61·0	34·0	0·753
17	25	522	48·1	60·0	37·7	1·649	43	24	503	41·4	57·0	28·0	0·929
18	May 2	522	48·5	65·2	32·9	0·786	44	31	560	45·2	60·2	31·8	1·014
19	9	523	48·7	68·2	29·5	0·280	45	November 7	492	41·5	61·0	23·0	1·649
20	16	560	52·5	67·0	30·0	0·431	46	14	588	37·7	53·0	25·0	0·334
21	23	502	53·4	71·0	34·3	0·955	47	21	627	38·2	51·9	25·0	0·109
22	30	521	55·3	72·7	43·0	0·581	48	28	609	40·6	53·0	30·1	0·388
23	June 6	507	55·0	70·3	41·1	0·212	49	December 5	644	43·5	55·0	31·0	1·332
24	13	505	54·8	75·2	38·0	0·081	50	12	575	42·6	57·0	25·0	1·553
25	20	485	57·0	79·6	39·2	0·247	51	19	583	42·9	57·1	29·0	1·606
26	27	518	58·4	74·8	45·6	0·371	52	26	596	40·0	57·0	30·6	1·590

of July had been 484 and 491 weekly in the Eight Towns; but in the week specified they numbered 618, being a number very much higher than during any previous week of the year 1868.

On the week ending the 29th of August the mean temperature had declined to 55°·2, and the deaths diminished to 469. But during the next week, that ending 5th September, the mean temperature had risen to 58°·4, and with it the weekly deaths rose to 506.

The effect of cold was equally apparent. November was the coldest of the closing months of the year. During the week ending 7th November the mean temperature was 41°·5, and the weekly deaths 492. During the next week, that ending November 14th, the mean temperature fell to 37°·7, and with it the deaths rose to 588. The cold continuing, the next, or third, week of November was equally fatal to the population, and produced 627 deaths. But during the three closing weeks of the year, when the mean temperature continued ranging from 40° to 42°·9, the deaths were only 575, 583, and 596.

Table XVI., again, shows the influence of the weather on the monthly mortality of the different diseases in the Eight Principal Towns of Scotland. Let us first look at the influence of heat on the mortality.

In May, with its mean temperature of 52°·6, the deaths in the Eight Towns numbered 72 daily. In June the mean temperature rose to 56°·8, and with it the deaths increased to 75 daily. July, with its mean temperature of 61°·0, yielded 76 deaths daily; and August, with its mean temperature of 59°·8, yielded 77 deaths daily. During September the mean temperature fell to 54°·1, and the deaths immediately fell to 69 daily. Let us see what diseases produced this increase of deaths during the months when the heat was greater than usual.

Table XVI. shows that in the Eight Towns the deaths from the Zymotic (epidemic and contagious) class of diseases, which numbered 520 in May, rose to 537 in June, to 666 in July, and to 781 in August; but

TABLE XVI.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1868.

1868	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	38°·9	42°·9	44°·2	46°·8	52°·6	56°·8	61°·0	59°·8	54°·1	45°·6	39°·6	41°·1
Highest Temperature,	56°·0	59°·2	62°·2	67°·3	72°·7	79°·6	86°·2	87°·7	84°·3	65°·0	61°·8	57°·0
Lowest Temperature,	18°·0	25°·6	28°·0	28°·9	29°·5	38°·0	43°·7	44°·0	32°·4	28° 0	23°·0	21°·0
Rainfall in inches,	6·73	4·53	3·98	3·29	2·27	1·00	0·54	5·33	3·26	3·57	2·80	6·59
Easterly Winds (days),	8	1	–	6	6	5	10	8	14	3	11	9
Westerly Winds (days),	15	24	23	14	16	20	15	16	9	23	12	13
Total Deaths,	2423	2170	2409	2248	2248	2232	2358	2404	2065	2298	2474	2702
Daily Deaths,	78	75	78	75	72	75	76	77	69	74	82	87
Zymotic Diseases,	499	469	535	483	520	537	666	781	630	726	642	685
Small-pox,	–	–	2	2	–	–	1	1	1	–	3	1
Measles,	32	69	70	89	116	122	87	55	37	34	28	37
Scarlatina,	108	87	77	62	75	78	72	100	185	325	272	263
Diphtheria,	27	22	22	13	10	12	11	8	11	16	25	27
Hooping-Cough,	99	87	155	145	131	165	135	121	92	95	83	101
Croup,	48	30	30	20	20	17	14	22	37	48	34	47
All Fevers,	131	113	110	90	101	86	82	77	86	98	107	138
Diarrhœa,	25	22	36	25	28	29	201	311	131	71	40	25
Dysentery,	3	6	3	7	8	4	10	29	12	4	6	6
Cholera,	1	1	–	2	–	–	24	32	10	5	1	2
Consumption,	284	268	341	312	325	320	301	287	228	235	232	269
Diseases Respiratory Organs,	522	381	392	414	348	358	240	271	230	364	511	580
Heart, etc., Diseases,	121	95	101	103	93	103	71	64	97	85	110	115
Brain, etc., Diseases,	173	178	223	193	174	162	212	194	167	177	191	210
Debility & Premature Birth,	134	119	119	103	129	116	145	140	110	110	119	117
Age,	118	100	101	97	107	91	84	84	85	71	108	132

fell to 630 in September. It has before been stated, that of the individual diseases, the bowel complaints, viz. diarrhœa, dysentery, and cholera, seem to be most under the influence of excess of temperature; but as diarrhœa takes from two to three weeks to prove fatal, the death is often registered during the succeeding month, though the high temperature which induced the disease occurred three or four weeks before the death. Few deaths from these complaints are therefore registered during the first month of the warm weather. Accordingly, June had only 33 deaths assigned to these bowel complaints in the Eight Towns; but July had 235 deaths, and August 372 deaths from these bowel complaints. The cooler weather during September allowed the deaths from these diseases to fall to 153; and they dwindled down to 80 in October, and 47 in November.

The first advent of really warm weather, during the past year, greatly increased the deaths from Measles and from Hooping-cough; but the continuance of the warm weather rapidly diminished the mortality, so that we must conclude that these diseases are under quite a different law from that which regulates the mortality of the bowel complaints. Thus, in the Eight Towns the deaths from Measles numbered 89 in April, but increased to 116 in May, and attained the highest mortality in June, when the deaths therefrom numbered 122. Though July and August were much warmer months than June, the mortality from Measles rapidly diminished, so that only 87 deaths occurred in July, 55 in August, and 37 in September.

Hooping-cough showed so far a similar peculiarity. When the cold easterly winds began to blow in March, the deaths from Hooping-cough in the Eight Towns, which numbered 87 during February, increased in March to 155, but under the influence of the spring weather fell to 145 during April, and to 131 deaths during May. During the high temperature of June, however, the deaths from Hooping-cough rose to 165, the highest they had been during any month of the year; but instead of increasing during the much warmer months of July and August, they rapidly fell, numbering 135 deaths in July, 121 in August, and 92 in September—the lowest number of deaths from Hooping-cough during any month of the year.

It is a remarkable fact, that the deaths from Consumption seem to be more under the influence of the cold, arid, easterly winds than under temperature itself. Thus, year after year, the greatest number of deaths from Consumption are neither during the warmest nor the coldest months, but during those months when the east winds are the prevalent aërial currents over Scotland, viz. the months of March, April, May, and June. Thus, while the deaths from Consumption numbered 284 in January, the coldest month, they rose to 341 in March, 312 in April, 325 in May, and 320 in June; after this they fell to the minimum, viz. 228 deaths in September.

VACCINATION IN SCOTLAND, 1867.

This is the Fourth Report having reference to the vaccination of children in Scotland, and it shows what proportion of the children whose births were registered in Scotland during the year 1867 were vaccinated according to the provisions of the Act 26 and 27 Vict. c. 108. By the provisions of that Act, a large proportion of those children must have been vaccinated in 1868, so that the Report relative to the vaccination of the children registered during any year must always be one year behind that which has reference to the births, deaths, and marriages.

From the vaccination returns just received, it would appear that, of the 114,181* children whose births were entered on the Registers in 1867, 101,139, or 88·578 per cent., were successfully vaccinated; 670, or 0·587 per cent., had their vaccination postponed from bad health or other causes; 400, or 0·350, were found to be insusceptible of vaccination—233 from constitutional insusceptibility, 16 from having previously had Small-pox, and 151 from having been previously vaccinated; 9335, or 8·193 per cent., died before they could be vaccinated; and 2617, or 2·292 per cent., had removed from the district before vaccination could be enforced, or were otherwise not accounted for. (Table XVII.)

To show the true proportion, however, of living children who were

TABLE XVII.—VACCINATIONS, 1867. Particulars relating to the Vaccination of the Children whose Births were registered in Scotland during the year 1867.

	Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	Total Births.
			From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.			
Number .	101,139	670	233	16	151	9355	2617	114,181
Proportion per-cent	88·578	0·587	0·204	0·014	0·132	8·193	2·292	100·000

TABLE XVIII.—VACCINATIONS, 1867. Particulars relating to the Vaccination of Children registered in Scotland in 1867, deducting those who died before they could be vaccinated.

	Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	Total Living.
			From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
Number . . .	101,139	670	233	16	151	2617	104,826
Proportion per-cent.	96·483	0·639	0·222	0·015	0·144	2·496	100·000

* The slight discrepancy between the number of births as here given, and that published in the Thirteenth Annual Report of the Registrar-General, arises from some of the Registrars having included the transcript Births.

protected by vaccination during that year, we ought to deduct all those who died before vaccination could be performed according to the provisions of the Act. Table XVIII. is drawn up with the view of showing this fact. The children who survived till the age when vaccination could be performed numbered 104,826. Of that number, 101,139, being 96·483 per cent., were successfully vaccinated; 670, being 0·639 per cent., had their vaccination postponed; 400, being 0·381 per cent., were found to be insusceptible of vaccination; while 2617, being 2·496 per cent., had removed from the district before vaccination could be enforced, or were otherwise not accounted for. This would give a total of 102,209 surviving children of 1867, or 97·504 per cent., protected, as far as may be, from the ravages of Small-pox. This is a most gratifying result, as it is a slightly higher proportion than that of previous years, and it proves how fully the statute has been carried into effect, and also that the people are doing all in their power to aid the authorities in carrying out its provisions.

Knowing that Small-pox, like all other epidemic diseases, has its periods of increase and decline, we have hitherto hesitated to draw the conclusion, that the great decrease in the deaths from Small-pox in Scotland was owing to the successful working of the Vaccination Act. The Act seems, however, to have been long enough in operation in Scotland to warrant the conclusion that it has been a great success. While Small-pox has been ravaging England, and while even, during the past year, 607 deaths from Small-pox occurred in London alone, and 1332 deaths in 1867, it is believed that only 124 deaths from Small-pox occurred in Scotland in 1867, and not more than 25 deaths in 1868. In fact, Small-pox seems to be as nearly extinguished in Scotland as the present Vaccination Act could allow it to be. It must be remembered that a considerable proportion of the adult population—particularly of the Irish settlers—is unprotected by vaccination, and the Act makes no provision for the vaccination of adults; while six months after birth are allowed before the vaccination of the child can be enforced. It is the very young child which is especially liable to be affected with Small-pox; and could the term for vaccination be reduced to four, or even to three months, so that the child could be vaccinated before the irritation of teething commences, a higher proportion still of children would be protected against Small-pox, and that loathsome disease would be still more thoroughly extinguished.

Table XIX. shows the deaths from Small-pox in Scotland during the fourteen years 1855–1868 inclusive, from which it will be seen that never before in Scotland has Small-pox been so infrequent as during the two

Table XIX.—Deaths from Small-pox in Scotland 1855–1868 inclusive.

Years.	Small-pox Deaths.	Years.	Small-pox Deaths.
1855	1309	1862	426
1856	1306	1863	1646
1857	845	1864	1741
1858	332	1865	175
1859	682	1866	200
1860	1495	1867	124*
1861	766	1868	25*

* Estimated from the ascertained Small-pox deaths in the Eight Principal Towns, as compared with the total Small-pox deaths in all Scotland during the years from 1855-64.

past years—indeed, it may be questioned whether, within the historical period, so few died from Small-pox during any year in Scotland as during the past year.

A large number of the Registrars have appended notes to their returns, relative to the working of the Vaccination Act in their districts. Extracts from several of these are given in the Appendix; but as, in former Reports, remarks and suggestions were made relative to many of the points they notice, it has not been deemed necessary again to enlarge on these.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, *3rd March* 1869.

BIRTHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1868.

		Population.	BIRTHS.														
		1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Births.	Males	Fem.	Total Illegit. Births.
	SCOTLAND,	3,062,294	9579	9145	10012	10212	10442	10341	9858	9341	9194	9013	8561	9345	115678	59375	56298	11266
	DIVISIONS.																	
1	NORTHERN,	130,422	277	241	281	228	296	263	286	261	292	313	261	277	3276	1695	1581	207
2	NORTH-WESTERN,	167,329	376	370	360	345	339	339	418	397	414	399	360	497	4554	2339	2215	277
3	NORTH-EASTERN,	366,783	1183	1008	1117	1128	1115	1078	1034	1065	1054	1105	950	1094	12931	6691	6240	1972
4	EAST-MIDLAND,	523,822	1529	1454	1554	1545	1751	1703	1620	1558	1524	1537	1363	1456	18624	9582	9042	1943
5	WEST-MIDLAND,	242,507	653	660	732	735	771	765	680	652	670	688	544	633	8213	4249	3964	614
6	SOUTH-WESTERN,	1,008,253	3695	3636	3984	4192	4069	4142	3852	3554	3465	3648	3296	3554	45087	23076	22011	3847
7	SOUTH-EASTERN,	408,962	1350	1240	1438	1417	1471	1496	1396	1288	1247	1360	1280	1338	16321	8402	7919	1414
8	SOUTHERN,	214,216	516	536	546	622	630	555	572	566	528	593	507	556	6667	3311	3326	992
	I. NORTHERN.																	
1	Shetland,	31,670	61	53	69	32	68	65	58	80	74	85	79	57	781	412	369	32
2	Orkney,	32,395	74	64	68	73	72	65	66	68	62	72	59	76	819	420	399	40
3	Caithness,	42,200	98	85	105	94	118	88	114	78	101	108	87	100	1176	606	570	97
4	Sutherland,	24,157	44	39	39	29	38	45	48	35	55	48	36	44	500	257	243	38
	II. NORTH-WESTERN.																	
5	Ross and Cromarty,	82,427	181	159	170	150	144	154	222	207	212	181	177	218	2178	1089	1089	99
6	Inverness,	84,902	192	211	190	195	195	185	196	190	202	218	183	219	2376	1250	1126	178
	III. NORTH-EASTERN.																	
7	Nairn,	8,347	16	19	18	21	12	20	28	25	24	25	19	16	242	120	122	24
8	Elgin (or Moray),	44,218	162	122	104	120	121	119	105	127	99	125	101	112	1420	749	671	198
9	Banff,	56,020	171	159	171	158	160	162	134	138	157	185	138	159	1892	959	933	325
10	Aberdeen,	223,474	742	605	756	727	728	670	673	685	680	669	607	713	8235	4284	3951	1250
11	Kincardine,	34,724	92	103	88	102	94	107	94	90	95	101	82	94	1142	579	563	175
	IV. EAST-MIDLAND.																	
12	Forfar,	206,750	683	643	741	716	795	782	759	728	670	730	652	695	8594	4376	4218	1007
13	Perth,	133,198	302	291	320	324	361	377	317	325	302	309	250	279	3757	1956	1801	411
14	Fife,	155,021	470	450	419	421	499	469	448	441	481	450	391	407	5346	2752	2594	435
15	Kinross,	8,731	16	14	14	13	20	18	21	16	21	16	16	17	205	109	96	21
16	Clackmannan,	20,122	58	56	60	71	76	57	75	48	47	62	54	58	722	389	333	69
	V. WEST-MIDLAND.																	
17	Stirling,	88,138	273	280	314	318	358	311	299	268	302	301	219	246	3489	1822	1667	273
18	Dumbarton,	54,179	172	165	201	228	184	206	189	170	160	173	157	184	2189	1143	1046	153
19	Argyll,	83,859	181	173	181	189	196	202	173	176	165	179	142	175	2152	1077	1055	159
20	Bute,	16,331	27	42	36	30	33	46	19	38	43	35	26	28	403	207	196	29
	VI. SOUTH-WESTERN.																	
21	Renfrew,	168,746	556	613	635	664	696	696	617	572	538	565	538	567	7251	3693	3558	534
22	Ayr,	199,063	614	694	699	729	674	676	587	607	616	624	550	576	7646	3913	3733	703
23	Lanark,	640,444	2525	2329	2650	2799	2705	2770	2648	2375	2311	2459	2208	2411	30190	15470	14720	2610
	VII. SOUTH-EASTERN.																	
24	Linlithgow,	39,045	144	169	169	154	158	147	154	148	142	137	148	144	1814	936	878	138
25	Edinburgh,	274,093	957	827	962	974	1005	1081	952	855	850	948	880	921	11212	5786	5426	966
26	Haddington,	37,626	100	84	105	103	115	114	112	104	108	99	94	98	1236	672	564	105
27	Berwick,	36,488	97	94	120	119	110	77	114	96	95	95	93	98	1208	569	639	136
28	Peebles,	11,300	23	28	40	35	35	42	20	37	21	43	26	29	379	193	186	28
29	Selkirk,	10,410	29	38	42	32	48	35	44	48	31	38	39	48	472	246	226	41
	VIII. SOUTHERN.																	
30	Roxburgh,	53,722	132	136	160	154	179	159	135	158	144	132	148	146	1733	901	832	202
31	Dumfries,	75,904	173	189	203	234	226	193	217	197	189	198	172	191	2382	1166	1216	367
32	Kirkcudbright,	42,745	123	131	99	122	117	109	118	118	106	94	78	118	1327	685	642	230
33	Wigtown,	41,845	88	80	84	112	108	94	102	93	95	109	109	101	1175	589	586	193

DEATHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1868.

		Popula-tion.	DEATHS.														
		1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Deaths.	Males	Fem.
	SCOTLAND,	3,062,294	6320	5683	6033	5754	5665	5509	5635	5851	5176	5427	5730	6603	69386	34673	34713
	DIVISIONS.																
1	NORTHERN,	130,422	171	148	162	182	166	160	154	123	115	124	127	170	1802	850	952
2	NORTH-WESTERN,	167,329	245	222	210	264	210	193	184	186	219	192	180	245	2550	1232	1318
3	NORTH-EASTERN,	366,783	640	566	591	550	533	571	520	524	452	482	546	658	6633	3318	3315
4	EAST-MIDLAND,	523,822	970	942	973	916	950	853	921	992	769	780	850	1087	11003	5366	5637
5	WEST-MIDLAND,	242,507	497	445	434	367	391	411	402	403	387	392	473	442	5044	2557	2487
6	SOUTH-WESTERN,	1,008,253	2594	2190	2454	2398	2316	2252	2408	2446	2052	2329	2485	2733	28657	14556	14101
7	SOUTH-EASTERN,	408,962	831	323	860	735	746	751	721	874	864	768	757	910	9640	4869	4771
8	SOUTHERN,	214,216	372	347	349	342	353	318	325	303	318	360	312	358	4057	1925	2132
	I. NORTHERN.																
1	Shetland,	31,670	44	38	36	43	33	46	36	36	29	28	31	36	436	198	238
2	Orkney,	32,395	38	33	41	35	41	40	39	27	31	33	31	38	427	178	249
3	Caithness,	42,200	58	51	51	70	66	53	46	39	36	39	44	59	612	327	285
4	Sutherland,	24,157	31	26	34	34	26	21	33	21	19	24	21	37	327	147	180
	II. NORTH-WESTERN.																
5	Ross and Cromarty,	82,427	118	100	102	119	86	95	78	80	79	81	79	113	1130	529	601
6	Inverness,	84,902	127	122	108	145	124	98	106	106	140	111	101	132	1420	703	717
	III. NORTH-EASTERN.																
7	Nairn,	8,347	17	9	9	7	7	9	6	15	7	14	9	14	123	65	58
8	Elgin (or Moray),	44,218	73	65	64	57	52	53	52	58	52	51	52	74	703	353	350
9	Banff,	56,020	132	100	93	79	70	82	80	63	56	73	74	105	1007	488	519
10	Aberdeen,	223,474	373	354	379	350	368	390	357	346	286	291	373	406	4273	2152	2121
11	Kincardine,	34,724	45	38	46	57	36	37	25	42	51	53	38	59	527	260	267
	IV. EAST-MIDLAND.																
12	Forfar,	206,750	416	407	456	442	461	424	451	474	355	347	396	518	5147	2487	2660
13	Perth,	133,198	228	215	204	183	205	184	206	212	150	180	181	264	2412	1186	1226
14	Fife,	155,021	255	266	262	221	236	197	207	253	226	214	228	243	2808	1394	1414
15	Kinross,	8,731	10	6	4	11	10	6	12	16	9	11	15	17	127	61	66
16	Clackmannan,	20,122	61	48	47	59	38	42	45	37	29	28	30	45	509	238	271
	V. WEST-MIDLAND.																
17	Stirling,	88,138	185	166	181	150	150	158	139	160	135	164	204	169	1961	976	985
18	Dumbarton,	54,179	119	94	115	90	100	94	116	110	118	104	114	118	1292	690	602
19	Argyll,	83,859	152	157	111	103	107	121	100	96	96	92	126	127	1388	711	677
20	Bute,	16,331	41	28	27	24	34	38	47	37	38	32	29	28	403	180	223
	VI. SOUTH-WESTERN.																
21	Renfrew,	168,746	443	334	355	391	418	382	406	430	341	400	447	451	4798	2409	2389
22	Ayr,	199,063	368	309	330	342	305	303	299	338	275	299	277	364	3809	1939	1870
23	Lanark,	640,444	1783	1547	1769	1665	1593	1567	1703	1678	1436	1630	1761	1918	20050	10208	9842
	VII. SOUTH-EASTERN.																
24	Linlithgow,	39,045	70	76	74	57	51	60	61	67	70	62	59	69	776	380	396
25	Edinburgh,	274,093	605	585	641	552	546	565	551	679	654	585	594	701	7258	3676	3582
26	Haddington,	37,626	59	60	56	50	55	47	47	61	58	55	45	58	651	325	326
27	Berwick,	36,488	50	53	43	40	50	39	37	34	48	41	35	49	519	264	255
28	Peebles,	11,300	21	21	13	15	21	9	10	14	18	13	6	14	175	100	75
29	Selkirk,	10,410	26	28	33	21	23	31	15	19	16	12	18	19	261	124	137
	VIII. SOUTHERN.																
30	Roxburgh,	53,722	91	90	90	70	76	92	77	69	77	92	67	72	963	460	503
31	Dumfries,	75,904	140	134	103	134	128	117	132	108	96	103	104	122	1421	672	749
32	Kirkcudbright,	42,745	80	62	74	67	78	56	71	70	75	70	64	90	857	397	460
33	Wigtown,	41,845	61	61	82	71	71	53	45	56	70	95	77	74	816	396	420

MARRIAGES

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1868.

		Population.		Marriages.											
		1851	1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct.	Nov	Dec	Total
	SCOTLAND,	2,888,742	3,062,294	2654	1385	1248	1331	999	3330	2078	1351	1275	1424	2188	2595	21853
	DIVISIONS.															
1	NORTHERN,	127,035	130,422	67	65	31	33	44	48	22	26	21	34	74	94	559
2	NORTH-WESTERN,	175,735	167,329	116	92	60	50	30	75	39	26	23	35	52	104	702
3	NORTH-EASTERN,	348,366	366,783	200	162	118	112	146	418	182	135	125	193	232	415	2438
4	EAST-MIDLAND,	515,966	523,822	451	207	178	205	196	567	242	204	204	192	416	439	3501
5	WEST-MIDLAND,	241,447	242,507	178	75	79	85	60	205	142	90	82	68	129	180	1373
6	SOUTH-WESTERN,	881,092	1,008,253	1139	519	502	526	310	1175	1058	563	540	580	847	800	8559
7	SOUTH-EASTERN,	383,217	408,962	412	190	205	232	162	656	301	244	205	227	321	378	3533
8	SOUTHERN,	215,884	214,216	91	75	75	88	51	186	92	63	75	95	112	185	1188
	I. NORTHERN.															
1	Shetland,	31,078	31,670	25	21	5	2	6	8	2	10	7	5	25	33	149
2	Orkney,	31,455	32,395	14	17	12	14	15	13	5	8	4	11	25	15	153
3	Caithness,	39,782	42,200	18	13	7	13	19	19	12	6	8	15	15	35	180
4	Sutherland,	24,720	24,157	10	14	7	4	4	8	3	2	2	3	9	11	77
	II. NORTH-WESTERN.															
5	Ross and Cromarty,	83,781	82,427	59	55	36	32	14	40	13	12	9	17	21	55	363
6	Inverness,	91,954	84,902	57	37	24	18	16	35	26	14	14	18	31	49	339
	III. NORTH-EASTERN.															
7	Nairn,	8,076	8,347	1	2	1	2	2	8	7	3	5	3	6	8	48
8	Elgin (or Moray),	40,532	44,218	14	14	8	7	22	42	21	19	14	20	15	49	245
9	Banff,	51,353	56,020	23	26	14	8	12	42	17	13	17	33	40	53	298
10	Aberdeen,	213,591	223,474	146	103	85	85	96	286	121	86	79	112	153	265	1617
11	Kincardine,	34,814	34,724	16	17	10	10	14	40	16	14	10	25	18	40	230
	IV. EAST-MIDLAND.															
12	Forfar,	193,627	206,750	203	95	83	74	94	298	112	89	100	100	152	198	1598
13	Perth,	137,369	133,198	86	40	37	57	41	116	50	45	49	36	85	112	754
14	Fife,	153,789	155,021	139	62	51	64	58	129	67	56	50	50	148	112	986
15	Kinross,	9,626	8,731	2	3	2	1	0	4	4	3	0	2	11	4	36
16	Clackmannan,	21,555	20,122	21	7	5	9	3	20	9	11	5	4	20	13	127
	V. WEST-MIDLAND.															
17	Stirling,	83,802	88,138	85	32	37	36	25	94	52	41	41	25	50	75	593
18	Dumbarton,	46,995	54,179	39	15	17	18	18	61	51	21	20	28	39	38	365
19	Argyll,	94,042	83,859	50	22	23	25	16	40	33	22	15	11	30	52	339
20	Bute,	16,608	16,331	4	6	2	6	1	10	6	6	6	4	10	15	76
	VI. SOUTH-WESTERN.															
21	Renfrew,	157,950	168,746	172	95	76	74	47	190	191	112	114	105	130	106	1412
22	Ayr,	189,973	199,063	183	85	91	96	43	222	110	108	71	105	137	173	1424
23	Lanark,	533,169	640,444	784	339	335	356	220	763	757	343	355	370	580	521	5723
	VII. SOUTH-EASTERN.															
24	Linlithgow,	30,590	39,045	44	30	13	15	6	49	25	16	11	10	32	32	283
25	Edinburgh,	259,493	274,093	307	125	159	170	122	491	227	200	175	183	243	282	2684
26	Haddington,	36,363	37,626	22	15	12	18	15	49	19	11	9	13	30	26	230
27	Berwick,	36,165	36,488	21	14	9	21	13	35	19	7	7	10	9	18	183
28	Peebles,	10,804	11,300	6	0	6	3	3	15	6	7	2	5	4	6	63
29	Selkirk,	9,802	10,410	12	6	6	5	3	17	5	3	1	6	3	14	81
	VIII. SOUTHERN.															
30	Roxburgh,	51,225	53,722	22	23	24	25	12	47	24	16	11	29	25	60	318
31	Dumfries,	78,149	75,904	36	28	38	34	24	72	39	23	27	28	46	64	459
32	Kirkcudbright,	43,371	42,745	12	8	7	20	8	41	16	10	22	19	22	30	215
33	Wigtown,	43,139	41,845	21	16	6	9	7	26	13	14	15	19	19	31	196

VACCINATIONS IN SCOTLAND—1867.

		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total.
				On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.	On the ground of previous Successful Vaccination.			
	SCOTLAND, -	101139	670	233	16	151	9355	2617	114181
	DIVISIONS.								
1	NORTHERN, . .	2887	117	23	0	11	174	134	3346
2	NORTH-WESTERN, .	3667	201	51	1	0	373	123	4416
3	NORTH-EASTERN, .	11824	53	28	0	7	802	54	12768
4	EAST-MIDLAND, . .	16760	54	35	1	8	1535	281	18674
5	WEST-MIDLAND, .	7205	63	20	0	10	566	166	8030
6	SOUTH-WESTERN, .	38985	84	35	12	104	3991	1377	44588
7	SOUTH-EASTERN, .	13978	52	26	2	5	1368	411	15836
8	SOUTHERN, . .	5833	46	21	0	6	546	71	6523
	I. NORTHERN.								
1	Shetland, . . .	664	35	7	0	9	49	96	860
2	Orkney, . . .	732	14	2	0	1	25	7	781
3	Caithness, . . .	1021	60	12	0	0	70	11	1174
4	Sutherland, . . .	470	8	2	0	1	30	20	531
	II. NORTH-WESTERN.								
5	Ross and Cromarty, .	1813	110	40	1	0	181	40	2185
6	Inverness, . . .	1854	91	11	0	0	192	83	2231
	III. NORTH-EASTERN.								
7	Nairn, . . .	214	3	1	0	0	20	4	242
8	Elgin or Moray, . .	1252	19	5	0	0	91	7	1374
9	Banff, . . .	1741	8	8	0	0	112	8	1877
10	Aberdeen, . . .	7561	19	12	0	7	533	33	8165
11	Kincardine, . . .	1056	4	2	0	0	46	2	1110
	IV. EAST-MIDLAND.								
12	Forfar, . . .	7572	12	21	0	6	810	151	8572
13	Perth, . . .	8317	20	10	1	1	265	60	3674
14	Fife, . . .	4993	21	3	0	1	377	61	5456
15	Kinross, . . .	213	1	0	0	0	14	2	230
16	Clackmannan, . .	665	0	1	0	0	69	7	742
	V. WEST-MIDLAND.								
17	Stirling, . . .	3115	19	4	0	0	239	32	3409
18	Dumbarton, . .	1814	6	4	0	6	170	44	2044
19	Argyll, . . .	1899	35	10	0	1	122	81	2148
20	Bute, . . .	377	3	2	0	3	35	9	429
	VI. SOUTH-WESTERN.								
21	Renfrew, . . .	6116	16	8	1	20	678	213	7052
22	Ayr, ...	6876	18	5	2	2	587	92	7582
23	Lanark, . . .	25993	50	22	9	82	2726	1072	29954
	VII. SOUTH-EASTERN.								
24	Linlithgow, . . .	1658	6	1	0	0	144	57	1866
25	Edinburgh, . . .	9446	28	13	2	4	967	308	10768
26	Haddington, . .	1063	7	3	0	0	103	21	1197
27	Berwick, . . .	1038	4	1	0	1	81	10	1135
28	Peebles, . . .	350	6	1	0	0	27	14	398
29	Selkirk, . . .	423	1	1	0	0	46	1	472
	VIII. SOUTHERN.								
30	Roxburgh, . . .	1495	7	1	0	0	156	11	1670
31	Dumfries, . . .	2062	20	12	0	4	206	30	2334
32	Kirkcudbright, . .	1210	18	4	0	1	87	16	1336
33	Wigtown, . . .	1066	1	4	0	1	97	14	1183

Total DEATHS from all Causes at Four Periods of Life in the Eight Principal Towns of Scotland.—Year 1868.

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Total.
All Causes	12728	3036	7813	4454	28031
Specified Causes	12451	2981	7662	4438	27532
Diseases:—					
I. Zymotic Class	4764	1147	959	303	7173
II. Dropsy, Cancer, and others of uncertain seat	78	64	462	288	892
III. Tubercular Class	1476	948	2323	117	4864
IV. Of Brain, etc.	719	177	636	722	2254
V. Of Heart, etc.	31	71	633	428	1163
VI. Of Resp. Organs	2392	249	1140	830	4611
VII. Of Digest. Organs	1066	99	508	269	1942
VIII. Of Kidneys, etc.	38	52	197	125	412
IX. Of Uterus, etc.	2	4	211	14	231
X. Of Joints, Bones, etc.	12	54	60	30	156
XI. Of Skin, etc.	19	–	5	4	28
XII. Malformations	44	–	–	–	44
XIII. Debility from Premature Birth	1461	–	–	–	1461
XIV. Atrophy	113	20	92	–	225
XV. Age	–	–	2	1176	1178
XVI. Sudden	19	7	33	21	80
XVII. Violence, Privation, etc.	217	89	401	111	818
I. Small-pox	11	–	–	–	11
Measles	727	45	4	–	776
Scarlatina	1112	563	28	1	1704
Diphtheria	163	30	10	1	204
Hooping-Cough	1336	72	1	–	1409
Croup	334	32	1	–	367
Thrush	7	–	–	–	7
Diarrhœa	690	27	103	124	944
Dysentery	17	5	36	40	98
Cholera	35	11	23	9	78
Influenza	10	3	11	13	37
Purpura; Scurvy	2	2	3	3	10
Ague	–	1	2	–	3
Worms	2	3	–	–	5
Typhus Fever	41	144	460	63	708
Enteric Fever	100	155	135	27	417
Relapsing Fever	13	10	3	–	26
Simple Cont. Fever	8	11	6	1	26
Infant. Rem. Fever	37	5	–	–	42
Metria	–	3	73	–	76
Rheumatic Fever	2	14	18	6	40
Erysipelas	45	5	21	14	85
Pyæmia	–	1	3	–	4
Syphilis	69	3	17	1	90
Noma	3	2	1	–	6
Hydrophobia	–	–	–	–	–
II. Hæmorrhage	7	4	24	7	42
Dropsy	27	43	135	104	309
Abscess	19	6	24	6	55
Ulcer	3	–	5	5	13
Fistula	–	–	2	4	6
Mortification	10	2	10	25	47
Cancer	12	9	259	136	416
Gout	–	–	3	1	4
III. Scrofula	107	71	60	6	244
Tabes Mesenterica	279	67	16	1	363
Phthisis	330	723	2240	109	3402
Hydrocephalus	760	87	7	1	855

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Total.
IV. Cephalitis	74	38	19	3	134
Apoplexy	62	23	178	219	482
Paralysis	6	4	181	372	563
Delirium Tremens	–	–	29	2	31
Chorea	1	2	1	–	4
Epilepsy	3	4	38	11	56
Tetanus	9	6	2	1	18
Insanity	–	1	21	11	33
Convulsions	467	16	5	1	489
Dis. of Brain, etc.	97	83	162	102	444
V. Pericarditis	1	5	6	1	13
Aneurism	–	–	32	5	37
Dis. of Heart, etc.	30	66	595	422	1113
VI. Laryngitis	26	4	14	7	51
Bronchitis	1882	143	607	625	3257
Pleurisy	3	4	31	16	54
Pneumonia	443	77	297	106	923
Asthma	–	–	90	60	150
Dis. of Lungs, etc.	38	21	101	16	176
VII. Teething	536	1	–	–	537
Quinsey	18	–	4	1	23
Gastritis	12	5	14	5	36
Enteritis	237	30	44	23	334
Peritonitis	14	17	38	9	78
Ascites	1	3	16	10	30
Ulcer. of Intest.	5	1	24	12	42
Hernia	4	1	22	14	41
Ileus	30	5	32	32	99
Intussusception	–	1	1	1	3
Strict. of Intest.	3	1	12	4	20
Dis. of Stomach	150	19	86	59	314
Dis. of Pancreas	–	–	–	–	–
Hepatitis	3	–	25	5	33
Jaundice	32	2	11	19	64
Dis. of Liver	19	13	173	75	280
Dis. of Spleen	2	–	6	–	8
VIII. Nephritis	7	12	8	3	30
Nephria	10	20	82	17	129
Addison's Disease	–	–	–	–	–
Ischuria	7	2	4	9	22
Diabetes	2	3	15	7	27
Stone	–	1	4	10	15
Cystitis	1	2	13	15	31
Strict. of Urethra	–	–	3	4	7
Dis. of Kidneys	11	12	68	60	151
IX. Paramenia	–	–	8	–	8
Ovarian Dropsy	1	–	20	7	28
Childbirth	–	4	146	–	150
Dis. of Uterus	1	–	37	7	45
X. Arthritis	1	5	6	–	12
Rheumatism	2	8	20	27	57
Dis. of Joints, etc.	9	41	34	3	87
XI. Carbuncle	1	–	–	3	4
Phlegmon	2	–	1	1	4
Dis. of Skin	16	–	4	–	20
XVII. Intemperance	–	1	28	6	35
Privation of Food	–	–	1	–	1
Wt. Breast-milk	64	–	–	–	64
Neglect	1	–	–	–	1
Cold	–	–	1	–	1
Poison	7	3	11	3	24
Poisoned Wounds	–	–	–	–	–
Burns and Scalds	44	3	14	8	69
Hanging, etc.	–	1	15	8	24
Suffocation	48	2	11	2	63
Drowning	11	17	82	17	127
Fractures & Contus.	31	55	199	60	345
Gunshot Wounds	–	1	4	–	5
Cuts and Stabs	1	1	6	1	9
Other Vio. Causes	10	5	29	6	50
Not specified	277	55	151	16	499

DEATHS from all Causes at Four Periods of Life Year 1868.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.
All Causes	6903	1598	3757	1577	13825	1741	489	1460	1090	4780	1349	228	864	478	2919	801	195	539	492	202
Specified Causes	6816	1562	3664	1565	13607	1713	486	1448	1088	4735	1310	222	841	477	2850	786	191	532	492	200
Diseases:—																				
I. Zymotic Class	2603	609	454	87	3753	646	208	150	76	1030	450	64	142	46	702	297	47	58	38	44
II. Dropsy, Cancer, and others of uncertain seat	40	30	197	83	350	12	12	99	76	199	6	6	54	32	98	9	6	44	44	10
III. Tubercular Class	786	499	1159	64	2508	222	126	398	17	763	139	88	253	12	492	102	82	172	14	37
IV. Of Brain, etc.	360	91	240	254	945	125	25	163	194	507	85	12	67	71	235	65	16	50	71	22
V. Of Heart, etc.	7	26	270	125	428	12	14	146	132	304	5	8	73	42	128	–	5	50	42	
VI. Of Resp. Organs	1497	117	630	359	2603	277	37	173	180	667	234	22	122	82	460	117	11	65	71	24
VII. Of Digest. Organs	601	56	241	95	993	109	16	106	75	306	130	7	38	14	189	68	9	34	35	14
VIII. Of Kidneys, etc.	19	24	86	31	160	8	11	49	39	107	1	4	13	10	28	3	4	17	19	
IX. Of Uterus, etc.	1	2	98	5	106	–	2	51	4	57	1	–	23	1	25	–	–	11	2	
X. Of Joints, Bones, etc.	5	21	25	14	65	1	18	15	6	40	2	2	7	2	13	–	3	4	7	
XI. Of Skin, etc.	6	–	2	1	9	3	–	1	1	5	2	–	1	–	3	5	–	1	–	
XII. Malformations	16	–	–	–	16	9	–	–	–	9	4	–	–	–	4	9	–	–	–	
XIII. Debility from Premature Birth	722	–	–	–	722	233	–	–	–	233	215	–	–	–	215	80	–	–	–	
XIV. Atrophy	50	4	42	–	96	14	4	13	–	31	13	2	11	–	26	4	1	9	–	
XV. Age	–	–	1	398	399	–	–	–	264	264	–	–	1	151	152	–	–	–	129	
XVI. Sudden	7	7	29	11	54	1	–	–	–	1	2	–	2	1	5	2	–	–	5	
XVII. Violence, Privation, etc.	96	46	190	38	370	41	13	84	24	162	21	7	34	13	75	25	7	17	15	
I. Small-pox	6	–	–	–	6	–	–	–	–	–	1	–	–	–	1	1	–	–	–	
Measles	344	18	3	–	365	33	1	–	–	34	180	11	–	–	191	126	7	1	–	
Scarlatina	608	300	8	–	916	222	109	8	1	340	26	15	1	–	42	29	14	6	–	
Diphtheria	76	12	7	–	95	42	11	2	–	55	16	1	1	1	19	4	1	–	–	
Hooping-Cough	892	52	1	–	945	113	5	–	–	118	50	1	–	–	51	68	1	–	–	
Croup	142	18	–	–	160	72	5	–	–	77	36	3	–	–	39	9	1	1	–	
Thrush	3	–	–	–	3	1	–	–	–	1	1	–	–	–	1	2	–	–	–	
Diarrhœa	347	12	49	40	448	117	7	17	30	171	87	4	11	15	117	30	1	9	16	
Dysentery	4	2	17	4	27	3	1	5	14	23	2	1	9	10	22	2	–	4	7	
Cholera	12	2	6	3	23	3	3	4	3	13	9	4	8	1	22	2	1	1	–	
Influenza	6	2	5	2	15	1	–	1	1	3	1	–	5	3	9	–	–	–	5	
Purpura; Scurvy	1	2	1	–	4	–	–	1	2	3	–	–	–	–	–	–	–	–	–	
Ague	–	–	1	–	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	
Worms	2	3	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Typhus Fever	17	68	229	24	338	8	33	56	12	109	6	17	78	10	111	1	4	14	3	
Enteric Fever	64	91	62	9	226	11	21	24	5	61	6	6	15	4	31	5	10	12	4	
Relapsing Fever	9	7	1	–	17	–	1	–	–	1	1	–	–	–	1	1	–	–	–	
Simple Cont. Fever	2	4	5	1	12	–	1	1	–	2	1	1	–	–	2	–	1	–	–	
Infant. Rem. Fever	21	4	–	–	25	1	–	–	–	1	10	–	–	–	10	2	–	–	–	
Metria	–	3	35	–	38	–	–	15	–	15	–	–	7	–	7	–	–	4	–	
Rheumatic Fever	2	5	4	1	12	–	5	2	3	10	–	–	5	–	5	–	3	3	1	
Erysipelas	18	1	10	3	32	6	3	5	4	18	6	–	1	2	9	6	1	2	2	
Pyæmia	–	1	2	–	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
Syphilis	24	1	8	–	33	13	1	8	1	23	11	–	–	–	11	9	1	–	–	
Noma	3	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
II. Hæmorrhage	3	2	11	2	18	1	1	5	4	11	–	–	3	–	3	1	–	–	–	
Dropsy	16	20	56	35	127	4	7	16	12	39	2	5	30	17	54	2	4	12	17	
Abscess	10	3	12	2	27	3	1	5	2	11	1	–	1	–	2	2	1	1	2	
Ulcer	1	–	1	3	5	–	–	2	1	3	2	–	1	–	3	–	–	1	–	
Fistula	–	–	1	1	2	–	–	1	1	2	–	–	–	–	–	–	–	–	1	
Mortification	4	1	3	5	13	3	–	2	14	19	1	1	–	1	3	–	–	1	2	
Cancer	6	4	112	35	157	1	3	68	42	114	–	–	19	14	33	4	1	28	21	
Gout	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	
III. Scrofula	51	32	22	2	107	19	10	16	–	45	6	4	4	1	15	16	8	6	–	
Tabes Mesenterica	146	36	7	–	189	46	11	4	1	62	23	6	1	–	30	16	4	2	–	
Phthisis	212	396	1126	61	1795	20	93	377	16	506	39	65	247	11	362	15	60	164	14	
Hydrocephalus	377	35	4	1	417	137	12	1	–	150	71	13	1	–	85	55	10	–	–	

Year 1868.

CAUSES OF DEATH.	PAISLEY.					GREENOCK.					LEITH.					PERTH.					Grand Total.
	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	
All Causes	449	170	343	259	1221	844	180	430	204	1658	442	129	235	169	975	199	57	185	185	626	28031
Specified Causes	421	169	341	259	1190	769	167	418	203	1557	439	127	235	169	970	197	57	183	185	622	27532
Diseases:—																					
I. Zymotic Class	178	62	49	24	313	353	66	65	16	500	159	71	21	8	259	78	20	20	8	126	7173
II. Dropsy, Cancer, and others of uncertain seat	1	3	23	21	48	4	4	18	11	37	3	3	13	6	25	3	–	14	15	32	892
III. Tubercular Class	73	64	101	1	239	82	47	119	5	253	52	21	58	2	133	20	21	63	2	106	4864
IV. Of Brain, etc.	15	11	34	42	102	36	12	39	31	118	23	7	26	27	83	10	3	17	32	62	2254
V. Of Heart, etc.	1	3	25	8	37	3	7	39	28	77	3	6	14	22	45	–	2	16	29	47	1163
VI. Of Resp. Organs	46	10	45	49	150	121	13	51	33	218	65	5	35	40	145	35	4	19	16	74	4611
VII. Of Digest. Organs	44	3	22	18	87	65	4	33	10	112	37	3	23	10	73	12	1	11	12	36	1942
VIII. Of Kidneys, etc.	–	3	9	2	14	1	–	8	8	17	5	4	9	6	24	1	2	6	10	19	412
IX. Of Uterus, etc.	–	–	11	2	13	–	–	6	–	6	–	–	10	–	10	–	–	1	–	1	231
X. Of Joints, Bones, etc.	1	3	4	1	9	2	4	3	–	9	1	1	–	–	2	–	2	2	–	4	156
XI. Of Skin, etc.	1	–	–	1	2	2	–	–	–	2	–	–	–	–	–	–	–	–	1	1	28
XII. Malformations	–	–	–	–	–	3	–	–	–	3	2	–	–	–	2	1	–	–	–	1	44
XIII. Debility from Premature Birth	49	–	–	–	49	71	–	–	–	71	63	–	–	–	63	28	–	–	–	28	1461
XIV. Atrophy	5	3	3	–	11	12	5	9	–	26	9	1	3	–	13	6	–	2	–	8	225
XV. Age	–	–	–	83	83	–	–	–	51	51	–	–	–	45	45	–	–	–	55	55	1178
XVI. Sudden	3	–	–	2	5	3	–	1	2	6	1	–	1	–	2	–	–	–	–	–	80
XVII. Violence, Privation, etc.	4	4	15	5	28	11	5	27	8	51	16	5	22	3	46	3	2	12	5	22	818
I. Small-pox	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	1	–	–	–	1	11
Measles	7	–	–	–	7	31	4	–	–	35	1	1	–	–	2	5	3	–	–	8	776
Scarlatina	73	37	1	–	111	65	30	1	–	96	77	52	2	–	131	12	6	1	–	19	1704
Diphtheria	7	2	–	–	9	12	1	–	–	13	3	2	–	–	5	3	–	–	–	3	204
Hooping-Cough	22	1	–	–	23	136	10	–	–	146	25	1	–	–	26	30	1	–	–	31	1409
Croup	22	–	–	–	22	34	1	–	–	35	13	1	–	–	14	6	3	–	–	9	567
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
Diarrhœa	25	–	8	9	42	49	1	6	7	63	24	1	–	5	30	11	1	3	2	17	944
Dysentery	2	–	3	5	1	1	–	–	2	2	–	1	1	4	1	–	–	1	–	2	98
Cholera	2	1	1	–	4	5	–	1	2	8	2	–	1	–	3	–	–	1	–	1	78
Influenza	–	–	–	2	2	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–	37
Purpura; Scurvy	1	–	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	10
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Typhus Fever	3	4	23	4	34	5	11	38	6	60	1	4	10	1	16	–	3	12	3	18	708
Enteric Fever	3	13	8	4	28	6	5	10	–	21	4	8	4	–	16	1	1	–	1	3	417
Relapsing Fever	1	2	2	–	5	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	26
Simple Cont. Fever	1	1	–	–	2	–	–	–	–	–	2	1	–	–	3	2	2	–	–	4	56
Infant. Rem. Fever	2	1	–	–	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	42
Metria	–	–	4	–	4	–	–	5	–	5	–	–	1	–	1	–	–	2	–	2	76
Rheumatic Fever	–	–	1	1	2	–	1	2	–	3	–	–	–	–	–	–	–	1	–	1	40
Erysipelas	2	–	1	–	3	1	–	–	1	2	3	–	2	1	6	3	–	–	1	4	85
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Syphilis	5	–	–	–	5	3	–	1	–	4	1	–	–	–	1	3	–	–	–	3	90
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	2	1	4	–	–	–	–	–	1	1	–	–	2	–	–	3	–	3	42
Dropsy	–	2	9	12	23	1	3	5	5	14	1	2	4	2	9	1	–	3	4	8	309
Abscess	–	–	2	–	2	2	1	2	–	5	1	–	–	–	1	–	–	1	–	1	55
Ulcer	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	6
Mortification	–	–	–	–	–	–	–	2	3	5	–	–	–	–	–	2	–	2	–	4	47
Cancer	–	1	10	7	18	1	–	9	3	13	–	–	9	3	12	–	–	4	11	15	416
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4
III. Scrofula	4	7	5	–	16	5	6	3	2	16	5	2	1	–	8	1	2	3	1	7	244
Tabes Mesenterica	17	4	–	–	21	14	1	–	–	15	10	3	1	–	14	7	2	1	–	10	363
Phthisis	16	48	96	1	161	24	36	115	3	178	3	10	56	2	71	1	15	59	1	76	3402
Hydrocephalus	36	5	–	–	41	39	4	1	–	44	34	6	–	–	40	11	2	–	–	13	855

DEATHS from all Causes at Four Periods of Life
Year 1868.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.
IV. Cephalitis	39	20	7	–	66	18	5	4	3	30	4	3	1	–	8	3	3	1	–	7
Apoplexy	25	13	71	63	172	16	2	43	65	126	8	1	22	24	55	1	1	15	22	39
Paralysis	4	2	63	140	209	1	1	48	90	140	1	–	22	37	60	–	–	11	38	49
Delirium Tremens	–	–	9	2	11	–	–	8	–	8	–	–	2	–	2	–	–	3	–	3
Chorea	1	–	1	–	2	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–
Epilepsy	1	2	10	3	16	1	1	15	2	19	1	1	4	1	7	–	–	4	2	6
Tetanus	3	3	2	1	9	5	1	–	–	6	–	–	–	–	–	–	1	–	–	1
Insanity	–	–	–	–	–	–	–	12	4	16	–	–	1	–	1	–	1	1	2	4
Convulsions	233	7	2	1	243	70	4	–	–	74	65	1	2	–	68	54	–	1	–	55
Dis. of Brain, etc.	54	44	75	44	217	14	11	33	30	88	6	4	13	9	32	7	10	14	7	33
V. Pericarditis	–	1	2	1	4	–	2	2	–	4	–	–	1	–	1	–	–	1	–	1
Aneurism	–	–	13	1	14	–	–	12	2	14	–	–	–	–	–	–	–	3	–	3
Dis. of Heart, etc.	7	25	255	123	410	12	12	132	130	286	5	8	72	42	127	–	5	46	42	93
VI. Laryngitis	16	1	7	1	25	4	2	3	4	13	2	–	–	–	2	3	–	1	–	4
Bronchitis	1193	82	364	276	1915	209	18	78	136	441	186	13	57	52	308	87	8	31	55	181
Pleurisy	1	1	10	4	16	–	2	14	5	21	1	–	1	2	4	1	–	3	4	8
Pneumonia	271	51	152	43	517	54	10	39	21	124	41	7	37	16	101	23	2	21	8	54
Asthma	–	–	44	27	71	–	–	9	8	17	–	–	21	11	32	–	–	6	4	10
Dis. of Lungs, etc.	16	12	53	8	89	10	5	30	6	51	4	2	6	1	13	3	1	3	–	7
VII. Teething	262	–	–	–	262	40	–	–	–	40	105	–	–	–	105	38	–	–	–	38
Quinsey	12	–	–	–	12	1	–	4	1	6	1	–	–	–	1	–	–	–	–	–
Gastritis	8	3	10	2	23	–	1	2	1	4	1	1	–	1	3	3	–	–	–	3
Enteritis	163	20	24	13	220	27	5	7	4	43	8	2	2	1	13	10	1	6	–	17
Peritonitis	3	7	11	1	22	7	1	9	5	22	1	1	1	–	3	1	3	1	1	6
Ascites	1	2	11	5	19	–	1	–	2	3	–	–	3	–	3	–	–	–	1	1
Ulcer. of Intest.	3	1	6	2	12	–	–	11	6	17	–	–	5	–	5	–	–	1	1	2
Hernia	2	–	13	6	21	–	–	2	5	7	–	–	2	1	3	–	1	2	2	5
Ileus	23	2	11	8	44	3	1	4	7	15	2	2	6	4	14	1	–	8	11	20
Intussusception	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Strict. of Intest.	1	–	4	1	6	–	1	3	1	5	–	–	1	–	1	1	–	1	–	2
Dis. of Stomach	94	11	32	25	162	25	3	27	17	72	5	1	6	1	13	6	3	5	4	18
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	13	2	17	–	–	2	1	3	–	–	3	–	3	–	–	–	–	–
Jaundice	12	1	4	4	21	5	–	5	4	14	7	–	1	2	10	7	1	1	5	14
Dis. of Liver	15	8	98	26	147	–	3	29	21	53	–	–	8	4	12	1	–	9	9	19
Dis. of Spleen	–	–	3	–	3	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	8	5	1	18	2	1	2	–	5	–	1	–	–	1	–	1	–	–	1
Nephria	1	6	25	3	35	4	7	32	7	50	–	1	5	2	8	1	1	6	–	8
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	1	1	1	7	1	1	1	3	6	–	–	–	–	–	1	–	–	4	5
Diabetes	2	2	8	–	12	–	–	3	3	6	–	–	2	–	2	–	1	–	2	3
Stone	–	–	1	–	1	–	–	1	5	6	–	–	1	3	4	–	–	1	1	2
Cystitis	–	1	8	3	12	–	–	1	6	7	–	–	1	2	3	1	–	1	1	3
Strict. of Urethra	–	–	1	3	4	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–
Dis. of Kidneys	8	6	37	20	71	1	2	8	14	25	1	2	3	3	9	–	1	9	11	21
IX. Paramenia	–	–	6	–	6	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Ovarian Dropsy	–	–	8	3	11	–	–	7	2	9	1	–	–	–	1	–	–	2	1	3
Childbirth	–	2	69	–	71	–	2	30	–	32	–	–	20	–	20	–	–	7	–	7
Dis. of Uterus	1	–	15	2	18	–	–	14	2	16	–	–	2	1	3	–	–	2	1	3
X. Arthritis	1	–	2	–	3	–	4	3	–	7	–	–	1	–	1	–	–	–	–	–
Rheumatism	–	3	6	12	21	–	2	4	6	12	1	–	2	2	5	–	–	2	6	8
Dis. of Joints, etc.	4	18	17	2	41	1	12	8	–	21	1	2	4	–	7	–	3	2	1	6
XI. Carbuncle	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Disease of Skin	4	–	2	–	6	3	–	–	–	3	2	–	1	–	3	5	–	1	–	6
XVII. Intemperance	–	1	14	2	17	–	–	5	1	6	–	–	6	–	6	–	–	–	–	–
Privation of Food	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wt. Breast-milk	32	–	–	–	32	9	–	–	–	9	9	–	–	–	9	9	–	–	–	9
Neglect	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	3	4	2	14	1	–	4	–	5	1	–	1	1	3	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	19	–	6	3	28	7	–	5	1	13	6	1	1	1	9	1	1	–	2	4
Hanging, etc.	–	–	7	4	11	–	–	3	2	5	–	–	–	1	1	–	–	–	–	–
Suffocation	19	2	8	–	29	10	–	2	2	14	–	–	–	–	–	10	–	1	–	11
Drowning	7	9	46	8	70	2	1	4	1	8	–	2	9	2	13	1	2	2	3	8
Fractures	13	28	90	17	148	8	10	47	16	81	3	3	14	7	27	1	3	13	10	27
Gunshot Wounds	–	–	2	–	2	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	3	1	4	1	–	2	–	3	–	–	–	–	–	–	1	–	–	1
Other Vio. Causes	1	3	9	1	14	3	1	11	1	16	1	1	3	1	6	3	–	1	–	4
Not specified	87	26	93	12	218	28	3	12	2	45	39	6	23	1	69	15	4	7	–	26

Year 1868.

CAUSES OF DEATH.	PAISLEY.					GREENOCK.					LEITH.					PERTH.					Grand Total.
	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	
IV. Cephalitis	–	3	2	–	5	7	2	2	–	11	3	1	2	–	6	–	1	–	–	1	1[illegible]
Apoplexy	7	2	5	12	26	2	2	17	11	32	3	1	1	6	11	–	1	4	16	21	4[illegible]
Paralysis	–	1	16	25	42	–	–	6	13	19	–	–	9	19	28	–	–	6	10	16	5[illegible]
Delirium Tremens	–	–	2	–	2	–	–	2	–	2	–	–	1	–	1	–	–	2	–	2	[illegible]
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Epilepsy	–	–	2	1	3	–	–	1	–	1	–	–	2	1	3	–	–	–	1	1	5[illegible]
Tetanus	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1[illegible]
Insanity	–	–	4	2	6	–	–	1	1	2	–	–	–	–	–	–	–	2	2	4	[illegible]
Convulsions	4	–	–	–	4	18	2	–	–	20	16	2	–	–	18	7	–	–	–	7	[illegible]
Dis. of Brain, etc.	4	4	3	2	13	8	6	10	6	30	1	3	11	1	16	3	1	3	3	10	[illegible]
V. Pericarditis	1	–	–	–	1	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	1
Aneurism	–	–	1	1	2	–	–	2	1	3	–	–	–	–	–	–	–	1	–	1	[illegible]
Dis. of Heart, etc.	–	3	24	7	34	3	6	37	27	73	3	5	14	22	44	–	2	15	29	46	1[illegible]
VI. Laryngitis	–	–	1	1	2	1	–	–	–	1	–	–	1	–	1	–	1	1	1	3	[illegible]
Bronchitis	34	10	25	42	111	98	6	26	22	152	44	3	16	33	96	31	3	10	9	53	[illegible]
Pleurisy	–	–	2	–	2	–	–	–	1	1	–	1	1	–	2	–	–	–	–	–	[illegible]
Pneumonia	12	–	14	5	31	19	6	16	7	48	19	1	12	3	35	4	–	6	3	13	[illegible]
Asthma	–	–	3	1	4	–	–	4	3	7	–	–	1	4	5	–	–	2	2	4	[illegible]
Dis. of Lungs, etc.	–	–	–	–	–	3	1	5	–	9	2	–	4	–	6	–	–	–	1	1	17[illegible]
VII. Teething	25	–	–	–	25	35	1	–	–	36	21	–	–	–	21	10	–	–	–	10	[illegible]
Quinsey	–	–	–	–	–	4	–	–	–	4	–	–	–	–	–	–	–	–	–	–	2[illegible]
Gastritis	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	[illegible]
Enteritis	12	2	2	2	18	9	–	1	1	11	8	–	2	1	11	–	–	–	1	1	33[illegible]
Peritonitis	–	1	2	–	3	–	3	7	1	11	2	1	7	–	10	–	–	–	1	1	7[illegible]
Ascites	–	–	1	1	2	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	[illegible]
Ulcer. of Intest.	–	–	–	2	2	–	–	1	–	1	2	–	–	–	2	–	–	–	1	1	4[illegible]
Hernia	–	–	1	–	1	1	–	2	–	3	1	–	–	–	1	–	–	–	–	–	4[illegible]
Ileus	–	–	–	1	1	1	–	2	–	3	–	–	1	–	1	–	–	–	1	1	[illegible]
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
Strict. of Intest.	–	–	1	1	2	1	–	1	–	2	–	–	–	–	–	–	–	1	1	2	2[illegible]
Dis. of Stomach	5	–	3	2	10	12	–	4	3	19	2	1	7	3	13	1	–	2	4	7	3[illegible]
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
Hepatitis	1	–	3	1	5	–	–	4	–	4	–	–	–	–	–	–	–	–	1	1	[illegible]
Jaundice	1	–	–	–	1	–	–	–	1	1	–	–	–	2	2	–	–	–	1	1	6[illegible]
Dis. of Liver	–	–	6	7	15	2	–	8	3	13	–	1	5	4	10	1	1	8	1	11	2[illegible]
Dis. of Spleen	–	–	–	–	–	–	–	2	–	2	1	–	–	–	1	–	–	–	–	–	[illegible]
VIII. Nephritis	–	1	–	–	1	–	–	–	1	1	1	–	1	–	2	–	–	–	1	1	[illegible]
Nephria	–	1	3	–	4	1	–	2	1	4	3	3	4	1	11	–	1	5	3	9	1[illegible]
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	[illegible]
Diabetes	–	–	–	–	–	–	–	1	1	2	–	–	1	–	1	–	–	–	1	1	[illegible]
Stone	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	1	[illegible]
Cystitis	–	1	2	1	4	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	[illegible]
Strict. of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
Dis. of Kidneys	–	–	2	1	3	–	–	5	4	9	1	1	3	4	9	–	–	1	3	4	1[illegible]
IX. Paramenia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
Ovarian Dropsy	–	–	2	1	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	[illegible]
Childbirth	–	–	7	–	7	–	–	5	–	5	–	–	8	–	8	–	–	–	–	–	1[illegible]
Dis. of Uterus	–	–	1	1	2	–	–	1	–	1	–	–	1	–	1	–	–	1	–	1	[illegible]
X. Arthritis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1[illegible]
Rheumatism	–	2	3	1	6	–	–	2	–	2	1	1	–	–	2	–	–	1	–	1	[illegible]
Dis. of Joints, etc.	1	–	1	–	2	2	4	1	–	7	–	–	–	–	–	–	2	1	–	3	[illegible]
XI. Carbuncle	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1
Phlegmon	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	4
Disease of Skin	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2[illegible]
XVII. Intemperance	–	–	–	1	1	–	–	1	2	3	–	–	–	–	–	–	–	2	–	2	[illegible]
Privation of Food	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Wt. Breast-milk	–	–	–	–	–	1	–	–	–	1	4	–	–	–	4	–	–	–	–	–	[illegible]
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cold	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Poison	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2[illegible]
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	1	–	4	2	–	–	–	2	5	–	–	–	5	1	1	1	1	4	6[illegible]
Hanging, etc.	–	–	2	–	2	–	–	–	–	–	–	1	2	–	3	–	–	1	1	2	2[illegible]
Suffocation	–	–	–	–	–	4	–	–	–	4	5	–	–	–	5	–	–	–	–	–	[illegible]
Drowning	–	1	5	–	6	–	1	8	1	10	–	1	6	–	7	1	–	2	2	5	12[illegible]
Fractures	–	3	5	3	11	3	4	16	4	27	2	3	12	3	20	1	1	2	–	4	34[illegible]
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	[illegible]
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	[illegible]
Other Vio. Causes	1	–	–	1	2	1	–	2	1	4	–	–	1	–	1	–	–	2	1	3	[illegible]
Not specified	28	1	2	–	31	75	13	12	1	101	3	2	–	–	5	2	–	2	–	4	49[illegible]

	MALE BIRTHS.												Total Male Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	795	727	852	893	821	891	817	777	766	772	699	777	9587
Edinburgh,	293	266	303	299	302	317	322	252	250	299	253	244	3400
Dundee,	197	183	203	193	225	225	186	187	178	183	170	181	2311
Aberdeen,	139	95	141	138	132	137	115	113	120	116	117	111	1464
Paisley,	71	76	80	77	93	82	69	82	74	73	64	63	904
Greenock,	97	96	93	106	114	120	112	94	94	99	105	108	1238
Leith,	82	83	71	75	74	83	69	70	71	83	70	75	906
Perth,	28	27	51	33	35	47	38	41	35	40	35	36	446
Total, 1868,	1702	1553	1794	1814	1796	1902	1728	1616	1588	1665	1513	1595	20266
Total, 1867,	1667	1494	1689	1866	1892	1691	1699	1578	1544	1698	1662	1619	20039
Total, 1866,	1692	1553	1737	1691	1796	1705	1696	1558	1522	1679	1533	1588	19750
Total, 1865,	1711	1544	1727	1682	1830	1790	1548	1550	1533	1614	1505	1524	19558
Total, 1864,	1611	1515	1614	1753	1678	1654	1475	1568	1460	1544	1491	1599	18962
Total, 1863,	1543	1396	1582	1690	1687	1679	1481	1458	1472	1523	1446	1604	18561
Total, 1862,	1561	1351	1585	1620	1688	1497	1471	1307	1329	1462	1298	1498	17667

	FEMALE BIRTHS.												Total Female Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	776	687	784	827	805	858	808	694	652	719	673	739	9022
Edinburgh,	280	221	270	266	298	315	274	263	244	268	261	289	3249
Dundee,	168	170	188	188	193	230	212	203	173	182	187	175	2269
Aberdeen,	104	105	146	108	107	109	106	114	125	105	117	132	1438
Paisley,	51	74	85	87	80	90	68	67	65	59	66	62	854
Greenock,	99	109	96	108	111	101	96	90	81	100	86	87	1164
Leith,	72	50	69	64	69	95	64	68	74	84	70	74	853
Perth,	35	34	36	44	38	36	27	28	43	27	29	21	398
Total, 1868,	1645	1450	1674	1692	1701	1834	1655	1527	1457	1544	1489	1579	19247
Total, 1867,	1636	1499	1554	1714	1707	1583	1704	1468	1466	1667	1488	1487	18973
Total, 1866,	1618	1475	1635	1638	1746	1641	1495	1484	1378	1630	1477	1585	18802
Total, 1865,	1628	1516	1596	1588	1712	1668	1542	1485	1399	1507	1416	1460	18517
Total, 1864,	1496	1478	1540	1644	1659	1610	1407	1499	1386	1415	1436	1540	18110
Total, 1863,	1397	1348	1423	1498	1607	1658	1444	1399	1336	1461	1338	1425	17334
Total, 1862,	1447	1329	1512	1531	1560	1425	1489	1223	1246	1383	1197	1434	16776

	BIRTHS—BOTH SEXES.												Total Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1571	1414	1636	1720	1626	1749	1625	1471	1418	1491	1372	1516	18609
Edinburgh,	573	487	573	565	600	632	596	515	494	567	514	533	6649
Dundee,	365	353	391	381	418	455	398	390	351	365	357	356	4580
Aberdeen,	303	200	287	246	239	246	221	227	245	221	234	243	2912
Paisley,	122	150	165	164	173	172	137	149	139	132	130	125	1758
Greenock,	196	205	189	214	225	221	208	184	175	199	191	195	2402
Leith,	154	133	140	139	143	178	133	138	145	167	140	149	1759
Perth,	63	61	87	77	73	83	65	69	78	67	64	57	844
Total, 1868,	3347	3003	3468	3506	3497	3736	3383	3143	3045	3209	3002	3174	39513
Total, 1867,	3303	2993	3243	3580	3599	3274	3403	3046	3010	3365	3150	3106	39012
Total, 1866,	3310	3028	3372	3329	3542	3346	3191	3042	2900	3309	3010	3173	38552
Total, 1865,	3339	3060	3323	3270	3542	3458	3090	3035	2932	3121	2921	2984	38075
Total, 1864,	3107	2993	3154	3397	3337	3264	2882	3067	2846	2959	2927	3139	37072
Total, 1863,	2940	2744	3005	3188	3294	3337	2925	2857	2808	2984	2784	3029	35895
Total, 1862,	3008	2680	3097	3151	3248	2922	2960	2530	2575	2845	2495	2932	34443

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow, ...	163	127	171	159	143	169	163	153	147	138	143	151	1827
Edinburgh, . . .	58	64	65	36	57	53	63	44	41	53	59	48	641
Dundee, ...	49	35	54	31	55	45	39	48	45	53	37	36	527
Aberdeen, . . .	39	29	36	28	27	40	29	27	31	27	30	20	363
Paisley, ...	11	13	15	8	22	14	13	11	16	7	12	9	151
Greenock, . . .	18	15	7	4	15	15	8	14	13	13	8	10	140
Leith, ...	11	14	7	9	5	8	8	7	10	12	9	8	108
Perth, ...	6	3	5	13	10	9	3	9	3	7	5	4	77
Total, 1868, . . .	355	300	360	288	334	353	326	313	306	310	303	286	3834
Total, 1867, . . .	308	316	337	344	317	293	378	307	303	338	304	299	3844
Total, 1866, . . .	369	319	343	324	318	349	353	346	274	336	296	340	3967
Total, 1865, . . .	332	282	311	314	340	359	311	308	268	278	297	294	3694
Total, 1864, . . .	325	291	264	283	342	322	271	346	289	316	302	289	3631
Total, 1863, . . .	272	283	270	283	291	343	280	302	275	303	309	335	3546
Total, 1862, . . .	294	278	297	328	289	281	305	248	274	273	242	315	3424

MARRIAGES IN THE EIGHT TOWNS—1868.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow, ...	511	223	231	228	144	473	530	253	253	257	396	315	3814
Edinburgh, . . .	190	81	109	112	75	337	153	132	124	118	175	173	1779
Dundee, ...	103	55	47	48	61	164	58	49	53	55	87	90	870
Aberdeen, . . .	66	47	45	47	34	85	47	59	50	47	67	98	692
Paisley, ...	57	29	28	20	9	56	40	41	18	25	42	30	395
Greenock, . . .	47	29	27	21	23	54	55	29	40	30	37	33	423
Leith, ...	50	18	27	21	16	66	46	38	21	30	32	46	411
Perth, ...	25	10	13	16	20	34	16	11	19	13	23	22	222
Total, 1868, . . .	1049	492	527	513	382	1269	943	612	578	575	859	807	8606
Total, 1867, . . .	1049	509	510	573	436	1219	1034	583	638	577	899	840	8867
Total, 1866, . . .	1168	599	501	641	462	1331	992	620	624	654	930	928	9450
Total, 1865, . . .	1197	570	462	473	498	1227	1094	649	603	656	945	946	9320
Total, 1864, . . .	1082	523	468	576	465	1172	983	711	559	615	846	884	8884
Total, 1863, . . .	995	492	506	544	407	1190	979	633	518	621	913	795	8593
Total, 1862, . . .	899	431	484	443	369	1070	902	551	535	513	730	767	7694
Total, 1861, . . .	834	417	441	523	397	1007	873	523	535	522	833	828	7733
Total, 1860, . . .	820	462	406	470	388	1006	876	556	499	566	768	843	7660
Total, 1859, . . .	811	413	426	400	369	1027	826	598	496	607	769	799	7541

	MALE DEATHS.												Total Male Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	610	532	622	623	554	537	601	610	490	585	626	645	7035
Edinburgh,	187	194	206	204	177	176	178	224	202	210	221	242	2421
Dundee,	102	132	126	123	136	102	134	109	87	99	112	151	1413
Aberdeen,	82	71	77	81	104	97	87	89	61	66	97	66	978
Paisley,	66	36	45	33	41	45	65	45	33	58	56	62	586
Greenock,	74	51	63	83	80	76	71	69	74	83	87	72	883
Leith,	36	41	55	49	42	45	54	42	31	39	29	44	507
Perth,	35	27	20	16	21	20	34	37	18	23	25	39	315
Total, 1868,	1192	1084	1215	1212	1155	1098	1224	1225	996	1163	1253	1321	14138
Total, 1867,	1351	1058	1209	1187	1226	1021	1072	909	990	993	1036	1182	13234
Total, 1866,	1261	1103	1301	1244	1248	1041	1095	982	905	1157	1170	1217	13724
Total, 1865,	1399	1388	1305	1110	1174	1068	1238	1084	956	1124	1307	1099	14252
Total, 1864,	1543	1373	1479	1222	1134	1135	1058	1147	984	1057	1122	1240	14494
Total, 1863,	1183	1072	1210	1163	1066	1101	1062	1087	1001	1039	1258	1362	13604
Total, 1862,	1292	1016	1158	1130	1043	953	880	791	870	895	1082	1182	12295

	FEMALE DEATHS.												Total Female Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	587	526	573	504	522	555	581	545	515	597	601	684	6790
Edinburgh,	226	192	229	166	159	172	164	192	217	204	217	221	2359
Dundee,	131	117	137	124	121	128	125	140	105	88	124	166	1506
Aberdeen,	96	86	93	81	92	99	82	88	68	68	98	98	1049
Paisley,	66	58	41	50	51	42	61	68	41	49	55	53	635
Greenock,	65	43	58	63	76	60	58	70	64	73	71	74	775
Leith,	26	35	37	28	43	52	39	51	36	38	31	52	468
Perth,	34	29	26	20	29	26	24	25	23	18	24	33	311
Total, 1868,	1231	1086	1194	1036	1093	1134	1134	1179	1069	1135	1221	1381	13893
Total, 1867,	1471	1140	1228	1160	1185	968	1082	946	911	976	1013	1197	13277
Total, 1866,	1267	1075	1323	1222	1270	1064	978	978	882	1140	1257	1268	13724
Total, 1865,	1413	1449	1288	1126	1137	1070	1182	1163	897	1109	1250	1163	14247
Total, 1864,	1608	1457	1436	1233	1099	1100	1049	1072	982	995	1132	1171	14334
Total, 1863,	1183	1114	1235	1010	1075	1104	1029	1070	964	1133	1192	1317	13426
Total, 1862,	1453	1084	1218	1109	1070	972	900	761	884	982	1020	1214	12670

	DEATHS—BOTH SEXES.												Total Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1197	1058	1195	1127	1076	1092	1182	1155	1005	1182	1227	1329	13825
Edinburgh,	413	386	435	370	336	348	342	416	419	414	438	463	4780
Dundee,	233	249	263	247	257	230	259	249	192	187	236	317	2919
Aberdeen,	178	157	170	162	196	196	169	177	129	134	195	164	2027
Paisley,	132	94	87	83	92	87	126	113	74	107	111	115	1221
Greenock,	139	94	121	146	156	136	129	139	138	156	158	146	1658
Leith,	62	76	92	77	85	97	93	93	67	77	60	96	975
Perth,	69	56	46	36	50	46	58	62	41	41	49	72	626
Total, 1868,	2423	2170	2409	2248	2248	2232	2358	2404	2065	2298	2474	2702	28031
Total, 1867,	2822	2198	2437	2347	2411	1989	2154	1855	1901	1969	2049	2379	26511
Total, 1866,	2528	2178	2624	2466	2518	2105	2073	1960	1787	2297	2427	2485	27448
Total, 1865,	2812	2837	2593	2236	2311	2138	2420	2247	1853	2233	2557	2262	28499
Total, 1864,	3151	2830	2915	2455	2233	2235	2107	2219	1966	2052	2254	2411	28828
Total, 1863,	2366	2186	2445	2173	2141	2205	2091	2157	1965	2172	2450	2679	27030
Total, 1862,	2745	2100	2376	2239	2113	1925	1780	1558	1754	1877	2102	2396	24965

ABSTRACT of the METEOROLOGY of the Eight Principal Towns of Scotland during the several Months of the Year 1868.

Mean height above the Sea-level, 124 feet. Mean North Latitude, 56°·12′. Mean West Longitude, 3°·30′.

1868.	BAROMETER.		SELF-REGISTERING THERMOMETER. Mean of the Six Towns.						HYGROMETER.		DEDUCTIONS from Glaisher's Tables, 2nd Edit.				RAIN.		WINDS.									
	Mean at 32° and Sea-level.	Monthly Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Mean Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cubic Foot of Air.	Humidity. Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Pressure on square foot.
	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		days.	inch.									lbs.
JANUARY, . . .	29·763	1·954	53·8	23·9	38·9	40·0	9·5	19·2	38·6	37·1	35·0	·204	2·36	88	18	6·73	3	2	5	1	3	6	7	2	2	2·05
FEBRUARY, . .	29·841	1·906	55·9	30·0	42·9	25·9	9·2	17·2	42·3	40·0	37·3	·223	2·59	83	21	4·53	1	0	0	1	3	10	11	3	0	3·57
MARCH, . . .	29·780	1·799	58·6	29·2	44·2	29·4	11·7	21·8	43·4	41·1	38·3	·234	2·71	82	18	3·98	2	0	0	0	4	8	12	3	2	2·00
APRIL, . . .	29·872	1·583	62·2	31·1	46·8	31·1	12·4	21·6	46·4	43·5	40·3	·251	2·89	80	17	3·25	2	2	4	0	4	6	6	2	4	1·84
MAY, ...	29·897	1·092	69·7	32·3	52·6	37·4	14·7	24·6	52·2	48·7	45·3	·303	3·44	78	15	2·27	1	1	3	2	6	8	7	1	2	1·41
JUNE, ...	30·060	0·849	75·7	40·8	56·8	34·9	15·8	29·0	55·8	51·9	48·1	·339	3·77	75	11	1·00	0	1	2	2	3	6	12	2	2	1·50
JULY, ...	30·062	1·037	83·3	46·3	61·0	37·0	17·2	29·6	60·2	56·6	53·1	·408	4·57	78	8	0·54	2	1	7	2	3	4	9	2	1	0·84
AUGUST, . . .	29·827	0·973	83·7	46·7	59·8	37·0	13·2	26·3	59·0	55·7	52·8	·400	4·46	80	16	5·33	1	1	5	2	3	5	9	2	3	1·42
SEPTEMBER, . .	29·926	1·503	77·7	38·3	54·1	39·3	12·6	24·8	53·5	51·1	48·9	345	3·89	84	15	3·26	3	4	8	2	2	2	4	3	2	1·48
OCTOBER, . . .	29·805	0·971	59·8	30·2	45·6	29·6	12·0	18·9	45·0	43·0	40·7	·255	2·93	85	16	3·57	1	0	2	1	3	8	12	3	1	1·60
NOVEMBER, . .	29·983	1·782	58·9	25·7	39·6	33·2	9·0	17·3	39·2	37·5	35·2	·206	2·38	86	14	2·80	3	3	5	3	2	3	5	4	2	1·40
DECEMBER, . .	29·843	1·754	55·3	26·6	41·1	28·7	8·5	20·2	41·2	39·9	38·1	·230	2·66	89	19	6·59	2	2	4	3	6	6	5	2	1	1·87
YEAR, .	29·846	1·433	83·7	23·9	48·6	33·6	12·1	29·6	48·1	45·5	42·8	·283	3·22	82	188	43·85	21	17	45	19	42	72	99	29	22	1·75

The absolute highest temperature, viz. 87°·7, was noted at Edinburgh in August; and the absolute lowest, viz. 18°·0, at Perth in January.

Note.—The figures under each month are the mean results from the eight Stations, as published in the Monthly Returns.

APPENDIX.

EXTRACTS FROM THE REGISTRARS' NOTES RELATIVE TO THE WORKING OF THE VACCINATION ACT.

I. NORTHERN DIVISION.

1. Shetland.

3. (2.) Sandwick and Cunningsburgh.—Of the 62 children born in 1867, there are six, the parents of whom have not yet sent in certificates of vaccination, notwithstanding the frequent notices that have been sent. The district is wide, and far from where the vaccinator resides, and consequently much trouble is given to the Registrar, the remuneration for which is very small.

4. (1.) Fetlar.—Parents generally complain on account of having to go to a distant island to get their children vaccinated. It is only during the summer months that this can be done with safety, and at that season nearly all the males who have arrived at manhood are either absent, or engaged at the deep-sea fishing. Women alone cannot manage boats (that being the only means of communication), to cross such broad sounds as intervene. These sounds are at all times dangerous from the strength of the tidal currents, and the difficulties and dangers are greatly enhanced on account of the numerous cross settings of these currents. This complicated and protracted travelling often proves prejudicial to the health of nurses, as well as of children. Besides, it involves a good deal of expense on the parents, who are in many instances very poor. The present rate of fees for the Registrar's remuneration in connection with vaccination is quite inadequate for the amount of trouble in discharging this part of his duties.

7. (3.) Whalsay and Skerries.—The requirements of the Vaccination Act have, as far as possible, been pointedly attended to. The people are more willing to comply now than they were at the commencement of the Act.

12. (3.) Papa-Stour.—The Vaccination Act, with its cumbrous machinery, does not work well in a remote district like Papa-Stour. The regular vaccinator resides about 40 miles distant, hence his visits are few and far between. Some parties who paid him for vaccinating their children several months ago have not yet obtained their certificates, consequently the vaccination, though successful, cannot be recorded; others, unable to pay, could not have certificates. Two things are necessary to make the Act work well here:—First, That the vaccinator reside in the parish, and visit us twice in the year. Second, That the Parochial Board assess the parish for the money necessary, and pay the vaccinator in the same way as the Registrars are paid, when vaccination would go on without murmur or delay.

2. Orkney.

15. Eday and Pharay.—My opinion is most decided, that in island districts, without a resident qualified doctor, some other competent person residing in the place should be empowered to vaccinate in such place.

17. Firth and Stennis.—The Vaccination Act works smoothly in this parish, but causes the Registrar considerable labour. The remuneration falls far short of the amount of labour.

27. Sandwick.—The vaccination of this parish was probably as complete as that of any parish in Britain before the passing of the Vaccination Act. The clergyman, who is a L.R.C.S.E., invited all to come and have their children vaccinated gratis, yet a few cases were discovered where parents neglected their duty. However, there has been no case of small-pox amongst natives of this parish, either at home or abroad, since 1826, when this system was begun. The formalities of the present Act are found troublesome to the vaccinator, and it would work more pleasantly if the fees were paid by the Parochial Board, as many think was intended by the Act.

29. South Ronaldshay.—The people seem willing to vaccinate their children, and Dr. Gordon, our vaccinator, is most successful in the operation, as he always keeps matter for the purpose, which is good and fresh.

30. Stromness.—The work is easily executed when all parties do their part at the proper time. I have not had a single case of postponement.

4. Sutherland.

45. Clyne.—The Vaccination Act works most successfully here.

46. (1.) Bonar.—The people in general are now beginning to be a little more punctual in getting their children vaccinated at the proper time. Still, however, there is yet too great a tendency with many of them to prolong it till the end of the sixth month.

47. Dornoch.—Vaccination well attended to, though there is no resident doctor in the district. The miserable remuneration allowed to the Registrar is the only complaint I have to make against the Act.

II.—NORTH-WESTERN DIVISION.

5. Ross and Cromarty.

Mainland.

63. Edderton.—There are no outstanding cases.

66. (1.) Northern District of Gairloch.—The residence of the vaccinator for the district being from 12 to 18 miles distant, he visits the district only three or four times in a year, according to circumstances, which accounts for the 10 marked in column 7 of the Return.

75. (1.) Lochbroom.—Vaccination matters are being better attended to now than formerly. Much depends upon the medical gentlemen; when they are agreeable and obliging, vaccination is generally punctually performed, and we have now the good fortune to have such an officer.

75. (2.) Coigach.—The Act works pretty well here now, considering the various difficulties with which poor parents and all concerned have to contend in carrying out the statutory provisions in such an outlying district as this. Upon central and convenient stations, and stated periods of attendance being fixed, I have no hesitation in saying that the people could be brought to do their duty readily and punctually, notwithstanding their slowness to believe the benefits of the Act, and their reluctance to pay the vaccinator's fee of 2s. 6d.

Insular.

88. Stornoway.—Vaccinators are most attentive to their duties, and parents and guardians, in general, are giving greater attention to the requirements of the Act than in former years.

6. Inverness.

Mainland.

92. (2.) Fort-Augustus or Abertarff.—Generally speaking, the Act works very fairly.

100. Kilmorack.—The vaccination of the children, on the whole, is well attended to.

104. Laggan.—All the children born in this parish since the Act came into operation have been successfully vaccinated, excepting those who died before vaccination.

Insular.

118. (1.) Benbecula.—No certificates have been received as yet for 3 of the 42 registered in 1867, but the people are paying more attention to the Act than they have done in former years.

III.—NORTH-EASTERN DIVISION.

7. Nairn.

121. Auldearn.—The schedules have, with one or two exceptions, been transmitted to me in due time.

122. Cawdor.—The registration of vaccination causes more trouble than that of the births, in a great many cases.

8. Elgin (or Moray).

134. Edinkillie.—Vaccination is very regularly attended to. There have been no prosecutions under the Act since it came into operation.

139. Knockando.—Parents complain loudly of the inconvenience they are subjected to, and the distance they have often to travel to get their children vaccinated, through the want of a resident medical practitioner, and it is not without considerable difficulty that we are able to present a clean bill of vaccinations at the year's end.

9. Banff.

148. Botriphnie.—I consider that the Act works well; at least I have no great trouble in this landward parish.

151. Deskford.—The two cases in column 7 are cases of removal; no traces of the parents can be got.

157. (1.) Inveravon.—No circumstance worthy of record, save and except the palpable fact, that the Registrar is most inadequately remunerated for the duties he performs in connection with the Vaccination Act.

160. (1.) Kirkmichael.—The operation of this Act still continues to be productive of endless trouble to the Registrar, for which his remuneration still continues to be as nearly as possible nothing.

160. (2.) Tomintoul.—The remarks of last year are still applicable. A great many require notices at the expiration of six months.

165. Rothiemay.—No case of small-pox has occurred during the past four years,—a circumstance unparalleled in the recollection of the Registrar during the prior forty years. The Registrar has noticed, with the greatest satisfaction, the uniform care and fidelity with which the appointed vaccinator has discharged his duties.

10. Aberdeen.

182. Coull—The Act has worked well. The whole of the children have been vaccinated. The one returned under column 5 was vaccinated by an unprofessional person. The parents lived at a distance from any doctor, but had taken the child twice to a doctor without the virus taking effect. Being unwilling to take out the child again, the operation was performed by some one near them.

183. Crathie and Braemar.—The Act has wrought very well. No postponements, and no defaulters.

186. Culsamond.—The Vaccination Act has of late become more troublesome than the Registration.

204. Inverurie.—The certificates, with one or two exceptions, have been lodged in time. The only difficulty arises in the case of vagrants, hawkers, etc., and of children dying in other parishes, no intimation being sent of the death.

210. King-Edward.—In general the statute operates well, with the exception of the time given for vaccination and the terms of section 17.

222. (*a.*) Midmar.—Vaccination is carefully attended to. The only drawback which seems to exist is, that the vaccinator takes the operation in hand, but fails to attend until the six months are ended, and the Registrar's notice requires to be sent to the parents.

230. Oyne.—Vaccination generally well attended to; a few require the statutory notice sent to remind them.

233. Pitsligo.—I do not find that the Act works well. I rarely get a vaccination certificate of any sort, without sending notice to the parents; and when this is done, in a great number of cases it is Schedule B that is returned—often twice. I am unable to assign any reason for this, as the parish is always in a very healthy condition. Since the 1st January 1867, I have recorded 46 postponed vaccinations, 24 being for the year 1867, and 22 for 1868. The number of entries of births in these years were respectively 75 and 81. I am convinced that, if the time allowed for having the vaccination performed

were reduced to *three* months, the evil I complain of would be lessened.

241. Strichen.—The Act is found to work very well, the only difficulty experienced being in the case of itinerants.

243. Tarves.—The Act works very well. Of the 87 births for 1867, five died before vaccination; the remaining 82 were all successfully vaccinated. There were only two cases of postponement, and these were both for the first time only.

11. Kincardine.

257. Fettercairn.—The Act works pretty well; but as neither vaccinators, nor registrars, and especially the latter, are half paid for such responsible duties, it is unreasonable to expect from them anything beyond the barest possible compliance with its provisions.

IV.—EAST MIDLAND DIVISION.

12. Forfar.

274. Barry.—The operation of the Act has been beneficial to the public health.

282. (1.) First District of Dundee.—Considering the large extent of the district, and the character of a portion of the population, the Registrar is of opinion that the provisions of the Act have been particulary well fulfilled. The children not accounted for belong entirely to the lower classes.

294. Kettins.—One of the two who left the parish went to London. The other died a few days after leaving the parish.

296. Kinnell.—Vaccination carefully attended to.

310. Monifieth.—Sixteen died previous to vaccination. All the rest have been successfully vaccinated.

319. St. Vigeans.—The Act continues to work satisfactorily and successfully.

13. Perth.

376. Logierait.—The Act may be said to work well. The only case not attended to for 1867 was the child of a hawker, who did not belong to the parish.

384. Moulin.—The provisions of the Act were most successfully carried out in 1867.

387. Perth.—The number in col. 7 is greater than in last return, the Registrar having been unable as yet to trace them.

389. Rattray.—Under the column "Died before Vaccination," the proportion is high, namely, one in every 12 of the births registered. In 1866 it was one in 21, in 1865 one in 12, and in 1864 one in 30, thus showing a high rate of mortality among children every alternate year. The two "removed from the parish" are children of hawkers, who travel about the country.

390. Redgorton.—Not many parishes, in my opinion, can furnish so complete a return,—every subject of entry successfully vaccinated.

394. (*b.*) Strathfillan.—The parents are now desirous to get their children vaccinated within the time specified.

14. Fife.

414. Carnock.—The stoppage of the Forth Iron Co.'s works in the parish caused an emigration of the inhabitants, hence the comparatively large number in col. 7.

426. Dysart.—Of the 307 children whose births were registered in 1867, 282 were successfully vaccinated, as per certificates. The remaining 25 died before vaccination. No defaulters.

442. Kirkcaldy.—The Act is now working satisfactorily.

Kinross.

461. Fossoway.—The Act is very well attended to. There is still one postponement for 1866, not, of course, included in the present return. The cause, I believe, is some eruption on the head.

V.—WEST MIDLAND DIVISION.

17. Stirling.

479. Falkirk.—The Vaccination Act has worked very successfully. But the remuneration should be double, either by the addition of 3d. to the statutory allowance, or by an equivalent from the Parochial Board or Town Council. The general feeling of Registrars is that expressed above.

490. Stirling.—The Act is still working well.

19. Argyll.

504. Ardchattan.—Although sometimes late in being performed, vaccination is well attended to here. As yet it has been omitted by none, and parents who have left the parish have returned certificates of successful vaccination.

505. (1.) Aharacle.—Vaccination well attended to in this district.

505. (2.) Arisaig.—The Act is much better attended to now than it has been, but in a great many instances notices have still to be sent, in some cases more than once, and for all this extra trouble the Registrar has absolutely nothing.

505. (3.) Strontian.—The Act has wrought very well. No special circumstance to mention.

513. Inveraray.—The requirements of the Act better attended to than at first.

516. (2.) Kilberry.—It is not without trouble, both on the part of the people and also on that of the vaccinator, that the vaccination is accomplished; much of the trouble, however, arises from the parties being at a distance from where the vaccinator resides.

535. Tarbert.—The Act is working very well, only the Registrar must send notices to some defaulters before the certified schedules are returned.

Insular.

551. (1.) Tyree.—The Act was never rigidly enforced in this district, and consequently the people by degrees became more careless, so that now the defaulter's notice is no longer any terror to them; 27 of these were issued within the last six months, and only four returned any certificate within the 10 days. I say it is most provoking to be compelled to do all this gratuitously, and as the Parochial Board is not inclined to enforce the 25th section of the Act, I will not finger a penny for my trouble. I am afraid that the list I supplied the board with last October has either been ordered "to lie on the table," or "to be read that day six months," as I did not hear any more about it. Matters are come to such a pass, that only one certificate of any kind was returned to me for over the last three months, and unless something is done, the Act will, to all intents, become a dead letter here. An Amendment Act is loudly called for. Vac-

cination being as much for the public as for individual good, vaccinators ought to be paid out of a public rate, and defaulters ought to be proceeded against on the complaint of the Registrar.

551. (2.) COLL.—The Registrar has sometimes great difficulty in getting in the schedules within the statutory period, chiefly owing to the vaccinator residing in the island of Tyree, between which and this parish there is a very dangerous ferry, which is for many weeks (especially in winter) impassable.

20. BUTE.

552. CUMBRAES.—The Act has been very well complied with here. The Registrar has had in a good many cases to send notices, but all were promptly forward when they saw the penalty of £1, 1s. looming in the distance.

554. KILMORY.—The high fee charged for vaccination seems to be the only impediment in the way of having it expeditiously and cheerfully attended to.

VI. SOUTH-WESTERN DIVISION.

21. RENFREW.

565. HOUSTON AND KILLELLAN.—There has been very great difficulty this year in procuring the certificates, in consequence of the shifting of the population engaged in railway making.

572. (2) NEILSTON (BARRHEAD).—Vaccination is well attended to in this district.

22. AYR.

586. DALMELLINGTON.—The miners frequently remove to other places, and leave no address, consequently many of my notices are returned through the Dead Letter Office. With this exception, I find no difficulty in the working of the Act.

597. KILMARNOCK.—The Vaccination Act still works well, as only seven out of 597 births in 1867 remain unaccounted for; but it requires much attention on the part of the Registrar.

613. SORN.—During the year 1867, penalty notices sent to defaulters still amount to 18½ per cent.

616. STEWARTON.—Notices have still to be issued to a considerable number of delinquents. From carelessness, some of these put off till warned, and others from inability or aversion to pay the vaccination fee. The dates of the certificates show, that in several cases it has been detained by the medical practitioner in consequence of the fee not being paid. Still, with the exception of the class who require notices, and sometimes what may be called dunning, the Act works very well. Registrars wish, if possible, to avoid prosecution of delinquents.

23. LANARK.

622. (3.) SHETTLESTON (BARONY).—The Vaccination Act continues to work very well, but I think the time allowed for vaccination too long for a district such as this. Miners never stay long in one place, and it is very difficult to trace them to obtain the schedule. I find a great many depend upon receiving a letter reminding them, and are sure to produce a schedule within 10 days and save the 1s., or if the time has expired, send it by post, without enclosing the fee, or even a stamp on the envelope.

626. (*a.*) (2.) CADDER (EASTERN DISTRICT).—Considering the migratory nature of the population, the Vaccination Act has wrought remarkably well.

626. (*b.*) CALDERHEAD.—From the migratory habits of the mining population, it is very difficult to get the vaccination certificates within the statutory time. In consequence of this, considerable trouble and expense are frequently incurred. It would be very desirable either to have the vaccination performed within a shorter period after the birth, or a more summary method of procedure with the defaulters. The remuneration to the Registrar is far too inadequate for the duties imposed upon him. The Vaccination Schedule II. has to be filled up, verbal instructions given to the informant of the birth, many "notices of failure" filled up and transmitted, and the return entered into the books, and the whole for 3d.

644. (3.) GLASGOW (BRIDGETON).—In this district vaccination has been very well attended to; the fact that only 62 out of the 2170 children born here removed from the district, and cannot be accounted for, being a sufficint proof of this. If it were imperative upon Registrars to send notice of the death of a child which had not been vaccinated, and was born in another district, to the Registrar of the district of its birth, I believe that the number of those unaccounted for would be far less. This is the practice of the Glasgow Registrars, and it works well. But when a child is removed from the city, and dies before vaccination, we hear nothing of the event. Hence the return is defective with respect to the number that die before vaccination. There have been no deaths from small-pox during the year, and I have heard of very few cases of the disease in this district. The medical practitioners here have been most anxious to secure vaccination to all children, and I believe many of them vaccinate without being paid.

651. (1.) AIRDRIE (NEW MONKLAND).—For some time after the introduction of the Act, many of the miners expressed their dissatisfaction at being put to the trouble and expense of vaccinating their children. This feeling has entirely disappeared, and the Act works most favourably.

652. (3). EASTERN DISTRICT (OLD MONKLAND).—The number of infantile deaths previous to vaccination (27) is greatly in excess of former years. There are no postponements, and the eight removals are principally to be attributed to the dulness of the iron trade.

656. STONEHOUSE.—Vaccination is well attended to.

VII.—SOUTH-EASTERN DIVISION.

25. EDINBURGH.

685. (1.) EDINBURGH (ST. GEORGE).—The Vaccination Act continues to work well, with one or two exceptions, chiefly in regard to postponed certificates. A certificate of insusceptibility has frequently been sent me (without any qualifying clause) and in a short time afterwards one of successful vaccination, showing that the medical practitioners understood them to mean temporarily insusceptible. The time to which they can be postponed is also frequently misunderstood. I often get them postponing it for three months, and one received lately postponed it for six months. If the certificates were worded, "I do hereby postpone the vaccination for a period not exceeding two months from the date of this certificate," the difficulty would be avoided. I have some trouble in getting these certificates renewed, and have to write the parents in almost every case at the expiry of the two months.

Delay is frequently caused by the medical man, after having successfully vaccinated the child, detaining the certificate as a means of compelling the payment of his account.

701. West Calder.—The one case of "vaccination postponed" has been postponed five times.

26. Haddington.

704. Bolton.—The Vaccination Act gives not the slightest trouble in this parish.

710. Humbie.—Vaccination well attended to, both by parents and vaccinator.

27. Berwick.

727. Ayton.—The Registrar is much satisfied with the working of the Act in this district, as he has never experienced the slightest difficulty in getting the statute complied with.

730. Chirnside.—The Vaccination Act continues to work well.

732. Coldingham.—Of the 109 children born, 103 were successfully vaccinated, and six died before vaccination. In nine cases I had to issue notices to parties who had failed to give in their schedules within the statutory period of six months. In every case, however, the schedule was produced within 10 days of the despatch of such notice. The parents seem to trust the matter very much to the medical man, and it would appear that it is to forgetfulness on his part that the schedules are not duly received. Generally the Act works well.

739. Eyemouth.—During the year, 30 notices pursuant to section 17 were sent to parents, being the greatest number for any year since the Act came into operation. The remuneration of the Registrar is too small.

740. Fogo.—The Vaccination Act has worked very well. Every year the schedules are coming in more regularly, the Registrar having very seldom occasion to issue statutory notices to defaulters.

28. Peebles.

762. Innerleithen.—The present sytem of requiring postponements to be renewed every two months is very troublesome, and seems to need alteration. Of 6 outstanding postponements, one of them is entered as a third, 4 as sixth, and one as a twelfth postponement. Medical practitioners should have power to grant certificates, either postponing the vaccination for a much longer period, or relieving parents of further obligation.*

771. Traquair.—The vaccination certificates have been very well attended to.

VIII.—SOUTHERN DIVISION.

30. Roxburgh.

783. Bowden.—The Act continues to work well, and the certificates in almost every case are forwarded to the Registrar within the prescribed time.

811. Yetholm.—A medical man being located in the parish, the Act is well attended to, and the schedules come in within the specified time.

31. Dumfries.

822. Dunscore.—The operation of the Vaccination Act is now better understood, and no difficulty has occurred in practically carrying out its provisions.

844. Mouswald. — Vaccination is carefully attended to, though the poor complain of the fees charged by the medical men.

32. Kirkcudbright.

860. Carsphairn.—There has been only one case of a defaulter since the Vaccination Act came into operation.

862. Corsock Bridge.—The Vaccination Act works well. No defaulters.

863. Crossmichael.—Vaccination has been exceedingly well attended to; but great complaints are made for having to carry infants twice to the vaccinator before the necessary certificate is obtained. And the payment of the very moderate fee is often very severely felt.

871. Kirkcudbright. — Parents, in many cases, are still dilatory in sending in the vaccination certificates, thus requiring notices sent them.

33. Wigtown.

887. Kirkcolm.—Vaccination goes on very smoothly in this parish, owing, in a great measure, to the Parochial Board paying the public vaccinator £10 of salary per annum. The medical officer, therefore, vaccinates the children of the working classes gratuitously.

---

* By section 10 of Act, the medical practitioner may give a certificate that the child is unsusceptible of the vaccine disease after three successive vaccinations have failed.

TWELFTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB
FOR HER MAJESTY'S STATIONERY OFFICE.

1869.

41221

REPORT.

TO THE

RIGHT HON$^{BLE.}$ H. AUSTEN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *April* 30, 1869.

SIR,

AT thec lose of the year 1866, I submitted to the Secretary of State for the Home Department a general abstract of the births, deaths, and marriages registered in Scotland during that year, together with a short explanatory statement relative to the same, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

Along with that was transmitted my Second Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to forward to you my Detailed Report for the same year, with relative tables; and this completes the series of facts relative to the vital statistics of Scotland for the year 1866, including all those which could not be included in my shorter Report above referred to.

Being desirous of aiding, as far as possible, those important sanitary inquiries which are being made with reference to the

towns and populous districts, I have included in the tables appended to this Report a decennial summary of the number of deaths in every registration district in Scotland, and the annual proportion of deaths to the mean population.

As a guide also to the medical practitioner and the invalid, I have appended tables of the monthly meteorology during the ten years 1855–1864, and the monthly deaths during that period, from which it will be seen that the months most fatal to the population are those of February, March, and January, while those of least mortality are September, August, and October.

I have also given some additional facts relative to surnames in Scotland, which will be read with interest by those who take pleasure in such inquiries.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

Page

Report of Registrar-General to the Secretary of State, ... iii
Report by Dr Stark to the Registrar-General, ... ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the twelve years 1855 to 1866 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, . . ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the twelve years 1855 to 1866, ... x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1866, ... xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1866, . . . xii

BIRTHS.

Births in 1866, and their Proportion to the Population in 1866, with relative Tables, . x
Tables showing particulars relative to the Births during each of the twelve years 1855 to 1866, ... xi–xii

MARRIAGES.

Number of Marriages in 1866, and their Proportion to the Population, . . . xiii
Relative fertility of Scottish and English Females, ... xiv
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations in 1866, and from 1855 to 1866, with relative Tables, . xv
Number and Proportion of Persons marrying at different ages, with relative Tables, . xvi
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, ... xix
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, . xx

DEATHS.

Number of Deaths in Scotland in 1866, and their Proportion to the Population, . . xxi
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the twelve years 1855 to 1866, ... xxi
Death-rates in each of the Eight Principal Towns during each of the years 1856–1866, . xxii
Tables of Deaths at different ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during 1866, ... xxiv
Causes of Death in 1866, with relative Tables, ... xxx

Page

Small-pox Deaths for twelve years, and particulars relative to Vaccination in Scotland for years 1864, 1865, and 1866, with relative Tables, ... xxxiv
Different forms of Fever prevalent in Scotland, ... xxxv
The Eighteen most fatal Diseases in Scotland and England in 1866, . . . xxxviii

Influence of External Agencies in 1866.

Table showing the Meteorology of Scotland during each month of the year 1866, together with the Monthly and Daily number of Births, Deaths, and Marriages, . . xl
Table showing the Number of Deaths Weekly in the Eight Principal Towns of Scotland, together with the Highest, Lowest, and Mean Temperatures, and the Fall of Rain during every Week of the year 1866, ... xli
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the year 1866, . . xli
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the twelve years 1855–1866, showing that high price of provisions has no apparent effect on the Death-rate in Scotland, ... xlii

Influence of Season on the Deaths in Scotland during the Ten Years 1855–1864.

Summary Table of Temperature during each month of the ten years 1855–1864, . . xlii
Summary Table of Winds during each month of the ten years 1855–1864, . . . xlii
Summary Tables of Monthly Deaths in Scotland, its Insular, Mainland-Rural, and Town Districts, also in its Eight Divisions, during the ten years 1855-64, . . . xliii
Tables of Proportional Monthly Mortality, during the ten years 1855–1864, in Scotland, its Insular, Mainland-Rural, and Town Districts, also in its Eight Divisions, . . xliv

Mortality of each Registration District in Scotland during the ten years 1856–1865, . xlvii

Nomenclature in Scotland.

The Hundred and Fifty most common Surnames in Scotland, and the Counties in which they predominate, with relative Tables, ... xlvii

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1866, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1866, also of the Illegitimate Births, in every Registration District, 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1866, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

Marriages

Table of the Marriages in Scotland and its Counties in 1866; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1866; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1866, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1866, . 28

Page

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1866, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1866, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . 168–171
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 172–175
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 176–179
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 180–183
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1866, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1866, ... 184

Page

APPENDIX TABLES.

Meteorology of Scotland during each Month of the Ten Years 1855–64, . . . 186
Monthly Mortality in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the Ten Years 1855–64, ... 187
Monthly Mortality in the Eight Divisions of Scotland during the Ten Years 1855-64, . 188–189
Mortality of each District in Scotland during the Ten Years 1855–64, with Per-centage to the Mean Population, ... 190–199

Constitution of the Compound Districts, ... 200
Index to Districts, ... 201

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

Sir,

The year 1866, to which this Report refers, was one of commercial and manufacturing prosperity, but Rinderpest among the cattle raised the price of butcher meat far above its average, and by reacting on the other articles of food, caused the price of all the ordinary kinds of provisions to be considerably higher than during the previous year. The supply, however, of all kinds of provisions, excepting that of butcher meat, was abundant, and good in quality. No want was experienced among the labouring population, for the demand for labour was great and wages were high; and the best proof of this was seen in the fact, that marriages con-

---

Table I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855 to 1866, and their Proportion to the Population. Also the Illegitimate Births, and the Excess of Births over Deaths.

Year.	Estimated Population.	Births.		Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·395	1·953	0·692
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,376	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	11,197	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	11,262	70,891	23,611	42,179	3·605	2·260	0·753
1866	3,153,413	113,667	11,673	71,348	23,688	42,319	3·604	2·263	0·751

tinued to be contracted at the same high rate as during the three previous years—a rate much above the Scottish average. The continuance of the high rate of marriage for a period of four years caused the proportion of

TABLE II.—POPULATION of SCOTLAND and its THREE GROUPS of DISTRICTS in 1851 and 1861; also the Population estimated to the middle of the Year 1866.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1866.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	71,650	86,064	157,714
Mainland-Rural . }	829,259	883,293	1,712,552	849,381	913,996	1,763,377	860,067	930,307	1,790,374
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	557,175	648,150	1,205,325
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,488,892	1,664,521	3,153,413

TABLE III.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Years 1855–66.

YEARS.	TOTAL BIRTHS.			ILLEGITIMATE BIRTHS.			DEATHS.			MARRIAGES.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	3733	53347	36269	162	4589	2606	2693	30893	28418	724	10060	8896
1856	4320	56705	40796	240	5375	3082	2166	28825	27538	841	10428	9471
1857	4460	57568	41687	227	5542	3090	2306	30390	29210	954	10960	9445
1858	4582	57607	41829	247	5574	3533	2377	31564	29598	884	10083	8688
1859	4627	59366	42550	269	5874	3572	2633	30959	28122	910	10825	9466
1860	4588	58883	42158	247	5875	3614	2714	33358	32098	811	10747	9667
1861	4499	58191	44319	227	5646	4056	2562	30814	28965	919	10288	9689
1862	4458	58557	44054	219	5836	4321	2975	32694	31526	851	10185	9561
1863	4323	59235	45783	212	6277	4459	2934	34722	33825	784	10820	10630
1864	4340	60672	47321	233	6433	4531	2720	35719	35977	775	10819	11131
1865	5046	59321	48703	337	6303	4622	2488	32992	35411	776	11184	14651
1866	4253	60420	48994	264	6543	4866	2661	31315	34372	815	11127	11746

TABLE IV.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855–1866; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2·275	3·078	3·403	4·3	8·6	7·1	1·644	1·784	2·675	0·441	0·580	0·834
1856	2·643	3·204	3·783	5·5	9·4	7·5	1·293	1·659	2·561	0·514	0·599	0·869
1857	2·738	3·301	3·794	5·6	9·6	7·4	1·414	1·744	2·685	0·585	0·628	0·866
1858	2·882	3·299	3·790	5·4	9·6	8·4	1·463	1·806	2·690	0·544	0·576	0·787
1859	2·860	3·384	3·812	5·8	9·9	8·4	1·626	1·766	2·527	0·562	0·617	0·848
1860	2·846	3·346	3·735	5·3	9·9	8·5	1·682	1·897	2·851	0·503	0 610	0·856
1861	2·801	3 297	3·883	5·0	9·7	9·1	1·595	1·746	2·537	0·572	0·582	0·848
1862	2·786	3·308	3·814	4·9	9·9	9·8	1·859	1·847	2·730	0·531	0·575	0·827
1863	2·711	3·338	3·921	4·9	10·6	9·7	1·840	1·956	2·897	0·491	0·609	0·910
1864	2·732	3·408	4·010	5·3	10·6	9·6	1·712	2·006	3·048	0·488	0·607	0·943
1865	3·187	3·323	4·083	6·6	10·6	9·4	1·571	1·848	2·969	0·490	0·626	0 976
1866	2·696	3·375	4·064	6·2	10·8	9·9	1·687	1·916	2·851	0·516	0·621	0·974

births to be considerably above the mean, and equal to that of the two previous years.

The death-rate, however, continued high; and though it is difficult to trace the connection between the existence of malignant plague in our cattle, and that of special epidemics among the human race, or to show that both are dependent on atmospheric causes, yet it deserves notice, that while our cattle were decimated with that plague of Rinderpest, epidemic Cholera and Fever prevailed among the inhabitants of Scotland.

BIRTHS.

113,667 Births were registered in Scotland during the year 1866, being at the high rate of 360 births in every ten thousand persons, or 3·60 per cent. Of these, 4253 were registered in the Insular, 60420 in the Mainland-Rural, and 48994 in the Town Districts,—indicating a proportion of 269 births in every ten thousand persons in the Insular, 337 births in the Mainland-Rural, and 406 births in the Town Districts.

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1866, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

	Estimated Population 1866.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	430,363	18288	4·249	1873	10·2	12829	2·981	4325	1·005
Edinburgh .	175,059	6246	3·567	644	10·3	4813	2·749	1782	1·017
Dundee . .	97,770	4489	4·591	565	12·6	3130	3·201	1150	1·176
Aberdeen .	74,908	2857	3·814	403	14·1	2324	3·102	690	0·921
Paisley . .	47,427	1717	3·620	165	9·6	1345	2·836	404	0·851
Greenock .	47,280	2434	5·148	130	5·3	1488	3·146	473	1·000
Leith . .	38,029	1547	4·067	113	7·3	924	2·429	399	1·049
Perth . .	26,839	860	3·204	84	9·8	613	2·246	244	0·909

TABLE VI.—BIRTHS in SCOTLAND, 1855–1866; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births, and the Proportion of Mothers who bare Twins or Triplets.

Years.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110 0	77
1860	54409	51220	49370	46223	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103 7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105 8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81

Of the 113,667 children whose births were registered during the year, 58360 were boys and 55307 girls,—indicating a proportion of 105·5 boys to every 100 girls at birth.

During the year, 1366 twin births occurred and 12 triplet births,—indicating that one mother in every 82 bare twins, and one in every 9356 mothers bare triplets.

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1866, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

	DIVISIONS AND COUNTIES.	Population estimated to the middle of the Year 1866.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per-cent.	No.	Per cent.	No.	Per-cent.	No.	Per-cent.
	SCOTLAND . . .	3,153,413	113667	3·604	11673	10·2	71348	2·263	23688	0·751
	Insular Districts . .	157,714	4253	2·696	264	6·2	2661	1·687	815	0·516
	Mainland-Rural Dists.	1,790,374	60420	3·375	6543	10·8	34315	1·916	11127	0·621
	Town Districts . . .	1,205,325	48994	4·064	4866	9·9	34372	2·851	11746	0·974
	DIVISIONS.									
I.	NORTHERN	132,201	3315	2·507	213	6·4	2085	1·576	619	0·468
II.	NORTH-WESTERN . .	162,919	4588	2·815	312	6·8	2829	1·738	789	0·484
III.	NORTH-EASTERN . .	376,448	12744	3·388	2019	15·8	7630	2·026	2487	0·660
IV.	EAST-MIDLAND . . .	527,947	18236	3·452	1998	10·9	11641	2·205	4182	0·794
V.	WEST-MIDLAND . .	243,063	8174	3·362	677	8·2	4800	1·975	1537	0·632
VI.	SOUTH-WESTERN . .	1,075,015	44551	4·144	4011	9·0	28265	2·629	9350	0·870
VII.	SOUTH-EASTERN . .	422,475	15445	3·655	1512	9·7	10133	2·398	3513	0·831
VIII.	SOUTHERN	213,345	6614	3·100	931	14·1	3965	1·858	1211	0·567
	COUNTIES.									
1	Shetland	31,980	778	2·432	39	5·0	576	1·801	182	0·569
2	Orkney	32,888	769	2·338	43	5·6	471	1·432	154	0·468
3	Caithness	43,464	1218	2·802	106	8·7	669	1·539	194	0·446
4	Sutherland	23,869	550	2·304	25	4·5	369	1·542	89	0·372
5	Ross and Cromarty .	81,714	2189	2·679	120	5·4	1378	1·690	391	0·477
6	Inverness	81,205	2399	2·966	192	8·0	1451	1·786	398	0·488
7	Nairn	8,480	234	2·756	27	11·5	164	1·932	59	0·695
8	Elgin	46,150	1403	3·040	211	14·9	991	2·147	251	0·543
9	Banff	58,467	1867	3·191	305	16·3	992	1·696	327	0·559
10	Aberdeen.	228,531	8067	3·529	1306	16·2	4883	2·137	1613	0·705
11	Kincardine	34,812	1173	3·359	170	14·5	600	1·723	237	0·680
12	Forfar	213,637	8358	3·912	1034	12·3	5399	2·527	2008	0·939
13	Perth	131,009	3686	2·813	400	10·8	2440	1·862	802	0·612
14	Fife	155,666	5249	3·365	482	9·1	3287	2·111	1184	0·760
15	Kinross	8,264	220	2·662	17	7·7	132	1·598	60	0·726
16	Clackmannan . . .	19,371	723	3·732	65	8·9	383	1·977	128	0·661
17	Stirling	90,411	3432	3·796	289	8·1	1831	1·302	714	0·789
18	Dumbarton	57,954	2110	3·640	171	8·1	1178	2·032	367	0·633
19	Argyll	78,515	2219	2·826	171	7·6	1402	1·784	365	0·465
20	Bute	16,183	413	2·552	46	11·1	389	2·403	91	0·562
21	Renfrew	174,417	7300	4·185	590	8·1	4668	2·676	1485	0·850
22	Ayr.	203,831	7617	3·736	728	9·5	4494	2·205	1523	0·747
23	Lanark	696,767	29634	4·253	2693	9·0	19103	2·741	6342	0·910
24	Linlithgow	43,486	1860	4·277	172	9·2	1025	2·357	301	0·692
25	Edinburgh	281,758	10348	3·672	998	9·6	7239	2·568	2687	0·953
26	Haddington	38,288	1220	3·186	104	8·5	778	2·032	201	0·525
27	Berwick	36,655	1187	3·234	151	12·7	657	1·792	180	0·491
28	Peebles	11,557	379	3·279	40	10·5	196	1·696	65	0·562
29	Selkirk	10,731	451	4·269	47	10·4	238	2·217	79	0·736
30	Roxburgh	55,029	1761	3·200	209	11·8	908	1·650	312	0·566
31	Dumfries	74,728	2365	3·164	367	15·5	1586	2·122	458	0·612
32	Kirkcudbright . . .	42,169	1319	3·128	175	13·3	816	1·935	212	0·502
33	Wigtown	41,419	1169	2·822	180	15·4	655	1·581	229	0·552

Of the children born during the year, 101,994 were legitimate and 11673 illegitimate,—indicating that 10·2 per cent. of the births were illegitimate.

It is unneccessary to enter into further details relative to the births in this place, as they were fully commented on in the Twelfth Annual Report, which had reference to the year 1866, and which was published shortly after the close of that year. The tables in that Report, however, were the unrevised numbers, drawn up from returns sent by the several Registrars; whereas the tables appended to this Report are the corrected numbers, prepared from the Registers themselves.

MARRIAGES.

23688 Marriages were registered in Scotland during the year 1866, being in the proportion of 75 marriages in every ten thousand persons of the estimated population. This was the same proportion as that of the previous year, and is probably the highest that has ever been witnessed in Scotland, and is high above the average marriage-rate which existed from 1855 to 1862. It was this high marriage-rate which was the cause of the proportion of births so much exceeding that of former years.

TABLE VIII.—BIRTHS, 1866. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1866; together with the Number of Twin and Triplet Births.

1866. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular	2,212	2,041	4,253	2,074	1,915	3,989	138	126	264	35	1
Mainland-Rural	31,044	29,376	60,420	27,706	26,171	53,877	3,338	3,205	6,543	724	6
Town	25,104	23,890	48,994	22,606	21,522	44,128	2,498	2,368	4,866	607	5
Scotland . . .	58,360	55,307	113,667	52,386	49,608	101,994	5,974	5,699	11,673	1,366	12

TABLE IX.—BIRTHS, 1866. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland and in its Three Groups of Districts in 1866.

1866. Districts.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins. — One in every	Proportion of Mothers who bare Triplets. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·696	6·2	108·3	108·2	109·5	123	4216
Mainland-Rural	3·375	10·8	105·6	105·8	104·1	82	9947
Town	4·064	9·9	105·0	105·0	105·4	80	9675
Scotland . . .	3·604	10·2	105·5	105·6	104·8	82	9356

The proportion of legitimate children born to each marriage was much higher in Scotland than in England. Thus, to the 23688 marriages there were born 101994 legitimate children in Scotland, giving a proportion of 4·30 children to every marriage, or 430 children to every 100 marriages. But in England, during the same year, to the 187776 marriages, there were only 708369 legitimate children, giving a proportion of 3·77 children to every marriage, or 377 legitimate children to every 100 marriages—a very much lower proportion than that of Scotland. This either indicates that the Scottish female is much more prolific than her sister in England; or if it be assumed that their fecundity is the same, then it indicates that a very large number of even the legitimate births escapes registration in England.

Of the 23688 marriages registered in Scotland during the year, 10392 were contracted according to the rites of the Established Church, 5570 according to those of the Free Church, 3385 according to those of the United Presbyterian Church, 2259 according to those of the Romish Church, 516 according to those of the Episcopal Church, 1483 according to the rites of the many small religious denominations; in 41 cases of regular marriage the religious denomination was not stated, and in 42 cases the marriage was irregular. (Table X.)

TABLE X.—MARRIAGES, 1866. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

	Religious Denominations.	Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland
Regular Marriages.	Established Church .	345	5914	4133	10392	42·33	53·16	35·19	43·87
	Free Church . . .	309	2566	2695	5570	37·92	23·06	22·94	23·52
	United Presbyterian Church	64	1511	1810	3385	7·85	13·58	15·41	14·29
	Roman Catholic Church	34	595	1630	2259	4·17	5·35	13·88	9·54
	Episcopalian Church .	1	130	385	516	0·12	1·16	3·28	2·18
	Other Denominations .	61	384	1038	1483	7·49	3·45	8·84	6·26
	Denomination not stated	1	22	18	41	0·12	0·19	0·15	0·17
	Irregular Marriages .	0	5	37	42	0·00	0·04	0·31	0·17
	Total Marriages .	815	11127	11746	23688	100·00	100·00	100·00	100·00

TABLE XI.—MARRIAGES, 1855–1866. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1866.

Years.	Total Marriages.		Regular Marriages according to Rites of							Irregular Marriages.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22234	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·753	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·751	10392	5570	3385	2259	516	1483	41	42

These facts indicate that 43·87 per cent. of the marriages in Scotland were celebrated according to the rites of the Established Church of Scotland, 23·52 per cent. according to the rites of the Free Church, 14·29 per cent. according to those of the United Presbyterian Church, 9·54 per cent. according to those of the Romish Church, 2·18 per cent. according to those of the Episcopal Church, 6·26 per cent. according to the varied rites of the smaller religious denominations, while in 0·17 per cent. the denomination was not stated, and in 0·17 per cent. the marriage was irregular (that is, 17 in every ten thousand marriages)—that is to say, was contracted without previous proclamation of banns, and without a religious ceremony.

Of the 23688 men who married, the ages of 23675 were ascertained, and of these 1706 were minors, or under 21 years of age. Of the 23688 women who married, the ages of 23655 were ascertained, and of these 4896 were minors, or were under 21 years of age. It thus appears that 7·20 per cent. of the men, and 20·69 per cent. of the women who married in 1866 were minors, or were under 21 years of age.

The comparative facility of acquiring a livelihood has much to do with inducing persons under 21 to marry, and is very strikingly exemplified in the very different proportion of minors who married in Glasgow and Edinburgh during the year 1866. Thus in the non-commercial, non-manufacturing town of Edinburgh, only 5·34 per cent. of the men and 16·62 per cent. of the women who married were under 21 years of age; but in the busy commercial and manufacturing town of Glasgow, 8·85 per cent. of the men and 24·76 per cent. of the women who married were under 21 years of age. (Tables XVI. and XVII.)

The same fact is strikingly exemplified by contrasting the proportions under and above 25 years of age, who marry in the different divisions of Scotland. (Tables XVI. and XVII.) Thus, in the North-Western Division, where there are almost no openings for the young, only 17·89 per cent. of the men and 44·41 per cent. of the women were under 25 years of age; whereas, in the busy commercial, manufacturing, and mining South-Western Division, 47·12 per cent. of the men and 63·99 per cent. of the women were under 25 years of age.

TABLE XII.—MARRIAGES, 1855–1866. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1866.

YEARS.	REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5 26	0·30	0·13
1859	46·08	22 93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17

To show how very nearly the same proportion of persons at each age marries year after year, Tables XIV. and XV. may be consulted. By these it will be seen, that the proportion of persons marrying at each age during the year 1866 was nearly the same as during the eleven previous years. Thus, during 1866, in every ten thousand men who married, 265 were between 15 and 20 years of age; 3924 between 20 and 25; 3019 between 25 and 30; 1229 between 30 and 35; 589 between 35 and 40; 384 between 40 and 45; 247 between 45 and 50; 337 above 50 years of age; while in 6 cases the age was not ascertained. These are, as near as may be, the proportions of men at different ages who married during the eleven years 1855 to 1865. Of every ten thousand women who married during the year, 1202 were between 15 and 20 years of age; 4643 between 20 and 25 years; 2409 between 25 and 30; 872 between 30 and 35; 440 between 35 and40; 236

TABLE XIII.—MARRIAGES, 1866. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	–	–	–	–	–	–	–
15—16	–	9	–	–	–	3	–	6
16—17	2	75	–	1	2	35	–	39
17—18	15	303	–	6	7	143	8	154
18—19	125	887	2	10	56	381	67	496
19—20	486	1573	4	25	218	724	264	824
20—21	1078	2049	6	35	494	930	578	1084
21—25	8217	8947	155	293	3860	4266	4202	4388
25—30	7152	5707	302	274	3434	2781	3416	2652
30—35	2909	2066	186	98	1357	971	1366	997
35—40	1397	1040	70	44	671	441	656	555
40—45	910	560	33	18	395	243	482	299
45—50	585	270	18	8	272	117	295	145
50—55	381	107	15	2	163	49	203	56
55—60	206	43	10	–	94	13	102	30
60—65	124	16	8	1	54	4	62	11
65—70	67	3	6	–	31	1	30	2
70—75	14	–	–	–	5	–	9	–
75—80	6	–	–	–	2	–	4	–
80—85	1	–	–	–	–	–	1	–
85—90	–	–	–	–	–	–	–	–
Not stated	13	33	–	–	12	25	1	8
ALL AGES	23,688	23,688	815	815	11,127	11,127	11,746	11,746

TABLE XIV.—MARRIAGES, 1866. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1866.

AGES.	MEN.				WOMEN.			
	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
15—20 years	2·65	0·74	2·54	2·89	12·02	5·15	11·56	12·93
20—25	39·24	19·75	39·13	40·69	46·43	40·25	46·69	46·59
25—30	30·19	37·05	30·86	29·08	24·09	33·62	24·99	22·58
30—35	12·29	22·82	12·20	11·63	8·72	12·02	8·73	8·49
35—40	5·89	8·59	6·03	5·59	4·40	5·40	3·97	4·73
40—45	3·84	4·05	3·55	4·10	2·36	2·21	2·19	2·54
45—50	2·47	2·21	2·44	2·51	1·14	0·98	1·05	1·23
50 and above	3·37	4·79	3·14	3·50	0·71	0·3 7	0·60	0·84
Not stated.	0·06	–	0·11	0·01	0·13	–	0·22	0·07
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

between 40 and 45; 114 between 45 and 50; 71 above 50 years of age; while in 13 the age was not distinguished.

Of the 23688 marriages, the conjugal or civil condition of the parties previous to their entrance into the married condition was ascertained in 23490 instances. Of these 23490 marriages, 20080 were between bachelors and spinsters, 601 between bachelors and widows, 2094 between widowers and spinsters, and 715 between widowers and widows. (Tables XVI. and XVII.) These numbers indicate, that in every 100 marriages, 85·49 were between bachelors and spinsters, 2·55 between bachelors and widows, 8·92 between widowers and spinsters, and 3·04 between widowers and widows.

The last two columns of Table XX. show the proportion of widowers and widows who re-married in 1866, viz. that of every 100 men who married, 11·96 were widowers, and of every 100 women who married, 5·60 were widows. These columns, however, show the strange fact, that in the Town Districts widows are married in twice as high proportions as in the Rural Districts; for while in the latter only 3·89 per cent. of the women who married were widows, 7·34 per cent. were widows in the Town Districts.

The South-Western Division, which includes the mining and manufacturing counties of Renfrew, Ayr, and Lanark, year after year exhibits the highest proportion of marriages both among widowers and widows; for while 13·35 per cent. of the men who married during the year were widowers, 7·56 per cent. of the women were widows.

The last four columns of Table XIX. show the relative proportions of marriages between persons in different conjugal conditions for the twelve years 1855–1866, by which it will be seen that the relative proportion of marriages between bachelors and spinsters, bachelors and widows, etc., varies very little from year to year.

During 1866 the state of elementary education among the people, so far as such can be indicated by the proportion of men and women able to sign their names in the marriage register, was much the same as in former years. (Tables XVIII., XIX., and XX.) Thus, during the year 1866, of the 23688 men who married, 21032 signed their names in writing, while 2656, being unable to write, signed by mark. Of the 23688 women who married during the year, 18483 signed their names in writing, while 5202,

TABLE XV.—MARRIAGES during the ELEVEN YEARS 1855–1865. Number and Proportion of Men and Women, at each quinquennial period of life, who married in Scotland during the Eleven Years 1855–1865.

Ages.	Men.		Women.	
	Number of Men who married at each Age.	Proportion at each Age in every 1000 Men who married	Number of Women who married at each Age.	Proportion at each Age in every 1000 Women who married.
15—20 years	6,980	2·98	29,801	12·74
20—25	90,004	38·48	107,334	45·88
25—30	68,283	29·19	56,059	23·96
30—35	29,474	12·61	20,324	8·69
35—40	15,759	6·74	10,346	4·42
40—45	9,431	4·03	5,211	2·22
45—50	5,915	2·52	2,471	1·06
50 and above	7,639	3·26	1,521	0·65
Not specified	448	0·19	866	0·37
All Ages	233,933	100·00	233,933	100·00

being unable to write, appended a mark. These numbers indicate, that 88·78 per cent. of the men, and 78·50 per cent. of the women, were able to sign their names in writing; while 11·22 per cent. of the men, and 22 per cent. of the women, not being able to write, were obliged to append a mark.

In England, during the same year, only 78·4 per cent. of the men, and 70 per cent. of the women, signed their names in writing; while 21·6 per

TABLE XVI.—MARRIAGES in SCOTLAND, 1866. Number of Men and Women under and above 25 years of age, and the number under 21 years, who contracted Marriage in Scotland, its groups of Districts and Divisions, in 1866; also the Number of Marriages between Persons in different conjugal conditions.

1866.	Number who Married				Number who Married under 21 years.		Number of Marriages between			
	Under 25 years.		Above 25 years.				Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND, . . .	9,923	13,843	13,752	9,812	1,706	4,896	20,080	601	2,094	715
Insular Districts, . .	167	370	648	445	12	77	676	13	83	14
Mainland-Rural do. .	4,637	6,482	6,478	4,620	777	2,216	9,638	203	907	224
Town Districts, . .	5,119	6,991	6,626	4,747	917	2,603	9,766	385	1,104	477
1. Northern Division,	153	272	464	345	21	62	541	7	52	9
2. North-Western do.	141	350	647	438	17	87	660	9	73	10
3. North-Eastern do.	918	1,361	1,568	1,126	154	487	2,176	44	216	40
4. East-Midland do.	1,824	2,338	2,357	1,831	310	733	3,626	53	358	111
5. West-Midland do.	586	874	949	659	99	326	1,294	38	139	33
6. South-Western do.	4,404	5,980	4,942	3,365	834	2,338	7,757	314	853	391
7. South-Eastern do.	1,398	1,985	2,114	1,521	199	645	2,996	110	292	99
8. Southern do.	499	683	711	527	72	218	1,030	26	111	22
EDINBURGH, . . .	638	930	1,144	851	95	296	1,495	62	161	61
GLASGOW, ...	1,999	2,712	2,326	1,613	383	1,071	3,571	140	413	200

TABLE XVII.—Proportion of MARRIAGES in SCOTLAND in 1866. Per-centage of Men and Women who contracted Marriage under and above 25 years of age; also the Per-centage of Minors, and the Per-centage of Marriages between Persons in different conjugal conditions.

1866.	Per-centage who Married				Per-centage under 21 Years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.				Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND, . . .	41·91	58·52	58·09	41·48	7·20	20·69	85·49	2·55	8·92	3·04
Insular Districts, . .	20·49	45·40	79·51	54·60	1·47	9·44	86·01	1·65	10 56	1·78
Mainland-Rural do. .	41·72	58·38	58·28	41·62	6·99	19·89	87·85	1·85	8·26	2·04
Town Districts, . .	43·58	59·55	56·42	40·45	7·80	22·17	83·24	3·28	9·41	4·07
1. Northern Division,	24·79	44·08	75·21	55·92	3·40	10·05	88·84	1·14	8·54	1·48
2. North-Western do.	17·89	44·41	82·11	55·59	2·15	11·05	87·77	1·20	9·70	1·33
3. North-Eastern do.	36·92	54·72	63·08	45·28	6·20	19·58	87·89	1·78	8·72	1·61
4. East-Midland do.	43·62	56·08	56·38	43·92	7·41	17·58	87·22	1·28	8·63	2·67
5. West-Midland do.	38·17	57·01	61·83	42·89	6·45	20·61	86·03	2·53	9·25	2·19
6. South-Western do.	47·12	63·99	52·88	36·01	8·92	25·02	83·28	3·37	9·15	4·20
7. South-Eastern do.	39·73	56·62	60·27	43·68	5·66	18·39	85·68	3·14	8·35	2·83
8. Southern do.	41·24	56·45	58·76	43·55	5·95	18·01	86·63	2·19	9·33	1·85
EDINBURGH, . .	35·80	52·52	64·20	47·78	5·34	16·62	84·04	3·49	9·04	3·43
GLASGOW, . . .	46·04	62·70	53·96	37·30	8·85	24·76	82·61	3·23	9·54	4·62

cent. of the men, and 30 per cent. of the women, not being able to write, appended their mark.

The state of education in Ireland, as judged by this test, seems to be in a still more deplorable condition than that of England, seeing that in 1866 only 57·6 per cent of the men, and 47·6 per cent. of the women who married could sign their names in writing; while 42·4 per cent. of the men, and 52·4 per cent. of the women, not being able to write, were forced to sign by mark.

Ross, Cromarty, and Inverness continue to exhibit the highest proportion of persons unable to write. After these come the counties which contain the largest proportion of persons of Irish descent, the number unable to write in each being very closely proportioned to the number of Irish in the population. In this respect, Edinburgh and Glasgow, the two largest towns of Scotland, contrast remarkably; for while in Edinburgh only 4·72 per cent. of the men, and 8·36 per cent. of the women who married in 1866 were unable to write, and signed by mark, in Glasgow 16·74 per cent. of the men, and 34·29 per cent. of the women who married

TABLE XVIII.—MARRIAGES in SCOTLAND, 1855–1866. Numbers.

YEARS	Number of Persons who Married under 21 years.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.					
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715

TABLE XIX.—MARRIAGES in SCOTLAND, 1855–1866. Proportion.

YEARS.	Per-centage of Persons who Married under 21 years.		Per-centage of Persons who Married				Per-centage of Persons who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.					
	Me .	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58 75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21 60	41·22	58·80	58·78	41·20	89·1	77·8	10·9	22 2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59 11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22 05	43·79	59·93	56·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04

during that year, were unable to write, and appended their mark. (Table XX.)

TABLE XX.—Proportional Number of Marriages in the several Groups of Districts, Divisions, and Counties of Scotland during the year 1866; of Persons signing the Marriage Register in Writing and by Mark; of Persons not of full Age; and of the Re-marriages of Widowers and Widows.

	Divisions and Counties.	Signed their Names in Writing.		Signed by Mark.		Persons under 21 Years.		Re-Marriages.	
		Of 100 Men married.	Of 100 Women married.	Of 100 Men married.	Of 100 Women married.	Of 100 Men married.	Of 100 Women married.	Widowers in 100 Men married.	Widows in 100 Women married.
	SCOTLAND	88·78	78·00	11·22	22·00	7·20	20·69	11·96	5·60
	Insular Districts	70·43	58·77	29·57	41·23	1·47	9·44	11·07	3·43
	Mainland-Rural Districts	91·92	84·30	8·08	15·70	6·99	19·89	10·30	3·89
	Town Districts	87·09	73·41	12·91	26·59	7·80	22·17	13·47	7·34
	Divisions.								
I.	Northern	95·48	83·36	4·52	16·64	3·40	10·05	10·00	2·62
II.	North-Western	64·89	49·05	35·11	50·95	2·15	11·05	11·03	2·52
III.	North-Eastern	97·50	91·55	2·50	8·45	6·20	19·58	10·34	3·39
IV.	East-Midland	92·68	83·07	7·32	16·13	7·41	17·58	11·30	3·95
V.	West-Midland	86·14	77·09	13·86	22·91	6·45	20·61	11·12	4·62
VI.	South-Western	84·04	68·47	15·97	31·53	8·92	25·02	13·35	7·56
VII.	South-Eastern	93·79	88·95	6·21	11·05	5·66	18·39	11·18	5·98
VIII.	Southern	95·04	92·23	4·96	7·77	5·95	18·01	11·19	4·04
	Counties.								
1	Shetland	90·65	69·23	9·35	30·77	3·29	5 55	12·77	4·44
2	Orkney	99·40	98·70	0·60	1·30	1·94	14·93	10·38	3·89
3	Caithness	97·42	87·62	2·58	12·38	4·64	11·85	6·73	1·03
4	Sutherland	94·38	76·40	5·62	23·60	3·37	6·74	10·98	0·00
5	Ross and Cromarty	61·89	46·03	38·11	53·97	2·55	9·97	11·66	1·59
6	Inverness	67·84	52·01	32·16	47·99	1·76	12·06	10·40	3·47
7	Nairn	83·05	69·51	16·95	30·49	5·08	16·94	8·48	0·00
8	Elgin	96·81	88·84	3·19	11·16	5·57	21·91	9·23	2·41
9	Banff	96·02	85·62	3·98	14·38	4·28	18·34	11·04	3·98
10	Aberdeen	98·32	93·73	1·78	6·27	6·95	19·46	10·83	3·67
11	Kincardine	97·89	93·25	2·11	6·75	4·64	20·66	7·62	2·54
12	Forfar	88·19	72·75	11·81	27·25	8·21	18·62	12·70	5·03
13	Perth	96·88	93·39	3·12	6·61	4·61	15·08	9·91	2·38
14	Fife	96·79	92·14	3·21	7·86	7·94	17·73	10·02	3·25
15	Kinross	95·00	96·66	15·00	3·34	6·66	16·66	8·78	0·00
16	Clackmannan	97·65	89·84	2·35	10·16	7·81	14·06	10·82	5·00
17	Stirling	87·25	78·97	12·75	21·03	9·03	26·61	10·76	4·45
18	Dumbarton	80·65	67·30	19·35	32·70	7·90	22·07	13·46	6·32
19	Argyll	87·67	90·00	12·33	10·00	1·09	13·42	9·35	3·68
20	Bute	93·40	90·11	6·60	9·89	2·19	6·59	16·66	4·44
21	Renfrew	82·49	67·68	17·51	32·32	7·47	22·55	13·85	8·64
22	Ayr	86·81	72·49	13·19	27·51	10·44	26·26	12·54	6·87
23	Lanark	83·90	67·85	16·10	32·15	8·98	25·29	13·43	7·60
24	Linlithgow	86·04	72·75	13·96	27·25	8·63	23·92	10·43	5·05
25	Edinburgh	94·38	90·21	5·62	9·79	5·32	17·90	11·50	6·79
26	Haddington	91·04	83·08	8·96	16·92	6·46	20·39	8·50	2·00
27	Berwick	96·66	97·22	3·34	2·78	5·00	10·00	9·49	2·23
28	Peebles	98·46	96·92	1·54	3·08	4·61	18·46	12·50	4·68
29	Selkirk	100·00	96·20	0·00	3·80	6·33	25·31	12·65	1·26
30	Roxburgh	95·51	92·30	4·41	7·70	4·49	16·98	9·64	4·82
31	Dumfries	96·50	97·81	3·52	2·19	5·67	15·93	10·71	2·45
32	Kirkcudbright	96·22	93·86	3·78	6·14	6·60	14·62	14·42	2·40
33	Wigtown	90·39	88·21	9·61	11·79	7·86	26·63	12·16	7·65
	EDINBURGH	95·28	91·64	4·72	8·36	5·34	16·62	12·40	6·90
	GLASGOW	83·26	65·71	16·74	34·29	8·85	24·76	14·17	7·86

DEATHS.

71348 deaths were registered in Scotland during the year 1866, being at the rate of 22·63 deaths in every thousand persons of the estimated population. This was a death-rate considerably above the mean of the eleven previous years, which was at the rate of 21·46 deaths in every thousand persons.

In England, during the same year, the deaths were in the proportion of 23·61 in every thousand persons, being considerably higher than the mortality in Scotland, though below the English average, which was in the proportion of 22·24 deaths in every thousand persons.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than the Town Districts. Thus, 2664 deaths occurred in the Insular, 34314 in the Mainland-Rural, and 34372 in the Town Districts; which indicates a mortality of 16·87 deaths in every thousand persons in the Insular, 19·16 deaths in the Mainland-Rural, and 28·51 deaths in every thousand persons in the Town Districts. (Tables XXI. and XXII.)

Of the Eight Principal Towns in Scotland, the mortality was highest in Dundee and lowest in Perth. Thus, of every thousand persons in each of these towns, there died during the year 22·8 in Perth, 24·3 in Leith,

TABLE XXI.—DEATHS in SCOTLAND, and in its Insular, Mainland-Rural, and Town Districts, during each of the Twelve Years 1855–1866, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17120	17252	34372

TABLE XXII.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Twelve Years 1855–1866.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1 577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·947	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·758	1·859	1·899	1·799	1·847	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·964	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969
1866	2·374	2·162	2·263	1·821	1·575	1·687	1·968	1·868	1·916	3·072	2·662	2·851

27·5 in Edinburgh, 28·3 in Paisley, 29·8 in Glasgow, 31·0 in Greenock, 31·1 in Aberdeen, and 32·0 in Dundee. (Tables XXIII. and XXIV.)

As in former years, males died in higher proportions than females, seeing that in every thousand of each sex, 23·74 males died, but only 21·62 females. The average of the ten years 1855–1864 shows, that in every thousand of each sex there died annually 22·38 males, but only 20·41 females —a circumstance which of itself would go far to account for the increasing number of females in the population, even without taking into account the known fact that a much higher proportion of males than females emigrate to the Colonies and America.

Table XXV. shows the striking fact, that at every consecutive period of life from birth to the 90th year, males died in higher proportions than females during 1866, with the single exception of children between the fourth and fifth years of age. Thus, during the first year of life, 16·200 per cent. of males died, but only 13·607 per cent. of females. From birth to 5 years of age, 6·347 per cent. of males died, but only 5·720 per cent. of females. From 20 to 30 years of age, 1·119 per cent. of males died, but only 0·923 per cent. of females. From 40 to 50 years of age, 1·723 per cent. of males died, but only 1·442 per cent. of females. From 60 to 70 years of age, 4·441 per cent. of males died, but only 3·637 per cent. of females. At all ages, therefore, from birth to burial, the tendency of the male to death is greater than that of the female, and at no age was that greater tendency of the male to death more strongly shown than during the first year of life, when out of every thousand of each sex, 162 males died for every 136 females.

It is very instructive to compare the mortality, at each corresponding quinquennial period of life, in the Mainland-Rural and Town Districts, inasmuch as it proves, more forcibly than any mere statement could, the greater waste of life which is attendant on a residence in a town. This destructive agency of the town on human life is not confined to any particular age, but extends to all ages and to both sexes. Thus, to instance a

TABLE XXIII.—TOWN DEATHS, 1856–1866. Number of Deaths annually in each of the Eight Principal Towns of Scotland.

TOWNS.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.
Glasgow . . .	10298	11375	11472	10832	12436	10936	11565	13329	13674	13914	12829
Edinburgh . . .	4143	3786	4190	3703	4240	4168	4760	4593	4678	4858	4813
Dundee	2446	2242	2335	2269	2903	2499	2599	2714	3105	3000	3130
Aberdeen . . .	1656	1718	1619	1676	2193	1780	1923	1750	2139	1981	2324
Paisley	1099	1443	1276	1185	1378	1207	1253	1218	1521	1410	1345
Greenock . . .	1236	1268	1088	1423	1255	1113	1370	1876	1929	1675	1488
Leith	827	751	790	699	987	766	872	913	928	948	924
Perth	539	767	665	560	664	665	618	652	871	729	613

TABLE XXIV.—TOWN DEATHS, 1856–1866. Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland.

TOWNS.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	Mean Annual Mortality.	1866.
Glasgow .	2·84	3·08	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·28	3·04	2·98
Edinburgh	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·78	2·52	2·75
Dundee .	2·84	2·57	2·64	2·53	3·20	2·60	2·79	2·87	3·25	3·10	2·84	3·20
Aberdeen	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·65	2·49	3·11
Paisley .	2·30	3·02	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·83
Greenock	3·03	3·06	2·59	3·34	2·90	2·52	3·06	4·13	4·19	3·59	3·24	3·10
Leith .	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·52	2·35	2·43
Perth . .	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·73	2·63	2·28

few examples, in every thousand males living under 5 years of age, there died 48·00 in the Rural, but 90·60 in the Town Districts. From 5 to 10 years of age there died 7·88 per thousand in the Rural, but 12·68 in the Town Districts. From 15 to 20 years of age, 6·87 per thousand died in the Rural, but 8·99 in the Town Districts. From 20 to 30 years, 9·58 per thousand died in the Rural, but 12·91 in the Town Districts. From 40 to 50 years of age, 12·58 per thousand died in the Rural, but 24·66 in the Town Districts. From 60 to 70 years of age, 36·14 per thousand died in the Rural, but 65·97 in the Town Districts.

The series of Tables XXIX. to XXXVI. shows the mortality in ages and sexes in each of the Eight Principal Towns of Scotland, and agrees generally with those of former years.

Causes of Death.

Of the 71348 deaths registered in Scotland during 1866, the cause of death was accurately recorded in 68196 cases. In most of the 3152 remaining cases, the cause of death was stated in such indefinite terms that it could not be referred to any particular class of diseases, while in a small number no cause of death was assigned. Less than $4\frac{1}{2}$ per cent. (4·417), therefore, could not be classified as having fallen victims to any special disease. In comparing the deaths from different diseases with the population in the accompanying tables, this per-centage has been allowed for, so as to exhibit the true per-centage of deaths from disease to the population.

The Zymotic or epidemic and contagious class of diseases cut off 15564 persons in Scotland during the year 1866, of whom 7542 were males and 8022 females. The deaths from the zymotic class thus constituted 22·82 per cent. of the deaths whose causes were ascertained, or cut off at the rate of 516 persons in every hundred thousand living. During the ten years 1855–1864, that class of diseases constituted 24·26 per cent. of the deaths, or caused 518 deaths in every hundred thousand persons. That class of diseases was therefore less fatal than usual during 1866, though we had Cholera as an epidemic among us during part of the year.

The zymotic class of diseases constituted 15·71 per cent. of the ascertained deaths in the Insular, 22·80 per cent. in the Mainland-Rural, and 23·31 per cent. in the Town Districts,—indicating that the proportion of these deaths to the other diseases was very closely alike in the Mainland-Rural and in the Town Districts, though they were so excessively dissimilar when compared with the population; for while that class cut off in the proportion of 437 persons in every one hundred thousand in the Mainland-Rural Districts, 664 died from that class of diseases out of a like population in the Town Districts.

Of the Eight Principal Towns, the mortality from the zymotic class of diseases, as compared with the population, was heaviest in Dundee and Aberdeen, and lightest in Perth. (Table XXXIX.) Thus, in every ten thousand persons in each town, 42 died from the zymotic class of diseases in Perth, 58 in Edinburgh, 61 in Leith, 65 in Greenock, 67 in Glasgow, 69 in Paisley, 81 in Aberdeen, and 83 in Dundee. If, however, we compare the proportion of deaths from the zymotic diseases to the total deaths from all diseases, Perth shows the lowest proportion and Aberdeen the highest. Thus, in Perth, 18·80 per cent. of the deaths were caused by the zymotic class of diseases; in Edinburgh, 21·15 per cent.; in Greenock, 21·48; in Glasgow, 22·52; in Paisley, 24·57; in Leith, 25·46; in Dundee, 25·64; and in Aberdeen, 26·39 per cent.

Of the zymotic class of diseases, Small-pox only caused 200 deaths in Scotland during 1866, of which three occurred in the Insular, 39 in the Mainland-Rural, and 158 in the Town Districts. This was the smallest number of deaths from Small-pox ever registered in Scotland since the period when

---

TABLE XXV.—SCOTLAND, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	47,364	45,874	7673	6242	16·200	13·607
— 2	43,255	42,088	3069	2895	7·095	6·878
— 3	43,595	42,425	1474	1394	3·381	3·285
— 4	42,127	41,370	967	891	2·295	2·153
— 5	41,439	40,088	640	697	1·544	1·738
Total under 5 Years	217,780	211,845	13823	12119	6·347	5·720
5—10	189,124	184,440	1781	1656	0·941	0·897
10—15	169,368	162,474	903	845	0·533	0·520
15—20	154,453	162,147	1182	1191	0·765	0·734
20—30	236,207	294,306	2644	2717	1·119	0·923
30—40	174,625	214,117	2216	2584	1·263	1·206
40—50	140,454	166,986	2421	2408	1·723	1·442
50—60	102,249	123,008	2580	2523	2·523	2·051
60—70	66,892	88,858	2971	3282	4·441	3·637
70—80	29,173	42,145	2900	3755	9·940	8·909
80—90	7,922	12,927	1663	2378	20·992	18·395
90—100	615	1,211	230	470	37·398	38·810
100 and above	30	57	5	27	16·666	47·368
Not stated	–	–	36	38	–	–
ALL AGES	1,488,892	1,664,521	35355	35993	2·374	2·162
BOTH SEXES	3,153,413		71348		2·263	

TABLE XXVI.—INSULAR DISTRICTS, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of the Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,947	1,855	201	170	10·323	9·164
— 2	1,878	1,842	55	54	2·928	2·931
— 3	1,982	1,976	31	24	1·564	2·124
— 4	1,938	1,868	22	21	1·135	1·123
— 5	2,019	1,914	17	15	0·842	0·789
Total under 5 Years	9,764	9,455	326	284	3·338	3·003
5—10	9,255	9,070	41	36	0·443	0·397
10—15	8,488	8,290	37	23	0·435	0·277
15—20	7,348	8,165	49	33	0·666	0·404
20—30	9,992	14,222	144	107	1·441	0·752
30—40	7,450	10,796	86	116	1·154	1·074
40—50	6,251	8,619	69	68	1·103	0·788
50—60	5,443	6,924	69	91	1·267	1·314
60—70	4,528	5,973	116	157	2·561	2·629
70—80	2,256	3,093	205	194	9·087	6·360
80—90	787	1,285	121	178	15·374	13·852
90—100	84	153	32	56	38·095	36·601
100 and above	4	19	1	3	25·000	15·789
Not stated	–	–	9	10	–	–
ALL AGES	71,650	86,064	1305	1356	1·821	1·575
BOTH SEXES	157,714		2661		1·687	

the Registration Act came into operation, as the accompanying table shows. (Table XLI.) Many might feel inclined to attribute this great diminution in the deaths from Small-pox to the successful working of the Vaccination Act. But this table warns us against prematurely deducing conclusions which may prove fallacious, because it shows that Small-pox is one of those

TABLE XXVII.—MAINLAND-RURAL DISTRICTS, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,361	25,593	3414	2700	12·951	10·549
— 2	24,943	24,212	1248	1191	5·003	4·506
— 3	25,217	24,537	630	619	2·498	2·522
— 4	24,734	24,018	434	395	1·754	1·644
— 5	24,429	23,587	311	333	1·273	1·411
Total under 5 Years	125,684	121,947	6037	5238	4·800	4·295
5—10	112,691	108,889	888	828	0·788	0·760
10—15	101,821	96,470	480	473	0·473	0·490
15—20	89,988	88,977	619	594	0·687	0·667
20—30	126,551	150,910	1213	1187	0·958	0·786
30—40	94,986	113,025	854	1099	0·899	0·972
40—50	79,263	91,160	997	1045	1·258	1·146
50—60	60,980	69,742	1165	1110	1·910	1·591
60—70	42,222	52,726	1526	1642	3·614	3·114
70—80	19,786	26,890	1797	2260	9·082	8·405
80—90	5,639	8,733	1166	1552	20·677	17·771
90—100	433	806	161	316	37·182	39·206
100 and above	23	32	4	19	17·391	59·375
Not stated	–	–	23	22	–	–
ALL AGES	860,067	930,307	16930	17385	1·968	1·868
BOTH SEXES	1,790,374		34315		1·916	

TABLE XXVIII.—TOWN DISTRICTS, 1866. Estimated Population and Deaths at Different Ages, and Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	19,056	18,426	4058	3372	21·294	18·300
— 2	16,434	16,034	1766	1650	10·745	10·290
— 3	16,396	15,912	813	751	4·958	4·719
— 4	15,455	15,484	511	475	3·500	3·067
— 5	14,991	14,587	312	349	2·081	2·392
Total under 5 Years	82,332	80,443	7460	6597	9·060	8·200
5—10	67,178	66,481	852	792	1·268	1·191
10—15	59,059	57,714	386	349	0·653	0·604
15—20	57,117	65,005	514	564	0·899	0·867
20—30	99,664	129,174	1287	1423	1·291	1·101
30—40	72,189	90,296	1276	1369	1·766	1·516
40—50	54,940	67,207	1355	1295	2·466	1·927
50—60	35,826	46,342	1346	1322	3·477	2·852
60—70	20,142	30,159	1329	1483	6·597	4·917
70—80	7,131	12,162	898	1301	12·592	10·698
80—90	1,496	2,909	376	648	25·134	22·275
90—100	98	252	37	98	37·755	38·888
100 and above	3	6	–	5	–	83·333
Not stated	–	–	4	6	–	–
ALL AGES	557,175	648,150	17120	17252	3·072	2·662
BOTH SEXES	1,205,325		34372		2·851	

diseases which has periods of increase and of decrease, and that in 1858, without any legislative enactment, the deaths from Small-pox fell lower than they did in 1865, when the Vaccination Act had been in full operation for about two years. If, however, subsequent years shall show that Small-pox, instead of again increasing (as that table shows to be its natural tendency), shall

TABLE XXIX.—GLASGOW, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,452	7,054	1582	1323	21·229	18·755
— 2	6,082	5,978	795	771	13·025	12·897
— 3	5,870	5,820	367	317	6·252	5·446
— 4	5,491	5,563	209	206	3·706	3·703
— 5	5,301	5,135	128	159	2·414	3·096
Total under 5 Years	30,196	29,550	3081	2776	10·203	9·558
5—10	23,064	22,873	325	306	1·409	1·337
10—15	20,192	19,842	156	139	0·772	0·700
15—20	21,280	23,737	180	218	0·845	0·931
20—30	39,404	49,000	505	567	1·281	1·157
30—40	27,580	32,976	471	513	1·707	1·555
40—50	20,120	23,362	520	472	2·584	2·020
50—60	11,835	14,846	471	469	3·979	3·159
60—70	5,991	8,863	401	474	6·693	5·348
70—80	1,644	3,018	220	323	13·382	10·702
80—90	306	606	72	134	23·529	22·112
90—100	20	54	12	20	60·000	37·037
100 and above	–	4	–	4	–	100·000
Not stated	–	–	–	–	–	–
ALL AGES	201,632	228,731	6414	6415	3·181	2·804
BOTH SEXES	430,363		12829		2·980	

TABLE XXX.—EDINBURGH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,286	2,397	505	381	22·091	15·852
— 2	2,054	2,059	182	183	8·860	8·887
— 3	2,026	1,965	84	71	4·146	3·613
— 4	1,899	1,953	47	45	2·459	2·304
— 5	1,983	1,809	31	34	1·563	1·879
Total under 5 Years	10,248	10,183	849	714	8·284	7·017
5—10	8,914	8,766	97	85	1·088	0·969
10—15	8,168	7,970	48	40	0·587	0·501
15—20	8,217	10,012	77	64	0·937	0·639
20—30	14,874	19,972	225	203	1·512	1·016
30—40	10,093	13,733	243	221	2·407	1·682
40—50	7,655	10,646	205	199	2·678	1·869
50—60	5,265	7,783	238	228	4·520	2·799
60—70	3,174	5,245	212	273	6·742	5·204
70—80	1,233	2,146	161	242	13·057	11·276
80—90	232	479	65	110	28·018	22·943
90—100	9	41	2	11	22·222	26·829
100 and above	–	1	–	–	–	–
Not stated	–	–	–	1	–	–
ALL AGES	78,082	96,977	2422	2391	3·101	2·361
BOTH SEXES	175,059		4813		2·749	

be found to decrease still more,* then the diminution may fairly be ascribed to the successful working of the Vaccination Act.

TABLE XXXI.—DUNDEE, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,569	1,476	446	349	28·425	23·645
— 2	1,223	1,259	147	113	12·019	8·975
— 3	1,376	1,246	66	56	4·796	4·494
— 4	1,195	1,200	40	39	3·347	3·250
— 5	1,154	1,203	17	25	1·473	2·078
Total under 5 Years	6,517	6,384	716	582	10·986	9·116
5—10	5,414	5,484	79	67	1·459	1·221
10—15	4,690	4,732	21	29	0·448	0·612
15—20	4,267	5,804	48	49	1·124	0·844
20—30	7,121	12,037	103	142	1·446	1·179
30—40	5,321	7,879	99	122	1·860	1·548
40—50	4,072	5,678	117	130	2·873	2·289
50—60	3,028	3,930	152	145	5·019	3·689
60—70	1,492	2,310	127	153	8·512	6·623
70—80	492	813	77	97	15·650	11·931
80—90	84	190	26	41	30·952	21·579
90—100	12	18	2	6	16·666	33·333
100 and above	1	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	42,511	55,259	1567	1563	3·686	2·828
BOTH SEXES	97,770		3130		3·201	

TABLE XXXII.—ABERDEEN, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,049	1001	276	214	26·310	21·378
— 2	941	886	110	96	11·583	10·835
— 3	962	937	55	57	5·717	6·083
— 4	916	899	40	35	4·366	3·893
— 5	894	843	30	23	3·355	2·728
Total under 5 Years	4,762	4,566	511	425	10·730	9·305
5—10	4,299	4,113	65	65	1·512	1·580
10—15	3,888	3,969	29	22	0·745	0·554
15—20	3,365	3,850	34	39	1·010	1·012
20—30	5,002	7,503	82	68	1·639	0·906
30—40	3,724	5,699	61	81	1·638	1·421
40—50	3,213	4,552	67	83	2·085	1·823
50—60	2,470	3,561	62	83	2·510	2·330
60—70	1,461	2,522	106	107	7·255	4·242
70—80	623	1,218	90	122	14·446	10·016
80—90	156	349	35	69	22·436	19·770
90—100	11	31	2	15	18·181	48·387
100 and above	–	1	–	1	–	100·000
Not stated	–	–	–	–	–	–
ALL AGES	32,974	41,934	1144	1180	3·469	2·814
BOTH SEXES	74,908		2324		3·111	

* It was estimated that the Small-pox deaths in Scotland amounted to 124 in 1867, and to 25 in 1868. The Scottish Vaccination Act may therefore be regarded as a great success.

Scotland has now the prospect of witnessing how far a legislative enactment, which enforces the vaccination of all the children within six months of their birth, can control or extinguish one of the most loathsome and fatal of the diseases which afflict the human race. The Vaccination Act has been in operation since the 1st of January 1864; the people have

TABLE XXXIII.—PAISLEY, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	141	112	17·962	14·358
— 2	680	659	62	63	9.117	9·559
— 3	724	642	31	25	4·281	3·894
— 4	652	643	24	19	3·681	3·732
— 5	621	581	15	12	2·415	2·065
Total under 5 Years	3,462	3,305	273	231	7·885	6·988
5—10	2,759	2,872	30	17	1·087	0·591
10—15	2,438	2,409	17	8	0·697	0·332
15—20	2,130	2,598	22	28	1·032	1·077
20—30	3,497	4,690	48	55	1·086	1·172
30—40	2,630	3,293	46	57	1·748	1·730
40—50	2,134	2,520	57	75	2·671	2·976
50—60	1,472	1,857	54	46	3·647	2·477
60—70	925	1,272	44	76	4·756	5·974
70—80	373	559	39	58	10·455	10·375
80—90	81	129	20	36	24·691	27·900
90—100	12	10	3	3	25·000	30·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	1	–	–
ALL AGES	21,913	25,514	654	691	2·983	2·708
BOTH SEXES	47,427		1345		2·835	

TABLE XXXIV.—GREENOCK, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	845	758	164	172	19·408	22·691
— 2	652	650	104	80	15·950	12·307
— 3	710	657	34	21	4·788	3·196
— 4	673	668	33	17	4·903	2·544
— 5	617	628	14	15	2·264	2·388
Total under 5 Years	3,497	3,361	349	305	9 980	9·074
5—10	2,778	2,688	39	33	1·403	1·227
10—15	2,270	2,151	17	12	0·749	0·557
15—20	2,273	2,157	26	21	1·143	0·973
20—30	4,458	4,557	61	67	1·368	1·470
30—40	3,271	3,525	60	62	1·834	1·758
40—50	2,344	2,503	56	42	2·389	1·677
50—60	1,354	1,555	58	51	4·283	3·279
60—70	719	1,042	52	59	7·219	5·662
70—80	247	374	33	48	13·360	12·833
80—90	41	99	8	23	19·512	23·232
90—100	5	10	–	6	–	60·000
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	23,257	24,023	759	729	3·264	3·034
BOTH SEXES	47,280		1488		3·105	

done all in their power to meet the views of the legislature, and to obey the requirements of the Act; and the accompanying Tables XLII. and XLIII., prepared from the Registrar-General's First, Second, and Third Reports on Vaccination, will show how perfectly the Act has worked in Scotland.

By Table XLII. it is seen that 8·33 per cent. of the children born in

TABLE XXXV.—LEITH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	612	558	128	106	20·947	19·000
— 2	588	498	38	39	6·462	7·831
— 3	517	514	24	22	4·642	4·280
— 4	518	505	10	10	1·930	1·780
— 5	506	464	9	5	1·778	1·077
Total under 5 Years	2,741	2,540	209	182	7·625	7·165
5—10	2,170	2,134	25	14	1·152	0·656
10—15	1,953	1,758	10	8	0·512	0·455
15—20	1,720	1,780	11	8	0·639	0·449
20—30	3,930	3,462	35	25	0·890	0·722
30—40	2,692	2,717	32	40	1·188	1·472
40—50	1,798	2,046	40	37	2·224	1·808
50—60	1,055	1,345	31	31	2·933	2·304
60—70	582	901	50	33	8·592	3·662
70—80	211	369	23	41	10·900	11·111
80—90	38	81	14	19	36·842	23·456
90—100	1	5	–	5	–	100·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	–	–	–
ALL AGES	18,891	19,138	481	443	2·540	2·314
BOTH SEXES	38,029		924		2·429	

TABLE XXXVI.—PERTH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	372	353	60	55	16·128	15·580
— 2	346	338	12	14	3·468	4·143
— 3	333	322	7	13	2·102	4·037
— 4	361	323	6	4	1·662	1·238
— 5	301	304	4	4	1·309	1·315
Total under 5 Years	1,713	1,640	89	90	5·194	5·493
5—10	1,394	1,444	11	9	0·788	0·623
10—15	1,317	1,303	7	3	0·531	0·230
15—20	1,299	1,378	13	9	1·000	0·653
20—30	2,048	2,579	21	25	1·025	0·969
30—40	1,596	2,005	29	31	1·817	1·546
40—50	1,210	1,539	29	36	2·396	2·339
50—60	860	1,181	23	18	2·686	1·524
60—70	572	947	36	32	6·294	3·379
70—80	243	399	24	39	9·876	9·774
80—90	66	100	18	17	26·865	17·000
90—100	1	5	1	3	100·000	60·000
100 and above	–	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	12,319	14,520	301	312	2·443	2·148
BOTH SEXES	26,839		613		2·284	

Scotland during these three years died before they could be vaccinated. To ascertain, therefore, what proportion of the children who survived the age of vaccination were protected by it, we must deduct those who died before

TABLE XXXVII.—DEATHS, 1866. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1866, allowing for causes not specified.

DISEASES.	Proportion of DEATHS in every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2263	2374	2162	1687	1821	1575	1916	1968	1868	2851	3072	2662
1. Zymotic Class . . .	516	539	503	265	277	255	437	433	440	664	710	624
2. Uncertain Seat . .	81	63	97	67	45	85	76	61	89	91	69	110
3. Tubercular Class .	386	403	371	257	299	223	302	312	294	525	556	483
4. Nervous System .	181	202	162	106	114	99	153	168	140	232	267	203
5. Organs of Circulation	106	116	98	53	67	42	96	101	91	129	144	115
6. Respiratory Organs	332	377	299	171	194	151	236	265	209	493	550	445
7. Organs of Digestion	164	182	148	109	127	93	150	164	137	193	218	171
8. Urinary Organs . .	33	47	21	20	40	4	29	43	17	41	55	29
9. Generative Organs .	18	–	34	26	1	46	16	–	31	19	–	37
10. Locomotive Organs .	12	14	11	18	23	13	11	12	9	15	18	12
11. Skin, etc.	2	3	2	4	5	3	2	3	1	3	3	2
12. Malformation . . .	5	6	4	1	1	–	5	6	4	7	8	6
13. Premature Debility .	115	130	101	40	59	26	90	100	80	162	183	141
14. Atrophy	17	17	17	8	8	7	13	13	12	25	24	26
15. Age	207	164	246	465	429	493	231	181	267	148	111	179
16. Sudden Deaths . .	5	6	4	5	3	5	4	5	2	7	8	6
17. Violent Deaths . .	74	114	38	68	124	23	62	96	31	93	142	51
Small-pox	6	7	6	2	1	3	2	2	2	13	15	11
Measles	34	36	31	4	8	–	23	23	22	54	62	48
Scarlatina	89	99	81	3	31	28	87	92	81	102	118	89
Diphtheria	22	23	21	13	11	15	25	26	24	19	21	18
Hooping-cough . .	61	57	65	43	41	44	44	40	48	89	85	90
Croup	30	32	27	37	45	28	28	31	26	31	32	29
DIARRHŒA . .	49	50	49	17	20	15	38	38	38	70	74	68
Dysentery	9	9	9	4	3	4	10	9	11	9	11	8
Cholera	42	41	42	3	3	3	40	38	42	49	51	47
Influenza	6	6	7	21	15	26	7	6	7	4	5	4
ALL FEVERS, viz.	133	137	129	74	78	70	106	103	109	180	197	167
Typhus . .	73	77	67	29	25	32	39	38	40	125	140	110
Enteric . .	46	45	48	23	30	16	53	51	55	41	40	45
Relapsing . .	1	1	1	2	1	3	1	1	1	1	1	1
Continued . .	8	8	8	20	22	18	8	7	9	7	9	5
Infantile . .	5	6	5	–	–	1	5	6	4	6	7	6
Metria	6	–	11	4	–	8	5	–	10	7	–	13
Erysipelas	9	11	9	4	5	3	7	8	7	14	16	11
Dropsy	23	19	27	26	16	34	21	18	23	26	21	32
Cancer	43	28	58	34	22	44	43	28	56	46	29	62
Scrofula	20	23	18	12	18	7	19	21	17	23	25	21
Tabes Mesenterica .	28	31	25	6	6	5	24	26	23	37	43	32
PHTHISIS . . .	274	272	276	219	245	197	217	212	220	368	368	365
Hydrocephalus . .	62	76	50	20	28	13	42	52	34	97	118	78
Apoplexy	39	43	35	21	20	22	35	37	33	47	54	40
Paralysis	53	54	53	38	32	44	51	53	49	59	60	59
Epilepsy	8	9	7	4	5	3	8	8	7	9	11	8
Convulsions . . .	30	36	26	10	15	7	19	21	17	50	62	40
BRONCHITIS . .	220	233	208	78	82	75	151	162	149	336	356	317
Pneumonia . . .	73	91	57	33	50	19	53	65	42	107	134	83
Teething	34	41	28	12	13	11	23	26	19	53	64	44
Enteritis	29	33	25	12	16	9	29	35	24	31	34	29
All Liver Diseases .	34	38	31	25	35	18	31	34	28	40	44	36
CHILDBIRTH . .	11	–	22	20	–	40	10	–	19	12	–	24
Burns and Scalds .	10	10	10	6	–	11	8	7	9	13	15	11
Drowning	14	25	4	46	95	5	13	22	4	12	22	4
Fracture & Contusion	32	53	10	9	20	1	25	45	7	39	68	14

vaccination could be performed, when we have the numbers and proportions given in Table XLIII. By that table it is seen, that of the 307,731 children who survived to the age when they could be vaccinated, 95·89 per cent.—

TABLE XXXVIII.—DEATHS, 1866. Proportion of Deaths from different Diseases in every ten thousand Deaths from specified causes in 1866.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2282	2237	2326	1571	1520	1620	2280	2200	2357	2331	2317	2344
2. Uncertain Seat . .	359	266	449	400	249	542	397	311	480	320	225	413
3. Tubercular Class . .	1708	1700	1716	1526	1640	1418	1580	1587	1574	1843	1812	1874
4. Nervous System . .	802	853	752	628	719	630	801	853	750	815	869	762
5. Organs of Circulation	471	489	455	318	368	271	502	516	488	453	471	435
6. Respiratory Organs .	1471	1558	1386	1014	1070	963	1231	1347	1119	1731	1791	1672
7. Organs of Digestion	726	768	684	686	700	595	783	835	733	676	709	643
8. Urinary Organs . .	149	200	99	121	221	26	155	219	92	144	180	109
9. Generative Organs .	80	–	158	157	9	297	85	–	168	69	–	139
10. Locomotive Organs .	56	62	50	108	129	87	56	62	51	53	59	47
11. Skin, etc.	11	13	9	22	27	17	11	15	7	10	10	10
12. Malformation . . .	24	27	22	4	9	–	26	31	21	24	25	23
13. Premature Debility .	509	548	472	242	322	166	470	511	430	564	597	532
14. Atrophy	77	72	82	44	46	43	67	68	67	88	78	98
15. Age	917	692	1108	2757	2359	3134	1205	925	1470	520	357	767
16. Sudden Deaths . .	22	26	19	27	18	35	19	25	14	25	27	24
17. Violent Deaths . .	329	482	179	408	682	148	326	490	167	326	462	192
Small-pox	29	30	28	13	9	17	12	12	12	46	49	44
Measles	152	159	145	22	46	–	120	121	119	191	201	180
Scarlatina	396	418	375	179	175	184	451	471	432	358	384	333
Diphtheria	100	100	100	80	64	96	134	136	132	69	69	69
Hooping-cough . .	272	243	301	256	230	280	232	206	257	312	279	346
Croup	132	136	126	215	249	184	148	157	139	111	112	110
DIARRHŒA . . .	220	214	226	103	110	96	199	193	205	248	241	255
Dysentery	43	41	45	22	18	26	54	46	62	33	38	28
Cholera	186	175	196	18	18	17	212	196	227	172	167	178
Influenza	29	26	32	125	83	166	36	34	39	15	16	15
ALL FEVERS, viz.	589	580	598	440	433	446	554	523	584	632	643	622
Typhus . . .	318	323	314	171	138	201	207	196	217	436	456	415
Enteric . . .	206	190	222	135	166	106	275	254	296	144	130	158
Relapsing . .	5	6	4	13	9	17	5	7	3	4	5	3
Continued . .	36	36	37	117	120	114	42	37	48	25	30	22
Infantile . .	24	25	21	4	–	8	25	29	20	23	22	24
Metria	26	–	52	27	–	52	28	–	55	25	–	49
Erysipelas	43	46	40	22	27	17	38	39	38	48	53	44
Dropsy	105	83	128	157	92	219	111	95	127	96	71	132
Cancer	194	119	268	202	120	280	225	145	303	164	95	232
Scrofula	90	96	84	72	101	43	100	109	91	82	83	81
Tabes Mesenterica .	126	134	118	36	37	35	126	132	121	131	141	120
PHTHISIS . . .	1214	1148	1279	1297	1345	1252	1130	1079	1179	1289	1200	1378
Hydrocephalus . .	277	322	234	122	156	87	223	266	182	340	386	294
Apoplexy	172	181	164	125	110	140	184	189	179	165	178	152
Paralysis	237	231	244	229	175	280	268	270	265	209	197	221
Epilepsy	37	40	34	22	27	17	41	44	39	34	36	31
Convulsions	136	153	118	63	83	43	99	107	92	176	201	152
BRONCHITIS . .	972	983	961	462	451	472	790	827	754	1179	1165	1193
Pneumonia	323	383	265	197	276	122	278	333	224	375	437	314
Teething	152	172	132	72	73	70	120	138	103	187	210	165
Enteritis	129	142	118	76	92	61	153	177	130	110	112	109
All Liver Diseases .	152	160	145	152	193	114	162	174	157	140	145	136
CHILDBIRTH . .	52	–	103	130	–	254	54	–	106	45	–	90
Burns and Scalds .	44	42	46	36	–	70	42	37	48	47	50	43
Drowning	62	107	20	274	525	35	68	114	23	43	72	14
Fracture & Contusion	133	223	46	58	110	8	133	229	41	139	224	54

that is, almost 96 per cent.—were successfully vaccinated; 0·64 per cent., or little more than half of a per-centage, had their vaccination postponed for various reasons; 0·84 per cent., or about three quarters of a per-centage, were found to be insusceptible of vaccination; while 2·63 per cent., or little more than 2½ per cent., were lost sight of, from having removed from the district before vaccinaion could be performed. As all those whose vaccination was postponed would be afterwards vaccinated, and all those found insusceptible of the vaccine disease may be considered to be protected, only about 2½ per cent. of the children whose births were registered in the three years may be considered as unprotected by vaccination. These chiefly belong to the vagrant class, and the wandering habits of that class increase the dangers which arise from their children being left unprotected by vaccination. At present, six months are allowed to elapse before the vaccination of the child can be enforced by penalties. Shortening that period to three months would bring a great proportion of these vagrants' children under the Act, and thus more effectually protect the population from the ravages of Small-pox.

Fever was the most fatal of the zymotic class of diseases in 1866, cutting off 4018 persons, thus constituting 5·89 per cent. of the deaths, or proving fatal to 133 persons in every hundred thousand of the population.

TABLE XXXIX.—TOWN DEATHS, 1866. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1866.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·980	2·749	3·201	3·111	2·835	3·105	2·429	2·284
I. Zymotic Class	0·673	0·581	0·833	0·818	0·695	0·654	0·618	0·422
III. Tubercular Class	0·578	0·505	0·592	0·504	0·488	0·639	0·301	0·391
IV. Brain, etc., Diseases	0·225	0·244	0·232	0·314	0·231	0·294	0·181	0·193
V. Heart, etc., Diseases	0·108	0·169	0·150	0·142	0·109	0·161	0·114	0·167
VI. Respiratory Organs, Dis.	0·620	0·433	0·486	0·459	0·361	0·458	0·434	0·258
VII. Organs of Digestion, Dis.	0·203	0·174	0·203	0·225	0·233	0·251	0·189	0·129
XIII. Premature Debility	0·170	0·136	0·226	0·126	0·178	0·181	0·200	0·182
XV. Old Age	0·102	0·135	[0·171	0·194	0·233	0·148	0·117	0·208
XVII. Violent Deaths	0·099	0·105	0·093	0·088	0·065	0·128	0·117	0·091
Small-pox	0·024	0·005	0·024	0·013	0·002	0·000	0·000	0·003
Measles	0·078	0·023	0·007	0·094	0·067	0·087	0·013	0·003
Scarlatina	0·099	0·025	0·106	0·192	0·128	0·096	0·021	0·019
Diphtheria	0·019	0·028	0·019	0·022	0·010	0·021	0·010	0·011
Hooping-cough	0·102	0·108	0·064	0·091	0·047	0·076	0·053	0·053
Croup	0·029	0·010	0·058	0·013	0·037	0·050	0·013	0·026
Diarrhœa	0·065	0·065	0·088	0·071	0·058	0·082	0·056	0·053
Dysentery	0·006	0·008	0·016	0·012	0·008	0·015	0·016	0·007
Cholera	0·016	0·085	0·119	0·088	0·015	0·030	0·261	0·064
Fevers, viz.	0·186	0·163	0·271	0·171	0·296	0·181	0·267	0·129
Typhus	0·141	0·109	0·197	0·080	0·253	0·151	0·261	0·092
Enteric	0·036	0·048	0·044	0·061	0·031	0·018	0·003	0·027
Relapsing	0·000	0·000	0·002	0·006	0·002	0·000	0·003	0·000
Continued	0·002	0·002	0·020	0·018	0·002	0·006	0·000	0·007
Infantile	0·006	0·004	0·008	0·006	0·008	0·006	0·000	0·003
Dropsy	0·029	0·013	0·057	0·017	0·058	0·028	0·034	0·011
Cancer	0·041	0·078	0·051	0·052	0·024	0·024	0·024	0·038
Phthisis	0·406	0·346	0·419	0·350	0·338	0·471	0·149	0·292
Apoplexy	0·041	0·055	0·051	0·053	0·071	0·045	0·032	0·045
Paralysis	0·047	0·069	0·051	0·083	0·069	0·065	0·066	0·068
Convulsions	0·060	0·028	0·096	0·084	0·030	0·056	0·042	0·022
Bronchitis	0·431	0·294	0·331	0·283	0·248	0·329	0·312	0·186
Pneumonia	0·142	0·078	0·092	0·110	0·076	0·065	0·066	0·057
Teething	0·062	0·016	0·084	0·095	0·061	0·133	0·047	0·038

Till 1855 all the forms of fever were tabulated under the head of Typhus, but both in 1855 and 1856 the different forms of continued fever were specified in the tables. By these it appears that, in 1866, of the 4018 deaths from fever, 2172 were attributed to Typhus (Spotted) Fever, 1404 to Enteric (Typhoid or Gastric) Fever, 34 to Relapsing Fever, 249 to Simple Continued Fever, and 159 to Infantile Fever, which is, in fact, Enteric Fever in the infant.

By distinguishing the forms of fever, some very interesting facts are brought to light, as may be seen by a reference to Table XLIV. Thus, it appears that Typhus (or Spotted Fever) was the leading form in the towns, seeing that 68·82 per cent. of the deaths from fever in the Town Districts were caused by Typhus, while only 22·79 per cent. were caused by Enteric Fever. In the Mainland-Rural Districts, on the other hand, Enteric Fever was the leading type, seeing that 49·69 per cent. of the fever deaths were caused by it, while only 37·27 per cent. of the deaths were caused by Typhus Fever. It is worthy of note, however, that all the recognised forms of fever were present and co-existed in both Town and Rural Districts,—a fact which leads us to infer, that any one of these may become the leading type in any epidemic which may prevail, as has been witnessed in the various epidemics of fever which have ravaged the country during the last century and a half, during which period sometimes Typhus, sometimes Enteric Fever, sometimes Relapsing Fever, characterized the epidemic.

TABLE XL.—TOWN DEATHS, 1866. Per-centage of Deaths from different Diseases to the total specified Causes of Death in each of the Eight Principal Towns of Scotland in 1866.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class	22·52	21·15	25·64	26·39	24·57	21·48	25·46	18·80
III. Tubercular Class	19·41	18·37	18·09	16·27	17·20	20·30	12·40	17·13
IV. Brain, etc., Diseases	7·57	8·88	7·25	10·12	8·14	9·35	7·46	8·48
V. Heart, etc., Diseases	3·62	6·14	4·65	4·58	3·84	5·12	4·72	7·32
VI. Respiratory Organs, Dis.	20·82	15·76	15·13	14·79	12·75	14·55	17·78	11·21
VII. Organs of Digestion, Dis.	6·83	6·33	6·32	7·27	8·98	7·96	7·79	5·65
XIII. Premature Debility	5·71	4·95	7·05	4·06	6·29	5·75	8·23	7·98
XV. Old Age	3·43	4·94	5·32	6·27	8·21	4·71	4·83	9·15
XVII. Violent Deaths	3·33	3·84	2·89	2·85	2·30	4·08	4·83	3·99
Small-pox	0·82	0·18	0·76	0·43	0·07	0·00	0·00	0·16
Measles	2·63	0·83	0·23	3·02	2·38	2·77	0·54	0·16
Scarlatina	3·34	0·94	3·32	6·18	4·53	3·04	0·87	0·83
Diphtheria	0·65	1·02	0·59	0·73	0·39	0·69	0·43	0·49
Hooping-cough	3·42	3·95	1·96	2·94	1·69	2·42	2·19	2·32
Croup	1·00	0·39	1·79	0·42	1·30	1·59	0·54	1·16
Diarrhœa,	2·30	2·38	2·72	2·29	2·07	2·63	2·30	2·32
Dysentery,	0·23	0·20	0·49	0·39	0·30	0·48	0·66	0·33
Cholera,	0·53	3·09	3·72	2·85	0·53	0·97	10·75	2·83
Fevers, viz.	6·24	5·95	8·41	5·54	10·44	5·73	10·97	5·65
Typhus,	4·72	3·98	6·09	2·55	8·92	4·79	10·75	3·99
Enteric,	1·23	1·75	1·37	1·97	1·08	0·56	0·11	1·17
Relapsing,	0·02	0·02	0·06	0·21	0·07	0·00	0·11	0·00
Continued,	0·06	0·06	0·63	0·60	0·07	0·20	0·00	0·33
Infantile,	0·21	0·14	0·26	0·21	0·30	0·20	0·00	0·16
Dropsy	0·98	0·48	1·76	0·56	2·07	0·90	1·42	0·49
Cancer	1·34	2·84	1·56	1·68	0·84	0·76	0·98	1·66
Phthisis	13·62	12·60	13·07	11·29	11·90	14·96	6·14	12·81
Apoplexy	1·40	2·02	1·56	1·73	2·53	1·45	1·31	1·99
Paralysis	1·60	2·53	1·56	2·68	2·46	2·07	2·74	2·99
Convulsions	2·03	1·02	2·79	2·72	1·07	1·80	1·75	0·99
Bronchitis	14·56	10·70	10·34	9·13	8·75	10·53	12·84	8·15
Pneumonia	4·76	2·84	2·86	3·54	2·68	2·07	2·74	2·49
Teething	2·08	0·58	2·59	3·07	2·15	4·22	1·97	1·66

Scarlet Fever was the next most fatal of the zymotic class of diseases, having proved fatal to 2706 persons, of whom 1411 were males and 1295 females. Scarlet Fever thus constituted 3·96 per cent. of the specified deaths, or cut off 89 persons in every ten thousand of the population. This disease was proportionately far more fatal to the rural than to the town populations; for while in the Town Districts only 3·58 per cent. of the deaths were caused by Scarlatina, it constituted 4·51 per cent. of the deaths in the Mainland-Rural Districts. The principal towns of Scotland were affected very differently by that disease; for while in Aberdeen the deaths from Scarlatina constituted 6·18 per cent. of the mortality, the deaths therefrom in Perth, Leith, and Edinburgh were considerably under one per cent. of the mortality.

1860 deaths were attributed to Hooping-cough, and it is remarkable that, year after year, that disease, unlike almost all others, cuts off a higher proportion of females than males. Thus, in 1866, only 820 males died from Hooping-cough, but 1040 females.

The mortality from Diarrhœa, Dysentery, and Cholera was high in

---

TABLE XLI.—SMALL-POX Deaths in Scotland.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1861	766
1856	1306	1862	426
1857	845	1863	1646
1858	332	1864	1741
1859	682	1865	383
1860	1495	1866	200

TABLE XLII.—VACCINATION of Children whose Births were registered in Scotland in 1864, 1865, 1866.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			DIED before Vaccination.	Removed from District before Vaccination, or not otherwise accounted for.	TOTAL BIRTHS.*
				From Constitutional Insusceptibility.	From having had Small-pox.	From being previously Vaccinated.			
1864	Number .	95,047	662	667	154	440	9180	2701	108,851
1865	Number .	99,648	719	474	34	207	9366	2681	113,129
1866	Number .	100,498	579	332	30	227	9433	2721	113,730
1864	Per-centage	87·32	0·61	0·61	0·14	0·40	8·44	2·48	100·00
1865	Per-centage	88·08	0·64	0·42	0·03	0·18	8·28	2·37	100·00
1866	Per-centage	88·29	0·51	0·29	0·02	0·20	8·29	2·40	100·00

TABLE XLIII.—VACCINATION of the surviving Children born in Scotland in 1864, 1865, 1866.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or not otherwise accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number .	85,047	662	667	154	440	2701	99,671
1865	Number .	99,648	719	474	34	207	2681	103,763
1866	Number .	100,408	579	332	30	227	2721	104,297
1864	Per-centage	95·36	0·67	0·67	0·15	0·44	2·71	100·000
1865	Per-centage	96·04	0·69	0·46	0·03	0·20	2·58	100·000
1866	Per-centage	96·27	0·56	0·32	0·02	0·22	2·61	100·000

* The slight discrepancy between the annual number of Births here given and those published in these Reports, arises from the circumstance that some of the Registrars have included the transcript Births in their Returns.

1866, seeing that 1504 persons died from Diarrhœa, 294 from Dysentery, and 1270 from Cholera.

Epidemic Cholera made its appearance in Scotland in 1866, but its ravages were limited, and chiefly confined to certain localities, where the water used by the people was vitiated by containing organic matter. Indeed, in almost every instance where numbers of persons were seized with Cholera, it was found that they had been using water from wells where the water was rendered unfit for human use, from containing organic matter in a state of decomposition. This vitiation generally resulted from the well receiving the drainage of sewage water, or of manure heaps, or of churchyards, and the disease rapidly declined on the wells being shut up, and the people using water free from organic impurities.

During the whole year there was a greater tendency than usual to Cholera, so that even during the first five months of the year, from three to four deaths from that disease occurred monthly. In June, however, the first perceptible rise of deaths from Cholera manifested itself, for they numbered 14 deaths that month, having only been four during May. During July the Cholera deaths increased to 34; but the medical men, and the authorities of the localities where it manifested itself, would not allow themselves to believe that the disease was other than what they were pleased to call autumnal or British Cholera, so that the disease acquired some dimensions before any effective measures were taken for its arrestment. Accordingly, 120 fell victims to the disease in August, 128 in September, 431 in October, 459 in November, and 68 in December, when the disease died out.

It would be well that the public and medical practitioners should recognise the fact, that Cholera is the same disease everywhere, whether in India or in Britain, but that in this country it is only at distant intervals that it spreads as an epidemic. Every case, therefore, should be treated as if it were the forerunner of an epidemic; and if several cases are found to follow each other in the same locality, that fact proves that the disease has assumed the epidemic form, and the water supply should be immediately examined.

In former epidemics of Cholera in Scotland, it was found that females suffered more than males. The numbers dying from that disease in 1866 were too small to furnish reliable statistics on such a subject, though over all Scotland a slightly higher proportion of females than of males died of Cholera. But the results from the Rural and the Town Districts were at variance in this respect, inasmuch as a higher proportion of men died from Cholera in the Towns, whereas the proportion of female deaths greatly preponderated in the Rural Districts.

TABLE XLIV.—Deaths from Fever in 1866.

Fevers.	Mainland-Rural Districts.		Town Districts.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus, . . .	666	37·27	1468	68·82
Enteric, . . .	888	49·69	486	22·79
Relapsing, . . .	17	0·95	14	0·66
Simple Continued, .	137	7·67	86	4·03
Infantile, . . .	79	4·42	79	3·70
All Fevers, . .	1787	100·00	2133	100·00

Several other facts noticed regarding the attack of Cholera in Scotland were noticed in the Registrar-General's Twelfth Annual Report, to which reference may be made.

Diphtheria caused 685 deaths in 1866; and it is a remarkable fact concerning that disease, that since its outbreak in Scotland, it has been much more prevalent and fatal among the inhabitants of the Rural Districts, than among the inhabitants of the Towns. The year 1866 was no exception to this, for Diphtheria caused 433 deaths in the Mainland-Rural, but only 234 deaths in the Town Districts.

Of the other diseases belonging to the zymotic class, Measles caused 1038 deaths, Croup 903, Thrush 39, Influenza 200, Purpura 41, Ague 1, Worms 26, Metria 181, Rheumatic Fever 103, Erysipelas 295, Pyæmia 20, Syphilis 156, and Noma 24.

Diseases of uncertain seat caused 2450 deaths, and thus constituted 3·59 per cent. of the mortality. Of the diseases tabulated in this class, Cancer was the most fatal, cutting off 1327 persons, of whom 403 were males and 924 females. Of the other diseases belonging to this class, Dropsy caused 721 deaths, Abscess 134, Ulcer 38, Fistula 15, Mortification 144, and Gout 8.

The Tubercular class of diseases caused 11653 deaths in Scotland, of which 5734 were males and 5919 females. This indicates an annual proportion of 403 male and 371 female deaths in every hundred thousand of each sex,—showing that, in 1866, males died from these diseases in somewhat higher proportions than females. This mainly resulted from the fact that Hydrocephalus, which belongs to this class, is so much more fatal to the male than to the female.

Phthisis or Consumption is the most fatal of the tubercular class of diseases, and, indeed, is the individual disease which is more fatal to the inhabitants of Scotland than any other disease. It caused 8283 deaths in Scotland during the year, of which 3871 were males and 4412 females. This gives the proportion of 272 male and 276 female deaths in every hundred thousand of each sex annually,—indicating that more females than males fall victims to its ravages.

In the Insular and Mainland-Rural Districts, the proportional mortality from Phthisis was nearly identical, viz. 219 deaths in the Insular, and 217 deaths in the Mainland-Rural Districts in every hundred thousand persons. But in the Town Districts the proportion was 368 deaths in a like population. If, however, the deaths from Phthisis be compared with the total deaths, it is found that the increase in the towns bears an exact relation to the increased mortality from all diseases; so that, while the deaths from Phthisis constituted 12·97 per cent. of the deaths in the Insular Districts, they formed 12·89 per cent. in the Town Districts—proportions almost identical.

Of the Eight Principal Towns of Scotland, it would appear from the tables that Leith possesses an immunity from Phthisis not enjoyed by even the Rural Districts, seeing these tables appear to show, that while in the other towns from 292 to 419 deaths from Phthisis in every hundred thousand persons occurred annually, in Leith the deaths were only in the proportion of 149 in a like population. No one can believe that such is really the case. In every town and district of the country there is a relation between the number of deaths from Hydrocephalus and those from Phthisis, but in Leith there is none. Speaking generally, the deaths from Hydrocephalus are in Leith as high as in the larger towns of Paisley and Greenock, while the deaths from Phthisis are set down as only half as many. The deaths from

Phthisis must therefore be registered under some other head, and from the disproportionate excess of deaths attributed to Bronchitis, it is suspected that a very large proportion indeed of the deaths from Phthisis are certified to be caused by Bronchitis, without stating that the bronchitic attack supervened on Phthisis. It is a rule in vital statistics that the tables of the diseases causing death are drawn up on the principle of tabulating the deaths under the primary disease, and not under its secondary or tertiary complications. Phthisis, therefore, proving fatal by a subsequent attack of Bronchitis or Pneumonia, would be tabulated as Phthisis, not as either of the latter diseases; just as Measles would be tabulated as such, though we know that, when Measles proves fatal, it is generally from Bronchitis supervening on the original disease.

Of the other tubercular diseases, Scrofula caused 617, Tabes Mesenterica 859, and Hydrocephalus 1994 deaths. The disproportion of the sexes falling victims to Hydrocephalus was so great, that 1087 were males and 807 females.

Diseases of the Brain and nervous system proved fatal to 5474 persons, of whom 2879 were males and 2595 females. This indicates that 202 males and 162 females died from brain diseases in every hundred thousand of each sex,—showing that the greater tendency to brain diseases which the male exhibits in infancy, when he is liable to Hydrocephalus, continued during life.

Of these Brain diseases, Apoplexy caused 1179 deaths, Paralysis 1621, Cephalitis 390, Delirium Tremens 60, Chorea 11, Epilepsy 255, Tetanus 45, Insanity 35, Convulsions 932, and general brain disease, not otherwise defined, 946 deaths.

Diseases of the Heart and blood-vessels caused 3218 deaths, 1649 of these being males and 1569 females,—indicating that 116 males and 98 females fell victims to these diseases out of every hundred thousand persons of each sex. Of these diseases, 49 deaths were ascribed to Pericarditis, 85 to Aneurism, and 3084 to Heart Disease.

Inflammatory affections of the Respiratory organs caused 10036 deaths, of which 5256 were males and 4780 females,—indicating that 377 male, but only 299 female deaths, occurred in every hundred thousand persons of either sex during the year. The deaths from all diseases, and from almost every disease, are about a third higher in the town than in the country districts, when compared with the population in each; but it is a fact worthy of notice, that diseases of the respiratory organs are nearly twice as fatal to the inhabitants of the Town Districts; just as if the residence in a town acted with especial malignity on the respiratory organs. Thus, while in every hundred thousand persons, only 236 died from inflammatory affections of the respiratory organs in the Mainland-Rural Districts, 493, or more than double the number, died from the same affections in the Town Districts.

Bronchitis, which is always the most fatal of these diseases of the respiratory organs in Scotland, caused 6629 deaths, Pneumonia 2207, Asthma 500, Pleurisy 252, Laryngitis 98, and disease of the lungs, not otherwise defined, 350 deaths.

Diseases of the organs of Digestion caused 4952 deaths, 2592 being male and 2360 female deaths. This indicates that in every hundred thousand of either sex, 182 males and 148 females died from these complaints during the year. Of these diseases, Teething caused 1038 deaths, Enteritis 886, Peritonitis 257, Gastritis 187, undefined Disease of the Stomach 750, Quinsey 51, Ascites 62, Ulceration of Intestines 178, Hernia 118, Ileus 272, Intussusception 34, Stricture of Intestines 40, all Diseases of the Liver

1042 (of which 171 were ascribed to Hepatitis and 173 to Jaundice), and Diseases of the Spleen 37 deaths.

Kidney and Urinary diseases caused 1016 deaths, of which 675 were males and 341 females,—indicating that these diseases are twice as fatal to males as to females. Of these diseases, Nephria caused 235 deaths, Nephritis 69, Ischuria 50, Diabetes 75, Stone 63, Cystitis 179, Stricture of Urethra 16, and undefined Kidney Disease 322. Seven deaths were ascribed to Addison's Disease—affection of the supra-renal capsules.

Diseases and accidents connected with the organs of Generation caused 546 deaths, of which one was a male, the rest females. Of these, 356 were attributed to Childbirth, to which must be added the 181 from Metria, or Childbed Fever, making a total of 437 deaths among the 112,277 mothers who bare children during the year. This indicates that only one mother died in childbearing in every 257 who bare children that year, or 39 deaths in every ten thousand mothers—a very small proportion indeed.

387 deaths occurred from diseases of the organs of Locomotion. Of these, 77 deaths were ascribed to diseases of the bones, 128 to diseases of the joints, and 182 to Rheumatism.

75 deaths were attributed to diseases of the Skin and subcutaneous cellular tissue. Of these, 24 were from Carbuncle, 9 from Phlegmon, and 42 from Skin diseases.

Malformations from birth caused 168 deaths, Premature Birth and Premature Debility 3475 deaths, Atrophy 526, Old Age without apparent disease 6255; while 156 deaths were sudden, the immediate cause not having been ascertained.

2245 deaths were ascribed to violent causes, which thus constituted 3·51 per cent. of the general mortality. It is a most striking fact relative to the deaths by violence, that year by year, their proportion to the total deaths is more regular than that of any disease or class of diseases. Of these 2245 deaths from violent causes, fractures and contusions caused 913 deaths, drowning 429, burns and scalds 304, suffocation 102, poisons 46,

TABLE XLV.—The Eighteen most fatal Diseases in Scotland and England in 1866, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis,	274	Phthisis,	265
Bronchitis,	220	Bronchitis,	197
Old Age	207	Atrophy, Debility, and Premature Birth,	190
All Fevers (Typhus, etc.)	133	Old Age,	136
Debility, Atrophy, and Premature Birth,	132	Convulsions,	130
Heart Diseases,	106	Pneumonia,	119
Scarlatina,	89	Heart Diseases,	105
Pneumonia	73	All Fevers (Typhus, etc.)	100
Hydrocephalus,	62	Diarrhœa,	81
Hooping-cough,	61	Hooping-cough,	75
Paralysis,	53	Cholera,	68
Diarrhœa,	49	Scarlatina,	55
Cancer,	43	Measles,	52
Cholera	42	Paralysis,	50
Apoplexy,	39	Apoplexy,	49
Measles,	34	All Liver Diseases,	40
Teething,	34	Cancer,	39
All Liver Diseases,	34	Hydrocephalus,	35

hanging 55, cuts and stabs 36, gunshot wounds 25, want of breast milk 100, intemperance 78, exposure to cold 27, privation 4, neglect 3, poisoned wounds 2, and other violent causes, the particulars of which were not specified, 121 deaths.

Of the above violent deaths, 126 were suicides, of which 55 were by hanging, 26 by cut-throat, 16 by drowning, 5 by gunshot, 1 by precipitation from a height, 16 by poisoning (and of these, 10 were by opium or laudanum, 2 by arsenic, 1 by nuxvomica, 1 by phosphorus, 1 by muriatic acid, and 1 by white vitriol). Of 7 suicides the form of death was not stated.

Table XLV. exhibits the eighteen most fatal diseases in Scotland and in England, arranged according to the order of their fatality. From that table it will be seen that, even during the same year, the fatality of the same disease is very different in each country, closely adjoining though they be, inhabited by the same races, and supposed to be subject to the same meteorological influences.

Influence of Weather on the Health.

The influence of the weather on the health of the population was so fully commented on in the Twelfth Annual Report, which has reference to the year 1866, that it is unneccessary to do more here than to refer to what was there stated. The tables, however, bearing on this subject are herewith given, to complete the series given in former Reports, and the table given at p. 184 shows the deaths during each month of the year in each division and county of Scotland during the year 1866.

Table XLIX. is added, to show that in this country there is no necessary or traceable connection between the scarcity of provisions, as indicated by the price, and the general mortality. Famine, with its invariable attendants, pestilence and a high mortality, only attacks those nations which have no trade or commerce, and who consequently do not possess the means of purchasing from other lands the food which has failed to be produced in their own.

Influence of Season on the Deaths in Scotland during the Ten Years 1855–1864.

For the guidance of the invalid and of the medical practitioner, it is very important that we should have correct information as to the months which are most fatal to the inhabitants of Scotland, and though in the Annual Reports this influence is always pointed out, its practical effect is greatly lost from both invalids and medical men being too apt to regard the facts for that year as exceptional, and not the general rule. No such exceptions can be taken to facts which extend over the lengthened period of ten years, and the very exceptions which take place during particular seasons prove the truth of the general conclusions which these decennial tables establish.

To give every one the full opportunity of examining for himself, there is printed in the Appendix, p. 186, *et seq.*,—*First*, a series of tables having reference to the temperature of each month during each of the ten years named. Separate tables show the mean monthly temperature, the absolute highest and the absolute lowest degree of temperature, the mean of all the day temperatures, and the mean of all the night temperatures during every

month of the ten years. *Secondly*, a series of tables showing the number of deaths during every month of these ten years in all Scotland, in its Insular, Mainland-Rural, and Town Districts, and in each of the Eight Divisions into which its counties are subdivided.

Tables LII. and LIII. give the summary of the above named mortality tables, viz. the Monthly Deaths in Scotland, its groups of districts and divisions during each month of the ten years; while Tables LIV. and LV. show the proportional Monthly Mortality in Scotland, its districts and divisions—each month being equalized to 31 days, and the proportion shown on the allowance of one thousand deaths per month, or 12000 deaths per annum. Drawn up in this manner, the proportional mortality in every

TABLE XLVI.—Meteorology of Scotland for 1866, from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also the Births, Deaths, and Marriages registered during each month of the year 1866.

1866.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade	59·0	61·0	62·3	71·6	78·0	87·5	87·5	73·7	70·5	69·3	59·3	66·0	87·5
Lowest Temperature in do.	6·0	11·0	—1·0	20·0	20·0	29·3	35·0	31·0	28·3	22·0	18·5	15·0	—1·0
Day Temperatures (Mean)	43·9	41·8	43·7	50·6	56·9	64·0	64·1	61·3	57·7	54·3	46·3	45·3	52·5
Night Temperatures (Mean)	35·0	32·0	32·3	37·4	39·0	48·2	49·7	48·6	45·1	43·0	36·1	35·8	40·2
Daily Range (Mean)	8·9	9·8	11·4	13·2	17·9	15·8	14·0	12·7	12·6	11·3	10·2	9·5	12·3
Mean Temperature	39·4	36·7	38·0	44·0	47·9	56·1	56·9	55·0	51·4	48·6	41·2	40 6	46 3
Highest Temperature in Sun	82·1	100·0	106·9	122·5	127·8	141·6	135·0	132·3	118·3	125·0	94·0	85·0	141·6
Lowest on Grass at Night	4·0	4·0	—4·0	8·0	10·2	13·0	27·9	20·0	20·0	16·2	12·0	10·0	—4·0
Wet-bulb Temperature (Mean)	37·8	34·5	35·8	41·3	44·7	53·0	53·8	52·4	48·9	46·6	39·1	38·8	43·9
Dew-point Temperature (Mean)	36·0	32·3	33·8	38·7	40·9	50·3	51·3	50·4	47·0	45·1	37·0	37·0	41·6
Humidity of Air	89	87	88	84	77	82	83	86	87	90	87	89	86
Elastic Force of Vapour (inch)	·212	·184	·195	·236	·257	·366	·379	·366	·324	·301	·221	·221	·272
Number of Days Rain fell	19	19	16	13	10	12	13	19	19	13	16	20	189
Amount of Rain (inches)	5·31	4·51	3·15	1·68	1·36	1·85	3·14	3·99	4·34	2·86	3·93	5·29	41·41
Amount of Cloud	6·5	5·9	6·6	6·3	5·1	6·2	6·6	7·2	6·6	6·8	6·0	7·1	6·4
Hours of Sunshine	70	101	129	161	260	229	207	146	133	99	97	56	1688
Mean Barometer (inches)	29·534	29·415	29·673	29·935	29·975	29·881	29·911	29·687	29·555	30·047	29·753	29·672	29·753
Easterly Winds (No. of days)	3	6	12	15	11	9	10	8	6	8	2	4	94
Westerly Winds (No. of days)	22	15	11	8	14	12	12	15	15	14	22	21	181
Births	9794	8946	10144	9715	10332	9762	9423	9166	8614	9667	8744	9360	113667
Deaths	6336	5745	7002	6263	6545	5769	5425	5324	4722	5673	6155	6389	71348
Marriages	2830	1498	1323	1474	1059	3501	2306	1450	1345	1513	2262	3137	23688
Daily Births	316	319	327	324	333	326	304	296	287	312	291	1302	311
Daily Deaths	204	205	226	209	211	192	175	172	157	183	205	206	195
Daily Marriages	123	74	60	70	46	166	105	63	67	66	103	149	90

district and division, *which is due to season*, is seen at a glance, and the proportional numbers can be strictly compared.

The tables of Temperature given in the Appendix, and the summary of which is given in Table L., show that, in so far as mean temperature is concerned, January is the coldest month in Scotland, and February the next. Indeed, the difference of mean temperature between these two months is so small, that of January being 37°·18, that of February 37°·41, that it may be held that their mean temperature is the same. December, with a mean temperature of 38°·64, was the third coldest month, yet its temperature was about 1½ degree higher than that of January. March, with its

TABLE XLVII.—Showing the number of Deaths Weekly, together with the Highest Lowest, and Mean Temperatures; also the Mean Fall of Rain during every Week of the year 1866, in the Eight Principal Towns of Scotland. (From Twelfth Annual Report.)

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 6	560	40·7	56·0	32·0	1·807	27	July 7	455	55·4	78·5	35·0	0·932
2	13	550	35·1	52·0	16·2	1·341	28	14	447	64·0	90·3	50·0	0·485
3	20	587	43·4	55·0	32·0	1·769	29	21	488	61·1	83·0	43·0	0·073
4	27	514	44·5	58·7	32·0	0·537	30	28	471	57·5	76·0	43·2	0·388
5	February 3	537	40·9	50·5	28·0	1·277	31	August 4	458	54·6	67·6	36·0	1·964
6	10	499	41·1	54·0	27·9	1·846	32	11	449	53·7	67·0	35·0	1·153
7	17	550	34·7	44·5	17·3	0·889	33	18	447	54·6	72·5	40·9	0·880
8	24	594	37·5	50·4	19·0	1·016	34	25	430	57·7	68·9	48·0	0·582
9	March 3	572	34·7	47·0	22·0	0·971	35	September 1	447	57·9	72·0	42·1	0·527
10	10	651	35·2	50·0	14·9	0·687	36	8	434	53·6	67·0	34·8	0·639
11	17	630	39·2	53·5	22·9	0·311	37	15	451	54·6	68·5	40·0	0·702
12	24	522	37·3	49·0	21·0	0·642	38	22	415	51·1	62·0	38·0	1·468
13	31	552	46·4	60·2	32·3	0·350	39	29	428	51·2	65·0	33·0	0·731
14	April 7	561	40·1	52·0	28·0	0·172	40	October 6	480	52·7	64·7	32·0	0·116
15	14	588	45·6	59·4	36·0	0·327	41	13	444	49·8	67 0	38·0	0·107
16	21	581	47·1	61·0	32·0	0·740	42	20	514	48·7	63·0	30·0	0·696
17	28	576	47·1	66·0	32·0	0·018	43	27	537	48·3	60·9	26·0	0·746
18	May 5	619	41·7	57·2	27·0	0·238	44	November 3	571	47·3	58·0	31·6	1·370
19	12	575	49·7	65·0	35·0	0·933	45	10	564	45·4	57·0	26·0	0·766
20	19	540	48·5	74·0	31·0	0·008	46	17	553	41·7	57·0	27·1	1·413
21	26	508	52·7	78·0	35·0	0·001	47	24	557	38·7	49·5	26·8	0·257
22	June 2	558	48·8	64·0	33·4	0·269	48	December 1	591	41·4	52·0	24·0	0·109
23	9	546	55·6	71·0	41·7	0·526	49	8	573	41·0	55·5	26·0	1·637
24	16	477	55·7	75·0	36·2	0·420	50	15	586	40 1	52·0	28·0	1·459
25	23	488	55·2	75·7	33·0	0·525	51	22	584	44·7	57·0	30·0	0·403
26	30	467	63·4	85·0	32·0	0·068	52	29	516	44·3	54·0	33·6	1·230

TABLE XLVIII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Monthly Temperature, and the Deaths from certain Diseases and Classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the Year 1866. (From Twelfth Annual Report.)

1866.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	40°·2	37°·5	38°·6	44°·3	48°·5	56°·4	58°·0	55°·6	52°·3	49°·1	42°·3	41°·6
Highest Temperature,	56°·8	54°·0	60°·0	66°·0	76°·7	79°·7	84°·3	71°·7	68°·3	64°·2	59°·0	57°·0
Lowest Temperature,	16°·2	19°·0	18°·5	27°·0	29°·0	34°·7	35°·0	35°·0	33°·0	26°·0	26°·0	24°·0
Rainfall in inches,	5·61	5·08	2·50	1·33	1·41	1·54	3·20	4·05	4·83	2·81	2·88	5·70
Total Deaths,	2528	2178	2624	2466	2518	2105	2073	1960	1787	2297	2427	2485
Daily Deaths,	82	78	85	82	81	70	67	63	59	74	81	80
Zymotic Diseases,	621	518	513	429	495	413	472	438	468	666	732	497
Small-pox,	4	5	9	18	17	23	18	13	15	9	12	9
Measles,	46	54	52	55	51	59	57	36	22	27	51	58
Scarlatina and Diphtheria,	133	78	68	70	75	49	54	51	100	120	109	117
Hooping-Cough,	101	93	102	91	98	55	42	37	41	72	73	63
Croup,	36	23	22	20	21	8	16	16	20	23	36	32
Typhus,	216	193	176	124	152	148	131	100	91	122	142	109
Diarrhœa,	33	26	33	18	28	36	92	128	98	95	63	38
Cholera,	0	0	0	0	2	5	14	14	48	167	203	27
Consumption,	309	261	332	359	378	319	300	258	227	255	241	247
Diseases Respiratory Organs,	450	427	553	490	431	358	258	211	207	339	482	532
Heart, etc., Diseases,	91	93	108	109	104	85	79	98	79	80	85	116
Brain, etc., Diseases,	207	171	220	183	200	165	157	176	159	173	179	202
Age,	113	113	139	111	141	101	91	88	80	88	89	155

mean temperature of 39°·82, was the fourth coldest month, yet its mean temperature was little more than one degree higher than that of December. November, with its mean temperature of 40°·22, was the fifth coldest month; and April, with its mean temperature of 44°·13, the sixth coldest.

TABLE XLIX.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Twelve Years 1855–1866.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. *d.*		*s.* *d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6

TABLE L.—Summary of TEMPERATURE during each Month of the Ten Years 1855–1864.

MONTHS.	Mean Temperature.	Absolute Highest Temperature.	Absolute Lowest Temperature.	Mean of Day Temperatures.	Mean of Night Temperatures.
	°	°	°	°	°
January . . .	37·18	59·0	—3·7	41·21	32·79
February . . .	37·41	62·0	—7·0	42·24	32·14
March	39·82	67·2	2·0	45·16	33·84
April	44·13	79·0	15·0	51·06	36·73
May	49·52	88·0	20·7	56·90	41·48
June	55·61	95·0	27·0	62·66	47·74
July	57·62	87·0	30·0	64·60	49·71
August . . .	57·28	89·0	28·3	64·12	49·75
September . .	52·86	82·0	26·3	59·47	45·87
October . . .	47·21	73·0	10·5	52·79	41·07
November . .	40·22	64·0	9·0	44·82	35·05
December . .	38·64	60·9	—12·0	42·96	34·08

TABLE LI.—Summary of WINDS during each Month of the Ten Years 1855–1864, showing the average Number of Days the Wind blew in any particular direction.

MONTHS.	DIRECTION OF WIND.								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
January	2·2	2·0	1·8	3·0	3·3	7·2	6·0	3·5	2·0
February	1·9	1·5	2·4	3·6	3·0	6·0	4·6	3·0	2·0
March	2·5	3·0	3·5	2·3	2·8	5·4	6·2	4·1	1·2
April	2·6	2·9	4·0	3·1	2·8	5·0	4·6	3·0	2·0
May	2·3	3·5	4·0	3·3	3·2	5·2	5·2	2·2	2·1
June	1·7	2·4	3·8	3·2	3·0	5·9	4·5	3·5	2·0
July	1·8	1·7	2·5	2·3	2·7	6·6	6·5	4·3	2·6
August	1·8	2·0	2·2	2·6	3·3	6·9	6·2	3·0	3·0
September	1·5	1·8	2·0	2·2	3·0	7·6	6·6	2·8	2·5
October	1·9	2·6	3·2	3·2	3·0	6·2	5·3	2·8	2·8
November	2·9	2·2	3·5	3·5	2·8	5·2	4·0	3·3	2·6
December	2·2	1·2	2·0	3·3	3·0	8·0	6·0	3·3	2·0

N.B.—The mode of noting the direction of the Wind is very faulty, and entirely fails to give trustworthy results. The above table neither shows that the prevalent Winds during the months of December, January, and February are south-west and west, nor that the prevalent Winds in March, April, and May are north, north-east, and east.

July again, with its mean temperature of 57°·62 was the warmest month, followed by August 57°·28, June 55°·61, September 52°·86, May 49°·52, and October 47°·21.

Tables LII. and LIII., which show the mere number of deaths during each month of the ten years in Scotland, its groups of districts and divisions, give us almost no information as to the comparative mortality of the different months; but when these are reduced to proportions, as they are in Tables LIV. and LV., the facts are rendered tangible and valuable.

By Table LIV. it is seen, that of every 12000 deaths in Scotland during these ten years, 1193 occurred in February, 1145 in March, and 1134 in January. There was no other month where the mean proportional mortality reached 1100 per month. These three months, then, in the order named, were the most fatal to the population of Scotland, and speaking alone as concerning vital statistics, may properly be designated our winter months.

After these three fatal months come April, with a proportional mortality of 1083 deaths, then December with 1073 deaths, and May with 1010 deaths. These are our next most fatal months.

The third group of months, arranged in the order of their fatality,

TABLE LII.—Summary of MONTHLY DEATHS in SCOTLAND during the Ten Years 1855–1864.

MONTHS.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
January . . .	62,641	2,370	30,223	30,048
February . . .	60,150	2,470	30,085	27,595
March . . .	63,265	2,768	31,786	28,711
April . . .	57,864	2,488	29,051	26,325
May	55,767	2,295	28,246	25,226
June	51,084	2,051	25,468	23,565
July . . .	49,457	1,956	24,250	23,251
August . . .	47,314	1,799	23,096	22,519
September . .	45,065	1,703	22,143	21,219
October . . .	47,426	1,753	22,836	22,737
November . . .	51,976	1,826	24,560	25,590
December . . .	59,286	2,234	28,548	28,504
Year	651,295	25,713	320,292	305,290

TABLE LIII.—MONTHLY DEATHS in the EIGHT DIVISIONS of SCOTLAND during the Ten Years 1855–1864.

MONTHS.	Northern Division.	North-Western.	North-Eastern.	East-Midland.	West-Midland.	South-Western.	South-Eastern.	Southern.
January	1,787	2,503	6,121	10,439	4,468	25,075	8,323	3,925
February	1,806	2,834	6,279	10,019	4,432	23,239	7,855	3,686
March	1,970	2,909	6,609	10,474	4,753	24,504	8,005	4,041
April	1,812	2,725	6,003	9,424	4,160	22,515	7,511	3,715
May	1,752	2,406	5,860	9,043	4,215	21,671	7,275	3,545
June	1,527	2,284	5,058	8,392	3,793	19,792	6,867	3,370
July	1,418	1,960	4,764	8,158	3,745	19,719	6,504	3,189
August	1,385	1,857	4,582	7,854	3,447	18,960	6,356	2,873
September	1,349	1,798	4,447	7,403	3,371	17,778	6,174	2,745
October	1,389	1,922	4,475	8,112	3,278	18,722	6,664	2,873
November	1,429	1,957	5,165	8,632	3,664	20,908	7,202	3,019
December	1,708	2,433	5,872	9,759	4,267	23,603	8,205	3,439
Year	19,323	27,588	65,235	107,709	47,593	256,486	86,941	40,420

consists of June with its 956 proportional deaths, November with 954 deaths, and July with 895 deaths.

And the fourth group contains the three months when the mortality is lowest, viz. October with its proportional 858 deaths, August 856 deaths, and September, the healthiest month of all the year, with its low proportion of 843 deaths.

Thus it will be seen that, taking Scotland as a whole, February is the month which is generally most fatal to the population, and September that which is most healthy; that there are six months when the proportional deaths are above 1000 per month, viz. February, March, January, April, December, and May, and that in the order named; and six months when the deaths are below 1000, viz. June, November, July, October, August, and September.

When we look over Tables LIV. and LV., however, we find that local causes exist in the different districts or divisions which cause the highest or the lowest mortality to occur at a different period from that at which they are seen to occur over all Scotland.

Thus, in the Insular, Mainland-Rural, and Town Districts, as also in several of the divisions of Scotland, the most fatal month was February.

TABLE LIV.—PROPORTIONAL MONTHLY MORTALITY in SCOTLAND, Ten Years 1855–64, every Month equalized to 31 days, and proportioned to a mean of 1000 Deaths per month, or 12,000 per year.

Months.	Scotland.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
January	1,134	1,085	1,111	1,159
February	1,193	1,273	1,211	1,166
March	1,145	1,267	1,168	1,107
April	1,083	1,177	1,103	1,049
May	1,010	1,050	1,038	973
June	956	970	967	939
July	895	895	891	897
August	856	824	849	869
September	843	806	841	845
October	858	802	839	877
November	954	864	933	1,020
December	1,073	1,023	1,049	1,099
Year	12,000	12,000	12,000	12,000

TABLE LV.—EIGHT DIVISIONS of SCOTLAND. Ten Years Proportional Monthly Deaths.

Months.	Northern.	North-Western.	North-Eastern.	East-Midland.	West-Midland.	South-Western.	South-Eastern.	Southern.
January	1,089	1,067	1,105	1,141	1,101	1,151	1,127	1,144
February	1,204	1,324	1,239	1,198	1,196	1,166	1,165	1,174
March	1,200	1,240	1,193	1,145	1,171	1,125	1,084	1,177
April	1,141	1,200	1,119	1,064	1,059	1,068	1,051	1,118
May	1,067	1,026	1,057	989	1,038	995	985	1,033
June	961	1,006	943	948	1,015	939	961	1,014
July	864	836	859	892	922	905	881	929
August	844	791	827	858	849	871	861	837
September	849	792	829	836	858	844	864	826
October	841	819	807	887	807	860	902	837
November	899	862	963	975	933	992	1,008	909
December	1,041	1,037	1,059	1,067	1,051	1,084	1,111	1,002
Year	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000

In the Southern Division, however, embracing the counties of Roxburgh, Dumfries, Kirkcudbright, and Wigtown, the most fatal month was March. In this respect the mortality of that division corresponded with that of the countries of Europe and America which have great extents of undrained swampy land; and every one who knows that division of Scotland, will agree that the resemblance to the continental countries above alluded to is as applicable to the land as to the season of greater mortality.

March was the second most fatal month to the general population of Scotland; but of the three groups of districts into which Scotland is divided, this only held good in the Insular and Mainland-Rural Districts. In the Town Districts, on the other hand, January was the second most fatal month —the mortality, indeed, not being much behind that of February itself. This peculiarity we cannot explain; but it may be mentioned, that January was also the most fatal month to the populations living in the South-Western, South-Eastern, and Southern Divisions.

It is worthy of note that December, so far from being one of the most fatal months in Scotland, stands fifth on the list. But when we look at its fatality in each of the three groups of districts, we find that in the Town Districts it is the fourth most fatal month, in the Mainland-Rural it is the fifth, and in the Insular only the sixth most fatal. The advent of the cold season, therefore, tells faster on the populations of the towns, whose less robust health is not so well fitted to resist the hurtful effects of a lowering of the temperature.

Over all Scotland, September was the most healthy month, and had the fewest deaths; but when we look at the groups of districts, we find that both in the Insular and in the Mainland-Rural Districts it was October which showed the fewest deaths, the Town Districts alone showing the fewest deaths in September, while the October deaths in the towns had increased beyond those of both September and of August. This fact, again, shows that the less robust health which town populations have, renders them more sensitive to the agencies of the weather; so that the lower temperature in October, but especially the lower night temperature, acted prejudicially and more quickly on them than on the more robust inhabitants of the rural parts of Scotland.

It is worthy of remark, however, that if the hurtful effect of the return of the cold weather was seen a month sooner among the inhabitants of the towns, they also, in spring, experienced a month sooner the beneficial effects of the return of the warm weather; for while May still continued to be one of the six deadly months to the inhabitants of the Insular and Mainland-Rural Districts, with its proportional mortality much above the average of 1000 deaths per month, May was one of the six healthy months in the Town Districts, and had its proportional mortality much below the average of 1000 deaths per month.

Of the eight divisions of Scotland, the mortality was lowest during the month of August in the North-Western and South-Eastern Divisions. It was lowest during the month of September in the East-Midland, South-Western, and Southern Divisions. And it was lowest during the month of October in the Northern, North-Eastern, and West-Midland Divisions. For these differences it would be extremely difficult to account.

It will thus be seen that while, speaking generally, temperature is the most important element in regulating the mortality in Scotland, other circumstances must be allowed due weight to explain the proportional mortality of the different months. Many of these have been endeavoured to be pointed out in previous Reports, but may be noticed again in reviewing the ten years monthly mortality.

It is an established fact, that when the cold weather first sets in, it has a much less hurtful effect on the mortality than after it has continued for some months. Cold of itself exhausts and weakens the vital powers, so that a lesser degree of cold at the end of winter has a much more injurious effect on the health and mortality of the population, than a much more severe degree of cold at the beginning of winter. Hence, though February has a mean temperature no greater than January, its mortality is much higher, the simple continuance of the cold weakening the vital powers, and rendering them less able to resist its hurtful effects.

But there is another and most important element, which has been too much overlooked, which intensifies the cold, and renders its action more baneful still. This is the cold northern and easterly winds. Nothing intensifies cold so much as wind; and even a moderate degree of cold with a high cold wind, has much more hurtful effects on the vital organism than a much greater degree of cold without wind. Though all our Arctic voyagers mention this fact, so as to put it beyond denial, still every one has yearly experience of the fact in this country, when the cold northerly or easterly winds begin to blow in March. Though the temperature may be several degrees above the freezing-point, yet the deleterious action of these strong cutting winds on the human organism is very marked, drying up the skin, stopping all cutaneous perspiration, and driving the blood from the surface into the internal organs, and generally producing a feeling of discomfort and chilliness not felt during all the previous months of winter.

These northerly and easterly winds are the leading aërial currents over Scotland during the months of March, April, and May, and setting in as they do immediately on the conclusion of one of our coldest months (February), when the vital powers have been already weakened by the continuance of the cold, it is not surprising that the mortality in March rises so as to constitute it the second most deadly month of the year.

Even the much greater heat of the sun's rays during April cannot effectually drive back the pernicious effects of these cold northerly and easterly winds, so that the mortality of April exceeds that of December, and April forms the fourth most fatal of the months.

There is still another circumstance to be taken into account when we endeavour, from meteorological tables, to deduce those elements which seem more particularly to act prejudicially on the human frame, and increase the mortality. It is one of the most important elements bearing on vital statistics, but one quite overlooked by meteorologists, viz. the night temperature.

It is a known fact that most men are born, and most die, during the night; and it is the night temperature, far more than that of the day, which has the most deleterious influence on human life. Hence all tables drawn up for comparison with the statistics of human mortality, ought to specify both the absolute and the mean lowest or night temperatures, as indicated by the minimum self-registering thermometer. The notes which are continually furnished us from all parts of Scotland have again and again pointed out the fact, that an excessively cold night, when the temperature falls to 10° or to 5°, or below zero, is most fatal to the aged and the very young, and to those weakened by disease; and in some of the smaller parishes such a night has been known to kill all persons above 80 years of age—husband and wife, brother and sister, being found dead in their beds in the morning after such a night of cold.

Now, if we look at Table LI., which gives the monthly summary of the ten years' temperature, we shall find how closely the night temperature

corresponds with the mortality during the three most fatal months. The mean night temperatures during January, February, and March, were lower than those of any other month, and these were the months most fatal to the population. By that table December stands fourth lowest on the scale of night temperature, and April the fifth; whereas, on the scale of mortality, April was the fourth most fatal month, and December the fifth. But the night temperatures, of course, take no note of the evil influence of the continuance of the cold, nor of the northerly and easterly winds—agents quite sufficient to cause the mortality in April to preponderate to that slight extent which it does over that of December.

These tables are worthy of the most careful study. They clearly point out to the invalid what months he ought to select for a residence in a milder climate abroad. From the beginning of December till May he should absent himself from Scotland; but as it is the northerly and easterly winds which are chiefly hurtful to the consumptive, the months which they have especially to avoid are March, April, and May.

Mortality of each Registration District during the Ten Years 1856–1865.

One great object of these Reports is to put the public in possession of facts whereby the healthiness or unhealthiness of each Registration District in Scotland may be ascertained. A ten years period is the shortest on which any reliance can be placed for ascertaining the healthiness of any district; because, when the population is small, the mortality is irregular from year to year, and the true mean can only be ascertained by taking a ten years' average at least.

Tables have therefore been prepared, and are printed in the Appendix, pp. 190, *et seq.*, which show the decennial number of deaths in each district, and the mean annual per-centage of deaths to the population during that period. The years 1856–1865 were selected for this purpose, because they permit the Census numbers of 1861 to be used without correction as the mean population for each district for the period referred to.

The mortality of a few of the districts during the above period cannot be accurately given, in consequence of these districts having been enlarged or diminished during the period, or newly constituted out of previously existing districts. Edinburgh is unfortunately in that position, its original seven districts having been reduced to five, so that the total numbers for the whole city had to be given, instead of the deaths for each of its registration districts. The able Report, however, of the Sanitary Inspector, Dr. Littlejohn, makes this the less to be regretted, inasmuch as he supplies for that city all the facts which the sanitary reformer could desire.

Facts, which are accumulating day by day, have revealed to us that, in Scotland, the mortality in the Town Districts is one-third higher than it is in the Rural Districts. But they show that the same diseases and classes of disease prevail in the Town and in the Rural Districts; and from knowing that certain causes increase the prevalence and mortality of certain diseases, we infer that many of the lives which are annually lost by disease, both in the Town and Rural Districts, could be saved had proper sanitary appliances as to house accommodation, drainage, ventilation, and supply of water been attended to.

This series of tables has therefore been drawn up with the view of showing the districts where sanitary inquiries could properly be made. As

a guide to reading these tables, it ought to be stated that every Town District should be considered unhealthy where the mean annual mortality exceeds 2 per cent., and that every Rural District should be considered unhealthy where the mortality exceeds 1·5 per cent. of the population. It may be mentioned that by the term "Town District" is meant a district which includes a town or part of a town which at the Census of 1861 had a population of 3000 persons and upwards, and that the term "Rural District" includes the remaining districts of Scotland.

During the above ten years the actual annual morality in the Town Districts was 2·55 per cent. of the population, that of the Rural Districts being 1·67 per cent., so that a wide margin is left for improvement of the health of the people under judicious sanitary operations.

As these tables are purely for consultation, their contents need not be commented on in this place.

Nomenclature in Scotland.

In the Sixth Detailed Report, applicable to the Registers of 1860, a few pages were devoted to the subject of Scottish Nomenclature; and among other particulars, a classified list was given of the fifty most common surnames in Scotland, as deduced from the General Indices to the Registers of Births, Deaths, and Marriages for the years 1855, 1856, and 1858, which embrace upwards of 609,000 names. The annexed table (LVI.) exhibits the result of a similar but much less extended investigation in the General Index to the *Birth* Registers only for the year 1863, which embraces upwards of 109,000 names; and it is satisfactory to find that the conclusions arrived at in the former Report are strikingly confirmed by the subsequent and more limited inquiry. No fewer than forty-seven of the fifty surnames

Table LVI.—The Fifty most common Surnames in Scotland, as ascertained from the General Index to the Birth Registers for the year 1863.

Surnames.	Number in Index.	Estimated Number in entire Population in 1863.	Surnames.	Number in Index.	Estimated Number in entire Population in 1863.	Surnames.	Number in Index.	Estimated Number in entire Population in 1863.
*Smith	1581	44268	*Paterson	635	17780	Hamilton	430	12040
*M'Donald	1308	36624	Young	629	17612	*Kerr	419	11732
*Brown	1209	33852	*Fraser	627	17556	Grant	408	11424
*Thomson	1117	31276	*M'Lean	602	16856	M'Intosh	408	11424
Robertson	1116	31248	Henderson	590	16520	*Graham	401	11228
*Stewart	1095	30660	Mitchell	578	16184	*White	399	11172
Campbell	1079	30212	*Morrison	562	15736	*Allan	390	10920
Wilson	1048	29344	Cameron	548	15344	*Simpson	383	10724
Anderson	949	26572	Watson	536	15008	M'Gregor	373	10444
Scott	803	22484	Walker	523	14644	*Munro	369	10332
*Miller	767	21476	Taylor	517	14476	Sinclair	367	10276
M'Kenzie	764	21392	M'Leod	513	14364	Bell	362	10136
*Reid	706	19768	*Ferguson	473	13244	Martin	360	10080
Ross	680	19040	Duncan	463	12964	*Russell	342	9576
M'Kay	669	18732	Gray	456	12768	Gordon	340	9520
*Johnston	644	18032	Davidson	451	12628			
*Murray	640	17920	Hunter	438	12264	Total...	31705	887740
*Clark	638	17864						

* *Note.*—The surnames indicated by an asterisk in Tables LVI. and LVII. occur under two or more different spellings.

specified in that Report again appear; and although their relative position and estimated number in the population are in several instances somewhat different, the general similarity of the two lists is very remarkable. The three surnames contained in the former list which do not occur in the annexed table are Black, Sutherland, and Gibson, in lieu of which we have M'Intosh, Russell, and Gordon. In both lists the nine strongest surnames are the same, viz. Smith, M'Donald, Brown, Thomson, Robertson, Stewart, Campbell, Wilson, and Anderson, the only difference in their order being that Thomson and Robertson change places—their respective numbers, however, in both lists, being strikingly similar. As stated in the former Report, the surname of Smith is *facile princeps* on both sides of the Border; but it is somewhat curious to find that Jones, which occupies the second place in England, is "nowhere" in Scotland, seeing that the number of Births under that surname in Scotland during 1863 was only 54, indicating a population of little more than 1500 persons.

Notwithstanding the large accession of Irish and other immigrants, several of our most common Scottish surnames still very decidedly predominate in certain parts of the country. Thus we find from the General Index already referred to, that of the 3856 births in the five clans of M'Donald, M'Kenzie, M'Kay, M'Lean, and M'Leod, during the year 1863, no fewer than 1300 occurred in the counties of Ross and Cromarty and Inverness, indicating a population of 36400. The M'Donalds appear to be strongest in Inverness-shire, where they constitute about 8000 of the population, their estimated number in Ross and Cromarty being 4670, and in Argyllshire little more than 2000. The M'Kenzies are most numerous in Ross and Cromarty, where they considerably exceed 6000, their strength in Inverness-shire being only about 1900. The M'Kays preponderate in Caithness and Sutherland (*cir.* 4000), and the M'Leods in Ross and Cromarty (*cir.* 5350); while the M'Leans are pretty equally divided among the three counties of Argyll, Ross and Cromarty, and Inverness, where they collectively amount to about 6450. Nearly one-third (124) of the M'Intosh births occurred in the counties of Inverness, Elgin, Nairn, and Banff, indicating a population of 3470; while the most numerous section of the M'Gregors appears to be in Perthshire, where they amount to upwards of 1400.

The Robertsons preponderate in the shires of Perth and Forfar, in which they are about equally strong, constituting in these two counties a population of 6200. The Stewarts are strongest in Perthshire, where they amount to about 3500; while their estimated number in Argyllshire is under 700, and in Galloway (Kirkcudbright and Wigtown) only 360. They are, however, pretty numerous in the counties of Renfrew and Ayr, where they contribute about 2800 to the population. The Campbells appear to amount to nearly 2000 in Argyllshire, and to about 1450 in Perthshire, their estimated number in the city of Glasgow being upwards of 6000.

About one-half of the fifty surnames in the preceding table do not appear to prevail in any particular counties. A few of these, such as Anderson, Ferguson, Duncan, and Davidson, may perhaps be regarded as more peculiarly Scottish patronymics, but it is believed that most of them are of frequent occurrence on both sides of the Tweed. No fewer than eleven of them are to be found among the fifty most common surnames in England, as specified in the Sixteenth Annual Report of the Registrar-General of England, viz. Smith, Brown, Thomson (Thompson), Wilson, Clark, Watson, Walker, Taylor, White, Allan (Allen), and Martin.

The following is a list of the other surnames in Table LVI., which

appear to preponderate in certain parts of the country, with their estimated numbers in the different counties in which they most extensively prevail:—

Scott,	Roxburgh and Selkirk, 2900. Forfar, 2150.
Ross,	Ross and Cromarty, 3600.
Johnston,	Dumfries, 1700.
Murray	Dumfries and Roxburgh, 1230. Elgin and Banff, 920. Perth, 560.
Fraser,	Inverness, 4300.
Cameron,	Argyll, 2460. Inverness, 1300, Perth, 1300.
Hunter,	Stirling and Clackmannan, 1600. Ayr, 1100. Fife, 1100. Perth, 300.
Hamilton,	Lanark, 5800 (of whom nearly one-half are in the City of Glasgow). Renfrew and Ayr, 2800.
Kerr,	Renfrew and Ayr, 2700. Berwick, 280. Roxburgh, 170.
Grant,	Elgin, Nairn, and Banff, 3000. Inverness, 1300.
Graham,	Dumfries, 800. Perth, 420. City of Glasgow, 1960.
Munro,	Ross and Cromarty, 2000. Inverness, 650.
Sinclair,	Orkney and Shetland, 1350. Caithness, 1250.
Bell,	Dumfries and Roxburgh, 2000.
Gordon,	Aberdeen, 2000. Elgin, Nairn, and Banff, 1500.

Table LVII. exhibits a classified list of the one hundred surnames next

TABLE LVII.—Continuation of Table LVI., showing the One Hundred Surnames in Scotland next in order to those specified in Table LVI., as ascertained from the General Index to the Birth-Registers for the year 1863.

SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.	SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.	SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.
Black	339	9492	*Hendry	223	6244	*M'Neil	161	4508
Sutherland	334	9352	M'Kinnon	220	6160	Chalmers	157	4396
M'Farlane	330	9240	*Gardner	219	6132	Jack	154	4312
Gibson	326	9128	*Burns	218	6104	Murphy	154	4312
*Stevenson	326	9128	*Irvine	215	6020	Lawson	153	4284
M'Millan	320	8960	*Aitken	214	5992	*Sim	153	4284
Wallace	317	8876	Lindsay	211	5908	Dick	152	4256
M'Pherson	316	8848	Fleming	211	5908	Moffat	152	4256
*Milne	304	8512	Donaldson	208	5824	Blair	151	4228
Muir	301	8428	Buchanan	205	5740	Cairns	151	4228
M'Intyre	300	8400	M'Laren	205	5740	*Steel	151	4228
Marshall	290	8120	*Stephen	205	5740	M'Innes	150	4200
Watt	279	7812	M'Kie	198	5544	King	150	4200
Kennedy	276	7728	Currie	197	5516	Murdoch	149	4172
Craig	271	7588	Shaw	193	5404	*Sharp	148	4144
*Crawford	264	7392	Hay	191	5348	Adam	147	4116
*Kelly	259	7252	*Neilson	186	5208	Forrest	145	4060
M'Lachlan	259	7252	Boyd	186	5208	Baird	144	4032
*Nicol	258	7224	*M'Ewan	185	5180	Jackson	144	4032
Wright	255	7140	*Rodger	185	5180	*Low	143	4004
*Dickson	253	7084	*Paton	180	5040	Hogg	142	3976
M'Dougall	252	7056	Rae	176	4928	Forsyth	142	3976
Ritchie	252	7056	Bain	176	4928	Cook	141	3948
Bruce	241	6748	M'Rae	175	4900	*M'Guire	141	3948
*Findlay	241	6748	*Hutchison	175	4900	Baxter	140	3920
Cunningham	238	6664	Alexander	173	4844	Hill	140	3920
Williamson	238	6664	Ramsay	172	4816	Barclay	135	3780
*Jamieson	230	6440	Weir	167	4676	*Inglis	134	3752
Douglas	229	6412	*Nicolson	165	4620	Orr	133	3724
Christie	229	6412	Turnbull	163	4564	Robb	133	3724
*Matheson	228	6384	Tait	162	4536	Strachan	133	3724
*Laing	228	6384	*Rankin	162	4536	Maxwell	133	3724
Wood	228	6384	Boyle	162	4536			
Forbes	225	6300	*Cumming	162	4536	Total...	20337	569436

in order, as ascertained from the General Index to the Birth Registers of 1863. The two tables thus embrace the one hundred and fifty most common surnames in Scotland, which contributed upwards of 52,000 births in the year 1863, and appear to be represented by no fewer than 1,457,176 persons (47 per cent.), or within 93,000 of the half of the entire population. In other words, it is probably not far short of the truth to state, that every second person in Scotland bears one or other of these one hundred and fifty surnames, the total estimated number of surnames in Scotland being about 6800.

Fully two-thirds of the one hundred surnames in Table LVII. may be regarded as more peculiarly Scottish, and it is believed that many of them, such as Sutherland, Kennedy, M'Dougall, Forbes, Lindsay, Buchanan, Cumming, and Maxwell, predominate in certain counties. As, however, the total estimated number of each is comparatively small, it has not been considered expedient to extend the relative investigation.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 31*st March* 1869.

Births, Deaths, and Marriages registered in Scotland during the Year 1866.

1866.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	58360	55307	113667	5974	5699	11673	35355	35993	71348	23688	42319	19,639,377
DIVISIONS.														
1 NORTHERN, . . .	127,035	130,422	1726	1589	3315	101	112	213	1009	1076	2085	619	1230	2,261,662
2 NORTH-WESTERN, .	175,735	167,329	2352	2236	4588	167	145	312	1332	1497	2829	789	1759	4,739,876
3 NORTH-EASTERN, .	348,366	366,783	6527	6217	12744	1034	985	2019	3722	3908	7630	2487	5114	2,429,594
4 EAST-MIDLAND, .	515,966	523,822	9316	8920	18236	1026	972	1998	5659	5982	11641	4182	6595	2,790,492
5 WEST-MIDLAND, .	241,447	242,507	4230	3944	8174	350	327	677	2414	2386	4800	1537	3374	2,693,176
6 SOUTH-WESTERN, .	881,092	1,008,253	22725	21826	44551	2041	1970	4011	14153	14112	28265	9350	16286	1,462,397
7 SOUTH-EASTERN, .	383,217	408,962	8010	7435	15445	781	731	1512	5108	5025	10133	3513	5312	1,192,524
8 SOUTHERN, . . .	215,884	214,216	3474	3140	6614	474	457	931	1958	2007	3965	1211	2649	2,069,696
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,078	31,670	422	356	778	19	20	39	282	294	576	182	202	598,726
2 Orkney, . . .	31,455	32,395	406	363	769	22	21	43	218	253	471	154	298	
3 Caithness, . . .	39,782	42,200	624	594	1218	49	57	106	323	346	669	194	549	455,708
4 Sutherland, . . .	24,720	24,157	274	276	550	11	14	25	186	183	369	89	181	1,207,188
II. NORTH-WESTERN.														
5 Ross and Cromarty, .	83,781	82,427	1128	1061	2189	77	43	120	632	746	1378	391	811	2,016,375
6 Inverness, . . .	91,954	84,902	1224	1175	2399	90	102	192	700	751	1451	398	948	2,723,501
III. NORTH-EASTERN.														
7 Nairn, ...	8,076	8,347	106	128	234	15	12	27	72	92	164	59	70	137,500
8 Elgin (or Moray), . .	40,532	44,218	731	672	1403	120	91	211	506	485	991	251	412	340,000
9 Banff, ...	51,353	56,020	942	925	1867	135	170	305	443	549	992	327	875	439,219
10 Aberdeen, . . .	213,461	223,344	4145	3922	8067	669	637	1306	2409	2474	4883	1613	3184	1,260,625
11 Kincardine, . . .	34,944	34,854	603	570	1173	95	75	170	292	308	600	237	573	252,250
IV. EAST-MIDLAND.														
12 Forfar, ...	193,627	206,750	4276	4082	8358	535	499	1034	2613	2786	5399	2008	2959	568,750
13 Perth, ...	137,369	133,198	1875	1811	3686	197	203	400	1179	1261	2440	802	1246	1,814,063
14 Fife,*	153,789	155,021	2681	2568	5249	252	230	482	1610	1677	3287	1184	1962	328,427
15 Kinross,* . . .	9,626	8,731	106	114	220	7	10	17	66	66	132	60	88	49,812
16 Clackmannan, . .	21,555	20,122	378	345	723	35	30	65	191	192	383	128	340	29,440
V. WEST-MIDLAND.														
17 Stirling, . . .	83,802	88,138	1835	1597	3432	149	140	289	936	895	1831	714	1601	295,875
18 Dumbarton, . . .	46,995	54,179	1092	1018	2110	95	76	171	594	584	1178	367	932	204,800
19 Argyll, ...	94,042	83,859	1107	1112	2219	82	89	171	693	709	1402	365	817	2,083,126
20 Bute, ...	16,608	16,331	196	217	413	24	22	46	191	198	389	91	24	109,375
VI. SOUTH-WESTERN.														
21 Renfrew,* . . .	157,950	168,746	3727	3573	7300	304	286	590	2268	2400	4668	1485	2632	158,268
22 Ayr,*	189,973	199,063	3898	3719	7617	356	372	728	2262	2232	4494	1523	3123	735,262
23 Lanark,*	533,169	640,444	15100	14534	29634	1381	1312	2693	9623	9480	19103	6342	10531	568,867
VII. SOUTH-EASTERN.														
24 Linlithgow,* . . .	30,590	39,045	947	913	1860	76	96	172	529	496	1025	301	835	81,113
25 Edinburgh,* . . .	259,493	274,093	5336	5012	10348	522	476	998	3666	3573	7239	2687	3109	234,925
26 Haddington,* . . .	36,363	37,626	663	557	1220	60	44	104	378	400	778	201	442	179,142
27 Berwick,* . . .	36,165	36,488	618	569	1187	76	75	151	326	331	657	180	530	302,951
28 Peebles,* . . .	10,804	11,300	197	182	379	19	21	40	99	97	196	65	183	227,869
29 Selkirk,* . . .	9,802	10,410	249	202	451	28	19	47	110	128	238	79	213	166,524
VIII. SOUTHERN.														
30 Roxburgh,* . . .	51,225	53,722	939	822	1761	114	95	209	450	458	908	312	853	428,494
31 Dumfries,* . . .	78,149	75,904	1220	1145	2365	180	187	367	796	790	1586	458	779	702,953
32 Kirkcudbright,* . .	43,121	42,495	688	631	1319	89	86	175	383	433	816	212	503	610,343
33 Wigtown,* . . .	43,389	42,095	627	542	1169	91	89	180	329	326	655	229	514	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	9	15	24	1	3	4	10	9	19	4
	(2) Burra and Quarff,	906	890	19	11	30	–	–	–	10	10	20	5
2	Delting, . . .	2124	1975	28	24	52	2	1	3	12	15	27	8
3	Dunrossness, etc.—												
	(1) Dunrossness, .	c. 2005	2113	20	23	43	1	1	2	13	12	25	19
	(2) Sandwick and Cunningsburgh, . .	c. 2220	2337	27	18	45	1	–	1	17	25	42	8
	(3) Fair Isle, . .	280	380	6	6	12	1	–	1	1	3	4	–
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	5	2	7	–	–	–	3	5	8	1
	(2) North Yell, . .	998	932	18	7	25	–	1	1	10	5	15	1
5	Lerwick (incl. Town), .	3390	3631	45	44	89	2	3	5	46	50	96	61
6	Mid and South Yell, .	1741	1784	20	20	40	2	4	6	11	19	30	8
7	Nesting, etc.—												
	(1) Nesting, . .	c. 806	855	10	8	18	–	–	–	13	2	15	–
	(2) Lunnasting, . .	c. 830	880	10	10	20	–	–	–	4	15	19	1
	(3) Whalsay and Skerries	784	848	19	19	38	1	–	1	5	11	16	6
8	Northmavine, . .	2534	2585	36	29	65	3	2	5	22	23	45	12
9	Sandsting and Aithsting,	2603	2670	31	38	69	2	1	3	15	16	31	14
10	Tingwall, etc.—												
	(1) Tingwall, . .	c. 1654	1554	22	11	33	2	–	2	17	13	30	3
	(2) Whiteness & Weesdale	c. 1220	1143	17	14	31	–	2	2	12	14	26	7
11	Unst, ...	2977	3060	45	34	79	–	2	2	40	24	64	14
12	Walls, etc.—(1) Walls, .	c. 1280	1365	19	9	28	1	–	1	5	8	13	7
	(2) Sandness, .	c. 563	606	8	5	13	–	–	–	7	6	13	2
	(3) Papa-Stour, .	359	366	6	8	14	–	–	–	6	6	12	1
	(4) Foula, . .	240	233	2	1	3	–	–	–	3	3	6	–
	Total,	31078	31670	422	356	778	19	20	39	282	294	576	182
	2. Orkney.												
13	Birsay, ...	1749	1774	17	12	29	1	1	2	14	13	27	5
14	Deerness, . . .	786	813	12	8	20	–	–	–	4	1	5	4
15	Eday and Pharay, . .	1016	979	9	17	26	–	–	–	5	5	10	2
16	Evie and Rendall, . .	1446	1408	17	15	32	2	1	3	9	15	24	5
17	Firth and Stennes, . .	1327	1493	19	14	33	1	1	2	19	9	28	5
18	Harray, . . .	750	819	11	8	19	–	–	–	3	2	5	4
19	Holm and Paplay, . .	749	834	15	6	21	1	–	1	6	3	9	2
20	Hoy and Græmsay, .	615	556	8	8	16	–	1	1	6	3	9	4
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	52	32	84	7	4	11	38	47	85	18
22	North Ronaldshay, .	526	532	4	14	18	–	–	–	5	4	9	6
23	Orphir, . . .	1157	1133	8	13	21	–	1	1	5	12	17	7
24	Rousay and Egilsay, .	1215	1152	20	18	38	1	1	2	8	10	18	5
25	St Andrews, . . .	926	868	10	16	26	–	2	2	3	4	7	3
26	Sanday, . . .	2004	2145	24	35	59	–	1	1	13	26	39	12
27	Sandwick, . . .	1107	1225	12	10	22	1	–	1	3	11	14	5
28	Shapinshay, . . .	899	973	18	9	27	–	–	–	4	4	8	6
29	South Ronaldshay and Burray, . . .	3086	3282	46	46	92	6	3	9	21	28	49	19
30	Stromness, . . .	2770	2540	19	26	45	–	2	2	19	26	45	5
31	Stronsay, . . .	1211	1228	31	14	45	1	1	2	7	12	19	10
32	Walls, etc.—(1) Walls, .	1278	1254	12	7	19	–	1	1	9	6	15	4
	(2) Flotta, .	389	420	5	4	9	1	–	1	2	2	4	2
33	Westray, etc.—(1) Westray	2088	2153	30	27	57	–	1	1	10	7	17	19
	(2) Papa-Westray,	371	392	7	4	11	–	–	–	5	3	8	2
	Total,	31455	32395	406	363	769	22	21	43	218	253	471	154

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1658	1746	17	26	43	1	–	1	10	12	22	7
35	Canisbay,	2437	2730	34	49	83	4	2	6	10	18	28	8
36	Dunnet,	1868	1861	26	30	56	2	2	4	13	13	26	10
37	Halkirk,	2918	2864	36	32	68	2	2	4	21	23	44	8
38	Latheron,	8224	8571	120	121	241	12	14	26	70	72	142	35
39	Olrig,	1873	2059	31	29	60	1	1	2	10	11	21	9
40	Reay,	2506	2476	34	24	58	3	1	4	16	13	29	8
41	Thurso (incl. Town),	5096	5561	78	73	151	4	7	11	51	66	117	32
42	Watten,	1351	1491	26	21	47	5	6	11	10	7	17	7
43	WICK—(1) Burgh,	6796	7505	150	124	274	11	16	27	80	79	159	53
	(2) Landward,	5055	5336	72	65	137	4	6	10	32	32	64	17
	Total,	39782	42200	624	594	1218	49	57	106	323	346	669	194
	4. Sutherland.												
44	Assynt—(1) Kirkton,	*c.* 510	553	8	9	17	1	–	1	2	2	4	4
	(2) Stoer,	*c.* 2479	2625	30	37	67	–	1	1	13	18	31	10
45	Clyne,	1933	1886	17	25	42	1	1	2	12	26	38	4
46	Creich—(1) Bonar,	*c.* 2134	1982	18	21	39	1	–	1	19	14	33	7
	(2) Rosehall,	*c.* 580	539	4	6	10	–	–	–	3	5	8	7
47	DORNOCH (incl. Burgh),	2981	2885	37	29	66	1	2	3	31	28	59	7
48	Durness,	1152	1109	15	5	20	2	–	2	4	4	8	4
49	Eddrachillis—(1) Scourie,	*c.* 700	727	8	6	14	–	–	–	5	6	11	2
	(2) Kinlochbervie,	*c.* 876	914	22	6	28	2	–	2	4	3	7	5
50	Farr—(1) Kirkton,	*c.* 1313	1251	8	10	18	–	3	3	9	3	12	–
	(2) Strathy,	*c.* 890	852	7	10	17	–	–	–	4	4	8	5
51	Golspie,	1529	1615	24	21	45	–	–	–	16	15	31	4
52	Kildonan,	2288	2132	25	22	47	–	1	1	20	17	37	7
53	Lairg,	1162	961	11	9	20	–	–	–	8	6	14	7
54	Loth,	640	610	6	5	11	1	–	1	5	7	12	1
55	Rogart,	1535	1439	17	20	37	1	3	4	19	10	29	9
56	Tongue,	2018	2077	17	35	52	1	3	4	12	15	27	6
	Total,	24720	24157	274	276	550	11	14	25	186	183	369	89
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	9	12	21	1	–	1	11	16	27	6
58	Applecross—												
	(1) Applecross,	*c.* 1130	1064	12	16	28	–	–	–	7	11	18	5
	(2) Shieldaig,	*c.* 1579	1480	9	12	21	2	2	4	16	10	26	7
59	Avoch,	2029	1788	29	21	50	5	2	7	15	21	36	16
60	Contin,	1562	1509	18	12	30	–	–	–	7	6	13	5
61	CROMARTY (incl. Burgh)	2727	2300	35	34	69	3	1	4	30	36	66	15
62	DINGWALL (incl. Burgh)	2364	2412	29	28	57	3	–	3	18	25	43	11
63	Edderton,	890	836	14	14	28	1	–	1	7	8	15	8
64	Fearn,	2122	2083	38	30	68	3	1	4	29	17	46	11
65	Fodderty,	2342	2247	20	24	44	3	–	3	15	18	33	5
66	Gairloch—												
	(1) Northern District,	*c.* 1822	1927	18	24	42	–	2	2	7	8	15	7
	(2) Southern District,	*c.* 3340	3522	40	31	71	3	3	6	14	16	30	18
67	Glenshiel,	573	485	7	4	11	1	–	1	3	5	8	–
68	Killearnan,	1794	1494	18	12	30	2	1	3	8	8	16	3
69	Kilmuir-Easter,	1437	1295	16	12	28	1	–	1	10	11	21	3
70	Kiltearn,	1538	1634	20	19	39	2	2	4	15	14	29	6
71	Kincardine,	1896	1746	23	23	46	2	–	2	14	15	29	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
72	Kintail,	1009	890	7	10	17	1	–	1	6	9	15	4
73	Knockbain,	3005	2485	26	21	47	5	1	6	16	20	36	12
74	Lochalsh,	2299	2413	26	25	51	2	–	2	9	17	26	6
75	Lochbroom—												
	(1) Lochbroom,	*c.* 3540	3577	34	41	75	–	2	2	20	26	46	14
	(2) Coigach,	*c.* 1273	1285	14	16	30	–	1	1	5	7	12	–
76	Lochcarron,	1612	1592	15	17	32	2	2	4	10	9	19	4
77	Logie-Easter,	965	932	7	11	18	1	2	3	4	7	11	4
78	Nigg,	1457	1253	11	11	22	2	2	4	13	11	24	3
79	Resolis,	1551	1568	13	15	28	1	–	1	11	15	26	7
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	22	15	37	4	1	5	16	20	36	5
81	Rosskeen,	3699	3766	47	66	113	2	6	8	26	43	69	11
82	TAIN (incl. Burgh),	3574	3294	61	42	103	5	5	10	44	61	105	10
83	Tarbat,	2151	2269	31	26	57	2	–	2	37	23	60	4
84	Urquhart & Logie-Wester,	3153	3147	34	33	67	2	1	3	25	35	60	6
85	Urray,	2621	2355	21	28	49	1	1	2	7	24	31	4
	Insular.												
*a*86	Barvas,	4189	4609	94	87	181	1	2	3	30	40	70	41
*b*86	Carloway,	*c.* 2120	2204	49	37	86	2	–	2	20	14	34	16
87	Lochs,	*c.* 3109	3568	74	57	131	3	–	3	23	16	39	32
88	Stornoway (incl. Town),	8057	8668	155	146	301	9	3	12	64	90	154	58
89	Uig,	*c.* 2236	2007	32	29	61	–	–	–	20	14	34	14
	Total,	83781	82427	1128	1061	2189	77	43	120	632	746	1378	391
	6. Inverness. *Mainland.*												
90	Alvie,	914	833	8	12	20	2	1	3	13	15	28	1
91	Ardersier,	1337	1239	17	27	44	–	–	–	10	12	22	4
92	Boleskine & Abertarff—												
	(1) Boleskine,	*c.* 936	813	10	10	20	2	1	3	1	4	5	3
	(2) Fort-Augustus or Abertarff,	*c.* 1070	930	11	10	21	1	3	4	7	5	12	3
93	Cromdale—(1) Cromdale, (2) Inverallan,	3990	*c.* 1647 *c.* 2295	23 48	16 33	39 81	2 8	5 3	7 11	10 23	8 30	18 53	5 11
94	Croy and Dalcross,	1777	1873	27	28	55	3	6	9	15	11	26	8
95	Daviot and Dunlichty,	1857	1741	19	10	29	2	1	3	4	6	10	6
96	Dores,	1650	1506	18	21	39	–	2	2	12	12	24	4
97	Glenelg—(1) Glenelg,	*c.* 1070	800	10	10	20	1	–	1	8	3	11	3
	(2) Knoydart,	*c.* 770	574	6	12	18	–	1	1	2	4	6	3
	(3) North Morar,	*c.* 630	469	8	7	15	1	–	1	6	5	11	5
98	INVERNESS (including Burgh),	16496	16162	302	260	562	17	22	39	195	217	412	120
99	Kilmonivaig—												
	(1) Glengarry,	*c.* 710	625	6	9	15	1	2	3	2	5	7	2
	(2) Lochaber,	*c.* 1873	1651	12	16	28	–	1	1	17	19	36	4
100	Kilmorack,	3007	2852	29	30	59	2	3	5	30	30	60	8
101	Kiltarlity,	2965	2839	20	26	46	2	4	6	17	18	35	12
102	Kingussie and Insh,	2201	2033	25	33	58	3	8	11	13	21	34	9
103	Kirkhill,	1730	1757	23	20	43	1	1	2	11	14	25	4
104	Laggan,	1223	986	12	11	23	–	2	2	7	11	18	2
105	Moy and Dalarossie,	1018	1026	12	15	27	–	–	–	3	11	14	3
106	Petty,	1784	1671	23	27	50	4	–	4	15	13	28	6
107	Urquhart, etc.—												
	(1) Urquhart,	*c.* 2585	2294	34	38	72	2	3	5	12	13	25	9
	(2) Glenmoriston,	*c.* 695	617	10	15	25	3	–	3	1	7	8	2
	Insular.												
108	Barra,	1873	1853	33	25	58	1	2	3	16	20	36	14
109	Bracadale,	1597	1335	15	12	27	–	1	1	8	17	25	2
110	Duirinish,	5330	4775	61	54	115	2	3	5	38	35	73	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
111	Harris—(1) Harris,	3663	3769	65	47	112	8	3	11	28	25	53	27
	(2) Bernera,	477	336	4	7	11	2	1	3	1	3	4	6
	(3) St Kilda,	110	78	–	–	–	–	–	–	1	–	1	–
112	Kilmuir—(1) Kilmuir,	*c.* 1743	1561	15	17	32	–	1	1	14	6	20	16
	(2) Stenscholl,	*c.* 1464	1311	19	13	32	1	3	4	14	8	22	2
113	North Uist,	3918	3959	70	60	130	5	3	8	24	24	48	26
114	Portree—(1) Portree,	2805	2579	9	10	19	–	–	–	27	27	54	5
	(2) Raasay,	752	580	27	38	65	2	5	7	2	5	7	2
115	Sleat,	2531	2330	26	36	62	–	–	–	18	11	29	12
116	Small Isles,	916	567	8	5	13	–	–	–	4	2	6	–
117	Snizort—(1) North	*c.* 3071	2613	10	11	21	1	–	1	8	2	10	–
	(2) South			26	17	43	3	1	4	11	13	24	8
118	South Uist—												
	(1) Benbecula,	1762	1544	19	32	51	1	1	2	11	18	29	8
	(2) Howmore,	*c.* 2040	1763	24	31	55	2	4	6	16	12	28	11
	(3) Boisdale,	*c.* 2371	2051	34	25	60	2	2	4	8	13	21	4
119	Strath,	3243	2664	46	38	84	3	3	6	17	16	33	10
	—— Total,	91954	84902	1224	1175	2399	90	102	192	700	751	1451	398
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	12	15	27	2	1	3	11	12	23	7
121	Auldearn,	1480	1328	14	24	38	1	–	1	10	12	22	8
122	Cawdor,	1202	1203	11	16	27	–	–	–	7	12	19	10
123	NAIRN (incl. Burgh),	4116	4486	69	73	142	12	11	23	44	56	100	34
	Total,	8076	8347	106	128	234	15	12	27	72	92	164	59
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	21	28	49	8	4	12	22	20	42	13
125	Alves,	919	1010	10	17	27	2	–	2	4	7	11	8
126	Bellie,	2017	1967	22	29	51	5	5	10	15	19	34	10
127	Birnie,	427	411	7	3	10	–	–	–	3	1	4	4
128	Boharm,	1368	1412	24	16	40	4	4	8	10	11	21	7
129	Dallas,	1226	1102	14	17	31	2	1	3	12	9	21	5
130	Drainy,	1856	3028	89	70	159	15	7	22	58	41	99	19
131	Duffus,	2983	3308	70	55	125	7	7	14	42	37	79	19
132	Duthil, etc.—(1) Duthil,	*c.* 1493	1609	30	21	51	5	2	7	14	9	23	7
	(2) Rothiemurchus,	*c.* 295	319	8	4	12	1	–	1	3	7	10	4
133	Dyke,	1369	1247	19	17	36	1	2	3	8	12	20	10
134	Edinkillie,	1343	1303	19	18	37	1	2	3	11	10	21	6
135	ELGIN (incl. Burgh),	8231	9866	151	124	275	29	20	49	132	144	276	49
136	New Spynie,	445	518	8	10	18	–	1	1	7	13	20	2
137	FORRES (incl. Burgh),	4069	4112	69	70	139	14	9	23	69	55	124	25
138	Kinloss,	1370	1315	23	17	40	1	2	3	16	16	32	9
139	Knockando,	1771	1736	32	24	56	7	4	11	14	16	30	8
140	Rafford,	1020	1055	15	13	28	2	–	2	17	14	31	7
141	Rothes,	2022	2407	28	45	73	8	10	18	17	22	39	15
142	St Andrews Lhanbryde,	1208	1344	23	22	45	–	2	2	9	7	16	3
143	Speymouth,	685	689	15	14	29	3	2	5	5	3	8	6
144	Urquhart,	2544	2532	34	38	72	5	7	12	18	12	30	15
	Total,	40532	44218	731	672	1403	120	91	211	506	485	991	251
	9. Banff.												
145	Aberlour,	1447	1665	33	20	53	3	7	10	7	18	25	8
146	Alvah,	1402	1467	18	19	37	3	5	8	11	12	23	11
147	BANFF—(1) Burgh,	6084	6791	103	109	212	13	19	32	71	73	144	26
	(2) Landward,	869	949	16	23	39	2	4	6	5	3	8	7
148	Botriphnie,	713	867	14	16	30	3	3	6	2	7	9	2
149	Boyndie,	1564	1711	35	28	63	6	3	9	8	22	30	10
150	CULLEN (pt. of Burgh),	1697	1821	43	39	82	9	3	12	13	18	31	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
151	Deskford,	917	1031	12	16	28	2	2	4	4	4	8	5
152	Enzie,	*c.* 1872	2072	33	32	65	3	4	7	20	19	39	14
153	Fordyce,	3807	4145	63	69	132	8	16	24	47	40	87	23
154	Forglen,	695	783	13	17	30	–	2	2	5	5	10	1
a155	Gamrie,	2758	3019	58	42	100	6	8	14	20	33	53	29
b155	Glenrinnes,	?	*c.* 472	5	4	9	1	–	1	4	3	7	2
156	Grange,	1851	1909	28	28	56	6	7	13	16	15	31	11
157	Inveravon—(1) Inveravon,	*c.* 894	868	15	14	29	–	2	2	6	5	11	6
	(2) Auchbreck,	*c.* 1820	1771	30	14	44	5	5	10	11	16	27	9
158	Inverkeithny,	835	880	18	20	38	1	4	5	6	6	12	5
159	Keith,	4986	5943	98	108	206	17	19	36	53	61	114	43
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	*c.* 568	551	6	4	10	1	1	2	3	3	6	3
	(2) Tomintoul,	*c.* 990	960	11	16	27	3	4	7	7	18	25	4
161	Marnoch,	2994	3289	44	44	88	16	19	35	17	0	47	10
162	Mortlach,	2804	3095	47	38	85	7	7	14	23	31	54	10
163	Ordiquhill,	644	764	8	10	18	1	2	3	3	9	12	8
164	Rathven (incl. Buckie,												
	Town),	*c.* 4664	4922	107	120	227	6	10	16	41	60	101	45
165	Rothiemay,	1413	1414	23	29	52	4	6	10	10	15	25	10
166	St Fergus,	1597	1608	28	20	48	5	5	10	8	9	17	7
167	Seafield (pt. of CULLEN,												
	Burgh),	*c.* 1468	1725	33	26	59	4	3	7	22	14	36	11
	Total,	51353	56020	942	925	1867	135	170	305	443	549	992	327
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	881	871	1752	132	126	258	725	678	1403	337
	(2) Old Machar (Burgh),	30503	31938	571	534	1105	73	72	145	419	502	921	353
	(3) Do. (Landward),	1254	1298	14	22	36	2	1	3	11	9	20	5
169	Aberdour,	1707	1837	41	34	75	8	5	13	12	15	27	14
170	Aboyne,	1108	1160	27	26	53	2	4	6	10	13	23	6
171	Alford,	1143	1264	26	19	45	4	3	7	13	3	16	4
172	Auchindoir,	1369	1593	26	15	41	2	3	5	10	18	28	5
173	Auchterless,	1837	2010	49	40	89	9	7	16	9	16	25	8
174	Belhelvie,	1692	1807	34	33	67	5	6	11	21	8	29	13
175	Birse,	1533	1284	13	18	31	2	1	3	8	9	17	4
176	Bourtie,	529	547	16	3	19	2	–	2	4	2	6	2
177	Cabrach,	750	794	16	9	25	6	5	11	3	10	13	5
178	Cairney,	1565	1490	25	20	45	3	7	10	9	9	18	5
179	Chapel of Garioch,	2102	2023	27	20	47	3	3	6	14	10	24	9
180	Clatt,	543	511	3	9	12	–	–	–	10	5	15	3
181	Cluny,	1149	1254	31	25	56	9	4	13	10	6	16	4
182	Coull,	734	792	5	23	28	1	1	2	4	2	6	4
183	Crathie and Braemar,	1788	1574	21	17	38	1	3	4	13	10	23	9
184	Crimond,	893	892	14	12	26	1	1	2	8	7	15	4
185	Cruden,	2479	2743	44	40	84	8	8	16	20	23	43	13
186	Culsamond,	1042	1165	20	22	42	1	8	9	4	6	10	6
187	Daviot,	601	614	9	15	24	2	–	2	3	4	7	2
188	Drumblade,	949	926	12	6	18	2	–	2	6	11	17	7
189	Drumoak,	948	996	17	17	34	1	3	4	11	11	22	5
190	Dyce,	470	585	7	9	16	2	1	3	7	4	11	7
191	Echt,	1206	1287	22	10	32	1	2	3	10	11	21	4
192	Ellon,	*c.* 2750	3239	58	60	118	10	6	16	30	18	48	13
193	Fintray,	1080	1003	14	29	43	2	2	4	4	4	8	5
194	Forgue,	2626	2686	47	45	92	8	8	16	17	17	34	13
195	Foveran,	1638	1891	36	35	71	5	7	12	17	16	33	13
196	Fraserburgh (incl. Twn.),	4447	4511	87	98	185	15	11	26	69	70	139	37
197	Fyvie,	*c.* 2927	*c.* 3264	47	64	111	10	11	21	19	20	39	24
198	Gartly,	990	1029	5	20	25	1	4	5	6	7	13	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
199	Glass,	972	1049	20	12	32	4	3	7	6	5	11	6
200	Glenbucket,	542	552	13	9	22	1	–	1	2	4	6	6
201	Glenmuick, Tullich, and Glengairn,	1984	1668	40	29	69	5	4	9	15	11	26	13
202	Huntly (incl. Town),	4061	4329	71	60	131	14	6	20	33	51	84	19
203	Insch,	1519	1565	23	30	53	6	8	14	6	11	17	6
204	INVERURIE (including part of Burgh),	*c.* 2649	2668	57	61	118	13	15	28	30	28	58	18
205	Keig,	772	811	14	11	25	3	1	4	4	10	14	5
206	Keithhall,	920	933	18	9	27	3	–	3	4	7	11	4
207	Kemnay,	680	832	20	17	37	1	1	2	6	6	12	5
208	Kildrummy,	643	590	12	12	24	–	1	1	3	4	7	3
209	Kincardine O'Neil,	2098	2186	32	37	69	11	8	19	18	20	38	15
210	King-Edward,	2749	2843	53	40	93	6	12	18	22	16	38	22
211	Kinnellar,	590	691	11	8	19	2	–	2	5	4	9	3
212	Kinnethmont,	1108	1187	13	15	28	4	6	10	8	4	12	6
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1342	1895	37	35	72	4	6	10	19	26	45	15
214	Leochel-Cushnie,	1068	1173	20	17	37	4	1	5	8	12	20	7
215	Leslie,	559	577	9	9	18	4	3	7	2	4	6	5
216	Logie-Buchan,	724	762	17	17	34	3	2	5	6	5	11	6
217	Logie-Coldstone,	889	932	13	14	27	1	1	2	8	9	17	4
218	Longside,	2952	3008	71	54	125	13	12	25	22	20	42	25
219	Lonmay,	1964	2142	33	39	72	5	7	12	20	19	39	13
220	Lumphanan,	1088	1251	16	16	32	3	3	6	15	10	25	6
221	Methlic,	1997	2157	40	22	62	5	5	10	22	30	52	10
*a*222	Midmar,	1166	1091	19	17	36	3	2	5	9	10	19	9
*b*222	Millbrex,	*c.* 1215	*c.* 1295	24	38	62	10	8	18	6	14	20	13
223	Monquhitter,	*c.* 2080	*c.* 2365	49	42	91	9	11	20	24	14	38	9
224	Monymusk,	940	988	18	6	24	2	1	3	10	7	17	2
225	New Deer,	*c.* 3383	3736	65	61	126	8	13	21	33	22	55	22
226	Newhills,	3325	3463	66	52	118	9	5	14	39	33	72	22
*a*227	New Machar,	*c.* 1338	1556	22	26	48	3	1	4	9	9	18	12
*b*227	New Pitsligo,	*c.* 2425	2609	65	65	130	10	13	23	23	26	49	23
228	Old Deer,	*c.* 4025	4392	70	60	130	11	18	29	30	43	73	35
229	Old Meldrum,	2002	2343	49	41	90	10	9	19	25	28	53	25
230	Oyne,	919	1127	24	11	35	5	3	8	9	12	21	1
231	Peterculter,	1351	1410	21	26	47	–	6	6	9	10	19	9
232	PETERHEAD (incl. Burgh),	9429	9796	203	199	402	19	26	45	117	131	248	74
233	Pitsligo,	1801	1890	49	45	94	9	7	16	22	27	49	16
234	Premnay,	793	916	27	19	46	8	6	14	12	6	18	6
235	Rathen,	2368	2554	51	50	101	9	5	14	29	24	53	15
236	Rayne,	1550	1514	19	22	41	1	2	3	11	16	27	12
*a*237	Rhynie,	1017	1061	28	30	58	6	8	14	13	13	26	5
b	Savoch,	*c.* 1852	2061	34	15	49	11	4	15	11	14	25	16
238	Skene,	1862	1831	27	30	57	4	4	8	15	12	27	8
239	Slains,	1232	1266	26	23	49	5	6	11	6	7	13	6
240	Strathdon,	1531	1459	19	20	39	5	6	11	9	12	21	10
241	Strichen,	*c.* 2223	2409	47	35	82	17	10	27	19	11	30	16
242	Tarland,	1197	1246	18	23	41	3	4	7	14	8	22	4
243	Tarves,	*c.* 2339	2377	33	38	71	6	6	12	17	19	36	13
244	Tough,	891	874	17	13	30	6	4	10	12	4	16	6
245	Towie,	758	839	11	9	20	3	2	5	5	13	18	7
246	Tullynessle and Forbes,	930	957	13	13	26	4	3	7	5	9	14	8
247	Turriff,	3584	3693	78	59	137	19	10	29	32	36	68	27
248	Tyrie,	*c.* 775	833	11	11	22	2	2	4	6	2	8	4
249	Udny,	*c.* 1473	1623	24	30	54	4	4	8	8	12	20	7
	Total,	213461	223344	4145	3922	8067	669	637	1306	2409	2474	4883	1613

No. of District.	Registration Districts.	Population.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. Kincardine.												
250	Arbuthnot,	1002	932	16	15	31	1	3	4	4	5	9	4
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh),	c. 1298	1232	21	22	43	5	3	8	9	10	19	5
	(2) Portlethen,	c. 1780	1687	30	27	57	5	4	9	18	12	30	13
252	Banchory-Ternan,	2462	2947	53	57	110	10	5	15	21	26	47	17
253	Benholm,	1641	1574	35	20	55	6	4	10	24	32	56	12
254	BERVIE (or Inverbervie) —(incl. Burgh),	1459	1561	35	39	74	3	4	7	19	10	29	16
255	Dunnottar (incl. part of Stonehaven, Town),	1949	1828	34	35	69	3	5	8	17	16	33	21
256	Durris,	962	1109	16	23	39	3	4	7	7	10	17	7
257	Fettercairn,	1741	1700	27	21	48	6	4	10	7	8	15	9
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of Stonehaven, Town),	c. 3730	3575	52	48	100	10	6	16	42	45	87	14
	(2) Cookney,	c. 1990	1952	32	35	67	4	3	7	15	15	30	13
259	Fordoun,	2386	2297	37	28	65	12	4	16	12	21	33	15
260	Garvock,	457	458	7	9	16	–	–	–	2	3	5	1
261	Glenbervie,	1239	1219	17	15	32	4	3	7	8	9	17	7
262	Kinneff and Catterline,	1069	1054	25	17	42	4	1	5	12	8	20	9
263	Laurencekirk,	2125	2110	38	25	63	3	2	5	16	20	36	19
264	Maryculter,	1055	1055	16	11	27	3	2	5	6	5	11	5
265	Marykirk,	2232	2068	24	40	64	3	5	8	24	20	44	16
266	Nigg,	1841	2074	38	42	80	3	6	9	16	20	36	14
267	St Cyrus,	1579	1552	39	33	72	6	7	13	8	11	19	13
268	Strachan,	947	870	11	8	19	1	–	1	5	2	7	7
	Total,	34944	34854	603	570	1173	95	75	170	292	308	600	237
	IV. EAST-MIDLAND. 12. Forfar.												
269	Aberlemno,	1116	1054	17	20	37	1	4	5	6	6	12	6
270	Airlie,	856	845	20	8	28	3	2	5	3	2	5	3
271	Arbirlot,	990	960	16	14	30	–	–	–	11	9	20	7
272	ARBROATH (incl. Bur.),	17238	17831	345	353	698	41	29	70	183	251	434	170
273	Auchterhouse,	686	706	11	10	21	–	–	–	3	5	8	4
274	Barry,	2175	2465	36	36	72	2	6	8	24	27	51	28
275	BRECHIN (incl. Burgh),	8210	8810	128	151	279	32	30	62	104	112	216	56
276	Carmylie,	1240	1286	25	21	46	3	2	5	10	10	20	6
277	Careston,	207	225	3	7	10	–	2	2	1	2	3	2
278	Cortachy and Clova,	722	653	6	9	15	–	3	3	4	3	7	2
279	Coupar-Angus,	2685	2642	44	41	85	7	4	11	24	32	56	21
280	Craig (incl. part of MONTROSE, Burgh),	1934	2177	41	28	69	6	3	9	21	18	39	17
281	Dun,	522	552	12	8	20	–	–	–	4	2	6	2
282	DUNDEE—												
	(1) First District,	c.39960	44064	1152	1004	2156	127	120	247	655	661	1316	559
	(2) Second District,	c.34835	40813	972	928	1900	143	132	275	727	703	1430	502
	(3) Third (or Lochee) Dis.	c. 5232	6787	233	200	433	26	17	43	185	199	384	89
283	Dunnichen,	1884	1932	37	31	68	6	7	13	16	17	33	12
284	Eassie and Nevay,	706	748	18	12	30	–	1	1	10	2	12	3
285	Edzell,	1084	1025	20	12	32	4	2	6	6	11	17	7
286	Farnell,	650	703	10	9	19	–	1	1	5	3	8	8
287	Fearn,	392	439	5	6	11	–	–	–	2	3	5	3
288	FORFAR (incl. Burgh),	11009	10838	206	216	422	41	37	78	117	130	247	100
289	Glammis,	2152	1980	24	36	60	5	3	8	9	13	22	12
290	Glenisla,	1050	1008	12	18	30	–	3	3	6	9	15	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	469	476	5	2	7	2	–	2	2	4	6	5
292	Inverarity,	948	961	13	12	25	–	1	1	3	6	9	4
293	Inverkeillor,	1871	1792	33	26	59	–	3	3	10	7	17	14
294	Kettins,	995	962	10	9	19	–	2	2	6	14	20	1
295	Kingoldrum,	429	473	6	7	13	1	–	1	3	1	4	2
296	Kinnell,	826	816	10	9	19	1	–	1	4	2	6	5
297	Kinnettles,	460	447	6	4	10	–	–	–	4	1	5	2
298	Kirkden,	1763	1862	24	21	45	2	4	6	11	13	24	7
299	Kirriemuir (incl. Town),	7617	7359	115	107	222	26	24	50	81	92	173	47
300	Lethnott and Navar,	408	446	4	7	11	–	1	1	1	3	4	1
301	Liff, Benvie, and Invergowrie,	1467	1430	21	23	44	1	1	2	18	17	35	16
302	Lintrathen,	926	898	10	16	26	–	4	4	7	5	12	7
303	Lochlee,	615	495	6	2	8	1	1	2	7	6	13	–
304	Logie-Pert,	1609	1483	23	19	42	3	–	3	7	11	18	9
305	Lunan,	279	259	2	7	9	–	–	–	–	3	3	1
306	Lundie,	450	442	8	7	15	–	–	–	1	1	2	2
307	Mains, etc.—(1) Mains,	1299	1392	28	20	48	5	2	7	8	12	20	8
	(2) Strathmartine,	735	789	17	13	30	2	2	4	7	6	13	8
308	Marytown,	366	417	8	6	14	–	3	3	2	2	4	–
309	Menmuir,	693	796	10	10	20	–	–	–	4	1	5	4
310	Monifieth (including part of Broughty Ferry),	4267	5052	108	127	235	8	4	12	58	82	140	42
311	Monikie,	1317	1460	22	24	46	2	3	5	9	11	20	12
312	MONTROSE (incl. part of Burgh),	16037	15668	253	251	504	22	22	44	171	188	359	126
313	Murroes,	643	763	6	16	22	–	1	1	4	4	8	6
314	Newtyle,	1141	1139	17	16	33	2	–	2	5	10	15	9
315	Oathlaw,	424	399	7	12	19	–	3	3	2	1	3	2
316	Panbride,	1372	1299	25	25	50	3	4	7	6	10	16	14
317	Rescobie,	711	747	10	16	26	1	2	3	4	5	9	4
318	Ruthven,	503	265	5	3	8	–	–	–	5	1	6	1
319	St Vigeans,	2591	2553	35	42	77	3	3	6	9	17	26	8
320	Stracathro,	505	546	5	11	16	1	–	1	–	2	2	4
321	Tannadice,	1517	1438	17	24	41	2	1	3	12	7	19	6
322	Tealing,	844	883	14	10	24	–	–	–	6	11	17	6
	Total,	193627	206750	4276	4082	8358	535	499	1034	2613	2786	5399	2008
	13. Perth.												
323	Aberdalgie,	343	295	7	3	10	–	1	1	3	2	5	3
324	Aberfeldy,	c. 2702	2402	27	28	55	3	4	7	16	26	42	20
325	Aberfoyle,	514	565	4	7	11	–	–	–	4	3	7	1
326	Abernethy,	2026	1960	28	26	54	2	2	4	18	8	26	13
327	Abernyte,	275	310	8	6	14	3	–	3	1	3	4	1
328	Alyth (incl. Town),	c. 2946	3198	54	41	95	8	5	13	26	30	56	13
329	Auchterarder (including Town),	4160	4208	44	53	97	5	7	12	36	31	67	22
330	Auchtergaven,	3232	2562	41	29	70	5	–	5	28	22	50	17
331	Balquhidder,	c. 974	c. 846	10	11	21	1	1	2	12	14	26	6
332	Bendochy,	c. 552	549	10	6	16	2	–	2	2	5	7	2
333	Blackford,	c. 2012	2084	27	30	57	3	1	4	16	12	28	12
334	Blair-Athol,	c. 1951	1553	26	15	41	3	2	5	13	11	24	8
335	Blairgowrie (including Town),	c. 4081	4423	77	65	142	4	11	15	47	54	101	37
336	Callander,	1716	1676	17	12	29	–	1	1	19	15	34	13
337	Caputh,	c. 1920	1728	20	20	40	3	–	3	8	16	24	10
338	Cargill,	1629	1647	20	17	37	2	2	4	13	19	32	7
339	Clunie,	723	699	7	11	18	–	2	2	5	4	9	2
340	Collace,	581	534	7	2	9	–	–	–	3	5	8	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	c. 2363	c. 2126	27	19	46	2	1	3	16	18	34	7
342	Crieff (incl. Town),	4504	4490	65	56	121	4	8	12	41	36	77	27
343	CULROSS (incl. Burgh),	1487	1423	27	36	63	2	2	4	10	17	27	11
344	Dowally,	c. 531	486	5	9	14	1	–	1	4	5	9	3
345	Dron,	394	376	4	6	10	–	–	–	3	–	3	2
346	Dull,	c. 855	753	7	5	12	–	1	1	8	6	14	2
347	Dunbarney,	1066	1035	20	6	26	2	–	2	11	10	21	5
348	Dunblane,	c. 3213	3096	43	55	98	11	10	21	29	27	56	18
349	Dunkeld,	c. 1199	1086	13	19	32	1	1	2	11	12	23	6
350	Dunning,	2206	2084	45	35	80	8	5	13	14	11	25	11
351	Errol,	2796	2759	45	46	91	4	9	13	17	25	42	12
352	Findo-Gask,	405	399	8	1	9	3	–	3	4	8	12	–
353	Forgandenny,	828	739	5	9	14	1	2	3	6	4	10	3
354	Forteviot,	638	595	7	5	12	–	–	–	4	2	6	4
a355	Fortingall,	c. 1409	1244	9	9	18	–	2	2	8	15	23	11
b355	Foss,	c. 432	381	5	4	9	–	1	1	3	4	7	–
356	Fowlis-Easter,	300	317	2	10	12	–	3	3	2	2	4	–
357	Fowlis-Wester,	1321	1276	14	14	28	3	2	5	10	11	21	5
358	Glendevon,	128	138	2	–	2	–	–	–	1	1	2	–
359	Inchture,	745	659	14	15	29	1	2	3	7	6	13	2
360	Kenmore,	c. 1718	1515	16	12	28	1	2	3	10	13	23	7
361	Killin,	c. 1817	1681	23	17	40	4	2	6	11	12	23	6
362	Kilmadock,	3659	3312	32	39	71	3	3	6	21	30	51	25
363	Kilspindie,	684	665	11	16	27	–	2	2	4	–	4	4
364	Kincardine,	1993	1778	20	23	43	1	3	4	18	15	33	10
365	Kinclaven,	881	758	10	8	18	1	1	2	6	3	9	3
366	Kinfauns,	650	659	6	11	17	2	1	3	2	3	5	1
367	Kinloch-Rannoch,	c. 1303	1147	11	13	24	–	3	3	7	15	22	3
368	Kinnaird,	370	318	3	4	7	1	–	1	4	4	8	1
369	Kinnoull,	771	796	7	14	21	–	–	–	4	5	9	5
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	14	7	21	2	1	3	13	3	16	4
	(2) Glenshee,	c. 349	334	4	3	7	–	–	–	2	1	3	2
371	Lecropt,	442	538	7	5	12	1	–	1	7	6	13	1
372	Lethendy and Kinloch,	c. 544	530	6	6	12	–	–	–	4	2	6	3
373	Little Dunkeld,	c. 2140	2089	35	39	74	3	1	4	28	27	55	9
374	Logie (including part of STIRLING),	2551	3483	44	41	85	3	5	8	26	43	69	19
375	Logiealmond,	c. 959	815	7	4	11	1	1	2	1	5	6	2
376	Logierait,	c. 2109	1902	21	24	45	3	3	6	20	17	37	5
377	Longforgan,	1787	1823	29	22	51	4	2	6	23	8	31	7
378	Madderty,	593	536	8	7	15	3	–	3	4	3	7	1
379	Meigle,	978	1122	13	16	29	2	3	5	7	12	19	4
380	Methven,	c. 2394	2290	23	38	61	2	3	5	12	22	34	15
381	Moneydie,	321	252	1	4	5	1	1	2	2	–	2	2
382	Monzie,	c. 569	461	4	1	5	–	–	–	1	1	2	–
383	Monzievaird,	790	782	12	11	23	–	1	1	8	6	14	7
384	Moulin,	c. 1772	1605	20	23	43	3	2	5	14	10	24	7
385	Muckhart,	685	615	9	8	17	1	–	1	3	4	7	5
a386	Muthill,	c. 2972	2008	36	46	82	4	11	15	17	35	52	5
b386	Persie,	c. 814	839	11	8	19	1	1	2	4	6	10	4
387	PERTH (incl. Burgh),	24670	26094	433	427	860	39	45	84	301	312	613	244
388	Port of Menteith,	1419	1375	17	5	22	2	1	3	9	10	19	2
389	Rattray,	c. 2308	2234	26	37	63	4	6	10	22	30	52	11
390	Redgorton,	c. 1955	1596	20	15	35	5	1	6	17	10	27	6
391	Rhynd,	338	297	10	5	15	–	2	2	2	2	4	2
392	St Madoes,	288	280	2	2	4	–	–	–	2	4	6	–
393	St Martins,	983	904	16	9	25	1	1	2	4	8	12	4
a394	Scone,	2332	2153	37	32	69	3	2	5	16	24	40	20
b394	Strathfillan,	c. 435	411	4	4	8	1	1	2	3	1	4	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
c394	Tenandry,	c. 681	595	4	7	11	–	–	–	4	10	14	5
395	Tibbermore,	1469	1182	22	13	35	3	1	4	8	5	13	5
396	Trinity-Gask,	597	488	9	4	13	–	–	–	4	1	5	–
397	Tulliallan (including Kincardine),	3043	2410	30	38	68	5	3	8	23	30	53	14
398	Weem,	c. 230	215	1	2	3	–	–	–	2	3	5	3
	Total,	137369	133198	1875	1811	3686	197	203	400	1179	1261	2440	802
	14. Fife.												
399	Abbotshall,	688	808	3	13	16	1	2	3	7	9	16	4
400	Abdie,	c. 1353	1257	22	29	51	–	3	3	10	3	13	4
401	Aberdour,	1945	1874	34	33	67	6	2	8	24	19	43	13
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	22	17	39	2	1	3	9	3	12	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	9	12	21	2	–	2	8	5	13	3
404	Arngask,	689	705	8	8	16	–	–	–	4	3	7	8
405	Auchterderran,	3210	3457	90	77	167	10	10	20	41	30	71	29
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	52	38	90	10	6	16	39	28	67	17
407	Auchtertool,	517	609	8	8	16	1	1	2	6	3	9	2
408	Ballingry,	568	736	24	20	44	2	1	3	5	6	11	4
409	Balmerino,	945	815	8	13	21	–	1	1	6	8	14	8
410	Beath,	1252	2390	84	67	151	1	3	4	35	28	63	8
411	BURNTISLAND (incl. Burgh),	3158	3670	74	65	139	6	6	12	24	31	55	14
412	Cameron,	1207	1362	19	18	37	3	–	3	7	10	17	11
413	Carnbee,	1129	1157	16	19	35	1	3	4	5	7	12	6
414	Carnock,	3191	2925	36	44	80	3	1	4	11	25	36	17
415	Ceres,	2833	2723	24	48	72	3	4	7	17	24	41	22
416	Collessie,	1520	1530	24	22	46	3	3	6	15	9	24	8
417	CRAIL (incl. Burgh),	1903	1931	29	33	62	5	1	6	12	17	29	12
418	Creich,	386	377	5	3	8	–	–	–	1	2	3	2
419	Cults,	915	800	14	14	28	4	1	5	4	8	12	10
420	CUPAR (incl. Burgh),	7427	6750	93	110	203	15	12	27	91	89	180	60
421	Dairsie,	708	638	7	6	13	3	–	3	6	4	10	5
422	Dalgetty,	1513	1569	30	27	57	1	1	2	14	7	21	10
423	Dunbog,	c. 409	414	12	7	19	–	–	–	2	5	7	2
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	220	226	446	16	18	34	139	144	283	148
	(2) Landward,	c. 7602	7609	161	120	281	16	9	25	83	59	142	57
425	Dunino,	289	370	2	4	6	–	1	1	1	2	3	3
426	DYSART (incl. Burgh),	8739	8842	188	153	341	11	11	22	88	93	181	88
427	Elie,	843	826	7	12	19	–	1	1	3	8	11	2
428	FALKLAND (incl. Burgh)	3102	2937	45	30	75	6	4	10	17	23	40	13
429	Ferry-Port-on-Craig,	2238	2013	53	38	91	5	8	13	21	17	38	21
430	Flisk,	c. 157	230	4	5	9	–	1	1	–	2	2	–
431	Forgan,	1125	1326	18	21	39	2	3	5	12	20	32	8
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	59	62	121	4	7	11	33	33	66	20
433	Kemback,	956	896	20	9	29	4	4	8	5	6	11	10
434	Kennoway,	2257	2012	26	16	42	4	1	5	17	11	28	8
435	Kettle,	2601	2474	43	43	86	2	4	6	23	22	45	18
436	Kilconquhar (including EARLSFERRY),	2489	2431	37	27	64	2	2	4	19	30	49	15
437	Kilmany,	662	656	14	16	30	1	1	2	4	3	7	6
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	56	47	103	3	2	5	20	21	41	13
439	KINGHORN (incl. Burgh)	2455	2349	42	41	83	5	6	11	30	40	70	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
440	Kinglassie,	1186	1266	16	20	36	3	2	5	11	8	19	8
441	Kingsbarns,	893	937	17	15	32	2	3	5	1	9	10	7
442	KIRKCALDY (including Burgh),	10636	11117	194	224	418	13	14	27	151	160	311	112
443	Largo,	2800	2626	36	45	81	4	7	11	24	25	49	19
444	Leslie (incl. Town),	3800	4332	66	49	115	11	11	22	42	54	96	35
445	Leuchars,	1991	1903	22	22	44	3	4	7	16	10	26	14
446	Logie,	467	410	9	8	17	2	1	3	6	3	9	3
447	Markinch,	5843	5375	77	85	162	12	6	18	54	81	135	34
448	Monimail,	1102	1054	18	9	27	2	2	4	8	6	14	7
449	Moonzie,	198	179	3	4	7	–	1	1	1	–	1	1
450	NEWBURGH (including Burgh),	2986	2693	49	41	90	5	3	8	32	18	50	14
451	Newburn,	375	374	7	9	16	1	–	1	5	3	8	3
452	PITTENWEEM (incl. Burgh),	1473	1710	25	18	43	–	2	2	25	35	60	10
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews),	7327	7605	99	122	221	8	12	20	60	58	118	66
454	St Monance (or Abercrombie),	1241	1498	28	42	70	–	2	2	19	17	36	7
455	Saline,	1792	1610	31	30	61	3	2	5	11	10	21	10
456	Scoonie (incl. Leven),	3115	3257	44	54	98	–	4	4	62	81	143	28
457	Strathmiglo,	2509	2261	27	29	56	5	2	7	13	22	35	13
458	Torryburn,	1341	1229	17	14	31	3	1	4	12	10	22	8
459	Wemyss,	5647	6003	154	107	261	12	6	18	139	150	289	48
	Total,	153789	155021	2681	2568	5249	252	230	482	1610	1677	3287	1184
	15. Kinross.												
460	Cleish,	659	649	11	8	19	2	–	2	4	3	7	5
461	Fossoway and Tulliebole,	1621	1584	22	18	40	1	2	3	12	9	21	13
462	Kinross (incl. Town),	3227	2649	32	30	62	4	3	7	19	22	41	18
463	Orwell,	2569	2399	28	36	64	–	4	4	21	22	43	19
464	Portmoak,	1550	1450	13	22	35	–	1	1	10	10	20	5
	Total,	9626	8731	106	114	220	7	10	17	66	66	132	60
	16. Clackmannan.												
465	Alloa (incl. Town),	9493	8867	159	158	317	11	10	21	96	98	194	66
466	Clackmannan,	5802	4425	111	86	197	10	9	19	44	37	81	26
467	Dollar,	1574	1776	31	20	51	4	–	4	14	18	32	6
468	Tillicoultry (including Town),	4686	5054	77	81	158	10	11	21	37	39	76	30
	—— Total,	21555	20122	378	345	723	35	30	65	191	192	383	128
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	18	22	40	–	1	1	17	10	27	12
470	Alva (incl. Town),	3204	3283	74	66	140	7	2	9	28	29	57	25
471	Baldernock,	801	718	9	12	21	1	1	2	4	6	10	1
472	Balfron,	1900	1517	20	32	52	–	1	1	12	24	36	4
473	Bothkennar,	1179	1722	54	31	85	3	4	7	21	17	38	19
474	Buchanan,	632	705	12	3	15	1	1	2	10	4	14	3
475	Campsie (including Lennoxtown),	6918	6483	108	92	200	9	9	18	59	55	114	58
476	Denny (incl. Town),	4754	4988	100	84	184	9	5	14	44	40	84	39
477	Drymen,	1481	1619	15	19	34	1	4	5	15	10	25	5
478	Dunipace,	1472	1731	35	42	77	4	1	5	14	18	32	6
479	FALKIRK—(1) Burgh,	8752	9030	199	172	371	16	21	37	121	104	225	73
	(2) Landward,	7686	7996	172	140	312	11	7	18	101	77	178	73

No. of District	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry,	823	685	11	8	19	1	1	2	5	10	15	8
481	Gargunnock,	754	728	8	9	17	1	1	2	2	4	6	6
482	Killearn,	1176	1171	16	10	26	3	–	3	6	5	11	7
483	Kilsyth (incl. Town),	5346	6112	168	154	322	18	14	32	87	84	171	51
484	Kippen,	1892	1722	23	25	48	5	4	9	14	14	28	6
485	Larbert,	4606	4999	117	94	211	12	8	20	56	53	109	29
486	Muiravonside,	2647	2660	63	61	124	2	1	3	26	22	48	15
487	Polmont,	3764	4111	84	66	150	9	11	20	34	35	69	19
488	St Ninians (includ. Bannockburn, Town),	7630	6648	127	119	246	8	8	16	63	64	127	64
489	Slamannan,	1655	2916	100	83	183	5	3	8	35	33	68	32
490	STIRLING (incl. Burgh),	12401	14012	282	230	512	22	30	52	149	166	315	149
491	Strathblane,	1010	1388	20	23	43	1	2	3	13	11	24	10
	Total,	83802	88138	1835	1597	3432	149	140	289	936	895	1831	714
	18. Dumbarton.												
492	Arrochar,	562	629	12	5	17	–	–	–	6	6	12	–
493	Bonhill (includ. Town, & Alexandria, Town),	7819	9059	153	147	300	19	16	35	75	87	162	86
494	Cardross (incl. Renton),	3402	4168	93	86	179	9	11	20	37	38	75	33
495	Cumbernauld,	3778	3513	79	77	156	8	6	14	37	42	79	22
496	DUMBARTON (incl. Burgh)	5445	8268	223	211	434	11	10	21	118	101	219	52
497	Kilmaronock,	1033	1085	19	11	30	2	1	3	7	6	13	4
498	Kirkintilloch (incl. Town)	8426	8179	164	170	334	22	17	39	87	107	194	53
499	Luss,	907	831	12	5	17	1	–	1	10	7	17	4
500	New, or East, Kilpatrick,	4286	4910	112	107	219	11	6	17	83	56	139	36
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	90	106	196	6	2	8	58	57	115	36
502	Roseneath,	1044	1626	20	18	38	2	–	2	12	12	24	7
503	Row (incl. Helensburgh),	4372	6334	115	75	190	4	7	11	64	65	129	34
	Total,	46995	54179	1092	1018	2110	95	76	171	594	584	1178	367
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	13	12	25	1	2	3	4	5	9	5
505	Ardnamurchan—												
	(1) Aharacle,	*c.* 1791	1544	24	19	43	3	2	5	10	10	20	8
	(2) Arisaig,	*c.* 1555	1343	16	24	40	3	1	4	6	7	13	8
	(3) Sunart (or Strontian)	*c.* 875	759	12	7	19	1	2	3	6	6	12	2
	(4) Western District,	*c.* 1225	1054	18	14	32	2	–	2	9	12	21	1
506	Ballachulish and Corran of Ardgour,	*c.* 1125	919	12	12	24	1	1	2	8	7	15	4
507	CAMPBELTOWN (incl. Burgh),	9381	8149	123	130	253	6	17	23	65	90	155	39
508	Craignish,	756	618	8	7	15	–	–	–	9	5	14	4
509	Cumlodden,	1095	1033	12	18	30	–	2	2	2	3	5	6
510	Dunoon and Kilmun (incl. Duncon & Kirn),	4518	5461	68	92	160	5	5	10	59	50	109	35
511	Glassary,	*c.* 1860	1769	26	25	51	–	1	1	10	11	21	11
512	Glenorchy and Inishail,	1450	1307	13	9	22	1	1	2	6	7	13	1
513	INVERARAY (including Burgh),	1755	1650	16	20	36	–	2	2	16	9	25	12
514	Inverchaolain,	474	424	7	7	14	1	–	1	2	3	5	4
515	Kilbrandon & Kilchattan,	*c.* 2571	2053	35	18	53	–	1	1	17	27	44	6
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	*c.* 930	742	10	9	19	3	1	4	5	2	7	4
	(2) Kilberry,	689	583	6	8	14	–	–	–	5	2	7	4
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	3	3	6	1	–	1	2	2	4	1
	(2) Dalavich,	282	230	3	4	7	–	–	–	–	–	–	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan,	1695	1891	36	36	72	3	2	5	30	16	49	14
519	Killean and Kilchenzie,	2219	1890	24	27	51	–	1	1	5	15	20	10
520	Kilmalie,	*c.* 4110	3353	43	41	84	7	8	15	34	45	79	10
521	Kilmartin,	1144	949	12	14	26	2	1	3	4	8	12	6
522	Kilmodan,	500	433	4	3	7	–	–	–	3	2	5	1
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	39	39	78	1	1	2	24	34	58	18
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	5	1	6	–	–	–	2	1	3	–
	(2) Kilmelford,	265	486	8	5	13	–	–	–	6	5	11	2
525	Lismore, etc.—												
	(1) Lismore,	*c.* 1167	1023	13	9	22	–	–	–	14	6	20	1
	(2) Appin,	*c.* 940	825	8	11	19	–	1	1	2	11	13	–
	(3) Glencoe & Ballachulish,	*c.* 1510	1324	25	25	50	1	–	1	11	14	25	5
	(4) Duror,	*c.* 480	423	3	9	12	1	1	2	3	5	8	1
526	Lochgilphead,	*c.* 3263	3312	60	52	112	3	3	6	46	29	75	28
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	446	418	4	2	6	–	–	–	2	2	4	2
	(2) Kilmorich,	388	284	3	4	7	–	–	–	4	1	5	2
528	Morvern,	1547	1226	18	14	32	1	–	1	6	5	11	6
529	Muckairn,	788	729	3	4	7	–	–	–	7	4	11	5
530	North Knapdale,	1666	1327	8	17	25	1	1	2	6	1	7	7
531	Saddell, etc.—												
	(1) Saddell,	791	739	13	8	21	3	1	4	10	7	17	6
	(2) Skipness,	*c.* 705	533	7	3	10	–	–	–	10	2	12	2
532	Southend,	1406	1214	25	16	41	3	3	6	7	11	18	2
533	South Knapdale,	565	654	7	8	15	–	–	–	5	5	10	2
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	6	3	9	–	–	–	3	3	6	1
	(2) Strachur,	518	563	9	14	23	2	2	4	6	9	15	2
535	Tarbert,	*c.* 1828	1661	26	39	65	1	1	2	11	30	41	11
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	24	32	56	3	4	7	23	18	41	10
537	Gigha,	547	467	6	2	8	1	–	1	1	2	3	2
538	Iona,	*c.* 900	743	8	13	21	–	1	1	21	5	26	–
539	Jura, etc.—(1) Jura,	*c.* 868	858	6	7	13	–	1	1	4	5	9	3
	(2) Colonsay,	837	598	7	3	10	1	1	2	4	3	7	–
540	Kilchoman,	*c.* 2865	2377	32	27	59	5	1	6	18	12	30	2
541	Kildalton,	*c.* 2450	2187	24	26	50	2	3	5	21	12	33	7
542	Kilfinichen & Kilvickeon,	*c.* 2171	1792	20	24	44	1	2	3	7	18	25	6
543	Kilmeny,	1413	1268	21	18	39	3	4	7	6	15	21	6
544	Kilninian and Kilmore,	*c.* 1890	1641	14	7	21	–	–	–	8	10	18	5
545	Kinlochspelvie,	*c.* 420	428	5	4	9	–	–	–	2	3	5	–
546	Oa,	*c.* 860	769	6	8	14	2	1	3	3	3	6	–
547	Portnahaven,	*c.* 1277	1059	10	16	26	–	2	2	13	8	21	1
548	Salen,	*c.* 634	604	13	9	22	–	2	2	2	5	7	–
549	Tobermory,	*c.* 1804	1566	20	16	36	2	1	3	21	20	41	3
550	Torosay,	*c.* 550	557	7	6	13	1	1	2	5	5	10	5
551	Tyree, etc.—(1) Tyree,	3709	3217	37	46	83	3	1	4	28	30	58	11
	(2) Coll,	1109	781	13	6	19	1	–	1	4	6	10	5
	Total,	94042	83859	1107	1112	2219	82	89	171	693	709	1402	365
	20. Bute.												
552	Cumbraes,	1275	1256	20	19	39	–	3	3	19	14	33	3
553	Kilbride, part of—												
	(1) Brodick,	*c.* 2340	*c*1253	12	6	18	2	1	3	8	7	15	1
	(2) Kilbride,		*c*1000	10	15	25	1	–	1	17	13	30	2
554	Kilmory,	*c.* 2724	2515	28	14	42	3	1	4	20	16	36	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
555	Kingarth, . . .	1007	905	9	13	22	2	2	4	11	10	21	9
556	Lochranza, . . .	c. 883	824	8	11	19	1	1	2	12	11	23	6
557	North Bute, . . .	c. 1235	1351	13	17	30	2	5	7	7	6	13	8
558	ROTHESAY, . . .	c. 7144	7227	96	122	218	13	9	22	97	121	218	54
	Total,	16608	16331	196	217	413	24	22	46	191	198	389	91
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	309	288	597	17	31	48	193	210	403	135
	(2) Landward (including part of Barrhead),	c. 4867	5670	99	106	205	7	5	12	46	58	104	26
	(3) Johnstone (including Town), . .	c. 7363	8142	181	179	360	17	22	39	96	110	206	86
560	Cathcart, . . .	2916	3782	75	78	153	7	5	12	44	50	94	33
561	Eaglesham, . . .	2524	2328	25	15	40	1	4	5	12	11	23	11
562	Eastwood, . . .	9243	11314	218	223	441	23	30	53	149	180	329	106
563	Erskine, ...	1232	1457	24	25	49	1	–	1	9	10	19	3
564	GREENOCK—												
	(1) New, or Middle .	9414	9446	245	219	464	23	20	43	165	170	335	45
	(2) East, . . .	7704	12135	369	367	736	13	11	24	173	159	332	123
	(3) Old, or West, . .	20318	22313	626	608	1234	31	32	63	421	400	821	305
565	Houston and Killellan, .	2753	2490	45	23	68	4	4	8	28	33	61	14
566	Inchinnan, . .	649	619	11	5	16	1	1	2	5	4	9	2
567	Innerkip—												
	(1) Innerkip. . .	c. 1026	1188	21	22	43	1	–	1	3	9	12	4
	(2) Gourock (including Town), . . .	c. 1992	2307	60	33	93	7	3	10	28	33	61	20
568	Kilbarchan, . . .	5474	6348	107	114	221	6	10	16	71	83	154	34
569	Kilmalcolm, . . .	1399	1455	25	28	53	4	4	8	11	17	28	14
570	Lochwinnoch, . .	4153	3821	56	63	119	11	9	20	43	51	94	28
571	Mearns, ...	3704	3547	69	52	121	5	2	7	38	43	81	23
572	Neilston (including part of Barrhead), . .	12233	11013	176	188	364	22	19	41	96	110	206	77
573	PAISLEY—												
	(1) High, . . .	14643	14900	321	307	628	25	24	49	166	176	342	109
	(2) Low, . . .	7205	6712	110	101	211	13	6	19	165	117	282	91
	(3) Middle, . . .	9904	9926	188	193	381	28	21	49	130	188	318	69
574	PORT-GLASGOW (incl. Burgh), . . .	7017	7294	260	241	501	32	19	51	137	134	271	97
575	RENFREW (incl. Burgh),	3866	4650	107	95	202	5	4	9	39	44	83	30
	Total,	157950	168746	3727	3573	7300	304	286	590	2268	2400	4668	1485
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats), .	c. 3434	3530	60	56	116	5	6	11	52	39	91	41
	(2) New (including Ardrossan), . .	c. 2147	3246	77	69	146	1	2	3	48	26	74	26
577	Auchinleck, . . .	3697	4213	120	102	222	8	7	15	49	46	95	23
578	AYR (incl. Burgh), .	18845	19659	291	313	604	31	38	69	176	228	404	138
579	Ballantrae, . . .	1801	1483	20	28	48	5	6	11	11	11	22	6
580	Barr, ...	907	910	12	9	21	–	1	1	5	6	11	2
581	Beith (incl. Town), .	6425	5775	122	138	260	7	11	18	80	77	157	55
582	Colmonell, . . .	2934	2588	25	32	57	4	7	11	16	11	27	12
583	Coylton, ...	1542	1604	18	24	42	2	1	3	17	9	26	6
584	Craigie, ...	793	730	16	13	29	2	1	3	5	1	6	4
585	Dailly, ...	2413	2050	44	26	70	4	3	7	19	25	44	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
586	Dalmellington,	2910	4194	122	116	238	8	6	14	42	56	98	33
587	Dalry (incl. Town),	8865	11156	271	286	557	12	20	32	142	142	284	100
588	Dalrymple,	1096	1325	26	33	59	5	2	7	8	14	22	9
589	Dreghorn,	1828	3283	63	73	136	5	8	13	29	20	49	21
590	Dundonald (incl. Troon),	4555	4694	80	61	141	4	3	7	48	35	83	25
591	Dunlop,	1115	1038	22	13	35	2	2	4	11	10	21	10
592	Fenwick,	1741	1532	16	19	35	2	2	4	19	16	35	8
593	Galston (incl. Town),	4392	5254	141	146	287	8	7	15	69	77	146	58
594	Girvan (incl. Town),	8588	7053	120	98	218	29	20	49	97	91	188	34
595	IRVINE (incl. Burgh),	8463	8607	155	175	330	14	26	40	100	119	219	73
596	Kilbirnie (incl. Town),	5484	5265	116	113	229	11	11	22	60	43	103	57
597	KILMARNOCK (incl. part of Burgh),	21287	23556	517	428	945	38	36	74	375	339	714	199
598	Kilmaurs,	3144	3526	59	63	122	4	7	11	41	30	71	32
599	Kilwinning (incl. Town),	6359	7717	173	165	338	7	9	16	84	69	153	59
600	Kirkmichael,	3262	2823	40	36	76	5	8	13	21	22	43	18
601	Kirkoswald,	2242	2060	27	33	60	3	2	5	13	14	27	15
602	Largs (incl. Town),	3715	3620	63	54	117	1	2	3	45	63	108	26
603	Loudoun (incl. Newmilns),	4720	4840	89	102	191	7	10	17	47	50	97	46
604	Mauchline,	2470	2303	45	37	82	8	3	11	37	30	67	22
605	Maybole (incl. Town),	7615	6713	123	105	228	18	22	40	71	69	140	44
606	Monkton and Prestwick,	1960	1937	30	21	51	3	4	7	14	12	26	9
607	Muirkirk (incl. Town),	3423	3270	62	65	127	7	7	14	29	39	68	27
608	New Cumnock,	2759	2891	62	57	119	7	13	20	30	28	58	22
609	Ochiltree,	1787	1676	21	18	39	4	4	8	6	8	14	4
610	Old Cumnock (including Town),	3777	3721	64	80	144	11	8	19	35	38	73	30
611	Riccarton (incl. part of KILMARNOCK),	4583	5629	149	118	267	13	4	17	71	62	133	52
612	St Quivox and Newton-upon-Ayr,	2231	1870	23	26	49	5	4	9	16	15	31	13
613	Sorn (incl. Catrine),	4174	4042	75	60	135	8	8	16	39	35	74	31
614	Stair,	820	743	7	12	19	2	2	4	3	2	5	–
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	106	105	211	6	7	13	52	66	118	31
616	Stewarton (incl. Town),	4572	4449	78	71	149	12	6	18	40	42	82	30
617	Straiton,	1540	1544	25	21	46	1	4	5	12	15	27	15
618	Symington,	902	855	13	13	26	1	2	3	9	10	19	2
619	Tarbolton,	2824	2669	69	52	121	10	4	14	52	47	99	27
620	West Kilbride,	2021	1968	41	34	75	6	6	12	17	25	42	17
	Total,	189973	199063	3898	3719	7617	356	372	728	2262	2232	4494	1523
	23. Lanark.												
621	Avondale (incl. Strathaven),	6451	6125	95	96	191	8	7	15	57	41	98	42
622	Barony—												
	(1) Maryhill (incl. Town and part of GLASGOW),	*c.* 4007	6734	155	154	309	9	9	18	88	89	177	60
	(2) Springburn (incl. pt. of GLASGOW),	*c.* 6386	8911	283	254	537	41	26	67	292	301	593	65
	(3) Shettleston,	*c.* 6564	6914	141	138	279	12	15	27	78	66	144	49
623	Biggar,	2049	1999	21	28	49	1	–	1	16	19	35	15
624	Blantyre,	2848	3092	51	44	95	3	6	9	29	23	52	21
625	Bothwell—												
	(1) Bothwell (including Bellshill),	*c.* 5583	7059	173	146	319	8	8	16	73	77	150	52
	(2) Holytown,	*c.* 9700	10844	247	255	502	13	18	31	118	130	248	76

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*a*626	Cadder—												
	(1) Western District, .	*c.* 2550	3023	61	67	128	1	1	2	47	39	86	16
	(2) Eastern District, .	*c.* 2464	2925	74	56	130	5	3	8	31	25	56	12
*b*626	Calderhead, . . .	*c.* 2140	3789	80	82	162	7	5	12	45	26	71	34
627	Cambuslang, . . .		3306	3647	81	48	129	3	4	7	39	20	59	21
628	Cambusnethan (including Wishaw) (part of), .	*c.* 8571	*c.*13377	405	395	800	26	26	52	222	194	416	147
629	Carluke (incl. Town), .		6283	6176	162	109	271	12	9	21	60	51	111	59
630	Carmichael, . . .		805	836	13	12	25	1	1	2	5	5	10	1
631	Carmunnock, . . .		710	734	12	8	20	1	–	1	5	4	9	7
632	Carnwath, . . .		3551	3584	105	100	205	17	15	32	46	37	83	23
633	Carstairs, . . .		1066	1345	29	27	56	1	3	4	16	11	27	6
634	Covington & Thankerton,		548	532	6	8	14	5	–	5	6	3	9	1
635	Crawford—												
	(1) Crawford, . .	*c.* 730	694	14	16	30	1	1	2	3	4	7	1
	(2) Leadhills, . .	*c.* 940	896	24	21	45	5	3	8	11	9	20	8
636	Crawfordjohn, . .		1111	980	11	14	25	2	4	6	6	7	13	9
637	Culter, ...		472	665	6	9	15	–	2	2	4	6	10	6
638	Dalserf—												
	(1) Larkhall (including Town), . .	*c.* 2670	3629	96	117	213	7	7	14	51	56	107	32
	(2) Dalserf, . . .	*c.* 913	1247	33	33	66	1	–	1	13	11	24	12
639	Dalziel (incl. Motherwell), . . .		2262	5438	186	218	404	8	11	19	89	82	171	43
640	Dolphington, . . .		305	260	5	–	5	–	–	–	4	2	6	3
641	Douglas, ...		2611	2490	40	34	74	6	5	11	23	20	43	25
642	Dunsyre, . . .		312	312	5	3	8	1	2	3	2	3	5	2
643	East Kilbride, . .		3760	4064	77	60	137	8	3	11	34	36	70	24
644	GLASGOW—												
	(1) Central District, .	*c.* 43270	49678	1267	1208	2475	259	243	502	1025	1024	2049	431
	(2) High, . . .	*c.* 42005	48119	1137	1089	2226	106	122	228	1249	944	2193	466
	(3) Bridgeton, . .	*c.* 38385	45485	1053	1027	2080	105	75	180	634	674	1308	453
	(4) Calton, . . .	*c.* 33310	36625	773	789	1562	82	86	168	512	568	1080	498
	(5) Clyde, . . .	*c.* 32800	29975	539	536	1075	74	81	155	418	437	855	256
	(6) Blythswood, . .	*c.* 21405	28697	443	470	913	32	25	57	256	331	587	572
	(7) Milton, . . .	*c.* 26240	33360	894	826	1720	69	60	129	453	508	961	343
	(8) Anderston, . .	*c.* 30035	40945	1083	1046	2129	80	83	163	598	640	1238	396
	(9) Tradeston, . .	*c.* 27163	38600	976	917	1893	75	64	139	600	635	1235	560
	(10) Hutchesontown, .	*c.* 34484	44019	1137	1078	2215	79	73	152	669	654	1323	350
645	Glassford, . . .		1955	1938	24	17	41	1	3	4	17	8	25	10
646	Govan—												
	(1) Govan (incl. Town),	*c.* 6238	13725	470	451	921	13	19	32	219	216	435	160
	(2) Partick (incl. Town)	*c.* 7852	14859	383	368	751	19	18	37	174	219	393	161
647	HAMILTON (incl. Burgh),		11740	14047	306	293	599	28	25	53	169	148	317	131
648	LANARK (incl. Burgh),		8243	7891	143	143	286	20	16	36	80	111	191	56
649	Lesmahagow, . . .		7746	9266	149	150	299	18	19	37	82	72	154	61
650	Libberton, . . .		800	836	10	14	24	2	4	6	9	9	18	2
651	New Monkland—												
	(1) AIRDRIE, . .		14435	12922	293	259	552	30	19	49	198	202	400	158
	(2) Landward, . .		8766	7632	180	159	339	12	16	28	127	93	220	59
652	Old Monkland—												
	(1) Western District, .	*c.* 6646	6932	181	166	347	11	11	22	98	93	191	30
	(2) Middle District (incl. Coatbridge), .	*c.* 13168	15303	415	385	800	15	19	34	231	194	425	123
	(3) Eastern District (incl. Calderbank),	*c.* 7519	7308	140	147	287	11	9	20	84	79	163	18
653	Pettinain, . . .		428	407	3	7	10	–	–	–	–	–	–	4
654	RUTHERGLEN (incl. Burgh), . . .		7954	9335	190	225	415	8	12	20	120	116	236	110
655	Shotts (part of), . .	*c.* 3892	*c.* 4778	108	113	221	9	6	15	40	37	77	21

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
656	Stonehouse (incl. Town),	2781	3267	82	65	147	2	5	7	31	52	83	25
657	Symington, . . .	536	528	11	11	22	3	3	6	7	3	10	4
658	Walston, . . .	497	480	5	7	12	–	1	1	5	6	11	4
659	Wandell and Lamington,	369	380	6	6	12	1	–	1	1	2	3	2
660	Wiston and Roberton, .	839	786	8	10	18	4	1	5	4	8	12	6
	Total,	533169	640444	15100	14534	29634	1381	1312	2693	9623	9480	19103	6342
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	977	965	13	21	34	1	2	3	8	11	19	6
662	Bathgate (incl. Town and Armadale), .	4533	10134	304	282	586	25	23	48	167	165	332	81
663	Borrowstounness (incl. Town), . . .	5192	5698	140	139	279	9	16	25	79	79	158	44
664	Carriden, . . .	1724	1821	32	40	72	4	3	7	26	19	45	15
665	Dalmeny, . . .	768	804	17	18	35	1	3	4	9	7	16	3
666	Ecclesmachen, . .	289	309	10	6	16	–	1	1	3	1	4	4
667	Kirkliston, . . .	2029	1907	42	47	89	4	5	9	15	24	39	14
668	LINLITHGOW—												
	(1) Burgh, . . .	4213	3843	69	45	114	8	7	15	52	43	95	34
	(2) Landward, . .	1902	1941	21	26	47	1	9	10	20	26	46	13
669	Livingstone, . . .	1289	1366	37	30	67	5	4	9	12	14	26	11
670	QUEENSFERRY (incl. Burgh), . . .	1195	1391	25	37	62	1	7	8	15	22	37	10
671	Torphichen, . . .	1356	1848	32	35	67	4	3	7	18	15	33	10
672	Uphall, ...	1331	1507	34	44	78	2	3	5	29	17	46	13
673	Whitburn, . . .	3792	5511	171	143	314	11	10	21	76	53	129	43
	Total,	30590	39045	947	913	1860	76	96	172	529	496	1025	301
	25. Edinburgh.												
674	Borthwick, . . .	1614	1742	25	38	63	–	4	4	16	12	28	9
675	Carrington, . . .	710	681	12	12	24	1	–	1	5	8	13	4
676	Cockpen, . . .	3228	2902	73	60	133	5	5	10	37	35	72	16
677	Colinton, . . .	2676	2656	51	48	99	5	4	9	36	32	68	23
678	Corstorphine, . . .	1499	1579	20	24	44	1	2	3	16	12	28	10
679	Cramond, . . .	2547	2695	50	63	113	3	4	7	27	22	49	20
680	Cranston, . . .	1235	1035	12	15	27	2	–	2	10	12	22	7
681	Crichton, . . .	1387	1304	22	26	48	3	4	7	13	11	24	10
682	Currie, ...	2190	2248	34	31	65	2	2	4	21	17	38	8
683	Dalkeith (incl. Town),	6521	7114	134	126	260	8	10	18	85	85	170	62
684	Duddingston—												
	(1) Portobello, .	3559	4366	93	70	163	13	6	19	30	56	86	39
	(2) Landward, . .	904	857	17	19	36	3	2	5	11	11	22	3
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert), . . .	*c.* 38540	42068	777	740	1517	44	47	91	561	563	1124	349
	(2) St Andrew, . .	*c.* 37435	38731	486	472	958	28	26	54	296	365	661	417
	(3) Canongate (incl. Landward), . .	*c.* 29230	30169	700	601	1301	73	66	139	794	591	1385	309
	(4) St Giles, . . .	*c.* 29245	29679	651	639	1290	158	137	295	425	418	843	299
	(5) Newington, . .	*c.* 27198	29797	594	586	1180	32	33	65	346	454	800	408
686	Fala and Soutra, . .	434	382	8	1	9	1	–	1	2	5	7	3
687	Glencross, . . .	1138	1217	14	15	29	1	2	3	6	8	14	7
688	Heriot, ...	352	407	5	7	12	–	1	1	5	2	7	6
689	Inveresk (incl. MUSSELBURGH), . . .	8653	9518	175	178	353	16	17	33	140	156	296	64

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	28	28	56	–	5	5	15	20	35	15
691	Lasswade,	5821	5688	102	88	190	14	11	25	63	59	122	43
692	LEITH—												
	(1) North Leith,	c. 9494	11562	245	222	467	12	9	21	133	132	265	129
	(2) South Leith	c. 22725	24467	576	507	1083	53	39	92	348	311	659	270
693	Liberton,	3528	3510	62	54	116	5	4	9	43	34	77	16
694	Mid-Calder,	1474	1389	38	21	59	4	5	9	22	14	36	23
695	Newbattle,	2518	2837	58	59	117	7	5	12	31	26	57	29
696	Newton,	1780	1553	24	15	39	3	2	5	6	4	10	9
697	Penicuik,	3003	3249	58	59	117	7	3	10	25	26	51	20
698	Ratho,	1718	1659	25	20	45	3	1	4	13	4	17	14
699	Stow,	1973	2171	44	38	82	4	8	12	25	15	40	13
700	Temple,	1414	1385	21	29	50	4	4	8	11	16	27	6
701	West-Calder,	2120	1927	102	101	203	7	8	15	49	37	86	27
	Total,	259493	274093	5336	5012	10348	522	476	998	3666	3573	7239	2687
	26. Haddington.												
702	Aberlady,	1099	1019	17	22	39	1	3	4	13	12	25	6
703	Athelstaneford,	971	902	10	11	21	1	1	2	5	7	12	2
704	Bolton,	373	332	6	5	11	1	–	1	1	2	3	–
705	Dirleton,	1634	1540	18	19	37	2	3	5	10	13	23	5
706	DUNBAR (incl. Burgh),	4415	4944	83	70	153	4	4	8	57	68	125	21
707	Garvald,	869	891	8	21	29	1	1	2	4	15	19	2
708	Gladsmuir,	1780	1945	32	29	61	2	2	4	7	16	23	8
709	HADDINGTON (incl. Burgh),	5525	5548	105	68	173	9	3	12	58	57	115	38
710	Humbie,	925	997	13	12	25	2	2	4	8	10	18	4
711	Innerwick,	1012	937	14	10	24	1	1	2	7	10	17	5
712	Morham,	249	281	3	1	4	–	–	–	1	2	3	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	34	28	62	–	1	1	26	20	46	10
714	Oldhamstocks,	692	615	7	7	14	1	2	3	4	3	7	4
715	Ormiston,	811	915	17	14	31	–	4	4	5	4	9	4
716	Pencaitland,	1175	1187	32	12	44	3	–	3	14	14	28	6
717	Prestonkirk,	1894	1960	36	30	66	6	3	9	20	18	38	9
718	Prestonpans,	2123	2080	51	38	89	5	3	8	20	29	49	13
719	Salton,	697	712	6	9	15	1	2	3	8	3	11	3
720	Spott,	595	555	12	7	19	1	–	1	6	5	11	2
721	Stenton,	719	692	10	7	17	3	–	3	3	4	7	3
722	Tranent (incl. Town),	4158	4647	111	99	210	10	8	18	75	69	144	44
723	Whitekirk & Tynninghame	1131	1113	13	12	25	2	–	2	11	6	17	3
724	Whittinghame,	671	710	7	9	16	1	1	2	3	4	7	2
725	Yester (or Gifford),	1202	1033	18	17	35	3	–	3	12	9	21	6
	Total,	36363	37626	663	557	1220	60	44	104	378	400	778	201
	27. Berwick.												
726	Abbey St Bathans,	155	179	1	3	4	–	–	–	–	1	1	1
727	Ayton,	1959	2014	32	32	64	3	1	4	23	27	50	14
728	Bunkle and Preston,	715	756	11	11	22	2	–	2	2	4	6	2
729	Channelkirk,	728	671	19	9	28	–	2	2	9	7	16	2
730	Chirnside,	1384	1502	26	16	42	3	2	5	15	14	29	10
731	Cockburnspath,	1196	1194	21	11	32	2	1	3	11	6	17	8
732	Coldingham,	3188	3241	44	57	101	9	4	13	26	29	55	14
733	Coldstream,	3245	2823	38	39	77	5	14	19	26	21	47	12
734	Cranshaws,	127	134	3	3	6	–	–	–	–	–	–	–
735	Dunse (incl. Town),	3407	3595	67	47	114	9	8	17	36	42	78	16
736	Earlston,	1819	1825	22	43	65	3	5	8	15	17	32	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles,	1892	1861	38	37	75	7	5	12	16	10	26	8
738	Edrom,	1474	1592	18	31	49	3	4	7	11	15	26	7
739	Eyemouth,	1488	1804	58	47	105	5	2	7	28	29	57	12
740	Fogo,	604	559	12	7	19	1	2	3	4	2	6	3
741	Foulden,	430	431	6	5	11	–	–	–	2	4	6	2
742	Gordon,	983	931	16	8	24	3	2	5	7	4	11	3
743	Greenlaw,	1378	1370	24	22	46	2	2	4	7	11	18	3
744	Hume,	406	420	5	4	9	–	1	1	1	–	1	4
745	Hutton,	1102	1067	9	14	23	1	–	1	9	15	24	8
746	Ladykirk,	561	564	9	4	13	2	1	3	3	6	9	2
747	Langton,	484	502	10	5	15	2	–	2	8	3	11	–
748	LAUDER (incl. Burgh),	2154	2198	42	37	79	5	5	10	20	19	39	12
749	Legerwood,	587	599	14	5	19	–	2	2	10	8	18	3
750	Longformacus,	411	448	11	8	19	2	3	5	5	2	7	2
751	Merton,	692	729	8	5	13	1	2	3	5	9	14	7
752	Mordington,	427	377	5	7	12	–	1	1	5	4	9	4
753	Nenthorn,	441	461	10	9	19	1	1	2	4	8	12	2
754	Polwarth,	331	251	4	4	8	1	1	2	3	2	5	–
755	Swinton,	994	964	20	19	39	2	3	5	4	3	7	5
756	Westruther,	791	786	10	13	23	2	1	3	7	4	11	4
757	Whitsome,	612	640	5	7	12	–	–	–	4	5	9	5
	Total,	36165	36488	618	569	1187	76	75	151	326	331	657	180
	28. Peebles.												
758	Broughton,	284	297	4	3	7	1	–	1	2	–	2	2
759	Drumelzier,	244	209	1	4	5	–	3	3	–	–	–	3
760	Eddlestone,	790	753	5	8	13	–	2	2	4	7	11	8
761	Glenholm,	252	198	5	4	9	2	–	2	5	–	5	2
762	Innerleithen,	1236	1823	42	38	80	3	3	6	14	16	30	11
763	Kilbucho,	345	228	7	2	9	–	1	1	4	–	4	2
764	Kirkurd,	326	362	5	6	11	–	–	–	5	3	8	1
765	Lyne, etc.—(1) Lyne,	95	81	2	3	5	–	–	–	–	1	1	–
	(2) Meggat,	63	53	2	1	3	–	1	1	–	–	–	–
766	Manor,	256	247	6	4	10	–	–	–	3	1	4	2
767	Newlands,	950	987	14	9	23	1	1	2	12	10	22	4
768	PEEBLES (incl. Burgh),	2673	2850	51	35	86	4	3	7	28	29	57	15
769	Skirling,	316	317	8	6	14	–	–	–	1	1	2	2
770	Stobo,	478	478	12	8	20	–	1	1	4	2	6	3
771	Traquair,	646	687	8	13	21	1	1	2	2	7	9	4
772	Tweedsmuir,	220	196	2	5	7	2	–	2	1	3	4	1
773	West Linton,	1630	1534	23	33	56	5	5	10	14	17	31	5
	Total,	10804	11300	197	182	379	19	21	40	99	97	196	65
	29. Selkirk.												
774	Ettrick,	477	454	5	5	10	–	–	–	2	2	4	6
775	Galashiels (incl. part of Town),	3014	3379	111	76	187	9	5	14	53	66	119	26
776	Kirkhope,	*c.* 600	555	9	13	22	2	2	4	4	5	9	6
777	Roberton,	670	640	19	10	29	3	3	6	3	3	6	5
778	SELKIRK (incl. Burgh),	4347	4739	93	86	179	14	5	19	45	47	92	33
779	Yarrow,	*c.* 694	643	12	12	24	–	4	4	3	5	8	3
	Total,	9802	10410	249	202	451	28	19	47	110	128	238	79
	VIII. SOUTHERN. 30. Roxburgh.												
780	Ancrum,	1554	1511	26	26	52	7	1	8	7	12	19	4
781	Ashkirk,	578	578	11	9	20	–	1	1	2	2	4	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule,	240	222	3	2	5	–	–	–	2	3	5	2
783	Bowden,	981	864	17	12	29	2	–	2	6	7	13	6
784	Castleton,	2130	3688	35	43	78	3	7	10	17	13	30	10
785	Cavers,	1495	1824	25	27	52	2	4	6	13	9	22	11
786	Crailing,	734	673	16	9	25	2	1	3	4	5	9	2
a787	Eckford,	1073	957	16	15	31	3	2	5	4	7	11	4
b787	Edgerston,	c. 373	359	9	4	13	–	1	1	2	–	2	1
788	Ednam,	658	599	12	9	21	2	1	3	5	7	12	3
789	Hawick (incl. part of Town),	7801	8726	167	165	332	16	23	39	90	96	186	59
790	Hobkirk,	720	771	15	13	28	–	3	3	3	7	10	4
791	Hownam,	252	289	4	2	6	–	–	–	2	1	3	2
792	JEDBURGH (incl. Burgh),	c. 5220	5011	78	77	155	13	11	24	55	42	97	26
793	Kelso (incl. Town),	5634	5192	91	67	158	10	12	22	51	66	117	23
794	Kirktown,	282	421	10	2	12	1	–	1	–	1	1	1
795	Lilliesleaf,	798	772	23	8	31	1	–	1	6	4	10	2
796	Linton,	630	608	9	8	17	3	3	6	1	7	8	4
797	Makerston,	345	380	4	11	15	–	2	2	4	6	10	–
798	Maxton,	550	497	8	5	13	1	–	1	1	1	2	4
799	Melrose—												
	(1) Melrose,	3592	3557	60	43	103	7	1	8	32	25	57	16
	(2) Ladhope (incl. part of Galashiels),	3773	4154	90	77	167	13	4	17	51	52	103	45
800	Minto,	467	430	7	8	15	2	–	2	5	5	10	–
801	Morebattle,	997	1031	14	14	28	2	2	4	8	8	16	7
802	Oxnam,	c. 632	592	15	11	26	2	1	3	3	1	4	7
803	Roxburgh,	1141	1178	21	13	34	4	2	6	11	4	15	7
804	St Boswells,	884	865	15	20	35	1	1	2	7	8	15	9
805	Smailholm,	617	554	7	10	17	3	3	6	2	6	8	4
806	Southdean,	c. 765	687	12	13	25	1	–	1	3	5	8	6
807	Sprouston,	1424	1305	19	3	22	4	–	4	10	3	13	4
808	Stitchel,	426	425	5	3	8	–	1	1	2	2	4	1
809	Teviothead,	550	438	8	7	15	1	1	2	2	1	3	5
810	Wilton (incl. Town and part of Hawick),	2557	3357	68	66	134	6	5	11	28	29	57	21
811	Yetholm,	1352	1207	19	20	39	2	2	4	11	13	24	10
	Total,	51225	53722	939	822	1761	114	95	209	450	458	908	312
	31. Dumfries.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	97	95	192	10	13	23	59	70	129	26
a813	Applegarth,	918	935	20	18	38	1	2	3	3	2	5	4
b813	Brydekirk (incl. part of ANNAN),	c. 864	779	17	14	31	4	2	6	8	7	15	6
814	Canonbie,	3163	3219	62	63	125	11	9	20	31	30	61	15
815	Carlaverock,	1418	1248	9	13	22	3	2	5	15	19	34	8
816	Closeburn,	1732	1651	23	23	46	4	3	7	24	11	35	12
817	Cummertrees,	c. 1334	1184	11	15	26	2	1	3	12	8	20	6
818	Dalton,	761	679	13	8	21	1	1	2	5	3	8	6
819	Dornock,	936	856	12	16	28	1	4	5	9	7	16	7
820	Dryfesdale,	2409	2509	38	51	89	8	13	21	30	41	71	16
821	DUMFRIES (incl. part of Burgh),	12298	13523	202	214	416	28	36	64	204	199	403	88
822	Dunscore,	1578	1554	20	19	39	1	1	2	12	14	26	10
823	Durrisdeer,	1795	1320	16	18	34	2	2	4	8	8	16	7
824	Eskdalemuir,	672	590	6	5	11	1	2	3	4	–	4	2
825	Ewes,	354	356	4	3	7	–	1	1	2	1	3	2
826	Glencairn,	1980	1867	36	30	66	5	6	11	12	17	29	16

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
827	Graitney (or Gretna),	1830	1620	28	24	52	6	7	13	12	19	31	10
828	Halfmorton,	687	713	9	3	12	1	2	3	5	3	8	1
829	Hoddam,	*c.* 1705	1568	30	25	55	5	5	10	20	15	35	6
830	Holywood,	1060	1115	22	18	40	–	2	2	11	7	18	10
831	Hutton,	836	876	13	10	23	3	1	4	17	18	35	3
832	Johnstone,	1261	1149	19	17	36	–	4	4	4	6	10	6
833	Keir,	960	849	14	17	31	3	3	6	9	10	19	5
834	Kirkconnel,	1245	996	11	18	29	2	3	5	6	7	13	5
835	Kirkmahoe,	1553	1462	19	12	31	1	3	4	7	15	22	8
836	Kirkmichael,	1124	1026	16	12	28	3	1	4	9	4	13	7
837	Kirkpatrick-Fleming—												
	(1.) Northern Dist.,	1829	*c* 483	7	9	16	1	1	2	4	1	5	4
	(2.) Southern Dist.,		*c*1442	19	15	34	4	4	8	13	16	29	5
838	Kirkpatrick-Juxta,	1097	1025	15	15	30	–	1	1	11	6	17	14
839	Langholm,	2990	2979	47	48	95	2	6	8	37	28	65	7
840	LOCHMABEN (includ. Burgh),	3127	3087	51	55	106	12	10	22	33	29	62	21
841	Middlebie,	2163	2004	41	24	65	9	4	13	24	19	43	15
842	Moffat,	2304	2232	45	23	68	7	2	9	20	27	47	12
843	Morton,	2482	2253	35	24	59	3	2	5	15	22	37	12
844	Mousewald,	686	633	16	11	27	5	3	8	7	4	11	1
845	Penpont,	1411	1326	18	21	39	4	1	5	7	9	16	10
846	Ruthwell,	1110	1046	18	15	33	5	4	9	9	11	20	5
847	St Mungo,	645	686	8	12	20	1	1	2	4	4	8	7
848	SANQUHAR (including Burgh),	*c.* 3155	2758	35	34	69	7	5	12	23	30	53	19
849	Tinwald,	1080	1079	16	20	36	2	2	4	12	7	19	8
850	Torthorwald,	1313	1254	26	23	49	7	5	12	17	23	40	5
851	Tundergarth,	577	507	9	6	15	1	1	2	8	3	11	3
852	Tynron,	482	446	10	3	13	1	1	2	1	2	3	5
*a*853	Wamphray,	523	559	7	4	11	–	1	1	5	2	7	2
*b*853	Wanlockhead,	*c.* 916	811	21	14	35	–	3	3	4	6	10	9
854	Westerkirk,	658	537	9	8	17	3	1	4	4	–	4	2
	Total,	78149	75904	1220	1145	2365	180	187	367	796	790	1586	458
	32. Kirkcudbright.												
855	Anwoth,	900	899	6	18	24	2	–	2	9	13	22	5
856	Balmaclellan,	*c.* 938	890	10	18	28	1	1	2	10	9	19	2
*a*857	Balmaghie,	1217	1225	19	15	34	2	2	4	12	6	18	6
*b*857	Bargrennan,	*c.* 500	*c.* 500	21	15	36	2	–	2	3	1	4	2
858	Borgue,	1043	1162	14	20	34	–	1	1	6	9	15	6
859	Buittle,	1042	1165	1	6	7	–	–	–	7	12	19	7
860	Carsphairn,	855	553	7	5	12	1	1	2	2	3	5	–
861	Colvend,	1398	1366	20	16	36	3	1	4	12	7	19	6
862	Corsock-Bridge,	*c.* 550	544	8	10	18	2	2	4	3	4	7	1
863	Crossmichael,	1362	1536	29	20	49	7	2	9	9	16	25	5
864	Dalbeattie,	*c.* 1927	2054	51	33	84	9	7	16	20	32	52	12
865	Dalry,	1238	1149	9	17	26	3	4	7	11	11	22	7
866	Girthon,	1787	1702	27	22	49	4	4	8	15	10	25	8
867	Irongray,	918	913	14	10	24	2	1	3	4	5	9	2
868	Kells (incl. NEW GALLOWAY),	1091	1170	15	15	30	3	1	4	9	7	16	7
869	Kelton	3186	3436	45	63	108	4	8	12	39	47	86	29
870	Kirkbean,	982	942	13	9	22	1	1	2	8	9	17	4
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	50	46	96	7	8	15	34	34	68	16
872	Kirkgunzeon,	734	793	11	13	24	1	1	2	11	6	17	3
873	Kirkmabreck,	2266	1851	40	28	68	2	3	5	16	27	43	13
874	Kirkpatrick-Durham,	*c.* 1349	1323	13	19	32	1	4	5	13	19	32	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
875	Lochrutton,	726	677	14	8	22	1	1	2	1	5	6	8
876	Minnigaff,	*c.* 1804	*c.* 1554	24	27	51	6	4	10	10	16	26	6
877	New Abbey,	1098	1063	11	15	26	1	4	5	6	11	17	3
878	Parton,	*c.* 547	572	5	6	11	1	–	1	3	3	6	1
879	Rerrick,	1725	1738	39	28	67	7	2	9	14	13	27	8
880	Terregles (incl. part of DUMFRIES),	566	580	7	5	12	–	–	–	4	3	7	4
881	Tongland,	924	892	13	11	24	2	5	7	3	1	4	7
882	Troqueer (incl. part of DUMFRIES),	4925	4743	105	73	178	11	10	21	69	71	140	22
883	Twynholm,	782	815	15	15	30	1	2	3	7	11	18	1
884	Urr,	*c.* 1436	1531	32	25	57	2	6	8	13	12	25	3
	Total,	43121	42495	688	631	1319	89	86	175	383	433	816	212
	33. Wigtown.												
885	Glasserton,	1487	1472	26	20	46	1	7	8	12	9	21	7
886	Inch,	2579	2460	33	34	67	4	6	10	17	15	32	18
887	Kirkcolm,	2018	1860	25	21	46	3	6	9	25	13	38	14
888	Kirkcowan,	1541	1434	19	14	33	4	1	5	11	10	21	10
889	Kirkinner,	1914	1716	20	15	35	3	1	4	5	16	21	7
890	Kirkmaiden,	2681	2333	38	31	69	4	8	12	13	20	33	18
891	Leswalt,	1703	1417	24	17	41	4	2	6	9	8	17	7
892	Mochrum,	2946	2694	43	35	78	2	7	9	27	17	44	12
893	New Luce,	791	731	12	9	21	3	1	4	4	1	5	3
894	Old Luce (or Glenluce),	2841	2800	42	24	66	5	2	7	20	13	33	17
895	Penninghame (incl. Newton-Stewart),	4155	4061	56	56	112	9	6	15	36	35	71	17
896	Portpatrick,	1963	2189	33	32	65	5	8	13	14	11	25	9
897	Sorbie,	1886	1814	24	21	45	4	1	5	11	10	21	10
898	Stoneykirk,	3321	3228	40	34	74	9	6	15	18	22	40	18
899	STRANRAER (incl. Burgh)	5738	6315	114	106	220	16	18	34	61	66	127	35
900	WHITHORN (incl. Burgh)	3001	2934	38	41	79	8	5	13	25	31	56	18
901	WIGTOWN (incl. Burgh)	2824	2637	40	32	72	7	4	11	21	29	50	9
	Total,	43389	42095	627	542	1169	91	89	180	329	326	655	229

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular,	166,487	1,60733	2212	2041	4253	138	126	264	1305	1356	2661	815
Mainland-Rural,	1,711,717	1,762,576	31044	29376	60420	3338	3205	6543	16930	17385	34315	11127
Town,	1,010,538	1,138,985	25104	23890	48994	2498	2368	4866	17120	17252	34372	11746
SCOTLAND,	2,888,742	3,062,294	58360	55307	113667	5974	5699	11673	35355	35993	71348	23688

MARRIAGES registered in SCOTLAND in 1866 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND.	23688	10392	5570	3385	516	2259	1483	41	42	20080	601	2094	715	198	2656	5205
INSULAR DISTRICTS . . .	815	345	309	64	1	34	61	1	–	676	13	83	14	29	241	336
MAINLAND-RURAL DISTRICTS	11127	5914	2566	1511	130	595	384	22	5	9638	203	907	224	155	899	1746
TOWN DISTRICTS	11746	4133	2695	1810	385	1630	1038	18	37	9766	385	1104	477	14	1516	3123
DIVISIONS.																
I. Northern	619	223	266	65	–	1	63	1	–	541	7	52	9	10	28	103
II. North-Western	789	197	509	17	11	44	11	–	–	660	9	73	10	37	277	402
III. North-Eastern	2487	1462	599	149	92	57	128	–	–	2176	44	216	40	11	62	210
IV. East-Midland	4182	2034	845	709	114	276	196	7	1	3626	53	358	111	34	306	708
V. West-Midland	1537	754	333	205	12	156	74	3	–	1294	38	139	33	33	213	352
VI. South-Western	9350	3442	2008	1414	195	1414	842	14	21	7757	314	853	391	35	1492	2948
VII. South-Eastern	3513	1599	763	672	83	251	115	12	18	2996	110	292	99	16	218	388
VIII. Southern	1211	681	247	154	9	60	54	4	2	1030	26	111	22	22	60	94
COUNTIES.																
1 Shetland	182	107	21	18	–	1	35	–	–	153	4	19	4	2	17	5
2 Orkney	154	72	28	39	–	–	15	–	–	135	3	13	3	–	1	2
3 Caithness	194	39	133	8	–	–	13	1	–	180	–	11	2	1	5	24
4 Sutherland	89	5	84	–	–	–	–	–	–	73	–	9	–	7	5	21
5 Ross and Cromarty	391	61	316	3	5	1	5	–	–	332	1	39	5	14	149	217
6 Inverness	398	136	193	14	6	43	6	–	–	328	8	34	5	23	128	191
7 Nairn	59	16	25	11	–	5	2	–	–	54	–	5	–	–	10	11
8 Elgin	251	116	92	30	4	4	5	–	–	221	5	22	1	2	8	28
9 Banff	327	194	75	20	4	22	12	–	–	286	4	27	9	1	13	47
10 Aberdeen	1613	967	364	76	72	25	109	–	–	1399	33	148	26	7	26	107
11 Kincardine	237	169	43	12	12	1	–	–	–	216	2	14	4	1	5	14
12 Forfar	2008	832	374	327	92	242	140	–	1	1719	33	187	68	1	237	54
13 Perth	802	398	238	104	18	17	24	3	–	712	6	66	13	5	25	55
14 Fife	1184	710	190	231	4	17	30	2	–	1039	11	90	27	17	38	93
15 Kinross	60	33	19	6	–	–	–	2	–	52	–	5	–	3	3	3
16 Clackmannan	128	61	24	41	–	–	2	–	–	104	3	10	3	8	3	14
17 Stirling	714	322	128	143	3	71	45	2	–	605	17	61	14	17	91	154
18 Dumbarton	367	176	70	41	2	65	13	–	–	304	11	37	12	3	71	123
19 Argyll	365	211	106	16	6	16	10	–	–	311	9	29	4	12	45	74
20 Bute	91	45	29	5	1	4	6	1	–	74	1	12	3	1	6	
21 Renfrew	1485	630	282	169	38	261	101	–	4	1213	63	140	65	4	260	494
22 Ayr	1523	799	313	220	8	87	96	–	–	1280	37	130	59	17	211	414
23 Lanark	6342	2013	1413	1025	149	1066	645	14	17	5264	214	583	267	14	1021	2032
24 Linlithgow	301	142	49	55	3	48	3	1	–	258	8	24	7	4	42	84
25 Edinburgh	2687	1160	622	514	75	189	99	11	17	2273	97	223	85	9	151	264
26 Haddington	201	132	41	18	1	8	1	–	–	180	3	16	1	1	18	34
27 Berwick	180	82	35	52	1	4	6	–	–	160	2	15	2	1	6	
28 Peebles	65	39	9	14	–	2	1	–	–	56	–	5	3	1	1	
29 Selkirk	79	44	7	19	3	–	5	–	1	69	–	9	1	–	–	
30 Roxburgh	312	160	45	62	4	23	18	–	–	271	10	25	5	1	14	29
31 Dumfries	458	249	105	54	4	17	26	1	2	395	5	42	6	10	16	36
32 Kirkcudbright	212	140	40	16	1	8	7	–	–	178	2	25	3	4	8	14
33 Wigtown	229	132	57	22	–	12	3	3	–	186	9	19	8	7	22	24

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1866.

CONDITION.	TOTAL.	AGES.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
BACHELORS with SPINSTERS.	20080	–	–	1	15	125	478	1065	8018	6607	2279	804	361	162	96	28	21	7	–	1	1	–	11
	20080	–	9	71	295	868	1539	1985	8488	4911	1266	419	152	42	6	4	1	–	–	–	–	–	24
BACHELORS with WIDOWS.	601	–	–	–	–	–	5	7	94	167	126	95	52	28	15	9	–	1	2	–	–	–	–
	601	–	–	–	1	–	1	1	44	166	170	126	59	21	9	2	–	1	–	–	–	–	–
WIDOWERS with SPINSTERS.	2094	–	–	1	–	–	1	1	48	290	402	378	328	259	162	112	63	41	6	2	–	–	–
	2094	–	–	2	5	15	27	49	344	509	457	337	188	99	44	11	6	–	–	–	–	–	1
WIDOWERS with WIDOWS.	715	–	–	–	–	–	–	–	4	30	73	95	158	129	104	56	38	18	6	3	–	–	1
	715	–	–	–	–	–	–	–	11	60	147	147	157	105	48	25	9	2	–	–	–	–	4
Condition not stated. MEN.	198	–	–	–	–	–	2	5	53	58	29	25	11	7	4	1	2	–	–	–	–	–	1
Condition not stated. WOMEN.	198	–	–	2	2	4	6	14	60	61	26	11	4	3	–	1	–	–	–	–	–	–	4
TOTAL MEN.....	23688	–	–	2	15	125	486	1078	8217	7152	2909	1397	910	585	381	206	124	67	14	6	1	–	13
TOTAL WOMEN.....	23688	–	9	75	303	887	1573	2049	8947	5707	2066	1040	560	270	107	43	16	3	–	–	–	–	33

AGES of MALES married in Scotland in 1866.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1866.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	23688	–	–	2	15	125	486	1078	8217	7152	2909	1397	910	585	381	206	124	67	14	6	1	–	13
DISTRICTS.																							
Insular . .	815	–	–	–	–	2	4	6	155	302	186	70	33	18	15	10	8	6	–	–	–	–	–
Mainland-Rural	11127	–	–	2	7	56	218	494	3860	3434	1357	671	395	272	163	94	54	31	5	2	–	–	12
Town . . .	11746	–	–	–	8	67	264	578	4202	3416	1366	656	482	295	203	102	62	30	9	4	1	–	1
DIVISIONS.																							
1. Northern . .	619	–	–	–	–	2	8	11	132	230	111	55	26	11	12	7	6	5	–	1	–	–	2
2. North-Western	789	–	–	–	1	1	2	13	124	265	185	77	41	31	24	11	8	5	–	–	–	–	1
3. North-Eastern	2487	–	–	–	2	18	46	88	764	801	325	182	108	70	43	19	8	9	2	1	–	–	1
4. East-Midland .	4182	–	–	–	4	31	65	210	1514	1228	502	234	153	90	66	39	27	14	3	1	–	–	1
5. West-Midland	1537	–	–	1	1	6	30	61	487	489	208	103	65	31	21	17	12	–	2	1	–	–	2
6. South-Western	9350	–	–	–	7	50	246	531	3570	2627	983	468	346	219	150	84	40	19	3	2	1	–	4
7. South-Eastern	3513	–	–	1	–	14	73	111	1199	1125	454	210	125	98	50	20	17	12	3	–	–	–	1
8. Southern . .	1211	–	–	–	–	3	16	53	427	387	141	68	46	35	15	9	6	3	1	–	–	–	1
COUNTIES.																							
Shetland . .	182	–	–	–	–	2	1	3	47	65	28	14	10	3	2	2	3	2	–	–	–	–	–
Orkney . .	154	–	–	–	–	–	2	1	39	59	28	11	4	4	1	1	1	3	–	–	–	–	–
Caithness . .	194	–	–	–	–	–	3	6	36	78	32	20	5	3	5	1	2	–	–	1	–	–	2
Sutherland . .	89	–	–	–	–	–	2	1	10	28	23	10	7	1	4	3	–	–	–	–	–	–	–
Ross and Cromarty	391	–	–	–	1	–	1	8	59	136	93	34	20	15	12	8	3	1	–	–	–	–	–
Inverness . .	398	–	–	–	–	1	1	5	65	129	92	43	21	16	12	3	5	4	–	–	–	–	1

AGES of MALES married in Scotland in 1866.

Nairn . . .	59	–	–	–	1	1	–	1	18	23	5	5	3	2	–	–	–	–	–	–	–	–	–	–
Elgin . . .	251	–	–	–	1	1	4	8	64	92	38	15	12	6	4	2	2	2	–	–	–	–	–	–
Banff . . .	327	–	–	–	–	2	3	9	107	100	38	24	21	13	6	2	1	–	–	–	–	–	–	1
Aberdeen . .	1613	–	–	–	–	13	37	62	492	501	220	122	64	46	30	13	5	5	2	1	–	–	–	–
Kincardine . .	237	–	–	–	–	1	2	8	83	85	24	16	8	3	3	2	–	2	–	–	–	–	–	–
Forfar . .	2008	–	–	–	2	12	28	123	733	584	223	102	83	44	34	21	12	6	1	–	–	–	–	–
Perth . . .	802	–	–	–	–	3	10	24	231	260	128	64	26	22	18	6	6	2	2	–	–	–	–	–
Fife . . .	1184	–	–	–	1	15	24	54	476	335	123	59	39	20	12	10	9	5	–	1	–	–	–	1
Kinross . .	60	–	–	–	–	–	1	3	21	17	8	4	4	1	1	–	–	–	–	–	–	–	–	–
Clackmannan .	128	–	–	–	1	1	2	6	53	32	20	5	1	3	1	2	–	1	–	–	–	–	–	–
Stirling . .	714	–	–	1	1	4	19	39	274	205	82	35	22	13	8	4	5	–	–	–	–	–	–	2
Dumbarton . .	367	–	–	–	–	2	9	18	118	117	44	21	20	6	5	5	2	–	–	–	–	–	–	–
Argyll . .	365	–	–	–	–	–	1	3	74	138	60	42	18	10	7	6	3	–	2	1	–	–	–	–
Bute . . .	91	–	–	–	–	–	1	1	21	29	22	5	5	2	1	2	2	–	–	–	–	–	–	–
Renfrew . .	1485	–	–	–	2	1	32	75	565	416	160	81	57	31	30	16	12	6	–	–	–	–	–	1
Ayr . . .	1523	–	–	–	1	9	49	100	584	426	137	78	53	32	24	18	5	4	1	1	–	–	–	1
Lanark . .	6342	–	–	–	4	40	165	356	2421	1785	686	309	236	156	96	50	23	9	2	1	1	–	–	2
Linlithgow . .	301	–	–	1	–	3	10	12	141	75	26	16	7	6	1	2	–	1	–	–	–	–	–	–
Edinburgh . .	2687	–	–	–	–	10	56	77	884	869	363	160	105	78	41	15	15	10	3	–	–	–	–	1
Haddington .	201	–	–	–	–	1	1	11	78	63	17	15	5	6	3	1	–	–	–	–	–	–	–	–
Berwick . .	180	–	–	–	–	–	4	5	44	75	25	11	5	5	3	2	1	–	–	–	–	–	–	–
Peebles . .	65	–	–	–	–	–	2	1	25	16	13	3	2	2	1	–	–	–	–	–	–	–	–	–
Selkirk . .	79	–	–	–	–	–	–	5	27	27	10	5	1	1	1	–	1	1	–	–	–	–	–	–
Roxburgh . .	312	–	–	–	–	2	3	9	109	105	38	17	9	12	3	2	2	1	–	–	–	–	–	–
Dumfries . .	458	–	–	–	–	1	8	17	142	165	57	26	20	9	6	4	2	1	–	–	–	–	–	–
Kirkcudbright .	212	–	–	–	–	–	–	14	78	62	29	11	7	4	4	1	2	–	–	–	–	–	–	–
Wigtown . .	229	–	–	–	–	–	5	13	98	55	17	14	10	10	2	2	–	1	1	–	–	–	–	1

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1866.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	23688	–	9	75	303	887	1573	2049	8947	5707	2066	1040	560	270	107	43	16	3	–	–	–	–	33
DISTRICTS.																							
Insular . .	815	–	–	1	6	10	25	35	293	274	98	44	18	8	2	–	1	–	–	–	–	–	–
Mainland-Rural	11127	–	3	35	143	381	724	930	4266	2781	971	441	243	117	49	13	4	1	–	–	–	–	25
Town . . .	11746	–	6	39	154	496	824	1084	4388	2652	997	555	299	145	56	30	11	2	–	–	–	–	8
DIVISIONS.																							
1. Northern . .	619	–	–	1	5	7	19	30	210	199	88	34	12	10	1	–	1	–	–	–	–	–	2
2. North-Western	789	–	1	–	6	10	23	47	263	264	97	42	21	9	3	2	–	–	–	–	–	–	1
3. North-Eastern	2487	–	1	14	38	93	137	204	874	643	251	135	57	22	15	3	–	–	–	–	–	–	–
4. East-Midland .	4182	–	2	5	25	108	242	351	1605	1097	372	176	99	57	18	5	6	1	–	–	–	–	13
5. West-Midland .	1537	–	1	8	26	62	104	125	548	381	150	68	40	13	5	2	–	–	–	–	–	–	4
6. South-Western	9350	–	2	34	151	445	756	950	3642	1895	699	380	206	113	46	20	5	1	–	–	–	–	5
7. South-Eastern	3513	–	2	10	45	128	225	235	1340	908	298	154	97	36	13	10	4	1	–	–	–	–	7
8. Southern . .	1211	–	–	3	7	34	67	107	465	320	111	51	28	10	6	1	–	–	–	–	–	–	1
COUNTIES.																							
Shetland . .	182	–	–	–	–	1	3	6	60	63	29	10	3	5	1	–	1	–	–	–	–	–	–
Orkney . .	154	–	–	–	3	2	7	11	53	45	15	11	6	1	–	–	–	–	–	–	–	–	–
Caithness . .	194	–	–	–	1	3	8	11	68	64	24	8	2	3	–	–	–	–	–	–	–	–	2
Sutherland . .	89	–	–	1	1	1	1	2	29	27	20	5	1	1	–	–	–	–	–	–	–	–	–
Ross and Cromarty	391	–	–	–	2	5	10	22	130	135	46	21	12	5	3	–	–	–	–	–	–	–	–
Inverness . .	398	–	1	–	4	5	13	25	133	129	51	21	9	4	–	2	–	–	–	–	–	–	1

AGES of FEMALES married in Scotland in 1866.

Nairn . . .	59	–	–	1	–	4	1	4	27	15	4	2	1	–	–	–	–	–	–	–	–	–	–
Elgin . . .	251	–	–	1	3	15	13	23	73	69	29	17	3	3	2	–	–	–	–	–	–	–	–
Banff . . .	327	–	1	1	3	9	17	29	117	85	34	20	8	2	1	–	–	–	–	–	–	–	–
Aberdeen . .	1613	–	–	11	28	54	87	133	566	423	157	85	39	17	11	2	–	–	–	–	–	–	–
Kincardine . .	237	–	–	–	4	11	19	15	91	51	27	11	6	–	1	1	–	–	–	–	–	–	–
Forfar . . .	2008	–	–	5	16	61	119	173	760	514	186	82	51	28	5	1	3	–	–	–	–	–	4
Perth . . .	802	–	2	–	4	19	36	60	287	240	70	49	17	10	5	1	1	–	–	–	–	–	1
Fife . . .	1184	–	–	–	5	24	76	105	475	294	102	40	28	18	6	3	2	–	–	–	–	–	6
Kinross . .	60	–	–	–	–	–	6	4	2	16	4	3	–	1	1	–	–	–	–	–	–	–	–
Clackmannan .	128	–	–	–	–	4	5	9	58	33	10	2	3	–	1	–	–	1	–	–	–	–	2
Stirling . .	714	–	1	3	22	38	54	72	266	144	63	27	12	8	1	1	–	–	–	–	–	–	2
Dumbarton . .	367	–	–	2	3	14	29	33	131	97	25	17	12	3	1	–	–	–	–	–	–	–	–
Argyll . . .	365	–	–	3	–	8	18	20	111	113	52	19	13	2	3	1	–	–	–	–	–	–	2
Bute . . .	91	–	–	–	1	2	3	–	40	27	10	5	3	–	–	–	–	–	–	–	–	–	–
Renfrew . .	1485	–	–	2	17	67	109	140	589	298	116	76	35	18	11	6	1	–	–	–	–	–	–
Ayr . . .	1523	–	–	4	37	60	129	169	599	287	116	56	32	20	7	3	2	–	–	–	–	–	2
Lanark . .	6342	–	2	28	97	318	518	641	2454	1310	467	248	139	75	28	11	2	1	–	–	–	–	3
Linlithgow . .	301	–	–	1	11	23	22	15	141	49	24	2	6	4	–	1	–	–	–	–	–	–	2
Edinburgh . .	2687	–	2	8	32	87	167	186	984	718	233	135	75	30	13	8	4	1	–	–	–	–	4
Haddington .	201	–	–	1	1	4	17	18	84	47	13	7	6	2	–	–	–	–	–	–	–	–	1
Berwick . .	180	–	–	–	–	5	8	5	72	62	17	4	7	–	–	–	–	–	–	–	–	–	–
Peebles . .	65	–	–	–	–	4	6	2	26	18	4	3	2	–	–	–	–	–	–	–	–	–	–
Selkirk . .	79	–	–	–	1	5	5	9	33	14	7	3	1	–	–	1	–	–	–	–	–	–	–
Roxburgh . .	312	–	–	–	2	5	15	31	124	83	29	11	6	–	4	1	–	–	–	–	–	–	1
Dumfries . .	458	–	–	–	2	12	23	36	177	130	42	18	14	4	–	–	–	–	–	–	–	–	–
Kirkcudbright .	212	–	–	2	–	8	8	13	86	56	23	8	6	1	1	–	–	–	–	–	–	–	–
Wigtown . .	229	–	–	1	3	9	21	27	78	51	17	14	2	5	1	–	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3062294	71348	6874	2422	4619	5964	2868	1858	1337	3437	1748	2373	2720	2641
Insular . .	166487	160733	2661	206	68	97	109	55	43	32	77	60	82	122	129
Mainland .	1711717	1762576	34315	3206	987	1921	2439	1249	829	644	1716	953	1213	1241	1159
Towns . .	1010538	1138985	34372	3462	1367	2601	3416	1564	986	661	1644	735	1078	1357	1353
Shetland . .	31078	31670	576	41	16	22	18	20	6	7	24	14	19	32	36
Orkney . .	31455	32595	471	17	7	13	13	3	8	7	14	13	18	21	15
Caithness .	39782	42200	669	57	22	27	38	25	13	10	32	12	25	26	13
Sutherland .	24720	24157	369	25	6	7	11	5	10	6	24	7	19	17	12
Ross & Cromarty	83781	82427	1378	100	26	57	73	45	30	21	58	38	38	46	42
Inverness .	91954	84902	1451	138	45	55	64	29	30	19	43	21	41	49	46
Nairn . .	8076	8347	164	13	2	8	7	6	1	3	5	1	3	5	3
Elgin . .	40532	44218	991	103	34	65	63	46	39	27	63	29	34	38	30
Banff . .	51353	56020	992	85	26	54	50	34	18	21	51	32	44	36	31
Aberdeen .	213461	223344	4883	450	169	293	353	190	124	113	290	126	188	171	153
Kincardine .	34944	34854	600	43	10	28	32	11	14	8	16	13	26	20	16
Forfar . .	193627	206750	5399	648	236	327	356	170	114	75	226	108	176	214	198
Perth . .	137369	133198	2440	176	60	84	76	59	29	31	83	42	89	106	77
Fife . . .	153789	155021	3287	290	86	173	220	121	90	57	176	92	116	93	122
Kinross . .	9626	8731	132	12	1	4	7	3	2	–	5	2	1	3	8
Clackmannan .	21555	20122	383	35	14	25	32	10	5	5	10	12	24	11	17
Stirling . .	83802	88138	1831	182	62	130	177	67	39	34	76	52	52	70	61
Dumbarton .	46995	54179	1178	125	44	80	91	61	26	26	60	28	45	43	47
Argyll . .	94042	83859	1402	96	30	51	57	32	15	12	33	37	45	69	64
Bute . .	16608	16331	389	21	11	17	15	10	8	5	10	9	10	12	25
Renfrew . .	157950	168746	4668	435	172	371	490	199	152	107	233	114	168	185	175
Ayr . .	189973	199063	4494	435	139	274	416	230	160	98	302	135	140	170	145
Lanark . .	533169	640444	19103	1947	754	1607	2254	1002	619	431	1042	500	617	750	740
Linlithgow .	30590	39045	1025	118	36	92	129	68	42	29	56	21	17	39	36
Edinburgh .	259493	274093	7239	696	245	455	555	248	138	102	280	144	212	273	322
Haddington .	36363	37626	778	78	23	29	57	33	20	13	38	22	24	24	20
Berwick . .	36165	36488	657	61	13	36	40	23	26	9	35	13	28	28	21
Peebles . .	10804	11300	196	16	6	12	12	3	2	4	8	2	8	13	5
Selkirk . .	9802	10410	238	38	13	12	19	5	5	6	12	8	14	9	11
Roxburgh .	51225	53722	908	115	28	55	68	22	14	12	23	23	26	28	33
Dumfries . .	78149	75904	1586	142	50	74	99	49	32	16	58	42	55	61	53
Kirkcudbright	43121	42495	816	77	21	51	43	19	16	13	29	22	22	29	38
Wigtown . .	43389	42095	655	59	15	31	29	20	11	10	22	14	29	29	24

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—BOTH SEXES.

Inverness .	16496	16162	412	39	19	20	17	9	9	6	16	6	10	10	8
Aberdeen .	71973	73900	2324	228	94	168	206	112	75	53	130	51	73	83	67
Arbroath .	17238	17831	434	54	18	28	29	15	8	8	13	13	23	15	14
Dundee . .	80027	91664	3130	414	166	215	260	122	79	42	146	50	97	134	111
Forfar . .	11009	10838	247	19	13	15	8	4	3	3	5	5	10	11	7
Montrose .	16037	15668	359	26	11	21	13	3	9	3	12	8	13	16	18
Perth . .	24670	26094	613	62	24	29	26	20	10	8	20	10	22	23	23
Dunfermline .	13836	13506	283	26	11	17	25	14	4	2	7	14	11	2	11
Kirkcaldy .	10636	11117	311	22	12	15	27	27	15	9	30	9	8	9	9
Stirling . .	12401	14012	315	34	19	18	15	9	5	7	10	7	7	12	11
Greenock .	37436	43894	1488	143	60	133	184	55	50	29	72	29	47	63	65
Paisley . .	48071	47427	1345	113	48	92	125	56	43	27	47	25	50	55	48
Ayr . . .	18845	19659	404	37	11	20	29	13	5	9	25	8	13	18	15
Kilmarnock .	21287	23556	714	76	22	51	64	45	35	24	65	10	22	23	23
Glasgow . .	329097	395503	12829	1320	510	1075	1566	684	415	287	631	295	398	540	552
Barony . .	16050	22559	914	89	42	73	90	37	29	20	38	18	26	37	35
Govan . .	14996	28584	828	72	42	89	98	49	28	13	28	23	23	35	35
Hamilton . .	11740	14047	317	29	9	34	24	17	10	6	23	13	21	7	13
Airdrie . .	14435	12922	400	26	12	31	56	27	13	13	40	11	20	11	7
Coatbridge, etc.	13168	13303	425	40	14	45	56	27	12	9	42	11	8	14	13
Edinburgh .	161648	170444	4813	430	159	297	365	155	92	65	182	88	141	191	237
Leith . .	32219	36029	924	127	33	74	77	46	20	14	39	18	19	26	34
Dumfries . .	17223	18266	543	36	18	41	56	18	17	4	23	13	16	22	17

DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2397	2403	2428	2401	2529	2574	2994	3259	3395	3260	2567	1474	525	175	32	74
Insular	120	82	75	62	91	69	113	160	205	194	172	127	61	27	4	19
Mainland	995	958	1004	1038	1062	1213	1445	1723	2013	2044	1682	1036	351	126	23	45
Towns	1282	1363	1349	1301	1376	1292	1436	1376	1177	1022	713	311	113	22	5	10
Shetland	23	23	18	13	20	8	17	39	36	33	31	30	15	7	–	8
Orkney	15	11	11	11	15	13	22	35	59	39	35	44	5	6	–	1
Caithness	15	15	23	12	22	18	29	42	41	52	41	31	13	9	1	5
Sutherland	8	10	6	8	14	14	13	17	25	37	34	19	12	3	–	–
Ross and Cromarty	32	30	26	21	39	55	64	90	99	97	124	70	35	14	5	3
Inverness	50	48	47	42	54	48	82	77	97	112	101	57	32	6	7	11
Nairn	8	8	5	4	4	6	16	11	6	16	12	6	3	2	–	–
Elgin	17	26	19	20	19	22	33	50	57	49	60	32	13	1	–	2
Banff	25	25	21	20	15	27	46	44	60	76	68	46	14	12	1	2
Aberdeen	141	127	148	153	137	141	194	231	238	291	226	163	52	14	5	2
Kincardine	20	17	22	20	20	27	26	29	57	42	41	25	15	2	–	–
Forfar	180	190	200	181	246	249	274	264	241	242	160	87	28	8	–	1
Perth	90	77	81	95	86	123	127	166	184	202	154	90	39	8	5	1
Fife	106	92	111	96	111	139	143	181	211	209	134	85	24	8	–	1
Kinross	7	6	3	1	2	6	8	10	11	12	11	7	–	–	–	–
Clackmannan	6	11	19	18	16	12	16	25	19	21	8	8	3	–	–	1
Stirling	45	55	42	73	65	66	78	83	96	82	76	45	16	3	1	3
Dumbarton	38	36	43	51	43	38	49	54	39	47	37	20	3	2	–	2
Argyll	65	41	43	36	46	46	72	90	110	114	89	66	26	11	1	5
Bute	20	17	12	18	14	11	17	23	33	23	28	10	6	4	–	–
Renfrew	165	167	191	162	179	153	166	195	172	136	124	33	14	5	–	5
Ayr	128	137	144	135	143	141	172	158	214	190	152	88	26	14	1	7
Lanark	689	702	721	688	685	608	680	604	546	432	290	126	52	8	4	5
Linlithgow	17	23	20	35	29	29	28	36	57	28	24	14	2	–	–	–
Edinburgh	312	330	284	300	323	327	357	375	319	313	214	88	19	4	1	3
Haddington	19	19	27	30	26	37	29	49	57	49	26	22	6	–	–	1
Berwick	23	18	22	19	20	21	30	32	37	43	28	25	6	–	–	–
Peebles	7	7	2	5	8	12	9	10	11	15	11	6	–	2	–	–
Selkirk	5	4	3	10	7	6	10	8	9	8	10	4	1	1	–	–
Roxburgh	25	34	18	24	26	43	46	59	61	55	44	18	3	2	–	3
Dumfries	49	53	56	49	49	78	75	78	93	104	88	49	22	8	–	2
Kirkcudbright	27	25	23	24	27	26	36	56	53	46	44	30	12	7	–	–
Wigtown	20	19	17	19	19	24	30	38	47	45	42	30	8	4	–	–

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—BOTH SEXES.

Inverness	11	17	19	18	17	19	26	19	23	32	20	14	7	1	–	–
Aberdeen	72	70	66	84	71	74	101	112	112	100	64	40	15	2	1	–
Arbroath	9	12	12	9	21	20	17	23	20	28	15	10	–	–	–	–
Dundee	109	112	138	109	143	154	161	119	95	79	46	21	7	1	–	–
Forfar	9	12	9	9	10	13	19	17	13	16	8	5	3	1	–	–
Montrose	13	14	11	19	21	12	22	28	18	18	15	12	3	–	–	–
Perth	33	27	30	35	18	23	32	36	32	31	30	5	3	1	–	–
Dunfermline	10	11	12	6	6	11	16	18	12	21	10	3	3	–	–	–
Kirkcaldy	14	7	9	6	5	11	6	13	17	14	7	6	1	2	–	1
Stirling	10	15	9	17	10	15	8	14	16	14	17	12	4	–	–	–
Greenock	66	56	54	44	62	47	60	51	49	32	23	8	3	3	–	–
Paisley	41	62	74	58	55	45	53	67	53	44	45	11	6	–	–	2
Ayr	11	22	11	11	18	14	18	25	19	22	20	6	3	–	–	1
Kilmarnock	28	24	24	24	17	16	24	17	24	28	13	10	2	2	–	1
Glasgow	483	501	506	486	503	437	463	412	313	230	153	53	29	3	4	–
Barony	22	26	47	41	42	36	43	31	35	26	19	9	–	1	–	2
Govan	42	34	24	31	34	19	28	17	19	18	16	8	3	–	–	–
Hamilton	14	13	5	7	7	5	9	9	16	14	5	5	1	–	–	1
Airdrie	13	9	10	11	12	19	9	9	11	17	9	4	–	–	–	–
Coatbridge, etc.	7	13	18	16	14	18	12	12	13	5	3	2	–	1	–	–
Edinburgh	210	254	195	209	231	235	229	256	205	198	122	53	10	3	–	1
Leith	44	28	45	32	37	25	48	35	38	26	30	3	5	–	–	1
Dumfries	11	24	21	19	22	24	32	36	24	9	23	11	5	1	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—MALES.

	MALE POPULATION.		MALES.												
				AGE UNDER											
			ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
	1851.	1861.		3	6	12									
SCOTLAND .	1375479	1449848	35355	3797	1339	2537	3069	1474	967	640	1781	903	1182	1378	1266
Insular . .	76760	73409	1305	124	34	43	55	31	22	17	41	37	49	74	70
Mainland .	828852	848998	16930	1794	529	1091	1248	630	434	311	888	480	619	654	559
Towns . .	469867	527441	17120	1879	776	1403	1766	813	511	312	852	386	514	650	637
Shetland . .	13145	13053	282	25	10	9	6	14	5	4	14	11	14	21	14
Orkney . .	14350	14924	218	11	4	7	7	2	3	2	7	5	8	9	11
Caithness .	18809	19846	323	34	12	14	24	13	9	6	17	6	14	18	7
Sutherland .	11437	11058	186	13	3	3	7	1	4	4	13	4	10	9	7
Ross & Cromarty	39489	38462	632	55	20	20	45	23	18	10	29	25	19	25	20
Inverness .	42814	39479	700	77	25	29	39	9	15	9	20	13	24	34	29
Nairn . .	3831	3976	72	4	–	7	3	5	1	1	4	1	1	3	2
Elgin . .	18943	20737	506	64	19	41	37	27	23	14	33	18	16	23	12
Banff . .	24195	26401	443	49	15	30	25	17	8	6	29	12	13	21	19
Aberdeen .	100935	105322	2409	252	97	164	178	96	67	59	161	68	99	96	81
Kincardine .	17188	16939	292	22	6	26	14	8	8	4	7	5	13	13	8
Forfar . .	89408	93280	2613	345	126	172	194	89	59	30	121	45	88	88	80
Perth . .	65697	63169	1179	98	32	51	33	24	15	13	43	28	47	50	35
Fife . . .	73305	72714	1610	168	47	99	111	62	43	28	93	47	55	41	48
Kinross . .	4660	4150	66	6	–	1	3	–	1	–	4	–	1	–	2
Clackmannan .	10634	9742	191	23	8	17	17	7	2	1	1	6	11	6	7
Stirling . .	41113	43487	936	105	37	71	89	31	20	13	39	30	31	41	31
Dumbarton .	23340	26455	594	71	18	39	49	31	13	14	29	20	26	23	24
Argyll . .	46197	40914	693	56	13	28	29	17	6	8	14	19	25	37	39
Bute . .	7518	7208	191	13	4	9	10	7	6	4	4	6	6	6	17
Renfrew . .	74224	79380	2268	225	89	190	260	111	83	50	134	57	79	87	83
Ayr . . .	92933	97035	2262	257	70	151	209	114	79	48	152	62	62	87	71
Lanark . .	258449	308263	9623	1043	435	871	1149	526	316	202	533	265	284	346	346
Linlithgow .	15422	20069	529	62	21	48	69	30	24	9	28	10	8	26	19
Edinburgh .	119428	126429	3666	390	138	266	280	133	69	53	155	76	123	155	157
Haddington .	17592	17866	378	51	8	17	35	20	11	7	15	8	12	12	9
Berwick . .	17367	17354	326	40	6	21	17	10	16	5	13	4	14	13	7
Peebles . .	5400	5603	99	8	1	8	5	2	1	4	2	1	3	7	2
Selkirk . .	4836	5069	110	22	6	7	8	2	4	4	8	3	4	3	5
Roxburgh .	25002	26593	450	61	14	30	31	8	7	7	10	12	15	15	13
Dumfries .	37200	35687	796	76	36	39	51	21	19	7	28	21	31	29	29
Kirkcudbright	20223	19789	383	39	11	30	19	4	7	10	10	9	12	14	19
Wigtown .	20335	19395	329	32	8	22	16	10	5	4	11	6	14	20	13

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—MALES.

Inverness .	7401	7261	195	20	13	11	11	3	4	2	6	5	6	7	6
Aberdeen .	31746	32554	1144	127	57	92	110	55	40	30	65	29	34	42	40
Arbroath .	7866	7770	183	26	9	10	12	8	5	4	5	6	12	5	4
Dundee . .	36364	40395	1567	232	96	118	147	66	40	17	79	21	48	58	45
Forfar . .	5017	4735	117	10	4	6	5	1	2	1	4	3	6	4	4
Montrose .	7061	6736	171	17	6	11	7	2	2	–	8	3	6	8	7
Perth . .	11689	11947	301	35	12	13	12	7	6	4	11	7	13	11	10
Dunfermline .	6901	6447	139	15	7	12	14	7	1	–	3	7	1	2	4
Kirkcaldy .	4906	5074	151	12	4	8	15	13	8	3	18	3	6	2	2
Stirling . .	5908	6814	149	23	8	14	11	2	3	2	6	2	4	8	6
Greenock .	17905	21567	759	76	32	56	104	34	33	14	39	17	26	26	35
Paisley . .	22608	21913	654	59	25	57	62	31	24	15	30	17	22	27	21
Ayr . . .	8675	9094	176	21	3	6	13	4	3	4	11	2	6	6	4
Kilmarnock .	10163	11398	375	47	10	32	36	20	19	14	33	6	6	11	12
Glasgow . .	154930	185556	6414	695	306	581	795	367	209	128	325	156	180	248	257
Barony . .	8090	11221	458	44	23	39	43	18	14	12	20	12	11	16	12
Govan . .	7286	13603	393	40	22	45	48	21	11	5	13	10	7	17	14
Hamilton .	5576	6798	169	22	3	20	15	10	6	3	6	6	10	6	3
Airdrie . .	7333	6242	198	11	6	17	33	15	8	8	20	4	9	4	3
Coatbridge, etc.	7084	8155	231	21	8	20	25	14	7	4	21	6	5	6	6
Edinburgh .	72067	76013	2422	238	95	172	182	84	47	31	97	48	77	110	115
Leith . .	15482	17894	481	70	17	41	38	24	10	9	25	10	11	15	20
Dumfries .	7809	8254	273	18	10	22	28	7	9	2	7	6	8	11	7

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1133	1083	1189	1232	1251	1329	1441	1530	1479	1421	1085	578	181	49	5	36
Insular	54	32	36	33	32	37	48	68	100	105	73	48	23	9	1	9
Mainland	451	403	470	527	541	624	695	831	885	912	747	419	127	34	4	23
Towns	628	648	683	672	678	668	698	631	494	404	265	111	31	6	–	4
Shetland	11	10	11	8	8	6	4	18	13	16	10	10	6	1	–	3
Orkney	11	5	3	5	5	5	11	15	30	14	17	15	1	4	–	1
Caithness	8	4	13	6	9	8	10	19	15	17	17	14	5	2	–	2
Sutherland	6	6	3	3	8	3	9	8	12	19	15	9	6	1	–	–
Ross and Cromarty	12	8	13	8	16	30	30	34	47	38	40	33	8	3	1	2
Inverness	21	18	23	20	15	26	32	36	45	60	41	20	12	3	1	4
Nairn	4	4	4	2	–	3	5	6	3	4	3	1	1	–	–	–
Elgin	7	13	9	11	7	10	15	27	24	16	22	13	5	–	–	–
Banff	14	9	5	13	6	10	17	20	20	34	27	19	5	–	–	–
Aberdeen	56	58	68	73	57	67	95	101	123	111	107	62	12	1	–	–
Kincardine	10	7	9	6	6	16	12	10	31	17	16	12	6	–	–	–
Forfar	77	87	101	88	121	120	140	120	103	117	61	31	8	2	–	–
Perth	46	33	27	42	50	67	58	82	84	90	86	27	14	3	1	–
Fife	45	42	56	56	57	68	77	88	90	86	63	31	6	3	–	–
Kinross	4	3	1	1	1	3	4	4	7	6	9	5	–	–	–	–
Clackmannan	1	4	8	12	7	8	5	10	9	12	4	3	1	–	–	1
Stirling	20	22	20	42	39	38	47	35	33	42	34	17	7	1	–	1
Dumbarton	16	17	23	24	23	16	28	24	20	23	13	8	–	–	–	2
Argyll	30	16	18	20	25	24	28	45	50	61	33	31	12	4	1	4
Bute	9	8	8	7	5	5	8	8	12	15	10	3	1	–	–	–
Renfrew	67	77	73	84	88	88	69	84	61	60	49	9	5	2	–	4
Ayr	59	58	73	68	78	73	96	86	97	82	74	34	9	6	1	6
Lanark	341	328	389	374	346	332	320	286	226	182	112	50	17	3	–	1
Linlithgow	7	12	11	21	14	16	20	17	25	15	9	8	–	–	–	–
Edinburgh	171	161	150	147	175	155	169	164	132	122	81	38	3	1	–	2
Haddington	9	8	9	14	7	20	19	21	25	19	10	9	2	–	–	1
Berwick	12	6	11	8	14	10	14	22	15	20	14	12	2	–	–	–
Peebles	2	2	1	3	5	9	5	5	6	6	8	3	–	–	–	–
Selkirk	1	3	1	6	2	3	3	5	3	3	4	–	–	–	–	–
Roxburgh	10	12	10	9	13	18	23	34	37	30	19	8	2	1	–	1
Dumfries	27	23	19	25	27	41	40	45	40	44	39	19	15	4	–	1
Kirkcudbright	9	14	10	13	10	14	17	33	18	22	19	13	4	3	–	–
Wigtown	10	5	9	13	7	17	11	18	23	18	19	11	6	1	–	–

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—MALES.

Inverness	3	8	9	7	5	14	10	10	9	13	8	5	–	–	–	–
Aberdeen	31	30	32	35	26	36	55	51	59	31	22	13	2	–	–	–
Arbroath	3	5	6	3	10	7	11	10	5	10	2	5	–	–	–	–
Dundee	46	53	67	50	70	82	78	49	40	37	19	7	1	1	–	–
Forfar	6	7	4	4	3	6	9	6	8	8	3	2	1	–	–	–
Montrose	5	7	7	10	12	4	14	14	5	6	4	5	1	–	–	–
Perth	18	11	12	17	11	12	19	17	14	10	17	1	–	1	–	–
Dunfermline	3	8	4	4	2	4	11	10	5	9	4	–	2	–	–	–
Kirkcaldy	7	5	6	2	3	5	2	8	7	6	3	2	–	1	–	–
Stirling	6	3	5	9	4	8	3	3	2	6	5	4	2	–	–	–
Greenock	33	27	23	33	27	31	26	26	19	14	8	–	–	–	–	–
Paisley	17	29	32	25	31	23	19	25	21	18	19	1	3	–	–	1
Ayr	3	15	6	4	8	5	10	13	6	10	10	3	–	–	–	–
Kilmarnock	13	9	16	17	8	9	12	8	11	13	6	4	1	1	–	1
Glasgow	241	230	264	256	247	224	213	188	127	93	52	20	11	1	–	–
Barony	12	16	27	27	17	24	22	20	11	9	6	2	–	–	–	1
Govan	17	10	9	18	19	8	16	12	11	10	7	2	1	–	–	–
Hamilton	10	6	1	4	2	4	5	5	11	4	3	4	–	–	–	–
Airdrie	4	5	6	7	8	11	3	3	3	6	3	1	–	–	–	–
Coatbridge, etc.	6	10	13	9	9	14	9	6	8	3	1	–	–	–	–	–
Edinburgh	117	126	101	104	127	111	105	107	87	74	43	22	1	1	–	–
Leith	19	13	25	15	19	12	30	20	14	9	12	2	–	–	–	1
Dumfries	8	15	8	12	10	14	16	20	11	5	8	6	5	–	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	35993	3077	1083	2082	2895	1394	891	697	1656	845	1191	1342	1375
Insular . .	89727	87324	1356	82	34	54	54	24	21	15	36	23	33	48	59
Mainland .	882865	913578	17385	1412	458	830	1191	619	395	333	828	473	594	587	600
Towns . .	540671	611544	17252	1583	591	1198	1650	751	475	349	792	349	564	707	716
Shetland . .	17933	18617	294	16	6	13	12	6	1	3	10	3	5	11	22
Orkney . .	17105	17471	253	6	3	6	6	1	5	5	7	8	10	12	4
Caithness .	20973	22354	346	23	10	13	14	12	4	4	15	6	11	8	6
Sutherland .	13283	13099	183	12	3	4	4	4	6	2	11	3	9	8	5
Ross & Cromarty	44292	43965	746	45	6	37	28	22	12	11	29	13	19	21	22
Inverness .	49140	45523	751	61	20	26	25	20	15	10	23	8	17	15	17
Nairn . .	4245	4371	92	9	2	1	4	1	–	2	1	–	2	2	1
Elgin . .	21589	23481	485	39	15	24	26	19	16	13	30	11	18	15	18
Banff . .	27158	29619	549	36	11	24	25	17	10	15	22	20	31	15	12
Aberdeen .	112526	118022	2474	198	72	129	175	94	57	54	129	58	89	75	72
Kincardine .	17756	17915	308	21	4	2	18	3	6	4	9	8	13	7	8
Forfar . .	104219	113470	2786	303	110	155	162	81	55	45	105	63	88	126	118
Perth . .	71672	70029	1261	78	28	33	43	35	14	18	40	14	42	56	42
Fife . .	80484	82307	1677	122	39	74	109	59	47	29	83	45	61	52	74
Kinross . .	4966	4581	66	6	1	3	4	3	1	–	1	2	–	3	6
Clackmannan .	10921	10380	192	12	6	8	15	3	3	4	9	6	13	5	10
Stirling . .	42689	44651	895	77	25	59	88	36	19	21	37	22	21	29	30
Dumbarton .	23655	27724	584	54	26	41	42	30	13	12	31	8	19	20	23
Argyll . .	47845	42945	709	40	17	23	28	15	9	4	19	18	20	32	25
Bute . .	9090	9123	198	8	7	8	5	3	2	1	6	3	4	6	8
Renfrew . .	83726	89366	2400	210	83	181	230	88	69	57	99	57	89	98	92
Ayr . .	96980	102028	2232	178	69	123	207	116	81	50	150	73	78	83	74
Lanark . .	274420	332181	9480	904	319	736	1105	476	303	229	509	235	333	404	394
Linlithgow .	15168	18976	496	56	15	44	60	38	18	20	28	11	9	13	17
Edinburgh .	140065	147664	3573	306	107	189	275	115	69	49	125	68	89	118	165
Haddington .	18771	19760	400	27	15	12	22	13	9	6	23	14	12	12	11
Berwick . .	18798	19134	331	21	7	15	23	13	10	4	22	9	14	15	14
Peebles . .	5404	5697	97	8	5	4	7	1	1	–	6	1	5	6	3
Selkirk . .	4966	5341	128	16	7	5	11	3	1	2	4	5	10	6	6
Roxburgh .	26223	27129	458	54	14	25	37	14	7	5	13	11	11	13	20
Dumfries .	40949	42217	790	66	14	35	48	28	13	9	30	24	24	32	26
Kirkcudbright	22898	22706	433	38	10	21	24	15	9	3	19	13	10	15	19
Wigtown .	23054	22700	326	27	7	9	13	10	6	6	11	8	15	9	11

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866 —FEMALES.

Inverness .	9095	8901	217	19	6	9	6	6	5	4	10	1	4	3	2
Aberdeen .	40227	41346	1180	101	37	76	96	57	35	23	65	22	39	41	27
Arbroath .	9372	10061	251	28	9	18	17	7	3	4	8	7	11	10	10
Dundee .	43663	51269	1563	182	70	97	113	56	39	25	67	29	49	76	66
Forfar . .	5992	6103	130	9	9	9	3	3	1	2	1	2	4	7	3
Montrose .	8976	8932	188	9	5	10	6	1	7	3	4	5	7	8	11
Perth . .	12981	14147	312	27	12	16	14	13	4	4	9	3	9	12	13
Dunfermline .	6935	7059	144	11	4	5	11	7	3	2	4	7	10	–	7
Kirkcaldy .	5730	6043	160	10	8	7	12	14	7	6	12	6	2	7	7
Stirling . .	6493	7198	166	11	11	4	4	7	2	5	4	5	3	4	5
Greenock .	19531	22327	729	67	28	77	80	21	17	15	33	12	21	37	30
Paisley . .	25463	25514	691	54	23	35	63	25	19	12	17	8	28	28	27
Ayr . .	10170	10565	228	16	8	14	16	9	2	5	14	6	7	12	11
Kilmarnock .	11124	12158	339	29	12	19	28	25	16	10	32	4	16	12	11
Glasgow . .	174167	209947	6415	625	204	494	771	317	206	159	306	139	218	292	275
Barony . .	7960	11338	456	45	19	34	47	19	15	8	18	6	15	21	23
Govan . .	7710	14981	435	32	20	44	50	28	17	8	15	13	16	18	21
Hamilton .	6164	7249	148	7	6	14	9	7	4	3	17	7	11	1	10
Airdrie . .	7102	6680	202	15	6	14	23	12	5	5	20	7	11	7	4
Coatbridge, etc.	6084	7148	194	19	6	25	31	13	5	5	21	5	3	8	7
Edinburgh .	89581	94431	2391	192	64	125	183	71	45	34	85	40	64	81	122
Leith . .	16737	18135	443	57	16	33	39	22	10	5	14	8	8	11	14
Dumfries .	9414	10012	270	18	8	19	28	11	8	2	16	7	8	11	10

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1264	1320	1239	1169	1278	1245	1553	1729	1916	1839	1482	896	344	126	27	38
Insular	66	50	39	29	59	32	65	92	105	89	99	79	38	18	3	10
Mainland	544	555	534	511	521	589	750	892	1128	1132	935	617	224	92	19	22
Towns	654	715	666	629	698	624	738	745	683	618	448	200	82	16	5	6
Shetland	12	13	7	5	12	2	13	21	23	17	21	20	9	6	–	5
Orkney	4	6	8	6	10	8	11	20	29	25	18	29	4	2	–	–
Caithness	7	11	10	6	13	10	19	23	26	35	24	17	8	7	1	3
Sutherland	6	4	3	5	6	11	4	9	13	18	19	10	6	2	–	–
Ross and Cromarty	20	22	13	13	23	25	34	56	52	59	84	37	27	11	4	1
Inverness	29	30	24	22	39	22	50	41	52	52	60	37	20	3	6	7
Nairn	4	4	1	2	4	3	11	5	3	12	9	5	2	2	–	–
Elgin	10	13	10	9	12	12	18	23	33	33	38	19	8	1	–	2
Banff	11	16	16	15	9	17	29	24	40	42	41	27	9	12	1	2
Aberdeen	85	69	80	80	80	74	99	130	115	180	119	101	40	13	5	2
Kincardine	10	10	13	14	14	11	14	19	26	25	25	13	9	2	–	–
Forfar	103	103	99	93	125	129	134	144	138	125	99	56	20	6	–	1
Perth	44	44	54	53	36	56	69	84	100	112	68	63	25	5	4	1
Fife	61	50	55	40	54	71	66	93	121	123	71	54	18	5	–	1
Kinross	3	3	2	–	1	3	4	6	4	6	2	2	–	–	–	–
Clackmannan	5	7	11	6	9	4	11	15	10	9	4	5	2	–	–	–
Stirling	25	33	22	31	26	28	31	48	63	40	42	28	9	2	1	2
Dumbarton	22	19	20	27	20	22	21	30	19	24	24	12	3	2	–	–
Argyll	35	25	25	16	21	22	44	45	60	53	56	35	14	7	–	1
Bute	11	9	4	11	9	6	9	15	21	8	18	7	5	4	–	–
Renfrew	98	90	118	78	91	65	97	111	111	76	75	24	9	3	–	1
Ayr	69	79	71	67	65	68	76	72	117	108	78	54	17	8	–	1
Lanark	348	374	332	314	339	276	360	318	320	250	178	76	35	5	4	4
Linlithgow	10	11	9	14	15	13	8	19	32	13	15	6	2	–	–	–
Edinburgh	141	169	134	153	148	172	188	211	187	191	133	50	16	3	1	1
Haddington	10	11	18	16	19	17	10	28	32	30	16	13	4	–	–	–
Berwick	11	12	11	11	6	11	16	10	22	23	14	13	4	–	–	–
Peebles	5	5	1	2	3	3	4	5	5	9	3	3	–	2	–	–
Selkirk	4	1	2	4	5	3	7	3	6	5	6	4	1	1	–	–
Roxburgh	15	22	8	15	13	25	23	25	24	25	25	10	1	1	–	2
Dumfries	22	30	37	24	22	37	35	33	53	60	49	30	7	4	–	1
Kirkcudbright	18	11	13	11	17	12	19	23	35	24	25	17	8	4	–	–
Wigtown	10	14	8	6	12	7	19	20	24	27	23	19	2	3	–	–

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—FEMALES.

Inverness	8	9	10	11	12	5	16	9	14	19	12	9	7	1	–	–
Aberdeen	41	40	34	49	45	38	46	61	53	69	42	27	13	2	1	–
Arbroath	6	7	6	6	11	13	6	13	15	18	13	5	–	–	–	–
Dundee	63	59	71	59	73	72	83	70	55	42	27	14	6	–	–	–
Forfar	3	5	5	5	7	7	10	11	5	8	5	3	2	1	–	–
Montrose	8	7	4	9	9	8	8	14	13	12	11	7	2	–	–	–
Perth	15	16	18	18	7	11	13	19	18	21	13	4	3	–	–	–
Dunfermline	7	3	8	2	4	7	5	8	7	12	6	3	1	–	–	–
Kirkcaldy	7	2	3	4	2	6	4	5	10	8	4	4	1	1	–	1
Stirling	4	12	4	8	6	7	5	11	14	8	12	8	2	–	–	–
Greenock	33	29	31	11	35	16	34	25	30	18	15	8	3	3	–	–
Paisley	24	33	42	33	24	22	34	42	32	26	26	10	3	–	–	1
Ayr	8	7	5	7	10	9	8	12	13	12	10	3	3	–	–	1
Kilmarnock	15	15	8	7	9	7	12	9	13	15	7	6	1	1	–	–
Glasgow	242	271	242	230	256	213	250	224	186	137	101	33	18	2	4	–
Barony	10	10	20	14	25	12	21	11	24	17	13	7	–	1	–	1
Govan	25	24	15	13	15	11	12	5	8	8	9	6	2	–	–	–
Hamilton	4	7	4	3	5	1	4	4	5	10	2	1	1	–	–	1
Airdrie	9	4	4	4	4	8	6	6	8	11	6	3	–	–	–	–
Coatbridge, etc.	1	3	5	7	5	4	3	6	5	2	2	2	–	1	–	–
Edinburgh	93	128	94	105	104	124	124	149	118	124	79	31	9	2	–	1
Leith	25	15	20	17	18	13	18	15	24	17	18	1	5	–	–	–
Dumfries	3	9	13	7	12	10	16	16	13	4	15	5	–	1	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	71348	576	471	669	369	1378	1451	164	991	992	4883	600	5399	2440	3287	132
SPECIFIED CAUSES	68196	433	425	614	315	1169	1273	150	914	938	4692	581	5200	2319	3111	130
I. Zymotic Class	15564	61	59	121	50	251	210	22	288	226	1219	163	1228	338	864	19
II. Diseases of Uncer. Seat	2450	11	14	24	13	55	46	9	28	32	163	31	226	95	120	4
III. Tubercular Class	11653	62	71	69	50	141	172	31	113	135	737	67	871	386	406	19
IV. Brain and Nervous Sys.	5474	10	30	47	23	90	95	14	73	80	412	47	424	196	233	9
V. Organs of Circulation	3218	8	14	35	4	25	41	2	35	39	222	27	306	148	167	12
VI. Respiratory Organs	10036	31	34	81	27	99	150	12	66	106	590	45	728	282	388	19
VII. Organs of Digestion	4952	39	23	46	21	45	86	10	71	79	350	53	350	193	200	9
VIII. Urinary Organs	1016	4	6	15	5	18	25	1	21	29	114	9	66	45	34	5
IX. Organs of Generation	546	10	1	4	3	17	18	1	9	3	35	8	36	23	27	1
X. Organs of Locomotion	387	4	3	9	3	12	14	1	4	8	33	6	13	18	20	–
XI. Skin, etc.	75	1	–	3	1	4	1	1	1	–	4	1	4	3	1	–
XII. Malformation	168	–	–	–	–	2	1	–	2	1	6	3	13	8	4	–
XIII. Premature Debility	3475	14	6	22	5	26	45	3	39	42	199	18	341	104	129	10
XIV. Atrophy	526	3	2	3	2	2	9	–	5	2	21	1	33	20	23	–
XV. Age	6255	145	151	114	101	354	319	37	126	140	457	85	399	369	395	21
XVI. Sudden Deaths	156	2	1	–	1	3	3	–	–	1	2	1	20	8	10	–
XVII. Violent Deaths	2245	28	10	21	6	25	38	6	33	15	128	16	142	83	90	2
I. Small Pox	200	1	–	1	1	1	–	1	1	–	12	1	24	2	1	–
Measles	1038	1	–	–	–	1	–	–	2	18	88	6	10	4	25	–
Scarlatina	2706	2	4	4	14	62	53	1	166	33	275	16	112	14	145	–
Diphtheria	685	1	5	20	5	16	4	–	8	16	84	12	51	28	48	2
Hooping Cough	1860	–	28	27	–	37	27	8	26	25	131	21	83	26	31	1
Croup	903	2	2	16	8	37	30	4	12	13	46	7	78	26	75	1
Thrush	39	–	–	–	–	–	1	–	1	1	4	–	11	3	4	–
Diarrhœa	1504	3	2	2	6	15	28	3	16	12	107	15	125	45	60	1
Dysentery	294	1	–	1	–	2	4	1	4	7	30	6	37	17	12	1
Cholera	1270	1	1	–	–	1	–	1	–	1	142	22	214	24	260	–
Influenza	200	3	2	3	1	8	6	–	5	7	28	7	20	4	9	–
Purpura	41	–	–	–	–	–	1	–	1	1	3	2	2	4	2	–
Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	26	–	–	–	1	2	2	–	–	–	–	–	–	1	–	–
Typhus	2172	21	2	4	–	21	5	1	2	16	80	9	235	59	64	3
Enteric Fever	1404	14	4	19	6	19	26	2	19	42	93	28	112	42	82	7
Relapsing Fever	34	1	1	–	–	–	–	–	–	1	7	1	3	2	3	1
Simple Cont. Fever	249	7	3	11	5	23	11	–	11	17	34	2	35	3	3	–
Infantile Remittent	159	1	–	4	–	1	2	–	4	3	7	5	8	3	13	–
Metria	181	–	–	1	–	1	2	–	3	3	10	–	15	10	9	1
Rheumatic Fever	103	–	1	5	1	2	4	–	–	5	5	1	8	3	1	–
Erysipelas	295	–	4	3	2	1	2	–	5	5	23	2	27	10	13	1
Pyæmia	20	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–
Syphilis	156	–	–	–	–	–	1	–	2	–	9	–	15	7	3	–
Noma	24	1	–	–	–	–	1	–	–	–	1	–	2	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	63	1	–	1	–	–	3	1	1	–	2	1	9	2	2	–
Dropsy	721	6	6	7	4	18	19	1	7	4	33	4	76	33	39	1
Abscess	134	–	–	1	–	3	–	3	3	–	7	3	13	6	10	–
Ulcer	38	1	–	–	–	5	–	–	–	–	3	1	2	1	1	–
Fistula	15	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–
Mortification	144	–	1	1	–	5	3	–	2	–	13	–	12	6	6	–
Cancer	1327	2	7	14	9	24	21	4	15	27	104	22	113	46	59	3
Gout	8	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–
III. Scrofula	617	2	4	5	2	4	2	2	8	21	49	4	22	22	26	–
Tabes Mesenterica	859	1	–	1	1	2	7	1	7	8	51	1	38	11	23	–
Phthisis	8283	52	63	50	41	127	149	27	82	93	531	54	646	305	293	17
Hydrocephalus	1894	7	4	13	6	8	14	1	16	13	106	8	165	48	64	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Clackmannan	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	383	1831	1178	1402	389	4668	4494	19103	1025	7239	778	657	196	238	908	1586	816	655
SPECIFIED CAUSES	353	1674	1118	1258	366	4445	4366	18650	977	7135	757	635	190	230	882	1480	782	634
Zymotic Class	64	347	200	176	53	1057	1268	4448	283	1563	182	187	29	63	146	202	113	64
Uncertain Seat	16	70	45	63	14	139	148	522	24	285	30	40	9	8	43	60	31	32
Tubercular Class	75	276	236	184	71	861	789	3534	154	1193	93	59	30	30	164	273	159	142
Brain, etc.	26	140	104	111	41	361	313	1380	54	646	77	71	23	10	84	132	64	54
Heart, etc.	16	79	75	60	26	207	192	663	35	429	44	43	23	20	76	77	44	24
Respiratory Organs	44	213	148	143	43	594	536	3564	189	1144	84	59	19	31	116	222	136	93
Digestive Organs	18	157	90	92	27	391	262	1327	78	471	45	43	20	24	67	134	66	65
Urinary Organs	8	23	11	21	3	33	63	214	13	134	14	11	–	4	11	33	10	13
Generative Organs	2	12	9	16	6	42	32	127	7	45	6	9	4	1	8	11	10	3
Locomotive Organs	1	7	5	8	1	29	25	88	4	44	6	6	–	2	7	8	5	2
Skin	–	3	1	–	1	6	6	21	1	6	–	1	–	–	–	3	–	1
Malformation	–	5	4	3	1	6	8	45	5	38	2	2	–	–	3	3	2	1
Premature Debility	26	101	52	44	8	252	226	1047	48	384	58	23	9	20	53	63	30	28
Atrophy	4	11	11	8	–	46	36	167	3	61	21	2	–	–	10	9	4	7
Age	42	173	70	249	62	283	296	825	53	386	72	59	20	11	75	189	86	91
Sudden Deaths	3	5	–	2	–	8	1	52	4	18	1	–	–	1	2	7	–	–
Violent Deaths	8	52	57	78	9	139	165	626	22	288	22	20	4	5	17	54	22	14
Small Pox	–	–	1	5	–	6	2	125	–	12	–	–	–	1	1	1	–	–
Measles	6	27	7	14	1	117	76	435	13	51	13	40	2	16	32	15	16	2
Scarlatina	1	56	22	15	3	216	343	859	111	77	43	11	3	5	7	13	13	7
Diphtheria	2	22	13	5	3	28	29	138	8	67	7	14	–	7	3	29	6	4
Hooping Cough	9	37	29	18	17	94	177	633	24	232	16	19	6	1	21	23	29	4
Croup	16	32	19	9	–	58	81	216	12	44	11	7	–	2	7	16	8	8
Thrush	–	–	–	–	–	2	4	3	1	3	–	–	–	–	1	–	–	–
Diarrhœa	7	49	20	29	5	106	107	449	19	181	21	13	–	8	11	23	7	9
Dysentery	1	10	8	3	3	18	18	49	3	25	2	–	–	2	6	14	9	–
Cholera	3	6	7	14	2	39	36	111	15	333	24	3	1	2	3	1	1	2
Influenza	1	6	1	9	3	6	15	31	1	12	–	2	1	–	2	2	3	2
Purpura	–	2	1	–	–	2	1	6	1	8	–	1	1	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	1	–	3	2	6	–	2	–	2	–	–	1	2	–	–
Typhus	10	53	29	15	8	243	157	808	23	238	14	14	1	1	11	11	3	11
Enteric Fever	6	17	27	21	3	56	137	275	27	151	22	53	13	12	24	34	8	3
Relapsing Fever	–	1	–	1	–	1	1	7	–	1	1	1	–	–	–	–	–	–
Simple Cont. Fever	–	3	4	1	–	4	18	30	7	5	–	1	–	–	3	3	2	3
Infantile Remittent	1	6	1	1	–	9	13	42	1	17	3	–	–	–	1	5	1	7
Metria	–	6	1	2	3	16	13	49	5	18	1	2	1	1	2	3	3	–
Rheumatic Fever	1	4	3	6	1	3	5	21	–	13	1	1	–	1	5	2	–	–
Erysipelas	–	3	3	6	1	22	23	90	8	28	1	3	–	1	3	2	2	1
Pyæmia	–	–	–	–	–	–	1	5	–	8	–	–	–	1	–	–	–	1
Syphilis	–	6	3	1	–	8	8	54	3	32	1	–	–	2	1	–	–	–
Noma	–	–	1	–	–	–	1	6	1	5	1	–	–	–	–	2	2	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	2	2	–	1	8	12	–	5	–	1	–	–	3	1	1	1
Dropsy	9	27	15	20	1	61	40	184	6	50	6	9	3	–	6	13	6	7
Abscess	–	4	4	3	–	7	6	34	2	16	3	–	–	–	1	2	1	2
Ulcer	–	–	–	3	–	3	2	3	–	5	–	1	1	–	4	2	–	–
Fistula	–	–	–	–	–	2	3	1	–	3	–	–	–	1	–	–	–	–
Mortification	1	5	1	1	1	9	5	32	5	18	–	2	1	–	3	4	4	3
Cancer	6	31	23	34	12	55	84	256	11	185	21	27	4	7	26	30	18	19
Gout	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	–
Scrofula	3	19	7	12	8	44	46	171	19	73	5	4	–	2	5	9	8	9
Tabes Mesenterica	2	14	12	7	5	58	79	316	24	99	11	1	3	3	30	22	11	10
Phthisis	60	190	180	156	46	606	538	2407	69	794	66	44	21	21	101	222	123	109
Hydrocephalus	10	53	37	9	12	153	126	640	42	227	11	10	6	4	28	20	17	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	390	–	2	4	5	9	7	–	11	8	26	2	24	4	26	–
	Apoplexy	1179	–	9	16	3	8	14	7	13	20	92	7	98	45	52	2
	Paralysis	1621	4	9	12	11	39	42	3	21	21	109	25	111	81	89	1
	Delirium Tremens	60	–	–	1	–	–	–	–	1	–	6	–	7	3	4	–
	Chorea	11	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	Epilepsy	255	3	–	6	–	3	5	–	3	2	29	1	16	12	17	–
	Tetanus	45	–	–	–	–	7	–	–	–	–	3	1	2	–	2	1
	Insanity	35	–	–	–	–	1	3	–	–	–	3	–	1	–	1	–
	Convulsions	932	1	5	5	2	13	8	–	14	10	78	6	105	19	12	1
	Brain Disease	946	2	5	3	2	10	16	4	10	19	65	5	59	32	29	4
V.	Pericarditis	49	–	–	–	–	–	–	–	–	–	2	–	2	2	3	–
	Aneurism	85	–	–	–	–	1	1	–	3	1	7	2	8	7	3	–
	Heart Disease	3084	8	14	35	4	24	40	2	32	38	213	25	296	139	161	12
VI.	Laryngitis	98	–	1	2	–	–	2	–	–	1	8	–	8	4	4	–
	Bronchitis	6629	13	17	43	12	51	53	8	38	54	363	30	488	178	262	12
	Pleurisy	252	–	–	3	2	1	29	–	7	10	24	1	11	11	13	2
	Pneumonia	2207	12	3	17	7	13	30	3	17	36	157	11	149	62	81	5
	Asthma	500	6	6	12	6	32	25	1	4	2	19	1	36	17	15	–
	Lung Disease	350	–	7	4	–	2	11	–	–	3	19	2	36	10	13	–
VII.	Teething	1038	11	–	1	3	6	12	3	17	14	104	9	111	31	35	3
	Quinsey	51	2	–	3	1	1	1	1	1	1	3	–	–	3	2	–
	Gastritis	187	–	–	3	–	3	4	1	4	–	13	4	5	11	8	3
	Enteritis	886	2	2	6	2	9	13	1	13	11	36	8	37	54	36	–
	Peritonitis	257	2	–	2	1	–	6	–	2	4	22	2	12	13	8	–
	Ascites	62	1	4	2	–	–	1	–	–	–	2	–	6	3	4	–
	Ulceration of Intestines	178	2	1	3	1	1	1	–	4	7	25	4	9	4	7	–
	Hernia	118	1	–	2	–	1	4	–	–	6	14	–	13	7	4	–
	Ileus	272	5	1	3	1	3	3	1	11	8	23	3	21	16	12	–
	Intussusception	34	–	–	–	–	1	–	–	–	2	2	2	4	–	7	–
	Stricture of Intestines	40	–	–	1	–	–	1	–	–	–	3	2	1	–	3	–
	Stomach Disease	750	6	11	10	7	10	19	1	8	14	40	7	58	33	32	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	171	3	–	5	–	2	4	–	–	1	2	1	9	4	12	1
	Jaundice	173	2	1	1	2	2	4	1	4	2	14	4	17	7	8	–
	Liver Disease	698	2	3	3	3	6	13	1	7	9	42	7	46	25	22	1
	Spleen Disease	37	–	–	1	–	–	–	–	–	–	5	–	1	2	–	–
VIII.	Nephritis	69	–	–	–	–	2	1	–	1	–	7	–	7	1	–	–
	Nephria	235	–	–	2	–	8	6	–	4	6	13	–	22	9	5	–
	Addison's Disease	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Ischuria	50	1	–	1	–	–	2	1	2	2	4	–	3	5	–	–
	Diabetes	75	–	–	1	–	2	1	–	2	2	9	1	–	3	4	1
	Stone	63	1	5	4	3	3	4	–	1	–	11	3	–	4	2	–
	Cystitis	179	2	–	3	1	1	3	–	5	9	18	2	13	12	11	3
	Stricture of Urethra	16	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–
	Kidney Disease	322	–	1	3	–	2	7	–	6	10	51	2	21	11	11	1
IX.	Paramenia	25	1	–	–	–	1	–	–	1	–	1	–	4	1	1	–
	Ovarian Dropsy	77	–	–	1	–	–	–	–	–	–	3	2	6	7	6	1
	Childbirth	356	9	1	3	3	13	16	1	6	1	20	5	20	12	17	–
	Organs of Generation	88	–	–	–	–	3	2	–	2	2	11	1	6	3	3	–
X.	Arthritis	77	–	2	1	–	2	2	–	1	1	8	2	–	3	6	–
	Rheumatism	182	3	1	7	2	10	11	1	1	5	16	3	5	8	11	–
	Joint and Bone Disease	128	1	–	1	1	–	1	–	2	2	9	1	8	7	3	–
XI.	Carbuncle	24	–	–	3	1	2	1	–	–	–	1	–	2	1	–	–
	Phlegmon	9	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Skin Disease	42	1	–	–	–	2	–	1	–	–	3	–	2	1	1	–
XVII.	Intemperance	78	–	–	–	–	–	1	–	2	–	3	–	4	3	4	–
	Privation	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Want of Breast Milk	100	–	–	–	–	–	–	–	1	–	10	–	5	1	5	–
	Neglect	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	Cold	27	2	–	–	1	–	1	–	1	–	1	–	–	4	1	–
	Poison	46	–	–	–	–	1	–	–	–	–	1	1	2	2	–	–
	Poisoned Wounds	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Burns and Scalds	304	3	–	4	2	2	7	1	3	3	21	4	11	6	16	2
	Hanging, etc.	55	–	–	–	–	–	2	–	–	–	4	–	5	4	3	–
	Suffocation	102	–	–	1	–	–	2	–	2	1	13	–	12	2	4	–
	Drowning	429	21	6	8	–	13	12	1	11	4	17	4	26	17	15	–
	Fracture and Contusion	913	2	3	4	2	5	10	1	9	5	46	5	58	28	33	–
	Gunshot Wounds	25	–	–	–	–	1	2	–	1	–	1	1	3	2	–	–
	Cuts and Stabs	36	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
	Other Violent Causes	121	–	1	4	–	3	1	3	3	2	7	–	13	14	8	–
	Not Specified	3152	143	46	55	54	209	178	14	77	54	191	19	199	121	176	2

CAUSES o DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	4	8	6	3	26	16	111	8	42	5	5	1	–	6	11	5	4
Apoplexy	3	27	21	29	10	95	75	265	10	132	21	20	9	2	14	23	20	17
Paralysis	9	56	32	33	15	91	108	296	12	205	32	22	4	5	40	52	18	13
Delirium Tremens	1	1	2	–	1	1	1	21	–	7	1	–	–	–	–	1	–	1
Chorea	–	1	–	–	–	2	–	2	–	3	–	–	–	–	–	–	–	–
Epilepsy	2	6	–	10	–	12	13	49	4	43	4	3	–	–	3	6	1	2
Tetanus	–	–	–	7	2	2	3	4	–	5	–	–	1	–	2	2	–	1
Insanity	–	–	–	1	–	6	1	7	–	7	1	–	–	–	–	3	–	–
Convulsions	3	14	19	16	4	57	48	339	14	85	8	10	4	2	4	14	7	5
Brain Disease	7	31	22	9	6	69	48	286	6	117	5	11	4	1	15	20	13	11
Pericarditis	–	2	1	1	1	11	1	15	–	4	–	–	1	1	–	1	1	–
Aneurism	1	2	3	–	–	5	3	13	1	19	–	–	–	–	1	4	–	–
Heart Disease	15	75	71	59	25	191	188	635	34	406	44	43	22	19	75	72	43	24
Laryngitis	–	2	3	3	1	4	8	21	–	18	–	3	–	–	3	1	1	–
Bronchitis	33	128	112	96	25	412	347	2449	138	788	54	38	12	23	68	127	85	72
Pleurisy	–	2	3	1	3	10	19	28	6	41	2	2	–	2	6	8	4	1
Pneumonia	7	44	17	26	11	124	117	830	32	201	23	13	4	6	25	69	37	18
Asthma	4	12	6	16	1	20	38	134	3	49	2	2	1	–	10	12	8	–
Lung Disease	–	25	7	1	2	24	7	102	10	47	3	1	2	–	4	5	1	2
Teething	3	24	19	11	2	137	32	341	20	60	6	–	4	1	2	9	2	5
Quinsey	–	1	2	1	–	4	3	9	1	3	1	2	–	–	–	2	–	3
Gastritis	1	1	2	3	2	10	16	56	3	18	2	1	–	–	1	9	2	1
Enteritis	1	32	18	7	6	82	65	279	19	70	3	10	2	6	18	26	20	12
Peritonitis	1	5	3	1	1	23	16	76	4	34	–	1	1	3	1	5	6	2
Ascites	–	1	1	3	1	4	4	12	1	5	–	1	–	–	1	2	3	–
Ulceration of Intestines	1	10	8	2	–	5	6	26	2	21	3	6	3	2	6	3	–	5
Hernia	–	2	–	7	1	4	7	21	–	16	–	–	–	–	2	4	1	1
Ileus	1	5	3	12	1	9	9	62	6	20	9	4	–	1	8	5	4	2
Intussusception	–	–	1	1	–	1	2	4	–	3	–	–	–	–	–	2	1	1
Stricture of Intestines	–	2	1	–	–	–	1	7	–	13	–	1	–	–	–	3	–	1
Stomach Disease	1	27	15	20	7	32	47	168	9	79	9	11	5	8	10	25	11	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	6	4	4	2	17	10	48	1	11	2	–	1	1	2	11	3	2
Jaundice	1	5	2	4	–	10	11	30	4	21	4	3	1	–	3	1	3	1
Liver Disease	6	36	10	15	4	50	29	179	8	95	6	3	3	–	11	27	7	19
Spleen Disease	–	–	1	1	–	3	4	9	–	2	–	–	–	2	2	–	3	1
Nephritis	1	2	2	2	–	3	2	27	–	6	–	–	–	1	–	2	–	2
Nephria	3	7	2	8	1	5	14	49	8	43	5	1	–	2	2	7	1	2
Addison's Disease	–	–	–	–	–	2	1	–	–	1	–	1	–	–	–	–	–	–
Ischuria	1	1	–	4	–	3	7	2	–	7	–	–	–	–	–	1	2	1
Diabetes	–	3	2	2	–	2	5	17	1	5	1	–	–	1	2	4	–	4
Stone	–	–	–	–	–	1	5	6	–	4	–	2	–	–	–	3	1	–
Cystitis	2	3	2	5	1	4	10	26	1	19	1	5	–	–	5	8	2	2
Stricture of Urethra	–	–	–	–	–	–	–	5	–	6	–	–	–	–	–	–	1	–
Kidney Disease	1	7	3	–	1	13	19	82	3	43	7	2	–	–	2	8	3	2
Paramenia	–	–	1	–	–	2	2	2	–	–	–	1	–	–	1	3	3	–
Ovarian Dropsy	1	1	1	2	–	5	4	16	–	11	–	–	1	–	2	2	3	2
Childbirth	1	9	4	12	3	29	22	87	5	29	3	7	2	1	5	6	3	1
Organs of Generation	–	2	3	2	3	6	4	22	2	5	3	1	1	–	–	–	1	–
Arthritis	–	–	–	–	–	2	7	15	1	15	1	1	–	–	4	3	–	–
Rheumatism	1	2	4	6	1	8	11	37	1	12	2	2	–	–	3	2	4	2
Joint Disease	–	5	1	2	–	10	7	36	2	17	3	3	–	2	–	3	1	–
Carbuncle	–	1	–	–	1	2	–	6	–	2	–	–	–	–	–	–	–	1
Phlegmon	–	2	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	3	6	14	–	3	–	1	–	–	–	3	–	–
Intemperance	1	–	–	1	1	5	9	27	–	12	1	2	–	–	1	1	–	–
Privation	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	1	4	–	4	4	47	–	13	–	–	–	–	–	1	1	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	4	6	–	1	–	–	–	–	–	4	–	–
Poison	–	4	2	2	–	4	5	15	–	7	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	8	6	12	1	13	15	103	1	36	1	2	1	–	1	10	7	2
Hanging, etc.	–	–	–	1	–	4	7	14	–	5	1	1	1	–	–	1	2	–
Suffocation	–	2	2	–	1	4	3	31	–	13	1	1	–	1	4	1	–	1
Drowning	3	8	25	37	4	35	25	84	2	20	4	4	2	–	3	11	4	3
Fracture and Contusion	4	25	16	15	2	58	84	266	18	154	10	9	–	3	7	19	6	6
Gunshot Wounds	–	–	–	–	–	–	–	4	–	5	2	–	–	1	–	1	–	1
Cuts and Stabs	–	1	1	2	–	4	2	8	1	9	2	–	–	–	–	2	–	–
Other Violent Causes	–	2	4	3	–	8	7	19	–	12	–	1	–	–	1	3	2	–
Not Specified	30	157	60	144	23	223	128	453	48	104	21	22	6	8	26	106	34	21

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife	Kinross.
ALL CAUSES	35355	282	218	323	186	632	700	72	506	443	2409	292	2613	1179	1610	66
SPECIFIED CAUSES	33716	207	199	298	158	537	613	64	471	411	2320	282	2511	1117	1515	65
I. Zymotic Class	7542	25	25	65	21	127	102	11	159	92	612	78	589	146	415	10
II. Diseases of Uncer. Seat	899	4	2	7	6	24	22	3	12	7	59	10	88	41	51	2
III. Tubercular Class	5734	37	37	40	25	70	87	16	62	63	364	34	413	191	184	5
IV. Brain and Nervous Sys.	2879	6	18	22	13	50	42	6	41	41	234	22	229	96	120	3
V. Organs of Circulation	1649	4	8	16	1	13	19	–	18	14	107	12	148	79	96	8
VI. Respiratory Organs	5256	22	14	41	16	37	79	2	36	52	288	24	375	145	209	11
VII Organs of Digestion	2592	14	11	22	12	31	61	8	31	32	193	32	174	100	107	3
VIII. Urinary Organs	675	4	6	11	4	13	17	1	12	17	76	8	38	33	23	4
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	212	2	1	5	2	6	7	–	3	6	17	1	7	12	10	–
XI. Skin, etc.	44	–	–	2	1	4	1	1	–	–	3	1	2	2	–	–
XII. Malformation	93	–	–	–	–	1	–	–	1	1	5	1	6	3	2	–
XIII. Premature Debility	1848	11	5	13	3	14	25	2	24	24	111	10	167	53	74	5
XIV. Atrophy	244	3	1	1	2	2	1	–	1	1	10	–	17	11	9	–
XV. Age	2333	50	61	40	47	121	123	11	48	49	159	36	143	140	147	13
XVI. Sudden Deaths	88	1	–	–	–	3	2	–	–	1	–	1	12	3	4	–
XVII. Violent Deaths	1627	24	10	13	5	21	25	3	23	11	82	12	103	62	64	1
I. Small Pox	103	–	–	–	1	–	–	–	–	–	6	1	11	–	–	–
Measles	536	1	–	–	–	–	–	–	2	11	50	3	8	2	18	–
Scarlatina	1411	1	2	2	6	38	25	1	102	10	143	9	59	9	72	–
Diphtheria	339	1	1	13	3	9	2	–	3	8	42	8	21	8	21	1
Hooping Cough	820	–	13	14	–	15	16	2	16	12	67	9	34	10	18	1
Croup	466	1	1	7	3	22	12	3	6	5	27	4	41	13	45	–
Thrush	19	–	–	–	–	–	–	–	–	–	3	–	6	1	2	–
Diarrhœa	723	1	1	1	3	9	14	1	9	6	54	6	59	21	27	–
Dysentery	139	–	–	–	–	1	1	1	1	3	14	1	19	11	6	–
Cholera	593	–	1	–	–	–	–	1	–	–	67	9	97	11	117	–
Influenza	90	1	–	2	1	2	4	–	1	4	12	2	9	1	3	–
Purpura	26	–	–	–	–	–	–	–	1	1	2	1	2	3	1	–
Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	15	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	1090	8	2	1	–	7	2	–	–	5	36	5	113	24	30	1
Enteric Fever	640	6	1	11	1	11	13	2	10	12	47	13	53	16	42	5
Relapsing Fever	21	–	–	–	–	–	–	–	–	1	4	1	2	1	–	1
Simple Cont. Fever	121	4	–	7	2	10	7	–	4	10	13	–	24	1	2	–
Infantile Remittent	84	–	–	2	–	1	1	–	2	2	4	4	3	3	4	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	59	–	–	3	–	1	3	–	–	1	3	–	5	2	1	–
Erysipelas	155	–	3	2	–	–	2	–	1	1	14	2	14	6	6	1
Pyæmia	12	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Syphilis	70	–	–	–	–	–	–	–	1	–	4	–	8	2	–	–
Noma	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	1	–	1	–	–	2	1	1	1	2	1	6	1	–	–
Dropsy	280	–	1	3	2	8	10	1	2	2	13	2	30	15	22	1
Abscess	70	–	–	1	–	1	–	1	2	–	5	1	5	3	5	–
Ulcer	24	1	–	–	–	2	–	–	–	–	2	–	2	1	1	–
Fistula	10	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–
Mortification	73	–	–	–	–	3	2	–	2	–	10	–	5	2	4	–
Cancer	403	1	1	2	4	10	8	–	5	4	27	6	40	18	16	1
Gout	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
III. Scrofula	325	2	2	4	2	3	2	–	3	9	26	2	14	11	15	–
Tabes Mesenterica	451	1	–	1	–	1	5	1	3	5	28	1	25	7	9	–
Phthisis	3871	29	33	27	21	59	73	14	46	42	253	25	278	147	125	5
Hydrocephalus	1087	5	2	8	2	7	7	1	10	7	57	6	96	26	35	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	191	936	594	693	191	2268	2262	9623	529	3666	378	326	99	110	450	796	383	329
SPECIFIED CAUSES	174	850	567	625	174	2147	2198	9365	499	3619	367	315	95	102	435	738	363	315
Zymotic Class	31	160	94	86	22	531	610	2154	130	793	82	85	13	31	72	90	52	29
Uncertain Seat	5	22	21	27	1	46	50	196	6	93	12	13	4	2	18	23	11	11
Tubercular Class	35	146	115	91	38	399	386	1713	77	631	43	30	14	15	80	137	80	76
Brain, etc.	15	69	56	56	18	178	160	736	28	356	39	31	12	4	52	65	31	30
Heart, etc.	8	36	38	33	14	111	82	340	19	239	21	27	13	10	40	40	24	11
Respiratory Organs	24	134	84	67	25	297	335	1893	112	556	50	30	9	14	57	111	60	47
Digestive Organs	8	88	46	52	17	196	135	714	44	230	20	26	10	8	26	75	31	35
Urinary Organs	2	13	7	14	3	26	46	139	5	80	11	8	–	1	10	23	10	10
Generative Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	3	3	5	–	12	14	49	3	25	3	5	–	–	4	4	2	1
Skin	–	2	1	–	–	6	5	8	–	2	–	–	–	–	–	2	–	1
Malformation	–	3	2	3	1	4	5	25	3	22	1	–	–	–	1	2	–	1
Premature Debility	17	56	25	26	4	119	124	547	22	216	33	18	5	12	24	34	13	12
Atrophy	2	3	7	3	–	23	17	82	1	26	11	–	–	–	4	3	1	2
Age	18	75	23	104	25	84	106	293	27	142	22	27	12	–	33	84	32	38
Sudden Deaths	2	3	–	–	–	7	1	32	2	7	1	–	–	1	1	4	–	–
Violent Deaths	7	37	45	58	5	108	122	444	20	201	18	15	3	4	13	41	16	11
Small Pox	–	–	1	3	–	3	2	66	–	7	–	–	–	–	1	1	–	–
Measles	4	14	2	8	1	53	39	221	7	29	7	17	–	6	16	8	8	1
Scarlatina	1	30	11	7	1	116	168	438	49	47	26	7	3	5	3	8	9	3
Diphtheria	1	10	6	2	2	17	19	68	4	35	5	5	–	2	2	15	3	2
Hooping Cough	4	16	12	8	6	44	70	267	10	112	5	8	–	–	8	9	14	–
Croup	6	17	9	7	–	28	39	110	8	26	5	3	–	–	4	7	3	4
Thrush	–	–	–	–	–	–	3	1	–	2	–	–	–	–	1	–	–	–
Diarrhœa	2	17	9	13	2	55	59	214	12	83	10	7	–	6	5	9	4	4
Dysentery	1	3	5	–	2	7	8	26	1	14	1	–	–	2	3	6	2	–
Cholera	3	3	3	5	1	18	20	47	10	163	9	2	1	1	1	1	–	2
Influenza	–	3	–	2	1	4	8	18	–	4	–	2	1	–	1	2	2	–
Purpura	–	1	1	–	–	1	1	4	1	4	–	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	3	2	4	–	1	–	1	–	–	1	1	–	–
Typhus	5	23	16	6	3	133	74	418	11	135	7	7	–	–	7	4	1	6
Enteric Fever	3	7	13	14	2	23	64	122	10	70	3	21	7	5	13	14	6	–
Relapsing Fever	–	1	–	1	–	1	–	6	–	1	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	3	–	–	–	2	11	14	2	3	–	–	–	–	1	–	–	1
Infantile Remittent	–	4	–	–	–	6	8	24	–	9	2	–	–	–	–	1	–	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	2	4	1	1	2	12	–	7	–	1	–	1	3	2	–	–
Erysipelas	–	3	2	4	–	11	9	45	3	18	1	2	–	1	2	1	–	1
Pyæmia	–	–	–	–	–	–	–	3	–	5	–	–	–	1	–	–	–	1
Syphilis	–	2	2	1	–	5	3	23	2	16	–	–	–	1	–	–	–	–
Noma	–	–	–	–	–	–	1	3	–	2	1	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	2	–	–	4	5	–	2	–	1	–	–	1	1	1	1
Dropsy	3	7	9	8	–	17	16	72	3	18	3	3	1	–	3	4	–	1
Abscess	–	2	3	1	–	2	2	20	1	7	3	–	–	–	1	1	1	2
Ulcer	–	–	–	1	–	2	1	3	–	3	–	–	–	–	4	1	–	–
Fistula	–	–	–	–	–	–	2	1	–	2	–	–	–	1	–	–	–	–
Mortification	1	3	1	1	–	6	4	14	1	6	–	1	–	–	1	2	2	2
Cancer	1	9	8	14	1	18	21	81	1	55	6	8	3	1	8	14	6	5
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Scrofula	2	11	3	3	6	24	22	91	12	33	2	3	–	–	4	6	6	2
Tabes Mesenterica	1	8	5	2	3	26	43	179	9	41	6	–	2	2	15	9	5	8
Phthisis	26	99	86	81	21	263	246	1068	33	428	30	21	9	10	44	111	61	57
Hydrocephalus	6	28	21	5	8	86	75	375	23	129	5	6	3	3	17	11	8	9

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	213	–	2	1	3	1	3	–	8	4	14	1	14	–	17	–
	Apoplexy	611	–	6	8	3	6	5	2	4	9	42	3	57	24	28	1
	Paralysis	779	2	2	3	5	20	18	1	10	13	67	10	53	41	39	1
	Delirium Tremens	49	–	–	1	–	–	–	–	–	–	6	–	5	2	4	–
	Chorea	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	135	2	–	3	–	2	4	–	3	–	19	–	8	6	7	–
	Tetanus	27	–	–	–	–	3	–	–	–	–	1	–	1	–	2	–
	Insanity	14	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
	Convulsions	518	1	4	3	–	10	3	–	10	5	45	6	60	11	7	–
	Brain Disease	530	1	4	3	2	8	9	3	6	10	38	2	31	12	15	1
V.	Pericarditis	29	–	–	–	–	–	–	–	–	–	2	–	–	2	2	–
	Aneurism	62	–	–	–	–	–	–	–	2	1	6	–	7	7	3	–
	Heart Disease	1558	4	8	16	1	13	19	–	16	13	99	12	141	70	91	8
VI.	Laryngitis	55	–	–	2	–	–	1	–	–	1	4	–	3	4	3	–
	Bronchitis	3315	10	7	24	9	19	30	1	18	26	154	17	238	84	134	7
	Pleurisy	136	–	–	2	1	–	17	–	4	6	15	–	8	6	5	2
	Pneumonia	1292	8	2	10	5	6	19	1	13	17	98	6	89	38	50	2
	Asthma	269	4	3	3	1	12	10	–	1	–	9	–	16	6	11	–
	Lung Disease	189	–	2	–	–	–	2	–	–	2	8	1	21	7	6	–
VII.	Teething	580	5	–	–	2	3	10	3	7	6	69	7	56	19	22	1
	Quinsey	29	–	–	1	1	1	–	1	–	–	2	–	–	2	1	–
	Gastritis	97	–	–	3	–	3	4	–	1	–	4	1	3	8	6	1
	Enteritis	479	1	–	5	2	6	9	1	6	5	20	6	19	17	22	–
	Peritonitis	98	1	–	1	1	–	2	–	1	1	11	1	2	4	1	–
	Ascites	25	–	1	1	–	–	–	–	–	–	–	–	1	1	2	–
	Ulceration of Intestines	86	–	1	–	–	1	1	–	2	1	13	2	4	–	3	–
	Hernia	60	–	–	2	–	1	4	–	–	4	4	–	6	5	3	–
	Ileus	140	2	–	1	1	2	2	–	6	2	11	1	12	10	5	–
	Intussusception	23	–	–	–	–	1	–	–	–	2	2	2	3	–	4	–
	Stricture of Intestines	25	–	–	–	–	–	1	–	–	–	1	2	1	–	2	–
	Stomach Disease	391	3	5	5	2	7	10	1	4	7	21	4	29	16	15	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	95	–	–	–	–	–	4	–	–	1	2	–	7	2	6	1
	Jaundice	86	–	1	1	1	2	4	1	1	–	6	2	12	3	4	–
	Liver Disease	359	2	3	1	2	4	10	1	3	3	24	4	18	11	11	–
	Spleen Disease	19	–	–	1	–	–	–	–	–	–	3	–	1	2	–	–
VIII.	Nephritis	42	–	–	–	–	2	1	–	–	–	4	–	3	1	–	–
	Nephria	119	–	–	–	–	5	3	–	2	4	5	–	11	3	3	–
	Addison's Disease	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Ischuria	37	1	–	1	–	–	2	1	2	–	3	–	2	4	–	–
	Diabetes	50	–	–	–	–	1	1	–	–	2	5	–	–	3	2	1
	Stone	59	1	5	4	2	2	4	–	1	–	10	3	–	4	2	–
	Cystitis	156	2	–	3	1	1	3	–	4	8	16	2	10	12	8	3
	Stricture of Urethra	16	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–
	Kidney Disease	194	–	1	2	–	2	2	–	3	3	32	2	12	6	8	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	51	–	1	1	–	1	1	–	1	1	4	1	–	2	5	–
	Rheumatism	86	2	–	4	1	5	6	–	1	3	8	–	2	4	3	–
	Joint and Bone Disease	75	–	–	–	1	–	–	–	1	2	5	–	5	6	2	–
XI.	Carbuncle	15	–	–	2	1	2	1	–	–	–	1	–	1	1	–	–
	Phlegmon	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Skin Disease	25	–	–	–	–	2	–	1	–	–	2	–	1	1	–	–
XVII.	Intemperance	45	–	–	–	–	–	–	–	2	–	2	–	2	2	4	–
	Privation	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Want of Breast Milk	54	–	–	–	–	–	–	–	–	–	6	–	3	1	3	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	16	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Poison	26	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–
	Poisoned Wounds	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	Burns and Scalds	144	–	–	3	1	1	2	–	2	2	10	1	5	2	7	1
	Hanging, etc.	36	–	–	–	–	–	2	–	–	–	3	–	4	3	2	–
	Suffocation	55	–	–	–	–	–	1	–	–	1	6	–	5	1	1	–
	Drowning	361	21	6	5	–	10	11	1	10	4	14	4	22	16	12	–
	Fracture and Contusion	752	2	3	2	2	5	7	–	7	3	34	5	48	22	27	–
	Gunshot Wounds	24	–	–	–	–	1	2	–	1	–	1	1	2	2	–	–
	Cuts and Stabs	24	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
	Other Violent Causes	86	–	1	3	–	3	–	2	1	1	4	–	10	10	7	–
	Not Specified	1639	75	19	25	28	95	87	8	35	32	89	10	102	62	95	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	2	2	5	–	17	6	61	4	24	3	3	1	–	3	10	2	2
Apoplexy	3	13	13	15	3	44	37	144	6	71	9	10	5	1	10	8	10	11
Paralysis	4	22	15	18	4	42	54	136	4	107	17	8	1	1	26	22	9	4
Delirium Tremens	1	1	2	–	1	1	1	16	–	7	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	4	9	26	2	26	2	1	–	–	2	3	–	2
Tetanus	–	–	–	5	2	1	–	3	–	4	–	–	1	–	2	1	–	1
Insanity	–	–	–	–	–	2	1	4	–	4	–	–	–	–	–	–	–	–
Convulsions	3	8	10	6	3	28	22	187	8	49	7	4	2	1	2	8	3	2
Brain Disease	4	21	14	5	5	38	30	159	4	62	1	5	2	1	7	13	7	7
Pericarditis	–	2	–	–	1	7	1	7	–	3	–	–	–	–	–	1	1	–
Aneurism	1	2	3	–	–	2	2	9	1	13	–	–	–	–	–	3	–	–
Heart Disease	7	32	35	33	13	102	79	324	18	223	21	27	13	10	40	36	23	11
Laryngitis	–	2	2	1	1	1	5	14	–	8	–	1	–	–	–	1	1	–
Bronchitis	18	76	63	40	13	201	207	1254	75	361	35	21	5	10	34	57	35	32
Pleurisy	–	2	2	1	1	6	8	15	4	23	1	–	–	–	1	3	2	1
Pneumonia	3	28	9	16	8	71	82	474	21	112	9	6	2	4	14	40	17	12
Asthma	3	10	2	8	1	11	31	77	2	26	2	1	1	–	6	8	4	–
Lung Disease	–	16	6	1	1	7	2	59	10	26	3	1	1	–	2	2	1	2
Teething	2	10	13	6	1	77	14	183	11	35	3	–	1	–	1	7	2	4
Quinsey	–	–	2	1	–	2	2	6	1	1	–	1	–	–	–	1	–	3
Gastritis	1	1	–	1	1	6	7	28	2	8	1	–	–	–	1	5	1	–
Enteritis	1	23	7	3	5	41	36	147	12	35	1	7	2	3	8	13	7	9
Peritonitis	1	–	1	1	–	8	7	33	1	8	–	–	1	2	–	4	4	1
Ascites	–	–	–	1	1	2	1	9	–	2	–	–	–	–	–	2	1	–
Ulceration of Intestines	–	9	4	1	–	3	3	16	1	8	2	4	1	–	2	2	–	2
Hernia	–	1	–	5	–	4	3	7	–	8	–	–	–	–	1	2	–	–
Ileus	–	2	2	6	1	7	7	36	1	9	4	2	–	–	3	3	2	–
Intussusception	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	2	1	–
Stricture of Intestines	–	1	1	–	–	–	–	2	–	11	–	1	–	–	–	2	–	–
Stomach Disease	–	15	7	13	4	13	24	103	6	35	6	7	1	2	3	12	8	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	3	2	1	8	6	29	1	6	1	–	1	1	2	5	–	1
Jaundice	–	1	–	2	–	5	7	16	2	9	1	2	1	–	1	–	–	1
Liver Disease	2	21	6	10	3	19	15	93	6	52	1	2	2	–	2	15	3	10
Spleen Disease	–	–	–	–	–	–	2	4	–	1	–	–	–	–	2	–	2	1
Nephritis	–	–	1	1	–	2	2	19	–	3	–	–	1	–	–	1	–	1
Nephria	1	4	1	4	1	4	7	28	2	20	3	1	–	–	2	3	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	1	–	4	–	3	5	1	–	4	–	–	–	–	–	–	2	1
Diabetes	–	2	2	1	–	2	5	11	1	3	1	–	–	–	1	3	–	3
Stone	–	–	–	–	–	1	5	6	–	4	–	1	–	–	–	3	1	–
Cystitis	1	3	1	4	1	4	9	22	1	16	1	4	–	–	5	7	2	2
Stricture of Urethra	–	–	–	–	–	–	–	5	–	6	–	–	–	–	–	1	–	–
Kidney Disease	–	3	2	–	1	10	13	47	1	24	6	1	–	–	2	6	3	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	6	11	1	9	–	1	–	–	3	1	–	–
Rheumatism	–	2	3	3	–	5	4	18	–	4	1	2	–	–	1	1	2	1
Joint Disease	–	1	–	2	–	6	4	20	2	12	2	2	–	–	–	2	–	–
Carbuncle	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	3	5	6	–	1	–	–	–	–	–	2	–	–
Intemperance	1	–	–	1	1	4	4	12	–	5	1	2	–	–	1	1	–	–
Privation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	2	–	3	1	28	–	6	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	3	4	–	1	–	–	–	–	–	3	–	–
Poison	–	2	2	–	–	2	3	11	–	4	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	2	7	–	6	3	56	1	16	1	–	–	–	1	4	5	1
Hanging, etc.	–	–	–	–	–	4	6	5	–	2	1	1	1	–	–	1	1	–
Suffocation	–	2	1	–	–	2	3	18	–	8	1	1	–	–	2	1	–	1
Drowning	3	7	22	34	3	28	18	70	2	15	4	4	2	–	1	8	2	2
Fracture and Contusion	3	21	15	12	1	50	75	214	17	124	7	7	–	3	7	18	5	6
Gunshot Wounds	–	–	–	–	–	–	–	4	–	5	2	–	–	1	–	1	–	1
Cuts and Stabs	–	1	1	2	–	2	–	4	–	7	1	–	–	–	–	2	–	–
Other Violent Causes	–	–	2	–	–	7	6	16	–	8	–	–	–	–	1	2	2	–
Not Specified	17	86	27	68	17	121	64	258	30	47	11	11	4	8	15	58	20	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35993	294	253	346	183	746	751	92	485	549	2474	308	2786	1261	1677	66
SPECIFIED CAUSES	34480	226	226	316	157	632	660	86	443	527	2372	299	2689	1202	1596	65
I. Zymotic Class	8022	36	34	56	29	124	108	11	129	134	607	85	639	192	449	9
II. Diseases of Uncer. Seat	1551	7	12	17	7	31	24	6	16	25	104	21	138	54	69	2
III. Tubercular Class	5919	25	34	29	25	71	85	15	51	72	373	33	458	195	222	14
IV. Brain and Nervous Sys.	2595	4	12	25	10	40	53	8	32	39	178	25	195	100	113	6
V. Organs of Circulation	1569	4	6	19	3	12	22	2	17	25	115	15	158	69	71	4
VI. Respiratory Organs	4780	9	20	40	11	62	71	10	30	54	302	21	353	137	179	8
VII. Organs of Digestion	2360	25	12	24	9	14	25	2	40	47	157	21	176	93	93	6
VIII. Urinary Organs	341	–	–	4	1	5	8	–	9	12	38	1	28	12	11	1
IX. Organs of Generation	545	10	1	4	3	17	18	1	9	3	35	8	36	23	27	1
X. Organs of Locomotion	175	2	2	4	1	6	7	1	1	2	16	5	6	6	10	–
XI. Skin, etc.	31	1	–	1	–	–	–	–	1	–	1	–	2	1	1	–
XII. Malformation	75	–	–	–	–	1	1	–	1	–	1	2	7	5	2	–
XIII. Premature Debility	1627	3	1	9	2	12	20	1	15	18	88	8	174	51	55	5
XIV. Atrophy	282	–	1	2	–	–	8	–	4	1	11	1	16	9	14	–
XV. Age	3922	95	90	74	54	233	196	26	78	91	298	49	256	229	248	8
XVI. Sudden Deaths	68	1	1	–	1	–	1	–	–	–	2	–	8	5	6	–
XVII. Violent Deaths	618	4	–	8	1	4	13	3	10	4	46	4	39	21	26	1
I. Small Pox	97	1	–	1	–	1	–	1	1	–	6	–	13	2	1	–
Measles	502	–	–	–	–	1	–	–	–	7	38	3	2	2	7	–
Scarlatina	1295	1	2	2	8	24	28	–	64	23	132	7	53	5	73	–
Diphtheria	346	–	4	7	2	7	2	–	5	8	42	4	30	20	27	1
Hooping Cough	1040	–	15	13	–	22	11	6	10	13	64	12	49	16	13	–
Croup	437	1	1	9	5	15	18	1	6	8	19	3	37	13	30	1
Thrush	20	–	–	–	–	–	1	–	1	1	1	–	5	2	2	–
Diarrhœa	781	2	1	1	3	6	14	2	7	6	53	9	66	24	33	1
Dysentery	155	1	–	1	–	1	3	–	3	4	16	5	18	6	6	1
Cholera	677	1	–	–	–	1	–	–	–	1	75	13	117	13	143	–
Influenza	110	2	2	1	–	6	2	–	4	3	16	5	11	3	6	–
Purpura	15	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–
Typhus	1082	13	–	3	–	14	3	1	2	11	44	4	122	35	34	2
Enteric Fever	764	8	3	8	5	8	13	–	9	30	46	15	59	26	40	2
Relapsing Fever	13	1	1	–	–	–	–	–	–	–	3	–	1	1	3	–
Simple Cont. Fever	128	3	3	4	3	13	4	–	7	7	21	2	11	2	1	–
Infantile Remittent	75	1	–	2	–	–	1	–	2	1	3	1	5	–	9	–
Metria	181	–	–	1	–	1	2	–	3	3	10	–	15	10	9	1
Rheumatic Fever	44	–	1	2	1	1	1	–	–	4	2	1	3	1	–	–
Erysipelas	140	–	1	1	2	1	–	–	4	4	9	–	13	4	7	–
Pyæmia	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Syphilis	86	–	–	–	–	–	1	–	1	–	5	–	7	5	3	–
Noma	15	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	28	–	–	–	–	–	1	–	–	–	–	–	3	1	2	–
Dropsy	441	6	5	4	2	10	9	–	5	2	20	2	46	18	17	–
Abscess	64	–	–	–	–	2	–	2	1	–	2	2	8	3	5	–
Ulcer	14	–	–	–	–	3	–	–	–	–	1	1	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	71	–	1	1	–	2	1	–	–	–	3	–	7	4	2	–
Cancer	924	1	6	12	5	14	13	4	10	23	77	16	73	28	43	2
Gout	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
III. Scrofula	292	–	2	1	–	1	–	2	5	12	23	2	8	11	11	–
Tabes Mesenterica	408	–	–	–	1	1	2	–	4	3	23	–	13	4	14	–
Phthisis	4412	23	30	23	20	68	76	13	36	51	278	29	368	158	168	12
Hydrocephalus	807	2	2	5	4	1	7	–	6	6	49	2	69	22	29	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	192	895	584	709	198	2400	2232	9480	496	3573	400	331	97	128	458	790	433	326
SPECIFIED CAUSES	179	824	551	633	192	2298	2168	9285	478	3516	390	320	95	128	447	742	419	319
Zymotic Class	33	187	106	90	31	526	658	2294	153	770	100	102	16	32	74	112	61	35
Uncertain Seat	11	48	24	36	13	93	98	326	18	192	18	27	5	6	25	37	20	21
Tubercular Class	40	130	121	93	33	462	403	1821	77	562	50	29	16	15	84	136	79	66
Brain, etc.	11	71	48	55	23	183	153	644	26	290	38	40	11	6	32	67	33	24
Heart, etc.	8	43	37	27	12	96	110	323	16	190	23	16	10	10	36	37	20	13
Respiratory Organs	20	79	64	76	18	297	201	1671	77	588	34	29	10	17	59	111	76	46
Digestive Organs	10	69	44	40	10	195	127	613	34	241	25	17	10	16	41	59	35	30
Urinary Organs	6	10	4	7	–	7	17	75	8	54	3	3	–	3	1	10	–	3
Generative Organs	2	12	9	16	5	42	32	127	7	45	6	9	4	1	8	11	10	3
Locomotive Organs	1	4	2	3	1	8	11	39	1	19	3	1	–	2	3	4	3	1
Skin	–	1	–	–	1	–	1	13	1	4	–	1	–	–	–	1	–	–
Malformation	–	2	2	–	–	2	3	20	2	16	1	2	–	–	2	1	2	–
Premature Debility	9	45	27	18	4	133	102	500	26	168	25	5	4	8	29	29	17	16
Atrophy	2	8	4	5	–	23	19	85	2	35	10	2	–	–	6	6	3	5
Age	24	98	47	145	37	199	190	532	26	244	50	32	8	11	42	105	54	53
Sudden Deaths	1	2	–	2	–	1	–	20	2	11	–	–	–	–	1	3	–	–
Violent Deaths	1	15	12	20	4	31	43	182	2	87	4	5	1	1	4	13	6	3
Small Pox	–	–	–	2	–	3	–	59	–	5	–	–	–	1	–	–	–	–
Measles	2	13	5	6	–	64	37	214	6	22	6	23	2	10	16	7	8	1
Scarlatina	–	26	11	8	2	100	175	421	62	30	17	4	–	–	4	5	4	4
Diphtheria	1	12	7	3	1	11	10	70	4	32	2	9	–	5	1	14	3	2
Hooping Cough	5	21	17	10	11	50	107	366	14	120	11	11	6	1	13	14	15	4
Croup	10	15	10	2	–	30	42	106	4	18	6	4	–	2	3	9	5	4
Thrush	–	–	–	–	–	2	1	2	1	1	–	–	–	–	–	–	–	–
Diarrhœa	5	32	11	16	3	51	48	235	7	98	11	6	–	2	6	14	3	5
Dysentery	–	7	3	3	1	11	10	23	2	11	1	–	–	–	3	8	7	–
Cholera	–	3	4	9	1	21	16	64	5	170	15	1	–	1	2	–	1	–
Influenza	1	3	1	7	2	2	7	13	1	8	–	–	–	–	1	–	1	2
Purpura	–	1	–	–	–	1	–	2	–	4	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	2	–	1	–	1	–	–	–	1	–	–
Typhus	5	30	13	9	5	110	83	390	12	103	7	7	1	1	4	7	2	5
Enteric Fever	3	10	14	7	1	33	73	153	17	81	19	32	6	7	11	20	2	3
Relapsing Fever	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	4	1	–	2	7	16	5	2	–	1	–	–	2	3	2	2
Infantile Remittent	1	2	1	1	–	3	5	18	1	8	1	–	–	–	1	4	1	3
Metria	–	6	1	2	3	16	13	49	5	18	1	2	1	1	2	3	3	–
Rheumatic Fever	–	1	1	2	–	2	3	9	–	6	1	–	–	–	2	–	–	–
Erysipelas	–	–	1	2	1	11	14	45	5	10	–	1	–	–	1	1	2	–
Pyæmia	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–
Syphilis	–	4	1	–	–	3	5	31	1	16	1	–	–	1	1	–	–	–
Noma	–	–	1	–	–	–	–	3	1	3	–	–	–	–	–	1	2	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	2	–	–	1	4	7	–	3	–	–	–	–	2	–	–	–
Dropsy	6	20	6	12	1	44	24	112	3	32	3	6	2	–	3	9	6	6
Abscess	–	2	1	2	–	5	4	14	1	9	–	–	–	–	–	1	–	–
Ulcer	–	–	–	2	–	1	1	–	–	2	–	1	1	–	–	1	–	–
Fistula	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	1	3	1	18	4	12	–	1	1	–	2	2	2	1
Cancer	5	22	15	20	11	37	63	175	10	130	15	19	1	6	18	24	12	14
Gout	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Scrofula	1	8	4	9	2	20	24	80	7	40	3	1	–	2	1	3	2	7
Tabes Mesenterica	1	6	7	5	2	32	36	137	15	58	5	1	1	1	15	13	6	2
Phthisis	34	91	94	75	25	343	292	1339	36	366	36	23	12	11	57	111	62	52
Hydrocephalus	4	25	16	4	4	67	51	265	19	98	6	4	3	1	11	9	9	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	177	–	–	3	2	8	4	–	3	4	12	1	10	4	9	–
	Apoplexy	568	–	3	8	–	2	9	5	9	11	50	4	41	21	24	1
	Paralysis	842	2	7	9	6	19	24	2	11	8	42	15	58	40	50	–
	Delirium Tremens	11	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–
	Chorea	8	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	Epilepsy	120	1	–	3	–	1	1	–	–	2	10	1	8	6	10	–
	Tetanus	18	–	–	–	–	4	–	–	–	–	2	1	1	–	–	1
	Insanity	21	–	–	–	–	1	3	–	–	–	1	–	1	–	–	–
	Convulsions	414	–	1	2	2	3	5	–	4	5	33	–	45	8	5	1
	Brain Disease	416	1	1	–	–	2	7	1	4	9	27	3	28	20	14	3
V.	Pericarditis	20	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
	Aneurism	23	–	–	–	–	1	1	–	1	–	1	2	1	–	–	–
	Heart Disease	1526	4	6	19	3	11	21	2	16	25	114	13	155	69	70	4
VI.	Laryngitis	43	–	1	–	–	–	1	–	–	–	4	–	5	–	1	–
	Bronchitis	3314	3	10	19	3	32	23	7	20	28	209	13	250	94	128	5
	Pleurisy	116	–	–	1	1	1	12	–	3	4	9	1	3	5	8	–
	Pneumonia	915	4	1	7	2	7	11	2	4	19	59	5	60	24	31	3
	Asthma	231	2	3	9	5	20	15	1	3	2	10	1	20	11	4	–
	Lung Disease	161	–	5	4	–	2	9	–	–	1	11	1	15	3	7	–
VII.	Teething	458	6	–	1	1	3	2	–	10	8	35	2	55	12	13	2
	Quinsey	22	2	–	2	–	–	1	–	1	1	1	–	–	1	1	–
	Gastritis	90	–	–	–	–	–	–	1	3	–	9	3	2	3	2	2
	Enteritis	407	1	2	1	–	3	4	–	7	6	16	2	18	17	14	–
	Peritonitis	159	1	–	1	–	–	4	–	1	3	11	1	10	9	7	–
	Ascites	37	1	3	1	–	–	1	–	–	–	2	–	5	2	2	–
	Ulceration of Intestines	92	2	–	3	1	–	–	–	2	6	12	2	5	4	4	–
	Hernia	58	1	–	–	–	–	–	–	–	2	10	–	7	2	1	–
	Ileus	132	3	1	2	–	1	1	1	5	6	12	2	9	6	7	–
	Intussusception	11	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–
	Stricture of Intestines	15	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–
	Stomach Disease	359	3	6	5	5	3	9	–	4	7	19	3	29	17	17	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	76	3	–	5	–	2	–	–	–	–	–	1	2	2	6	–
	Jaundice	87	2	–	–	1	–	–	–	3	2	8	2	5	4	4	–
	Liver Disease	339	–	–	2	1	2	3	–	4	6	18	3	28	14	11	1
	Spleen Disease	18	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
VIII.	Nephritis	27	–	–	–	–	–	–	–	1	–	3	–	4	–	–	–
	Nephria	116	–	–	2	–	3	3	–	2	2	8	–	11	6	2	–
	Addison's Disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Ischuria	13	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–
	Diabetes	25	–	–	1	–	1	–	–	2	–	4	1	–	–	2	–
	Stone	4	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	Cystitis	23	–	–	–	–	–	–	–	1	1	2	–	3	–	3	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	128	–	–	1	–	–	5	–	3	7	19	–	9	5	3	1
IX.	Paramenia	25	1	–	–	–	1	–	–	1	–	1	–	4	1	1	–
	Ovarian Dropsy	77	–	–	1	–	–	–	–	–	–	3	2	6	7	6	1
	Childbirth	356	9	1	3	3	13	16	1	6	1	20	5	20	12	17	–
	Organs of Generation	87	–	–	–	–	3	2	–	2	2	11	1	6	3	3	–
X.	Arthritis	26	–	1	–	–	1	1	–	–	–	4	1	–	1	1	–
	Rheumatism	96	1	1	3	1	5	5	1	–	2	8	3	3	4	8	–
	Joint and Bone Disease	53	1	–	1	–	–	1	–	1	–	4	1	3	1	1	–
XI.	Carbuncle	9	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	Phlegmon	5	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Skin Disease	17	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–
XVII.	Intemperance	33	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–
	Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	46	–	–	–	–	–	–	–	1	–	4	–	2	–	2	–
	Neglect	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	Cold	11	1	–	–	–	–	1	–	1	–	1	–	–	1	1	–
	Poison	20	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Burns and Scalds	160	3	–	1	1	1	5	1	1	1	11	3	6	4	9	1
	Hanging, etc.	19	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
	Suffocation	47	–	–	1	–	–	1	–	2	–	7	–	7	1	3	–
	Drowning	68	–	–	3	–	3	1	–	1	–	3	–	4	1	3	–
	Fracture and Contusion	161	–	–	2	–	–	3	1	2	2	12	–	10	6	6	–
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Cuts and Stabs	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	35	–	–	1	–	–	1	1	2	1	3	–	3	4	1	–
	Not Specified	1513	68	27	30	26	114	91	6	42	22	102	9	97	59	81	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	2	6	1	3	9	10	50	4	18	2	2	–	–	3	1	3	2
Apoplexy	–	14	8	14	7	51	38	121	4	61	12	10	4	1	4	15	10	6
Paralysis	5	34	17	15	11	49	54	160	8	98	15	14	3	4	14	30	9	9
Delirium Tremens	–	–	–	–	–	–	–	5	–	–	1	–	–	–	–	1	–	–
Chorea	–	1	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Epilepsy	2	4	–	8	–	8	4	23	2	17	2	2	–	–	1	3	1	–
Tetanus	–	–	–	2	–	1	3	1	–	1	–	–	–	–	–	1	–	–
Iusanity	–	–	–	1	–	4	–	3	–	3	1	–	–	–	–	3	–	–
Convulsions	–	6	9	10	1	29	26	152	6	36	1	6	2	1	2	6	4	3
Brain Disease	3	10	8	4	1	31	18	127	2	55	4	6	2	–	8	7	6	4
Pericarditis	–	–	1	1	–	4	–	8	–	1	–	–	1	1	–	–	–	–
Aneurism	–	–	–	–	–	3	1	4	–	6	–	–	–	–	1	1	–	–
Heart Disease	8	43	36	26	12	89	109	311	16	183	23	16	9	9	35	36	20	13
Laryngitis	–	–	1	2	–	3	3	7	–	10	–	2	–	–	3	–	–	–
Bronchitis	15	52	49	56	12	211	140	1195	63	427	19	17	7	13	34	70	50	40
Pleurisy	–	–	1	–	2	4	11	13	2	18	1	2	–	2	5	5	2	–
Pneumonia	4	16	8	10	3	53	35	356	11	89	14	7	2	2	11	29	20	6
Asthma	1	2	4	8	–	9	7	57	1	23	–	1	–	–	4	4	4	–
Lung Disease	–	9	1	–	1	17	5	43	–	21	–	–	1	–	2	3	–	–
Teething	1	14	6	5	1	60	18	158	9	25	3	–	3	1	1	2	–	1
Quinsey	–	1	–	–	–	2	1	3	–	2	1	1	–	–	–	1	–	–
Gastritis	–	–	2	2	1	4	9	28	1	10	1	1	–	–	–	4	1	1
Enteritis	–	9	11	4	1	41	29	132	7	35	2	3	–	3	10	13	13	3
Peritonitis	–	5	2	–	1	15	9	43	3	26	–	1	–	1	1	1	2	1
Ascites	–	1	1	2	–	2	3	3	1	3	–	1	–	–	1	–	2	–
Ulceration of Intestines	1	1	4	1	–	2	3	10	1	13	1	2	2	2	4	1	–	3
Hernia	–	1	–	2	1	–	4	14	–	8	–	–	–	–	1	2	1	1
Ileus	1	3	1	6	–	2	2	26	5	11	5	2	–	1	5	2	2	2
Intussusception	–	–	1	1	–	–	1	2	–	1	–	–	–	–	–	–	–	1
Stricture of Intestines	–	1	–	–	–	–	1	5	–	2	–	–	–	–	–	1	–	1
Stomach Disease	1	12	8	7	3	19	23	65	3	44	3	4	4	6	7	13	3	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	1	2	1	9	4	19	–	5	1	–	–	–	–	6	3	1
Jaundice	1	4	2	2	–	5	4	14	2	12	3	1	–	–	2	1	3	–
Liver Disease	4	15	4	5	1	31	14	86	2	43	5	1	1	–	9	12	4	9
Spleen Disease	–	–	1	1	–	3	2	5	–	1	–	–	–	2	–	–	1	–
Nephritis	1	2	1	1	–	1	–	8	–	3	–	–	–	–	–	1	–	1
Nephria	2	3	1	4	–	1	7	21	6	23	2	–	–	2	–	4	–	1
Addison's Disease	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	2	1	–	3	–	–	–	–	–	1	–	–
Diabetes	–	1	–	1	–	–	–	6	–	2	–	–	–	1	1	1	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	1	–	1	1	–	–	1	4	–	3	–	1	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	1	–	–	3	6	35	2	19	1	1	–	–	–	2	–	–
Paramenia	–	–	1	–	–	2	2	2	–	–	–	1	–	–	1	3	3	–
Ovarian Dropsy	1	1	1	2	–	5	4	16	–	11	–	–	1	–	2	2	3	2
Childbirth	1	9	4	12	3	29	22	87	5	29	3	7	2	1	5	6	3	1
Organs of Generation	–	2	3	2	2	6	4	22	2	5	3	1	1	–	–	–	1	–
Arthritis	–	–	–	–	–	1	1	4	–	6	1	–	–	–	1	2	–	–
Rheumatism	1	–	1	3	1	3	7	19	1	8	1	–	–	–	2	1	2	1
Joint Disease	–	4	1	–	–	4	3	16	–	5	1	1	–	2	–	1	1	–
Carbuncle	–	–	–	–	1	–	–	4	–	2	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	8	–	2	–	1	–	–	–	1	–	–
Intemperance	–	–	–	–	–	1	5	15	–	7	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	1	2	–	1	3	19	–	7	–	–	–	–	–	1	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	1	–	–
Poison	–	2	–	2	–	2	2	4	–	3	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	4	5	1	7	12	47	–	20	–	2	1	–	–	6	2	1
Hanging, etc.	–	–	–	1	–	–	1	9	–	3	–	–	–	–	–	–	1	–
Suffocation	–	–	1	–	1	2	–	13	–	5	–	–	–	1	2	–	–	–
Drowning	–	1	3	3	1	7	7	14	–	5	–	–	–	–	2	3	2	1
Fracture and Contusion	1	4	1	3	1	8	9	52	1	30	3	2	–	–	–	1	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	2	2	4	1	2	1	–	–	–	–	–	–	–
Other Violent Causes	–	2	2	3	–	1	1	3	–	4	–	1	–	–	–	1	–	–
Not Specified	13	71	33	76	6	102	64	195	18	57	10	11	2	–	11	48	14	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	12829	914	828	4813	3130	2324	1345	1488	924	613
SPECIFIED CAUSES	12628	893	813	4783	3006	2311	1302	1443	911	601
I. Zymotic Class	2854	202	170	1012	771	610	320	310	232	113
II. Diseases of Uncertain Seat	349	26	17	200	119	69	44	34	27	18
III. Tubercular Class	2452	176	178	879	544	376	224	293	113	103
IV. Brain and Nervous System	956	57	96	425	218	234	106	135	68	51
V. Organs of Circulation	458	30	19	294	140	106	50	74	43	44
VI. Respiratory Organs	2630	173	147	754	455	342	166	210	163	68
VII. Organs of Digestion	863	36	50	303	190	168	117	115	71	34
VIII. Urinary Organs	162	6	12	110	39	48	9	13	8	15
IX. Organs of Generation	88	3	6	31	22	14	11	19	4	9
X. Organs of Locomotion	61	4	5	37	6	19	12	4	4	4
XI. Skin, etc.	12	2	1	4	3	1	1	4	–	–
XII. Malformation	24	2	3	27	3	3	2	3	2	3
XIII. Premature Debility	722	62	38	237	212	94	82	83	75	48
XIV. Atrophy	105	10	9	40	29	14	19	15	11	8
XV. Age	434	83	35	236	160	145	107	68	44	55
XVI. Sudden Deaths	37	2	–	10	8	2	2	4	2	4
XVII. Violent Deaths	421	19	27	184	87	66	30	59	44	24
I. Small Pox	104	5	1	9	23	10	1	–	–	1
Measles	333	23	26	40	7	70	31	40	5	1
Scarlatina	422	45	26	45	100	143	59	44	8	5
Diphtheria	83	7	8	49	18	17	5	10	4	3
Hooping Cough	432	20	25	189	59	68	22	35	20	14
Croup	127	5	13	19	54	10	17	23	5	7
Thrush	2	–	–	1	7	1	1	1	1	–
Diarrhœa	291	24	25	114	82	53	27	38	21	14
Dysentery	29	2	1	14	15	9	4	7	6	2
Cholera	68	3	7	148	112	66	7	14	98	17
Influenza	20	–	2	7	10	7	–	1	1	1
Purpura	5	–	1	5	1	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	4	–	1	1	–	–	–	1	–	–
Typhus	596	39	6	190	183	59	116	69	30	24
Enteric Fever	154	9	15	84	41	45	14	8	20	7
Relasing Fever	3	1	–	1	2	5	1	–	–	–
Simple Continued Fever	8	–	2	3	19	14	1	3	–	2
Infantile Remittent	27	1	1	7	8	5	4	3	5	1
Metria	36	2	–	14	8	5	1	4	1	1
Rheumatic Fever	9	3	2	7	1	2	–	1	1	2
Erysipelas	62	4	6	24	9	11	9	6	3	5
Pyæmia	3	–	–	6	1	–	–	–	2	1
Syphilis	33	8	2	30	10	9	–	2	–	5
Noma	3	1	–	5	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	–	–	4	3	2	–	1	1	–
Dropsy	123	8	4	23	53	13	27	13	13	3
Abscess	22	2	3	14	8	4	3	2	–	1
Ulcer	3	–	–	4	1	1	1	2	1	1
Fistula	1	–	–	3	–	1	–	–	–	–
Mortification	21	1	1	14	6	9	2	5	2	3
Cancer	170	15	9	136	47	39	11	11	9	10
Gout	–	–	–	2	1	–	–	–	1	–
III. Scrofula	106	13	5	51	11	20	16	13	7	5
Tabes Mesenterica	195	16	13	57	23	31	11	17	15	4
Phthisis	1720	115	115	603	393	261	155	216	56	77
Hydrocephalus	431	32	45	168	117	64	42	47	35	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coathbridge, etc.	Dumfries.
ALL CAUSES	412	434	247	359	283	311	315	404	714	317	400	425	543
SPECIFIED CAUSES	410	432	239	353	265	303	312	396	709	294	381	420	528
Zymotic Class	72	91	27	69	47	102	55	77	279	87	149	131	84
Uncertain Seat	9	27	11	15	9	8	11	13	18	11	13	12	20
Tubercular Class	54	71	54	80	46	34	60	80	128	64	59	62	88
Brain, etc.	40	44	18	34	25	24	30	25	50	22	19	29	45
Heart, etc.	19	31	28	25	16	11	31	21	25	8	9	11	36
Respiratory Organs	55	58	37	37	51	44	30	63	77	34	42	82	122
Digestive Organs	44	23	20	30	17	7	27	23	38	17	32	30	27
Urinary Organs	7	5	5	7	4	1	4	6	11	3	2	1	11
Generative Organs	3	3	–	2	1	2	4	3	4	2	2	–	3
Locomotive Organs	5	3	–	–	2	4	3	1	1	1	1	–	3
Skin	–	–	–	–	–	–	1	2	–	1	–	2	–
Malformation	–	–	4	–	1	1	1	1	–	1	2	–	–
Premature Debility	26	36	6	14	7	17	23	22	38	10	10	20	23
Atrophy	4	2	–	–	3	4	2	2	3	2	5	3	7
Age	62	21	23	28	30	32	24	41	26	20	25	12	45
Sudden Deaths	–	3	1	3	1	2	–	–	–	–	2	3	1
Violent Deaths	10	14	5	9	5	10	6	16	11	11	9	22	13
Small Pox	–	–	1	–	–	–	–	–	1	1	–	–	1
Measles	–	–	–	–	1	–	8	–	14	1	20	8	16
Scarlatina	17	1	–	3	1	64	1	3	123	26	46	18	10
Diphtheria	–	5	1	–	4	6	2	–	2	5	2	2	1
Hooping Cough	4	16	2	1	8	1	2	26	20	5	23	41	22
Croup	12	6	3	4	11	6	4	5	13	10	9	6	8
Thrush	1	–	–	–	3	–	–	–	–	–	–	–	–
Diarrhœa	18	10	5	13	3	5	20	8	18	13	9	17	10
Dysentery	–	6	2	1	–	3	–	1	4	3	–	1	3
Cholera	–	–	2	27	1	3	–	1	5	2	–	2	–
Influenza	–	–	1	–	–	–	2	–	–	–	–	1	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus	1	7	6	7	3	3	7	21	48	14	27	11	1
Enteric Fever	12	13	1	8	5	2	3	8	12	5	8	9	3
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	4	13	1	–	–	–	–	1	6	–	–	9	–
Infantile Remittent	–	–	–	–	1	6	2	–	2	–	–	3	3
Metria	–	2	–	–	–	2	2	–	2	–	1	1	2
Rheumatic Fever	–	3	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	–	5	2	3	4	–	–	–	7	2	2	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	4	–	1	–	1	1	3	2	–	–	2	–
Noma	1	–	–	–	–	–	–	–	–	–	1	–	3
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	–	2	–	–	–	–	1	–	–	–	–
Dropsy	2	5	2	4	5	4	4	3	3	1	7	3	4
Abscess	–	1	2	–	–	1	1	1	1	1	1	–	2
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	2	1	1	–	–	–	–	1	3	–	1	1
Cancer	3	17	6	8	4	2	6	9	12	6	5	8	11
Gout	–	–	–	–	–	1	–	–	–	–	–	–	1
Scrofula	–	–	7	–	1	–	1	6	8	3	4	–	1
Tabes Mesenterica	3	2	3	5	2	1	2	3	5	6	13	11	4
Phthisis	46	60	36	62	30	31	49	60	87	37	30	37	75
Hydrocephalus	5	9	8	13	13	2	8	11	28	18	12	14	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	76	9	8	29	11	12	5	9	4	1
	Apoplexy	177	14	22	97	47	40	33	21	12	12
	Paralysis	202	17	13	121	47	62	32	30	25	18
	Delirium Tremens	15	–	1	6	6	5	–	1	1	2
	Chorea	1	–	–	3	–	–	1	–	–	–
	Epilepsy	25	4	5	22	6	18	4	6	4	2
	Tetanus	2	–	–	3	–	2	–	–	1	–
	Insanity	3	1	3	3	–	2	4	1	–	–
	Convulsions	257	5	21	49	84	63	14	26	16	6
	Brain Disease	198	7	23	92	17	30	13	41	5	10
V.	Pericarditis	9	–	–	1	1	–	5	5	2	1
	Aneurism	6	4	1	13	1	4	2	2	2	4
	Heart Disease	443	26	18	280	138	102	43	67	39	39
VI.	Laryngitis	15	3	–	13	2	6	1	2	3	–
	Bronchitis	1839	95	91	512	311	211	114	154	117	49
	Pleurisy	17	–	2	25	4	12	3	3	8	2
	Pneumonia	602	51	42	136	86	82	35	30	25	15
	Asthma	81	16	9	33	24	15	9	7	5	–
	Lung Disease	76	8	3	35	28	16	4	14	5	2
VII.	Teething	263	11	10	28	78	71	28	61	18	10
	Quinsey	4	–	–	1	–	2	–	3	–	–
	Gastritis	35	1	–	7	4	1	–	4	3	–
	Enteritis	144	10	17	47	23	11	40	9	7	5
	Peritonitis	40	–	4	25	6	6	7	8	6	3
	Ascites	8	1	–	4	4	1	–	–	1	1
	Ulceration of Intestines	11	–	1	13	–	9	–	1	5	1
	Hernia	17	–	1	14	3	3	2	1	1	1
	Ileus	37	–	1	13	11	10	–	6	3	5
	Intussusception	3	–	–	3	2	1	–	1	–	–
	Stricture of Intestines	5	–	–	11	1	2	–	–	1	–
	Stomach Disease	126	4	3	47	22	18	9	7	15	3
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	27	1	2	7	6	2	8	2	1	–
	Jaundice	15	3	2	14	9	7	3	–	1	2
	Liver Disease	125	5	8	67	21	22	20	11	9	3
	Spleen Disease	3	–	1	2	–	2	–	1	–	–
VIII.	Nephritis	22	–	2	4	6	3	1	1	–	–
	Nephria	40	1	2	35	14	10	2	3	2	5
	Addison's Disease	–	–	–	1	–	–	–	1	–	–
	Ischuria	2	–	–	7	1	2	–	2	–	3
	Diabetes	11	–	1	4	–	1	1	1	–	1
	Stone	5	–	–	4	–	3	1	–	–	–
	Cystitis	13	1	3	17	9	5	1	1	–	4
	Stricture of Urethra	4	–	–	5	–	–	–	–	1	–
	Kidney Disease	65	4	4	33	9	24	3	4	5	2
IX.	Paramenia	2	–	–	–	3	–	–	1	–	1
	Ovarian Dropsy	12	–	2	8	2	2	2	1	1	2
	Childbirth	59	3	4	18	12	7	8	15	3	6
	Organs of Generation	15	–	–	5	5	5	1	2	–	–
X.	Arthritis	11	–	1	14	–	1	–	2	1	2
	Rheumatism	26	1	1	8	2	13	6	1	1	1
	Joint and Bone Disease	24	3	3	15	4	5	6	1	2	1
XI.	Carbuncle	4	–	–	2	1	–	1	1	–	–
	Phlegmon	1	–	–	–	–	–	–	1	–	–
	Skin Disease	7	2	1	2	2	1	–	2	–	–
XVII.	Intemperance	24	–	–	7	2	2	1	3	1	–
	Privation	2	–	–	1	–	1	–	–	–	–
	Want of Breast Milk	38	1	2	12	5	10	–	2	1	–
	Neglect	–	–	–	–	2	–	–	–	–	–
	Cold	3	–	–	–	–	–	–	–	–	–
	Poison	12	–	–	4	–	1	1	1	2	2
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	77	–	7	22	5	6	3	6	9	3
	Hanging, etc.	12	–	–	3	2	1	2	1	–	1
	Suffocation	23	1	1	6	7	8	1	1	6	1
	Drowning	48	3	8	6	18	8	5	14	8	5
	Fracture and Contusion	166	12	7	105	34	24	13	27	15	9
	Gunshot Wounds	2	–	–	5	1	–	–	–	–	–
	Cuts and Stabs	2	–	1	7	–	–	1	1	–	–
	Other Violent Causes	12	2	1	6	11	5	3	3	2	3
	Not Specified	201	21	15	30	124	13	43	45	13	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	4	1	1	1	4	–	1	–	–	–	1	3
Apoplexy	4	10	3	11	6	4	1	3	15	5	3	8	10
Paralysis	18	16	4	7	10	7	12	17	16	6	6	6	15
Delirium Tremens	–	–	–	–	–	1	1	–	1	–	–	2	–
Chorea	–	1	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	4	–	2	2	1	1	1	1	2	2	–	–	3
Tetanus	–	–	–	–	–	–	–	2	–	–	–	1	1
Insanity	3	–	–	1	–	–	–	–	–	–	–	–	3
Convulsions	3	4	3	1	2	2	5	1	11	3	5	9	6
Brain Disease	7	9	5	11	4	5	10	–	5	6	5	2	4
Pericarditis	–	–	1	–	2	–	–	–	1	–	1	1	1
Aneurism	1	2	–	–	1	1	–	1	–	–	–	–	2
Heart Disease	18	29	27	25	13	10	31	20	24	8	8	10	33
Laryngitis	1	3	1	–	–	–	–	–	–	–	1	–	–
Bronchitis	19	42	25	21	38	31	20	44	62	21	28	57	78
Pleurisy	1	–	1	–	2	3	–	–	–	3	–	2	3
Pneumonia	17	10	7	14	9	9	4	12	9	9	7	17	38
Asthma	11	3	2	1	1	1	–	5	6	1	2	6	3
Lung Disease	6	–	1	1	1	–	6	2	–	–	4	–	–
Teething	7	8	3	4	3	3	3	6	3	3	5	5	2
Quinsey	1	–	–	–	–	–	1	–	–	–	–	1	–
Gastritis	2	–	–	1	2	–	–	1	–	–	4	7	–
Enteritis	10	1	–	2	3	1	3	2	17	4	10	5	3
Peritonitis	1	–	1	–	1	–	1	1	–	4	–	2	2
Ascites	–	–	1	–	–	1	–	–	–	–	1	1	–
Ulceration of Intestines	1	2	2	3	1	–	2	1	–	–	2	1	–
Hernia	1	2	2	4	1	–	–	–	–	–	2	–	–
Ileus	–	2	1	1	2	–	2	–	1	–	–	1	2
Intussusception	–	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	9	2	4	8	1	2	9	4	11	2	4	1	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	1	3	2	–	3	1
Jaundice	2	1	1	1	–	–	–	1	–	–	–	–	–
Liver Disease	8	5	4	6	1	–	6	5	2	2	4	2	8
Spleen Disease	–	–	–	–	–	–	–	1	1	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	1	–	–	–	–
Nephria	3	2	1	4	–	–	3	2	2	2	–	–	4
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	1
Diabetes	–	–	–	–	1	1	–	–	1	1	–	1	2
Stone	–	–	–	–	–	–	–	1	1	–	–	–	2
Cystitis	–	1	–	1	1	–	1	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	2	3	2	1	–	–	2	6	–	2	–	1
Paramenia	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	–	–	–	3	–	1	–	–	1
Childbirth	3	3	–	–	1	2	3	–	3	1	–	–	2
Organs of Generation	–	–	–	–	–	–	1	–	–	–	2	–	–
Arthritis	1	–	–	–	2	–	–	–	–	1	–	–	–
Rheumatism	3	1	–	–	–	4	1	1	1	–	–	–	1
Joint Disease	1	2	–	–	–	–	2	–	–	–	1	–	2
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	1	–	2	–
Intemperance	–	–	1	–	1	1	–	–	2	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	1	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	1	–
Poison	–	–	1	1	–	–	–	1	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	1	–	2	1	6	–	3	–	3	2
Hanging, etc.	–	–	2	1	–	–	–	–	–	–	1	–	1
Suffocation	1	–	–	3	–	–	1	–	1	–	–	1	–
Drowning	2	5	–	–	1	1	–	1	1	4	–	6	3
Fracture and Contusion	5	8	1	3	1	4	2	7	2	3	6	9	6
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	2	1	–	1	2	–	1	–	1
Not Specified	2	2	8	6	18	8	3	8	5	23	19	5	15

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6414	458	393	2422	1567	1144	654	759	481	301
SPECIFIED CAUSES	6288	449	388	2409	1499	1139	627	737	474	296
I. Zymotic Class	1403	105	75	522	382	300	160	160	122	53
II. Diseases of Uncertain Seat	130	10	4	64	41	25	13	18	3	8
III. Tubercular Class	1187	81	74	470	271	179	117	125	60	50
IV. Brain and Nervous System	495	35	53	225	126	146	47	76	37	25
V. Organs of Circulation	240	18	10	161	71	50	28	40	28	20
VI. Respiratory Organs	1354	92	70	362	235	160	77	115	85	38
VII. Organs of Digestion	449	21	27	143	90	98	56	64	37	14
VIII. Urinary Organs	99	4	9	68	23	27	6	10	4	11
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	32	1	4	22	4	8	9	2	2	3
XI. Skin, etc.	3	–	1	–	2	1	1	4	–	–
XII. Malformation	14	–	1	15	2	2	1	2	–	1
XIII. Premature Debility	369	34	20	127	109	52	40	45	45	26
XIV. Atrophy	51	5	3	17	16	4	11	7	2	2
XV. Age	154	27	17	87	60	44	38	15	16	24
XVI. Sudden Deaths	21	2	–	5	4	–	1	4	–	1
XVII. Violent Deaths	287	14	20	121	63	43	22	50	33	20
I. Small Pox	56	1	1	6	10	5	–	–	–	–
Measles	168	10	12	23	5	39	14	21	3	1
Scarlatina	221	27	13	33	55	77	29	21	6	3
Diphtheria	43	3	3	24	9	7	3	6	3	1
Hooping Cough	188	11	9	94	25	33	11	18	9	6
Croup	63	4	6	10	28	5	6	14	4	3
Thrush	1	–	–	1	5	–	–	–	–	–
Diarrhœa	134	13	11	54	38	24	13	18	10	7
Dysentery	19	1	1	9	10	6	1	3	4	2
Cholera	34	2	2	71	54	31	3	8	48	7
Influenza	15	–	1	3	4	2	–	–	1	–
Purpura	4	–	–	2	1	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	3	–	1	1	–	–	–	1	–	–
Typhus	312	19	3	108	87	26	65	40	17	11
Enteric Fever	69	3	5	35	16	24	6	3	11	4
Relapsing Fever	3	1	–	1	1	2	1	–	–	–
Simple Continued Fever	3	–	1	2	19	6	–	2	–	1
Infantile Remittent	16	1	1	3	3	2	4	1	2	1
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	1	5	1	1	–	–	–	1
Erysipelas	30	3	4	16	5	6	4	2	2	3
Pyæmia	1	–	–	4	–	–	–	–	1	1
Syphilis	16	3	–	15	5	4	–	2	–	1
Noma	1	–	–	2	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	2	1	2	–	–	–	–
Dropsy	45	3	2	9	19	4	8	6	3	2
Abscess	15	–	1	7	4	2	–	2	–	–
Ulcer	3	–	–	3	1	1	–	2	–	1
Fistula	1	–	–	2	–	–	–	–	–	–
Mortification	10	–	–	5	3	7	2	3	–	–
Cancer	53	7	1	36	13	9	3	5	–	5
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	55	6	2	24	10	10	9	8	2	2
Tabes Mesenterica	112	9	4	25	15	18	8	5	4	1
Phthisis	774	47	45	332	175	117	69	92	33	39
Hydrocephalus	246	19	23	89	71	34	31	20	21	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
ALL CAUSES	195	183	117	171	139	151	149	176	375	169	198	231	273
SPECIFIED CAUSES	194	183	113	168	130	145	149	174	373	152	189	227	264
Zymotic Class	30	42	15	36	21	49	25	33	150	38	71	55	39
Uncertain Seat	7	9	2	6	5	4	1	3	6	4	4	4	7
Tubercular Class	30	24	28	37	21	13	29	30	63	28	34	42	45
Brain, etc.	16	19	9	14	12	13	13	10	25	14	10	16	21
Heart, etc.	9	13	12	11	8	5	12	10	13	2	3	6	20
Respiratory Organs	32	26	18	16	29	20	18	32	51	22	30	54	67
Digestive Organs	30	13	9	18	8	7	17	13	18	12	14	16	16
Urinary Organs	4	4	3	4	1	1	2	4	9	1	2	1	6
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	–	–	2	2	2	1	–	1	–	–	1
Skin	–	–	–	–	–	–	1	2	–	1	–	1	–
Malformation	–	–	1	–	–	1	1	–	–	–	2	–	–
Premature Debility	12	15	5	8	4	9	15	11	24	6	4	11	11
Atrophy	–	1	–	–	2	2	–	–	1	2	2	1	2
Age	16	3	8	9	13	11	8	15	6	11	5	3	19
Sudden Deaths	–	2	–	2	1	–	–	–	–	–	1	1	1
Violent Deaths	7	10	3	7	3	8	5	10	7	10	7	16	9
Small Pox	–	–	1	–	–	–	–	–	1	1	–	–	1
Measles	–	–	–	–	–	–	7	–	7	–	16	4	8
Scarlatina	6	1	–	1	1	30	1	–	67	12	24	8	8
Diphtheria	–	2	–	–	3	3	1	–	2	1	2	–	–
Hooping Cough	3	7	–	–	4	1	1	8	7	1	11	12	9
Croup	4	3	3	2	7	4	3	2	5	7	1	4	1
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	10	4	2	7	1	3	8	6	14	4	5	9	9
Dysentery	–	2	1	1	–	1	–	–	2	1	–	–	–
Cholera	–	–	1	14	1	1	–	1	2	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	4	5	3	–	2	3	9	28	8	8	6	–
Enteric Fever	5	8	1	4	1	2	1	3	6	1	3	6	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	4	–	–	–	–	–	1	3	–	–	5	–
Infantile Remittent	–	–	–	–	–	2	–	–	1	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	4	–	2	2	–	–	–	5	2	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	2	–	1	–	–	–	3	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	–	2	–	–	–	–	1	–	–	–	–
Dropsy	2	1	–	2	3	2	–	2	–	1	3	1	1
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	2
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	1	1	–	–	–
Cancer	1	5	1	2	2	1	1	1	4	2	1	3	3
Gout	–	–	–	–	–	1	–	–	–	–	–	–	1
Scrofula	–	–	3	–	1	–	–	2	3	1	1	–	1
Tabes Mesenterica	3	1	3	2	1	–	–	3	2	2	11	7	1
Phthisis	24	19	19	28	11	13	24	19	42	14	15	24	38
Hydrocephalus	3	4	3	7	8	–	5	6	16	11	7	11	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	38	7	5	14	5	7	4	7	1	–
Apoplexy	92	10	11	55	31	22	14	14	5	7
Paralysis	84	10	7	56	21	40	13	12	14	7
Delirium Tremens	11	–	1	6	4	5	–	1	1	1
Chorea	–	–	–	2	–	–	1	–	–	–
Epilepsy	11	3	4	10	2	13	1	2	2	2
Tetanus	2	–	–	3	–	1	–	–	1	–
Insanity	2	–	2	3	–	1	2	–	–	–
Convulsions	148	2	8	29	52	38	6	15	11	3
Brain Disease	107	3	15	47	11	19	6	25	2	5
V. Pericarditis	4	–	–	–	–	–	2	4	2	1
Aneurism	4	2	1	9	1	4	–	1	2	4
Heart Disease	232	16	9	152	70	46	26	35	24	15
VI. Laryngitis	10	2	–	6	–	3	–	1	–	–
Bronchitis	914	48	46	233	151	91	46	88	55	24
Pleurisy	10	–	–	15	3	7	3	1	5	1
Pneumonia	341	25	15	76	55	44	21	19	16	11
Asthma	39	13	7	16	10	7	6	3	4	–
Lung Disease	40	4	2	16	16	8	1	3	5	2
VII. Teething	140	5	7	18	39	49	17	34	8	5
Quinsey	2	–	–	–	–	2	–	2	–	–
Gastritis	15	1	–	2	2	–	–	3	2	–
Enteritis	69	5	8	29	11	5	21	4	3	1
Peritonitis	17	–	2	5	1	3	2	4	2	2
Ascites	7	1	–	1	1	–	–	–	1	1
Ulceration of Intestines	7	–	1	5	–	3	–	1	2	–
Hernia	6	–	–	8	2	2	2	1	–	1
Ileus	19	–	1	6	6	4	–	4	1	2
Intussusception	2	–	–	2	2	1	–	1	–	–
Stricture of Intestines	–	–	–	9	1	1	–	–	1	–
Stomach Disease	75	3	1	17	6	10	4	4	10	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	1	–	4	5	2	3	1	1	–
Jaundice	9	2	2	4	6	3	1	–	–	1
Liver Disease	64	3	5	32	8	12	6	5	6	–
Spleen Disease	2	–	–	1	–	1	–	–	–	–
VIII. Nephritis	14	–	2	3	3	1	–	1	–	–
Nephria	24	1	1	18	6	4	2	2	–	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	4	1	1	–	2	–	2
Diabetes	5	–	1	2	–	1	1	1	–	1
Stone	5	–	–	4	–	2	1	–	–	–
Cystitis	11	–	3	14	7	3	1	1	–	4
Stricture of Urethra	4	–	–	5	–	–	–	–	1	–
Kidney Disease	35	3	2	18	6	15	1	3	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	1	8	–	–	–	1	1	1
Rheumatism	11	–	1	3	2	5	5	–	–	1
Joint and Bone Disease	14	1	2	11	2	8	4	1	1	1
XI. Carbuncle	1	–	–	–	1	–	1	1	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–
Skin Disease	2	–	1	–	1	1	–	2	–	–
XVII. Intemperance	9	–	–	2	1	1	–	3	1	–
Privation	2	–	–	–	–	1	–	–	–	–
Want of Breast Milk	22	1	1	5	3	6	–	1	1	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–
Poison	8	–	–	2	–	–	1	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	43	–	4	10	3	3	1	3	5	2
Hanging, etc.	5	–	–	1	2	–	2	1	–	1
Suffocation	13	–	1	3	2	4	–	–	4	1
Drowning	40	2	7	4	15	8	5	13	6	5
Fracture and Contusion	129	10	5	81	28	18	10	26	13	8
Gunshot Wounds	2	–	–	5	1	–	–	–	–	–
Cuts and Stabs	–	–	1	6	–	–	–	1	–	–
Other Violent Causes	11	1	1	2	8	2	3	2	2	3
Not Specified	126	9	5	13	68	5	27	22	7	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	2	1	–	1	4	–	–	–	–	–	1	1
Apoplexy	2	4	–	5	3	2	–	2	6	3	3	3	5
Paralysis	6	7	3	5	4	2	5	7	8	4	2	5	9
Delirium Tremens	–	–	–	–	–	1	1	–	1	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	2	–	1	–	1	2	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	2	1	–	1	2	2	–	6	2	2	4	3
Brain Disease	3	4	4	2	3	1	5	–	2	5	3	2	1
Pericarditis	–	–	–	–	1	–	–	–	1	–	1	–	1
Aneurism	–	2	–	–	1	1	–	1	–	–	–	–	2
Heart Disease	9	11	12	11	6	4	12	9	12	2	2	6	17
Laryngitis	1	2	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	13	20	11	8	21	11	12	20	41	12	19	32	38
Pleurisy	–	–	1	–	–	1	–	–	–	1	–	2	1
Pneumonia	11	4	3	8	6	7	4	8	6	8	5	15	25
Asthma	6	–	2	–	1	1	–	3	4	1	1	5	3
Lung Disease	1	–	1	–	1	–	2	1	–	–	4	–	–
Teething	5	4	1	4	2	3	3	1	2	1	2	1	2
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	1	1	–	–	1	–	–	2	6	–
Enteritis	7	1	–	–	1	1	2	1	8	3	6	2	–
Peritonitis	–	–	–	–	–	–	–	1	–	3	–	1	2
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	2	1	–	2	–	–	–	–	1	–
Hernia	1	1	1	2	1	–	–	–	–	–	1	–	–
Ileus	–	2	–	1	–	–	–	–	1	–	–	1	1
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	4	1	4	7	–	2	7	3	5	2	2	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	1	2	2	–	3	1
Jaundice	2	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	6	3	2	1	–	–	3	4	–	1	1	1	6
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	2	2	1	2	–	–	1	1	1	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	1	1	–	1	1
Stone	–	–	–	–	–	–	–	1	1	–	–	–	2
Cystitis	–	1	–	–	–	–	1	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	2	1	–	–	2	5	–	2	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	2	–	–	–	–	1	–	–	–
Rheumatism	–	–	–	–	–	2	1	1	–	–	–	–	1
Joint Disease	–	2	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	1	–	1	–
Intemperance	–	–	1	–	1	1	–	–	1	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	1	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	2	1	1	–	3	–	2	1
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	2	–	–	1	–	1	–	–	–	–
Drowning	2	4	–	–	–	1	–	1	–	4	–	3	2
Fracture and Contusion	3	5	1	3	1	3	2	6	2	2	5	9	6
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	1	–	1	1	–	1	–	–
Not Specified	1	–	4	3	9	6	–	2	2	17	9	4	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6415	456	435	2391	1563	1180	691	729	443	312
SPECIFIED CAUSES	6340	444	425	2374	1507	1172	675	706	437	305
I. Zymotic Class	1451	97	95	490	389	310	160	150	110	60
II. Diseases of Uncertain Seat	219	16	13	136	78	44	31	16	24	10
III. Tubercular Class	1265	95	104	409	273	197	107	168	53	53
IV. Brain and Nervous System	461	22	43	200	92	88	59	59	31	26
V. Organs of Circulation	218	12	9	133	69	56	22	34	15	24
VI. Respiratory Organs	1276	81	77	392	220	182	89	95	78	30
VII. Organs of Digestion	414	15	23	160	100	70	61	51	34	20
VIII. Urinary Organs	63	2	3	42	16	21	3	3	4	4
IX. Organs of Generation	88	3	6	31	22	14	11	19	4	9
X. Organs of Locomotion	29	3	1	15	2	11	3	2	2	1
XI. Skin, etc.	9	2	–	4	1	–	–	–	–	–
XII. Malformation	10	2	2	12	1	1	1	1	2	2
XIII. Premature Debility	353	28	18	110	103	42	42	38	30	22
XIV. Atrophy	54	5	6	23	13	10	8	8	9	6
XV. Age	280	56	18	149	100	101	69	53	28	31
XVI. Sudden Deaths	16	–	–	5	4	2	1	–	2	3
XVII. Violent Deaths	134	5	7	63	24	23	8	9	11	4
I. Small Pox	48	4	–	3	13	5	1	–	–	1
Measles	165	13	14	17	2	31	17	19	2	–
Scarlatina	201	18	13	12	45	66	30	23	2	2
Diphtheria	40	4	5	25	9	10	2	4	1	2
Hooping Cough	244	9	16	95	34	35	11	17	11	8
Croup	64	1	7	9	26	5	11	9	1	4
Thrush	1	–	–	–	2	1	1	1	1	–
Diarrhœa	157	11	14	60	44	29	14	20	11	7
Dysentery	10	1	–	5	5	3	3	4	2	–
Cholera	34	1	5	77	58	35	4	6	50	10
Influenza	5	–	1	4	6	5	–	1	–	1
Purpura	1	–	1	3	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–
Typhus	284	20	3	82	96	33	51	29	13	13
Enteric Fever	85	6	10	49	25	21	8	5	9	3
Relapsing Fever	–	–	–	–	1	3	–	–	–	–
Simple Continued Fever	5	–	1	1	–	8	1	1	–	1
Infantile Remittent	11	–	–	4	5	3	–	2	3	–
Metria	36	2	–	14	8	5	1	4	1	1
Rheumatic Fever	6	–	1	2	–	1	–	1	1	1
Erysipelas	32	1	2	8	4	5	5	4	1	2
Pyæmia	2	–	–	2	1	–	–	–	1	–
Syphilis	17	5	2	15	5	5	–	–	–	4
Noma	2	1	–	3	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	–	–	2	2	–	–	1	1	–
Dropsy	78	5	2	14	34	9	19	7	10	1
Abscess	7	2	2	7	4	2	3	–	–	1
Ulcer	–	–	–	1	–	–	1	–	1	–
Fistula	–	–	–	1	–	1	–	–	–	–
Mortification	11	1	1	9	3	2	–	2	2	3
Cancer	117	8	8	100	34	30	8	6	9	5
Gout	–	–	–	2	1	–	–	–	1	–
III. Scrofula	51	7	3	27	1	10	7	5	5	3
Tabes Mesenterica	83	7	9	32	8	13	3	12	11	3
Phthisis	946	68	70	271	218	144	86	124	23	38
Hydrocephalus	185	13	22	79	46	30	11	27	14	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	217	251	130	188	144	160	166	228	339	148	202	194	270
SPECIFIED CAUSES	216	249	126	185	135	158	163	222	336	142	192	193	264
Zymotic Class	42	49	12	33	26	53	30	44	129	49	78	76	45
Uncertain Seat	2	18	9	9	4	4	10	10	12	7	9	8	13
Tubercular Class	24	47	26	43	25	21	31	50	65	36	25	20	43
Brain, etc.	24	25	9	20	13	11	17	15	25	8	9	13	24
Heart, etc.	10	18	16	14	8	6	19	11	12	6	6	5	16
Respiratory Organs	23	32	19	21	22	24	12	31	26	12	12	28	55
Digestive Organs	14	10	11	12	9	–	10	10	20	5	18	14	11
Urinary Organs	3	1	2	3	3	–	2	2	2	2	–	–	5
Generative Organs	3	3	–	2	1	2	4	3	4	2	2	–	3
Locomotive Organs	4	1	–	–	–	2	1	–	1	–	1	–	2
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–
Malformation	–	–	3	–	1	–	–	1	–	1	–	–	–
Premature Debility	14	21	1	6	3	8	8	11	14	4	6	9	12
Atrophy	4	1	–	–	1	2	2	2	2	–	3	2	5
Age	46	18	15	19	17	21	16	26	20	9	20	9	26
Sudden Deaths	–	1	1	1	–	2	–	–	–	–	1	2	–
Violent Deaths	3	4	2	2	2	2	1	6	4	1	2	6	4
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	1	–	7	1	4	4	8
Scarlatina	11	–	–	2	–	34	–	3	56	14	22	10	2
Diphtheria	–	3	1	–	1	3	1	–	–	4	–	2	1
Hooping Cough	1	9	2	1	4	–	1	18	13	4	12	29	13
Croup	8	3	–	2	4	2	1	3	8	3	8	2	7
Thrush	1	–	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa	8	6	3	6	2	2	12	2	4	9	4	8	1
Dysentery	–	4	1	–	–	2	–	1	2	2	–	1	3
Cholera	–	–	1	13	–	2	–	–	3	2	–	2	–
Influenza	–	–	–	–	–	–	2	–	–	–	–	1	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus	1	3	1	4	3	1	4	12	20	6	19	5	1
Enteric Fever	7	5	–	4	4	–	2	5	6	4	5	3	2
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	9	1	–	–	–	–	–	3	–	–	4	–
Infantile Remittent	–	–	–	–	1	4	2	–	1	–	–	3	2
Metria	–	2	–	–	–	2	2	–	2	–	1	1	2
Rheumatic Fever	–	2	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	1	2	1	2	–	–	–	2	–	2	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	2	–	–	–	1	1	–	2	–	–	1	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	2
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	4	2	2	2	2	4	1	3	–	4	2	3
Abscess	–	1	1	–	–	1	1	1	1	1	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	1	1	–	–	–	–	–	2	–	1	1
Cancer	2	12	5	6	2	1	5	8	8	4	4	5	8
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	4	–	–	–	1	4	5	2	3	–	–
Tabes Mesenterica	–	1	–	3	1	1	2	–	3	4	2	4	3
Phthisis	22	41	17	34	19	18	25	41	45	23	15	13	37
Hydrocephalus	2	5	5	6	5	2	3	5	12	7	5	3	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	38	2	3	15	6	5	1	2	3	1
Apoplexy	85	4	11	42	16	18	19	7	7	5
Paralysis	118	7	6	65	26	22	19	18	11	11
Delirium Tremens	4	–	–	–	2	–	–	–	–	1
Chorea	1	–	–	1	–	–	–	–	–	–
Epilepsy	14	1	1	12	4	5	3	4	2	–
Tetanus	–	–	–	–	–	1	–	–	–	–
Insanity	1	1	1	–	–	1	2	1	–	–
Convulsions	109	3	13	20	32	25	8	11	5	3
Brain Disease	91	4	8	45	6	11	7	16	3	5
V. Pericarditis	5	–	–	1	1	–	3	1	–	–
Aneurism	2	2	–	4	–	–	2	1	–	–
Heart Disease	211	10	9	128	68	56	17	32	15	24
VI. Laryngitis	5	1	–	7	2	3	1	1	3	–
Bronchitis	925	47	45	279	160	120	68	66	62	25
Pleurisy	7	–	2	10	1	5	–	2	3	1
Pneumonia	261	26	27	60	31	38	14	11	9	4
Asthma	42	3	2	17	14	8	3	4	1	–
Lung Disease	36	4	1	19	12	8	3	11	–	–
VII. Teething	123	6	3	10	39	22	11	27	10	5
Quinsey	2	–	–	1	–	–	–	1	–	–
Gastritis	20	–	–	5	2	1	–	1	1	–
Enteritis	75	5	9	18	12	6	19	5	4	4
Peritonitis	23	–	2	20	5	3	5	4	4	1
Ascites	1	–	–	3	3	1	–	–	–	–
Ulceration of Intestines	4	–	–	8	–	6	–	–	3	1
Hernia	11	–	1	6	1	1	–	–	1	–
Ileus	18	–	–	7	5	6	–	2	2	3
Intussusception	1	–	–	1	–	–	–	–	–	–
Stricture of Intestines	5	–	–	2	–	1	–	–	–	–
Stomach Disease	51	1	2	30	16	8	5	3	5	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	–	2	3	1	–	5	1	–	–
Jaundice	6	1	–	10	3	4	2	–	1	1
Liver Disease	61	2	3	35	13	10	14	6	3	3
Spleen Disease	1	–	1	1	–	1	–	1	–	–
VIII. Nephritis	8	–	–	1	3	2	1	–	–	–
Nephria	16	–	1	17	8	6	–	1	2	2
Addison's Disease	–	–	–	1	–	–	–	1	–	–
Ischuria	1	–	–	3	–	1	–	–	–	1
Diabetes	6	–	–	2	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–
Cystitis	2	1	–	3	2	2	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	30	1	2	15	3	9	2	1	2	1
IX. Paramenia	2	–	–	–	3	–	–	1	–	1
Ovarian Dropsy	12	–	2	8	2	2	2	1	1	2
Childbirth	59	3	4	18	12	7	8	15	3	6
Organs of Generation	15	–	–	5	5	5	1	2	–	–
X. Arthritis	4	–	–	6	–	1	–	1	–	1
Rheumatism	15	1	–	5	–	8	1	1	1	–
Joint and Bone Disease	10	2	1	4	2	2	2	–	1	–
XI. Carbuncle	3	–	–	2	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–
Skin Disease	5	2	–	2	1	–	–	–	–	–
XVII. Intemperance	15	–	–	5	1	1	1	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	16	–	1	7	2	4	–	1	–	–
Neglect	–	–	–	–	2	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	2	–	1	–	1	1	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	34	–	3	12	2	3	2	3	4	1
Hanging, etc.	7	–	–	2	–	1	–	–	–	–
Suffocation	10	1	–	3	5	4	1	1	2	–
Drowning	8	1	1	2	3	–	–	1	2	–
Fracture and Contusion	37	2	2	24	6	6	3	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	1	–	–	1	–	–	–
Other Violent Causes	1	1	–	4	3	3	–	1	–	–
Not Specified	75	12	10	17	56	8	16	23	6	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	2	–	1	–	–	–	1	–	–	–	–	2
Apoplexy	2	6	3	6	3	2	1	1	9	2	–	5	5
Paralysis	12	9	1	2	6	5	7	10	8	2	4	1	6
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	1	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	–	1	–	1	–	–	2	–	–	1
Tetanus	–	–	–	–	–	–	–	2	–	–	–	1	1
Insanity	3	–	–	1	–	–	–	–	–	–	–	–	3
Convulsions	2	2	2	1	1	–	3	1	5	1	3	5	3
Brain Disease	4	5	1	9	1	4	5	–	3	1	2	–	3
Pericarditis	–	–	1	–	1	–	–	–	–	–	–	1	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	18	15	14	7	6	19	11	12	6	6	4	16
Laryngitis	–	1	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	22	14	13	17	20	8	24	21	9	9	25	40
Pleurisy	1	–	–	–	2	2	–	–	–	2	–	–	2
Pneumonia	6	6	4	6	3	2	–	4	3	1	2	2	13
Asthma	5	3	–	1	–	–	–	2	2	–	1	1	–
Lung Disease	5	–	–	1	–	–	4	1	–	–	–	–	–
Teething	2	4	2	–	1	–	–	5	1	2	3	4	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	1	–
Gastritis	–	–	–	–	1	–	–	–	–	–	2	1	–
Enteritis	3	–	–	2	2	–	1	1	9	1	4	3	3
Peritonitis	1	–	1	–	1	–	1	–	–	1	–	1	–
Ascites	–	–	1	–	–	–	–	–	–	–	1	1	–
Ulceration of Intestines	–	2	2	1	–	–	–	1	–	–	2	–	–
Hernia	–	1	1	2	–	–	–	–	–	–	1	–	–
Ileus	–	–	1	–	2	–	2	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	1	1	–	2	1	6	–	2	1	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	1	–	–	–	–
Jaundice	–	–	1	1	–	–	–	1	–	–	–	–	–
Liver Disease	2	2	2	5	1	–	3	1	2	1	3	1	2
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	2	–	–	2	1	1	2	–	–	3
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	1
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	1	–	–	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	–	–	–	3	–	1	–	–	1
Childbirth	3	3	–	–	1	2	3	–	3	1	–	–	2
Organs of Generation	–	–	–	–	–	–	1	–	–	–	2	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	1	–	–	–	2	–	–	1	–	–	–	–
Joint Disease	1	–	–	–	–	–	1	–	–	–	1	–	2
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	1	–
Intemperance	–	–	–	–	–	–	–	–	1	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	1	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	1	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	–	–	5	–	–	–	1	1
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	1	–	1
Suffocation	–	–	–	1	–	–	–	–	–	–	–	1	–
Drowning	–	1	–	–	1	–	–	–	1	–	–	3	1
Fracture and Contusion	2	3	–	–	–	1	–	1	–	1	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	1	–	–	–	1
Not Specified	1	2	4	3	9	2	3	6	3	6	10	1	6

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	71348	6874	2422	4619	5964	2868	1858	1337	3437	1748	2373	2720	2641
Specified Causes	68196	5931	2155	4380	5720	2768	1783	1270	3295	1678	2288	2636	2550
I. Zymotic Class	15564	637	489	1382	2287	1408	1038	767	1766	568	523	516	465
II. Diseases of Uncertain Seat	2450	41	13	15	29	25	27	13	57	29	38	48	59
III. Tubercular Class	11653	167	277	688	997	469	272	201	681	531	1104	1332	1153
IV. Brain and Nervous System	5474	456	144	254	224	135	75	70	206	125	108	104	136
V. Organs of Circulation	3218	25	8	7	9	12	5	6	28	55	62	82	121
VI. Respiratory Organs	10036	745	636	1201	1201	451	235	131	254	93	111	160	185
VII. Organs of Digestion	4952	505	254	588	668	127	53	28	77	76	108	93	118
VIII. Urinary Organs	1016	4	3	4	12	10	10	11	43	33	31	48	43
IX. Organs of Generation	546	–	–	–	–	–	–	1	–	–	28	56	102
X. Organs of Locomotion	387	1	2	2	6	5	3	1	40	36	36	26	21
XI. Skin, etc.	75	7	7	7	7	3	–	1	3	–	2	2	2
XII. Malformation	168	124	15	15	8	–	1	2	–	2	–	–	–
XIII. Premature Debility	3475	3057	244	174	–	–	–	–	–	–	–	–	–
XIV. Atrophy	526	–	–	–	178	44	19	10	19	13	11	9	5
XV. Age	6255	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	156	17	8	3	–	2	1	–	2	2	2	2	10
XVII. Violent Deaths	2245	145	55	40	94	77	44	28	119	115	124	158	130
I. Small Pox	200	17	26	21	18	17	12	17	21	3	7	14	9
Measles	1038	13	23	207	403	160	97	51	63	6	3	3	1
Scarlatina	2706	15	23	149	389	437	388	325	722	133	49	34	17
Diphtheria	685	18	10	46	118	96	78	65	152	42	19	7	4
Hooping Cough	1860	118	121	471	582	245	141	74	103	3	1	–	1
Croup	903	37	20	108	289	195	93	67	87	6	–	–	1
Thrush	39	24	4	4	2	3	1	1	–	–	–	–	–
Diarrhœa	1504	203	149	220	251	44	22	17	35	7	13	19	14
Dysentery	294	6	19	20	15	10	2	3	3	–	2	3	8
Cholera	1270	8	13	27	59	48	51	39	127	51	31	52	70
Influenza	200	13	3	5	7	3	3	6	4	–	2	4	2
Purpura	41	3	–	1	3	2	1	–	3	1	6	3	4
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	26	–	–	–	1	3	8	4	10	–	–	–	–
Typhus	2172	13	4	18	33	34	35	29	144	123	172	186	154
Enteric Fever	1404	6	7	25	51	58	67	46	188	139	151	110	85
Relapsing Fever	34	–	–	–	–	2	–	1	9	3	3	3	2
Simple Continued Fever	249	2	1	5	14	12	13	2	40	21	26	16	10
Infantile Remittent	159	11	7	17	30	29	13	15	36	1	–	–	–
Metria	181	–	–	–	–	–	–	–	–	–	11	40	56
Rheumatic Fever	103	–	–	–	–	–	1	2	9	21	12	10	7
Erysipelas	295	80	19	14	7	5	2	2	8	7	10	7	11
Pyæmia	20	1	–	1	–	–	1	–	1	1	3	2	1
Syphilis	156	49	40	22	12	4	–	–	–	–	–	2	7
Noma	24	–	–	1	3	1	9	1	1	–	2	1	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	63	12	1	1	–	–	–	–	1	1	5	7	5
Dropsy	721	7	6	3	18	13	16	9	40	19	9	17	15
Abscess	134	11	2	8	4	6	6	2	5	4	10	3	5
Ulcer	38	2	3	–	1	–	–	–	–	1	–	–	4
Fistula	15	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	144	8	–	1	4	3	1	–	3	–	4	3	6
Cancer	1327	1	1	2	2	3	4	2	8	4	10	17	23
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	617	14	21	39	61	27	19	16	84	50	74	50	42
Tabes Mesenterica	859	69	50	108	256	119	42	32	80	37	23	10	4
Phthisis	8283	23	52	94	194	118	75	66	263	400	999	1267	1104
Hydrocephalus	1894	61	154	447	486	205	136	87	254	44	8	5	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2397	2403	2428	2401	2529	2574	2994	3259	3395	3260	2567	1474	525	175	32	74
Specified Causes	2326	2323	2346	2304	2439	2461	2855	3224	3393	3260	2567	1474	525	175	32	38
Zymotic Class	442	427	457	370	352	346	327	311	274	207	121	58	16	4	–	6
Uncertain Seat	57	95	155	193	246	229	274	234	233	186	109	35	8	1	–	1
Tubercular Class	920	725	584	431	385	293	223	120	57	30	8	–	1	–	–	4
Brain, etc.	123	163	174	231	273	258	405	486	497	438	237	115	24	9	–	4
Heart, etc.	142	190	171	213	244	285	381	386	344	250	141	44	6	1	–	–
Respiratory Organs	189	235	295	366	439	488	568	595	561	445	264	148	29	6	1	4
Digestive Organs	122	158	185	206	229	267	269	308	226	179	78	23	6	–	–	1
Urinary Organs	55	62	49	58	63	50	69	97	94	95	48	20	1	3	–	–
Generative Organs	92	98	67	33	15	16	14	12	4	5	1	–	1	–	–	1
Locomotive Organs	15	13	16	19	18	29	23	23	24	18	8	2	–	–	–	–
Skin	–	1	4	1	4	3	4	6	3	5	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	12	17	30	30	51	78	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	191	553	1025	1354	1511	1013	424	151	31	2
Sudden Deaths	5	12	13	8	8	14	18	17	6	3	3	–	–	–	–	–
Violent Deaths	152	127	146	145	111	105	89	76	45	45	36	16	8	–	–	15
Small Pox	8	3	3	1	1	–	2	–	–	–	–	–	–	–	–	–
Measles	3	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	8	5	5	1	2	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	4	4	5	4	1	3	–	4	1	3	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	23	32	28	35	47	44	63	60	76	41	26	9	2	–	1
Dysentery	5	9	6	7	19	10	30	33	37	20	17	8	–	2	–	–
Cholera	95	102	94	83	72	67	57	49	41	24	5	4	–	–	–	1
Influenza	2	3	4	4	9	5	15	27	25	25	18	9	2	–	–	–
Purpura	1	–	2	1	4	1	1	3	–	1	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	152	189	190	174	153	126	105	61	37	21	11	3	3	–	–	2
Enteric Fever	72	39	66	49	37	52	40	43	33	22	14	3	1	–	–	–
Relapsing Fever	2	–	1	–	–	1	1	1	1	1	3	–	–	–	–	–
Simple Cont. Fever	10	5	11	6	4	12	10	8	8	5	6	–	1	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	36	22	15	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	6	5	2	1	5	6	2	4	2	–	–	–	–	–	1
Erysipelas	4	12	11	7	10	13	11	14	25	6	6	4	–	–	–	–
Pyæmia	6	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	2	5	2	2	1	3	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	6	5	2	2	2	1	6	–	–	–	–	–	–	–
Dropsy	15	24	32	40	45	55	66	82	77	61	38	12	2	–	–	–
Abscess	8	6	11	2	10	3	12	2	6	4	2	1	1	–	–	–
Ulcer	–	1	4	1	3	3	2	1	4	6	2	–	–	–	–	–
Fistula	–	1	1	2	3	–	4	2	–	–	–	–	–	–	–	–
Mortification	–	2	3	5	4	8	11	22	10	22	17	5	2	–	–	–
Cancer	30	58	97	138	179	156	175	124	130	92	49	17	3	1	–	1
Gout	1	–	1	–	–	2	2	–	–	1	1	–	–	–	–	–
Scrofula	25	22	12	9	11	11	12	8	5	5	–	–	–	–	–	–
Tabes Mesenterica	6	3	5	4	1	3	3	3	1	–	–	–	–	–	–	–
Phthisis	887	698	567	418	373	279	208	109	51	25	8	–	1	–	–	4
Hydrocephalus	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	390	9	15	42	33	24	19	14	58	41	29	23	17
Apoplexy	1179	19	8	26	21	12	8	11	18	9	20	13	30
Paralysis	1621	1	–	2	–	3	2	–	3	5	2	7	15
Delirium Tremens	60	–	–	–	–	–	–	–	–	–	1	3	5
Chorea	11	–	–	–	–	–	–	–	1	3	5	–	–
Epilepsy	255	–	1	–	–	–	–	1	7	13	20	20	32
Tetanus	45	19	2	–	1	1	–	1	3	3	1	3	1
Insanity	35	–	–	–	–	–	–	–	1	1	–	3	1
Convulsions	932	393	109	152	125	66	26	21	39	–	–	–	–
Brain Disease	946	15	9	32	44	29	20	22	76	50	30	32	35
V. Pericarditis	49	1	–	–	1	2	1	–	4	4	4	4	1
Aneurism	85	–	–	–	–	1	–	–	1	–	2	4	2
Heart Disease	3084	24	8	7	8	9	4	6	23	51	56	74	118
VI. Laryngitis	98	8	6	5	12	13	6	4	6	2	2	2	3
Bronchitis	6629	542	513	933	909	316	160	80	154	38	27	47	72
Pleurisy	252	14	2	7	3	4	6	3	10	5	16	12	10
Pneumonia	2207	158	104	246	268	115	55	39	66	42	56	85	70
Asthma	500	–	–	–	–	–	1	–	–	1	5	5	6
Lung Disease	350	23	11	10	9	3	7	5	18	5	5	9	24
VII. Teething	1038	6	45	418	506	56	6	–	1	–	–	–	–
Quinsey	51	8	2	8	6	7	2	–	3	–	–	2	1
Gastritis	187	22	11	5	9	3	2	2	6	5	2	6	5
Enteritis	886	252	106	100	90	28	19	13	20	21	15	15	22
Peritonitis	257	18	8	11	5	1	2	–	13	12	24	14	21
Ascites	62	–	–	–	–	2	–	–	1	4	3	1	–
Ulceration of Intestines	178	5	2	5	2	2	–	1	2	3	11	10	13
Hernia	118	8	4	1	1	1	–	–	–	–	–	1	–
Ileus	272	26	5	4	3	4	1	2	6	7	18	14	8
Intussusception	34	–	5	5	1	–	–	–	2	1	1	–	2
Stricture of Intestines	40	4	–	–	1	–	–	–	–	1	1	2	1
Stomach Disease	750	75	58	28	31	11	12	2	7	11	12	10	14
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	171	4	–	1	2	4	2	1	–	4	5	2	7
Jaundice	173	61	5	1	2	4	5	1	1	1	1	3	–
Liver Disease	698	16	2	1	6	4	1	5	15	4	13	10	22
Spleen Disease	37	–	1	–	3	–	1	1	–	2	2	3	2
VIII. Nephritis	69	1	–	1	3	3	2	2	14	2	6	3	4
Nephria	235	–	–	1	2	4	3	3	12	12	13	16	17
Addison's Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	50	2	1	–	2	–	1	–	–	1	–	2	–
Diabetes	75	–	–	–	1	1	–	–	2	7	2	4	7
Stone	63	–	–	–	1	–	–	–	1	–	–	1	1
Cystitis	179	–	–	1	2	–	–	–	–	1	1	5	1
Stricture of Urethra	16	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	322	1	2	1	1	2	4	6	14	10	8	17	13
IX. Paramenia	25	–	–	–	–	–	–	–	–	–	8	6	2
Ovarian Dropsy	77	–	–	–	–	–	–	–	–	–	1	–	8
Childbirth	356	–	–	–	–	–	–	–	–	–	17	47	84
Organs of Generation	88	–	–	–	–	–	–	1	–	–	2	3	8
X. Arthritis	77	1	1	–	3	2	2	1	10	8	13	5	6
Rheumatism	182	–	–	–	–	1	–	–	4	7	13	7	8
Joint and Bone Disease	128	–	1	2	3	2	1	–	26	21	10	14	7
XI. Carbuncle	24	–	1	1	2	–	–	–	–	–	1	–	–
Phlegmon	9	1	–	–	–	1	–	–	1	–	–	1	1
Skin Disease	42	6	6	6	5	2	–	1	2	–	1	1	1
XVII. Intemperance	78	–	–	–	–	–	–	–	–	–	–	1	1
Privation	4	–	–	–	2	1	–	–	–	–	–	–	–
Want of Breast Milk	100	57	29	13	–	1	–	–	–	–	–	–	–
Neglect	3	1	–	–	2	–	–	–	–	–	–	–	–
Cold	27	–	1	1	1	–	2	–	–	–	–	1	–
Poison	46	6	1	2	–	2	–	2	–	2	–	4	4
Poisoned Wounds	2	–	–	–	–	–	–	–	1	–	–	–	1
Burns and Scalds	304	3	3	13	60	40	27	14	37	7	2	5	9
Hanging, etc.	55	–	–	–	–	–	–	–	–	–	2	1	5
Suffocation	102	54	20	5	1	2	2	–	1	–	2	1	2
Drowning	429	5	–	–	13	15	7	4	22	13	38	48	42
Fracture and Contusion	913	5	–	5	12	15	6	7	53	83	70	78	52
Gunshot Wounds	25	–	–	–	–	–	–	–	2	4	4	4	4
Cuts and Stabs	36	–	–	–	–	–	–	–	–	–	1	2	3
Other Violent Causes	121	14	1	1	3	1	–	1	3	6	5	13	7
Not Specified	3152	943	267	239	244	100	75	67	142	70	85	84	91

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	13	12	2	9	6	6	6	1	3	6	2	–	–	–	–	–
Apoplexy	25	33	49	66	84	80	128	138	150	121	62	31	12	4	–	1
Paralysis	24	30	48	75	99	108	196	248	281	243	146	65	12	4	–	2
Delirium Tremens	8	16	5	8	8	3	2	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	15	29	16	19	15	10	14	12	11	13	4	2	–	1	–	–
Tetanus	1	2	3	–	1	1	1	–	1	–	–	–	–	–	–	–
Insanity	4	1	5	4	4	2	5	–	–	3	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	33	39	46	50	56	48	53	85	50	52	22	17	–	–	–	1
Pericarditis	2	8	3	1	2	2	3	3	2	1	–	–	–	–	–	–
Aneurism	11	9	8	10	7	5	12	6	4	2	1	–	–	–	–	–
Heart Disease	129	173	160	202	235	278	366	377	338	247	140	44	6	1	–	–
Laryngitis	2	6	3	5	1	4	2	3	2	1	–	–	–	–	–	–
Bronchitis	72	103	141	189	245	282	352	385	391	318	206	118	25	6	1	4
Pleurisy	10	10	16	16	15	19	14	15	23	9	9	3	1	–	–	–
Pneumonia	82	81	86	89	96	101	92	91	69	65	32	17	2	–	–	–
Asthma	8	13	32	31	54	53	75	82	65	44	15	9	1	–	–	–
Lung Disease	15	22	17	36	28	29	33	19	11	8	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	2	1	1	1	3	–	2	–	–	–	–	–	–	–
Gastritis	9	4	9	7	7	12	18	15	7	11	6	2	2	–	–	–
Enteritis	9	18	23	17	18	23	20	14	23	14	4	2	–	–	–	–
Peritonitis	20	13	17	6	7	15	11	17	10	7	3	2	–	–	–	–
Ascites	3	5	5	4	8	3	5	5	5	5	3	–	–	–	–	–
Ulceration of Intestines	12	17	11	8	9	14	12	22	9	4	3	1	–	–	–	–
Hernia	3	5	5	8	10	15	12	14	11	9	8	2	–	–	–	–
Ileus	8	10	6	14	12	20	11	24	29	26	11	1	2	–	–	–
Intussusception	1	–	–	3	1	3	3	2	2	2	–	–	–	–	–	–
Stricture of Intestines	4	2	1	1	7	5	2	2	3	2	1	–	–	–	–	–
Stomach Disease	12	23	36	49	54	49	54	75	59	46	15	5	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	14	9	12	15	18	20	14	11	10	3	1	–	–	–	–
Jaundice	2	7	1	6	9	8	13	18	8	9	6	1	–	–	–	–
Liver Disease	23	39	58	70	65	80	82	83	46	32	15	5	1	–	–	–
Spleen Disease	2	1	2	–	6	1	3	3	1	2	–	1	–	–	–	–
Nephritis	5	3	3	–	7	–	2	–	4	2	–	2	–	–	–	–
Nephria	16	26	17	20	16	9	11	20	6	7	4	–	–	–	–	–
Addison's Disease	1	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Ischuria	2	2	1	3	1	–	4	7	3	10	5	2	–	1	–	–
Diabetes	9	4	7	5	5	4	7	6	4	–	–	–	–	–	–	–
Stone	1	1	–	1	3	2	4	8	19	11	8	1	–	–	–	–
Cystitis	2	5	3	4	8	6	14	26	23	44	21	10	–	2	–	–
Stricture of Urethra	2	3	–	1	–	2	2	2	1	2	1	–	–	–	–	–
Kidney Disease	17	18	17	24	21	26	25	27	34	19	9	5	1	–	–	–
Paramenia	2	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	12	10	8	11	7	5	3	1	4	–	–	–	–	–	–
Childbirth	74	82	44	7	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	9	3	13	14	2	9	9	9	3	1	1	–	1	–	–	–
Arthritis	3	3	2	4	3	4	2	2	–	1	1	–	–	–	–	–
Rheumatism	5	4	10	12	11	20	16	17	21	17	7	2	–	–	–	–
Joint Disease	7	6	4	3	4	5	5	4	3	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	4	1	3	3	1	3	2	–	1	–	–	–
Phlegmon	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	1	–	1	1	2	2	2	–	–	–	–	–	–
Intemperance	10	11	10	16	4	9	7	4	2	1	1	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	4	4	3	–	2	3	1	1	–	–	1	–	–	–	–
Poison	2	3	5	–	1	5	4	2	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	8	6	10	8	3	6	6	3	10	9	1	2	–	–	–
Hanging, etc.	6	4	6	10	9	6	1	1	1	3	–	–	–	–	–	–
Suffocation	1	1	2	1	–	1	1	1	1	2	–	–	–	–	–	1
Drowning	38	31	42	21	23	21	18	11	5	3	1	1	–	–	–	7
Fracture and Contusion	71	58	54	74	59	45	38	42	20	21	21	12	6	–	–	6
Gunshot Wounds	1	1	1	1	1	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	4	2	7	4	–	3	3	2	2	3	–	–	–	–	–	–
Other Violent Causes	5	4	9	5	6	9	8	6	9	1	3	1	–	–	–	–
Not Specified	71	80	82	97	90	113	139	35	2	–	–	–	–	–	–	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35355	3797	1339	2537	3069	1474	967	640	1781	903	1182	1378	1266
SPECIFIED CAUSES	33716	3270	1200	2402	2944	1424	926	603	1710	857	1135	1332	1225
I. Zymotic Class	7542	360	284	701	1080	706	534	364	870	280	262	243	182
II. Diseases of Uncertain Seat	899	24	7	5	12	12	20	6	29	14	23	16	28
III. Tubercular Class	5734	89	144	391	536	250	141	93	375	249	492	648	559
IV. Brain and Nervous System	2879	246	86	146	128	66	37	35	119	55	48	67	73
V. Organs of Circulation	1649	16	6	3	7	9	3	5	20	20	33	38	58
VI. Respiratory Organs	5256	431	368	704	631	234	122	52	133	47	62	93	108
VII. Organs of Digestion	2592	293	139	332	377	64	31	14	34	52	55	40	47
VIII. Urinary Organs	675	3	–	2	8	6	3	8	24	16	18	30	26
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	212	1	1	2	4	3	2	1	24	21	25	15	17
XI. Skin, etc.	44	4	6	4	5	2	–	1	1	–	2	1	1
XII. Malformation	93	74	6	6	4	–	1	1	–	–	–	–	–
XIII. Premature Debility	1848	1643	120	85	–	–	–	–	–	–	–	–	–
XIV. Atrophy	244	–	–	–	98	23	10	6	6	8	3	4	1
XV. Age	2333	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	88	6	6	–	–	1	1	–	1	1	1	1	4
XVII. Violent Deaths	1627	80	27	21	54	48	21	17	74	94	111	136	121
I. Small Pox	103	11	17	7	8	6	7	6	9	3	2	8	7
Measles	536	8	11	112	202	81	50	26	38	3	1	1	–
Scarlatina	1411	9	16	83	207	225	205	162	368	80	27	13	7
Diphtheria	339	11	5	23	51	54	35	33	76	20	13	3	2
Hooping Cough	820	67	65	221	214	104	69	31	49	–	–	–	–
Croup	466	28	14	59	159	102	46	22	33	2	–	–	1
Thrush	19	11	3	2	1	–	1	1	–	–	–	–	–
Diarrhœa	723	112	82	120	124	26	12	7	18	2	6	7	2
Dysentery	139	3	16	11	9	3	2	1	3	–	2	2	4
Cholera	593	7	9	15	27	27	21	25	64	28	11	25	28
Influenza	90	8	2	2	2	1	3	4	2	–	2	2	2
Purpura	26	2	–	1	2	1	1	–	3	1	5	2	2
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	15	–	–	–	–	1	7	4	3	–	–	–	–
Typhus	1090	7	1	6	19	15	12	13	69	58	86	99	84
Enteric Fever	640	3	4	13	24	32	40	19	79	58	74	63	28
Relapsing Fever	21	–	–	–	–	2	–	–	3	1	3	1	1
Simple Continued Fever	121	1	1	4	6	7	9	1	19	8	15	6	3
Infantile Remittent	84	7	3	8	16	15	7	6	22	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	59	–	–	–	–	–	1	2	6	12	10	6	4
Erysipelas	155	41	12	5	3	2	1	–	5	3	3	3	3
Pyæmia	12	–	–	1	–	–	1	–	–	1	1	2	1
Syphilis	70	24	23	8	6	1	–	–	–	–	–	–	2
Noma	9	–	–	–	–	1	4	1	1	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	8	–	1	–	–	–	–	1	1	3	4	4
Dropsy	280	3	5	2	9	7	12	5	20	8	5	4	8
Abscess	70	6	1	1	1	4	5	–	4	2	8	2	4
Ulcer	24	2	–	–	–	–	–	–	–	–	–	–	2
Fistula	10	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	73	5	–	1	–	–	–	–	–	–	4	1	4
Cancer	403	–	1	–	2	1	3	1	4	3	3	5	6
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	325	10	10	17	28	10	11	7	50	33	40	27	24
Tabes Mesenterica	451	37	21	57	128	61	21	17	49	23	12	4	2
Phthisis	3871	9	27	52	98	60	38	28	130	163	436	613	531
Hydrocephalus	1087	33	86	265	282	119	71	41	146	30	4	4	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1133	1083	1189	1232	1251	1329	1441	1530	1479	1421	1085	578	181	49	5	36
SPECIFIED CAUSES	1106	1043	1156	1182	1208	1280	1379	1518	1477	1421	1085	578	181	49	5	20
Zymotic Class	192	193	225	171	181	161	155	134	110	75	47	22	6	2	–	2
Uncertain Seat	15	35	44	59	63	76	100	93	79	75	45	14	4	1	–	–
Tubercular Class	428	288	264	208	180	153	121	68	33	19	4	–	–	–	–	1
Brain, etc.	68	89	94	121	128	139	221	246	247	223	121	62	8	4	–	2
Heart, etc.	72	89	82	116	122	162	193	202	178	116	77	18	4	–	–	–
Respiratory Organs	104	123	179	224	254	267	244	266	226	191	112	69	9	3	–	–
Digestive Organs	57	74	89	111	119	158	126	144	114	82	28	9	3	–	–	–
Urinary Organs	35	29	24	38	38	29	57	65	71	80	44	17	1	3	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	9	2	8	11	8	13	14	9	8	11	2	1	–	–	–	–
Skin	–	–	3	–	2	2	2	4	–	1	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	8	16	11	22	26	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	72	220	381	526	586	363	144	36	5	–
Sudden Deaths	2	7	9	5	6	10	11	12	2	2	–	–	–	–	–	–
Violent Deaths	121	106	119	107	84	84	63	55	28	20	17	3	1	–	–	15
Small Pox	5	2	3	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	2	2	3	1	–	2	–	–	1	1	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	8	10	11	15	22	21	25	22	24	18	10	5	2	–	1
Dysentery	3	7	4	3	11	4	10	13	12	7	7	2	–	–	–	–
Cholera	37	46	46	35	39	24	30	24	16	7	–	1	–	–	–	1
Influenza	1	1	–	2	4	1	4	13	10	12	8	3	1	–	–	–
Purpura	1	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	81	98	107	85	82	62	54	24	14	9	4	1	–	–	–	–
Enteric Fever	32	14	27	23	16	26	19	16	16	8	4	2	–	–	–	–
Relapsing Fever	2	–	1	–	–	–	1	1	1	1	3	–	–	–	–	–
Simple Cont. Fever	4	2	4	3	1	7	6	6	3	2	3	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	3	3	–	1	2	2	1	2	–	–	–	–	–	–	–
Erysipelas	3	7	8	6	6	10	6	10	12	4	–	2	–	–	–	–
Pyæmia	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	3	3	–	1	–	1	3	–	–	–	–	–	–	–
Dropsy	3	10	7	11	14	19	26	26	28	26	18	3	1	–	–	–
Abscess	4	3	6	2	3	1	5	2	2	2	–	1	1	–	–	–
Ulcer	–	1	3	–	1	3	2	1	3	4	2	–	–	–	–	–
Fistula	–	–	1	2	2	–	3	2	–	–	–	–	–	–	–	–
Mortification	–	2	3	1	2	7	3	13	5	12	7	2	1	–	–	–
Cancer	7	18	20	40	41	44	60	48	38	31	17	8	1	1	–	–
Gout	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Scrofula	12	11	4	3	5	6	7	4	2	4	–	–	–	–	–	–
Tabes Mesenterica	5	1	3	4	–	2	1	2	1	–	–	–	–	–	–	–
Phthisis	409	274	257	201	175	145	113	62	30	15	4	–	–	–	–	1
Hydrocephalus	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	213	3	10	21	20	10	10	10	30	16	14	14	12
Apoplexy	611	9	3	14	9	6	3	1	9	5	8	6	19
Paralysis	779	1	–	1	–	2	2	–	3	2	–	5	6
Delirium Tremens	49	–	–	–	–	–	–	–	–	–	–	2	5
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	135	–	1	–	–	–	–	–	5	6	9	12	11
Tetanus	27	13	1	–	1	–	–	1	1	2	–	2	–
Insanity	14	–	–	–	–	–	–	–	1	–	–	2	–
Convulsions	518	214	66	92	70	36	14	9	17	–	–	–	–
Brain Disease	530	6	5	18	28	12	8	14	52	24	15	24	20
V. Pericarditis	29	–	–	–	1	1	1	–	3	2	3	1	1
Aneurism	62	–	–	–	–	1	–	–	1	–	1	3	1
Heart Disease	1558	16	6	3	6	7	2	5	16	18	29	34	56
VI. Laryngitis	55	5	2	2	7	7	4	2	3	–	–	–	2
Bronchitis	3315	306	300	544	478	164	86	30	75	17	10	23	40
Pleurisy	136	7	–	7	2	2	1	1	6	4	11	9	4
Pneumonia	1292	93	60	146	140	60	25	17	37	22	36	54	46
Asthma	269	–	–	–	–	–	1	–	–	1	3	5	4
Lung Disease	189	20	6	5	4	1	5	2	12	3	2	2	12
VII. Teething	580	4	24	241	280	27	4	–	–	–	–	–	–
Quinsey	29	3	–	7	3	3	1	–	2	–	–	1	1
Gastritis	97	9	8	1	7	3	1	1	3	4	1	2	1
Enteritis	479	149	51	49	56	15	12	5	8	12	10	5	8
Peritonitis	98	8	2	6	3	1	2	–	6	7	9	3	4
Ascites	25	–	–	–	–	1	–	–	1	3	2	–	–
Ulceration of Intestines	86	3	2	2	1	–	–	–	–	3	5	3	5
Hernia	60	6	2	1	1	1	–	–	–	–	–	1	–
Ileus	140	16	4	2	2	1	–	2	3	5	13	6	2
Intussusception	23	–	5	4	1	–	–	–	–	1	–	–	1
Stricture of Intestines	25	3	–	–	–	–	–	–	–	1	1	1	1
Stomach Disease	391	43	34	17	16	7	6	1	3	8	5	6	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	95	3	–	1	2	2	–	1	–	3	4	1	5
Jaundice	86	34	5	–	1	1	3	–	1	1	–	2	–
Liver Disease	359	12	1	1	3	2	1	4	7	3	5	7	11
Spleen Disease	19	–	1	–	1	–	1	–	–	1	–	2	1
VIII. Nephritis	42	1	–	1	2	2	–	–	8	2	4	2	1
Nephria	119	–	–	–	1	1	–	3	7	7	6	9	10
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	37	1	–	–	2	–	1	–	–	1	–	–	–
Diabetes	50	–	–	–	–	1	–	–	1	1	2	3	6
Stone	59	–	–	–	1	–	–	–	1	–	–	1	1
Cystitis	156	–	–	–	2	–	–	–	–	–	1	3	1
Stricture of Urethra	16	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	194	1	–	1	–	2	2	5	7	5	5	12	7
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	51	1	–	–	1	1	1	1	5	6	11	5	6
Rheumatism	86	–	–	–	–	1	–	–	3	3	9	3	6
Joint and Bone Disease	75	–	1	2	3	1	1	–	16	12	5	7	5
XI. Carbuncle	15	–	1	1	2	–	–	–	–	–	1	–	–
Phlegmon	4	–	–	–	–	1	–	–	–	–	–	1	–
Skin Disease	25	4	5	3	3	1	–	1	1	–	1	–	1
XVII. Intemperance	45	–	–	–	–	–	–	–	–	–	–	–	1
Privation	3	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	54	31	18	5	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	16	–	1	1	–	–	–	–	–	–	–	1	–
Poison	26	3	1	2	–	1	–	1	–	1	–	1	3
Poisoned Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	144	1	–	6	35	25	12	7	11	5	2	3	7
Hanging, etc.	36	–	–	–	–	–	–	–	–	–	1	1	3
Suffocation	55	30	6	3	1	1	1	–	1	–	2	1	2
Drowning	361	–	–	–	9	10	5	3	18	12	34	41	41
Fracture and Contusion	752	5	–	3	7	10	3	6	39	68	62	72	50
Gunshot Wounds	24	–	–	–	–	–	–	–	2	3	4	4	4
Cuts and Stabs	24	–	–	–	–	–	–	–	–	–	1	1	3
Other Violent Causes	86	10	1	1	1	–	–	–	2	5	5	11	7
Not Specified	1639	527	139	135	125	50	41	37	71	46	47	46	41

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	1	7	6	4	5	1	2	3	1	–	–	–	–	–
Apoplexy	13	12	27	34	38	44	73	68	89	68	35	14	2	1	–	1
Paralysis	15	20	20	36	38	51	99	120	118	120	71	39	6	3	–	1
Delirium Tremens	5	13	5	8	7	2	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	13	9	12	10	6	10	5	7	7	1	1	–	–	–	–
Tetanus	–	1	1	–	1	1	1	–	1	–	–	–	–	–	–	–
Insanity	2	–	3	–	2	1	2	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	17	23	28	24	26	30	29	52	30	24	13	8	–	–	–	–
Pericarditis	–	5	2	–	2	2	2	2	–	1	–	–	–	–	–	–
Aneurism	9	6	5	9	6	4	8	2	4	1	1	–	–	–	–	–
Heart Disease	63	78	75	107	114	156	183	198	174	114	76	18	4	–	–	–
Laryngitis	2	3	3	4	–	3	2	2	1	1	–	–	–	–	–	–
Bronchitis	32	48	75	108	123	142	142	158	146	125	84	50	6	3	–	–
Pleurisy	5	4	10	8	10	11	7	6	11	1	6	2	1	–	–	–
Pneumonia	54	53	57	64	69	64	47	54	29	40	13	11	1	–	–	–
Asthma	6	7	26	17	34	30	33	37	30	20	8	6	1	–	–	–
Lung Disease	5	8	8	23	18	17	13	9	9	4	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	2	–	1	1	2	–	1	–	–	–	–	–	–	–
Gastritis	5	2	5	5	3	6	8	8	5	5	1	1	2	–	–	–
Enteritis	3	11	11	9	9	12	10	8	13	9	3	1	–	–	–	–
Peritonitis	8	3	5	–	1	8	6	6	6	1	1	2	–	–	–	–
Ascites	2	1	1	3	5	1	2	1	1	1	–	–	–	–	–	–
Ulceration of Intestines	3	10	4	4	6	8	7	11	7	2	–	–	–	–	–	–
Hernia	2	3	–	4	3	9	5	7	6	6	2	1	–	–	–	–
Ileus	3	6	5	8	5	8	5	11	16	10	7	–	–	–	–	–
Intussusception	1	–	–	2	1	2	2	1	1	1	–	–	–	–	–	–
Stricture of Intestines	3	1	–	1	3	4	2	1	1	1	1	–	–	–	–	–
Stomach Disease	5	12	24	27	31	28	25	34	23	22	5	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	7	4	8	6	15	8	8	7	3	1	–	–	–	–	–
Jaundice	1	3	1	1	2	5	7	8	3	5	2	–	–	–	–	–
Liver Disease	13	15	26	39	39	50	36	38	23	16	5	1	1	–	–	–
Spleen Disease	1	–	1	–	4	1	1	2	1	–	–	1	–	–	–	–
Nephritis	4	1	2	–	5	–	2	–	3	1	–	1	–	–	–	–
Nephria	10	10	5	10	9	2	10	9	2	4	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	1	2	–	–	3	5	3	9	4	2	–	1	–	–
Diabetes	6	3	5	4	3	3	4	4	4	–	–	–	–	–	–	–
Stone	1	1	–	1	2	2	4	7	18	11	7	1	–	–	–	–
Cystitis	–	3	3	3	4	5	14	21	21	42	21	10	–	2	–	–
Stricture of Urethra	2	3	–	1	–	2	2	2	1	1	–	–	–	–	–	–
Kidney Disease	9	8	8	17	14	15	18	17	19	11	7	3	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	2	1	1	3	–	3	–	2	–	–	1	–	–	–	–	–
Rheumatism	1	1	5	5	5	7	11	6	7	11	1	1	–	–	–	–
Joint Disease	6	–	2	3	3	3	3	1	1	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	2	1	1	1	–	1	2	–	1	–	–	–
Phlegmon	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	1	2	–	–	–	–	–	–	–	–
Intemperance	6	6	8	9	2	6	4	2	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	3	1	2	–	1	2	1	1	–	–	–	–	–	–	–
Poisoned Wounds	1	1	3	–	1	1	4	1	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	5	–	8	5	1	–	1	1	–	2	–	–	–	–	–
Hanging, etc.	3	3	5	4	6	5	1	1	–	3	–	–	–	–	–	–
Suffocation	–	1	2	–	–	1	–	–	1	1	–	–	–	–	–	1
Drowning	35	28	36	14	19	20	13	8	5	2	1	–	–	–	–	7
Fracture and Contusion	59	54	50	64	46	39	34	37	13	10	11	3	1	–	–	6
Gunshot Wounds	1	1	1	1	1	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	3	–	6	2	–	3	1	–	1	3	–	–	–	–	–	–
Other Violent Causes	4	4	7	3	4	6	4	4	5	–	2	–	–	–	–	–
Not Specified	27	40	33	50	43	49	62	12	2	–	–	–	–	–	–	16

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	35993	3077	1083	2082	2895	1394	891	697	1656	845	1191	1342	1375
SPECIFIED CAUSES	34480	2661	955	1978	2776	1344	857	667	1585	821	1153	1304	1325
I. Zymotic Class	8022	277	205	681	1207	702	504	403	896	288	261	273	283
II. Diseases of Uncertain Seat	1551	17	6	10	17	13	7	7	28	15	15	32	31
III. Tubercular Class	5919	78	133	297	461	219	131	108	306	282	612	684	594
IV. Brain and Nervous System	2595	210	58	108	96	69	38	35	87	70	60	37	63
V. Organs of Circulation	1569	9	2	4	2	3	2	1	8	35	29	44	63
VI. Respiratory Organs	4780	314	268	497	570	217	113	79	121	46	49	67	77
VII. Organs of Digestion	2360	212	115	256	291	63	22	14	43	24	53	53	71
VIII. Urinary Organs	341	1	3	2	4	4	7	3	19	17	13	18	17
IX. Organs of Generation	545	–	–	–	–	–	–	1	–	–	28	56	102
X. Organs of Locomotion	175	–	1	–	2	2	1	–	16	15	11	11	4
XI. Skin, etc.	31	3	1	3	2	1	–	–	2	–	–	1	1
XII. Malformation	75	50	9	9	4	–	–	1	–	2	–	–	–
XIII. Premature Debility	1627	1414	124	89	–	–	–	–	–	–	–	–	–
XIV. Atrophy	282	–	–	–	80	21	9	4	13	5	8	5	4
XV. Age	3922	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	68	11	2	3	–	1	–	–	1	1	1	1	6
XVII. Violent Deaths	618	65	28	19	40	29	23	11	45	21	13	22	9
I. Small Pox	97	6	9	14	10	11	5	11	12	–	5	6	2
Measles	502	5	12	95	201	79	47	25	25	3	2	2	1
Scarlatina	1295	6	7	66	182	212	183	163	354	53	22	21	10
Diphtheria	346	7	5	23	67	42	43	32	76	22	6	4	2
Hooping Cough	1040	51	56	250	368	141	72	43	54	3	1	–	1
Croup	437	9	6	49	130	93	47	45	54	4	–	–	–
Thrush	20	13	1	2	1	3	–	–	–	–	–	–	–
Diarrhœa	781	91	67	100	127	18	10	10	17	5	7	12	12
Dysentery	155	3	3	9	6	7	–	2	–	–	–	1	4
Cholera	677	1	4	12	32	21	30	14	63	23	20	27	42
Influenza	110	5	1	3	5	2	–	2	2	–	–	2	–
Purpura	15	1	–	–	1	1	–	–	–	–	1	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	1	2	1	–	7	–	–	–	–
Typhus	1082	6	3	12	14	19	23	16	75	65	86	87	70
Enteric Fever	764	3	3	12	27	26	27	27	109	81	77	47	57
Relapsing Fever	13	–	–	–	–	–	–	1	6	2	–	2	1
Simple Continued Fever	128	1	–	1	8	5	4	1	21	13	11	10	7
Infantile Remittent	75	4	4	9	14	14	6	9	14	1	–	–	–
Metria	181	–	–	–	–	–	–	–	–	–	11	40	56
Rheumatic Fever	44	–	–	–	–	–	–	–	3	9	2	4	3
Erysipelas	140	39	7	9	4	3	1	2	3	4	7	4	8
Pyæmia	8	1	–	–	–	–	–	–	1	–	2	–	–
Syphilis	86	25	17	14	6	3	–	–	–	–	–	2	5
Noma	15	–	–	1	3	–	5	–	–	–	1	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	28	4	1	–	–	–	–	–	–	–	2	3	1
Dropsy	441	4	1	1	9	6	4	4	20	11	4	13	7
Abscess	64	5	1	7	3	2	1	2	1	2	2	1	1
Ulcer	14	–	3	–	1	–	–	–	–	1	–	–	2
Fistula	5	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	71	3	–	–	4	3	1	–	3	–	–	2	2
Cancer	924	1	–	2	–	2	1	1	4	1	7	12	17
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	292	4	11	22	33	17	8	9	34	17	34	23	18
Tabes Mesenterica	408	32	29	51	128	58	21	15	31	14	11	6	2
Phthisis	4412	14	25	42	96	58	37	38	133	237	563	654	573
Hydrocephalus	807	28	68	182	204	86	65	46	108	14	4	1	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1264	1320	1239	1169	1278	1245	1553	1729	1916	1839	1482	896	344	126	27	38
SPECIFIED CAUSES	1220	1280	1190	1122	1231	1181	1476	1706	1916	1839	1482	896	344	126	27	18
Zymotic Class	250	234	232	199	171	185	172	177	164	132	74	36	10	2	–	4
Uncertain Seat	42	60	111	134	183	153	174	141	154	111	64	21	4	–	–	1
Tubercular Class	492	437	320	223	205	140	102	52	24	11	4	–	1	–	–	3
Brain, etc.	55	74	80	110	145	119	184	240	250	215	116	53	16	5	–	2
Heart, etc.	70	101	89	97	122	123	188	184	166	134	64	26	2	1	–	–
Respiratory Organs	85	112	116	142	185	221	324	329	335	254	152	79	20	3	1	4
Digestive Organs	65	84	96	95	110	109	143	164	112	97	50	14	3	–	–	1
Urinary Organs	20	33	25	20	25	21	12	32	23	15	4	3	–	–	–	–
Generative Organs	91	98	67	33	15	16	14	12	4	5	1	–	1	–	–	1
Locomotive Organs	6	11	8	8	10	16	9	14	16	7	6	1	–	–	–	–
Skin	–	1	1	1	2	1	2	2	3	4	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	10	9	14	19	29	52	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	119	333	644	828	925	650	280	115	26	2
Sudden Deaths	3	5	4	3	2	4	7	5	4	1	3	–	–	–	–	–
Violent Deaths	31	21	27	38	27	21	26	21	17	25	19	13	7	–	–	–
Small Pox	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	4	3	–	1	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	2	2	2	3	1	1	–	4	–	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	15	22	17	20	25	23	38	38	52	23	16	4	–	–	–
Dysentery	2	2	2	4	8	6	20	20	25	13	10	6	–	2	–	–
Cholera	58	56	48	48	33	43	27	25	25	17	5	3	–	–	–	–
Influenza	1	2	4	2	5	4	11	14	15	13	10	6	1	–	–	–
Purpura	–	–	1	1	1	1	1	2	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	71	91	83	89	71	64	51	37	23	12	7	2	3	–	–	2
Enteric Fever	40	25	39	26	21	26	21	27	17	14	10	1	1	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	6	3	7	3	3	5	4	2	5	3	3	–	1	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	36	22	15	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	2	2	–	3	4	1	2	2	–	–	–	–	–	1
Erysipelas	1	5	3	1	4	3	5	4	13	2	6	2	–	–	–	–
Pyæmia	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	2	2	1	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	3	2	2	1	2	–	3	–	–	–	–	–	–	–
Dropsy	12	14	25	29	31	36	40	56	49	35	20	9	1	–	–	–
Abscess	4	3	5	–	7	2	7	–	4	2	2	–	–	–	–	–
Ulcer	–	–	1	1	2	–	–	–	1	2	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	4	2	1	8	9	5	10	10	3	1	–	–	–
Cancer	23	40	77	98	138	112	115	76	92	61	32	9	2	–	–	1
Gout	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Scrofula	13	11	8	6	6	5	5	4	3	1	–	–	–	–	–	–
Tabes Mesenterica	1	2	2	–	1	1	2	1	–	–	–	–	–	–	–	–
Phthisis	478	424	310	217	198	134	95	47	21	10	4	–	1	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	177	6	5	21	13	14	9	4	28	25	15	9	5
Apoplexy	568	10	5	12	12	6	5	10	9	4	12	7	11
Paralysis	842	–	–	1	–	1	–	–	–	3	2	2	9
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	1	1	–
Chorea	8	–	–	–	–	–	–	–	–	3	3	–	–
Epilepsy	120	–	–	–	–	–	–	1	2	7	11	8	21
Tetanus	18	6	1	–	–	1	–	–	2	1	1	1	1
Insanity	21	–	–	–	–	–	–	–	–	1	–	1	1
Convulsions	414	179	43	60	55	30	12	12	22	–	–	–	–
Brain Disease	416	9	4	14	16	17	12	8	24	26	15	8	15
V. Pericarditis	20	1	–	–	–	1	–	–	1	2	1	3	–
Aneurism	23	–	–	–	–	–	–	–	–	–	1	1	1
Heart Disease	1526	8	2	4	2	2	2	1	7	33	27	40	62
VI. Laryngitis	43	3	4	3	5	6	2	2	3	2	2	2	1
Bronchitis	3314	236	213	389	431	152	74	50	79	21	17	24	32
Pleurisy	116	7	2	–	1	2	5	2	4	1	5	3	6
Pneumonia	915	65	44	100	128	55	30	22	29	20	20	31	24
Asthma	231	–	–	–	–	–	–	–	–	–	2	–	2
Lung Disease	161	3	5	5	5	2	2	3	6	2	3	7	12
VII. Teething	458	2	21	177	226	29	2	–	1	–	–	–	–
Quinsey	22	5	2	1	3	4	1	–	1	–	–	1	–
Gastritis	90	13	3	4	2	–	1	1	3	1	1	4	4
Enteritis	407	103	55	51	34	13	7	8	12	9	5	10	14
Peritonitis	159	10	6	5	2	–	–	–	7	5	15	11	17
Ascites	37	–	–	–	–	1	–	–	–	1	1	1	–
Ulceration of Intestines	92	2	–	3	1	2	–	1	2	–	6	7	8
Hernia	58	2	2	–	–	–	–	–	–	–	–	–	–
Ileus	132	10	1	2	1	3	1	–	3	2	5	8	6
Intussusception	11	–	–	1	–	–	–	–	2	–	1	–	1
Stricture of Intestines	15	1	–	–	1	–	–	–	–	–	–	1	–
Stomach Disease	359	32	24	11	15	4	6	1	4	3	7	4	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	76	1	–	–	–	2	2	–	–	1	1	1	2
Jaundice	87	27	–	1	1	3	2	1	–	–	1	1	–
Liver Disease	339	4	1	–	3	2	–	1	8	1	8	3	11
Spleen Disease	18	–	–	–	2	–	–	1	–	1	2	1	1
VIII. Nephritis	27	–	–	–	1	1	2	2	6	–	2	1	3
Nephria	116	–	–	1	1	3	3	–	5	5	7	7	7
Addison's Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	13	1	1	–	–	–	–	–	–	–	–	2	–
Diabetes	25	–	–	–	1	–	–	–	1	6	–	1	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	23	–	–	1	–	–	–	–	–	1	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	128	–	2	–	1	–	2	1	7	5	3	5	6
IX. Paramenia	25	–	–	–	–	–	–	–	–	–	8	6	2
Ovarian Dropsy	77	–	–	–	–	–	–	–	–	–	1	–	8
Childbirth	356	–	–	–	–	–	–	–	–	–	17	47	84
Organs of Generation	87	–	–	–	–	–	–	1	–	–	2	3	8
X. Arthritis	26	–	1	–	2	1	1	–	5	2	2	–	–
Rheumatism	96	–	–	–	–	–	–	–	1	4	4	4	2
Joint and Bone Disease	53	–	–	–	–	1	–	–	10	9	5	7	2
XI. Carbuncle	9	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	5	1	–	–	–	–	–	–	1	–	–	–	1
Skin Disease	17	2	1	3	2	1	–	–	1	–	–	1	–
XVII. Intemperance	33	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	46	26	11	8	–	1	–	–	–	–	–	–	–
Neglect	3	1	–	–	2	–	–	–	–	–	–	–	–
Cold	11	–	–	–	1	–	2	–	–	–	–	–	–
Poison	20	3	–	–	–	1	–	1	–	1	–	3	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	160	2	3	7	25	15	15	7	26	2	–	2	2
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	1	–	2
Suffocation	47	24	14	2	–	1	1	–	–	–	–	–	–
Drowning	68	5	–	–	4	5	2	1	4	1	4	7	1
Fracture and Contusion	161	–	–	2	5	5	3	1	14	15	8	6	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	12	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	35	4	–	–	2	1	–	1	1	1	–	2	–
Not Specified	1513	416	128	104	119	50	34	30	71	24	38	38	50

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	5	1	2	–	2	1	–	1	3	1	–	–	–	–	–
Apoplexy	12	21	22	32	46	36	55	70	61	53	27	17	10	3	–	–
Paralysis	9	10	28	39	61	57	97	128	163	123	75	26	6	1	–	1
Delirium Tremens	3	3	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	5	16	7	7	5	4	4	7	4	6	3	1	–	1	–	–
Tetanus	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	1	2	4	2	1	3	–	–	2	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	16	18	26	30	18	24	33	20	28	9	9	–	–	–	1
Pericarditis	2	3	1	1	–	–	1	1	2	–	–	–	–	–	–	–
Aneurism	2	3	3	1	1	1	4	4	–	1	–	–	–	–	–	–
Heart Disease	66	95	85	95	121	122	183	179	164	133	64	26	2	1	–	–
Laryngitis	–	3	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	40	55	66	81	122	140	210	227	245	193	122	68	19	3	1	4
Pleurisy	5	6	6	8	5	8	7	9	12	8	3	1	–	–	–	–
Pneumonia	28	28	29	25	27	37	45	37	40	25	19	6	1	–	–	–
Asthma	2	6	6	14	20	23	42	45	35	24	7	3	–	–	–	–
Lung Disease	10	14	9	13	10	12	20	10	2	4	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Gastritis	4	2	4	2	4	6	10	7	2	6	5	1	–	–	–	–
Enteritis	6	7	12	8	9	11	10	6	10	5	1	1	–	–	–	–
Peritonitis	12	10	12	6	6	7	5	11	4	6	2	–	–	–	–	–
Ascites	1	4	4	1	3	2	3	4	4	4	3	–	–	–	–	–
Ulceration of Intestines	9	7	7	4	3	6	5	11	2	2	3	1	–	–	–	–
Hernia	1	2	5	4	7	6	7	7	5	3	6	1	–	–	–	–
Ileus	5	4	1	6	7	12	6	13	13	16	4	1	2	–	–	–
Intussusception	–	–	–	1	–	1	1	1	1	1	–	–	–	–	–	–
Stricture of Intestines	1	1	1	–	4	1	–	1	2	1	–	–	–	–	–	–
Stomach Disease	7	11	12	22	23	21	29	41	36	24	10	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	7	5	4	9	3	12	6	4	7	2	1	–	–	–	–
Jaundice	1	4	–	5	7	3	6	10	5	4	4	1	–	–	–	–
Liver Disease	10	24	32	31	26	30	46	45	23	16	10	4	–	–	–	–
Spleen Disease	1	1	1	–	2	–	2	1	–	2	–	–	–	–	–	–
Nephritis	1	2	1	–	2	–	–	–	1	1	–	1	–	–	–	–
Nephria	6	16	12	10	7	7	1	11	4	3	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Ischuria	–	2	–	1	1	–	1	2	–	1	1	–	–	–	–	–
Diabetes	3	1	2	1	2	1	3	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
Cystitis	2	2	–	1	4	1	–	5	2	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	10	9	7	7	11	7	10	15	8	2	2	–	–	–	–
Paramenia	2	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	12	10	8	11	7	5	3	1	4	–	–	–	–	–	–
Childbirth	74	82	44	7	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	8	3	13	14	2	9	9	9	3	1	1	–	1	–	–	–
Arthritis	1	2	1	1	3	1	2	–	–	1	–	–	–	–	–	–
Rheumatism	4	3	5	7	6	13	5	11	14	6	6	1	–	–	–	–
Joint Disease	1	6	2	–	1	2	2	3	2	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	2	2	1	2	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	–	–	2	2	–	–	–	–	–	–
Intemperance	4	5	2	7	2	3	3	2	2	1	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	3	1	–	1	1	–	–	–	–	1	–	–	–	–
Poison	1	2	2	–	–	4	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	3	6	2	3	2	6	5	2	10	7	1	2	–	–	–
Hanging, etc.	3	1	1	6	3	1	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Drowning	3	3	6	7	4	1	5	3	–	1	–	1	–	–	–	–
Fracture and Contusion	12	4	4	10	13	6	4	5	7	11	10	9	5	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	1	2	–	–	2	2	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	2	2	2	3	4	2	4	1	1	1	–	–	–	–
Not Specified	44	40	49	47	47	64	77	23	–	–	–	–	–	–	–	20

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2661	206	68	97	109	55	43	32	77	60	82	122	129
Specified Causes	2227	97	42	67	79	36	30	29	61	49	67	109	110
I. Zymotic Class	350	14	18	35	44	17	16	21	32	14	14	15	14
II. Diseases of Uncertain Seat	89	–	1	–	–	1	–	–	1	1	2	2	4
III. Tubercular Class	340	4	1	6	13	6	2	2	7	17	30	59	46
IV. Brain and Nervous System	140	9	2	7	4	2	2	2	5	4	–	6	5
V. Organs of Circulation	71	–	–	–	–	–	–	–	–	1	5	–	3
VI. Respiratory Organs	226	15	5	9	8	5	5	1	5	2	9	5	12
VII. Organs of Digestion	144	7	7	6	6	5	1	2	4	5	2	3	6
VIII. Urinary Organs	27	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	35	–	–	–	–	–	–	–	–	–	–	1	7
X. Organs of Locomotion	24	–	–	–	–	–	–	–	1	1	2	1	1
XI. Skin, etc.	5	–	1	1	1	–	–	–	–	–	–	–	1
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	46	6	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	1	–	2	–	1	–	–	1	–
XV. Age	614	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	91	1	–	1	2	–	2	1	4	4	3	14	11
I. Small Pox	3	–	–	1	–	–	–	–	–	–	–	–	1
Measles	5	–	1	1	–	–	1	–	–	–	1	1	–
Scarlatina	40	2	1	1	10	4	2	8	7	3	2	–	–
Diphtheria	18	1	1	2	3	1	3	1	3	3	–	–	–
Hooping Cough	57	5	4	15	11	2	4	5	8	1	1	–	1
Croup	48	4	4	12	14	6	4	2	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	1	4	1	1	–	–	1	1	–	–	–	–
Dysentery	5	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	2	–	–	–	–	–	–	–	–
Influenza	28	1	2	–	2	2	–	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	38	–	–	–	–	–	1	–	1	4	3	4	3
Enteric Fever	30	–	–	–	–	1	–	2	3	2	3	5	3
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	26	–	1	–	–	1	1	–	4	1	4	1	3
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	6	–	–	–	–	–	–	–	1	–	–	2	–
Erysipelas	5	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	2	–	–
Dropsy	35	–	–	–	–	–	–	–	–	1	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	1	–	–	–	–	–	–	–	–	–	2
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	45	–	–	–	–	–	–	–	1	–	–	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	–	–	–	–	–	–	2	2	2	3	3
Tabes Mesenterica	8	1	–	1	4	–	1	–	–	–	–	–	–
Phthisis	289	–	–	1	2	2	–	–	1	14	28	56	43
Hydrocephalus	27	3	1	4	7	4	1	2	4	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	120	82	75	62	91	69	113	160	205	194	172	127	61	27	4	19
Specified Causes	103	68	59	50	72	51	99	149	205	194	172	127	61	27	4	10
Zymotic Class	13	8	10	9	7	2	10	8	14	7	3	3	1	–	–	1
Uncertain Seat	4	4	5	5	9	7	8	8	12	8	5	2	–	–	–	–
Tubercular Class	45	20	18	4	15	12	17	8	–	4	1	–	1	–	–	2
Brain, etc.	10	5	3	8	5	3	7	9	18	12	8	2	–	1	–	1
Heart, etc.	4	1	3	2	5	1	13	6	14	8	4	–	1	–	–	–
Respiratory Organs	7	6	5	6	11	11	18	25	15	20	10	7	3	–	1	–
Digestive Organs	3	3	3	6	14	7	13	20	15	5	1	–	–	–	–	–
Urinary Organs	1	–	–	–	1	1	3	5	6	5	3	–	–	–	–	–
Generative Organs	10	11	2	2	–	–	–	–	–	–	1	–	–	–	–	1
Locomotive Organs	–	–	1	1	1	1	2	2	2	5	3	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	56	105	119	131	112	55	26	3	1
Sudden Deaths	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Violent Deaths	5	9	7	7	1	5	2	1	4	1	1	1	–	–	–	4
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	1	–	3	–	3	2	2	–	1	–	–	–
Dysentery	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	1	2	2	–	–	3	6	1	1	2	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	2	1	4	1	3	2	–	–	–	–	–	–	–	1
Enteric Fever	–	1	2	2	–	–	1	1	2	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	2	2	–	1	1	–	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	–	–	–	–	1	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	–	5	3	4	4	4	6	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	2	3	2	5	4	4	4	3	7	2	4	2	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	44	19	18	4	15	11	17	6	–	4	1	–	1	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	–	–	2	–	–	–	–	1	–	–	2	1
Apoplexy	28	–	–	–	–	1	1	–	1	1	–	1	1
Paralysis	51	–	–	1	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	1	–	1	1
Tetanus	11	7	–	–	1	–	–	–	1	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	14	2	2	4	2	1	1	1	1	–	–	–	–
Brain Disease	20	–	–	–	1	–	–	1	1	2	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	70	–	–	–	–	–	–	–	–	1	4	–	3
VI. Laryngitis	5	–	–	–	1	–	–	–	–	–	–	1	1
Bronchitis	103	4	3	5	5	3	1	1	3	1	1	–	4
Pleurisy	28	10	1	1	1	–	2	–	–	–	4	–	3
Pneumonia	44	–	1	3	1	2	1	–	2	1	2	3	3
Asthma	32	–	–	–	–	–	–	–	–	–	1	1	–
Lung Disease	14	1	–	–	–	–	1	–	–	–	1	–	1
VII. Teething	16	–	2	6	6	1	1	–	–	–	–	–	–
Quinsey	3	–	–	–	–	2	–	–	1	–	–	–	–
Gastritis	4	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	17	4	2	–	–	1	–	1	–	1	–	–	1
Peritonitis	5	–	–	–	–	–	–	–	1	1	–	–	1
Ascites	7	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	6	–	2	–	–	–	–	–	–	–	–	–	–
Ileus	11	–	–	–	–	–	–	–	1	–	1	–	2
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	36	2	1	–	–	–	–	1	–	2	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	1	–	1	1
Jaundice	6	–	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	22	–	–	–	–	1	–	–	–	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	29	–	–	–	–	–	–	–	–	–	–	–	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	5	–	–	–	–	–	–	–	1	1	–	–	1
Rheumatism	17	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	1	1	–
XI. Carbuncle	3	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	1
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	1	–	–	–	–	–	–	1	–
Poison	1	–	–	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	1	1	–	2	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	61	–	–	–	–	–	–	1	2	–	2	12	11
Fracture and Contusion	13	–	–	–	–	–	–	–	1	3	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	434	109	26	30	30	19	13	3	16	11	15	13	19

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	4	1	–	3	2	–	3	3	5	–	1	–	–	–	–	–
Paralysis	1	1	1	2	3	3	4	6	10	8	5	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	1	1	–	–	–	–	3	4	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	3	2	5	1	13	6	14	8	4	–	1	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	2	–	3	7	6	15	8	12	7	6	1	–	1	–
Pleurisy	–	–	1	1	–	–	2	–	2	–	–	–	–	–	–	–
Pneumonia	4	1	–	3	2	2	3	3	2	3	1	–	1	–	–	–
Asthma	1	–	–	–	6	–	4	7	3	5	2	1	1	–	–	–
Lung Disease	1	1	2	1	–	2	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	1	–	–	–	3	1	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	2	–	1	1	–	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	3	–	1	6	2	3	7	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	3	1	5	8	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	11	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	2	2	2	5	3	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	9	5	4	1	3	1	1	1	1	–	–	–	–	–	2
Fracture and Contusion	–	–	–	3	–	2	–	–	1	–	–	–	–	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Not Specified	17	14	16	12	19	18	14	11	–	–	–	–	–	–	–	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1305	124	34	43	55	31	22	17	41	37	49	74	70
SPECIFIED CAUSES	1085	60	21	29	41	20	13	15	31	28	39	68	60
I. Zymotic Class	165	9	10	16	21	9	7	12	15	7	8	10	1
II. Diseases of Uncertain Seat	27	–	–	–	–	–	–	–	1	1	1	–	1
III. Tubercular Class	178	2	–	2	7	3	1	2	5	9	14	32	28
IV. Brain and Nervous System	68	4	2	2	4	2	1	1	1	3	–	6	5
V. Organs of Circulation	40	–	–	–	–	–	–	–	–	–	5	–	2
VI. Respiratory Organs	116	7	2	5	5	4	3	–	4	2	5	4	8
VII. Organs of Digestion	76	5	2	4	3	2	1	–	–	3	2	1	2
VIII. Urinary Organs	24	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	14	–	–	–	–	–	–	–	–	–	1	1	1
XI. Skin, etc.	3	–	1	–	1	–	–	–	–	–	–	–	1
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	35	32	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	256	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	74	–	–	–	–	–	–	–	3	3	3	12	11
I. Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	1	1	–	–	1	–	–	–	1	1	–
Scarlatina	19	1	1	1	4	2	–	4	4	1	1	–	–
Diphtheria	7	1	–	–	1	1	1	1	1	1	–	–	–
Hooping Cough	25	3	2	6	6	1	2	3	2	–	–	–	–
Croup	27	3	2	6	10	2	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	1	1	–	–	–	–	1	1	–	–	–	–
Dysentery	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	9	–	2	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	15	–	–	–	–	–	–	–	–	3	2	2	–
Enteric Fever	18	–	–	–	–	1	–	1	3	1	1	5	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	13	–	1	–	–	1	1	–	1	1	3	1	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	1	–	–	1	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	10	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	1	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	–	–	–	–	–	1	2	1	3	2
Tabes Mesenterica	4	–	–	–	2	–	1	–	–	–	–	–	–
Phthisis	146	–	–	–	1	1	–	–	–	6	13	29	26
Hydrocephalus	17	2	–	2	4	2	–	2	4	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	54	32	36	33	32	37	48	68	100	105	73	48	23	9	1	9
SPECIFIED CAUSES	49	27	27	28	24	30	45	65	100	105	73	48	23	9	1	6
Zymotic Class	6	1	4	6	2	1	5	3	7	1	1	2	1	–	–	–
Uncertain Seat	–	2	2	1	–	3	1	1	5	5	2	1	–	–	–	–
Tubercular Class	28	8	6	2	3	7	12	3	–	3	–	–	–	–	–	1
Brain, etc.	3	3	3	4	1	2	3	2	4	5	5	1	–	–	–	1
Heart, etc.	1	1	2	–	3	1	7	1	11	3	3	–	–	–	–	–
Respiratory Organs	3	2	2	3	5	5	7	11	7	12	5	3	2	–	–	–
Digestive Organs	1	–	2	4	6	3	6	18	10	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	1	1	5	6	5	3	–	–	–	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	1	1	1	1	1	4	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	19	46	65	53	41	20	9	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	9	6	7	1	5	–	1	3	1	–	–	–	–	–	4
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	–	–	3	–	1	–	1	–	1	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	1	2	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	1	2	–	–	–	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	–	1	–	–	2	3	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	1	–	1	–	2	1	1	2	2	1	1	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	7	6	2	3	7	12	2	–	3	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	–	–	–	2	1
Apoplexy	12	–	–	–	–	1	1	–	–	1	–	1	1
Paralysis	19	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	5	3	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	1	2	2	2	1	–	–	1	–	–	–	–
Brain Disease	15	–	–	–	1	–	–	1	–	2	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	–	–	–	–	–	–	–	–	4	–	2
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis	49	1	2	4	3	3	1	–	2	1	–	–	3
Pleurisy	14	5	–	1	1	–	1	–	–	–	3	–	–
Pneumonia	30	–	–	–	1	1	1	–	2	1	2	3	3
Asthma	17	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	4	1	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	8	–	–	4	3	–	1	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	3	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	3	1	–	–	1	–	–	–	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	21	1	–	–	–	–	–	–	–	1	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	11	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	2	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	1	–	–	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	57	–	–	–	–	–	–	–	2	–	2	10	11
Fracture and Contusion	12	–	–	–	–	–	–	–	1	2	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	220	64	13	14	14	11	9	2	10	9	10	6	10

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Males. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	1	–	–	1	–	2	–	1	–	–	–	–	–
Paralysis	–	–	1	1	1	2	2	2	1	2	3	1	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	1	1	–	–	–	–	1	3	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	2	–	3	1	7	1	11	3	3	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	–	–	3	2	7	3	7	3	2	–	–	–	–
Pleurisy	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	–	1	2	1	2	2	1	3	–	–	1	–	–	–
Asthma	1	–	–	–	3	–	2	2	2	2	2	1	1	–	–	–
Lung Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	3	1	2	6	3	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	3	1	2	8	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	1	1	1	4	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	9	5	4	1	3	–	1	1	1	–	–	–	–	–	2
Fracture and Contusion	–	–	–	3	–	2	–	–	1	–	–	–	–	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Specified	5	5	9	5	8	7	3	3	–	–	–	–	–	–	–	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1356	82	34	54	54	24	21	15	36	23	33	48	59
SPECIFIED CAUSES	1142	37	21	38	38	16	17	14	30	21	28	41	50
I. Zymotic Class	185	5	8	19	23	8	9	9	17	7	6	5	13
II. Diseases of Uncertain Seat	62	–	1	–	–	1	–	–	–	–	1	2	3
III. Tubercular Class	162	2	1	4	6	3	1	–	2	8	16	27	18
IV. Brain and Nervous System	72	5	–	5	–	–	1	1	4	1	–	–	–
V. Organs of Circulation	31	–	–	–	–	–	–	–	–	1	–	–	1
VI. Respiratory Organs	110	8	3	4	3	1	2	1	1	–	4	1	4
VII. Organs of Digestion	68	2	5	2	3	3	–	2	4	2	–	2	4
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	34	–	–	–	–	–	–	–	–	–	–	1	7
X. Organs of Locomotion	10	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	19	14	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	2	–	–	–	–	1	–
XV. Age	358	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	17	1	–	1	2	–	2	1	1	1	–	2	–
I. Small Pox	2	–	–	1	–	–	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	21	1	–	–	6	2	2	4	3	2	1	–	–
Diphtheria	11	–	1	2	2	–	2	–	2	2	–	–	–
Hooping Cough	32	2	2	9	5	1	2	2	6	1	1	–	1
Croup	21	1	2	6	4	4	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	–	3	1	1	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	19	1	–	–	2	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	1	1	1	2	3
Enteric Fever	12	–	–	–	–	–	–	1	–	1	2	–	3
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	13	–	–	–	–	–	–	–	3	–	1	–	2
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	25	–	–	–	–	–	–	–	–	–	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	1	–	1	–	1
Tabes Mesenterica	4	1	–	1	2	–	–	–	–	–	–	–	–
Phthisis	143	–	–	1	1	1	–	–	1	8	15	27	17
Hydrocephalus	10	1	1	2	3	2	1	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	66	50	39	29	59	32	65	92	105	89	99	79	38	18	3	10
SPECIFIED CAUSES	54	41	32	22	48	21	54	84	105	89	99	79	38	18	3	4
Zymotic Class	7	7	6	3	5	1	5	5	7	6	2	1	–	–	–	1
Uncertain Seat	4	2	3	4	9	4	7	7	7	3	3	1	–	–	–	–
Tubercular Class	17	12	12	2	12	5	5	5	–	1	1	–	1	–	–	1
Brain, etc.	7	2	–	4	4	1	4	7	14	7	3	1	–	1	–	–
Heart, etc.	3	–	1	2	2	–	6	5	3	5	1	–	1	–	–	–
Respiratory Organs	4	4	3	3	6	6	11	14	8	8	5	4	1	–	1	–
Digestive Organs	2	3	1	2	8	4	7	2	5	4	1	–	–	–	–	–
Urinary Organs	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Generative Organs	9	11	2	2	–	–	–	–	–	–	1	–	–	–	–	1
Locomotive Organs	–	–	1	–	–	–	1	1	1	1	2	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	37	59	54	78	71	35	17	2	1
Sudden Deaths	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Violent Deaths	–	–	1	–	–	–	2	–	1	–	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	–	2	2	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	1	1	2	–	–	2	4	1	1	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	1	1	2	–	2	2	–	–	–	–	–	–	–	1
Enteric Fever	–	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	2	1	–	1	1	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	5	2	4	4	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	2	2	2	4	4	2	3	2	5	–	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	12	12	2	12	4	5	4	–	1	1	–	1	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	–	–	2	–	–	–	–	1	–	–	–	–
Apoplexy	16	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis	32	–	–	1	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	6	4	–	–	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	1	–	2	–	–	1	1	–	–	–	–	–
Brain Disease	5	–	–	–	–	–	–	–	1	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	31	–	–	–	–	–	–	–	–	1	–	–	1
VI. Laryngitis	3	–	–	–	1	–	–	–	–	–	–	1	–
Bronchitis	54	3	1	1	2	–	–	1	1	–	1	–	1
Pleurisy	14	5	1	–	–	–	1	–	–	–	1	–	3
Pneumonia	14	–	1	3	–	1	–	–	–	–	–	–	–
Asthma	15	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	10	–	–	–	–	–	1	–	–	–	1	–	–
VII. Teething	8	–	2	2	3	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	1	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	1	1	–	–	–	–	1	–	1	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	1	–	–	–	1
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	1	–	–	–	2
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	1	1	–	–	–	–	1	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	1	1
Jaundice	3	–	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	5	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	29	–	–	–	–	–	–	–	–	–	–	–	6
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	3	–	–	–	–	–	–	–	1	1	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	1	1	–	2	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	1	–	–	–	2	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	214	45	13	16	16	8	4	1	6	2	5	7	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	–	–	2	2	–	2	3	3	–	–	–	–	–	–	–
Paralysis	1	1	–	1	2	1	2	4	9	6	2	1	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	–	1	2	2	–	6	5	3	5	1	–	1	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	–	3	4	4	8	5	5	4	4	1	–	1	–
Pleurisy	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	–	2	–	1	1	1	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	3	–	2	5	1	3	–	–	–	–	–	–
Lung Disease	1	1	1	1	–	1	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	–	1	3	1	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	11	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	12	9	7	7	11	11	11	8	–	–	–	–	–	–	–	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34315	3206	987	1921	2439	1249	829	644	1716	953	1213	1241	1159
SPECIFIED CAUSES	32236	2578	825	1759	2262	1185	777	593	1621	904	1151	1187	1108
I. Zymotic Class	7350	263	183	576	974	687	508	400	974	347	306	226	188
II. Diseases of Uncertain Seat	1281	25	3	6	14	6	9	8	25	10	13	17	29
III. Tubercular Class	5095	82	117	289	396	166	88	69	292	268	515	617	540
IV. Brain and Nervous System	2583	150	45	100	77	57	27	32	82	74	59	43	55
V. Organs of Circulation	1618	10	5	4	1	5	2	3	18	22	31	37	47
VI. Respiratory Organs	3970	305	226	424	404	139	88	42	98	50	43	65	60
VII. Organs of Digestion	2526	269	124	263	264	62	24	10	38	40	61	52	49
VIII. Urinary Organs	500	2	1	2	5	4	3	4	14	17	12	19	17
IX. Organs of Generation	275	–	–	–	–	–	–	1	–	–	17	23	48
X. Organs of Locomotion	183	–	2	–	2	3	1	1	17	13	19	11	11
XI. Skin, etc.	36	3	4	4	1	2	–	1	1	–	1	2	1
XII. Malformation	84	59	6	10	5	–	–	1	–	2	–	–	–
XIII. Premature Debility	1516	1354	93	69	–	–	–	–	–	–	–	–	–
XIV. Atrophy	219	–	–	–	67	17	7	6	7	4	3	7	2
XV. Age	3885	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	63	7	–	1	–	2	–	–	–	2	2	–	7
XVII. Violent Deaths	1052	49	16	11	52	35	20	15	55	55	69	68	54
I. Small Pox	39	5	3	4	3	3	3	1	2	2	4	–	2
Measles	389	6	10	73	134	61	40	22	30	4	2	1	1
Scarlatina	1456	9	11	80	196	230	201	176	389	82	34	25	8
Diphtheria	433	8	4	18	64	56	42	47	115	36	16	4	2
Hooping Cough	748	62	49	197	210	102	56	28	43	1	–	–	–
Croup	478	22	7	44	144	104	56	42	56	3	–	–	–
Thrush	21	10	2	4	2	2	–	1	–	–	–	–	–
Diarrhœa	643	59	56	77	109	25	11	7	12	6	6	7	8
Dysentery	176	3	14	8	7	6	–	3	–	–	–	–	4
Cholera	683	3	5	15	30	26	33	20	69	25	26	28	36
Influenza	119	7	1	3	3	–	2	1	2	–	–	2	1
Purpura	25	1	–	1	2	1	1	–	2	1	5	3	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	16	–	–	–	1	3	4	3	5	–	–	–	–
Typhus	666	8	–	8	12	16	14	16	70	60	65	51	31
Enteric Fever	888	6	4	14	31	31	29	20	118	94	108	68	52
Relapsing Fever	17	–	–	–	–	–	–	1	5	1	3	2	1
Simple Continued Fever	137	1	–	1	8	6	7	2	25	13	17	9	3
Infantile Remittent	79	8	1	15	11	12	6	7	19	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	5	18	27
Rheumatic Fever	64	–	–	–	–	–	–	1	6	15	10	4	3
Erysipelas	125	34	6	5	1	1	1	2	5	3	3	4	5
Pyæmia	7	–	–	–	–	–	1	–	1	1	1	–	–
Syphilis	42	11	10	9	5	1	–	–	–	–	–	–	1
Noma	8	–	–	–	1	1	1	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	8	–	1	–	–	–	–	–	–	2	3	4
Dropsy	359	3	1	1	7	4	5	6	16	9	2	7	5
Abscess	64	7	–	1	3	1	3	1	3	–	5	2	3
Ulcer	19	1	2	–	–	–	–	–	–	1	–	–	2
Fistula	10	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	65	5	–	1	3	–	–	–	1	–	2	–	2
Cancer	728	1	–	2	1	1	1	1	5	–	2	4	13
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	323	6	7	17	24	6	6	7	41	32	46	30	23
Tabes Mesenterica	409	46	27	48	122	47	17	15	36	19	9	4	1
Phthisis	3643	9	22	47	70	39	24	22	105	195	453	582	516
Hydrocephalus	720	21	61	177	180	74	41	25	110	22	7	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	995	958	1004	1038	1062	1213	1445	1723	2013	2044	1682	1036	351	126	23	45
SPECIFIED CAUSES	957	906	962	971	1008	1137	1342	1705	2011	2044	1682	1036	351	126	23	25
Zymotic Class	177	156	178	141	138	150	158	172	160	144	88	39	10	3	–	4
Uncertain Seat	22	40	73	89	108	119	144	136	154	122	73	27	8	1	–	–
Tubercular Class	396	295	245	181	156	148	107	71	34	17	5	–	–	–	–	1
Brain, etc.	42	65	75	105	117	119	183	244	296	270	150	88	17	8	–	3
Heart, etc.	61	73	55	78	111	143	184	218	219	156	98	32	4	1	–	–
Respiratory Organs	65	69	92	129	135	192	228	265	305	259	157	103	19	4	–	4
Digestive Organs	52	81	85	109	122	134	143	184	146	136	54	18	5	–	–	1
Urinary Organs	14	16	20	27	24	23	32	54	65	69	37	15	1	3	–	–
Generative Organs	44	43	38	21	7	7	11	10	3	1	–	–	1	–	–	–
Locomotive Organs	8	6	3	7	7	15	10	14	18	9	5	1	–	–	–	–
Skin	–	1	1	–	2	3	2	2	1	1	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	5	15	15	25	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	85	289	583	827	989	704	278	106	23	1
Sudden Deaths	2	–	3	2	3	4	11	9	3	3	2	–	–	–	–	–
Violent Deaths	66	56	79	67	52	49	44	37	24	30	22	9	7	–	–	11
Small Pox	1	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	3	1	2	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	2	2	3	3	1	2	–	3	1	3	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	7	12	13	13	20	17	28	34	54	25	20	6	2	–	1
Dysentery	3	6	1	2	12	5	20	25	22	12	16	6	–	1	–	–
Cholera	43	49	50	44	41	33	32	27	25	18	2	2	–	–	–	1
Influenza	1	1	3	2	5	3	10	17	13	20	16	4	2	–	–	–
Purpura	–	–	2	1	–	–	–	3	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	46	39	38	36	32	27	22	19	11	4	2	2	–	–	–
Enteric Fever	46	20	41	30	19	38	30	34	24	17	13	1	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Simple Cont. Fever	5	3	4	2	1	6	7	5	4	2	5	–	–	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	11	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	2	3	1	1	2	4	2	3	2	–	–	–	–	–	1
Erysipelas	1	3	5	1	3	7	5	5	12	4	6	3	–	–	–	–
Pyæmia	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	4	2	–	2	2	1	3	–	–	–	–	–	–	–
Dropsy	4	8	10	20	17	22	26	43	58	43	29	11	2	–	–	–
Abscess	3	3	7	–	4	1	7	1	5	2	1	–	1	–	–	–
Ulcer	–	–	–	–	1	1	1	1	3	4	2	–	–	–	–	–
Fistula	–	1	1	2	3	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	1	–	2	1	5	4	7	6	12	7	4	2	–	–	–
Cancer	14	25	51	63	82	88	103	81	79	61	34	12	3	1	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	18	14	6	4	6	7	10	5	4	4	–	–	–	–	–	–
Tabes Mesenterica	2	3	3	2	1	3	2	1	1	–	–	–	–	–	–	–
Phthisis	375	278	236	175	149	138	95	65	29	13	5	–	–	–	–	1
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV	Cephalitis	199	5	4	18	13	12	7	9	27	27	19	10	10
	Apoplexy	593	6	2	13	4	8	3	6	9	6	13	4	10
	Paralysis	863	1	–	–	–	–	2	–	–	5	1	2	4
	Delirium Tremens	17	–	–	–	–	–	–	–	–	–	1	–	–
	Chorea	4	–	–	–	–	–	–	–	–	2	1	–	–
	Epilepsy	135	–	1	–	–	–	–	1	3	8	8	10	15
	Tetanus	22	9	1	–	–	1	–	1	–	2	–	3	–
	Insanity	11	–	–	–	–	–	–	–	1	1	–	1	–
	Convulsions	322	124	33	57	47	25	10	7	19	–	–	–	–
	Brain Disease	417	5	4	12	13	11	5	8	23	23	16	13	16
V.	Pericarditis	17	–	–	–	1	–	–	–	2	–	1	1	–
	Aneurism	38	–	–	–	–	1	–	–	1	–	2	1	1
	Heart Disease	1563	10	5	4	–	4	2	3	15	22	28	35	46
VI.	Laryngitis	42	2	–	1	5	5	5	2	6	2	1	–	1
	Bronchitis	2547	224	179	340	310	100	55	25	51	21	11	15	24
	Pleurisy	133	1	1	4	–	2	3	1	7	4	6	8	3
	Pneumonia	897	67	41	76	88	32	22	13	28	22	22	37	24
	Asthma	227	–	–	–	–	–	1	–	–	–	1	1	3
	Lung Disease	124	11	5	3	1	–	2	1	6	1	2	4	5
VII.	Teething	389	2	22	163	174	25	2	–	1	–	–	–	–
	Quinsey	35	6	1	8	4	4	1	–	2	–	–	1	1
	Gastritis	111	8	7	3	4	2	1	1	3	2	1	5	2
	Enteritis	495	143	56	55	55	15	8	3	10	12	9	10	7
	Peritonitis	134	14	4	8	4	1	1	–	6	5	14	4	5
	Ascites	31	–	–	–	–	–	–	–	–	1	–	1	–
	Ulceration of Intestines	119	3	2	2	1	2	–	1	1	3	8	6	6
	Hernia	57	2	1	1	1	1	–	–	–	–	–	–	–
	Ileus	163	10	–	2	–	2	1	–	3	4	9	11	4
	Intussusception	21	–	2	5	–	–	–	–	2	–	1	–	1
	Stricture of Intestines	17	2	–	–	–	–	–	–	–	–	–	1	–
	Stomach Disease	395	35	24	14	13	5	4	1	3	4	5	4	7
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	97	3	–	1	1	1	1	–	–	2	3	–	4
	Jaundice	105	33	3	1	2	3	3	1	1	1	1	2	–
	Liver Disease	332	8	1	–	3	1	1	3	6	4	9	5	10
	Spleen Disease	25	–	1	–	2	–	1	–	–	2	1	2	2
VIII.	Nephritis	26	–	–	–	2	–	–	1	2	–	3	2	2
	Nephria	95	–	–	1	1	2	1	–	7	3	4	6	5
	Addison's Disease	4	–	–	–	–	–	–	–	–	–	1	–	–
	Ischuria	26	2	–	–	–	–	1	–	–	1	–	1	–
	Diabetes	47	–	–	–	–	–	–	–	1	7	1	3	4
	Stone	39	–	–	–	–	–	–	–	–	–	–	–	1
	Cystitis	115	–	–	1	1	–	–	–	–	–	–	3	–
	Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	143	–	1	–	1	2	1	3	4	6	3	4	5
IX.	Paramenia	16	–	–	–	–	–	–	–	–	–	5	4	2
	Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	–	–	2
	Childbirth	174	–	–	–	–	–	–	–	–	–	11	17	40
	Organs of Generation	47	–	–	–	–	–	–	1	–	–	1	2	4
X.	Arthritis	36	–	1	–	1	1	1	1	3	2	6	1	4
	Rheumatism	93	–	–	–	–	1	–	–	3	3	7	2	5
	Joint and Bone Disease	54	–	1	–	1	1	–	–	11	8	6	8	2
XI.	Carbuncle	11	–	–	–	–	–	–	–	–	–	1	–	–
	Phlegmon	7	1	–	–	–	1	–	–	–	–	–	1	1
	Skin Disease	18	2	4	4	1	1	–	1	1	–	–	1	–
XVII.	Intemperance	30	–	–	–	–	–	–	–	–	–	–	–	1
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	26	19	5	2	–	–	–	–	–	–	–	–	–
	Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
	Cold	19	–	1	1	–	–	1	–	–	–	–	–	–
	Poison	17	2	–	1	–	1	–	2	–	–	–	1	–
	Poisoned Wounds	2	–	–	–	–	–	–	–	1	–	–	–	1
	Burns and Scalds	138	–	2	4	35	19	11	5	16	2	1	1	–
	Hanging, etc.	28	–	–	–	–	–	–	–	–	–	2	–	1
	Suffocation	39	15	8	2	–	2	1	–	1	–	2	1	1
	Drowning	221	2	–	–	11	8	6	3	11	7	25	23	20
	Fracture and Contusion	431	4	–	–	3	5	1	5	23	39	35	32	25
	Gunshot Wounds	15	–	–	–	–	–	–	–	2	3	3	3	1
	Cuts and Stabs	23	–	–	–	–	–	–	–	–	–	–	–	1
	Other Violent Causes	62	7	–	1	2	–	–	–	1	4	1	7	3
	Not Specified	2079	628	162	162	177	64	52	51	95	49	62	54	51

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	8	1	3	2	4	4	–	3	6	2	–	–	–	–	–
Apoplexy	7	11	23	29	32	38	64	67	86	78	36	24	9	4	–	1
Paralysis	4	8	23	31	46	46	79	135	169	149	96	50	8	3	–	1
Delirium Tremens	2	4	2	2	4	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	8	17	5	9	10	8	5	7	8	8	2	1	–	1	–	–
Tetanus	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	1	–	2	2	1	–	–	–	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	15	16	17	29	22	23	29	34	28	27	14	13	–	–	–	1
Pericarditis	1	2	1	–	–	1	3	2	1	1	–	–	–	–	–	–
Aneurism	6	–	4	3	3	2	7	3	2	2	–	–	–	–	–	–
Heart Disease	54	71	50	75	108	140	174	213	216	153	98	32	4	1	–	–
Laryngitis	1	1	–	3	–	2	1	2	1	1	–	–	–	–	–	–
Bronchitis	22	19	46	51	57	90	133	161	203	176	125	84	17	4	–	4
Pleurisy	4	6	6	8	8	13	9	8	16	5	7	2	1	–	–	–
Pneumonia	32	33	28	41	41	51	39	44	41	47	18	9	1	–	–	–
Asthma	1	2	10	12	19	23	32	42	39	28	6	7	–	–	–	–
Lung Disease	5	8	2	14	10	13	14	8	5	2	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	1	1	–	2	–	–	–	–	–	–	–
Gastritis	3	3	3	6	7	8	13	4	6	10	5	2	2	–	–	–
Enteritis	4	11	12	9	13	14	13	8	14	10	4	–	–	–	–	–
Peritonitis	7	5	7	1	6	7	10	9	4	7	3	2	–	–	–	–
Ascites	–	1	3	3	6	2	2	3	4	3	2	–	–	–	–	–
Ulceration of Intestines	5	12	8	6	5	7	9	19	6	4	2	1	–	–	–	–
Hernia	3	1	4	4	1	4	3	9	6	9	5	2	–	–	–	–
Ileus	4	5	2	8	8	13	8	19	21	20	7	1	1	–	–	–
Intussusception	–	–	–	1	1	2	1	2	2	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	3	2	1	1	3	1	1	–	–	–	–	–
Stomach Disease	4	10	17	31	25	31	27	41	40	35	10	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	6	5	7	9	9	12	10	6	6	2	1	–	–	–	–
Jaundice	–	5	1	3	6	3	7	12	4	8	4	1	–	–	–	–
Liver Disease	9	22	20	30	28	30	36	44	27	21	9	4	1	–	–	–
Spleen Disease	1	–	2	–	4	1	–	3	1	1	–	1	–	–	–	–
Nephritis	1	2	1	–	5	–	–	–	3	1	–	1	–	–	–	–
Nephria	4	6	6	9	6	4	5	11	4	6	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	1	1	1	–	–	–	2	4	1	5	4	1	–	1	–	–
Diabetes	2	3	4	5	1	3	5	5	3	–	–	–	–	–	–	–
Stone	–	1	–	–	–	1	2	6	14	8	6	–	–	–	–	–
Cystitis	1	2	2	4	5	3	2	15	16	33	16	9	–	2	–	–
Stricture of Urethra	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
Kidney Disease	4	1	6	9	6	11	16	11	24	14	6	4	1	–	–	–
Paramenia	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	6	6	5	5	2	1	1	–	–	–	–	–	–
Childbirth	37	38	28	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	6	11	–	2	6	8	2	–	–	–	1	–	–	–
Arthritis	2	3	–	3	–	3	–	2	–	1	1	–	–	–	–	–
Rheumatism	2	1	3	4	4	11	8	11	15	8	4	1	–	–	–	–
Joint Disease	4	2	–	–	3	1	2	1	3	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	1	1	1	2	–	1	–	–	–
Phlegmon	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Intemperance	2	2	3	7	3	4	4	1	1	–	1	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	3	4	2	–	2	3	1	–	–	–	–	–	–	–	–
Poison	1	1	2	–	1	1	1	2	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	4	2	5	4	1	3	3	–	9	4	1	2	–	–	–
Hanging, etc.	3	2	4	4	4	4	1	1	–	2	–	–	–	–	–	–
Suffocation	–	1	–	–	–	1	–	1	1	1	–	–	–	–	–	1
Drowning	14	12	22	9	11	11	9	7	2	1	1	1	–	–	–	5
Fracture and Contusion	36	27	30	35	27	18	17	17	9	14	14	6	5	–	–	4
Gunshot Wounds	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	7	3	–	3	1	1	2	2	–	–	–	–	–	–
Other Violent Causes	3	1	5	2	1	4	5	3	8	1	2	1	–	–	–	–
Not Specified	38	52	42	67	54	76	103	18	2	–	–	–	–	–	–	20

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16930	1794	529	1091	1248	630	434	311	888	480	619	654	559
SPECIFIED CAUSES	15864	1452	448	997	1157	600	410	284	841	450	586	623	537
I. Zymotic Class	3491	155	109	297	457	331	261	190	482	174	155	100	74
II. Diseases of Uncertain Seat	494	16	1	2	5	6	6	4	13	3	8	8	15
III. Tubercular Class	2518	48	59	167	209	92	48	33	163	117	238	326	271
IV. Brain and Nervous System	1354	80	23	53	44	30	17	18	42	31	25	27	26
V. Organs of Circulation	819	5	3	3	1	4	2	3	13	9	16	11	17
VI. Respiratory Organs	2137	191	128	266	222	71	45	12	50	24	24	44	40
VII. Organs of Digestion	1326	157	65	157	142	29	15	5	21	28	34	23	20
VIII. Urinary Organs	348	1	–	–	2	2	2	3	10	6	9	13	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	99	–	1	–	2	2	1	1	11	7	13	7	10
XI. Skin, etc.	24	1	3	3	1	2	–	1	1	–	1	1	–
XII. Malformation	49	39	3	4	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	811	725	49	37	–	–	–	–	–	–	–	–	–
XIV. Atrophy	108	–	–	–	40	9	3	4	2	1	1	3	–
XV. Age	1468	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	3	–	–	–	1	–	–	–	1	1	–	4
XVII. Violent Deaths	778	31	4	8	30	21	10	10	33	49	61	60	50
I. Small Pox	19	5	2	1	2	–	1	–	–	2	1	–	1
Measles	193	5	5	40	66	27	17	12	18	2	–	–	–
Scarlatina	748	5	7	44	100	117	106	81	208	46	17	8	4
Diphtheria	216	5	3	8	24	33	16	25	64	17	11	1	2
Hooping Cough	327	35	25	97	74	34	32	12	18	–	–	–	–
Croup	250	16	5	29	80	55	29	16	19	1	–	–	–
Thrush	11	6	1	2	1	–	–	1	–	–	–	–	–
Diarrhœa	307	32	33	42	57	14	5	3	6	2	5	1	1
Dysentery	73	1	11	3	4	1	–	1	–	–	–	–	1
Cholera	311	2	4	7	13	13	15	14	34	13	8	15	16
Influenza	54	5	–	1	1	–	2	1	2	–	–	2	1
Purpura	18	1	–	1	2	1	1	–	2	1	4	2	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	1	3	3	1	–	–	–	–
Typhus	311	4	–	3	6	8	6	7	35	33	30	26	19
Enteric Fever	404	3	3	7	14	14	18	8	47	42	56	38	20
Relapsing Fever	11	–	–	–	–	–	–	–	2	–	3	1	1
Simple Continued Fever	59	1	–	1	3	3	4	1	10	5	9	2	2
Infantile Remittent	46	6	1	8	6	8	4	4	9	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	38	–	–	–	–	–	–	1	4	9	8	2	2
Erysipelas	62	17	3	1	1	1	1	–	3	–	1	2	2
Pyæmia	5	–	–	–	–	–	1	–	–	1	1	–	–
Syphilis	17	6	6	2	3	–	–	–	–	–	–	–	–
Noma	3	–	–	–	–	1	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	6	–	1	–	–	–	–	–	–	1	2	3
Dropsy	151	2	1	–	3	4	4	4	8	3	2	3	4
Abscess	36	4	–	–	1	1	2	–	3	–	3	2	3
Ulcer	11	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	37	3	–	1	–	–	–	–	–	–	2	–	2
Cancer	231	–	–	–	1	1	–	–	2	–	–	1	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	174	5	3	9	12	2	4	2	23	20	24	15	14
Tabes Mesenterica	210	26	10	26	55	24	9	9	21	10	7	3	–
Phthisis	1712	5	12	27	41	15	14	10	53	73	203	307	257
Hydrocephalus	422	12	34	105	101	51	21	12	66	14	4	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	451	403	470	527	541	624	695	831	885	912	747	419	127	34	4	23
SPECIFIED CAUSES	440	381	453	492	513	590	646	824	883	912	747	419	127	34	4	14
Zymotic Class	68	53	80	58	64	72	70	70	65	52	32	14	4	2	–	2
Uncertain Seat	7	13	22	30	31	41	55	57	54	49	32	11	4	1	–	–
Tubercular Class	185	113	98	78	68	73	53	47	17	11	4	–	–	–	–	–
Brain, etc.	23	35	39	54	60	67	103	122	152	139	82	52	5	4	–	1
Heart, etc.	25	27	22	37	58	82	93	121	119	79	55	11	3	–	–	–
Respiratory Organs	36	39	68	86	91	100	102	130	121	119	73	48	6	1	–	–
Digestive Organs	26	42	39	64	59	81	68	78	73	66	24	7	3	–	–	–
Urinary Organs	11	7	10	21	13	13	25	35	45	58	35	13	1	3	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	1	–	3	5	6	6	5	6	5	1	1	–	–	–	–
Skin	–	–	–	–	2	2	2	1	–	–	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	3	10	7	13	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	28	124	213	320	397	260	99	23	4	–
Sudden Deaths	1	–	3	2	3	3	8	6	2	2	–	–	–	–	–	–
Violent Deaths	51	48	62	52	45	40	33	28	16	12	10	2	1	–	–	11
Small Pox	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	2	1	–	1	–	–	1	1	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	2	4	4	7	9	7	12	14	17	11	9	3	2	–	1
Dysentery	1	4	–	–	7	2	8	11	7	3	7	1	–	–	–	–
Cholera	15	21	24	22	21	13	15	10	10	5	–	–	–	–	–	1
Influenza	1	–	–	1	2	–	2	8	5	10	8	1	1	–	–	–
Purpura	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	13	20	15	17	17	14	7	8	6	–	–	–	–	–	–
Enteric Fever	25	8	20	11	4	19	13	12	12	6	3	1	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Simple Cont. Fever	1	1	–	1	–	3	4	5	–	1	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	2	–	1	2	1	1	1	–	–	–	–	–	–	–
Erysipelas	–	2	3	1	2	6	4	3	5	3	–	1	–	–	–	–
Pyæmia	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	1	–	1	–	1	2	–	–	–	–	–	–	–
Dropsy	1	2	4	7	9	8	12	15	19	18	14	3	1	–	–	–
Abscess	3	1	6	–	–	–	2	1	2	1	–	–	1	–	–	–
Ulcer	–	–	–	–	–	1	1	1	2	2	2	–	–	–	–	–
Fistula	–	–	1	2	2	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	1	4	1	4	4	7	3	2	1	–	–	–
Cancer	3	9	9	19	19	27	38	33	25	21	13	6	1	1	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	10	7	3	1	2	4	7	3	1	3	–	–	–	–	–	–
Tabes Mesenterica	1	1	1	2	–	2	1	1	1	–	–	–	–	–	–	–
Phthisis	173	105	94	75	66	67	45	43	15	8	4	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	110	1	4	9	8	6	4	7	16	8	9	6	7
Apoplexy	300	1	–	6	2	4	1	–	4	3	6	1	6
Paralysis	429	1	–	–	–	–	2	–	–	2	–	2	1
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	71	–	1	–	–	–	–	–	2	5	2	6	4
Tetanus	15	8	–	–	–	–	–	1	–	2	–	2	–
Insanity	4	–	–	–	–	–	–	–	1	–	–	1	–
Convulsions	171	68	15	32	25	14	6	4	7	–	–	–	–
Brain Disease	240	1	3	6	9	6	4	6	12	11	8	9	8
V. Pericarditis	11	–	–	–	1	–	–	–	2	–	1	–	–
Aneurism	27	–	–	–	–	1	–	–	1	–	1	1	–
Heart Disease	781	5	3	3	–	3	2	3	10	9	14	10	17
VI. Laryngitis	27	2	–	1	3	2	3	–	3	–	–	–	1
Bronchitis	1312	135	103	214	173	52	28	7	25	8	3	12	15
Pleurisy	71	1	–	4	–	–	–	–	4	3	3	6	2
Pneumonia	529	43	23	47	46	17	11	4	14	12	16	23	17
Asthma	120	–	–	–	–	–	1	–	–	–	1	1	2
Lung Disease	78	10	2	–	–	–	2	1	4	1	1	2	3
VII. Teething	219	2	13	102	90	11	1	–	–	–	–	–	–
Quinsey	22	2	–	7	2	1	1	–	2	–	–	1	1
Gastritis	56	2	4	1	2	2	–	–	2	2	–	2	1
Enteritis	281	84	26	26	33	7	6	1	6	8	9	4	2
Peritonitis	52	6	1	4	2	1	1	–	4	2	5	–	–
Ascites	10	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	59	2	2	1	–	–	–	–	–	3	4	2	1
Hernia	28	1	1	1	1	1	–	–	–	–	–	–	–
Ileus	86	7	–	1	–	–	–	–	2	3	7	5	2
Intussusception	14	–	2	4	–	–	–	–	–	–	–	–	–
Stricture of Intestines	10	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	199	21	12	9	8	3	2	1	–	3	3	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	51	3	–	1	1	1	–	–	–	1	2	–	3
Jaundice	52	18	3	–	1	1	2	–	1	1	–	2	–
Liver Disease	173	7	–	–	1	1	1	3	4	3	4	3	5
Spleen Disease	14	–	1	–	1	–	1	–	–	1	–	1	1
VIII. Nephritis	15	–	–	–	1	–	–	–	2	–	2	1	–
Nephria	45	–	–	–	–	–	–	–	5	1	3	3	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	21	1	–	–	–	–	1	–	–	1	–	–	–
Diabetes	32	–	–	–	–	–	–	–	1	1	1	3	3
Stone	36	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	104	–	–	–	1	–	–	–	–	–	–	2	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	88	–	–	–	–	2	1	3	2	3	3	4	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	26	–	–	–	1	–	1	1	2	2	5	1	4
Rheumatism	42	–	–	–	–	1	–	–	2	1	5	1	5
Joint and Bone Disease	31	–	1	–	1	1	–	–	7	4	3	5	1
XI. Carbuncle	8	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	3	–	–	–	–	1	–	–	–	–	–	1	–
Skin Disease	13	1	3	3	1	1	–	1	1	–	–	–	–
XVII. Intemperance	21	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	11	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	1	1	–	–	–	–	–	–	–	–	–
Poison	10	1	–	1	–	1	–	1	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	59	–	–	2	21	9	5	2	3	2	1	1	–
Hanging, etc.	22	–	–	–	–	–	–	–	–	–	1	–	1
Suffocation	22	8	2	2	–	1	–	–	1	–	2	1	1
Drowning	182	–	–	–	8	6	4	3	9	6	21	19	19
Fracture and Contusion	364	4	–	–	–	4	1	4	16	36	32	30	23
Gunshot Wounds	14	–	–	–	–	–	–	–	2	2	3	3	1
Cuts and Stabs	15	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	44	7	–	1	1	–	–	–	1	3	1	6	3
Not Specified	1066	342	81	94	91	30	24	27	47	30	33	31	22

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	5	1	2	2	3	4	–	2	3	1	–	–	–	–	–
Apoplexy	4	4	14	10	17	19	37	35	49	39	22	12	2	1	–	1
Paralysis	3	6	8	14	20	25	39	63	76	79	49	33	3	3	–	–
Delirium Tremens	1	4	2	2	4	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	7	3	6	7	4	4	2	5	4	1	1	–	–	–	–
Tetanus	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	9	10	20	10	16	17	22	19	13	9	6	–	–	–	–
Pericarditis	–	1	1	–	–	1	2	1	–	1	–	–	–	–	–	–
Aneurism	4	–	3	3	3	2	3	2	2	1	–	–	–	–	–	–
Heart Disease	21	26	18	34	55	79	88	118	117	77	55	11	3	–	–	–
Laryngitis	1	1	–	3	–	2	1	2	1	1	–	–	–	–	–	–
Bronchitis	13	11	28	35	36	43	51	73	73	74	56	38	5	1	–	–
Pleurisy	2	3	5	3	5	7	4	2	10	–	5	1	1	–	–	–
Pneumonia	17	20	23	25	27	28	24	30	17	31	9	5	–	–	–	–
Asthma	–	1	10	8	15	12	16	20	15	12	2	4	–	–	–	–
Lung Disease	3	3	2	12	8	8	6	3	5	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Gastritis	3	2	2	4	3	4	4	2	5	5	1	1	2	–	–	–
Enteritis	2	7	7	8	6	8	8	4	9	7	3	–	–	–	–	–
Peritonitis	3	1	2	–	1	4	5	3	3	1	1	2	–	–	–	–
Ascites	–	–	–	2	4	–	1	–	1	1	–	–	–	–	–	–
Ulceration of Intestines	1	8	3	3	3	6	5	9	4	2	–	–	–	–	–	–
Hernia	2	1	–	2	1	2	1	4	2	6	1	1	–	–	–	–
Ileus	2	4	1	5	3	4	4	10	12	8	6	–	–	–	–	–
Intussusception	–	–	–	1	1	2	1	1	1	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	1	2	1	–	1	–	1	–	–	–	–	–
Stomach Disease	1	4	12	16	12	16	15	15	14	19	5	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	3	1	5	3	7	5	6	4	1	1	–	–	–	–	–
Jaundice	–	3	1	1	2	2	2	4	1	5	2	–	–	–	–	–
Liver Disease	6	9	8	17	17	22	15	18	14	10	3	1	1	–	–	–
Spleen Disease	–	–	1	–	2	1	–	2	1	–	–	1	–	–	–	–
Nephritis	1	1	1	–	3	–	–	–	2	–	–	1	–	–	–	–
Nephria	3	2	2	5	3	–	5	3	–	3	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	–	2	3	1	4	4	1	–	1	–	–
Diabetes	2	2	4	4	–	2	3	3	3	–	–	–	–	–	–	–
Stone	–	1	–	–	–	1	2	5	13	8	5	–	–	–	–	–
Cystitis	–	1	2	3	3	3	2	13	15	32	16	9	–	2	–	–
Stricture of Urethra	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
Kidney Disease	3	–	–	9	3	6	11	7	11	9	5	2	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	1	–	2	–	2	–	2	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	1	3	4	5	3	5	5	–	1	–	–	–	–
Joint Disease	4	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	–	–	–	2	–	1	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Intemperance	2	2	2	5	2	2	3	1	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	2	1	1	–	1	2	1	–	–	–	–	–	–	–	–
Poison	–	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	–	4	3	1	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	2	1	3	2	4	4	1	1	–	2	–	–	–	–	–	–
Suffocation	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1
Drowning	12	11	17	6	10	10	7	5	2	1	1	–	–	–	–	5
Fracture and Contusion	29	26	28	32	24	14	16	17	7	7	7	2	1	–	–	4
Gunshot Wounds	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	6	1	–	3	1	–	1	2	–	–	–	–	–	–
Other Violent Causes	2	1	4	1	–	4	2	2	4	–	1	–	–	–	–	–
Not Specified	11	22	17	35	28	34	49	7	2	–	–	–	–	–	–	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17385	1412	458	830	1191	619	395	332	828	473	594	587	600
SPECIFIED CAUSES	16372	1126	377	762	1105	585	367	309	780	454	565	564	571
I. Zymotic Class	3859	108	74	279	517	356	247	210	492	173	151	126	114
II. Diseases of Uncertain Seat	787	9	2	4	9	–	3	4	12	7	5	9	14
III. Tubercular Class	2577	34	58	122	187	74	40	36	129	151	277	291	269
IV. Brain and Nervous System	1229	70	22	47	33	27	10	14	40	43	34	16	29
V. Organs of Circulation	799	5	2	1	–	1	–	–	5	13	15	26	30
VI. Respiratory Organs	1833	114	98	158	182	68	43	30	48	26	19	21	20
VII. Organs of Digestion	1200	112	59	106	122	33	9	5	17	12	27	29	29
VIII. Urinary Organs	152	1	1	2	3	2	1	1	4	11	3	6	7
IX. Organs of Generation	275	–	–	–	–	–	–	1	–	–	17	23	48
X. Organs of Locomotion	84	–	1	–	–	1	–	–	6	6	6	4	1
XI. Skin, etc.	12	2	1	1	–	–	–	–	–	–	–	1	1
XII. Malformation	35	20	3	6	3	–	–	1	–	2	–	–	–
XIII. Premature Debility	705	629	44	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	111	–	–	–	27	8	4	2	5	3	2	4	2
XV. Age	2417	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	23	4	–	1	–	1	–	–	–	1	1	–	3
XVII. Violent Deaths	274	18	12	3	22	14	10	5	22	6	8	8	4
I. Small Pox	20	–	1	3	1	3	2	1	2	–	3	–	1
Measles	196	1	5	33	68	34	23	10	12	2	2	1	1
Scarlatina	708	4	4	36	96	113	95	95	181	36	17	17	4
Diphtheria	217	3	1	10	40	23	26	22	51	19	5	3	–
Hooping Cough	421	27	24	100	136	68	24	16	25	1	–	–	–
Croup	228	6	2	15	64	49	27	26	37	2	–	–	–
Thrush	10	4	1	2	1	2	–	–	–	–	–	–	–
Diarrhœa	336	27	23	35	52	11	6	4	6	4	1	6	7
Dysentery	103	2	3	5	3	5	–	2	–	–	–	–	3
Cholera	372	1	1	8	17	13	18	6	35	12	18	13	20
Influenza	65	2	1	2	2	–	–	–	–	–	–	–	–
Purpura	7	–	–	–	–	–	–	–	–	–	1	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	1	2	1	–	4	–	–	–	–
Typhus	355	4	–	5	6	8	8	9	35	27	35	25	12
Enteric Fever	484	3	1	7	17	17	11	12	71	52	52	30	32
Relapsing Fever	6	–	–	–	–	–	–	1	3	1	–	1	–
Simple Continued Fever	78	–	–	–	5	3	3	1	15	8	8	7	1
Infantile Remittent	33	2	–	7	5	4	2	3	10	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	5	18	27
Rheumatic Fever	26	–	–	–	–	–	–	–	2	6	2	2	1
Erysipelas	63	17	3	4	–	–	–	2	2	3	2	2	3
Pyæmia	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	25	5	4	7	2	1	–	–	–	–	–	–	1
Noma	5	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	2	–	–	–	–	–	–	–	–	1	1	1
Dropsy	208	1	–	1	4	–	1	2	8	6	–	4	1
Abscess	28	3	–	1	2	–	1	1	–	–	2	–	–
Ulcer	8	–	2	–	–	–	–	–	–	1	–	–	1
Fistula	3	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	28	2	–	–	3	–	–	–	1	–	–	–	–
Cancer	497	1	–	2	–	–	1	1	3	–	2	3	11
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	149	1	4	8	12	4	2	5	18	12	22	15	9
Tabes Mesenterica	199	20	17	22	67	23	8	6	15	9	2	1	1
Phthisis	1931	4	10	20	29	24	10	12	52	122	250	275	259
Hydrocephalus	298	9	27	72	79	23	20	13	44	8	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?!
ALL CAUSES	544	555	534	511	521	589	750	892	1128	1132	935	617	224	92	19	22
SPECIFIED CAUSES	517	525	509	479	495	547	696	881	1128	1132	935	617	224	92	19	11
Zymotic Class	109	103	98	83	74	78	88	102	95	92	56	25	6	1	–	2
Uncertain Seat	15	27	51	59	77	78	89	79	100	73	41	16	4	–	–	–
Tubercular Class	211	182	147	103	88	75	54	24	17	6	1	–	–	–	–	1
Brain, etc.	19	30	36	51	57	52	80	122	144	131	68	36	12	4	–	2
Heart, etc.	36	46	33	41	53	61	91	97	100	77	43	21	1	1	–	–
Respiratory Organs	29	30	24	43	44	92	126	135	184	140	84	55	13	3	–	4
Digestive Organs	26	39	46	45	63	53	75	106	73	70	30	11	2	–	–	1
Urinary Organs	3	9	10	6	11	10	7	19	20	11	2	2	–	–	–	–
Generative Organs	44	43	38	21	7	7	11	10	3	1	–	–	1	–	–	–
Locomotive Organs	3	5	3	4	2	9	4	9	12	4	4	–	–	–	–	–
Skin	–	1	1	–	–	1	–	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	2	5	8	12	21	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	57	165	370	507	592	444	179	83	19	1
Sudden Deaths	1	–	–	–	–	1	3	3	1	1	2	–	–	–	–	–
Violent Deaths	15	8	17	15	7	9	11	9	8	18	12	7	6	–	–	–
Small Pox	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	2	–	1	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	2	2	1	2	1	1	–	3	–	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	5	8	9	6	11	10	16	20	37	14	11	3	–	–	–
Dysentery	2	2	1	2	5	3	12	14	15	9	9	5	–	1	–	–
Cholera	28	28	26	22	20	20	17	17	15	13	2	2	–	–	–	–
Influenza	–	1	3	1	3	3	8	9	8	10	8	3	1	–	–	–
Purpura	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	33	19	23	19	15	13	15	11	5	4	2	2	–	–	–
Enteric Fever	21	12	21	19	15	19	17	22	12	11	10	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	4	2	4	1	1	3	3	–	4	1	3	–	–	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	11	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	1	–	–	3	1	2	2	–	–	–	–	–	1
Erysipelas	1	1	2	–	1	1	1	2	7	1	6	2	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	2	1	–	1	2	–	1	–	–	–	–	–	–	–
Dropsy	3	6	6	13	8	14	14	28	39	25	15	8	1	–	–	–
Abscess	–	2	1	–	4	1	5	–	3	1	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	3	3	2	5	4	2	1	–	–	–
Cancer	11	16	42	44	63	61	65	48	54	40	21	6	2	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	8	7	3	3	4	3	3	2	3	1	–	–	–	–	–	–
Tabes Mesenterica	1	2	2	–	1	1	1	–	–	–	–	–	–	–	–	–
Phthisis	202	173	142	100	83	71	50	22	14	5	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	89	4	–	9	5	6	3	2	11	19	10	4	3
Apoplexy	293	5	2	7	2	4	2	6	5	3	7	3	4
Paralysis	434	–	–	–	–	–	–	–	–	3	1	–	3
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	1	–	–
Chorea	4	–	–	–	–	–	–	–	–	2	1	–	–
Epilepsy	64	–	–	–	–	–	–	1	1	3	6	4	11
Tetanus	7	1	1	–	–	1	–	–	–	–	–	1	–
Insanity	7	–	–	–	–	–	–	–	–	1	–	–	–
Convulsions	151	56	18	25	22	11	4	3	12	–	–	–	–
Brain Disease	177	4	1	6	4	5	1	2	11	12	8	4	8
V. Pericarditis	6	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	11	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	782	5	2	1	–	1	–	–	5	13	14	25	29
VI. Laryngitis	15	–	–	–	2	3	2	2	3	2	1	–	–
Bronchitis	1235	89	76	126	137	48	27	18	26	13	8	3	9
Pleurisy	62	–	1	–	–	2	3	1	3	1	3	2	1
Pneumonia	368	24	18	29	42	15	11	9	14	10	6	14	7
Asthma	107	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	46	1	3	3	1	–	–	–	2	–	1	2	2
VII. Teething	170	–	9	61	84	14	1	–	1	–	–	–	–
Quinsey	13	4	1	1	2	3	–	–	–	–	–	–	–
Gastritis	55	6	3	2	2	–	1	1	1	–	1	3	1
Enteritis	214	59	30	29	22	8	2	2	4	4	–	6	5
Peritonitis	82	8	3	4	2	–	–	–	2	3	9	4	5
Ascites	21	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	60	1	–	1	1	2	–	1	1	–	4	4	5
Hernia	29	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	77	3	–	1	–	2	1	–	1	1	2	6	2
Intussusception	7	–	–	1	–	–	–	–	2	–	1	–	1
Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	196	14	12	5	5	2	2	–	3	1	2	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	46	–	–	–	–	–	1	–	–	1	1	–	1
Jaundice	53	15	–	1	1	2	1	1	–	–	1	–	–
Liver Disease	159	1	1	–	2	–	–	–	2	1	5	2	5
Spleen Disease	11	–	–	–	1	–	–	–	–	1	1	1	1
VIII. Nephritis	11	–	–	–	1	–	–	1	–	–	1	1	2
Nephria	50	–	–	1	1	2	1	–	2	2	1	3	2
Addison's Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	5	1	–	–	–	–	–	–	–	–	–	1	–
Diabetes	15	–	–	–	–	–	–	–	–	6	–	–	1
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	11	–	–	1	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	55	–	1	–	1	–	–	–	2	3	–	–	2
IX. Paramenia	16	–	–	–	–	–	–	–	–	–	5	4	2
Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	174	–	–	–	–	–	–	–	–	–	11	17	40
Organs of Generation	47	–	–	–	–	–	–	1	–	–	1	2	4
X. Arthritis	10	–	1	–	–	1	–	–	1	–	1	–	–
Rheumatism	51	–	–	–	–	–	–	–	1	2	2	1	–
Joint and Bone Disease	23	–	–	–	–	–	–	–	4	4	3	3	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	5	1	1	1	–	–	–	–	–	–	–	1	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	8	4	1	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
Cold	8	–	–	–	–	–	1	–	–	–	–	–	–
Poison	7	1	–	–	–	–	–	1	–	–	–	1	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	79	–	2	2	14	10	6	3	13	–	–	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	17	7	6	–	–	1	1	–	–	–	–	–	–
Drowning	39	2	–	–	3	2	2	–	2	1	4	4	1
Fracture and Contusion	67	–	–	–	3	1	–	1	7	3	3	2	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	8	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	–	–	–	1	–	–	–	–	1	–	1	–
Not Specified	1013	286	81	68	86	34	28	24	48	19	29	23	29

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	–	1	–	1	–	–	1	3	1	–	–	–	–	–
Apoplexy	3	7	9	19	15	19	27	32	37	39	14	12	7	3	–	–
Paralysis	1	2	15	17	26	21	40	72	93	70	47	17	5	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	1	10	2	3	3	4	1	5	3	4	1	–	–	1	–	–
Tetanus	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	1	2	1	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	7	7	9	12	7	12	12	9	14	5	7	–	–	–	1
Pericarditis	1	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Aneurism	2	–	1	–	–	–	4	1	–	1	–	–	–	–	–	–
Heart Disease	33	45	32	41	53	61	86	95	99	76	43	21	1	1	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	8	18	16	21	47	82	88	130	102	69	46	12	3	–	4
Pleurisy	2	3	1	5	3	6	5	6	6	5	2	1	–	–	–	–
Pneumonia	15	13	5	16	14	23	15	14	24	16	9	4	1	–	–	–
Asthma	1	1	–	4	4	11	16	22	24	16	4	3	–	–	–	–
Lung Disease	2	5	–	2	2	5	8	5	–	1	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	1	1	2	4	4	9	2	1	5	4	1	–	–	–	–
Enteritis	2	4	5	1	7	6	5	4	5	3	1	–	–	–	–	–
Peritonitis	4	4	5	1	5	3	5	6	1	6	2	–	–	–	–	–
Ascites	–	1	3	1	2	2	1	3	3	2	2	–	–	–	–	–
Ulceration of Intestines	4	4	5	3	2	1	4	10	2	2	2	1	–	–	–	–
Hernia	1	–	4	2	–	2	2	5	4	3	4	1	–	–	–	–
Ileus	2	1	1	3	5	9	4	9	9	12	1	1	1	–	–	–
Intussusception	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	2	–	–	1	2	1	–	–	–	–	–	–
Stomach Disease	3	6	5	15	13	15	12	26	26	16	5	2	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	3	4	2	6	2	7	4	2	5	1	1	–	–	–	–
Jaundice	–	2	–	2	4	1	5	8	3	3	2	1	–	–	–	–
Liver Disease	3	13	12	13	11	8	21	26	13	11	6	3	–	–	–	–
Spleen Disease	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–
Nephritis	–	1	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Nephria	1	4	4	4	3	4	–	8	4	3	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Diabetes	–	1	–	1	1	1	2	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Cystitis	1	1	–	1	2	–	–	2	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	6	–	3	5	5	4	13	5	1	2	–	–	–	–
Paramenia	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	6	6	5	5	2	1	1	–	–	–	–	–	–
Childbirth	37	38	28	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	6	11	–	2	6	8	2	–	–	–	1	–	–	–
Arthritis	1	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Rheumatism	2	1	3	3	1	7	3	8	10	3	4	–	–	–	–	–
Joint Disease	–	2	–	–	1	1	1	1	2	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	2	1	2	1	–	1	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	2	1	1	–	3	3	–	9	3	1	2	–	–	–
Hanging, etc.	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Drowning	2	1	5	3	1	1	2	2	–	–	–	1	–	–	–	–
Fracture and Contusion	7	1	2	3	3	4	1	–	2	7	7	4	4	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	1	2	–	–	–	1	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	1	1	–	3	1	4	1	1	1	–	–	–	–
Not Specified	27	30	25	32	26	42	54	11	–	–	–	–	–	–	–	11

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	34372	3462	1367	2601	3416	1564	986	661	1644	735	1078	1357	1353
Specified Causes	33733	3256	1288	2554	3379	1547	976	648	1613	725	1070	1340	1332
I. Zymotic Class	7864	360	288	771	1269	704	514	346	760	207	203	275	263
II. Diseases of Uncertain Seat	1080	16	9	9	15	18	18	5	31	18	23	29	26
III. Tubercular Class	6218	81	159	393	588	297	182	130	382	246	559	656	567
IV. Brain and Nervous System	2751	297	97	147	143	76	46	36	119	47	49	55	76
V. Organs of Circulation	1529	15	3	3	8	7	3	3	10	32	26	45	71
VI. Respiratory Organs	5840	425	405	768	789	307	142	88	151	41	59	90	113
VII. Organs of Digestion	2282	229	123	319	398	60	28	16	35	31	45	38	63
VIII. Urinary Organs	489	2	2	2	7	6	7	7	28	16	19	28	26
IX. Organs of Generation	236	–	–	–	–	–	–	–	–	–	11	32	47
X. Organs of Locomotion	180	1	–	2	4	2	2	–	22	22	15	14	9
XI. Skin, etc.	34	4	2	2	5	1	–	–	2	–	1	–	–
XII. Malformation	83	64	9	5	3	–	1	1	–	–	–	–	–
XIII. Premature Debility	1905	1657	145	103	–	–	–	–	–	–	–	–	–
XIV. Atrophy	297	–	–	–	110	27	10	4	11	9	8	1	3
XV. Age	1756	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	87	10	7	2	–	–	1	–	2	–	–	1	3
XVII. Violent Deaths	1102	95	39	28	40	42	22	12	60	56	52	76	65
I. Small Pox	158	12	23	16	15	14	9	16	19	1	3	14	6
Measles	644	7	12	133	269	99	56	29	33	2	–	1	–
Scarlatina	1210	4	11	68	183	203	185	141	326	48	13	9	9
Diphtheria	234	9	5	26	51	39	33	17	34	3	3	3	2
Hooping Cough	1055	51	68	259	361	141	81	41	52	1	–	–	–
Croup	377	11	9	52	131	85	33	23	29	3	–	–	1
Thrush	18	14	2	–	–	1	1	–	–	–	–	–	–
Diarrhœa	838	143	89	142	141	19	11	9	22	1	7	12	6
Dysentery	113	3	5	11	8	4	2	–	3	–	2	3	4
Cholera	583	5	8	11	27	22	18	19	58	26	5	24	34
Influenza	53	5	–	2	2	1	1	3	2	–	2	2	1
Purpura	16	2	–	–	1	1	–	–	1	–	1	–	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	–	4	1	3	–	–	–	–
Typhus	1468	5	4	10	21	18	20	13	73	59	104	131	120
Enteric Fever	486	–	3	11	20	26	38	24	67	43	40	37	30
Relapsing Fever	14	–	–	–	–	2	–	–	4	2	–	–	–
Simple Continued Fever	86	1	–	4	6	5	5	–	11	7	5	6	4
Infantile Remittent	79	3	6	2	18	17	7	8	17	1	–	–	–
Metria	84	–	–	–	–	–	–	–	–	–	6	22	27
Rheumatic Fever	33	–	–	–	–	–	1	1	2	6	2	4	4
Erysipelas	165	46	13	9	6	4	1	–	3	4	7	3	6
Pyæmia	13	1	–	1	–	–	–	–	–	–	2	2	1
Syphilis	114	38	30	13	7	3	–	–	–	–	–	2	6
Noma	15	–	–	1	2	–	8	1	1	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	26	4	1	–	–	–	–	–	1	1	1	4	1
Dropsy	327	4	5	2	11	9	11	3	24	9	7	9	9
Abscess	70	4	2	7	1	5	3	1	2	4	5	1	2
Ulcer	16	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	76	3	–	–	1	2	1	–	2	–	2	3	4
Cancer	554	–	1	–	1	2	3	1	2	4	8	12	9
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	278	8	14	22	37	21	13	9	41	16	26	17	16
Tabes Mesenterica	442	22	23	59	130	72	24	17	44	18	14	6	3
Phthisis	4351	14	30	46	122	77	51	44	157	191	518	629	545
Hydrocephalus	1147	37	92	266	299	127	94	60	140	21	1	4	3

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1282	1363	1349	1301	1376	1292	1436	1376	1177	1022	713	311	113	22	5	10
Specified Causes	1266	1349	1325	1283	1359	1273	1414	1370	1177	1022	713	311	113	22	5	3
Zymotic Class	252	263	269	220	207	194	159	131	100	56	30	16	5	1	–	1
Uncertain Seat	31	51	77	99	129	103	122	90	67	56	31	6	–	–	–	1
Tubercular Class	479	410	321	246	214	133	99	41	23	9	2	–	–	–	–	1
Brain, etc.	71	93	96	118	151	136	215	233	183	156	79	25	7	–	–	–
Heart, etc.	77	116	113	133	128	141	184	162	111	86	39	12	1	–	–	–
Respiratory Organs	117	160	198	231	293	285	322	305	241	166	97	38	7	2	–	–
Digestive Organs	67	74	97	91	93	126	113	104	65	38	23	5	1	–	–	–
Urinary Organs	40	46	29	31	38	26	34	38	23	21	8	5	–	–	–	–
Generative Organs	38	44	27	10	8	9	3	2	1	4	–	–	–	–	–	–
Locomotive Organs	7	7	12	11	10	13	11	7	4	4	–	1	–	–	–	–
Skin	–	–	3	1	2	–	2	3	2	4	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	11	14	15	24	46	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	100	208	337	408	391	197	91	19	5	–
Sudden Deaths	2	12	9	6	4	10	7	8	3	–	–	–	–	–	–	–
Violent Deaths	81	62	60	71	58	51	43	38	17	14	13	6	1	–	–	–
Small Pox	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	16	19	14	21	27	24	35	23	20	14	6	2	–	–	–
Dysentery	1	3	5	5	7	5	9	7	15	7	1	2	–	1	–	–
Cholera	51	53	44	39	31	34	25	22	16	6	3	2	–	–	–	–
Influenza	1	1	–	–	2	2	5	7	6	4	1	3	–	–	–	–
Purpura	1	–	–	–	4	1	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	111	139	149	135	113	93	75	37	18	10	7	1	1	–	–	1
Enteric Fever	26	18	23	17	18	14	9	8	7	3	1	2	1	–	–	–
Relapsing Fever	2	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–
Simple Cont. Fever	3	2	5	2	3	5	2	3	3	2	1	–	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	4	2	1	–	3	1	–	–	–	–	–	–	–	–	–
Erysipelas	3	8	5	5	7	6	6	9	12	2	–	–	–	–	–	–
Pyæmia	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	5	1	1	1	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	2	3	2	–	–	–	3	–	–	–	–	–	–	–
Dropsy	9	15	20	20	23	30	36	35	15	12	8	1	–	–	–	–
Abscess	5	3	4	2	6	2	5	1	1	2	1	1	–	–	–	–
Ulcer	–	1	4	1	2	2	1	–	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–
Mortification	–	1	3	3	3	3	7	14	3	10	10	1	–	–	–	–
Cancer	14	30	44	70	93	64	68	40	44	29	11	3	–	–	–	1
Gout	1	–	–	–	–	2	1	–	–	1	1	–	–	–	–	–
Scrofula	7	7	6	5	5	3	2	1	1	1	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	2	–	–	1	2	–	–	–	–	–	–	–	–
Phthisis	468	401	313	239	209	130	96	38	22	8	2	–	–	–	–	1
Hydrocephalus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	181	4	11	22	20	12	12	5	30	14	10	11	6
Apoplexy	558	13	6	13	17	3	4	5	8	2	7	8	19
Paralysis	707	–	–	1	–	3	–	–	3	–	1	4	10
Delirium Tremens	42	–	–	–	–	–	–	–	–	–	–	3	4
Chorea	7	–	–	–	–	–	–	–	1	1	4	–	–
Epilepsy	115	–	–	–	–	–	–	–	4	4	12	9	16
Tetanus	12	3	1	–	–	–	–	–	2	1	1	–	1
Insanity	24	–	–	–	–	–	–	–	–	–	–	2	1
Convulsions	596	267	74	91	76	40	15	13	19	–	–	–	–
Brain Disease	509	10	5	20	30	18	15	13	52	25	14	18	19
V. Pericarditis	31	1	–	–	–	2	1	–	2	4	2	3	1
Aneurism	47	–	–	–	–	–	–	–	–	–	–	3	1
Heart Disease	1451	14	3	3	8	5	2	3	8	28	24	39	69
VI. Laryngitis	51	6	6	4	6	8	1	2	–	–	1	1	1
Bronchitis	3979	314	331	588	594	213	104	54	100	16	15	32	44
Pleurisy	91	3	–	2	2	2	1	2	3	1	6	4	4
Pneumonia	1266	91	62	167	179	81	32	26	36	19	32	45	43
Asthma	241	–	–	–	–	–	–	–	–	1	3	3	3
Lung Disease	212	11	6	7	8	3	4	4	12	4	2	5	18
VII. Teething	633	4	21	249	326	30	3	–	–	–	–	–	–
Quinsey	13	2	1	–	2	1	1	–	–	–	–	1	–
Gastritis	72	13	4	2	5	1	1	1	3	3	1	1	3
Enteritis	374	105	48	45	35	12	11	9	10	8	6	5	14
Peritonitis	118	4	4	3	1	–	1	–	6	6	10	10	15
Ascites	24	–	–	–	–	2	–	–	1	3	3	–	–
Ulceration of Intestines	56	2	–	3	1	–	–	–	–	–	3	4	7
Hernia	55	6	1	–	–	–	–	–	–	–	–	1	–
Ileus	98	16	5	2	3	2	–	2	2	3	8	3	2
Intussusception	12	–	3	–	1	–	–	–	–	1	–	–	1
Stricture of Intestines	23	2	–	–	1	–	–	–	–	1	1	1	1
Stomach Disease	319	38	33	14	18	6	8	–	4	5	6	6	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	68	1	–	–	1	3	1	1	–	1	2	1	2
Jaundice	62	28	2	–	–	1	2	–	–	–	–	–	–
Liver Disease	344	8	1	1	3	2	–	2	9	–	4	4	12
Spleen Disease	11	–	–	–	1	–	–	1	–	–	1	1	–
VIII. Nephritis	41	1	–	1	1	3	2	1	11	2	3	1	2
Nephria	137	–	–	–	1	2	2	3	5	9	9	9	12
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	19	–	1	–	2	–	–	–	–	–	–	1	–
Diabetes	27	–	–	–	1	1	–	–	1	–	1	1	3
Stone	17	–	–	–	1	–	–	–	1	–	–	1	–
Cystitis	59	–	–	–	1	–	–	–	–	1	1	2	1
Stricture of Urethra	11	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	175	1	1	1	–	–	3	3	10	4	5	13	8
IX. Paramenia	8	–	–	–	–	–	–	–	–	–	3	1	–
Ovarian Dropsy	39	–	–	–	–	–	–	–	–	–	1	–	6
Childbirth	153	–	–	–	–	–	–	–	–	–	6	30	38
Organs of Generation	36	–	–	–	–	–	–	–	–	–	1	1	3
X. Arthritis	36	1	–	–	2	1	1	–	6	5	7	4	1
Rheumatism	72	–	–	–	–	–	–	–	1	4	5	5	3
Joint and Bone Disease	72	–	–	2	2	1	1	–	15	13	3	5	5
XI. Carbuncle	10	–	–	1	1	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	22	4	2	1	4	1	–	–	1	–	1	–	–
XVII. Intemperance	47	–	–	–	–	–	–	–	–	–	–	1	–
Privation	4	–	–	–	2	1	–	–	–	–	–	–	–
Want of Breast Milk	74	38	24	11	–	1	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	1	–	–	–	–	–	–
Poison	28	4	1	1	–	1	–	–	–	1	–	3	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	158	3	1	8	24	21	14	9	20	5	1	4	9
Hanging, etc.	27	–	–	–	–	–	–	–	–	–	–	1	4
Suffocation	62	38	12	3	1	–	1	–	–	–	–	–	1
Drowning	147	3	–	–	2	7	1	–	9	6	11	13	11
Fracture and Contusion	469	1	–	5	9	10	5	2	29	41	34	46	27
Gunshot Wounds	10	–	–	–	–	–	–	–	–	1	1	1	3
Cuts and Stabs	13	–	–	–	–	–	–	–	–	–	1	2	2
Other Violent Causes	56	7	1	–	1	1	–	1	2	2	4	5	4
Not Specified	639	206	79	47	37	17	10	13	31	10	8	17	21

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	4	1	4	4	2	2	1	–	–	–	–	–	–	–	–
Apoplexy	14	21	26	34	50	42	61	68	59	43	25	7	3	–	–	–
Paralysis	19	21	24	42	50	59	113	107	102	86	45	13	4	–	–	–
Delirium Tremens	6	12	3	6	4	3	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	7	11	11	10	5	2	9	5	3	5	1	1	–	–	–	–
Tetanus	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	1	3	2	3	2	5	–	–	1	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	21	28	20	34	25	24	51	19	21	7	4	–	–	–	–
Pericarditis	1	6	2	1	2	1	–	1	1	–	–	–	–	–	–	–
Aneurism	5	9	4	7	4	3	5	3	2	–	1	–	–	–	–	–
Heart Disease	71	101	107	125	122	137	179	158	108	86	38	12	1	–	–	–
Laryngitis	1	4	3	1	1	2	1	1	1	–	–	–	–	–	–	–
Bronchitis	49	81	93	138	185	185	213	209	180	130	74	28	7	2	–	–
Pleurisy	6	4	9	7	7	6	3	7	5	4	2	1	–	–	–	–
Pneumonia	46	47	58	45	53	48	50	44	26	15	13	8	–	–	–	–
Asthma	6	11	22	19	29	30	39	33	23	11	7	1	–	–	–	–
Lung Disease	9	13	13	21	18	14	16	11	6	6	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–
Gastritis	6	1	6	–	–	3	5	10	1	1	1	–	–	–	–	–
Enteritis	5	7	10	7	4	9	7	6	6	3	–	2	–	–	–	–
Peritonitis	12	8	9	5	1	8	1	8	6	–	–	–	–	–	–	–
Ascites	3	4	2	1	2	–	2	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	6	5	3	2	4	7	3	2	3	–	1	–	–	–	–	–
Hernia	–	4	1	3	8	11	8	5	4	–	3	–	–	–	–	–
Ileus	4	5	3	4	4	6	2	5	7	6	3	–	1	–	–	–
Intussusception	1	–	–	2	–	–	2	–	–	1	–	–	–	–	–	–
Stricture of Intestines	2	2	1	1	4	3	1	1	–	1	–	–	–	–	–	–
Stomach Disease	7	10	19	17	23	16	24	27	16	9	5	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	8	4	5	4	9	8	4	4	4	1	–	–	–	–	–
Jaundice	2	2	–	3	2	5	5	5	2	1	2	–	–	–	–	–
Liver Disease	14	17	38	40	34	49	41	31	16	11	6	1	–	–	–	–
Spleen Disease	1	1	–	–	2	–	2	–	–	1	–	–	–	–	–	–
Nephritis	4	1	2	–	2	–	2	–	1	–	–	1	–	–	–	–
Nephria	12	20	11	11	10	5	5	9	2	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	3	1	–	2	2	–	4	1	1	–	–	–	–
Diabetes	7	1	3	–	4	1	2	–	1	–	–	–	–	–	–	–
Stone	1	–	–	1	3	–	1	1	3	2	1	1	–	–	–	–
Cystitis	1	3	1	–	3	3	12	9	6	10	4	1	–	–	–	–
Stricture of Urethra	2	3	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Kidney Disease	13	17	11	15	14	15	8	16	9	5	2	1	–	–	–	–
Paramenia	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	9	6	2	5	2	–	1	–	3	–	–	–	–	–	–
Childbirth	29	33	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	2	7	2	2	7	3	1	1	1	–	–	–	–	–	–
Arthritis	1	–	1	–	3	1	2	–	–	–	–	–	–	–	–	–
Rheumatism	3	3	7	8	6	8	6	4	4	4	–	1	–	–	–	–
Joint Disease	3	4	4	3	1	4	3	3	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	2	–	2	1	–	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	1	–	–	–	1	2	2	–	–	–	–	–	–
Intemperance	8	9	6	9	1	5	3	3	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	2	3	–	–	4	3	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	4	3	5	4	2	3	3	2	1	4	–	–	–	–	–
Hanging, etc.	3	2	2	6	5	2	–	–	1	1	–	–	–	–	–	–
Suffocation	1	–	2	1	–	–	1	–	–	1	–	–	–	–	–	–
Drowning	19	10	15	8	11	7	8	3	2	1	–	–	–	–	–	–
Fracture and Contusion	35	31	24	36	32	25	21	25	10	7	7	6	1	–	–	–
Gunshot Wounds	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	3	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	4	3	5	5	2	3	–	–	1	–	–	–	–	–
Not Specified	16	14	24	18	17	19	22	6	–	–	–	–	–	–	–	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17120	1879	776	1403	1766	813	511	312	852	386	514	650	637
SPECIFIED CAUSES	16767	1758	731	1376	1746	804	503	304	838	379	510	641	628
I. Zymotic Class	3886	196	165	388	602	366	266	162	373	99	99	133	107
II. Diseases of Uncertain Seat	378	8	6	3	7	6	14	2	15	10	14	8	12
III. Tubercular Class	3038	39	85	222	320	155	92	58	207	123	240	290	260
IV. Brain and Nervous System	1457	162	61	91	80	34	19	16	76	21	23	34	42
V. Organs of Circulation	790	11	3	–	6	5	1	2	7	11	12	27	39
VI. Respiratory Organs	3003	233	238	433	404	159	74	40	79	21	33	45	60
VII. Organs of Digestion	1190	131	72	171	232	33	15	9	13	21	19	16	25
VIII. Urinary Organs	303	2	–	2	6	4	1	5	13	10	9	16	16
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	99	1	–	2	2	1	1	–	13	14	11	7	6
XI. Skin, etc.	17	3	2	1	3	–	–	–	–	–	1	–	–
XII. Malformation	43	34	3	2	2	–	1	1	–	–	–	–	–
XIII. Premature Debility	1002	886	68	48	–	–	–	–	–	–	–	–	–
XIV. Atrophy	131	–	–	–	58	14	7	2	3	7	2	1	1
XV. Age	609	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	46	3	5	–	–	–	1	–	1	–	–	–	–
XVII. Violent Deaths	775	49	23	13	24	27	11	7	38	42	47	64	60
I. Small Pox	83	6	15	6	6	6	6	6	9	1	1	8	6
Measles	338	3	5	71	136	54	32	14	20	1	–	–	–
Scarlatina	644	3	8	38	103	106	99	77	156	33	9	5	3
Diphtheria	116	5	2	15	26	20	18	7	11	2	2	2	–
Hooping Cough	468	29	38	118	134	69	35	16	29	–	–	–	–
Croup	189	9	7	24	69	45	15	5	13	1	–	–	1
Thrush	8	5	2	–	–	–	1	–	–	–	–	–	–
Diarrhœa	404	79	48	78	67	12	7	3	11	–	1	6	1
Dysentery	64	2	5	7	5	2	2	–	3	–	2	2	3
Cholera	280	5	5	7	14	14	6	11	30	15	3	10	12
Influenza	27	3	–	1	1	–	1	2	–	–	2	–	1
Purpura	8	1	–	–	–	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	6	–	–	–	–	–	4	1	1	–	–	–	–
Typhus	764	3	1	3	13	7	6	6	34	22	54	71	65
Enteric Fever	218	–	1	6	10	17	22	10	29	15	17	20	8
Relapsing Fever	9	–	–	–	–	2	–	–	1	1	–	–	–
Simple Continued Fever	49	–	–	3	3	3	4	–	8	2	3	3	–
Infantile Remittent	38	1	2	–	10	7	3	2	13	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	17	–	–	–	–	–	1	1	1	3	2	3	2
Erysipelas	90	24	9	4	2	1	–	–	2	3	2	1	1
Pyæmia	7	–	–	1	–	–	–	–	–	–	–	2	1
Syphilis	53	18	17	6	3	1	–	–	–	–	–	–	2
Noma	6	–	–	–	–	–	4	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	2	–	–	–	–	–	–	1	1	1	2	1
Dropsy	119	1	4	2	6	3	8	1	12	4	3	1	4
Abscess	34	2	1	1	–	3	3	–	1	2	5	–	1
Ulcer	12	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	35	2	–	–	–	–	–	–	–	–	2	1	2
Cancer	159	–	1	–	1	–	3	1	1	3	3	4	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	140	5	7	8	16	8	7	5	26	11	15	9	8
Tabes Mesenterica	237	11	11	31	71	37	11	8	28	13	5	1	2
Phthisis	2013	4	15	25	56	44	24	18	77	84	220	277	248
Hydrocephalus	648	19	52	158	177	66	50	27	76	15	–	3	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	628	648	683	672	678	668	698	631	494	404	265	111	31	6	–	4
SPECIFIED CAUSES	617	635	676	662	671	660	688	629	494	404	265	111	31	6	–	–
Zymotic Class	118	139	141	107	115	88	80	61	38	22	14	6	1	–	–	–
Uncertain Seat	8	20	20	28	32	32	44	35	20	21	11	2	–	–	–	–
Tubercular Class	215	167	160	128	109	73	56	18	16	5	–	–	–	–	–	–
Brain, etc.	42	51	52	63	67	70	115	122	91	79	34	9	3	–	–	–
Heart, etc.	46	61	58	79	61	79	93	80	48	34	19	7	1	–	–	–
Respiratory Organs	65	82	109	135	158	162	135	125	98	60	34	18	1	2	–	–
Digestive Organs	30	32	48	43	54	74	52	48	31	15	4	2	–	–	–	–
Urinary Organs	23	22	14	17	25	15	31	25	20	17	6	4	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	1	8	7	2	6	7	3	1	2	–	–	–	–	–	–
Skin	–	–	3	–	–	–	–	3	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	4	6	4	7	15	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	42	77	122	141	136	62	25	4	–	–
Sudden Deaths	1	7	6	3	3	7	3	6	–	–	–	–	–	–	–	–
Violent Deaths	65	49	51	48	38	39	30	26	9	7	7	1	–	–	–	–
Small Pox	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	6	5	6	8	13	11	13	7	7	6	1	1	–	–	–
Dysentery	1	3	4	3	4	2	2	2	5	4	–	1	–	–	–	–
Cholera	21	25	22	13	18	11	15	14	6	2	–	1	–	–	–	–
Influenza	–	1	–	–	2	1	2	4	3	2	–	1	–	–	–	–
Purpura	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	62	84	86	70	63	44	39	17	6	3	4	1	–	–	–	–
Enteric Fever	7	6	6	10	12	7	6	3	3	1	1	1	–	–	–	–
Relapsing Fever	2	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Simple Cont. Fever	2	1	4	1	1	4	2	1	2	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	5	5	4	4	4	2	7	6	1	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	2	7	2	4	5	10	14	11	7	5	3	–	–	–	–	–
Abscess	1	2	–	2	3	1	3	1	–	1	–	1	–	–	–	–
Ulcer	–	1	3	–	1	2	1	–	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Mortification	–	1	3	–	1	3	2	9	–	5	4	–	–	–	–	–
Cancer	4	8	11	20	22	15	21	14	11	8	3	1	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Scrofula	2	3	1	2	3	2	–	–	1	1	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	209	162	157	124	106	71	56	17	15	4	–	–	–	–	–	–
Hydrocephalus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Males. (*Continued.*)

DISEASES.	MALES. AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	99	2	6	12	12	4	6	3	14	8	5	6	4
Apoplexy	299	8	3	8	7	1	1	1	5	1	2	4	12
Paralysis	331	–	–	1	–	2	–	–	3	–	–	2	4
Delirium Tremens	34	–	–	–	–	–	–	–	–	–	–	2	4
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	61	–	–	–	–	–	–	–	3	1	7	5	6
Tetanus	7	2	1	–	–	–	–	–	1	–	–	–	–
Insanity	10	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	338	145	49	58	43	21	8	5	9	–	–	–	–
Brain Disease	275	5	2	12	18	6	4	7	40	11	7	14	12
V. Pericarditis	17	–	–	–	–	1	1	–	1	2	1	1	1
Aneurism	35	–	–	–	–	–	–	–	–	–	–	2	1
Heart Disease	738	11	3	–	6	4	–	2	6	9	11	24	37
VI. Laryngitis	26	3	2	1	4	5	1	2	–	–	–	–	–
Bronchitis	1954	170	195	326	302	109	57	23	48	8	7	11	22
Pleurisy	51	1	–	2	1	2	–	1	2	1	5	3	2
Pneumonia	733	50	37	99	93	42	13	13	21	9	18	28	26
Asthma	132	–	–	–	–	–	–	–	–	1	2	3	2
Lung Disease	107	9	4	5	4	1	3	1	8	2	1	–	8
VII. Teething	353	2	11	135	187	16	2	–	–	–	–	–	–
Quinsey	6	1	–	–	1	1	–	–	–	–	–	–	–
Gastritis	38	6	4	–	5	1	1	1	1	2	1	–	–
Enteritis	188	62	24	23	23	7	6	4	2	4	1	1	5
Peritonitis	45	2	1	2	1	–	1	–	2	4	4	3	4
Ascites	13	–	–	–	–	1	–	–	1	2	2	–	–
Ulceration of Intestines	26	1	–	1	1	–	–	–	–	–	1	1	4
Hernia	29	5	–	–	–	–	–	–	–	–	–	1	–
Ileus	49	9	4	1	2	1	–	2	1	2	5	1	–
Intussusception	9	–	3	–	1	–	–	–	–	1	–	–	1
Stricture of Intestines	15	1	–	–	–	–	–	–	–	1	1	1	1
Stomach Disease	171	21	22	8	8	4	4	–	3	4	1	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	43	–	–	–	1	1	–	1	–	1	2	1	2
Jaundice	31	16	2	–	–	–	1	–	–	–	–	–	–
Liver Disease	169	5	1	1	2	1	–	1	3	–	1	3	6
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	25	1	–	1	1	2	–	–	5	2	2	1	1
Nephria	72	–	–	–	1	1	–	3	2	6	3	5	7
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	2	–	–	–	–	–	–	–	–
Diabetes	17	–	–	–	–	1	–	–	–	–	1	–	3
Stone	16	–	–	–	1	–	–	–	1	–	–	1	–
Cystitis	47	–	–	–	1	–	–	–	–	–	1	1	1
Stricture of Urethra	11	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	104	1	–	1	–	–	1	2	5	2	2	8	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	23	1	–	–	–	1	–	–	3	4	6	4	1
Rheumatism	33	–	–	–	–	–	–	–	1	2	3	2	1
Joint and Bone Disease	43	–	–	2	2	–	1	–	9	8	2	1	4
XI. Carbuncle	5	–	–	1	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	11	3	2	–	2	–	–	–	–	–	1	–	–
X. Intemperance	23	–	–	–	–	–	–	–	–	–	–	–	–
Privation	3	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	41	20	17	4	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–
Poison	15	2	1	1	–	–	–	–	–	–	–	1	3
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	85	1	–	4	14	16	7	5	8	3	1	2	7
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	33	22	4	1	1	–	1	–	–	–	–	–	1
Drowning	122	–	–	–	1	4	1	–	7	6	11	12	11
Fracture and Contusion	376	1	–	3	7	6	2	2	22	30	29	42	27
Gunshot Wounds	10	–	–	–	–	–	–	–	–	1	1	1	3
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	1	1	2
Other Violent Causes	40	3	1	–	–	–	–	–	1	2	4	4	4
Not Specified	353	121	45	27	20	9	8	8	14	7	4	9	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	2	–	4	4	1	1	1	–	–	–	–	–	–	–	–
Apoplexy	8	7	13	23	21	25	35	33	38	29	12	2	–	–	–	–
Paralysis	12	14	11	21	17	24	58	55	41	39	19	5	3	–	–	–
Delirium Tremens	4	9	3	6	3	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	5	6	6	3	2	6	3	2	3	–	–	–	–	–	–
Tetanus	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	2	–	2	1	2	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	13	17	3	16	14	12	30	10	8	3	2	–	–	–	–
Pericarditis	–	4	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Aneurism	5	6	2	6	3	2	5	–	2	–	1	–	–	–	–	–
Heart Disease	41	51	55	73	56	76	88	79	46	34	18	7	1	–	–	–
Laryngitis	1	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	19	36	46	73	87	96	89	78	70	44	25	10	1	2	–	–
Pleurisy	3	1	5	4	5	4	2	4	–	1	1	1	–	–	–	–
Pneumonia	35	32	34	38	40	35	21	22	11	6	4	6	–	–	–	–
Asthma	5	6	16	9	16	18	15	15	13	6	4	1	–	–	–	–
Lung Disease	2	5	5	11	10	8	7	6	4	3	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	2	–	3	–	–	2	4	5	–	–	–	–	–	–	–	–
Enteritis	1	4	3	–	3	4	2	4	2	2	–	1	–	–	–	–
Peritonitis	5	2	3	–	–	4	1	3	3	–	–	–	–	–	–	–
Ascites	2	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	2	1	1	3	2	2	1	3	–	–	–	–	–	–	–
Hernia	–	2	–	2	2	7	3	3	3	–	1	–	–	–	–	–
Ileus	1	2	3	1	2	4	1	1	3	2	1	–	–	–	–	–
Intussusception	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	1	2	2	1	1	–	1	–	–	–	–	–	–
Stomach Disease	3	8	12	11	16	11	8	13	6	2	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	4	3	3	3	8	3	2	3	2	–	–	–	–	–	–
Jaundice	1	–	–	–	–	3	4	3	1	–	–	–	–	–	–	–
Liver Disease	7	6	18	22	19	27	19	12	7	6	2	–	–	–	–	–
Spleen Disease	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephritis	3	–	1	–	2	–	2	–	1	–	–	–	–	–	–	–
Nephria	7	8	3	5	6	2	5	6	2	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	–	1	1	–	4	–	1	–	–	–	–
Diabetes	4	1	1	–	3	1	1	–	1	–	–	–	–	–	–	–
Stone	1	–	–	1	2	–	1	1	3	2	1	1	–	–	–	–
Cystitis	–	2	1	–	1	2	12	6	5	9	4	1	–	–	–	–
Stricture of Urethra	2	3	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Kidney Disease	6	8	8	8	11	9	7	10	7	2	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	5	4	1	2	5	2	1	2	–	–	–	–	–	–
Joint Disease	2	–	2	3	1	3	2	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	4	4	5	4	–	4	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	–	2	–	–	1	3	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	3	–	4	2	–	–	1	1	–	1	–	–	–	–	–
Hanging, etc.	1	2	2	2	2	1	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	18	8	14	4	8	7	6	2	2	–	–	–	–	–	–	–
Fracture and Contusion	30	28	22	29	22	23	18	20	5	3	4	1	–	–	–	–
Gunshot Wounds	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	3	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	3	2	4	2	2	2	–	–	1	–	–	–	–	–
Not Specified	11	13	7	10	7	8	10	2	–	–	–	–	–	–	–	4

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17252	1583	591	1198	1650	751	475	349	792	349	564	707	716
SPECIFIED CAUSES	16966	1498	557	1178	1633	743	473	344	775	346	560	699	704
I. Zymotic Class	3978	164	123	383	667	338	248	184	387	108	104	142	156
II. Diseases of Uncertain Seat	702	8	3	6	8	12	4	3	16	8	9	21	14
III. Tubercular Class	3180	42	74	171	268	142	90	72	175	123	319	366	307
IV. Brain and Nervous System	1294	135	36	56	63	42	27	20	43	26	26	21	34
V. Organs of Circulation	739	4	–	3	2	2	2	1	3	21	14	18	32
VI. Respiratory Organs	2837	192	167	335	385	148	68	48	72	20	26	45	53
VII. Organs of Digestion	1092	98	51	148	166	27	13	7	22	10	26	22	38
VIII. Urinary Organs	186	–	2	–	1	2	6	2	15	6	10	12	10
IX. Organs of Generation	236	–	–	–	–	–	–	–	–	–	11	32	47
X. Organs of Locomotion	81	–	–	–	2	1	1	–	9	8	4	7	3
XI. Skin, etc.	17	1	–	1	2	1	–	–	2	–	–	–	–
XII. Malformation	40	30	6	3	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	903	771	77	55	–	–	–	–	–	–	–	–	–
XIV. Atrophy	166	–	–	–	52	13	3	2	8	2	6	–	2
XV. Age	1147	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	41	7	2	2	–	–	–	–	1	–	–	1	3
XVII. Violent Deaths	327	46	16	15	16	15	11	5	22	14	5	12	5
I. Small Pox	75	6	8	10	9	8	3	10	10	–	2	6	–
Measles	306	4	7	62	133	45	24	15	13	1	–	1	–
Scarlatina	566	1	3	30	80	97	86	64	170	15	4	4	6
Diphtheria	118	4	3	11	25	19	15	10	23	1	1	1	2
Hooping Cough	587	22	30	141	227	72	46	25	23	1	–	–	–
Croup	188	2	2	28	62	40	18	18	16	2	–	–	–
Thrush	10	9	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	434	64	41	64	74	7	4	6	11	1	6	6	5
Dysentery	49	1	–	4	3	2	–	–	–	–	–	1	1
Cholera	303	–	3	4	13	8	12	8	28	11	2	14	22
Influenza	26	2	–	1	1	1	–	1	2	–	–	2	–
Purpura	8	1	–	–	1	1	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	704	2	3	7	8	11	14	7	39	37	50	60	55
Enteric Fever	268	–	2	5	10	9	16	14	38	28	23	17	22
Relapsing Fever	5	–	–	–	–	–	–	–	3	1	–	–	–
Simple Continued Fever	37	1	–	1	3	2	1	–	3	5	2	3	4
Infantile Remittent	41	2	4	2	8	10	4	6	4	1	–	–	–
Metria	84	–	–	–	–	–	–	–	–	–	6	22	27
Rheumatic Fever	16	–	–	–	–	–	–	–	1	3	–	1	2
Erysipelas	75	22	4	5	4	3	1	–	1	1	5	2	5
Pyæmia	6	1	–	–	–	–	–	–	–	–	2	–	–
Syphilis	61	20	13	7	4	2	–	–	–	–	–	2	4
Noma	9	–	–	1	2	–	4	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	2	1	–	–	–	–	–	–	–	–	2	–
Dropsy	208	3	1	–	5	6	3	2	12	5	4	8	5
Abscess	36	2	1	6	1	2	–	1	1	2	–	1	1
Ulcer	4	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	41	1	–	–	1	2	1	–	2	–	–	2	2
Cancer	395	–	–	–	–	2	–	–	1	1	5	8	5
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	138	3	7	14	21	13	6	4	15	5	11	8	8
Tabes Mesenterica	205	11	12	28	59	35	13	9	16	5	9	5	1
Phthisis	2338	10	15	21	66	33	27	26	80	107	298	352	297
Hydrocephalus	499	18	40	108	122	61	44	33	64	6	1	1	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	654	715	666	629	698	624	738	745	683	618	448	200	82	16	5	6
SPECIFIED CAUSES	649	714	649	621	688	613	726	741	683	618	448	200	82	16	5	3
Zymotic Class	134	124	128	113	92	106	79	70	62	34	16	10	4	1	–	1
Uncertain Seat	23	31	57	71	97	71	78	55	47	35	20	4	–	–	–	1
Tubercular Class	264	243	161	118	105	60	43	23	7	4	2	–	–	–	–	1
Brain, etc.	29	42	44	55	84	66	100	111	92	77	45	16	4	–	–	–
Heart, etc.	31	55	55	54	67	62	91	82	63	52	20	5	–	–	–	–
Respiratory Organs	52	78	89	96	135	123	187	180	143	106	63	20	6	–	–	–
Digestive Organs	37	42	49	48	39	52	61	56	34	23	19	3	1	–	–	–
Urinary Organs	17	24	15	14	13	11	3	13	3	4	2	1	–	–	–	–
Generative Organs	38	44	27	10	8	9	3	2	1	4	–	–	–	–	–	–
Locomotive Organs	3	6	4	4	8	7	4	4	3	2	–	1	–	–	–	–
Skin	–	–	–	1	2	–	2	–	2	3	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	7	8	11	17	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	58	131	215	267	255	135	66	15	5	–
Sudden Deaths	1	5	3	3	1	3	4	2	3	–	–	–	–	–	–	–
Violent Deaths	16	13	9	23	20	12	13	12	8	7	6	5	1	–	–	–
Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	10	14	8	13	14	13	22	16	13	8	5	1	–	–	–
Dysentery	–	–	1	2	3	3	7	5	10	3	1	1	–	1	–	–
Cholera	30	28	22	26	13	23	10	8	10	4	3	1	–	–	–	–
Influenza	1	–	–	–	–	1	3	3	3	2	1	2	–	–	–	–
Purpura	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	55	63	65	50	49	36	20	12	7	3	–	1	–	–	1
Enteric Fever	19	12	17	7	6	7	3	5	4	2	–	1	1	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	1	1	2	1	–	2	1	1	–	–	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	1	–	3	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	3	–	1	3	2	4	2	6	1	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	1	2	–	–	–	2	–	–	–	–	–	–	–
Dropsy	7	8	18	16	18	20	22	24	8	7	5	1	–	–	–	–
Abscess	4	1	4	–	3	1	2	–	1	1	1	–	–	–	–	–
Ulcer	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	3	2	–	5	5	3	5	6	1	–	–	–	–
Cancer	10	22	33	50	71	49	47	26	33	21	8	2	–	–	–	1
Gout	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Scrofula	5	4	5	3	2	1	2	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Phthisis	259	239	156	115	103	59	40	21	7	4	2	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Females. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	82	2	5	10	8	8	6	2	16	6	5	5	2
Apoplexy	259	5	3	5	10	2	3	4	3	1	5	4	7
Paralysis	376	–	–	–	–	1	–	–	–	–	1	2	6
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	4	–	–	–	–	–	–	–	–	1	2	–	–
Epilepsy	54	–	–	–	–	–	–	–	1	3	5	4	10
Tetanus	5	1	–	–	–	–	–	–	1	1	1	–	1
Insanity	14	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	258	122	25	33	33	19	7	8	10	–	–	–	–
Brain Disease	234	5	3	8	12	12	11	6	12	14	7	4	7
V. Pericarditis	14	1	–	–	–	1	–	–	1	2	1	2	–
Aneurism	12	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	713	3	–	3	2	1	2	1	2	19	13	15	32
VI. Laryngitis	25	3	4	3	2	3	–	–	–	–	1	1	1
Bronchitis	2025	144	136	262	292	104	47	31	52	8	8	21	22
Pleurisy	40	2	–	–	1	–	1	1	1	–	1	1	2
Pneumonia	533	41	25	68	86	39	19	13	15	10	14	17	17
Asthma	109	–	–	–	–	–	–	–	–	–	1	–	1
Lung Disease	105	2	2	2	4	2	1	3	4	2	1	5	10
VII. Teething	280	2	10	114	139	14	1	–	–	–	–	–	–
Quinsey	7	1	1	–	1	–	1	–	–	–	–	1	–
Gastritis	34	7	–	2	–	–	–	–	2	1	–	1	3
Enteritis	186	43	24	22	12	5	5	5	8	4	5	4	9
Peritonitis	73	2	3	1	–	–	–	–	4	2	6	7	11
Ascites	11	–	–	–	–	1	–	–	–	1	1	–	–
Ulceration of Intestines	30	1	–	2	–	–	–	–	–	–	2	3	3
Hernia	26	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	49	7	1	1	1	1	–	–	1	1	3	2	2
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	8	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	148	17	11	6	10	2	4	–	1	1	5	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	25	1	–	–	–	2	1	–	–	–	–	–	–
Jaundice	31	12	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	175	3	–	–	1	1	–	1	6	–	3	1	6
Spleen Disease	6	–	–	–	1	–	–	1	–	–	1	–	–
VIII. Nephritis	16	–	–	–	–	1	2	1	6	–	1	–	1
Nephria	65	–	–	–	–	1	2	–	3	3	6	4	5
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	8	–	1	–	–	–	–	–	–	–	–	1	–
Diabetes	10	–	–	–	1	–	–	–	1	–	–	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	12	–	–	–	–	–	–	–	–	1	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	71	–	1	–	–	–	2	1	5	2	3	5	4
IX. Paramenia	8	–	–	–	–	–	–	–	–	–	3	1	–
Ovarian Dropsy	39	–	–	–	–	–	–	–	–	–	1	–	6
Childbirth	153	–	–	–	–	–	–	–	–	–	6	30	38
Organs of Generation	36	–	–	–	–	–	–	–	–	–	1	1	3
X. Arthritis	13	–	–	–	2	–	1	–	3	1	1	–	–
Rheumatism	39	–	–	–	–	–	–	–	–	2	2	3	2
Joint and Bone Disease	29	–	–	–	–	1	–	–	6	5	1	4	1
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	11	1	–	1	2	1	–	–	1	–	–	–	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	33	18	7	7	–	1	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	1	–	–	–	–	–	–
Poison	13	2	–	–	–	1	–	–	–	1	–	2	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	73	2	1	4	10	5	7	4	12	2	–	2	2
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	29	16	8	2	–	–	–	–	–	–	–	–	–
Drowning	25	3	–	–	1	3	–	–	2	–	–	1	–
Fracture and Contusion	93	–	–	2	2	4	3	–	7	11	5	4	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	16	4	–	–	1	1	–	1	1	–	–	1	–
Not Specified	286	85	34	20	17	8	2	5	17	3	4	8	12

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	6	14	13	11	29	17	26	35	21	14	13	5	3	–	–	–
Paralysis	7	7	13	21	33	35	55	52	61	47	26	8	1	–	–	–
Delirium Tremens	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	4	6	5	4	2	–	3	2	1	2	1	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	2	1	1	3	–	–	1	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	8	11	17	18	11	12	21	9	13	4	2	–	–	–	–
Pericarditis	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	3	2	1	1	1	–	3	–	–	–	–	–	–	–	–
Heart Disease	30	50	52	52	66	61	91	79	62	52	20	5	–	–	–	–
Laryngitis	–	2	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	30	45	47	65	98	89	124	131	110	86	49	18	6	–	–	–
Pleurisy	3	3	4	3	2	2	1	3	5	3	1	–	–	–	–	–
Pneumonia	11	15	24	7	13	13	29	22	15	9	9	2	–	–	–	–
Asthma	1	5	6	10	13	12	24	18	10	5	3	–	–	–	–	–
Lung Disease	7	8	8	10	8	6	9	5	2	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	1	3	–	–	1	1	5	1	1	1	–	–	–	–	–
Enteritis	4	3	7	7	1	5	5	2	4	1	–	1	–	–	–	–
Peritonitis	7	6	6	5	1	4	–	5	3	–	–	–	–	–	–	–
Ascites	1	3	1	–	1	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	4	3	2	1	1	5	1	1	–	–	1	–	–	–	–	–
Hernia	–	2	1	1	6	4	5	2	1	–	2	–	–	–	–	–
Ileus	3	3	–	3	2	2	1	4	4	4	2	–	1	–	–	–
Intussusception	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	7	6	7	5	16	14	10	7	5	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	1	2	1	1	5	2	1	2	1	–	–	–	–	–
Jaundice	1	2	–	3	2	2	1	2	1	1	2	–	–	–	–	–
Liver Disease	7	11	20	18	15	22	22	19	9	5	4	1	–	–	–	–
Spleen Disease	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Nephritis	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	5	12	8	6	4	3	–	3	–	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	1	–	1	1	–	–	1	–	–	–	–	–
Diabetes	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	1	–	–	2	1	–	3	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	9	3	7	3	6	1	6	2	3	1	–	–	–	–	–
Paramenia	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	9	6	2	5	2	–	1	–	3	–	–	–	–	–	–
Childbirth	29	33	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	2	7	2	2	7	3	1	1	1	–	–	–	–	–	–
Arthritis	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	2	4	5	6	1	2	3	2	–	1	–	–	–	–
Joint Disease	1	4	2	–	–	1	1	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	2	2	–	–	–	–	–	–
Intemperance	4	5	1	5	1	1	2	2	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	1	3	1	2	2	3	2	1	1	3	–	–	–	–	–
Hanging, etc.	2	–	–	4	3	1	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	4	3	–	2	1	–	1	–	–	–	–	–	–
Fracture and Contusion	5	3	2	7	10	2	3	5	5	4	3	5	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	1	3	–	1	–	–	–	–	–	–	–	–
Not Specified	5	1	17	8	10	11	12	4	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	12829	1320	510	1075	1566	684	415	287	631	295	398	540	532
Specified Causes	12628	1263	488	1062	1552	680	412	278	619	291	396	536	527
I. Zymotic Class	2854	121	110	317	542	287	186	127	256	67	75	112	103
II. Diseases of Uncertain Seat	349	7	2	3	2	7	5	2	15	11	10	12	5
III. Tubercular Class	2452	27	58	150	280	120	84	64	158	109	211	259	222
IV. Brain and Nervous System	956	127	35	60	64	38	21	19	49	16	17	22	36
V. Organs of Circulation	458	5	–	2	3	2	1	2	4	6	10	15	32
VI. Respiratory Organs	2630	173	166	354	417	169	82	50	71	21	27	44	60
VII. Organs of Digestion	863	104	47	127	174	26	16	8	17	12	15	15	23
VIII. Urinary Organs	162	–	1	1	3	1	4	1	14	6	6	11	6
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	18	11
X. Organs of Locomotion	61	–	–	1	2	–	–	–	6	10	6	3	2
XI. Skin, etc.	12	–	–	1	3	1	–	–	2	–	–	–	–
XII. Malformation	24	18	1	2	2	–	1	–	–	–	–	–	–
XIII. Premature Debility	722	643	47	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	105	–	–	–	43	10	2	–	5	5	3	–	1
XV. Age	434	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	37	1	1	–	–	–	–	–	1	–	–	1	–
XVII. Violent Deaths	421	37	20	12	17	19	10	5	21	28	14	24	26
I. Small Pox	104	4	16	10	11	9	8	13	13	1	1	8	4
Measles	333	2	5	63	142	57	31	14	17	2	–	–	–
Scarlatina	422	1	4	25	73	63	62	42	121	17	6	3	3
Diphtheria	83	3	1	13	20	20	12	4	7	–	–	–	1
Hooping Cough	432	18	22	105	159	65	32	14	17	–	–	–	–
Croup	127	4	3	18	43	31	10	7	9	2	–	–	–
Thrush	2	1	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	291	49	34	57	50	9	1	6	4	1	3	2	2
Dysentery	29	1	1	5	2	1	–	–	1	–	2	1	1
Cholera	68	3	2	5	3	2	1	4	5	4	1	9	2
Influenza	20	2	–	–	2	–	–	3	1	–	1	–	–
Purpura	5	1	–	–	–	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	–	2	1	1	–	–	–	–
Typhus	596	1	4	3	9	12	6	4	33	23	47	68	59
Enteric Fever	154	–	2	5	11	14	15	11	17	10	6	10	15
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	8	–	–	1	3	–	1	–	–	2	–	–	–
Infantile Remittent	27	1	3	1	6	3	1	4	7	1	–	–	–
Metria	36	–	–	–	–	–	–	–	–	–	3	9	13
Rheumatic Fever	9	–	–	–	–	–	1	–	1	2	–	–	–
Erysipelas	62	16	3	4	5	1	1	–	1	1	3	–	2
Pyæmia	3	1	–	–	–	–	–	–	–	–	1	1	–
Syphilis	33	13	10	2	2	–	–	–	–	–	–	1	–
Noma	3	–	–	–	1	–	1	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	1	1	–	–	–	–	–	–	1	–	3	1
Dropsy	123	2	–	1	2	3	4	2	11	4	4	2	3
Abscess	22	1	1	2	–	2	1	–	1	3	2	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	21	2	–	–	–	1	–	–	2	–	–	2	1
Cancer	170	–	–	–	–	1	–	–	1	3	4	5	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	106	–	7	7	15	11	5	6	18	7	5	10	5
Tabes Mesenterica	195	4	9	20	70	36	10	5	18	9	3	2	2
Phthisis	1720	7	13	22	74	34	26	31	74	85	203	245	213
Hydrocephalus	431	16	29	101	121	39	43	22	48	8	–	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	483	501	506	486	503	437	463	412	313	230	153	53	29	3	4	–
Specified Causes	477	494	497	478	496	431	456	410	313	230	153	53	29	3	4	–
Zymotic Class	83	72	91	63	76	53	43	26	21	13	6	4	–	–	–	–
Uncertain Seat	8	21	26	31	47	36	34	28	13	16	5	3	–	–	–	–
Tubercular Class	188	158	117	94	62	49	26	12	3	1	–	–	–	–	–	–
Brain, etc.	16	31	34	44	45	49	63	77	45	25	21	1	1	–	–	–
Heart, etc.	26	35	37	45	50	33	47	47	27	19	7	2	1	–	–	–
Respiratory Organs	58	71	102	117	132	124	139	99	77	48	22	7	–	–	–	–
Digestive Organs	26	25	30	33	34	37	39	28	14	6	7	–	–	–	–	–
Urinary Organs	17	17	12	10	14	5	13	9	6	2	2	1	–	–	–	–
Generative Organs	16	20	11	3	2	4	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	4	2	3	3	6	3	2	2	1	–	–	–	–	–	–
Skin	–	–	1	–	–	–	2	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	5	3	5	5	16	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	31	63	96	95	82	34	26	3	4	–
Sudden Deaths	2	6	6	3	3	6	1	4	2	–	–	–	–	–	–	–
Violent Deaths	30	29	25	27	23	13	14	15	6	3	1	1	1	–	–	–
Small Pox	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	4	7	2	7	8	7	10	7	6	4	3	–	–	–	–
Dysentery	–	1	–	1	3	3	–	2	4	–	–	–	–	–	–	–
Cholera	8	2	3	2	4	1	5	1	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	1	2	2	2	1	1	–	–	–	–
Purpura	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	52	63	50	50	34	23	7	6	1	–	–	–	–	–	–
Enteric Fever	8	3	10	6	5	1	3	1	–	1	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	4	3	2	3	2	3	2	2	2	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	8	8	7	10	10	12	14	4	5	3	–	–	–	–	–
Abscess	1	2	1	–	1	1	1	1	–	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	2	–	5	–	2	1	1	–	–	–	–
Cancer	3	11	13	24	35	23	19	8	9	8	1	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	1	2	–	1	3	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	182	157	113	93	61	46	26	11	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	76	2	7	11	10	3	5	1	13	3	5	5	3
Apoplexy	177	4	1	7	6	1	3	2	4	1	4	4	5
Paralysis	202	–	–	–	–	1	–	–	–	–	1	2	5
Delirium Tremens	15	–	–	–	–	–	–	–	–	–	–	2	3
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	25	–	–	–	–	–	–	–	1	2	2	–	7
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	257	119	25	31	33	24	6	9	10	–	–	–	–
Brain Disease	198	1	2	11	15	9	7	7	21	10	5	9	12
V. Pericarditis	9	–	–	–	–	–	–	–	–	–	1	2	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	443	5	–	2	3	2	1	2	4	6	9	13	32
VI. Laryngitis	15	3	1	2	3	3	–	–	–	–	–	–	–
Bronchitis	1839	128	133	263	314	113	62	33	46	9	8	16	25
Pleurisy	17	1	–	–	1	–	–	–	–	–	1	2	–
Pneumonia	602	36	28	85	95	52	19	15	19	10	16	22	25
Asthma	81	–	–	–	–	–	–	–	–	–	–	3	1
Lung Disease	76	5	4	4	4	1	1	2	6	2	2	1	9
VII. Teething	263	1	6	108	139	9	–	–	–	–	–	–	–
Quinsey	4	1	–	–	1	–	1	–	–	–	–	–	–
Gastritis	35	11	1	–	3	–	1	–	1	2	–	1	2
Enteritis	144	42	18	10	16	7	8	5	7	3	2	1	8
Peritonitis	40	1	2	–	1	–	1	–	1	1	4	5	6
Ascites	8	–	–	–	–	2	–	–	1	2	1	–	–
Ulceration of Intestines	11	–	–	–	–	–	–	–	–	–	2	2	1
Hernia	17	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	37	13	2	1	2	1	–	1	1	–	1	–	–
Intussusception	3	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	5	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	126	24	16	7	8	3	5	–	1	3	2	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	–	–	–	1	3	–	1	–	1	–	1	–
Jaundice	15	4	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	125	5	–	1	1	1	–	1	5	–	3	1	4
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	22	–	–	1	–	1	2	–	9	2	1	–	–
Nephria	40	–	–	–	1	–	1	1	2	3	2	2	4
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	1	–	–	–	–	–	1	1	1
Stone	5	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	13	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	65	–	1	–	–	–	1	–	2	1	2	7	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	59	–	–	–	–	–	–	–	–	–	1	16	10
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	11	–	–	–	1	–	–	–	1	2	3	1	–
Rheumatism	26	–	–	–	–	–	–	–	1	1	2	1	2
Joint and Bone Disease	24	–	–	1	1	–	–	–	4	7	1	1	–
XI. Carbuncle	4	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	7	–	–	–	3	1	–	–	1	–	–	–	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	1	–
Privation	2	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	38	17	13	7	–	1	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	12	3	1	–	–	–	–	–	–	1	–	–	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	77	–	1	4	12	11	7	5	10	4	–	1	7
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	23	15	4	–	–	–	–	–	–	–	–	–	1
Drowning	48	2	–	–	–	–	–	–	3	3	3	4	5
Fracture and Contusion	166	–	–	1	4	6	3	–	8	18	11	18	7
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	12	–	1	–	–	–	–	–	–	1	–	–	1
Not Specified	201	57	22	13	14	4	3	9	12	4	2	4	5

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	4	11	8	14	18	15	15	22	13	10	5	–	–	–	–	–
Paralysis	4	7	8	18	10	22	36	36	25	12	14	–	1	–	–	–
Delirium Tremens	–	2	1	3	2	2	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	2	2	4	–	1	2	1	1	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	15	4	14	9	8	17	6	3	2	1	–	–	–	–
Pericarditis	–	4	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–
Heart Disease	25	30	37	43	48	33	47	45	27	19	7	2	1	–	–	–
Laryngitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	28	45	50	81	97	92	99	74	62	43	16	2	–	–	–	–
Pleurisy	2	1	3	1	2	2	1	–	–	–	–	–	–	–	–	–
Pneumonia	20	16	34	18	21	16	21	14	9	2	4	5	–	–	–	–
Asthma	4	6	8	12	6	10	15	8	5	1	2	–	–	–	–	–
Lung Disease	3	2	6	5	6	4	3	3	1	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	1	2	–	–	3	1	1	1	–	–	–	–	–	–	–
Enteritis	3	2	3	1	1	3	2	–	1	1	–	–	–	–	–	–
Peritonitis	2	1	4	1	1	4	–	4	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	2	1	–	3	3	3	1	1	–	2	–	–	–	–	–
Ileus	2	1	–	1	1	2	–	4	2	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	5	2	9	12	6	4	7	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	4	1	4	1	2	4	1	1	1	1	–	–	–	–	–
Jaundice	2	–	–	1	1	–	3	1	1	–	1	–	–	–	–	–
Liver Disease	9	7	15	15	10	14	18	9	3	1	2	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Nephritis	2	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	6	4	2	4	–	4	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	3	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Cystitis	1	–	1	–	–	–	2	1	3	2	1	–	–	–	–	–
Stricture of Urethra	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	8	9	5	7	5	5	3	5	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	1	1	1	2	4	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	1	1	3	1	4	2	1	2	1	–	–	–	–	–	–
Joint Disease	2	3	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	4	6	2	5	1	2	1	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	4	1	1	2	1	1	1	1	1	–	–	–	–	–	–
Hanging, etc.	2	1	2	2	2	–	–	–	1	1	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	7	5	5	4	4	–	1	1	1	–	–	–	–	–	–	–
Fracture and Contusion	13	10	13	13	12	8	7	8	2	1	1	1	1	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Not Specified	6	7	9	8	7	6	7	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6414	695	306	581	795	367	209	128	325	156	180	248	257
SPECIFIED CAUSES	6288	658	291	573	789	365	206	120	318	154	178	245	255
I. Zymotic Class	1403	58	62	164	243	154	95	55	130	33	32	55	50
II. Diseases of Uncertain Seat	130	2	1	1	1	3	4	1	4	7	4	3	1
III. Tubercular Class	1187	9	34	87	153	62	43	28	91	52	91	105	94
IV. Brain and Nervous System	495	67	24	39	38	17	8	7	27	5	6	13	22
V. Organs of Circulation	240	5	–	–	2	2	–	1	3	3	3	10	17
VI. Respiratory Organs	1354	99	100	195	206	91	40	22	34	10	13	26	38
VII. Organs of Digestion	449	59	32	60	104	14	10	3	8	8	6	5	6
VIII. Urinary Organs	99	–	–	1	2	1	–	1	5	4	4	5	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	32	–	–	1	1	–	–	–	3	9	6	1	–
XI. Skin, etc.	3	–	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	14	12	–	–	1	–	1	–	–	–	–	–	–
XIII. Premature Debility	369	328	23	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	51	–	–	–	25	8	2	–	2	4	1	–	–
XV. Age	154	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	287	19	15	6	12	13	3	2	10	19	12	22	23
I. Small Pox	56	1	10	5	3	5	5	6	8	1	–	4	4
Measles	168	1	1	32	68	34	17	5	9	1	–	–	–
Scarlatina	221	1	4	12	42	33	31	21	56	12	3	3	2
Diphtheria	43	2	–	7	10	10	7	2	4	–	–	–	–
Hooping Cough	188	6	14	50	56	33	13	5	11	–	–	–	–
Croup	63	3	2	9	21	17	4	2	4	1	–	–	–
Thrush	1	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	134	23	18	34	21	6	1	2	2	–	–	1	–
Dysentery	19	1	1	4	2	–	–	–	1	–	2	1	1
Cholera	34	3	2	3	1	–	–	2	1	1	–	7	1
Influenza	15	2	–	–	1	–	–	2	–	–	1	–	–
Purpura	4	–	–	–	–	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	2	1	–	–	–	–	–
Typhus	312	1	1	–	6	5	–	3	16	11	25	33	36
Enteric Fever	69	–	1	4	4	9	11	4	9	4	1	5	4
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	1	1	–	–	–	–	–	–	–	–
Infantile Remittent	16	–	1	–	5	2	1	–	7	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	1	–	–	1	–	–	–
Erysipelas	30	5	3	2	1	–	–	–	1	–	–	–	1
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	16	9	4	1	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	1	–	1	1
Dropsy	45	–	–	1	1	1	3	1	3	2	1	1	–
Abscess	15	–	1	–	–	2	1	–	–	2	2	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	53	–	–	–	–	–	–	–	1	2	1	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	55	–	5	1	6	4	3	2	13	5	3	6	1
Tabes Mesenterica	112	1	5	13	38	17	5	4	13	6	1	1	1
Phthisis	774	2	6	13	36	22	12	12	38	35	87	96	90
Hydrocephalus	246	6	18	60	73	19	23	10	27	6	–	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	241	230	264	256	247	224	213	188	127	93	52	20	11	1	–	–
SPECIFIED CAUSES	237	223	261	251	243	222	207	188	127	93	52	20	11	1	–	–
Zymotic Class	40	43	48	32	37	22	21	8	9	7	4	1	–	–	–	–
Uncertain Seat	3	9	9	9	13	14	11	12	7	8	2	1	–	–	–	–
Tubercular Class	85	57	61	52	33	28	11	7	3	1	–	–	–	–	–	–
Brain, etc.	11	13	18	22	22	22	28	40	23	15	7	–	1	–	–	–
Heart, etc.	18	17	19	29	23	17	25	26	10	6	1	2	1	–	–	–
Respiratory Organs	33	37	61	61	69	70	56	40	29	14	7	3	–	–	–	–
Digestive Organs	13	13	11	18	16	24	15	12	6	3	3	–	–	–	–	–
Urinary Organs	10	8	5	5	13	4	11	6	6	2	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	–	3	–	2	3	1	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	22	30	35	27	12	9	1	–	–
Sudden Deaths	1	3	5	1	2	4	–	4	–	–	–	–	–	–	–	–
Violent Deaths	21	22	23	18	13	10	8	10	4	2	–	–	–	–	–	–
Small Pox	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	3	1	1	1	3	2	4	2	2	3	–	–	–	–	–
Dysentery	–	1	–	–	2	1	–	–	2	–	–	–	–	–	–	–
Cholera	3	1	2	–	3	–	4	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	–	2	2	2	–	1	–	–	–	–
Purpura	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	34	37	25	25	14	14	1	2	1	–	–	–	–	–	–
Enteric Fever	2	1	2	4	2	1	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	3	3	2	1	2	1	1	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	5	2	3	3	5	1	4	3	3	1	–	–	–	–	–
Abscess	1	2	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	2	–	3	–	1	1	–	–	–	–	–
Cancer	1	2	4	6	9	6	8	4	4	3	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	80	57	58	51	32	26	11	6	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	38	–	4	6	5	–	3	1	5	1	3	3	1
Apoplexy	92	2	–	3	5	–	–	–	2	–	1	3	3
Paralysis	84	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	1	3
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	1	–	–	–	3
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	148	64	19	23	17	16	2	3	4	–	–	–	–
Brain Disease	107	–	1	7	11	1	3	3	15	4	2	6	9
V. Pericarditis	4	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	232	5	–	–	2	2	–	1	3	3	3	10	17
VI. Laryngitis	10	2	–	1	2	2	–	–	–	–	–	–	–
Bronchitis	914	71	81	139	155	60	34	14	21	5	3	7	15
Pleurisy	10	1	–	–	1	–	–	–	–	–	1	1	–
Pneumonia	341	20	16	52	46	29	6	8	8	4	8	15	17
Asthma	39	–	–	–	–	–	–	–	–	–	–	3	1
Lung Disease	40	5	3	3	2	–	–	–	5	1	1	–	5
VII. Teething	140	–	4	50	81	5	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	15	4	1	–	3	–	1	–	–	1	–	–	–
Enteritis	69	25	10	3	11	4	5	1	2	1	1	–	1
Peritonitis	17	1	1	–	1	–	1	–	1	1	1	–	2
Ascites	7	–	–	–	–	1	–	–	1	2	1	–	–
Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	1	1	1
Hernia	6	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	19	7	1	1	1	–	–	1	1	–	1	–	–
Intussusception	2	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	75	14	13	5	4	2	3	–	1	2	–	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	–	–	1	1	–	1	–	1	–	1	–
Jaundice	9	3	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	64	3	–	1	1	1	–	–	2	–	1	1	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	14	–	–	1	–	1	–	–	4	2	1	–	–
Nephria	24	–	–	–	1	–	–	1	–	2	1	1	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	1	–	1
Stone	5	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	11	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	35	–	–	–	–	–	–	–	–	–	1	3	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	–	–	–	–	–	–	–	2	3	1	–
Rheumatism	11	–	–	–	–	–	–	–	1	1	2	–	–
Joint and Bone Disease	14	–	–	1	1	–	–	–	2	6	1	–	–
XI. Carbuncle	1	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	22	8	11	3	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	8	2	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	3
Burns and Scalds	43	–	–	2	8	9	2	2	1	3	–	1	6
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	9	2	–	–	–	–	–	–	–	–	–	1
Drowning	40	–	–	–	–	–	–	–	2	3	3	4	5
Fracture and Contusion	129	–	–	1	3	3	1	–	7	11	9	17	7
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	11	–	1	–	–	–	–	–	–	1	–	–	1
Not Specified	126	37	15	8	6	2	3	8	7	2	2	3	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	3	4	11	7	9	7	13	9	5	2	–	–	–	–	–
Paralysis	2	3	2	5	6	6	15	19	11	8	3	–	1	–	–	–
Delirium Tremens	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	2	–	1	2	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	4	9	–	7	5	2	8	3	2	2	–	–	–	–	–
Pericarditis	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	14	19	27	21	17	25	26	10	6	1	2	1	–	–	–
Laryngitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	10	23	26	39	47	52	43	30	21	13	5	–	–	–	–	–
Pleurisy	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Pneumonia	17	11	22	15	16	9	8	7	4	–	–	3	–	–	–	–
Asthma	3	2	7	5	3	6	3	1	3	–	2	–	–	–	–	–
Lung Disease	1	–	4	2	2	1	1	2	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Peritonitis	2	–	1	–	–	3	–	1	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Ileus	–	1	–	–	–	2	–	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	4	–	6	9	4	–	4	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	1	2	–	2	1	1	–	1	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–
Liver Disease	6	2	8	9	5	8	8	4	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	2	–	2	3	–	4	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diabetes	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	2	–	3	2	1	–	–	–	–	–
Stricture of Urethra	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	4	4	2	5	4	3	3	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	3	–	–	2	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	2	2	–	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	2	–	1	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	5	5	2	3	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	10	9	12	11	7	7	6	6	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	1	2	1	2	–	–	–	–	–	–	–	–
Not Specified	4	7	3	5	4	2	6	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6415	625	204	494	771	317	206	159	306	139	218	292	275
SPECIFIED CAUSES	6340	605	197	489	763	315	206	158	301	137	218	291	272
I. Zymotic Class	1451	63	48	153	299	133	91	72	126	34	43	57	53
II. Diseases of Uncertain Seat	219	5	1	2	1	4	1	1	11	4	6	9	4
III. Tubercular Class	1265	18	24	63	127	58	41	36	67	57	120	154	128
IV. Brain and Nervous System	461	60	11	21	26	21	13	12	22	11	11	9	14
V. Organs of Circulation	218	–	–	2	1	–	1	1	1	3	7	5	15
VI. Respiratory Organs	1276	74	66	159	211	78	42	28	37	11	14	18	22
VII. Organs of Digestion	414	45	15	67	70	12	6	5	9	4	9	10	17
VIII. Urinary Organs	63	–	1	–	1	–	4	–	9	2	2	6	2
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	18	11
X. Organs of Locomotion	29	–	–	–	1	–	–	–	3	1	–	2	2
XI. Skin, etc.	9	–	–	–	2	1	–	–	2	–	–	–	–
XII. Malformation	10	6	1	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	353	315	24	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	54	–	–	–	18	2	–	–	3	1	2	–	1
XV. Age	280	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	1	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	134	18	5	6	5	6	7	3	11	9	2	2	3
I. Small Pox	48	3	6	5	8	4	3	7	5	–	1	4	–
Measles	165	1	4	31	74	23	14	9	8	1	–	–	–
Scarlatina	201	–	–	13	31	30	31	21	65	5	3	–	1
Diphtheria	40	1	1	6	10	10	5	2	3	–	–	–	1
Hooping Cough	244	12	8	55	103	32	19	9	6	–	–	–	–
Croup	64	1	1	9	22	14	6	5	5	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	157	26	16	23	29	3	–	4	2	1	3	1	2
Dysentery	10	–	–	1	–	1	–	–	–	–	–	–	–
Cholera	34	–	–	2	2	2	1	2	4	3	1	2	1
Influenza	5	–	–	–	1	–	–	1	1	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	284	–	3	3	3	7	6	1	17	12	22	35	23
Enteric Fever	85	–	1	1	7	5	4	7	8	6	5	5	11
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	5	–	–	–	2	–	1	–	–	2	–	–	–
Infantile Remittent	11	1	2	1	1	1	–	4	–	1	–	–	–
Metria	36	–	–	–	–	–	–	–	–	–	3	9	13
Rheumatic Fever	6	–	–	–	–	–	–	–	1	1	–	–	–
Erysipelas	32	11	–	2	4	1	1	–	–	1	3	–	1
Pyæmia	2	1	–	–	–	–	–	–	–	–	1	–	–
Syphilis	17	4	6	1	1	–	–	–	–	–	–	1	–
Noma	2	–	–	–	1	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	1	1	–	–	–	–	–	–	–	–	2	–
Dropsy	78	2	–	–	1	2	1	1	8	2	3	1	3
Abscess	7	1	–	2	–	–	–	–	1	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	1	–	–	–	1	–	–	2	–	–	2	1
Cancer	117	–	–	–	–	1	–	–	–	1	3	4	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	51	–	2	6	9	7	2	4	5	2	2	4	4
Tabes Mesenterica	83	3	4	7	32	19	5	1	5	3	2	1	1
Phthisis	946	5	7	9	38	12	14	19	36	50	116	149	123
Hydrocephalus	185	10	11	41	48	20	20	12	21	2	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	242	271	242	230	256	213	250	224	186	137	101	33	18	2	4	–
SPECIFIED CAUSES	240	271	236	227	253	209	249	222	186	137	101	33	18	2	4	–
Zymotic Class	43	29	43	31	39	31	22	18	12	6	2	3	–	–	–	–
Uncertain Seat	5	12	17	22	34	22	23	16	6	8	3	2	–	–	–	–
Tubercular Class	103	101	56	42	29	21	15	5	–	–	–	–	–	–	–	–
Brain, etc.	5	18	16	22	23	27	35	37	22	10	14	1	–	–	–	–
Heart, etc.	8	18	18	16	27	16	22	21	17	13	6	–	–	–	–	–
Respiratory Organs	25	34	41	56	63	54	83	59	48	34	15	4	–	–	–	–
Digestive Organs	13	12	19	15	18	13	24	16	8	3	4	–	–	–	–	–
Urinary Organs	7	9	7	5	1	1	2	3	–	–	1	–	–	–	–	–
Generative Organs	16	20	11	3	2	4	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	4	2	–	3	4	–	1	2	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	4	3	4	3	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	13	41	66	60	55	22	17	2	4	–
Sudden Deaths	1	3	1	2	1	2	1	–	2	–	–	–	–	–	–	–
Violent Deaths	9	7	2	9	10	3	6	5	2	1	1	1	1	–	–	–
Small Pox	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	6	1	6	5	5	6	5	4	1	3	–	–	–	–
Dysentery	–	–	–	1	1	2	–	2	2	–	–	–	–	–	–	–
Cholera	5	1	1	2	1	1	1	1	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	18	26	25	25	20	9	6	4	–	–	–	–	–	–	–
Enteric Fever	6	2	8	2	3	–	3	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	2	–	2	1	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	6	4	7	5	11	10	1	2	2	–	–	–	–	–
Abscess	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–
Cancer	2	9	9	18	26	17	11	4	5	5	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	102	100	55	42	29	20	15	5	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	38	2	3	5	5	3	2	–	8	2	2	2	2
Apoplexy	85	2	1	4	1	1	3	2	2	1	3	1	2
Paralysis	118	–	–	–	–	1	–	–	–	–	1	2	2
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	–	–	–	–	–	–	–	–	2	2	–	4
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	109	55	6	8	16	8	4	6	6	–	–	–	–
Brain Disease	91	1	1	4	4	8	4	4	6	6	3	3	3
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	1	2	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	211	–	–	2	1	–	1	1	1	3	6	3	15
VI. Laryngitis	5	1	1	1	1	1	–	–	–	–	–	–	–
Bronchitis	925	57	52	124	159	53	28	19	25	4	5	9	10
Pleurisy	7	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	261	16	12	33	49	23	13	7	11	6	8	7	8
Asthma	42	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	36	–	1	1	2	1	1	2	1	1	1	1	4
VII. Teething	123	1	2	58	58	4	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	–	1	–	–	–	–	–	–
Gastritis	20	7	–	–	–	–	–	–	1	1	–	1	2
Enteritis	75	17	8	7	5	3	3	4	5	2	1	1	7
Peritonitis	23	–	1	–	–	–	–	–	–	–	3	5	4
Ascites	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	1	1	–
Hernia	11	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	18	6	1	–	1	1	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	51	10	3	2	4	1	2	–	–	1	2	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	–	–	–	–	2	–	–	–	–	–	–	–
Jaundice	6	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	61	2	–	–	–	–	–	1	3	–	2	–	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	–	–	2	–	5	–	–	–	–
Nephria	16	–	–	–	–	–	1	–	2	1	1	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	1	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	30	–	1	–	–	–	1	–	2	1	1	4	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	59	–	–	–	–	–	–	–	–	–	1	16	10
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	4	–	–	–	1	–	–	–	1	–	–	–	–
Rheumatism	15	–	–	–	–	–	–	–	–	–	–	1	2
Joint and Bone Disease	10	–	–	–	–	–	–	–	2	1	–	1	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	5	–	–	–	2	1	–	–	1	–	–	–	–
XVII. Intemperance	15	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	16	9	2	4	–	1	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	1	–	–	–	–	–	–	–	1	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	34	–	1	2	4	2	5	3	9	1	–	–	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	10	6	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	2	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	37	–	–	–	1	3	2	–	1	7	2	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	75	20	7	5	8	2	–	1	5	2	–	1	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	8	4	3	11	6	8	9	4	5	3	–	–	–	–	–
Paralysis	2	4	6	13	4	16	21	17	14	4	11	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	6	4	7	4	6	9	3	1	–	1	–	–	–	–
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Heart Disease	8	16	18	16	27	16	22	19	17	13	6	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	18	22	24	42	50	40	56	44	41	30	11	2	–	–	–	–
Pleurisy	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	5	12	3	5	7	13	7	5	2	4	2	–	–	–	–
Asthma	1	4	1	7	3	4	12	7	2	1	–	–	–	–	–	–
Lung Disease	2	2	2	3	4	3	2	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Enteritis	2	1	3	1	1	2	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	3	1	1	1	–	3	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	1	–	3	1	3	1	–	–	1	–	–	–	–	–
Ileus	2	–	–	1	1	–	–	3	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	2	3	3	2	4	3	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	2	1	–	3	–	1	–	1	–	–	–	–	–
Jaundice	1	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Liver Disease	3	5	7	6	5	6	10	5	2	1	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	5	1	5	–	1	–	2	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	1	1	1	2	4	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	–	1	4	–	–	2	1	–	–	–	–	–	–
Joint Disease	1	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	3	4	–	3	1	1	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	–	1	1	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	2	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	1	1	2	5	1	1	2	1	–	1	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	6	3	3	4	1	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1742	161	84	162	188	86	57	33	66	41	49	72	70
Specified Causes	1706	149	83	156	187	84	57	33	65	38	48	72	69
I. Zymotic Class	372	15	15	42	70	44	29	18	34	5	4	7	11
II. Diseases of Uncertain Seat	43	–	–	–	1	–	–	1	1	2	1	2	2
III. Tubercular Class	354	7	15	34	37	17	11	7	18	17	31	44	33
IV. Brain and Nervous System	153	9	7	11	12	3	2	1	3	4	2	5	4
V. Organs of Circulation	49	–	–	–	–	–	–	–	–	3	–	2	1
VI. Respiratory Organs	320	20	22	49	46	9	9	5	5	4	5	4	10
VII. Organs of Digestion	86	9	11	10	14	4	2	–	1	1	1	1	4
VIII. Urinary Organs	18	1	–	–	–	–	1	–	–	–	–	1	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	2	–
X. Organs of Locomotion	9	–	–	–	–	–	–	–	2	1	–	1	–
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	2	2	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	100	82	11	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	4	4	1	–	–	–	1	1	–
XV. Age	118	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	46	3	–	2	3	3	2	1	1	1	2	2	3
I. Small Pox	6	1	–	–	1	–	–	2	1	–	–	–	–
Measles	49	1	1	11	20	8	6	1	1	–	–	–	–
Scarlatina	71	–	1	6	9	15	8	11	18	3	–	–	–
Diphtheria	15	1	–	1	6	2	2	–	1	–	–	–	–
Hooping Cough	45	–	6	12	15	7	5	–	–	–	–	–	–
Croup	18	–	–	1	4	9	3	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	49	5	4	3	10	1	–	–	2	–	2	1	1
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	10	–	–	2	1	–	–	1	–	–	–	–	1
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	45	–	–	1	–	–	1	–	1	–	–	1	6
Enteric Fever	24	–	–	1	2	–	3	1	8	1	2	2	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	5	–	–	–	–	–	–	1	–	–	–	1	1
Erysipelas	10	4	1	–	–	1	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	3	2	4	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	1	–	–	1	1	1	–	–	–
Abscess	5	–	–	–	–	–	–	–	–	1	1	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	24	–	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	1	2	3	3	1	1	–	2	–	2	–	–
Tabes Mesenterica	29	1	3	5	3	4	3	3	2	2	2	1	–
Phthisis	230	2	3	2	9	5	1	2	8	15	27	43	33
Hydrocephalus	77	3	7	24	22	7	6	2	6	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	64	60	71	72	76	55	71	48	54	44	35	17	3	1	–	2
Specified Causes	64	59	70	71	75	54	69	48	54	44	35	17	3	1	–	1
Zymotic Class	8	16	13	11	7	4	9	4	1	3	2	–	–	–	–	–
Uncertain Seat	3	2	3	6	9	2	3	1	1	1	1	–	–	–	–	1
Tubercular Class	22	16	13	12	13	2	3	1	–	1	–	–	–	–	–	–
Brain, etc.	5	8	8	10	16	9	8	12	7	4	2	1	–	–	–	–
Heart, etc.	1	3	5	13	6	3	8	3	–	1	–	–	–	–	–	–
Respiratory Organs	12	6	17	11	18	15	23	12	7	4	7	–	–	–	–	–
Digestive Organs	–	1	4	4	1	9	3	3	2	1	–	–	–	–	–	–
Urinary Organs	2	3	2	–	–	1	1	2	1	1	1	–	–	–	–	–
Generative Organs	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	1	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	35	26	22	15	3	1	–	–
Sudden Deaths	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	7	2	4	3	1	2	3	–	–	–	–	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	–	3	3	2	4	1	1	2	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Cholera	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	7	11	6	1	1	2	1	–	–	–	–	–	–	–	–
Enteric Fever	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	1	1	2	1	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	2	6	6	1	1	–	1	1	1	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	14	13	12	13	2	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	17	1	1	4	2	–	1	–	1	4	–	–	1
Apoplexy	36	–	1	1	2	–	–	–	–	–	–	2	1
Paralysis	30	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	1	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	2	–
Convulsions	26	8	5	5	5	2	1	–	–	–	–	–	–
Brain Disease	30	–	–	1	3	1	–	1	2	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	44	–	–	–	–	–	–	–	–	3	–	2	1
VI. Laryngitis	3	–	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	186	16	16	39	28	9	6	1	4	–	–	–	4
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	93	3	4	10	18	–	3	4	1	3	4	3	6
Asthma	25	–	–	–	–	–	–	–	–	1	1	–	–
Lung Disease	11	1	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	21	–	2	9	10	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	27	6	7	1	2	3	–	–	1	1	1	1	1
Peritonitis	4	–	–	–	–	–	–	–	–	–	–	–	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	2	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	5	1	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	13	2	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	1	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	2	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	1	–	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	11	–	–	–	–	1	–	–	–	–	1	–	2
Fracture and Contusion	19	–	–	–	1	1	1	–	1	1	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	1	–	–	–	–	–	–	1	–
Not Specified	36	12	1	6	1	2	–	–	1	3	1	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	1	6	4	5	5	2	2	–	1	–	–	–	–
Paralysis	3	1	3	3	5	4	–	3	3	2	2	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	3	1	2	4	1	3	3	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	–	3	3	13	6	3	7	2	–	1	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	4	9	10	8	8	6	4	4	4	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	7	3	7	–	3	5	6	1	1	–	1	–	–	–	–	–
Asthma	–	–	4	1	3	2	6	4	2	–	1	–	–	–	–	–
Lung Disease	1	–	1	1	2	–	3	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	3	2	1	2	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	2	–	–	1	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	1	–	1	2	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	1	1	2	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	851	84	45	84	91	39	25	17	33	22	18	33	26
SPECIFIED CAUSES	837	81	44	80	91	38	25	17	33	19	18	33	26
I. Zymotic Class	180	7	11	18	33	21	13	9	18	2	–	3	3
II. Diseases of Uncertain Seat	14	–	–	–	1	–	–	–	1	–	1	2	–
III. Tubercular Class	155	4	5	20	21	8	4	5	7	8	10	19	13
IV. Brain and Nervous System	88	2	2	6	8	–	1	–	3	3	2	3	2
V. Organs of Circulation	28	–	–	–	–	–	–	–	–	1	–	–	1
VI. Respiratory Organs	162	16	12	23	20	4	5	2	2	3	3	2	3
VII. Organs of Digestion	48	5	7	7	6	2	1	–	–	1	1	–	–
VIII. Urinary Organs	13	1	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	–	–	1	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	43	7	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	1	1	1	–	–	–	–	1	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	34	2	–	1	1	2	–	1	1	1	2	2	3
I. Small Pox	2	–	–	–	1	–	–	–	–	–	–	–	–
Measles	22	–	1	6	8	4	2	–	1	–	–	–	–
Scarlatina	40	–	–	2	6	9	5	8	9	1	–	–	–
Diphtheria	6	1	–	–	1	–	1	–	1	–	–	–	–
Hooping Cough	20	–	5	4	5	4	2	–	–	–	–	–	–
Croup	10	–	–	–	4	4	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	4	3	2	4	–	–	–	2	–	–	1	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	22	–	–	1	–	–	–	–	–	–	–	–	1
Enteric Fever	8	–	–	–	1	–	1	–	3	–	–	1	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	1	–	–	–	1	1
Erysipelas	7	2	1	–	–	–	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	1	–	–	–	1	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	1	1	1	–	–	–	–	1	–	2	–	–
Tabes Mesenterica	13	1	1	2	3	2	1	1	1	1	–	–	–
Phthisis	92	1	–	2	2	4	1	2	4	7	8	19	13
Hydrocephalus	42	1	3	15	16	2	2	2	1	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	29	26	36	45	36	32	38	32	22	19	13	4	1	–	–	1
SPECIFIED CAUSES	29	25	36	45	36	32	38	32	22	19	13	4	1	–	–	–
Zymotic Class	4	7	9	6	5	2	3	3	–	2	1	–	–	–	–	–
Uncertain Seat	–	–	–	3	2	–	1	1	–	1	1	–	–	–	–	–
Tubercular Class	9	3	2	5	8	1	2	–	–	1	–	–	–	–	–	–
Brain, etc.	4	7	6	7	7	3	6	9	5	2	–	–	–	–	–	–
Heart, etc.	1	1	3	9	2	2	6	2	–	–	–	–	–	–	–	–
Respiratory Organs	3	1	8	9	8	12	11	8	4	1	2	–	–	–	–	–
Digestive Organs	–	–	3	3	1	7	1	3	–	1	–	–	–	–	–	–
Urinary Organs	2	3	1	–	–	–	1	2	1	–	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	4	12	11	8	4	1	–	–	–
Sudden Deaths	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	2	4	2	1	2	1	–	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	1	1	2	1	–	1	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	7	4	1	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Contd. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	3	1	–	–	–	–	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	2	2	5	8	1	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	1	–	3	1	–	–	–	1	3	–	–	1
Apoplexy	21	–	–	1	1	–	–	–	–	–	–	1	1
Paralysis	17	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	10	1	2	2	4	–	1	–	–	–	–	–	–
Brain Disease	18	–	–	–	2	–	–	–	2	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	–	–	–	–	–	–	1	–	–	1
VI. Laryngitis	2	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	94	13	8	20	14	4	4	1	1	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	40	2	3	3	6	–	1	1	1	2	2	2	2
Asthma	20	–	–	–	–	–	–	–	–	1	1	–	–
Lung Disease	6	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	12	–	1	7	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	3	–	–	1	–	–	–	–	–	–	–	–
Enteritis	13	4	4	–	1	2	–	–	–	1	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	2	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	8	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	1	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	–	1	–	2
Fracture and Contusion	15	–	–	–	–	1	–	–	1	1	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	14	3	1	4	–	1	–	–	–	3	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Males. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	4	1	4	4	1	1	–	–	–	–	–	–
Paralysis	3	1	2	3	1	2	–	1	2	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	1	–	2	3	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	9	2	2	5	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	7	3	6	4	3	2	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	1	4	–	1	4	2	–	–	–	–	–	–	–	–	–
Asthma	–	–	2	1	3	2	3	4	2	–	1	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	2	1	1	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	891	77	39	78	97	47	32	16	33	19	31	39	44
SPECIFIED CAUSES	869	68	39	76	96	46	32	16	32	19	30	39	43
I. Zymotic Class	192	8	4	24	37	23	16	9	16	3	4	4	8
II. Diseases of Uncertain Seat	29	–	–	–	–	–	–	1	–	2	–	–	2
III. Tubercular Class	199	3	10	14	16	9	7	2	11	9	21	25	20
IV. Brain and Nervous System	65	7	5	5	4	3	1	1	–	1	–	2	2
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	2	–	2	–
VI. Respiratory Organs	158	4	10	26	26	5	4	3	3	1	2	2	7
VII. Organs of Digestion	38	4	4	3	8	2	1	–	1	–	1	1	4
VIII. Urinary Organs	5	–	–	–	–	–	1	–	–	–	–	1	–
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	2	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	1	–	–	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	2	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	46	39	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	3	–	–	–	–	1	–	–
XV. Age	74	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	12	1	–	1	2	1	2	–	–	–	–	–	–
I. Small Pox	4	1	–	–	–	–	–	2	1	–	–	–	–
Measles	27	1	–	5	12	4	4	1	–	–	–	–	–
Scarlatina	31	–	1	4	3	6	3	3	9	2	–	–	–
Diphtheria	9	–	–	1	5	2	1	–	–	–	–	–	–
Hooping Cough	25	–	1	8	10	3	3	–	–	–	–	–	–
Croup	8	–	–	1	–	5	1	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	1	1	1	6	1	–	–	–	–	2	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	–	–	1	–	–	–	1	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	1	–	–	1	5
Enteric Fever	16	–	–	1	1	–	2	1	5	1	2	1	–
Relapsing Fever *	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	3	1	2	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	1	–	1	–	–	–
Abscess	4	–	–	–	–	–	–	–	–	1	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	1	2	3	1	1	–	1	–	–	–	–
Tabes Mesenterica	16	–	2	3	–	2	2	2	1	1	2	1	–
Phthisis	138	1	3	–	7	1	–	–	4	8	19	24	20
Hydrocephalus	35	2	4	9	6	5	4	–	5	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	35	34	35	27	40	23	33	16	32	25	22	13	2	1	–	1
SPECIFIED CAUSES	35	34	34	26	39	22	31	16	32	25	22	13	2	1	–	1
Zymotic Class	4	9	4	5	2	2	6	1	1	1	1	–	–	–	–	–
Uncertain Seat	3	2	3	3	7	2	2	–	1	–	–	–	–	–	–	1
Tubercular Class	13	13	11	7	5	1	1	1	–	–	–	–	–	–	–	–
Brain, etc.	1	1	2	3	9	6	2	3	2	2	2	1	–	–	–	–
Heart, etc.	–	2	2	4	4	1	2	1	–	1	–	–	–	–	–	–
Respiratory Organs	9	5	9	2	10	3	12	4	3	3	5	–	–	–	–	–
Digestive Organs	–	1	1	1	–	2	2	–	2	–	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Generative Organs	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	6	23	15	14	11	2	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	2	2	1	2	–	1	1	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	4	2	–	1	2	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	2	3	5	1	1	–	1	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	12	11	7	5	1	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	1	1	1	–	1	–	–	1	–	–	–
Apoplexy	15	–	1	–	1	–	–	–	–	–	–	1	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	16	7	3	3	1	2	–	–	–	–	–	–	–
Brain Disease	12	–	–	1	1	1	–	1	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	–	–	–	–	2	–	2	–
VI. Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	92	3	8	19	14	5	2	–	3	–	–	–	3
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	53	1	1	7	12	–	2	3	–	1	2	1	4
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	9	–	1	2	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	2	3	1	1	1	–	–	1	–	1	1	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	1	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	1	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	22	9	–	2	1	1	–	–	1	–	1	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	2	3	1	1	1	1	–	1	–	–	–	–
Paralysis	–	–	1	–	4	2	–	2	1	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	3	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	4	4	1	2	–	–	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	3	2	7	2	4	3	2	3	3	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	4	2	3	–	2	1	4	1	1	–	1	–	–	–	–	–
Asthma	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	4813	430	159	297	365	155	92	65	182	88	141	191	237
Specified Causes	4783	422	158	297	361	155	92	65	180	87	141	189	235
I. Zymotic Class	1012	54	44	95	144	56	51	33	62	27	39	42	52
II. Diseases of Uncertain Seat	200	4	–	1	2	2	–	2	1	1	1	3	8
III. Tubercular Class	879	11	21	48	71	40	24	12	45	22	62	91	93
IV. Brain and Nervous System	425	29	10	18	16	12	5	5	17	6	4	4	12
V. Organs of Circulation	294	2	1	1	–	1	–	–	1	8	3	8	15
VI. Respiratory Organs	754	64	42	85	81	32	7	5	20	2	8	12	7
VII. Organs of Digestion	303	26	12	18	24	4	1	3	9	5	7	4	11
VIII. Urinary Organs	110	–	–	–	1	2	–	2	5	5	5	5	9
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	1	1	13
X. Organs of Locomotion	37	–	–	1	1	–	–	–	9	5	1	3	1
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	27	22	2	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	237	198	16	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	40	–	–	–	17	1	3	1	2	–	1	–	–
XV. Age	236	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	2	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	184	9	8	5	3	5	1	2	9	6	9	16	14
I. Small Pox	9	1	2	1	1	–	–	–	1	–	–	2	1
Measles	40	1	2	9	17	3	4	2	2	–	–	–	–
Scarlatina	45	–	–	3	10	9	6	6	4	2	2	3	–
Diphtheria	49	2	1	4	11	2	5	4	12	1	3	2	1
Hooping Cough	189	5	16	46	66	20	16	10	9	1	–	–	–
Croup	19	2	–	3	5	6	2	–	1	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	114	25	11	19	22	1	1	–	2	–	1	3	2
Dysentery	14	1	1	–	–	–	1	–	–	–	–	–	–
Cholera	148	1	1	1	5	8	4	4	9	5	3	5	15
Influenza	7	2	–	–	–	1	1	–	–	–	–	–	1
Purpura	5	1	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	190	–	–	1	1	–	4	1	9	6	13	15	13
Enteric Fever	84	–	–	1	2	3	3	4	11	9	12	6	5
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	7	2	–	–	2	1	–	2	–	–	–	–	–
Metria	14	–	–	–	–	–	–	–	–	–	1	3	7
Rheumatic Fever	7	–	–	–	–	–	–	–	1	1	1	2	–
Erysipelas	24	3	2	2	–	2	–	–	–	2	1	–	1
Pyæmia	6	–	–	–	–	–	–	–	–	–	1	1	1
Syphilis	30	8	7	5	1	–	–	–	–	–	–	–	4
Noma	5	–	–	–	1	–	3	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	3	–	–	–	–	–	–	–	–	–	–	–
Dropsy	23	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	14	–	–	1	1	1	–	1	–	–	–	–	–
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	14	–	–	–	1	–	–	–	–	–	–	–	1
Cancer	136	–	–	–	–	1	–	1	1	1	1	3	6
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	51	2	–	5	5	5	3	–	8	–	4	2	6
Tabes Mesenterica	57	5	1	5	19	11	3	2	5	2	2	1	–
Phthisis	603	–	2	4	4	3	5	–	15	17	56	86	86
Hydrocephalus	168	4	18	34	43	21	13	10	17	3	–	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	210	254	195	209	231	235	229	256	205	198	122	53	10	3	–	1
Specified Causes	209	254	192	208	229	234	227	256	205	198	122	53	10	3	–	1
Zymotic Class	34	54	28	40	33	40	22	28	18	7	6	1	2	–	–	–
Uncertain Seat	7	12	9	17	29	22	30	14	14	15	6	–	–	–	–	–
Tubercular Class	81	74	51	43	36	26	13	9	3	2	–	–	–	–	–	1
Brain, etc.	16	17	13	19	24	22	29	42	39	40	14	11	1	–	–	–
Heart, etc.	15	28	18	20	19	38	36	32	18	20	6	4	–	–	–	–
Respiratory Organs	15	25	26	32	44	34	42	61	46	38	16	9	1	–	–	–
Digestive Organs	13	15	22	12	22	24	23	19	13	6	8	2	–	–	–	–
Urinary Organs	9	9	4	7	6	10	8	10	5	6	1	1	–	–	–	–
Generative Organs	3	5	2	1	1	1	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	1	2	4	1	1	–	3	2	–	2	–	–	–	–	–	–
Skin	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	5	–	–	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	29	46	57	62	23	6	3	–	–
Sudden Deaths	–	2	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Violent Deaths	14	10	9	15	12	8	8	9	3	4	3	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	2	1	1	2	4	6	2	3	2	1	–	–	–	–
Dysentery	–	1	–	1	1	–	1	3	3	1	–	–	–	–	–	–
Cholera	10	17	10	12	6	13	6	7	4	1	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	22	12	21	17	19	9	8	2	2	2	–	1	–	–	–
Enteric Fever	2	7	2	3	4	3	–	2	3	–	1	–	1	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	2	2	2	1	–	2	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	1	1	1	–	4	6	3	2	3	–	–	–	–	–	–
Abscess	–	1	–	1	3	–	3	–	1	1	–	–	–	–	–	–
Ulcer	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	–	2	2	–	1	4	–	–	–	–	–
Cancer	6	9	7	15	22	16	17	9	10	9	2	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scrofula	2	2	1	2	3	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	78	71	50	40	33	26	12	9	3	2	–	–	–	–	–	1
Hydrocephalus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	29	–	1	2	3	6	3	2	3	2	1	–	1
Apoplexy	97	6	–	2	3	2	–	–	–	–	–	–	4
Paralysis	121	–	–	–	–	–	–	–	1	–	–	–	4
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	22	–	–	–	–	–	–	–	–	1	–	3	1
Tetanus	3	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	49	20	7	12	5	2	–	3	–	–	–	–	–
Brain Disease	92	2	1	2	5	2	2	–	12	3	1	1	1
V. Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	280	1	1	1	–	1	–	–	1	8	3	8	15
VI. Laryngitis	13	1	1	–	2	2	–	1	–	–	1	–	1
Bronchitis	512	55	32	66	57	22	6	2	15	2	2	5	1
Pleurisy	25	1	–	–	1	–	–	–	–	–	1	1	1
Pneumonia	136	6	8	18	21	8	–	1	3	–	4	5	2
Asthma	33	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	35	1	1	1	–	–	1	1	2	–	–	1	1
VII. Teething	28	–	1	8	18	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	7	–	–	–	–	–	–	1	1	–	–	–	1
Enteritis	47	16	6	9	2	1	1	2	–	1	–	–	1
Peritonitis	25	2	–	1	–	–	–	–	3	1	–	1	3
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	13	–	–	–	–	–	–	–	–	–	–	1	3
Hernia	14	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	13	–	1	–	–	–	–	–	1	–	4	–	1
Intussusception	3	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	11	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	47	–	2	–	4	1	–	–	–	2	1	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	14	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	67	–	1	–	–	1	–	–	4	–	–	1	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	4	–	–	–	–	1	–	1	–	–	–	–	1
Nephria	35	–	–	–	–	1	–	–	2	5	2	3	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	–	–	–	1	–	–	–	–	–	–	1	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	17	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	33	–	–	–	–	–	–	1	3	–	2	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	4
Childbirth	18	–	–	–	–	–	–	–	–	–	1	1	9
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	14	–	–	–	1	–	–	–	4	3	1	1	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	15	–	–	1	–	–	–	–	5	2	–	2	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	12	3	7	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	22	–	–	1	1	3	1	–	2	1	–	1	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	3	1	1	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	105	1	–	1	1	2	–	1	6	5	8	11	8
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	1	–	3
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	2	2
Other Violent Causes	6	2	–	–	–	–	–	1	–	–	–	1	–
Not Specified	30	8	1	–	4	–	–	–	2	1	–	2	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	3	2	5	8	5	10	11	10	13	6	3	1	–	–	–
Paralysis	5	6	2	7	5	7	13	17	24	18	6	6	–	–	–	–
Delirium Tremens	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	3	2	1	–	1	2	1	3	–	1	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	5	4	5	9	4	12	4	6	2	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	6	1	2	–	1	2	–	–	–	–	–	–	–	–	–
Heart Disease	14	22	17	18	19	37	34	32	18	20	6	4	–	–	–	–
Laryngitis	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	6	10	14	17	25	24	27	43	33	27	12	8	1	–	–	–
Pleurisy	2	1	2	4	2	1	–	5	1	2	–	–	–	–	–	–
Pneumonia	5	6	6	5	10	3	6	6	6	4	2	1	–	–	–	–
Asthma	–	1	4	4	4	4	4	4	3	3	1	–	–	–	–	–
Lung Disease	2	5	–	2	3	1	5	3	2	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–
Enteritis	–	–	3	2	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	3	2	1	2	–	2	–	–	4	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	2	1	–	2	2	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	4	3	3	2	–	–	–	–	–	–	–	–
Ileus	–	2	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	2	–	–	2	2	1	–	–	1	–	–	–	–	–	–
Stomach Disease	1	1	6	1	2	4	6	4	5	1	2	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Jaundice	–	2	–	–	–	1	1	2	–	1	1	–	–	–	–	–
Liver Disease	4	3	8	6	10	9	8	7	2	–	3	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	3	2	3	–	3	–	4	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	–	2	–	–	1	–	5	1	2	4	–	1	–	–	–	–
Stricture of Urethra	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Kidney Disease	2	3	1	2	4	5	–	3	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	2	–	1	–	1	1	–	2	–	–	–	–	–	–
Joint Disease	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	1	1	–	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	3	1	–	1	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	2	–	–	1	–	–	1	–	–	–	–	–	–
Fracture and Contusion	8	9	5	5	10	6	5	8	2	–	1	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	3	1	2	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2422	238	95	172	182	84	47	31	97	48	77	110	115
SPECIFIED CAUSES	2409	234	95	172	180	84	47	31	97	48	77	109	113
I. Zymotic Class	522	31	33	51	73	32	31	20	27	13	21	22	19
II. Diseases of Uncertain Seat	64	2	–	1	–	–	–	1	–	1	1	1	3
III. Tubercular Class	470	8	8	27	33	21	9	3	24	14	34	55	54
IV. Brain and Nervous System	225	18	8	10	9	6	1	1	13	2	1	2	3
V. Organs of Circulation	161	–	1	–	–	–	–	–	1	2	2	5	9
VI. Respiratory Organs	362	30	26	57	41	16	2	2	13	1	3	5	3
VII. Organs of Digestion	143	13	7	14	14	2	–	3	1	4	4	2	3
VIII. Urinary Organs	68	–	–	–	1	2	–	–	4	3	1	3	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	22	–	–	1	–	–	–	–	6	4	1	2	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	15	12	1	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	127	112	6	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	7	–	3	–	1	–	1	–	–
XV. Age	87	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	121	7	3	1	1	5	1	1	7	4	8	12	13
I. Small Pox	6	–	2	–	1	–	–	–	1	–	–	1	1
Measles	23	–	1	4	9	2	4	1	2	–	–	–	–
Scarlatina	33	–	–	3	8	7	4	4	2	2	2	1	–
Diphtheria	24	–	1	4	6	2	2	1	3	1	2	1	–
Hooping Cough	94	4	12	23	30	8	8	4	5	–	–	–	–
Croup	10	2	–	1	2	3	1	–	1	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	54	15	7	10	13	1	1	–	–	–	–	2	–
Dysentery	9	1	1	–	–	–	1	–	–	–	–	–	–
Cholera	71	1	1	1	3	6	2	4	4	4	2	2	6
Influenza	3	1	–	–	–	–	1	–	–	–	–	–	1
Purpura	2	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	108	–	–	–	–	–	2	1	5	2	6	12	8
Enteric Fever	35	–	–	1	1	2	3	3	2	2	6	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	3	1	–	–	–	–	–	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	16	2	2	1	–	1	–	–	–	2	1	–	–
Pyæmia	4	–	–	–	–	–	–	–	–	–	–	1	1
Syphilis	15	3	5	3	–	–	–	–	–	–	–	–	2
Noma	2	–	–	–	–	–	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	7	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	36	–	–	–	–	–	–	1	–	1	1	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	24	–	–	2	2	2	2	–	6	–	2	1	5
Tabes Mesenterica	25	4	–	2	8	5	–	1	3	1	–	–	–
Phthisis	332	–	1	1	3	2	–	–	6	10	32	53	49
Hydrocephalus	89	4	7	22	20	12	7	2	9	3	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	117	126	101	104	127	111	105	107	87	74	43	22	1	1	–	–
SPECIFIED CAUSES	116	126	101	103	125	111	105	107	87	74	43	22	1	1	–	–
Zymotic Class	17	30	14	17	19	18	11	13	8	–	2	–	–	–	–	–
Uncertain Seat	2	2	1	6	8	6	13	7	4	3	2	–	–	–	–	–
Tubercular Class	45	35	26	23	21	15	8	3	2	2	–	–	–	–	–	–
Brain, etc.	11	10	6	11	11	12	16	22	21	23	5	3	–	–	–	–
Heart, etc.	10	17	10	11	15	22	14	15	11	8	5	3	–	–	–	–
Respiratory Organs	10	12	14	17	28	15	17	20	11	10	5	4	–	–	–	–
Digestive Organs	5	6	15	3	14	9	9	8	3	2	1	1	–	–	–	–
Urinary Organs	5	5	2	6	4	5	8	3	4	5	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	2	1	–	–	–	1	–	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	10	23	17	21	10	1	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	10	7	8	8	5	7	5	5	–	2	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Dysentery	–	1	–	1	1	–	–	1	2	–	–	–	–	–	–	–
Cholera	3	9	4	3	3	3	5	3	2	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	13	7	11	11	10	3	6	1	–	1	–	–	–	–	–
Enteric Fever	–	3	1	1	2	2	–	2	2	–	1	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	1	1	2	–	–	1	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	2	3	2	1	1	–	–	–	–	–	–
Abscess	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Cancer	2	1	–	5	4	3	5	4	3	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	44	34	26	21	20	15	8	3	2	2	–	–	–	–	–	–
Hydrocephalus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	14	–	1	1	2	3	1	–	2	–	–	–	1
Apoplexy	55	4	–	2	1	1	–	–	–	–	–	–	1
Paralysis	56	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	2	–	–	–	–	–	–	–	1	–	1	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	1	–	1	–
Tetanus	3	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	13	6	5	4	–	–	1	–	–	–	–	–
Brain Disease	47	–	–	2	2	2	–	–	9	1	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	152	–	1	–	–	–	–	–	1	2	2	5	9
VI. Laryngitis	6	1	–	–	1	1	–	1	–	–	–	–	–
Bronchitis	233	26	20	44	27	13	1	–	10	1	–	1	1
Pleurisy	15	–	–	–	–	–	–	–	–	–	1	1	–
Pneumonia	76	2	5	12	13	2	–	1	2	–	2	3	1
Asthma	16	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	16	1	1	1	–	–	1	–	1	–	–	–	–
VII. Teething	18	–	1	5	11	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	29	9	2	8	2	–	–	2	–	1	–	–	1
Peritonitis	5	–	–	1	–	–	–	–	–	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	8	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	–	–	–	–	–	–	2	–	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	9	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	17	–	1	–	1	1	–	–	–	2	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	32	–	1	–	–	–	–	–	1	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	18	–	–	–	–	1	–	–	2	3	–	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	14	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	–	–	–	–	–	–	2	–	–	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	8	–	–	–	–	–	–	–	2	2	1	1	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	11	–	–	1	–	–	–	–	4	2	–	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	1	–	3	1	–	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	3	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	81	1	–	–	1	2	–	1	4	4	7	10	8
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	1	–	3
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	–	1	2
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	4	–	–	2	–	–	–	–	–	–	1	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	1	3	3	2	6	6	7	11	3	1	–	–	–	–
Paralysis	3	5	2	5	–	3	8	8	11	7	2	1	–	–	–	–
Delirium Tremens	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	2	–	–	–	1	1	3	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	2	–	3	6	2	7	2	2	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Heart Disease	9	13	9	10	15	22	12	15	11	8	5	3	–	–	–	–
Laryngitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	7	8	14	8	10	12	9	9	5	3	–	–	–	–
Pleurisy	2	–	1	3	2	1	–	4	–	–	–	–	–	–	–	–
Pneumonia	4	5	3	4	6	2	3	3	1	1	–	1	–	–	–	–
Asthma	–	1	3	2	3	2	2	1	1	–	–	–	–	–	–	–
Lung Disease	1	4	–	–	3	1	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Ileus	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	–	2	1	1	–	–	1	–	–	–	–	–	–
Stomach Disease	–	1	4	–	1	2	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	2	5	3	5	3	5	4	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	2	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	–	1	–	–	1	–	5	–	1	4	–	1	–	–	–	–
Stricture of Urethra	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Kidney Disease	1	1	1	2	3	3	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	7	5	4	5	6	4	5	–	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2391	192	64	125	183	71	45	34	85	40	64	81	122
SPECIFIED CAUSES	2374	188	63	125	181	71	45	34	83	39	64	80	122
I. Zymotic Class	490	23	11	44	71	24	20	13	35	14	18	20	33
II. Diseases of Uncertain Seat	136	2	–	–	2	2	–	1	1	–	–	2	5
III. Tubercular Class	409	3	13	21	38	19	15	9	21	8	28	36	39
IV. Brain and Nervous System	200	11	2	8	7	6	4	4	4	4	3	2	9
V. Organs of Circulation	133	2	–	1	–	1	–	–	–	6	1	3	6
VI. Respiratory Organs	392	34	16	28	40	16	5	3	7	1	5	7	4
VII. Organs of Digestion	160	13	5	4	10	2	1	–	8	1	3	2	8
VIII. Urinary Organs	42	–	–	–	–	–	–	2	1	2	4	2	4
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	1	1	13
X. Organs of Locomotion	15	–	–	–	1	–	–	–	3	1	–	1	–
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	12	10	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	110	86	10	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	23	–	–	–	10	1	–	1	1	–	–	–	–
XV. Age	149	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	63	2	5	4	2	–	–	1	2	2	1	4	1
I. Small Pox	3	1	–	1	–	–	–	–	–	–	–	1	–
Measles	17	1	1	5	8	1	–	1	–	–	–	–	–
Scarlatina	12	–	–	–	2	2	2	2	2	–	–	2	–
Diphtheria	25	2	–	–	5	–	3	3	9	–	1	1	1
Hooping Cough	95	1	4	23	36	12	8	6	4	1	–	–	–
Croup	9	–	–	2	3	3	1	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	60	10	4	9	9	–	–	–	2	–	1	1	2
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	77	–	–	–	2	2	2	–	5	1	1	3	9
Influenza	4	1	–	–	–	1	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	82	–	–	1	1	–	2	–	4	4	7	3	5
Enteric Fever	49	–	–	–	1	1	–	1	9	7	6	5	5
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	4	1	–	–	2	1	–	–	–	–	–	–	–
Metria	14	–	–	–	–	–	–	–	–	–	1	3	7
Rheumatic Fever	2	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	8	1	–	1	–	1	–	–	–	–	–	–	1
Pyæmia	2	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	15	5	2	2	1	–	–	–	–	–	–	–	2
Noma	3	–	–	–	1	–	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	7	–	–	–	1	1	–	1	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	9	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	100	–	–	–	–	1	–	–	1	–	–	2	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	2	–	3	3	3	1	–	2	–	2	1	1
Tabes Mesenterica	32	1	1	3	11	6	3	1	2	1	2	1	–
Phthisis	271	–	1	3	1	1	5	–	9	7	24	33	37
Hydrocephalus	79	–	11	12	23	9	6	8	8	–	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	93	128	94	105	104	124	124	149	118	124	79	31	9	2	–	1
SPECIFIED CAUSES	93	128	91	105	104	123	122	149	118	124	79	31	9	2	–	1
Zymotic Class	17	24	14	23	14	22	11	15	10	7	4	1	2	–	–	–
Uncertain Seat	5	10	8	11	21	16	17	7	10	12	4	–	–	–	–	–
Tubercular Class	36	39	25	20	15	11	5	6	1	–	–	–	–	–	–	1
Brain, etc.	5	7	7	8	13	10	13	20	18	17	9	8	1	–	–	–
Heart, etc.	5	11	8	9	4	16	22	17	7	12	1	1	–	–	–	–
Respiratory Organs	5	13	12	15	16	19	25	41	35	28	11	5	1	–	–	–
Digestive Organs	8	9	7	9	8	15	14	11	10	4	7	1	–	–	–	–
Urinary Organs	4	4	2	1	2	5	–	7	1	1	–	–	–	–	–	–
Generative Organs	3	5	2	1	1	1	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	2	2	–	1	–	3	1	–	–	–	–	–	–	–	–
Skin	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	2	–	–	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	19	23	40	41	13	5	2	–	–
Sudden Deaths	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	4	3	1	7	7	1	3	4	3	2	2	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	2	1	1	1	2	5	2	3	2	1	–	–	–	–
Dysentery	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
Cholera	7	8	6	9	3	10	1	4	2	1	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	9	5	10	6	9	6	2	1	2	1	–	1	–	–	–
Enteric Fever	2	4	1	2	2	1	–	–	1	–	–	–	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	1	1	1	–	2	3	1	1	2	–	–	–	–	–	–
Abscess	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	2	1	–	1	3	–	–	–	–	–
Cancer	4	8	7	10	18	13	12	5	7	7	1	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scrofula	2	2	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	37	24	19	13	11	4	6	1	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

	DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	15	–	–	1	1	3	2	2	1	2	1	–	–
	Apoplexy	42	2	–	–	2	1	–	–	–	–	–	–	3
	Paralysis	65	–	–	–	–	–	–	–	–	–	–	–	4
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
	Epilepsy	12	–	–	–	–	–	–	–	–	–	–	2	1
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	20	7	1	7	1	2	–	2	–	–	–	–	–
	Brain Disease	45	2	1	–	3	–	2	–	3	2	1	–	1
V.	Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	128	1	–	1	–	1	–	–	–	6	1	3	6
VI.	Laryngitis	7	–	1	–	1	1	–	–	–	–	1	–	1
	Bronchitis	279	29	12	22	30	9	5	2	5	1	2	4	–
	Pleurisy	10	1	–	–	1	–	–	–	–	–	–	–	1
	Pneumonia	60	4	3	6	8	6	–	–	1	–	2	2	1
	Asthma	17	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	19	–	–	–	–	–	–	1	1	–	–	1	1
VII.	Teething	10	–	–	3	7	–	–	–	–	–	–	–	–
	Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
	Gastritis	5	–	–	–	–	–	–	–	1	–	–	–	1
	Enteritis	18	7	4	1	–	1	1	–	–	–	–	–	–
	Peritonitis	20	2	–	–	–	–	–	–	3	1	–	–	3
	Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	8	–	–	–	–	–	–	–	–	–	–	1	2
	Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	7	–	–	–	–	–	–	–	1	–	2	–	1
	Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	30	–	1	–	3	–	–	–	–	–	–	–	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	10	3	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	35	–	–	–	–	1	–	–	3	–	–	–	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
	Nephria	17	–	–	–	–	–	–	–	–	2	2	1	2
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
	Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	15	–	–	–	–	–	–	1	1	–	2	–	2
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	4
	Childbirth	18	–	–	–	–	–	–	–	–	–	1	1	9
	Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	6	–	–	–	1	–	–	–	2	1	–	–	–
	Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	4	–	–	–	–	–	–	–	1	–	–	1	–
XI.	Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
	Want of Breast Milk	7	1	4	2	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	12	–	–	–	1	–	–	–	–	1	–	1	1
	Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	3	–	1	1	–	–	–	–	–	–	–	–	–
	Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
	Fracture and Contusion	24	–	–	1	–	–	–	–	2	1	1	1	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	1	–
	Other Violent Causes	4	1	–	–	–	–	–	1	–	–	–	1	–
	Not Specified	17	4	1	–	2	–	–	–	2	1	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	1	2	5	3	4	5	3	2	3	2	1	–	–	–
Paralysis	2	1	–	2	5	4	5	9	13	11	4	5	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	–	1	–	1	1	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	3	4	2	3	2	5	2	4	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	9	8	8	4	15	22	17	7	12	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	3	9	7	9	11	16	17	31	24	18	7	5	1	–	–	–
Pleurisy	–	1	1	1	–	–	–	1	1	2	–	–	–	–	–	–
Pneumonia	1	1	3	1	4	1	3	3	5	3	2	–	–	–	–	–
Asthma	–	–	1	2	1	2	2	3	2	3	1	–	–	–	–	–
Lung Disease	1	1	–	2	–	–	3	3	2	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Enteritis	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	2	2	–	2	–	2	–	–	3	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	2	1	1	2	5	4	5	1	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	2	–	–	–	1	1	1	–	1	1	–	–	–	–	–
Liver Disease	4	1	3	3	5	6	3	3	1	–	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	1	1	–	2	–	3	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	–	1	2	–	2	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	1	–	1	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	2	2	–	1	5	–	1	3	2	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	3	–	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	3130	414	166	215	260	122	79	42	146	50	97	134	111
Specified Causes	3006	379	146	209	253	116	76	41	135	50	95	127	106
I. Zymotic Class	771	47	36	43	83	56	48	28	68	25	21	34	25
II. Diseases of Uncertain Seat	119	3	2	1	3	3	2	–	6	1	–	4	1
III. Tubercular Class	544	9	18	37	51	26	13	4	33	14	50	54	47
IV. Brain and Nervous System	218	48	9	14	9	3	4	2	5	1	4	5	3
V. Organs of Circulation	140	4	1	–	1	1	–	–	1	–	4	3	3
VI. Respiratory Organs	455	44	51	63	48	20	5	5	11	3	1	10	9
VII. Organs of Digestion	190	19	10	40	41	3	1	–	1	–	2	3	5
VIII. Urinary Organs	39	–	–	–	2	–	–	1	2	–	2	4	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	2	2	7
X. Organs of Locomotion	6	–	–	–	–	–	–	–	2	–	–	–	–
XI. Skin, etc.	3	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	212	190	14	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	29	–	–	–	10	3	2	–	–	1	–	–	–
XV. Age	160	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	1	–	–	–	1	–	–	–	–	–	1
XVII. Violent Deaths	87	11	3	3	5	1	–	1	6	5	9	8	4
I. Small Pox	23	3	2	3	1	5	1	1	3	–	2	1	–
Measles	7	–	–	–	1	2	1	2	1	–	–	–	–
Scarlatina	100	1	1	6	16	17	18	13	23	1	1	1	2
Diphtheria	18	2	2	2	3	2	4	1	2	–	–	–	–
Hooping Cough	59	9	5	13	14	9	4	2	3	–	–	–	–
Croup	54	1	2	5	24	12	4	2	4	–	–	–	–
Thrush	7	7	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	82	15	16	5	16	1	1	2	2	–	–	4	–
Dysentery	15	1	1	1	–	–	–	–	1	–	–	–	2
Cholera	112	–	1	2	2	2	5	2	15	7	1	7	6
Influenza	10	–	–	1	–	–	–	–	1	–	1	1	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	183	1	–	1	2	–	–	2	3	11	10	14	13
Enteric Fever	41	–	–	1	1	2	5	–	5	5	4	3	–
Relapsing Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	19	–	–	2	1	2	3	–	2	–	1	–	–
Infantile Remittent	8	–	1	–	1	2	–	–	2	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	–	3	2
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	9	2	1	1	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	5	4	–	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	53	1	2	1	3	1	2	–	6	1	–	3	1
Abscess	8	2	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	47	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	1	2	–	–	1	–	4	1	–
Tabes Mesenterica	23	4	–	3	5	2	–	–	5	1	1	–	1
Phthisis	393	1	7	4	14	7	4	2	12	12	45	53	46
Hydrocephalus	117	4	11	29	31	15	9	2	15	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	109	112	138	109	143	154	161	119	95	79	46	21	7	1	–	–
Specified Causes	107	110	134	106	140	150	161	116	95	79	46	21	7	1	–	–
Zymotic Class	30	30	37	30	32	39	27	13	11	5	1	2	–	–	–	–
Uncertain Seat	2	1	12	15	11	11	17	11	7	4	1	1	–	–	–	–
Tubercular Class	41	31	34	20	28	15	14	2	3	–	–	–	–	–	–	–
Brain, etc.	9	6	4	3	10	11	24	14	14	10	6	–	–	–	–	–
Heart, etc.	9	8	19	13	12	19	17	11	6	5	2	1	–	–	–	–
Respiratory Organs	7	14	8	14	28	30	27	22	18	10	4	2	1	–	–	–
Digestive Organs	3	6	8	3	8	8	12	7	4	4	2	–	–	–	–	–
Urinary Organs	3	6	2	1	1	3	3	7	–	–	–	1	–	–	–	–
Generative Organs	1	2	3	1	2	1	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	1	4	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	25	29	41	28	14	6	1	–	–
Sudden Deaths	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	4	3	4	6	4	3	–	–	2	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	1	–	3	4	3	2	2	1	–	–	–	–	–	–
Dysentery	–	1	1	1	1	1	–	–	2	1	–	1	–	–	–	–
Cholera	8	10	8	6	8	10	4	4	2	1	–	1	–	–	–	–
Influenza	1	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	15	23	20	15	16	15	5	1	2	–	–	–	–	–	–
Enteric Fever	1	–	2	2	3	3	2	–	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	1	1	1	4	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	4	4	3	5	7	3	3	1	1	1	–	–	–	–
Abscess	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Cancer	–	1	6	9	7	5	8	6	3	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	41	30	34	20	28	15	13	2	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	–	–	–	1	–	–	–	1	1	1	3	–
Apoplexy	47	1	2	–	–	–	–	1	–	–	1	–	3
Paralysis	47	–	–	1	–	1	–	–	–	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	84	47	7	13	8	2	3	1	3	–	–	–	–
Brain Disease	17	–	–	–	–	–	1	–	1	–	2	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	138	4	1	–	1	1	–	–	–	–	4	3	3
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	1	–
Bronchitis	311	37	45	49	42	15	2	5	5	1	–	3	3
Pleurisy	4	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	86	7	6	13	5	3	2	–	5	2	1	5	1
Asthma	24	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	28	–	–	–	1	1	1	–	1	–	–	1	4
VII. Teething	78	–	4	36	36	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	23	6	3	2	3	–	1	–	–	–	–	–	1
Peritonitis	6	1	–	–	–	–	–	–	–	–	1	–	–
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	11	–	1	–	1	–	–	–	–	–	–	2	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	4	1	2	1	1	–	–	1	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	9	8	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	21	–	–	–	–	–	–	–	–	–	–	1	3
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	–	–	1	–	–	–	1	–	1	1	–
Nephria	14	–	–	–	–	–	–	1	–	–	1	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	1	2	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	2	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	1	1	–	–	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	1	–	–	1	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	7	5	2	–	–	–	–	–	–	–	–	–	–
Drowning	18	–	–	–	1	–	–	–	–	2	4	2	–
Fracture and Contusion	34	–	–	2	2	–	–	1	4	2	2	5	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	11	1	–	–	–	–	–	–	–	1	3	1	1
Not Specified	124	35	20	6	7	6	3	1	11	–	2	7	5

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	1	4	9	4	10	5	2	–	–	–	–	–
Paralysis	–	2	1	–	6	5	12	7	4	4	4	–	–	–	–	–
Delirium Tremens	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	2	1	2	3	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	8	19	13	11	19	17	11	6	5	2	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	5	5	6	15	17	17	14	13	7	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
Pneumonia	4	4	2	2	2	5	4	5	3	2	2	1	–	–	–	–
Asthma	1	3	–	–	6	3	5	2	2	–	1	–	–	–	–	–
Lung Disease	–	2	1	6	5	3	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–
Enteritis	1	3	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	2	1	1	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	2	3	–	2	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	3	2	3	1	5	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	2	3	4	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	1	–	–	3	–	–	–	1	–	–	–	–
Paramenia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	–	–	–	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	2	2	3	1	–	2	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	4	3	3	4	–	3	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1567	232	96	118	147	66	40	17	79	21	48	58	45
SPECIFIED CAUSES	1499	207	85	116	142	63	38	17	75	21	48	54	44
I. Zymotic Class	382	27	22	17	46	30	23	11	34	6	9	12	5
II. Diseases of Uncertain Seat	41	3	2	1	1	1	1	–	4	1	–	1	–
III. Tubercular Class	271	4	12	17	35	17	7	1	19	7	22	20	25
IV. Brain and Nervous System	126	28	6	11	5	2	2	1	3	1	3	2	3
V. Organs of Circulation	71	4	1	–	1	1	–	–	–	–	2	1	2
VI. Respiratory Organs	235	26	27	42	26	7	3	2	9	–	1	4	3
VII. Organs of Digestion	90	10	5	23	17	2	–	–	–	–	–	2	2
VIII. Urinary Organs	23	–	–	–	2	–	–	1	1	–	2	4	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	109	99	7	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	6	2	1	–	–	1	–	–	–
XV. Age	60	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	63	4	1	2	3	1	–	1	4	5	9	8	4
I. Small Pox	10	2	2	–	1	1	1	–	–	–	1	1	–
Measles	5	–	–	–	1	1	–	2	1	–	–	–	–
Scarlatina	55	1	–	3	9	11	11	6	13	–	1	–	–
Diphtheria	9	2	1	1	2	–	1	1	1	–	–	–	–
Hooping Cough	25	7	2	4	6	3	1	–	2	–	–	–	–
Croup	28	1	2	3	12	8	2	–	–	–	–	–	–
Thrush	5	5	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	5	9	1	9	1	1	–	–	–	–	1	–
Dysentery	10	–	1	–	–	–	–	–	1	–	–	–	1
Cholera	54	–	1	2	2	1	2	–	8	4	1	1	1
Influenza	4	–	–	1	–	–	–	–	–	–	1	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	87	–	–	–	2	–	–	1	2	1	2	8	3
Enteric Fever	16	–	–	–	–	2	1	–	2	–	2	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	19	–	–	2	1	2	3	–	2	–	1	–	–
Infantile Remittent	3	–	1	–	1	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	19	1	2	1	1	–	1	–	4	1	–	–	–
Abscess	4	2	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	1	1	–	–	1	–	4	1	–
Tabes Mesenterica	15	2	–	1	5	2	–	–	2	1	1	–	1
Phthisis	175	–	4	1	7	4	2	–	7	6	17	19	24
Hydrocephalus	71	2	8	14	22	10	5	1	9	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	46	53	67	50	70	82	78	49	40	37	19	7	1	1	–	–
SPECIFIED CAUSES	45	52	64	48	70	80	78	47	40	37	19	7	1	1	–	–
Zymotic Class	15	16	23	13	23	19	14	7	5	3	1	1	–	–	–	–
Uncertain Seat	–	1	3	6	1	3	6	4	–	2	–	–	–	–	–	–
Tubercular Class	14	18	17	10	12	4	7	1	2	–	–	–	–	–	–	–
Brain, etc.	4	4	3	1	4	9	15	6	6	5	2	–	–	–	–	–
Heart, etc.	3	2	7	7	5	14	10	5	3	2	1	–	–	–	–	–
Respiratory Organs	6	4	4	8	14	17	9	7	9	5	1	1	–	–	–	–
Digestive Organs	1	2	3	2	6	4	4	2	3	2	–	–	–	–	–	–
Urinary Organs	1	2	–	–	–	1	3	5	–	–	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	7	11	18	12	4	1	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	2	–	4	4	4	3	–	–	2	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	3	1	2	2	1	–	–	–	–	–	–	–
Dysentery	–	1	1	1	1	1	–	–	1	1	–	–	–	–	–	–
Cholera	5	4	4	2	5	4	3	2	–	1	–	1	–	–	–	–
Influenza	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	9	16	8	9	8	6	2	1	1	–	–	–	–	–	–
Enteric Fever	–	–	–	1	3	1	2	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	1	1	4	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	5	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	–	1	2	4	1	2	1	1	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	17	17	10	12	4	7	1	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES. *(Continued.)*

DISEASES.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	1	–	–	–	–	1	–	1	–
Apoplexy	31	1	1	–	–	–	–	–	–	–	1	–	3
Paralysis	21	–	–	1	–	1	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	52	27	5	10	4	1	2	1	2	–	–	–	–
Brain Disease	11	–	–	–	–	–	–	–	1	–	2	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	70	4	1	–	1	1	–	–	–	–	2	1	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	151	22	23	30	22	5	2	2	4	–	–	1	–
Pleurisy	3	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	55	4	4	11	4	1	–	–	4	–	1	3	1
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	16	–	–	–	–	1	1	–	1	–	–	–	2
VII. Teething	39	–	1	22	15	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	4	2	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	1	–	–	–	–	–	–	1	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	6	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	1	–	–	–	–	–	1	1	–
Nephria	6	–	–	–	–	–	–	1	–	–	1	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	15	–	–	–	1	–	–	–	–	2	4	2	–
Fracture and Contusion	28	–	–	1	2	–	–	1	2	2	2	5	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	1	–	–	–	–	–	–	–	1	3	1	1
Not Specified	68	25	11	2	5	3	2	–	4	–	–	4	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	–	4	7	1	5	2	2	–	–	–	–	–
Paralysis	–	2	–	–	2	3	6	3	1	2	–	–	–	–	–	–
Delirium Tremens	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	1	1	1	2	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	7	7	4	14	10	5	3	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	3	3	7	8	4	3	7	3	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Pneumonia	3	2	1	2	2	4	2	2	1	1	1	1	–	–	–	–
Asthma	1	2	–	–	2	1	2	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	3	3	3	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	–	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	3	3	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	–	3	1	–	2	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	3	2	–	2	–	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1563	182	70	97	113	56	39	25	67	29	49	76	66
SPECIFIED CAUSES	1507	172	61	93	111	53	38	24	60	29	47	73	62
I. Zymotic Class	389	20	14	26	37	26	25	17	34	19	12	22	20
II. Diseases of Uncertain Seat	78	–	–	–	2	2	1	–	2	–	–	3	1
III. Tubercular Class	273	5	6	20	16	9	6	3	14	7	28	34	22
IV. Brain and Nervous System	92	20	3	3	4	1	2	1	2	–	1	3	–
V. Organs of Circulation	69	–	–	–	–	–	–	–	1	–	2	2	1
VI. Respiratory Organs	220	18	24	21	22	13	2	3	2	3	–	6	6
VII. Organs of Digestion	100	9	5	17	24	1	1	–	1	–	2	1	3
VIII. Urinary Organs	16	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	2	2	7
X. Organs of Locomotion	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	103	91	7	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	4	1	1	–	–	–	–	–	–
XV. Age	100	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	24	7	2	1	2	–	–	–	2	–	–	–	–
I. Small Pox	13	1	–	3	–	4	–	1	3	–	1	–	–
Measles	2	–	–	–	–	1	1	–	–	–	–	–	–
Scarlatina	45	–	1	3	7	6	7	7	10	1	–	1	2
Diphtheria	9	–	1	1	1	2	3	–	1	–	–	–	–
Hooping Cough	34	2	3	9	8	6	3	2	1	–	–	–	–
Croup	26	–	–	2	12	4	2	2	4	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	44	10	7	4	7	–	–	2	2	–	–	3	–
Dysentery	5	1	–	1	–	–	–	–	–	–	–	–	1
Cholera	58	–	–	–	–	1	3	2	7	3	–	6	5
Influenza	6	–	–	–	–	–	–	–	1	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	96	1	–	1	–	–	–	1	1	10	8	6	10
Enteric Fever	25	–	–	1	1	–	4	–	3	5	2	2	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	–	–	2	2	–	1	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	–	3	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	1	1	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	3	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	34	–	–	–	2	1	1	–	2	–	–	3	1
Abscess	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	34	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	8	2	–	2	–	–	–	–	3	–	–	–	–
Phthisis	218	1	3	3	7	3	2	2	5	6	28	34	22
Hydrocephalus	46	2	3	15	9	5	4	1	6	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	63	59	71	59	73	72	83	70	55	42	27	14	6	–	–	–
SPECIFIED CAUSES	62	58	70	58	70	70	83	69	55	42	27	14	6	–	–	–
Zymotic Class	15	14	14	17	9	20	13	6	6	2	–	1	–	–	–	–
Uncertain Seat	2	–	9	9	10	8	11	7	7	2	1	1	–	–	–	–
Tubercular Class	27	13	17	10	16	11	7	1	1	–	–	–	–	–	–	–
Brain, etc.	5	2	1	2	6	2	9	8	8	5	4	–	–	–	–	–
Heart, etc.	6	6	12	6	7	5	7	6	3	3	1	1	–	–	–	–
Respiratory Organs	1	10	4	6	14	13	18	15	9	5	3	1	1	–	–	–
Digestive Organs	2	4	5	1	2	4	8	5	1	2	2	–	–	–	–	–
Urinary Organs	2	4	2	1	1	2	–	2	–	–	–	–	–	–	–	–
Generative Organs	1	2	3	1	2	1	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	18	18	23	16	10	5	–	–	–
Sudden Deaths	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	3	–	2	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	–	–	3	1	–	1	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Cholera	3	6	4	4	3	6	1	2	2	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	6	7	12	6	8	9	3	–	1	–	–	–	–	–	–
Enteric Fever	1	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	4	3	3	4	2	2	3	1	1	1	–	–	–	–
Abscess	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	–	4	5	6	3	7	5	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	27	13	17	10	16	11	6	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	–	–	–	1	–	1	2	–
Apoplexy	16	–	1	–	–	–	–	1	–	–	–	–	–
Paralysis	26	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	32	20	2	3	4	1	1	–	1	–	–	–	–
Brain Disease	6	–	–	–	–	–	1	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	68	–	–	–	–	–	–	–	–	–	2	2	1
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	1	–
Bronchitis	160	15	22	19	20	10	–	3	1	1	–	2	3
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	31	3	2	2	1	2	2	–	1	2	–	2	–
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	12	–	–	–	1	–	–	–	–	–	–	1	2
VII. Teething	39	–	3	14	21	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	12	2	1	1	2	–	1	–	–	–	–	–	1
Peritonitis	5	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	4	1	2	1	–	–	–	1	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	1	2	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	2	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	1	–	–	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	56	10	9	4	2	3	1	1	7	–	2	3	4

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	–	2	3	5	3	–	–	–	–	–	–
Paralysis	–	–	1	–	4	2	6	4	3	2	4	–	–	–	–	–
Delirium Tremens.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	6	12	6	7	5	7	6	3	3	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	5	2	3	8	9	13	11	6	4	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	1	–	–	1	2	3	2	1	1	–	–	–	–	–
Asthma	–	1	–	–	4	2	3	1	1	–	1	–	–	–	–	–
Lung Disease	–	2	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteritis	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	3	–	–	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	1	1	1	4	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	1	3	2	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2324	228	94	168	206	112	75	53	130	51	73	83	67
Specified Causes	2311	224	93	166	206	112	75	50	130	51	73	83	67
I. Zymotic Class	610	30	22	61	84	54	51	32	73	21	7	20	11
II. Diseases of Uncertain Seat	69	2	3	–	–	1	2	–	2	1	3	1	1
III. Tubercular Class	376	10	8	29	22	22	12	3	23	19	45	39	21
IV. Brain and Nervous System	234	29	19	7	10	3	–	5	11	4	5	5	5
V. Organs of Circulation	106	1	–	–	–	–	–	–	1	1	–	3	5
VI. Respiratory Organs	342	34	28	37	40	21	7	4	13	–	2	3	4
VII. Organs of Digestion	168	15	3	27	42	5	2	2	–	1	1	4	8
VIII. Urinary Organs	48	–	–	1	1	1	–	2	2	1	2	–	2
XI. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	1	2
X. Organs of Locomotion	19	–	–	–	–	–	–	–	–	1	2	4	3
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	1	1	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	94	87	5	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	2	–	–	1	–	–	–	–
XV. Age	145	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	66	14	4	1	2	3	1	1	3	2	5	3	5
I. Small Pox	10	1	–	2	1	–	–	–	1	–	–	3	1
Measles	70	1	1	25	19	9	6	5	3	–	–	–	–
Scarlatina	143	2	2	5	21	17	31	16	35	8	1	1	1
Diphtheria	17	–	–	1	1	5	3	4	2	–	–	1	–
Hooping Cough	68	5	9	14	18	11	5	4	2	–	–	–	–
Croup	10	–	–	1	6	2	–	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	53	9	5	9	5	2	3	–	1	–	–	–	–
Dysentery	9	–	–	–	2	–	–	–	1	–	–	1	–
Cholera	66	1	1	–	4	2	1	3	9	3	–	2	2
Influenza	7	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	59	–	–	1	1	1	1	–	4	3	1	5	1
Enteric Fever	45	–	–	–	1	–	–	–	7	6	3	5	2
Relapsing Fever	5	–	–	–	–	2	–	–	3	–	–	–	–
Simple Continued Fever	14	1	–	1	1	–	–	–	4	1	–	1	1
Infantile Remittent	5	–	1	–	1	2	1	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	11	5	1	–	–	–	–	–	–	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	1	2	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	13	–	2	–	–	1	1	–	1	1	–	–	–
Abscess	4	1	–	–	–	–	–	–	–	–	1	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	–	–	–	–	–	–	1	–	–
Cancer	39	–	1	–	–	–	1	–	–	–	1	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	2	–	3	2	–	2	–	1	5	2	1	–
Tabes Mesenterica	31	2	3	8	8	3	2	–	3	–	1	–	–
Phthisis	261	1	–	2	3	9	5	–	8	12	42	38	21
Hydrocephalus	64	5	5	16	9	10	3	3	11	2	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	72	70	66	84	71	74	101	112	112	100	64	40	15	2	1	–
Specified Causes	72	70	66	82	71	74	101	111	112	100	64	40	15	2	1	–
Zymotic Class	19	19	17	22	11	14	7	17	12	4	1	1	–	–	–	–
Uncertain Seat	4	3	2	5	6	3	12	5	5	3	5	–	–	–	–	–
Tubercular Class	28	24	15	15	10	6	13	6	4	1	1	–	–	–	–	–
Brain, etc.	8	8	13	6	6	8	17	22	18	17	7	1	–	–	–	–
Heart, etc.	2	4	5	5	11	12	22	8	12	10	2	2	–	–	–	–
Respiratory Organs	1	4	4	13	10	14	16	21	28	16	11	9	2	–	–	–
Digestive Organs	3	3	1	7	4	9	5	9	8	5	3	–	1	–	–	–
Urinary Organs	1	4	4	4	5	3	2	3	3	5	2	–	–	–	–	–
Generative Organs	1	1	3	1	1	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	2	2	–	3	1	–	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	14	21	37	30	25	12	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	1	2	1	3	1	4	1	1	2	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	2	–	4	1	7	2	–	1	–	–	–	–	–
Dysentery	–	–	1	–	1	–	1	–	1	1	–	–	–	–	–	–
Cholera	8	7	4	7	3	1	–	3	3	1	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	6	9	5	7	3	3	–	–	–	–	–	–	–	–
Enteric Fever	5	3	3	3	1	2	1	2	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	1	3	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	–	–	2	2	–	–	–	–	–
Cancer	3	3	1	4	5	2	8	2	3	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	28	24	14	15	10	6	12	5	4	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	–	–	–	–	–	–	2	4	1	–	2	1
Apoplexy	40	–	–	–	1	–	–	–	–	–	–	–	1
Paralysis	62	–	–	–	–	1	–	–	–	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	3	–	3	2	2
Tetanus	2	–	–	–	–	–	–	–	1	–	1	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	63	28	18	7	8	2	–	–	–	–	–	–	–
Brain Disease	30	1	1	–	1	–	–	3	3	3	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	102	1	–	–	–	–	–	–	1	1	–	2	5
VI. Laryngitis	6	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	211	15	22	22	25	14	3	3	5	–	1	2	1
Pleurisy	12	–	–	–	–	1	–	–	1	–	–	–	–
Pneumonia	82	19	5	14	13	4	3	–	5	–	–	1	2
Asthma	15	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	16	–	–	1	2	1	1	1	2	–	–	–	1
VII. Teething	71	1	1	24	39	4	2	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	3	–	1	–	–	–	–	–	–	–	–	1
Peritonitis	6	–	–	–	–	–	–	–	–	–	–	2	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	–	1	–	–	–	–	–	–	–	2
Hernia	3	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	–	1	–	–	–	1	–	1	–	1	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	3	2	1	1	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	7	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	22	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	2	–	–	–	–	–	–	1	–	–	–	1	–
VIII. Nephritis	3	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	10	–	–	–	–	–	–	1	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	1	–	–	–	1	2	1	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	13	–	–	–	–	–	–	–	–	1	1	4	1
Joint and Bone Disease	5	–	–	–	–	–	–	–	–	–	1	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	8	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	1	1	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	8	5	2	1	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	1	1	1
Fracture and Contusion	24	–	–	–	1	1	–	–	2	2	4	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	1	–	–	–	–	–	–	2
Not Specified	13	4	1	2	–	–	–	3	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	3	4	2	1	2	6	5	7	4	4	–	–	–	–	–
Paralysis	4	1	5	2	–	4	7	11	9	13	3	1	–	–	–	–
Delirium Tremens	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	1	2	1	1	4	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	5	5	10	12	21	8	12	10	2	2	–	–	–	–
Laryngitis	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	1	5	4	7	12	13	21	12	10	9	2	–	–	–
Pleurisy	1	1	1	1	1	–	1	2	–	1	1	–	–	–	–	–
Pneumonia	–	–	–	4	3	3	–	4	–	2	–	–	–	–	–	–
Asthma	–	–	–	1	1	3	2	2	4	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	1	1	–	–	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	–	–	–	2	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	2	–	4	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	4	1	1	1	4	4	4	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	3	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	1	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	3	1	3	1	1	1	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	1	–	1	1	–	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	2	1	2	1	–	1	1	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1144	127	57	92	110	55	40	30	65	29	34	42	40
SPECIFIED CAUSES	1139	125	56	91	110	55	40	30	65	29	34	42	40
I. Zymotic Class	300	19	10	34	37	27	28	17	37	12	2	12	6
II. Diseases of Uncertain Seat	25	1	2	–	–	1	2	–	1	–	3	–	1
III. Tubercular Class	179	7	3	17	13	10	4	1	12	11	20	18	10
IV. Brain and Nervous System	146	14	14	5	6	2	–	5	6	3	2	4	5
V. Organs of Circulation	50	–	–	–	–	–	–	–	–	–	–	2	4
VI. Respiratory Organs	160	18	19	15	19	10	4	2	8	–	2	–	1
VII. Organs of Digestion	98	9	3	17	30	4	1	1	–	1	1	2	5
VIII. Urinary Organs	27	–	–	1	1	–	–	2	–	1	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	–	–	2	3
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	–	1	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	52	48	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	43	8	1	1	2	–	1	1	1	1	3	2	4
I. Small Pox	5	1	–	1	–	–	–	–	–	–	–	2	1
Measles	39	1	1	16	9	4	5	2	1	–	–	–	–
Scarlatina	77	1	2	4	11	8	15	11	16	7	–	1	–
Diphtheria	7	–	–	–	1	2	2	1	–	–	–	1	–
Hooping Cough	33	5	2	9	5	5	3	2	2	–	–	–	–
Croup	5	–	–	–	2	2	–	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	6	2	3	2	1	2	–	1	–	–	–	–
Dysentery	6	–	–	–	2	–	–	–	1	–	–	1	–
Cholera	31	1	1	–	2	1	–	1	5	1	–	–	1
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	1	–	–	1	–	3	–	1	3	1
Enteric Fever	24	–	–	–	1	–	–	–	4	3	1	4	2
Relapsing Fever	2	–	–	–	–	2	–	–	–	–	–	–	–
Simple Continued Fever	6	–	–	–	–	–	–	–	3	1	–	–	–
Infantile Remittent	2	–	–	–	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	6	3	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	–	1	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	4	–	1	–	–	1	1	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	1	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	1	–	–	–	–	–	–	–	–	1	–	–
Cancer	9	–	1	–	–	–	1	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	1	1	–	1	–	1	3	1	1	–
Tabes Mesenterica	18	2	1	4	6	2	1	–	2	–	–	–	–
Phthisis	117	1	–	–	1	4	2	–	4	6	19	17	10
Hydrocephalus	34	3	2	12	5	4	–	1	5	2	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	30	32	35	26	36	55	51	59	31	22	13	2	–	–	–
SPECIFIED CAUSES	31	30	32	34	26	36	55	51	59	31	22	13	2	–	–	–
Zymotic Class	8	9	8	8	5	5	4	7	3	2	–	–	–	–	–	–
Uncertain Seat	2	3	–	–	1	1	4	–	1	1	1	–	–	–	–	–
Tubercular Class	11	10	5	7	3	2	9	2	4	–	–	–	–	–	–	–
Brain, etc.	3	4	9	3	2	6	12	17	13	7	4	–	–	–	–	–
Heart, etc.	2	1	4	2	4	6	10	3	6	3	2	1	–	–	–	–
Respiratory Organs	–	2	2	6	7	6	9	5	14	5	4	2	–	–	–	–
Digestive Organs	–	–	–	3	2	5	2	5	6	1	–	–	–	–	–	–
Urinary Organs	–	1	2	2	1	2	2	3	2	3	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	8	9	8	7	10	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	1	2	1	3	1	1	1	1	2	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	4	3	2	2	3	–	–	3	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	4	3	4	1	2	1	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–	–
Cancer	1	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	10	5	7	3	2	9	2	4	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	–	–	–	2	1	1	–	1	1
Apoplexy	22	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	40	–	–	–	–	1	–	–	–	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	2	–	2	2	2
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	38	13	14	5	5	1	–	–	–	–	–	–	–
Brain Disease	19	1	–	–	1	–	–	3	2	2	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	46	–	–	–	–	–	–	–	–	–	–	1	4
VI. Laryngitis	3	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	91	6	15	10	13	4	1	1	2	–	1	–	1
Pleurisy	7	–	–	–	–	1	–	–	1	–	–	–	–
Pneumonia	44	12	4	5	5	4	2	–	4	–	–	–	–
Asthma	7	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	8	–	–	–	1	–	1	1	1	–	–	–	–
VII. Teething	49	–	1	17	27	3	1	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	2	–	–	–	–	–	–	–	–	–	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	1	–	–	–	–	–	–	–	1
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	1	–	–	–	–	–	1	–	1	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	2	2	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	3	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	1	–	–	–	1	–	1	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	2	1
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	–	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	5	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	3	–	1	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	1	1	1
Fracture and Contusion	18	–	–	–	1	–	–	–	1	1	2	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	5	2	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	3	1	–	2	4	1	6	2	2	–	–	–	–	–
Paralysis	2	1	3	1	–	3	4	11	6	5	2	–	–	–	–	–
Delirium Tremens	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	–	1	1	1	3	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	4	2	3	6	9	3	6	3	2	1	–	–	–	–
Laryngitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	–	2	3	3	5	4	9	4	3	2	–	–	–	–
Pleurisy	–	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–
Pneumonia	–	–	–	2	3	2	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	2	–	2	1	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	3	1	–	–	2	3	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	2	1	2	1	1	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	2	1	2	1	–	1	1	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1180	101	37	76	96	57	35	23	65	22	39	41	27
SPECIFIED CAUSES	1172	99	37	75	96	57	35	20	65	22	39	41	27
I. Zymotic Class	310	11	12	27	47	27	23	15	36	9	5	8	5
II. Diseases of Uncertain Seat	44	1	1	–	–	–	–	–	1	1	–	1	–
III. Tubercular Class	197	3	5	12	9	12	8	2	11	8	25	21	11
IV. Brain and Nervous System	88	15	5	2	4	1	–	–	5	1	3	1	–
V. Organs of Circulation	56	1	–	–	–	–	–	–	1	1	–	1	1
VI. Respiratory Organs	182	16	9	22	21	11	3	2	5	–	–	3	3
VII. Organs of Digestion	70	6	–	10	12	1	1	1	–	–	–	2	3
VIII. Urinary Organs	21	–	–	–	–	1	–	–	2	–	1	–	1
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	1	2
X. Organs of Locomotion	11	–	–	–	–	–	–	–	–	1	2	2	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	42	39	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	1	–	–	1	–	–	–	–
XV. Age	101	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	23	6	3	–	–	3	–	–	2	1	2	1	1
I. Small Pox	5	–	–	1	1	–	–	–	1	–	–	1	–
Measles	31	–	–	9	10	5	1	3	2	–	–	–	–
Scarlatina	66	1	–	1	10	9	16	5	19	1	1	–	1
Diphtheria	10	–	–	1	–	3	1	3	2	–	–	–	–
Hooping Cough	35	–	7	5	13	6	2	2	–	–	–	–	–
Croup	5	–	–	1	4	–	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	29	3	3	6	3	1	1	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	35	–	–	–	2	1	1	2	4	2	–	2	1
Influenza	5	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	33	–	–	–	1	1	–	–	1	3	–	2	–
Enteric Fever	21	–	–	–	–	–	–	–	3	3	2	1	–
Relapsing Fever	3	–	–	–	–	–	–	–	3	–	–	–	–
Simple Continued Fever	8	1	–	1	1	–	–	–	1	–	–	1	1
Infantile Remittent	3	–	1	–	–	1	1	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	1	–	–	–	–	–	1	1	–	–	–
Abscess	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	2	1	–	1	–	–	2	1	–	–
Tabes Mesenterica	13	–	2	4	2	1	1	–	1	–	1	–	–
Phthisis	144	–	–	2	2	5	3	–	4	6	23	21	11
Hydrocephalus	30	2	3	4	4	6	3	2	6	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	41	40	34	49	45	38	46	61	53	69	42	27	13	2	1	–
SPECIFIED CAUSES	41	40	34	48	45	38	46	60	53	69	42	27	13	2	1	–
Zymotic Class	11	10	9	14	6	9	3	10	9	2	1	1	–	–	–	–
Uncertain Seat	2	–	2	5	5	2	8	5	4	2	4	–	–	–	–	–
Tubercular Class	17	14	10	8	7	4	4	4	–	1	1	–	–	–	–	–
Brain, etc.	5	4	4	3	4	2	5	5	5	10	3	1	–	–	–	–
Heart, etc.	–	3	1	3	7	6	12	5	6	7	–	1	–	–	–	–
Respiratory Organs	1	2	2	7	3	8	7	16	14	11	7	7	2	–	–	–
Digestive Organs	3	3	1	4	2	4	3	4	2	4	3	–	1	–	–	–
Urinary Organs	1	3	2	2	4	1	–	–	1	2	–	–	–	–	–	–
Generative Organs	1	1	3	1	1	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	2	–	1	1	–	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	6	12	29	23	15	10	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	2	–	2	–	6	1	–	1	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Cholera	4	4	2	5	–	1	–	–	3	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	3	5	4	5	2	3	–	–	–	–	–	–	–	–
Enteric Fever	4	2	2	1	–	1	–	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	–	3	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Cancer	2	–	1	4	4	2	7	2	3	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	17	14	9	8	7	4	3	3	–	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	–	–	–	–	3	–	–	1	–
Apoplexy	18	–	–	–	1	–	–	–	–	–	–	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	1	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	25	15	4	2	3	1	–	–	–	–	–	–	–
Brain Disease	11	–	1	–	–	–	–	–	1	1	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	56	1	–	–	–	–	–	–	1	1	–	1	1
VI. Laryngitis	3	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	120	9	7	12	12	10	2	2	3	–	–	2	–
Pleurisy	5	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	38	7	1	9	8	–	1	–	1	–	–	1	2
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	–	–	1	1	1	–	–	1	–	–	–	1
VII. Teething	22	1	–	7	12	1	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	1	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	–	1	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	1	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	6	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	2	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	1	1	2	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	4	2	2	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	–	–	1	–	–	1	1	2	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	1	–	–	–	–	–	–	–
Not Specified	8	2	–	1	–	–	–	3	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	25	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	1	1	1	–	2	4	1	2	2	–	–	–	–	–
Paralysis	2	–	2	1	–	1	3	–	3	8	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	1	1	–	–	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	3	1	3	7	6	12	5	6	7	–	1	–	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	3	1	4	7	9	12	8	7	7	2	–	–	–
Pleurisy	1	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Pneumonia	–	–	–	2	–	1	–	3	–	2	–	–	–	–	–	–
Asthma	–	–	–	1	1	2	–	2	2	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	–	1	1	2	1	3	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	1	–	1	–	–	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1345	113	48	92	125	56	43	27	47	25	50	55	48
Specified Causes	1302	99	42	85	123	55	40	27	47	25	49	53	47
I. Zymotic Class	320	11	4	20	43	26	19	14	29	8	10	14	10
II. Diseases of Uncertain Seat	44	–	–	–	3	1	–	–	–	–	–	3	4
III. Tubercular Class	224	2	5	12	26	11	12	7	9	8	24	22	20
IV. Brain and Nervous System	106	4	2	7	3	2	4	2	3	3	4	1	3
V. Organs of Circulation	50	1	–	–	1	1	–	–	–	1	1	3	1
VI. Respiratory Organs	166	6	14	20	15	6	3	4	1	–	2	3	3
VII. Organs of Digestion	117	8	7	16	22	4	1	–	1	1	3	2	2
VIII. Urinary Organs	9	–	–	–	–	1	–	–	–	1	1	–	1
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	2	1	1
X. Organs of Locomotion	12	–	–	–	–	1	–	–	2	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	82	64	10	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	9	2	1	–	–	1	–	–	–
XV. Age	107	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII Violent Deaths	30	1	–	2	1	–	–	–	2	2	1	4	2
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	31	1	–	6	15	5	1	1	2	–	–	–	–
Scarlatina	59	–	–	–	8	13	12	10	13	2	–	1	–
Diphtheria	5	–	–	–	2	–	1	–	2	–	–	–	–
Hooping Cough	22	1	–	8	3	5	2	1	2	–	–	–	–
Croup	17	–	1	1	10	1	2	1	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	5	1	5	4	–	1	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	7	–	–	–	–	1	–	–	1	1	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	116	–	–	–	1	–	–	1	2	4	9	9	8
Enteric Fever	14	–	–	–	–	–	–	–	2	1	1	1	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	4	–	–	–	–	1	–	–	3	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	3	1	–	–	–	–	–	1	–	–	3	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	27	–	–	–	2	1	–	–	–	–	–	2	4
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	1	1	2	1	1	1	1	1	4	–	2
Tabes Mesenterica	11	–	1	1	4	2	1	1	–	–	1	–	–
Phthisis	155	2	2	1	5	2	7	3	3	6	19	22	18
Hydrocephalus	42	–	1	9	15	6	3	2	5	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	41	62	74	58	55	45	53	67	53	44	45	11	6	–	–	2
Specified Causes	41	62	73	57	55	43	52	67	53	44	45	11	6	–	–	1
Zymotic Class	14	16	19	15	12	8	9	8	3	4	3	–	–	–	–	1
Uncertain Seat	2	–	4	–	4	2	3	7	7	2	2	–	–	–	–	–
Tubercular Class	9	15	15	16	6	2	2	–	1	–	–	–	–	–	–	–
Brain, etc.	3	7	3	5	6	5	9	13	3	8	4	1	1	–	–	–
Heart, etc.	1	6	7	3	3	4	6	4	5	1	1	–	–	–	–	–
Respiratory Organs	2	7	11	5	11	11	10	15	9	2	6	–	–	–	–	–
Digestive Organs	5	6	6	8	6	5	6	5	1	2	–	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Generative Organs	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	4	–	1	3	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	12	23	24	29	10	5	–	–	–
Sudden Deaths	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	2	4	2	1	1	1	–	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	1	2	3	–	2	–	–	1	–	–	–	–	–
Dysentery	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	14	14	12	8	3	8	4	2	1	2	–	–	–	–	1
Enteric Fever	–	–	1	–	1	1	–	2	–	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	–	3	2	2	6	3	–	–	–	–	–	–	–
Abscess	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	–	1	–	1	–	1	1	4	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	15	15	15	6	2	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	–	–	1	–	–	–	–	1	–	1	–	–
Apoplexy	33	–	–	2	2	–	1	2	1	1	–	1	1
Paralysis	32	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	2	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	14	2	2	4	–	2	3	–	–	–	–	–	–
Brain Disease	13	2	–	–	1	–	–	–	1	2	–	–	–
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	43	1	–	–	1	1	–	–	–	1	1	2	1
VI. Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	114	4	14	17	11	5	3	2	1	–	–	–	3
Pleurisy	3	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	35	1	–	3	4	1	–	2	–	–	1	2	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	28	–	–	10	14	4	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	40	7	5	6	8	–	–	–	–	–	2	1	1
Peritonitis	7	–	–	–	–	–	–	–	1	1	1	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	2	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	20	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	2	–	–	–	–	–	–	–	–	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	1	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	6	–	–	–	–	1	–	–	2	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	1	–	–	–	–	–	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	13	–	–	–	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	1	2	–	2	2
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	–
											1	1	–
Not Specified	43	14	6	7	2	1	3	–	–	–	1	2	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	3	4	3	1	4	–	2	1	–	1	–	–	–
Paralysis	–	1	1	1	1	2	6	7	3	6	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Pericarditis	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	5	2	3	4	6	4	4	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	5	1	6	4	8	11	8	2	5	–	–	–	–	–
Pleurisy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	2	3	6	1	3	1	–	–	–	–	–	–	–
Asthma	–	–	3	–	2	1	1	1	–	–	1	–	–	–	–	–
Lung Disease	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	3	1	–	2	2	–	–	–	–	–	–	–	–
Peritonitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	–	2	2	1	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	3	3	4	3	–	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	–	1	2	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	3	–	1	–	1	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1488	143	60	133	184	55	50	29	72	29	47	63	65
Specified Causes	1443	130	54	128	183	55	50	29	72	28	46	63	61
I. Zymotic Class	310	12	6	36	74	17	22	15	32	2	6	12	7
II. Diseases of Uncertain Seat	34	–	1	–	1	1	4	–	1	–	–	–	–
III. Tubercular Class	293	2	5	14	22	13	10	8	23	12	27	31	28
IV. Brain and Nervous System	135	12	4	13	10	3	2	2	5	4	2	5	5
V. Organs of Circulation	74	2	–	–	1	–	1	–	–	3	1	3	1
VI. Respiratory Organs	210	16	20	32	34	13	8	3	5	1	3	2	6
VII. Organs of Digestion	115	9	6	27	29	6	1	–	–	3	3	1	1
VIII. Urinary Organs	13	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	–	–	4	7
X. Organs of Locomotion	4	–	–	–	1	–	1	–	1	–	–	–	–
XI. Skin, etc.	4	–	1	–	2	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	83	70	9	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	8	–	1	1	2	–	1	–	1
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	59	4	1	2	1	2	–	–	2	3	3	4	5
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	40	1	1	4	25	2	2	1	4	–	–	–	–
Scarlatina	44	–	–	3	7	4	8	8	12	1	–	–	1
Diphtheria	10	–	–	1	3	1	2	–	3	–	–	–	–
Hooping Cough	35	3	2	11	14	2	2	1	–	–	–	–	–
Croup	23	–	1	3	8	4	1	3	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	3	1	8	12	2	1	–	1	–	1	1	–
Dysentery	7	–	–	2	2	–	1	–	–	–	–	–	–
Cholera	14	–	–	–	–	–	–	–	2	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	69	1	–	3	1	–	2	1	5	1	5	7	5
Enteric Fever	8	–	–	1	1	–	1	1	2	–	–	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Remittent	3	–	1	–	1	1	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	1	–	1	1	3	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	1	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	2	–	–	3	1	1	–	5	–	–	–	–
Tabes Mesenterica	17	–	1	–	4	2	2	2	3	1	–	2	–
Phthisis	216	–	1	5	4	4	1	1	9	11	26	29	28
Hydrocephalus	47	–	3	9	11	6	6	5	6	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	66	56	54	44	62	47	60	51	49	32	23	8	3	3	–	–
Specified Causes	62	54	51	44	62	46	56	51	49	32	23	8	3	3	–	–
Zymotic Class	4	9	11	10	7	5	10	5	3	3	2	–	–	–	–	–
Uncertain Seat	1	4	2	–	3	3	3	4	3	1	2	–	–	–	–	–
Tubercular Class	26	17	13	3	16	8	9	2	3	1	–	–	–	–	–	–
Brain, etc.	4	2	6	8	10	6	8	9	8	5	2	–	–	–	–	–
Heart, etc.	4	7	3	8	8	8	5	9	7	1	2	–	–	–	–	–
Respiratory Organs	6	6	4	5	8	8	9	7	6	4	3	–	1	–	–	–
Digestive Organs	3	4	6	3	5	1	2	2	1	1	–	1	–	–	–	–
Urinary Organs	3	–	1	1	1	1	1	–	1	2	–	–	–	–	–	–
Generative Organs	3	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	15	14	11	7	2	3	–	–
Sudden Deaths	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	8	4	3	4	2	3	3	2	2	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	–	–	1	2	–	2	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	2	–	1	–	2	3	–	–	–	2	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	5	8	7	3	5	1	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–
Cancer	–	1	1	–	2	1	–	2	3	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	17	13	3	16	8	9	2	2	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	3	2	–	–	–	2	–	1	–	–
Apoplexy	21	2	–	–	–	–	–	–	–	–	–	–	3
Paralysis	30	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	–	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	26	9	4	5	5	1	1	–	1	–	–	–	–
Brain Disease	41	1	–	5	3	2	1	2	2	3	1	2	1
V. Pericarditis	5	–	–	–	–	–	1	–	–	1	–	–	1
Aneurism	2	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	67	2	–	–	1	–	–	–	–	2	1	2	–
VI. Laryngitis	2	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	154	14	17	28	29	10	7	1	3	1	2	–	2
Pleurisy	3	–	–	–	–	–	–	1	1	–	–	1	–
Pneumonia	30	1	2	4	4	3	1	–	–	–	1	1	2
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	14	1	1	–	1	–	–	–	1	–	–	–	2
VII. Teething	61	1	2	24	28	5	1	–	–	–	–	–	–
Quinsey	3	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	2	–	–	1	–	–	–	–	–	–	–
Enteritis	9	5	1	1	–	–	–	–	–	1	–	–	–
Peritonitis	8	–	–	1	1	–	–	–	–	1	2	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	1	1	–	–	–	–	–	–	–	1	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	4	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	2	–	–	–	–	–	1	–	1	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	1	–	1	1	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	1	–	–	1	–	1	2	3
Fracture and Contusion	27	–	–	1	–	–	–	–	1	3	1	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	45	13	6	5	1	–	–	–	–	1	1	–	4

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	2	3	–	2	3	3	–	–	–	–	–	–	–
Paralysis	–	–	–	3	4	5	6	3	5	1	2	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	3	3	3	–	–	3	–	4	–	–	–	–	–	–
Pericarditis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	6	2	7	8	8	5	9	7	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	4	3	5	5	4	5	6	1	3	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	–	2	1	1	1	–	–	2	–	–	–	–	–	–
Asthma	–	–	–	–	1	1	3	2	–	–	–	–	–	–	–	–
Lung Disease	3	2	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	2	1	1	1	1	1	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	2	–	3	–	1	1	2	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	4	2	3	–	–	1	4	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	924	127	33	74	77	46	20	14	39	18	19	26	34
Specified Causes	911	120	31	73	77	45	20	14	39	18	19	26	34
I. Zymotic Class	232	9	6	16	24	20	14	8	24	8	3	8	11
II. Diseases of Uncertain Seat	27	–	–	–	2	–	1	–	–	–	–	–	–
III. Tubercular Class	113	5	7	15	13	6	3	4	5	3	7	13	8
IV. Brain and Nervous System	68	10	2	3	2	3	1	–	2	1	3	–	1
V. Organs of Circulation	43	–	–	–	–	–	–	–	1	1	1	2	3
VI. Respiratory Organs	163	17	5	24	22	7	1	1	3	1	2	1	5
VII. Organs of Digestion	71	4	4	11	8	4	–	1	1	1	2	1	3
VIII. Urinary Organs	8	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	1	–	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	75	67	4	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	2	–	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	44	6	2	–	3	3	–	–	3	2	1	1	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	–	1	1	2	–	–	1	–	–	–	–
Scarlatina	8	–	–	1	1	3	–	1	2	–	–	–	–
Diphtheria	4	–	–	2	–	2	–	–	–	–	–	–	–
Hooping Cough	20	2	2	5	4	2	4	–	1	–	–	–	–
Croup	5	–	–	1	4	–	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	5	3	2	1	2	–	–	2	–	–	–	–
Dysentery	6	–	1	2	1	–	–	–	–	–	–	–	–
Cholera	98	–	–	1	11	6	5	5	13	4	–	1	3
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	–	–	–	–	–	–	–	2	2	2	5	5
Enteric Fever	20	–	–	–	–	1	4	2	2	2	–	2	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	–	1	2	1	–	1	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	1
Pyæmia	2	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	2	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	1	–	2	–	–	1	–	1	–	–	1
Tabes Mesenterica	15	4	2	3	4	1	–	–	–	–	1	–	–
Phthisis	56	–	–	–	–	1	–	–	4	2	6	13	7
Hydrocephalus	35	1	4	12	7	4	3	3	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	44	28	45	32	37	25	48	35	38	26	30	3	5	–	–	1
Specified Causes	44	28	44	32	37	25	48	35	38	26	30	3	5	–	–	–
Zymotic Class	17	11	18	6	6	4	6	5	4	3	1	–	–	–	–	–
Uncertain Seat	2	1	2	5	1	3	2	1	4	1	2	–	–	–	–	–
Tubercular Class	7	3	8	2	2	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	2	2	2	5	4	9	4	7	1	3	1	–	–	–	–
Heart, etc.	4	2	1	2	4	2	7	5	6	1	1	–	–	–	–	–
Respiratory Organs	4	2	5	5	9	8	9	9	10	7	6	–	–	–	–	–
Digestive Organs	2	3	7	2	3	1	6	4	–	3	–	–	–	–	–	–
Urinary Organs	1	–	–	2	1	–	2	1	–	1	–	–	–	–	–	–
Generative Organs	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	3	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	5	9	16	1	5	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	4	2	1	3	5	1	2	1	1	–	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	1	–	1	–	2	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	11	6	13	2	5	2	3	3	3	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3*	5	2	1	–	1	2	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	2	1	3	1	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cancer	–	–	2	1	–	–	1	–	4	–	1	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	3	8	2	2	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	1	–	–	2	–	–	1	–	–	–	–
Apoplexy	12	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	25	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	3	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	10	1	3	1	–	1	–	–	–	–	–	–
Brain Disease	5	–	–	–	1	1	–	–	1	1	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	39	–	–	–	–	–	–	–	1	–	1	2	2
VI. Laryngitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	117	12	5	16	18	3	1	–	2	1	–	–	2
Pleurisy	8	1	–	1	–	–	–	–	1	–	2	–	2
Pneumonia	25	2	–	6	4	4	–	1	–	–	–	1	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	1	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	18	–	1	7	8	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	1	1	1	–	1	–	–	–	–	–	–	1
Peritonitis	6	–	1	–	–	–	–	–	1	–	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	5	–	–	1	–	–	–	–	–	–	–	1	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	1	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	15	1	1	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	3	3	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	4	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	15	–	–	–	–	–	–	–	3	2	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	7	2	1	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	1	1	4	2	2	–	–	–	–	–	–	–
Paralysis	–	1	1	1	4	2	5	2	5	1	2	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	1	2	3	2	7	5	6	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	2	2	2	4	8	6	7	7	7	6	6	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	3	1	2	–	–	1	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	1	1	4	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	2	1	–	–	1	–	–	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	613	62	24	29	26	20	10	8	20	10	22	23	23
Specified Causes	601	59	20	29	26	20	10	8	20	9	22	23	22
I. Zymotic Class	113	3	4	6	7	7	7	5	9	1	2	3	4
II. Diseases of Uncertain Seat	18	–	1	–	–	–	–	–	–	–	–	–	1
III. Tubercular Class	103	–	1	5	5	5	1	2	6	3	12	10	12
IV. Brain and Nervous System	51	4	2	1	–	–	–	–	2	–	1	–	–
V. Organs of Circulation	44	–	1	–	1	–	–	–	–	1	1	2	1
VI. Respiratory Organs	68	6	6	11	5	1	1	–	–	2	2	–	–
VII. Organs of Digestion	34	2	–	3	6	2	–	–	–	2	–	2	–
VIII. Urinary Organs	15	–	–	–	–	1	–	–	1	–	–	–	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	1	1
X. Organs of Locomotion	4	–	–	–	–	–	1	–	–	–	2	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	48	41	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	–	–	–	–	3	–	1	2	–	1	5	2
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	–	–	1	–	1	1	2	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	1	1	–	–	–	–
Hooping Cough	14	–	–	2	5	2	1	1	3	–	–	–	–
Croup	7	–	–	–	1	2	3	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	1	–	3	–	–	1	–	2	–	–	–	–
Dysentery	2	–	1	–	–	–	–	–	–	–	–	–	1
Cholera	17	–	–	–	–	–	–	–	–	1	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	–	–	–	2	1	1	1	–	1	–	1
Enteric Fever	7	–	–	–	–	–	–	–	–	–	–	1	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	5	2	1	–	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	1	–	–	–	–	1	1	1	–
Tabes Mesenterica	4	–	–	1	–	2	–	–	1	–	–	–	–
Phthisis	77	–	–	1	–	–	–	–	2	2	11	9	12
Hydrocephalus	17	–	1	3	4	3	1	2	3	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	33	27	30	35	18	23	32	36	32	31	30	5	3	1	–	–
Specified Causes	32	27	30	35	17	23	31	36	32	31	30	5	3	1	–	–
Zymotic Class	11	5	6	8	4	6	6	2	4	3	–	–	–	–	–	–
Uncertain Seat	–	–	2	5	1	1	1	1	2	1	2	–	–	–	–	–
Tubercular Class	11	6	10	9	2	2	–	1	–	–	–	–	–	–	–	–
Brain, etc.	2	3	1	1	3	4	7	7	8	3	2	–	–	–	–	–
Heart, etc.	3	3	2	3	1	2	7	6	6	2	2	–	–	–	–	–
Respiratory Organs	1	1	3	3	4	3	1	7	4	3	3	–	–	1	–	–
Digestive Organs	2	2	1	1	–	2	–	5	2	1	1	–	–	–	–	–
Urinary Organs	–	–	2	2	–	1	3	1	–	2	1	–	–	–	–	–
Generative Organs	1	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	6	6	15	18	5	3	–	–	–
Sudden Deaths	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	2	–	1	1	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	1	–	–	–	1	2	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	1	–	4	1	2	2	–	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	1	3	1	2	3	2	–	1	–	–	–	–	–	–	–
Enteric Fever	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	1	2	1	1	1	1	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	6	10	8	2	2	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	–	–	–	–	–	–	–	1	–	–	–	–
Apoplexy	12	–	1	–	–	–	–	–	1	–	–	–	–
Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	4	1	1	–	–	–	–	–	–	–	–	–
Brain Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	1	–	1	–	–	–	–	1	–	2	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	49	4	6	10	5	1	–	–	–	1	1	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	15	2	–	1	–	–	1	–	–	1	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	–	3	5	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	1	–	–	1	–	–	–	–	–	–	1	–
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	1	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	1	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	2	–	–	–	–	–	2	–
Fracture and Contusion	9	–	–	–	–	–	–	–	–	–	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	1	–	–	1	–
Not Specified	12	3	4	–	–	–	–	–	–	1	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	1	1	1	2	2	–	1	–	–	–	–	–
Paralysis	–	–	–	–	2	1	6	4	3	2	–	–	–	–	–	–
Delirium Tremens	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	1	–	1	3	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Heart Disease	2	3	2	3	1	2	6	6	5	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	2	2	1	4	3	3	2	–	–	1	–	–
Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	2	–	1	1	–	3	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1866.

			DEATHS in 1866.											
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1866		39°·4	36°·7	38°·0	44°·0	47°·9	56°·1	56°·9	55°·0	51°·4	48°·6	41°·2	40°·6	46°·3
		Population 1866.													
	SCOTLAND . .	3,153,413	6336	5745	7002	6263	6545	5769	5425	5324	4722	5673	6155	6389	71,348
	INSULAR DISTRICTS .	157,714	241	245	248	243	254	226	210	190	177	178	211	238	2,661
	MAINLAND DISTRICTS	1,790,374	2931	2762	3463	2924	3113	2855	2584	2623	2306	2693	2967	3094	34,315
	TOWN DISTRICTS .	1,205,325	3164	2738	3291	3096	3178	2688	2631	2511	2239	2802	2977	3057	34,372
	DIVISIONS.														
1	Northern . .	132,201	201	197	198	173	202	206	179	148	126	142	153	160	2,085
2	North-Western .	162,919	232	245	326	286	278	220	180	193	172	194	234	269	2,829
3	North-Eastern .	376,448	626	659	732	715	730	675	556	590	499	587	620	641	7,630
4	East-Midland . .	527,947	1042	960	1144	927	1001	923	827	847	739	924	1173	1134	11,641
5	West-Midland .	243,063	456	376	487	391	413	385	385	382	342	353	384	446	4,800
6	South-Western .	1,075,015	2583	2211	2677	2590	2667	2225	2211	2153	1884	2253	2328	2483	28,265
7	South-Eastern .	422,475	852	772	992	820	858	791	772	706	724	947	975	924	10,133
8	Southern . .	213,345	344	325	446	361	396	344	315	305	236	273	288	332	3,965
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,980	41	52	41	49	70	56	51	40	42	42	44	45	576
2	Orkney . . .	32,888	46	42	55	34	41	50	38	33	29	32	35	36	471
3	Caithness . .	43,464	74	61	68	56	60	60	62	52	33	44	47	52	669
4	Sutherland . .	23,869	40	42	31	34	31	40	28	23	22	24	27	27	369
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	81,714	119	123	149	151	138	125	80	75	80	95	102	141	1,378
6	Inverness . . .	81,205	113	122	177	135	140	95	100	118	92	99	132	128	1,451
	III. NORTH-EASTERN.														
7	Nairn . . .	8,488	13	14	11	13	9	16	14	22	15	11	12	14	164
8	Elgin (or Moray) .	46,150	63	87	113	77	89	89	101	92	56	63	77	84	991
9	Banff . . .	58,467	81	67	105	107	106	101	71	74	51	73	78	78	992
10	Aberdeen . . .	228,531	437	450	448	443	465	415	331	363	340	373	410	408	4,883
11	Kincardine . .	34,812	32	41	55	75	61	54	39	39	37	67	43	57	600
	IV. EAST-MIDLAND.														
12	Forfar	213,637	490	461	519	408	473	417	380	416	351	446	505	533	5,399
13	Perth	131,009	236	192	259	221	229	200	183	179	153	173	192	223	2,440
14	Fife	155,666	272	270	314	240	250	276	219	206	204	267	441	328	3,287
15	Kinross . . .	8,264	12	11	14	8	13	7	9	14	7	11	13	13	132
16	Clackmannan . .	19,371	32	26	38	50	36	23	36	32	24	27	22	37	383
	V. WEST-MIDLAND.														
17	Stirling . . .	90,411	175	139	183	151	160	154	140	137	128	133	151	180	1,831
18	Dumbarton . .	57,954	111	90	119	93	98	94	93	104	93	86	90	107	1,178
19	Argyll . . .	78,515	140	115	161	106	110	107	108	108	89	110	118	130	1,402
20	Bute	16,183	30	32	24	41	45	30	44	33	32	24	25	29	389
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	174,417	389	347	400	388	444	340	406	395	324	399	391	445	4,668
22	Ayr	203,831	399	371	464	372	402	339	335	370	337	340	355	410	4,494
23	Lanark . . .	696,767	1795	1493	1813	1830	1821	1546	1470	1388	1223	1514	1582	1628	19,103
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	43,486	71	72	87	86	79	77	63	75	80	89	122	124	1,025
25	Edinburgh . .	281,758	641	532	723	583	629	539	547	501	501	700	695	643	7,239
26	Haddington . .	38,288	60	67	76	56	58	68	62	52	62	76	75	66	778
27	Berwick . . .	36,655	45	57	65	58	61	70	63	35	47	50	54	52	657
28	Peebles . . .	11,557	17	18	17	15	18	20	19	14	20	5	14	19	196
29	Selkirk . . .	10,731	18	26	24	17	13	17	18	29	14	27	15	20	238
	VIII. SOUTHERN.														
30	Roxburgh . . .	55,029	91	75	105	67	83	78	77	77	47	58	64	86	908
31	Dumfries . . .	74,728	132	124	183	158	170	130	120	130	113	110	103	113	1,586
32	Kirkcudbright .	42,169	66	77	81	85	83	78	61	53	43	64	59	66	816
33	Wigtown . . .	41,419	55	49	77	51	60	58	57	45	33	41	62	67	655

APPENDIX.

MEAN TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	36·1	28·6	36·7	44·9	45·7	56·5	61·8	59·2	53·4	45·5	39·5	34·4	45·2
1856	34·3	39·7	39·4	44·3	46·7	53·3	56·4	57·1	50·9	48·8	39·7	37·9	45·7
1857	35·7	39·3	39·2	42·7	49·8	57·4	58·0	60·0	56·1	49·6	43·7	44·9	48·0
1858	39·3	35·8	39·5	43·8	49·5	58·9	56·0	57·9	54·5	44·9	39·4	39·9	46·6
1859	39·6	40·5	43·0	41·9	51·9	56·6	59·0	57·8	52·3	45·8	39·4	34·0	46·8
1860	35·9	34·9	39·1	42·1	50·9	54·4	59·3	55·4	50·7	47·4	39·3	34·4	45·3
1861	37·3	40·2	42·3	45·9	49·8	58·0	57·8	58·5	54·5	49·8	38·9	38·0	47·6
1862	38·4	40·1	37·8	44·6	51·1	52·4	53·8	56·0	53·4	47·1	37·1	41·8	46·1
1863	39·0	41·6	43·7	45·0	49·8	55·2	57·4	56·5	50·4	47·4	44·3	41·7	47·7
1864	36·2	33·5	37·5	46·1	50·0	53·4	56·7	54·4	52·4	45·8	40·9	39·4	45·5
Mean,	37·18	37·41	39·82	44·13	49·52	55·61	57·62	57·28	52·86	47·21	40·22	38·64	46·45

Absolute HIGHEST TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	51·9	44·0	53·0	72·0	75·0	79·0	87·0	79·0	77·0	68·0	56·0	51·0	87·0
1856	51·0	60 0	61·0	70·0	77·0	83·0	83·0	89·0	72·0	67 9	62·0	57·0	89·0
1857	55·0	60·0	62 0	66·0	75·0	95·0	78·0	87·0	77·9	71·0	66·0	60·0	95·0
1858	58·0	57·0	67·0	78·0	80·5	82·0	79·0	84·0	82 0	68·0	59·0	58·0	84·0
1859	58·0	57 0	65·0	79·0	82·0	89·0	87·0	82·0	75·0	73·0	59·0	55·0	89·0
1860	55·0	58 5	65·5	69·0	78·0	79·0	85·2	81·0	78·2	69 0	73·4	54·8	85·2
1861	57·0	62·0	63·0	76·5	85 0	85·5	79·5	76·7	69·5	71·2	58·5	59·2	85·5
1862	55·0	61·9	60·4	74·5	77·4	80·0	73·0	80·5	79·0	73 0	59 0	57·4	80·5
1863	59·0	60·5	67·2	65 4	72·0	74 0	83·0	85·2	80·7	66·0	64·0	59·0	85·2
1864	52·2	55·0	64·0	74·0	88·0	73·5	83·0	85·9	73·6	69·5	58·0	58·2	88·0
Highest,	59·0	62·0	67·2	79·0	88 0	95·0	87·0	89·0	82·0	73·0	64·0	60·0	95·0

Absolute LOWEST TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	1·0	—7·0	12·0	15·0	21·0	30·0	44·0	33·0	27·0	18·0	21·0	14·0	—7·0
1856	10·0	16·0	14·5	22·0	25·0	31·0	30·0	30·0	26·0	25·0	9·0	4·0	4 0
1857	4·9	4·0	12·5	20·0	28·0	28·5	31·5	34·0	30 0	24·0	16·0	22·0	4 0
1858	17·8	8·0	11·0	17·0	25·8	35·0	35·0	32·0	27·0	20·0	9·0	20·0	8·0
1859	17·1	11·0	17·0	18·0	22·8	32·0	33·3	34·8	29·0	10·5	17·0	0·0	0·0
1860	6·0	—5·0	18·7	21·0	26·0	30·2	33·8	32·7	26·3	22·7	13·2	—12 0	—12·0
1861	—3·7	8·3	23 3	20·0	20·7	35·0	37·1	37·0	30·3	24·4	9·0	10·9	—3·7
1862	19·3	9·0	10·0	18 9	27·2	33·0	33·9	35·0	28·0	21·3	9·0	23·0	9 0
1863	12·0	17·9	19·0	25·5	30·0	34·3	31·0	32·0	30·0	24·8	18·0	17·0	12 0
1864	10·3	3·3	2·0	23·9	21·0	27·0	36·7	28·3	31·3	24·0	20·0	14 0	2·0
Lowest,	—3·7	—7·0	2·0	15·0	20·7	27·0	30·0	28·3	26·3	10·5	9·0	—12·0	—12·0

Mean DAY TEMPERATURE (mean of highest each Day) during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	40·7	34·6	43·6	53·4	53·0	65·5	69·7	67·6	61·9	52·1	44·2	39·8	52·1
1856	37·7	43·6	45·1	51·1	53·9	60·1	64·6	64·3	57·2	54·0	42·9	42·4	53·9
1857	39·8	44·3	44·0	48·7	57·0	66·0	65·0	67·1	62·5	55·3	48·3	49·2	53·9
1858	44·0	41·2	45·5	51·4	56·9	67·1	63·4	65·9	61·8	51·0	44·4	44·0	53·0
1859	44·4	45·4	48·5	48·7	61·7	64·7	66·2	65·2	59·2	51·8	44·5	38·3	53·2
1860	39·6	39·2	44·0	48·9	57·7	59·7	64·5	60·8	57·1	51·4	43·1	37·9	50·3
1861	40·4	44·1	46·9	52·4	56·9	64·0	63·6	62·8	59·2	55·4	43·9	42·9	52·7
1862	42·0	44·4	42·5	51·5	58·1	58·7	60·4	62·3	60·3	53·4	42·6	46·2	51·8
1863	42·8	46·6	48·5	51·2	55·7	60·6	64·5	62·7	56·2	52·1	48·1	45·7	52·9
1864	40·7	39·0	43·0	53·3	58·1	60·2	64·1	62·5	59·3	51·4	46·2	43·2	51·7
Mean,	41·21	42·24	45·16	51·06	56·90	62·66	64·60	64·12	59·47	52·79	44·82	42·96	52·55

Mean NIGHT TEMPERATURE (mean of lowest each Night) during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	31·3	23·4	29·4	35·2	37·1	46·2	53·0	50·3	44·5	37·9	34·9	28·4	37·6
1856	30·6	34·8	32·8	37·5	39·5	46·1	48·0	49·2	44·4	43·2	34·3	34·1	39·5
1857	31·6	34·3	34·5	36·7	42·6	48·8	51·0	53·0	49·7	43·9	39·2	40·7	42·1
1858	34·6	30·5	33·6	36·1	42·0	50·7	48·7	49·9	47·2	39·2	34·4	35·7	40·2
1859	34·8	35·5	37·6	35·2	42·1	48·6	51·9	50·4	45·5	39·8	34·2	29·7	40·4
1860	31·4	28·6	32·5	34·0	42·6	46·5	50·1	48·0	43·3	40·5	35·1	30·0	38·5
1861	32·9	34·9	35·5	38·3	41·3	50·4	50·0	51·9	48·2	43·7	33·0	33·3	41·1
1862	34·8	35·8	33·2	37·8	44·0	46·0	47·3	49·7	46·4	40·7	31·6	37·5	40·4
1863	34·3	35·7	37·3	37·7	41·6	47·5	47·7	48·7	44·0	41·5	38·2	35·9	40·8
1864	31·6	27·9	32·0	38·8	42·0	46·6	49·4	46·4	45·5	40·3	35·6	35·5	39·3
Mean,	32·79	32·14	33·84	36·73	41·48	47·74	49·71	49·75	45·87	41·07	35·05	34·08	39·99

Monthly Mortality in SCOTLAND during the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	5808	7231	6520	5324	5376	4624	4474	4457	4037	4366	4374	5413	62004
1856	5474	5189	5355	5200	5006	4478	4419	4203	4239	4338	4591	6037	58529
1857	5788	5274	5622	5404	5179	4943	4789	4927	4997	4744	4855	5384	61906
1858	5311	5566	6444	5590	5211	4856	4994	4576	4442	4785	5788	5976	63539
1859	5960	5494	5668	5562	5262	4734	4539	4509	4322	4355	5215	6094	61714
1860	6366	6901	6916	6529	6265	5406	5051	4612	4199	4856	5098	5971	68170
1861	6995	5201	5724	5498	5644	4810	4931	4434	4042	4300	5172	5590	62341
1862	6895	5825	6693	6229	5844	5309	5177	4455	4598	4782	5209	6179	67195
1863	6362	6164	6703	6063	5952	5948	5630	5521	5122	5580	6010	6426	71481
1864	7682	7305	7620	6465	6028	5976	5453	5620	5067	5320	5664	6216	74416
10 Years,	62641	60150	63265	57864	55767	51084	49457	47314	45065	47426	51976	59286	651295

Monthly Mortality in INSULAR DISTRICTS of Scotland during the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	168	340	329	208	229	174	166	126	128	129	146	183	2326
1856	186	192	239	200	171	162	171	159	139	164	155	228	2166
1857	247	204	209	196	178	211	236	158	154	150	165	198	2306
1858	195	224	246	208	227	182	174	171	158	170	201	221	2377
1859	254	218	264	305	253	220	196	182	192	150	192	207	2633
1860	224	240	235	262	261	229	200	213	183	212	203	252	2714
1861	269	212	282	257	240	180	170	187	161	165	202	237	2562
1862	247	260	398	345	264	211	238	213	188	176	188	247	2975
1863	324	293	271	276	280	241	204	202	199	236	184	224	2934
1864	256	287	295	231	192	241	201	188	201	201	190	237	2720
10 Years,	2370	2470	2768	2488	2295	2051	1956	1799	1703	1753	1826	2234	25713

Monthly Mortality in the MAINLAND-RURAL DISTRICTS of Scotland during the TEN YEARS 1855–64.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2896	3835	3380	2724	2718	2326	2235	2126	2004	2180	2142	2681	31247
1856	2687	2617	2741	2604	2534	2244	2201	2013	2043	2081	2146	2914	28825
1857	2824	2592	2721	2666	2620	2457	2238	2312	2534	2318	2316	2792	30390
1858	2704	2939	3346	2951	2651	2342	2333	2181	2152	2296	2711	2958	31564
1859	2984	2810	2819	2852	2772	2424	2270	2283	2189	2130	2474	2952	30959
1860	2996	3247	3505	3182	3268	2766	2480	2256	2076	2309	2439	2834	33358
1861	3241	2566	2928	2761	2865	2432	2431	2337	2029	2184	2515	2625	30814
1862	3213	2911	3312	3029	2871	2656	2647	2290	2195	2248	2406	2916	32694
1863	3110	3099	3363	3038	2933	2908	2811	2621	2468	2663	2756	2952	34722
1864	3568	3469	3671	3244	3014	2913	2604	2677	2453	2527	2655	2924	35719
10 Years,	30223	30085	31786	29051	28246	25468	24250	23096	22143	22836	24560	28548	320292

Monthly Mortality in the TOWN DISTRICTS of Scotland during the TEN YEARS 1855–64.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2744	3056	2811	2392	2429	2124	2073	2205	1905	2057	2086	2549	28431
1856	2601	2380	2375	2396	2301	2072	2047	2031	2057	2093	2290	2895	27538
1857	2717	2478	2692	2542	2381	2275	2315	2457	2309	2276	2374	2394	29210
1858	2412	2403	2852	2431	2333	2332	2487	2224	2132	2319	2876	2797	29598
1859	2722	2466	2585	2405	2237	2090	2073	2044	1941	2075	2549	2935	28122
1860	3146	3414	3176	3085	2736	2411	2371	2143	1940	2335	2456	2885	32098
1861	3485	2423	2514	2480	2539	2198	2330	2010	1852	1951	2455	2728	28965
1862	3435	2654	2983	2855	2709	2442	2292	1952	2215	2358	2615	3016	31526
1863	2928	2772	3069	2749	2739	2799	2615	2698	2455	2681	3070	3250	33825
1864	3858	3549	3654	2990	2822	2822	2648	2755	2413	2592	2819	3055	35977
10 Years,	30048	27595	28711	26325	25226	23565	23251	22519	21219	22737	25590	28504	305290

MONTHLY MORTALITY in the EIGHT DIVISIONS of SCOTLAND during the TEN YEARS 1855–1864.

1. NORTHERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	157	298	255	189	217	164	126	106	112	124	123	141	2012
1856	156	132	142	140	144	114	125	109	124	120	125	182	1613
1857	207	138	169	145	154	162	138	118	131	110	149	161	1782
1858	157	155	182	169	173	130	141	123	106	123	148	175	1782
1859	203	164	181	177	151	124	123	141	154	129	138	145	1830
1860	154	173	190	190	214	165	152	169	127	157	149	197	2037
1861	195	173	213	177	180	152	133	154	120	123	143	178	1936
1862	165	192	229	243	167	143	179	153	132	138	127	149	2017
1863	186	175	179	192	189	165	137	134	142	143	152	173	1967
1864	207	206	230	190	163	208	164	178	201	213	175	212	2347
10 Years,	1787	1806	1970	1812	1752	1527	1418	1385	1349	1380	1429	1708	19323

2. NORTH-WESTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	219	442	361	243	252	220	183	174	158	172	157	249	2830
1856	212	229	261	222	194	201	157	141	158	176	162	221	2334
1857	220	216	208	232	199	200	192	164	157	156	169	198	2311
1858	193	273	307	266	221	204	185	190	147	183	192	233	2594
1859	205	255	236	314	292	237	176	175	161	153	210	262	2676
1860	278	349	252	260	241	236	200	187	195	222	219	250	2889
1861	295	201	285	273	219	180	193	178	175	181	205	219	2604
1862	266	289	380	322	270	230	237	220	230	197	191	274	3106
1863	330	284	286	272	263	278	226	197	206	269	225	248	3084
1864	285	296	333	321	255	298	211	231	211	213	227	279	3160
10 Years,	2503	2834	2909	2725	2406	2284	1960	1857	1798	1922	1957	2433	27588

3. NORTH-EASTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	570	744	672	549	554	417	395	411	404	390	423	510	6039
1856	543	533	555	524	526	482	493	434	378	382	436	528	5814
1857	521	439	596	565	530	496	443	485	488	451	549	621	6184
1858	587	675	707	628	610	476	443	422	401	436	555	563	6503
1859	595	573	543	569	583	508	455	459	448	417	516	601	6267
1860	597	663	732	671	685	564	490	492	417	527	519	621	7008
1861	664	560	600	575	617	478	523	445	482	488	568	592	6592
1862	656	623	724	630	600	554	508	447	448	399	556	643	6788
1863	649	672	681	563	547	511	513	466	513	502	543	604	6764
1864	739	797	799	729	608	572	501	521	438	483	500	589	7276
10 Years,	6121	6279	6609	6003	5860	5058	4764	4582	4447	4475	5165	5872	65235

4. EAST-MIDLAND DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	1000	1216	1113	827	823	722	705	695	652	701	752	896	10102
1856	962	876	866	856	867	727	714	683	667	697	739	1008	9662
1857	984	916	892	843	839	803	821	804	862	886	832	949	10431
1858	978	971	1140	969	888	790	846	763	748	822	903	1029	10847
1859	1066	928	921	913	881	860	760	741	748	760	858	1000	10436
1860	1011	1024	1167	1107	1022	836	755	700	688	912	959	1014	11195
1861	1137	922	941	907	849	803	810	751	639	753	809	920	10241
1862	1074	958	1173	1083	957	835	867	771	735	734	796	946	10909
1863	1026	1005	1058	937	948	982	908	920	769	906	952	1007	11418
1864	1201	1223	1203	981	969	1035	972	1026	895	941	1032	990	12468
10 Years,	10439	10019	10474	9424	9043	8392	8158	7854	7403	8112	8632	9759	107709

MONTHLY MORTALITY in the EIGHT DIVISIONS of SCOTLAND during the TEN YEARS 1855–1864.

5. WEST-MIDLAND DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	407	534	494	401	402	374	354	319	310	296	309	421	4621
1856	362	379	417	336	356	302	305	295	263	304	325	447	4091
1857	429	421	396	382	387	376	379	343	379	358	345	409	4604
1858	356	368	442	349	407	375	351	295	365	338	414	425	4485
1859	449	435	487	471	457	346	331	345	340	303	353	418	4735
1860	438	479	531	480	476	422	394	351	314	317	359	392	4953
1861	491	386	384	389	415	336	338	354	293	303	345	401	4435
1862	523	453	505	441	447	366	419	344	338	315	382	434	4967
1863	457	463	536	428	416	429	443	414	402	390	430	496	5304
1864	556	514	561	483	452	467	431	387	367	354	402	424	5398
10 Years,	4468	4432	4753	4160	4215	3793	3745	3447	3371	3278	3664	4267	47593

6. SOUTH-WESTERN DIVISION.—Monthly Mortality, 1555–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2332	2622	2407	2039	2137	1833	1839	1932	1597	1712	1642	2126	24218
1856	2150	1990	2029	2067	1881	1653	1637	1712	1720	1704	1911	2472	22926
1857	2351	2144	2329	2252	2115	1963	1982	2123	2090	1893	1915	1973	25130
1858	1982	2036	2376	2092	1943	1874	2042	1813	1754	1942	2509	2396	24759
1859	2363	2139	2227	2096	1908	1722	1771	1788	1621	1746	2118	2474	23973
1860	2604	2871	2750	2634	2409	2147	2095	1823	1548	1790	1872	2326	26869
1861	2856	2006	2243	2148	2197	1894	1938	1630	1484	1598	1997	2143	24134
1862	2772	2142	2368	2292	2265	2082	1906	1622	1834	1954	2031	2299	25567
1863	2382	2347	2666	2349	2369	2343	2324	2242	2126	2283	2604	2801	28836
1864	3283	2942	3109	2546	2447	2281	2185	2275	2004	2100	2309	2593	30074
10 Years,	25075	23239	24504	22515	21671	19792	19719	18960	17778	18722	20908	23603	256486

7. SOUTH-EASTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	773	878	821	707	672	577	596	550	559	639	672	732	8176
1856	723	716	737	716	687	664	700	592	665	667	648	866	8381
1857	745	694	713	667	630	638	550	631	610	611	642	757	7888
1858	711	728	823	769	659	691	693	707	658	681	722	775	8617
1859	681	649	694	669	659	604	579	547	579	551	713	808	7733
1860	883	924	858	791	825	682	620	581	603	647	693	787	8894
1861	916	628	697	681	791	663	664	651	558	566	783	832	8430
1862	980	823	875	813	767	732	714	598	629	788	792	1031	9552
1863	905	846	849	862	813	821	713	799	643	755	779	797	9582
1864	1006	969	938	836	772	795	675	700	670	749	758	820	9688
10 Years,	8323	7855	8005	7511	7275	6867	6504	6356	6174	6664	7202	8205	86941

8. SOUTHERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	350	497	397	369	319	317	276	270	245	332	296	338	4006
1856	366	334	348	339	351	335	288	237	264	288	245	313	3708
1857	331	306	319	318	325	305	284	259	280	279	254	316	3576
1858	347	360	467	348	310	316	293	263	263	260	345	380	3952
1859	398	351	379	353	331	333	344	313	271	296	309	386	4064
1860	401	418	436	396	393	354	345	309	277	284	328	384	4325
1861	441	325	361	348	376	304	332	271	291	288	322	310	3969
1862	459	365	439	405	371	367	347	300	252	247	334	403	4289
1863	427	372	448	460	407	419	366	349	321	332	325	300	4526
1864	405	358	447	379	362	320	314	302	281	267	261	309	4005
10 Years,	3925	3686	4041	3715	3545	3370	3189	2873	2745	2873	3019	3439	40420

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
	I. NORTHERN DIVISION.			
	1. SHETLAND.			
1	Bressay, etc.—			
	(1) Bressay	915	136	1·48
	(2) Burra and Quarff	890	98	1·10
2	Delting	1975	331	1·68
3	Dunrossness, etc.—			
	(1) Dunrossness	2113	270	1·28
	(2) Sandwick and Cunningsburgh	2337	337	1·44
	(3) Fair Isle	380	38	1·00
4	Fetlar, etc.—			
	(1) Fetlar	548	111	2·03
	(2) North Yell	932	174	1·88
5	LERWICK	3631	635	1·74
6	Mid and South Yell	1784	260	1·45
7	Nesting, etc.—			
	(1) Nesting	855	108	1·26
	(2) Lunnasting	880	92	1·04
	(3) Whalsay and Skerries	848	108	1·27
8	Northmavine	2585	386	1·49
9	Sandsting and Aithsting	2670	336	1·22
10	Tingwall, etc.—			
	(1) Tingwall	1554	255	1·64
	(2) Whiteness and Weisdale	1143	142	1·24
11	Unst	3060	455	1·48
12	Walls, etc.—			
	(1) Walls	1365	180	1·32
	(2) Sandness	606	111	1·83
	(3) Papa-Stour	366	52	1·42
	(4) Foula	233	21	0·90
	2. ORKNEY.			
13	Birsay	1774	228	1·23
14	Deerness	813	110	1·35
15	Eday and Pharay	979	148	1·51
16	Evie and Rendall	1408	152	1·08
17	Firth and Stennes	1493	162	1·08
18	Harray	819	107	1·31
19	Holm and Paplay	834	99	1·18
20	Hoy and Græmsay	556	84	1·51
21	KIRKWALL and ST OLA (incl. Burgh)	4422	878	1·98
22	North Ronaldshay	532	64	1·20
23	Orphir	1133	149	1·30
24	Rousay and Egilsay	1152	177	1·53
25	St Andrews	868	117	1·34
26	Sanday	2145	244	1·13
27	Sandwick	1225	132	1·08
28	Shapinshay	973	131	1·34
29	South Ronaldshay and Burray	3282	433	1·32
30	Stromness	2540	491	1·93
31	Stronsay	1228	142	1·15
32	Walls and Flotta	1674	178	1·06
33	Westray & Papa Westray	2545	381	1·49
	3. CAITHNESS.			
34	Bower	1746	218	1·25
35	Canisbay	2730	347	1·27
36	Dunnet	1861	272	1·45
37	Halkirk	2864	413	1·44
38	Latheron	8571	1143	1·33
39	Olrig	2059	320	1·55
40	Reay	2476	356	1·44
41	THURSO	5561	1003	1·81
42	Watten	1491	181	1·21
43	WICK—			
	(1) Burgh	7505	1696	2·58
	(2) Landward	5336	716	1·32
	4. SUTHERLAND.			
44	Assynt—			
	(1) Kirkton	553	77	1·39
	(2) Stoer	2625	298	1·13
45	Clyne	1886	270	1·43
46	Creich—			
	(1) Bonar	1982	310	1·56
	(2) Rosehall	539	95	1·76
47	DORNOCH (inc. Burgh)	2885	433	1·50
48	Durness	1109	146	1·31
49	Eddrachillis—			
	(1) Scourie	727	93	1·28
	(2) Kinlochbervie	914	117	1·37
50	Farr—			
	(1) Kirkton	1251	197	1·57
	(2) Strathy	852	113	1·32
51	Golspie	1615	182	1·12
52	Kildonan	2132	365	1·71
53	Lairg	961	148	1·54
54	Loth	610	73	1·19
55	Rogart	1439	218	1·51
56	Tongue	2077	289	1·39
	II. NORTH-WESTERN DIVISION.			
	5. Ross and CROMARTY.			
	Mainland.			
57	Alness	1178	173	1·47
58	Applecross	2544	399	1·57
59	Avoch	1788	293	1·64
60	Contin	1509	201	1·33
61	CROMARTY (including Burgh)	2300	486	2·11
62	DINGWALL (including Burgh)	2412	439	1·82
63	Edderton	836	115	1·37
64	Fearn	2083	381	1·83
65	Fodderty	2247	366	1·62
66	Gairloch	5449	793	1·27
67	Glenshiel	485	76	1·57
68	Killearnan	1494	253	1·69
69	Kilmuir-Easter	1295	195	1·50
70	Kiltearn	1634	254	1·55
71	Kincardine	1746	252	1·44
72	Kintail	890	118	1·32
73	Knockbain	2485	383	1·54
74	Lochalsh	2413	344	1·42
75	Lochbroom and Coigach	4862	817	1·68
76	Lochcarron	1592	257	1·61
77	Logie-Easter	932	131	1·40

NOTE.—Districts marked thus (*) only give the Mortality for Nine Years.

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
78	Nigg	1253	216	1·72
79	Resolis	1568	257	1·64
80	Rosemarkie (including FORTROSE)	1545	292	1·88
81	Rosskeen	3766	652	1·73
82	TAIN (including Burgh)	3294	632	1·92
83	Tarbat	2269	360	1·14
84	Urquhart and Logie-Wester	3147	477	1·51
85	Urray	2355	339	1·44
	Insular.			
a86	Barvas	4609	795	1·72
b86	Carloway	2204?	?	?
87	Lochs	3568	571	1·61
88	STORNOWAY (including Town)	8668	1396	1·49
89	Uig	2007	351	1·74
	6. INVERNESS.			
	Mainland.			
90	Alvie	833	142	1·70
91	Ardersier	1239	262	2·11
92	Boleskine & Abertarff—			
	(1) Boleskine	813	88	1·08
	(2) Fort-Augustus or Abertarff	930	146	1·58
93	Cromdale and Inverallan	3942	631	1·60
94	Croy and Dalcross	1873	239	1·27
95	Daviot and Dunlichty	1741	256	1·47
96	Dores	1506	205	1·36
97	Glenelg—			
	(1) Glenelg	800	123	1·53
	(2) Knoydart	574	80	1·39
	(3) North Morar	469	96	2·05
98	INVERNESS (including Burgh)	16162	3483	2·15
99	Kilmonivaig			
	(1) Glengarry	625	73	1·16
	(2) Lochaber	1651	205	1·24
100	Kilmorack	2852	403	1·41
101	Kiltarlity	2839	329	1·16
102	Kingussie and Insh	2033	364	1·79
103	Kirkhill	1757	253	1·44
104	Laggan	986	147	1·49
105	Moy and Dalarossie	1026	143	1·39
106	Petty	1671	244	1·46
107	Urquhart, etc.—			
	(1) Urquhart	2294	332	1·44
	(2) Glenormiston	617	85	1·37
	Insular.			
108	Barra	1853	269	1·45
109	Bracadale	1335	205	1·53
110	Duirinish	4775	733	1·53
111	Harris—			
	(1) Harris	3769	578	1·53
	(2) Bernera	336	64	1·90
	(3) St Kilda	78	?	?
112	Kilmuir—			
	(1) Kilmuir	1561	297	1·90
	(2) Stenscholl	1311	221	1·68
113	North Uist	3959	596	1·50
114	Portree and Raasay	3159	505	1·59
115	Sleat	2330	390	1·67
116	Small Isles	567	85	1·50
117	Snizort	2613	409	1·56
118	South Uist (Benbecula, Howmore, and Boisdale)	5358	867	1·62
119	Strath	2664	472	1·77
	III. NORTH-EASTERN DIVISION.			
	7. NAIRN.			
120	Ardclach	1330	203	1·53
121	Auldearn	1328	204	1·53
122	Cawdor	1203	196	1·63
123	NAIRN (incl. Burgh)	4486	982	2·19
	8. ELGIN.			
124	Abernethy and Kincardine	1928	280	1·45
125	Alves	1010	135	1·33
126	Bellie	1967	346	1·76
127	Birnie	411	46	1·12
128	Boharm	1412	207	1·46
129	Dallas	1102	168	1·52
130	Drainy	3028	450	1·48
131	Duffus	3308	571	1·75
132	Duthil, etc.—			
	(1) Duthil	1609	210	1·30
	(2) Rothiemurchus	319	59	1·85
133	Dyke	1247	211	1·69
134	Edinkillie	1303	187	1·43
135	ELGIN (incl. Burgh)	9866	1970	1·99
136	New Spynie	518?	?	?
137	FORRES (incl. Burgh)	4112	898	2·18
138	Kinloss	1315	235	1·78
139	Knockando	1736	274	1·58
140	Rafford	1055	148	1·40
141	Rothes	2407	415	1·72
142	St Andrews Lhanbryde	1344	172	1·28
143	Speymouth	689	108	1·57
144	Urquhart	2532	370	1·46
	9. BANFF.			
145	Aberlour	1665	228	1·37
146	Alvah	1467	156	1·06
147	BANFF—			
	(1) Burgh	6791	1289	1·89
	(2) Landward	949	100	1·05
148	Botriphnie	867	101	1·16
149	Boyndie	1711	283	1·65
150	CULLEN (part of Burgh)	1821	312	1·70
151	Deskford	1031	146	1·41
152	Enzie	2072	346	1·67
153	Fordyce	4145	734	1·77
154	Forglen	783	83	1·06
155	Gamrie	3019	432	1·43
156	Grange	1909	284	1·48

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
157	Inveravon—			
	(1) Inveravon	868	101	1·16
	(2) Auchbreck	1771	321	1·81
158	Inverkeithny	880	109	1·24
159	KEITH	5943	1041	1·75
160	Kirkmichael, etc.—			
	(1) Kirkmichael	551	99	1·79
	(2) Tomintoul	960	199	2·07
161	Marnoch	3289	557	1·69
162	Mortlach	3095	487	1·57
163	Ordiquhill	764	91	1·19
164	Rathven (incl. BUCKIE)	4922	1029	2·09
165	Rothiemay	1414	223	1·57
166	St Fergus	1608	267	1·66
167	Seafield (part of CULLEN)	1725	284	1·64
	10. ABERDEEN.			
168	ABERDEEN—			
	(1) St Nicholas	41962	11484	2·71
	(2) Old Machar	31938	6951	2·18
	(3) Do. (Landward)	1298	151	1·16
169	Aberdour	1837	264	1·44
170	Aboyne	1160	179	1·54
171	Alford	1264	193	1·52
172	Auchindoir	1593	223	1·40
173	Auchterless	2010	291	1·44
174	Belhelvie	1807	262	1·45
175	Birse	1284	146	1·13
176	Bourtie	547	73	1·33
177	Cabrach	794	122	1·54
178	Cairney	1490	247	1·66
179	Chapel of Garioch	2023	282	1·39
180	Clatt	511	66	1·29
181	Cluny	1254	184	1·47
182	Coull	792	115	1·45
183	Crathie and Braemar	1574	236	1·50
184	Crimond	892	140	1·57
185	Cruden	2743	397	1·44
186	Culsamond	1165	139	1·11
187	Daviot	614	91	1·48
188	Drumblade	926	147	1·58
189	Drumoak	996	126	1·26
190	Dyce	585	82	1·40
191	Echt	1287	185	1·43
192	Ellon	3259	446	1·37
193	Fintray	1003	177	1·77
194	Forgue	2686	396	1·47
195	Foveran	1891	244	1·29
196	FRASERBURGH (including Town)	4511	834	1·85
197	Fyvie	*c.* 3264	592	1·81
198	Gartly	1029	127	1·23
199	Glass	1049	148	1·41
200	Glenbucket	552	78	1·41
201	Glenmuick, Tullich, and Glengairn	1668	302	1·81
202	HUNTLY (incl. Town)	4329	814	1·88
203	Insch	1565	264	1·69
204	INVERURIE (including part of Burgh)	2668	531	1·99
205	Keig	811	116	1·43
206	Keith-hall	933	109	1·17
207	Kemnay	832	114	1·37
208	Kildrummy	590	77	1·30
209	Kincardine O'Neil	2186	344	1·57
210	King-Edward	2843	406	1·43
211	Kinnellar	691	90	1·30
212	Kinnethmont	1187	228	1·92
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE)	1895	351	1·84
214	Leochel-Cushnie	1173	159	1·35
215	Leslie	577	89	1 54
216	Logie-Buchan	762	92	1·21
217	Logie-Coldstone	932	153	1·64
218	Longside	3008	477	1·58
219	Lonmay	2142	278	1·29
220	Lumphanan	1251	180	1·44
221	Methlic	2157	302	1·40
*a*222	Midmar	1091	164	1·50
*b*222	Millbrex	*c.* 1295	?	?
223	Monquhitter	*c.* 2365	349	1·47
224	Monymusk	988	125	1·26
225	New Deer	3736	542	1·45
226	Newhills	3463	526	1·52
*a*227	New Machar	1556	242	1·55
*b*227	New Pitsligo	2609	?	?
228	Old Deer	4392	754	1·71
229	Old Meldrum	2343	434	1·85
230	Oyne	1127	170	1·51
231	Peterculter	1410	209	1·48
232	PETERHEAD (incl. Burgh)	9796	1908	1·94
233	Pitsligo	1890	320	1·70
234	Premnay	916	174	1·90
235	Rathen	2554	384	1·50
236	Rayne	1514	198	1·31
*a*237	Rhynie	1061	174	1·64
*b*237	Savoch	2061	?	?
238	Skene	1831	273	1·49
239	Slains	1266	151	1·19
240	Strathdon	1459	235	1·61
241	Strichen	2409	454	1·88
242	Tarland	1246	177	1·42
243	Tarves	2377	354	1·49
244	Tough	874	139	1·59
245	Towie	839	98	1·17
246	Tullynessle and Forbes	957	130	1·36
247	Turriff	3693	633	1·71
248	Tyrie	833	?	?
249	Udny	1623	231	1·42
	11. KINCARDINE.			
250	Arbuthnot	932	117	1·25
251	Banchory-Devenick	2919	450	1·54
252	Banchory-Ternan	2947	594	2·01
253	Benholm	1574	292	1·85
254	BERVIE (incl. Burgh)	1561	297	1·90
255	Dunnottar (incl. part of STONEHAVEN)	1828	366	2·00
256	Durris	1109	148	1·33
257	Fettercairn	1700	256	1·51
258	Fetteresso	5527	990	1·79
259	Fordoun	2297	397	1·73
260	Garvock	458	50	1·09
261	Glenbervie	1219	195	1·60
262	Kinneff and Catterline	1054	122	1·16
263	Laurencekirk	2110	367	1·74
264	Maryculter	1055	140	1·32
265	Marykirk	2068	339	1·64
266	Nigg	2074	341	1·64

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
267	St Cyrus	1552	214	1·38
268	Strachan	870	129	1·48
	IV. EAST-MIDLAND DIVISION.			
	12. Forfar.			
269	Aberlemno	1054	120	1·14
270	Airlie	845	138	1·63
271	Arbirlot	960	128	1·33
272	Arbroath (incl. Burgh)	17831	4405	2·47
273	Auchterhouse	706	94	1·33
274	Barry	2465	484	1·96
275	Brechin (incl. Burgh)	8810	1828	2·07
276	Carmylie	1286	175	1·36
277	Careston	225	31	1·37
278	Cortachy and Clova	653	77	1·17
279	Coupar-Angus	2642	563	2·13
280	Craig (including part of Montrose)	2177	343	1·57
281	Dun	552	66	1·19
282	Dundee—			
	(1) First District	44064	12026	2·72
	(2) Second District	40813	12251	3·00
	(3) Third (or Lochee District)	6787	1835	2·70
283	Dunnichen	1932	338	1·75
284	Eassie and Nevay	748	87	1·16
285	Edzell	1025	156	1·52
286	Farnell	703	107	1·52
287	Fearn	439	63	1·43
288	Forfar (incl. Burgh)	10838	2514	2·32
289	Glammis	1980	289	1·46
290	Glenisla	1008	149	1·48
291	Guthrie	476	42	0·88
292	Inverarity	961	133	1·38
293	Inverkeillor	1792	256	1·43
294	Kettins	962	124	1·29
295	Kingoldrum	473	51	1·08
296	Kinnell	816	96	1·17
297	Kinnettles	447	60	1·34
298	Kirkden	1862	337	1·81
299	Kirriemuir (incl. Town)	7359	1413	1·92
300	Lethnott and Navar	446	42	0·94
301	Liff, Benvie, and Invergowrie	1430	246	1·72
302	Lintrathen	898	109	1·21
303	Lochlee	495	72	1·45
304	Logie-Pert	1483	170	1·14
305	Lunan	259	32	1·23
306	Lundie	442	62	1·40
307	Mains, etc.—			
	(1) Mains	1392	251	1·80
	(2) Strathmartine	789	111	1·41
308	Marytown	417	56	1·34
309	Menmuir	796	105	1·32
310	Monifieth (incl. part of Broughty Ferry)	5052	1086	2·15
311	Monikie	1460	198	1·35
312	Montrose (including part of Burgh)	15668	3714	2·37
313	Murroes	763	117	1·53
314	Newtyle	1139	225	1·97
315	Oathlaw	399	76	1·90
316	Panbride	1299	246	1·89
317	Rescobie	747	95	1·27
318	Ruthven	265	47	1·77
319	St Vigeans	2553	418	1·63
320	Stracathro	546	89	1·44
321	Tannadice	1438	221	1·53
322	Tealing	883	125	1·41
	13. Perth.			
323	Aberdalgie	295	42	1·42
324	Aberfeldy	2402	440	1·83
325	Aberfoyle	565	119	2·10
326	Abernethy	1960	338	1·72
327	Abernyte	310	50	1·61
328	Alyth (including Town)	3198	611	1·91
329	Auchterarder (including Town)	4208	850	2·02
330	Auchtergaven	2562	486	1·89
331	Balquhidder	*c.* 846	129	1·52
332	Bendochy	549	71	1·29
333	Blackford	2084	319	1·23
334	Blair-Athol	1553	308	1·98
335	Blairgowrie (including Town)	4423	1017	2·29
336	Callander	1676	357	2·13
337	Caputh	1728	286	1·65
338	Cargill	1647	256	1·55
339	Clunie	699	105	1·50
340	Collace	534	90	1·68
341	Comrie	*c.* 2126	423	1·99
342	Crieff (including Town)	4490	886	1·99
343	Culross (incl. Burgh)	1423	223	1·56
344	Dowally	486	86	1·76
345	Dron	376	47	1·25
346	Dull	753	145	1·92
347	Dunbarney	1035	188	1·81
348	Dunblane	3096	528	1·70
349	Dunkeld	1086	249	2·29
350	Dunning	2084	409	1·96
351	Errol	2759	444	1·61
352	Findo-Gask	399	75	1·88
353	Forgandenny	739	104	1·41
354	Forteviot	595	78	1·31
a355	Fortingall	1244	190	1·52
b355	Foss*	381	43	1·25
356	Fowlis-Easter	317	37	1·17
357	Fowlis-Wester	1276	203	1·59
358	Glendevon	138	16	1·16
359	Inchture	659	116	1·76
360	Kenmore	1515	246	1·62
361	Killin	1681	318	1·89
362	Kilmadock	3312	672	2·03
363	Kilspindie	665	107	1·61
364	Kincardine	1778	345	1·94
365	Kinclaven	758	120	1·58
366	Kinfauns	659	102	1·54
367	Kinloch-Rannoch	1147	180	1·57
368	Kinnaird	318	56	1·76
369	Kinnoull	796	127	1·59
370	Kirkmichael & Glenshee	1146	199	1·73
371	Lecropt	538	90	1·67
372	Lethendy and Kinloch	530	66	1·24
373	Little Dunkeld	2089	429	2·05
374	Logie (including part of STIRLING)	3483	631	1·81
375	Logiealmond	815	119	1·46
376	Logierait	1902	364	1·91

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
377	Longforgan	1823	321	1·76
378	Madderty	536	89	1·66
379	Meigle	1122	171	1·52
380	Methven	2290	421	1·84
381	Moneydie	252	26	1·03
382	Monzie	461	53	1·15
383	Monzievaird	782	115	1·47
384	Moulin	1605	292	1·82
385	Muckhart	615	81	1 32
*a*386	Muthill	2008	555	2·76
*b*386	Persie	839	?	?
7	PERTH (incl. Burgh)	26094	6793	2 60
38	Port of Menteith	1375	210	1·53
38	Rattray	2234	412	1·84
39	Redgorton	1596	265	1·66
39	Rhynd	297	50	1·68
39	St Madoes	280	35	1·25
39	St Martins	904	122	1·35
39	Scone	2153	409	1 90
*b*394	Strathfillan	411	?	?
*c*394	Tenandry*	595	91	1·69
395	Tibbermore	1182	159	1·34
396	Trinity-Gask	488	63	1·29
397	Tullialian (including KINCARDINE)	2410	505	2 09
398	Weem	215	45	2·09
	14. FIFE.			
399	Abbotshall	808	91	1·13
400	Abdie	1257	189	1·50
401	Aberdour	1874	315	1·68
402	ANSTRUTHER-EASTER (part of Burgh)	1155	231	2·00
403	ANSTRUTHER-WESTER (including Burgh)	438	98	2·23
404	Arngask	705	86	1·22
405	Auchterderran	3457	681	1·97
406	AUCHTERMUCHTY (including Burgh)	3285	654	1·99
407	Auchtertool	609	106	1·74
408	Ballingry	736	181	2·46
409	Balmerino	815	152	1·86
410	Beath	2390	468	1·96
411	BURNTISLAND (including Burgh)	3670	656	1 79
412	Cameron	1362	151	1·11
413	Carnbee	1157	146	1·26
414	Carnock	2925	493	1·68
415	Ceres	2723	422	1·55
416	Collessie	1530	241	1·57
417	CRAIL (incl. Burgh)	1931	432	2·23
418	Creich	377	67	1·77
419	Cults	800	156	1·95
420	CUPAR (incl. Burgh)	6750	1359	2·01
421	Dairsie	638	109	1 71
422	Dalgetty	1569	240	1·53
423	Dunbog	414	42	1·01
424	DUNFERMLINE— (1) Burgh	13506	2839	2·12
	(2) Landward	7609	1780	2·33
425	Dunino	370	51	1·38
426	DYSART (incl. Burgh)	8842	1646	1·86
427	Elie	826	162	1·96
428	FALKLAND (including Burgh)	2937	549	1·87
429	Ferry-Port-on-Craig	2013	387	1·92
430	Flisk	230	37	1·61
431	Forgan	1326	208	1·57
432	INVERKEITHING (including Burgh)	3196	580	1·81
433	Kemback	896	145	1·62
434	Kennoway	2012	346	1·71
435	Kettle	2474	394	1·59
436	Kilconquhar (including EARLSFERRY)	2431	400	1·65
437	Kilmany	656	97	1·47
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER)	2534	411	1·62
439	KINGHORN (including Burgh)	2349	602	2·56
440	Kinglassie	1266	201	1·59
441	Kingsbarns	937	153	1·63
442	KIRKCALDY (including Burgh)	11117	2121	1·90
443	Largo	2626	408	1·55
444	LESLIE (including Town)	4332	814	1·76
445	Leuchars	1903	354	1·86
446	Logie	410	60	1·46
447	Markinch	5375	1065	1·98
448	Monimail	1054	167	1·58
449	Moonzie	179	34	1·90
450	NEWBURGH (including Burgh)	2693	601	2·23
451	Newburgh	374	56	1·50
452	PITTENWEEM (including Burgh)	1710	308	2·09
453	ST ANDREWS & ST LEONARDS (incl. ST ANDREWS)	7605	1483	1·95
454	St Monance (or Abercrombie)	1498	288	1·92
455	Saline	1610	247	1·53
456	Scoonie (incl. LEVEN)	3257	650	1·99
457	Strathmiglo	2261	423	1·87
458	Torryburn	1229	213	1·97
459	Wemyss	6003	1151	1·91
	15. KINROSS.			
460	Cleish	649	85	1·31
461	Fossoway and Tulliebole	1584	220	1·39
462	KINROSS (incl. Town)	2649	524	1·98
463	Orwell	2399	413	1·72
464	Portmoak	1450	254	1·75
465	ALLOA (including Town)	8867	1907	2·15
466	Clackmannan	4425	867	1·96
467	Dollar	1776	305	1·71
468	TILLICOULTRY (including Town)	5054	997	1·97
	V. WEST-MIDLAND DIVISION.			
	17. STIRLING.			
469	Airth	1194	241	2·02
470	ALVA (including Town)	3283	641	1·95

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
471	Baldernock	718	121	1·68
472	Balfron	1517	373	2·45
473	Bothkennar	1722	299	1·73
474	Buchanan	705	111	1·57
475	CAMPSIE (including LENNOXTOWN)	6483	1361	2·09
476	DENNY (including Town)	4988	1008	2·02
477	Drymen	1619	281	1·11
478	Dunipace	1731	350	2·02
479	FALKIRK—			
	(1) Burgh	9030	2157	2·38
	(2) Landward	7996	1574	1·96
480	Fintry	685	129	1·88
481	Gargunnock	728	100	1·37
482	Killearn	1171	194	1·66
483	KILSYTH (incl. Town)	6112	1474	2·41
484	Kippen	1722	379	2·20
485	Larbert	4999	1014	2·02
486	Muiravonside	2660	439	1·65
487	Polmont	4111	699	1·70
488	St Ninians (including BANNOCKBURN)	6648	1353	2·03
489	Slamannan	2916	534	1·83
490	STIRLING (including part of Burgh)	14012	3241	2·31
491	Strathblane	1388	206	1·49
	18. DUMBARTON.			
492	Arrochar	629	105	1·67
493	BONHILL (incl. Town and ALEXANDRIA)	9059	1668	1·84
494	Cardross (incl. RENTON)	4168	957	2·29
495	Cumbernauld	3513	622	1·77
496	DUMBARTON (including Burgh)	8268	2135	2·58
497	Kilmaronock	1085	135	1·24
498	KIRKINTILLOCH (including Town)	8179	1903	2·32
499	Luss	831	155	1·85
500	New, or East, Kilpatrick	4910	992	2·02
501	Old, or West, Kilpatrick (incl. DUNTOCHER)	5577	1404	2·51
502	Roseneath	1626	238	1·46
503	Row (incl. HELENSBURGH)	6334	1235	1·95
	19. ARGYLL.			
	Mainland.			
504	Ardchattan	1381	213	1·54
505	Ardnamurchan—			
	(1) Aharacle	1544	217	1·40
	(2) Arisaig	1343	153	1·14
	(3) Sunart (or Strontian)	759	117	1·54
	(4) Western District	1054	169	1·60
506	Ballachulish and Corran of Ardgour	919	128	1·39
507	CAMPBELTOWN (including Burgh)	8149	1537	1·88
508	Craignish	618	115	1·86
509	Cumlodden	1033	150	1·45
510	DUNOON and KILMUN (including DUNOON and KIRN)	5461	1013	1·85
511	Glassary	1769	316	1·83
512	Glenorchy and Inishail	1307	217	1·66
513	INVERARAY (including Burgh)	1650	303	1·83
514	Inverchaolain	424	64	1·51
515	Kilbrandon & Kilchattan	2053	380	1·85
516	Kilcalmonell, etc.—			
	(1) Kilcalmonell	742	143	1·93
	(2) Kilberry	583	79	1·35
517	Kilchrenan, etc.—			
	(1) Kilchrenan	385	77	2·00
	(2) Dalavich	230	46	2·00
518	Kilfinan	1891	331	1·75
519	Killean and Kilchenzie	1890	243	1·28
520	Kilmallie	3353	652	1·94
521	Kilmartin	949	146	1·53
522	Kilmodan	433	75	1·73
523	Kilmore and Kilbride (incl. OBAN)	2962	647	2·18
524	Kilninver, etc.—			
	(1) Kilninver	314	64	2·04
	(2) Kilmelford	486	73	1·50
525	Lismore, etc.—			
	(1) Lismore	1023	203	1·99
	(2) Appin	825	121	1·47
	(3) Glencoe and Ballachulish	1324	207	1·56
	(4) Duror	423	62	1·46
526	Lochgilphead	3312	575	1·74
527	Lochgoilhead and Kilmorich	702	113	1·61
528	Morvern	1226	211	1·72
529	Muckairn	729	138	1·89
530	North Knapdale	1327	232	1·75
531	Saddell, etc.—			
	(1) Saddell	739	98	1·33
	(2) Skipness	533	106	1·99
532	Southend	1214	172	1·42
533	South Knapdale	654	84	1·28
534	Stralachlan, etc.—			
	(1) Stralachlan	309	61	1·97
	(2) Strachur	563	107	1·90
535	Tarbert	1661	336	2·02
	Insular.			
536	Bowmore (or Kilarrow)	2701	486	1·80
537	Gigha	467	66	1·41
538	Iona	743	125	1·68
539	Jura, etc.—			
	(1) Jura	858	107	1·25
	(2) Colonsay	598	87	1·45
540	Kilchoman	2377	450	1·89
541	Kildalton	2187	342	1·56
542	Kilfinichen & Kilvickeon	1792	270	1·51
543	Kilmeny	1268	263	2·07
544	Kilninian and Kilmore	1641	249	1·46
545	Kinlochspelvie	428	62	1·45
546	Oa	769	97	1·26
547	Portnahaven	1059	226	2·13
548	Salen	604	103	1·70
549	Tobermory	1566	361	2·30
550	Torosay	557	95	1·70
551	Tyree, etc.—			
	(1) Tyree	3217	502	1·56
	(2) Coll	781	130	1·66

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent to Population.
	20. Bute.			
552	Cumbraes	1256	261	2·08
553	Kilbride (part of)	2253	405	1·79
554	Kilmory	2515	446	1·77
555	Kingarth	905	141	1·56
556	Lochranza	824	113	1·37
557	North Bute	1351	224	1·66
558	ROTHESAY	7227	1856	2·57
	VI. SOUTH-WESTERN DIVISION.			
	21. Renfrew.			
559	Abbey—			
	(1) Part of PAISLEY	15889	4050	2·54
	(2) Landward (incl. part of Barrhead)	5670	1006	1·73
	(3) Johnstone (incl. Town)	8142	2072	2·54
560	Cathcart	3782	686	1·81
561	Eaglesham	2328	386	1·66
562	Eastwood	11314	2527	2·23
563	Erskine	1457	229	1·57
564	Greenock—			
	(1) New, or Middle	9446	3379	3·56
	(2) East	12135	3144	2·59
	(3) Old, or West	22313	7960	3·56
565	Houstoun and Killellan	2490	489	1·96
566	Inchinnan	619	95	1·53
567	Innerkip—			
	(1) Innerkip	1188	223	1·87
	(2) Gourock (incl. Town)	2307	593	2·57
568	Kilbarchan	6348	1328	2·09
569	Kilmalcolm	1455	268	1·84
570	Lochwinnoch	3821	813	2·13
571	Mearns	3547	680	1 92
672	Neilston (incl. part of Barrhead)	11013	2102	1 90
573	PAISLEY—			
	(1) High	14900	3470	2 32
	(2) Low	6712	2307	3·43
	(3) Middle	9926	3073	3·09
574	PORT-GLASGOW (including Burgh)	7294	2413	3·30
575	RENFREW (including Burgh)	4650	991	2·13
	22. Ayr.			
576	Ardrossan	6776	1328	1·96
577	Auchinleck	4213	902	2·14
578	AYR (including Burgh)	19659	4703	2·39
579	Ballantrae	1483	252	1·70
580	Barr	910	126	1·39
581	Beith (including Town)	5775	1251	2·16
582	Colmonell	2588	356	1·37
583	Coylton	1604	212	1·32
584	Craigie	730	104	1·42
585	Dailly	2050	349	1·70
586	Dalmellington	4194	861	2·05
587	Dalry (including Town)	11156	2748	2·46
588	Dalrymple	1325	219	1·65
589	Dreghorn	3283	489	1·49
590	Dundonald (incl. Troon)	4694	823	1·75
591	Dunlop	1038	167	1·61
592	Fenwick	1532	289	1·88
593	Galston (incl. Town)	5254	1039	1·97
594	Girvan (including Town)	7053	1503	2·13
595	IRVINE (incl. Burgh)	8607	2129	2·47
596	Kilbirnie (incl. Town)	5265	1262	2·40
597	KILMARNOCK (including part of Burgh)	23556	5866	2·49
598	Kilmaurs	3526	690	1·96
599	Kilwinning (incl. Town)	7717	1561	2·02
600	Kirkmichael	2823	483	1·71
601	Kirkoswald	2060	248	1·20
602	Largs (including Town)	3620	735	2·03
603	Loudoun (including Newmilns)	4840	935	1·93
604	Mauchline	2303	461	2·00
605	Maybole (incl. Town)	6713	1342	1·99
606	Monkton and Prestwick	1937	359	1·85
607	Muirkirk (incl. Town)	3270	633	1·93
608	New Cumnock	2891	471	1·63
609	Ochiltree	1676	239	1·43
610	Old Cumnock (including Town)	3721	755	2·03
611	Riccarton (incl. part of KILMARNOCK)	5629	1248	2·21
612	St Quivox and Newton-upon-Ayr	1870	382	2·04
613	Sorn (incl. Catrine)	4042	868	2·14
614	Stair	743	87	1·17
615	Stevenston (including Town and part of Saltcoats)	5452	1430	2·62
616	Stewarton (incl. Town)	4449	912	2·05
617	Straiton	1544	233	1·51
618	Symington	855	114	1·33
619	Tarbolton	2669	610	2·28
620	West Kilbride	1968	310	1·57
	23. Lanark.			
621	Avondale (including Strathaven)	6125	1309	2·13
622	Barony—			
	(1) Maryhill (incl. Town and part of GLASGOW)	6734	1685	2·50
	(2) Springburn (including part of GLASGOW)	8911	4648	5·21
	(3) Shettleston	6914	1501	2·17
623	Biggar	1999	373	1·86
624	Blantyre	3092	591	1·91
625	Bothwell—			
	(1) Bothwell (incl. Bellshill)	7059	1619	2·29
	(2) Holytown	10844	2355	2·17
a626	Cadder	5948	1085	1·82
b626	Calderhead	c. 3789	?	?
627	Cambuslang	3647	642	1·76
628	Cambusnethan (incl. part of Wishaw)	c. 13377	2654	1·98
629	Carluke (incl. Town)	6176	1185	1·91
630	Carmichael	836	128	1·53
631	Carmunnock	734	113	1·54
632	Carnwath	3584	635	1·77

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
633	Carstairs	1345	189	1·40
634	Covington & Thankerton	532	83	1·56
635	Crawford	1590	309	1·94
636	Crawfordjohn	980	148	1·51
637	Culter	665	93	1·40
638	Dalserf—			
	(1) Larkhall (incl. Town)	3629	786	2·18
	(2) Dalserf	1247	208	1·66
639	Dalziel (incl. Motherwell)	5438	1227	2·25
640	Dolphington	260	37	1·42
641	Douglas	2490	560	2·25
642	Dunsyre	312	43	1·38
643	East Kilbride	4064	722	1·77
644	GLASGOW—			
	(1) Central District	49678	18230	3·66
	(2) High	48119	19884	4·13
	(3) Bridgeton	45485	12406	2·72
	(4) Calton	36625	11471	3·13
	(5) Clyde	29975	10180	3·39
	(6) Blythswood	28697	5562	1·93
	(7) Milton	33360	8933	2·67
	(8) Anderston	40945	10436	2·54
	(9) Tradeston	38600	10381	2·68
	(10) Hutchesontown	44019	12348	2·80
645	Glassford	1938	389	2·01
646	Govan—			
	(1) Govan (incl. Town)	13725	3380	2·47
	(2) Partick (including Town)	14859	3526	2·36
647	HAMILTON (including Burgh)	14047	3114	2·21
648	LANARK (incl. Burgh)	7891	1771	2·24
649	Lesmahagow	9266	1659	1·79
650	Libberton	836	106	1·27
651	New Monkland—			
	(1) AIRDRIE	12922	3194	2·47
	(2) Landward	7632	1797	2·35
652	Old Monkland—			
	(1) Western District	6932	1612	2·32
	(2) Middle District (including Coatbridge)	15303	3736	2·44
	(3) Eastern District (incl. Calderbank)	7308	1436	1·96
653	Pettinain	407	64	1·57
654	RUTHERGLEN (including Burgh)	9335	2261	2·42
655	Shotts (part of)	*c.* 4778	1101	2·30
656	Stonehouse (incl. Town)	3267	595	1·82
657	Symington	528	90	1·70
658	Walston	480	82	1·71
659	Wandell and Lamington	380	58	1·53
660	Wiston and Roberton	786	104	1·32
	VII. SOUTH-EASTERN DIVISION.			
	24. Linlithgow.			
661	Abercorn	965	206	2·13
662	Bathgate (incl. Town and Armadale)	10134	2233	2·20
663	Borrowstounness (including Town)	5698	1156	2·03
664	Carriden	1821	340	1·87
665	Dalmeny	804	126	1·57
666	Ecclesmachen	309	31	1·00
667	Kirkliston	1907	328	1·72
668	LINLITHGOW—			
	(1) Burgh	3843	855	2·22
	(2) Landward	1941	381	1·96
669	Livingstone	1366	239	1·75
670	QUEENSFERRY (including Burgh)	1391	307	2·20
671	Torphichen	1848	299	1·62
672	Uphall	1507	245	1·62
673	Whitburn	5511	929	1·68
	25. Edinburgh.			
674	Borthwick	1742	291	1·67
675	Carrington	681	61	0·89
676	Cockpen	2902	543	1·87
677	Colinton	2656	457	1·72
678	Corstorphine	1579	293	1·85
679	Cramond	2695	469	1·74
680	Cranston	1035	179	1·73
681	Crichton	1304	261	2·00
682	Currie	2248	390	1·74
683	Dalkeith (incl. Town)	7114	1629	2·29
684	Duddingstone—			
	(1) PORTOBELLO	4366	868	1·98
	(2) Landward	857	138	1·60
685	EDINBURGH	170444	43119	2·53
686	Fala and Soutra	382	66	1·73
687	Glencross	1217	141	1·16
688	Heriot	407	55	1·35
689	Inveresk (including MUSSELBURGH)	9518	2471	2·59
690	Kirknewton and East-Calder	1549	258	1·66
691	Lasswade	5688	1075	1·89
692	LEITH—			
	(1) North Leith	11562	2377	2·05
	(2) South Leith	24467	6107	2·49
693	Liberton	3510	714	2·03
694	Mid-Calder	1389	210	1·51
695	Newbattle	2837	517	1·82
696	Newton	1553	262	1·69
697	Penicuick	3249	564	1·73
698	Ratho	1659	275	1·65
699	Stow	2171	271	1·25
700	Temple	1385	250	1·80
701	West-Calder	1927	379	1·97
	26. Haddington.			
702	Aberlady	1019	168	1·65
703	Athelstaneford	902	136	1·51
704	Bolton	332	54	1·63
705	Dirleton	1540	231	1·50
706	DUNBAR (incl. Burgh)	4944	930	1·88
707	Garvald	891	111	1·25
708	Gladsmuir	1945	341	1·75
709	HADDINGTON (including Burgh)	5548	1200	2·16
710	Humbie	997	123	1·23
711	Innerwick	937	129	1·38

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
712	Morham	281	40	1·42
713	NORTH BERWICK (including Burgh)	2071	327	1·58
714	Oldhamstocks	615	85	1·38
715	Ormiston	915	156	1·70
716	Pencaitland	1187	247	2·08
717	Prestonkirk	1960	330	1·68
718	Prestonpans	2080	451	2·16
719	Salton	712	94	1·32
720	Spott	555	91	1·64
721	Stenton	692	103	1·49
722	TRANENT (incl. Town)	4647	1014	2·18
723	Whitekirk and Tynninghame	1113	179	1·61
724	Whittinghame	710	88	1·24
725	Yester (or Gifford)	1033	160	1·55
	27. BERWICK.			
726	Abbey St Bathans	179	10	0·56
727	Ayton	2014	370	1·83
728	Bunkle and Preston	756	83	1·10
729	Channelkirk	671	103	1·53
730	Chirnside	1502	238	1·58
731	Cockburnspath	1194	158	1·32
732	Coldingham	3241	532	1·64
733	Coldstream	2823	567	2·01
734	Cranshaws	134	10	0·74
735	DUNSE (including Town)	3595	690	1·92
736	Earlston	1825	296	1·62
737	Eccles	1861	264	1·42
738	Edrom	1592	189	1·18
739	Eyemouth	1804	347	1·92
740	Fogo	559	58	1·04
741	Foulden	431	54	1·25
742	Gordon	931	123	1·32
743	Greenlaw	1370	236	1·72
744	Hume	420	47	1·12
745	Hutton	1067	147	1·38
746	Ladykirk	564	95	1·68
747	Langton	502	73	1·45
748	LAUDER (incl. Burgh)	2198	379	1·72
749	Legerwood	599	79	1·32
750	Longformacus	448	60	1·34
751	Merton	729	90	1·23
752	Mordington	377	59	1·59
753	Nenthorn	461	52	1·13
754	Polwarth	251	33	1·31
755	Swinton	964	171	1·77
756	Westruther	786	115	1·46
757	Whitsome	640	95	1·48
	28. PEEBLES.			
758	Broughton	297	31	1·04
759	Drumelzier	209	34	1·62
760	Eddlestone	753	99	1·31
761	Glenholm	198	21	1·06
762	Innerleithen	1823	274	1·41
763	Kilbucho	228	33	1·44
764	Kirkurd	362	59	1·63
765	Lyne, etc.—			
	(1) Lyne	81	11	1·36
	(2) Megget	53	3	0·56
766	Manor	247	34	1·37
767	Newlands	987	151	1·53
768	PEEBLES (incl. Burgh)	2850	599	2·06
769	Skirling	317	40	1·26
770	Stobo	478	60	1·25
771	Traquair	687	80	1·16
772	Tweedsmuir	196	22	1·12
773	West Linton	1534	329	2·14
	29. SELKIRK.			
774	Ettrick	454	47	1·03
775	GALASHIELS (including part of Town)	3379	666	1·97
776	Kirkhope	555	73	1·31
777	Roberton	640	96	1·50
778	SELKIRK (incl. Burgh)	4739	805	1·69
779	Yarrow	643	80	1·24
	VII. SOUTHERN DIVISION.			
	30. ROXBURGH.			
780	Ancrum	1511	227	1·50
781	Ashkirk	578	68	1·18
782	Bedrule	222	30	1·35
783	Bowden	864	160	1·85
784	Castleton	3688	480	1·30
785	Cavers	1824	269	1·47
786	Crailing	673	90	1·33
a787	Eckford	957	125	1·30
b787	Edgerston*	359	45	1·39
788	Ednam	599	75	1·25
789	HAWICK (including part of Town)	8726	2239	2·56
790	Hobkirk	771	115	1·49
791	Hownam	289	29	1·00
792	JEDBURGH (including Burgh)	5011	942	1·88
793	KELSO (including Town)	5192	1093	2·10
794	Kirkton	421	53	1·26
795	Lilliesleaf	772	108	1·40
796	Linton	608	60	0·99
797	Makerston	380	51	1·34
798	Maxton	497	74	1·49
799	Melrose—			
	(1) Melrose	3557	670	1·88
	(2) Ladhope (including part of GALASHIELS)	4154	834	2·01
800	Minto	430	47	1·09
801	Morebattle	1031	148	1·43
802	Oxnam	592	77	1·30
803	Roxburgh	1178	194	1·64
804	St Boswells	865	146	1·69
805	Smailholm	554	92	1·66
806	Southdean	687	66	0·96
807	Sprouston	1305	200	1·53
808	Stitchel	425	40	0·94
809	Teviothead	438	54	1·23
810	WILTON (incl. Town and part of HAWICK)	3357	709	2·11
811	Yetholm	1207	240	1·99

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
	31. DUMFRIES.			
812	ANNAN (including part of Burgh)	5113	1101	2·15
*a*813	Applegarth	935	136	1·45
*b*813	Brydekirk (incl. part of ANNAN)*	779	140	2·00
814	Canonbie	3219	558	1·73
815	Carlaverock	1248	213	1·71
816	Closeburn	1651	239	1·44
817	Cummertrees	1184	223	1·88
818	Dalton	679	96	1·41
819	Dornock	856	144	1·68
820	Dryfesdale	2509	514	2·05
821	DUMFRIES (including part of Burgh)	13523	3692	2·73
822	Dunscore	1554	236	1·52
823	Durrisdeer	1320	196	1·48
824	Eskdalemuir	590	83	1·41
825	Ewes	356	54	1·52
826	Glencairn	1867	406	2·17
827	Graitney (or Gretna)	1620	315	1·94
828	Halfmorton	713	90	1·26
829	Hoddam	1568	293	1·87
830	Holywood	1115	188	1·68
831	Hutton	876	104	1·18
832	Johnstone	1149	178	1·55
833	Keir	849	150	1·77
834	Kirkconnel	996	162	1·63
835	Kirkmahoe	1462	293	2·00
836	Kirkmichael	1026	136	1·32
837	Kirkpatrick-Fleming	1925	343	1·78
838	Kirkpatrick-Juxta	1025	154	1·50
839	Langholm	2979	752	2·52
840	LOCHMABEN (including Burgh)	3087	674	2·17
841	Middlebie	2004	341	1·70
842	Moffat	2232	444	1·98
843	Morton	2253	487	2·16
844	Mousewald	633	102	1·61
845	Penpont	1326	249	1·88
846	Ruthwell	1046	164	1·57
847	St Mungo	686	84	1·22
848	SANQUHAR (including Burgh)	2758	566	2·05
849	Tinwald	1079	174	1·61
850	Torthorwald	1254	254	2·02
851	Tundergarth	507	83	1·63
852	Tynron	446	77	1·72
*a*853	Wamphray	559	87	1·54
*b*853	Wanlockhead*	811	129	1·77
854	Westerkirk	537	86	1·60
	32. KIRKCUDBRIGHT.			
855	Anwoth	899	143	1·59
856	Balmaclellan	890	159	1·79
*a*857	Balmaghie	1225	208	1·70
*b*887	Bargrennan	*c.* 500	?	?
858	Borgue	1162	142	1·22
859	Buittle	1165	159	1·36
860	Carsphairn	553	97	1·75
861	Colvend	1366	181	1·32
862	Corsock Bridge	544	71	1·30
863	Crossmichal	1536	300	1·95
864	Dalbeattie	2054	455	2·21
865	Dalry	1149	204	1·77
866	Girthon	1702	300	1·76
867	Irongray	913	138	1·51
868	Kells (including NEW GALLOWAY)	1170	183	1·56
869	Kelton	3436	685	1·99
870	Kirkbean	942	127	1 35
871	KIRKCUDBRIGHT (including Burgh)	3407	812	2·38
872	Kirkgunzeon	793	121	1·53
873	Kirkmabreck	1851	361	1·95
874	Kirkpatrick-Durham	1323	271	1·29
875	Lochrutton	677	123	1·82
876	Minnigaff	*c.* 1554	293	1·88
877	New Abbey	1063	191	1·80
878	Parton	572	75	1·31
879	Rerrick	1738	297	1·71
880	Terregles (incl. part of DUMFRIES)	580	86	1·48
881	Tongland	892	147	1·65
882	Troqueer (incl. part of DUMFRIES)*	4743	1032	2·42
883	Tynholm	815	123	1·51
884	Urr	1531	267	1·74
	33. WIGTOWN.			
885	Glasserton	1472	190	1·29
886	Inch	2460	357	1·45
887	Kirkcolm	1860	304	1·63
888	Kirkcowan	1434	287	2·00
889	Kirkinner	1716	260	1·51
890	Kirkmaiden	2333	387	1·65
891	Leswalt	1417	206	1·45
892	Mochrum	2694	472	1·75
893	New Luce	731	106	1·45
894	Old Luce (or Glenluce)	2800	477	1·70
895	Penninghame (incl. NEWTON-STEWART)	*c.* 3811	768	2·01
896	Portpatrick	2189	362	1·65
897	Sorbie	1814	313	1·72
898	Stoneykirk	3228	493	1·49
899	STRANRAER (including Burgh)	6315	1588	2·51
900	WHITHORN (including Burgh)	2934	586	1 99
901	WIGTOWN (including Burgh)	2637	511	1·93

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286

* The actual number of Districts is 1018—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718
Queensferry, 670

Rafford, . 140
Raasay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Ruthergien, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrews (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys . 282
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660
Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811

EDINBURGH : PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

PUBLIC RECORD OFFICE

FIRST ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

MARRIAGES, BIRTHS, AND DEATHS IN IRELAND.

1864.

Presented to both Houses of Parliament by Command of Her Majesty.

DUBLIN:
PRINTED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET,
FOR HER MAJESTY'S STATIONERY OFFICE.

1869.

4137

CONTENTS.

REPORT:—

Page

Preliminary Measures taken to carry out the provisions of the Acts for the Registration of Births, Deaths, and Marriages in Ireland, ... 5–8

Population, Marriages, Births, Deaths, and Emigration in 1864, ... 8

Marriages—their Number and Proportion to the Population, ... 8

Minors, Widowers and Widows, and Signatures to Marriage Registers, . . . 8–9

Ages of Persons Married, ... 9

Proportional Number (1) of Marriages, (2) of Persons Married who wrote their Names in the Registers, (3) of Persons not of Full Age, and (4) of Re-marriages, in each Registration Division in 1864. (Table I.), ... 9

Marriages (1) of Roman Catholics, (2) of Protestants, and the total Number registered in each Quarter of the Year, ... 9–10

Marriages of Protestants from 1845 to 1864, celebrated *according* and *not according* to the Rites of the Established Church. (Table II.), ... 10

Buildings registered for the Solemnization of Protestant Marriages. (Table III.), . 10–13

Marriages by Registrars' Licence, and by Presbyterian Ministers' Licence, . . . 13

Births registered in 1864, ... 14

Deaths registered in 1864, ... 14–15

Emigration from each Province during the year 1864, ... 15

Meteorological Observations, ... 15–16

Remarks on Defective Registration, ... 16–17

Compulsory Vaccination, ... 17

Summary of the Quarterly Reports, 1864:

First Quarter, ending March 31st, ... 18–21

Second Quarter, ending June 30th, ... 21–26

Third Quarter, ending September 30th, ... 27–32

Fourth Quarter, ending December 31st, ... 32–38

Table of Meteorological Observations for the year 1864, ... 39

Estimated Population of Ireland from 1801 to 1864, ... 40

ABSTRACTS:—

Marriages registered in Ireland in each of the Divisions and Superintendent Registrars' Districts, also in each Province and County, in 1864, distinguishing Roman Catholic from Protestant Marriages, and giving the Total Number registered in each Quarter of the Year; the Conjugal Condition of Persons Married; the Number of Minors, and of those who signed the Registers by Marks, ... 42–51

Ages of 25,164 Persons married in 1864, distinguishing those of Bachelors, Spinsters, Widowers, and Widows, ... 52–53

Marriages, Births, and Deaths registered in each of the Divisions and Superintendent Registrars' Districts, and in each Province and County in 1864; also Births and Deaths, and Excess of Births over Deaths in each of the Registrars' Districts of Ireland, distinguishing the Sexes and Illegitimate Births throughout, ... 54–77

Births registered in the Divisions and Superintendent Registrars' Districts, and in the Provinces and Counties (distinguishing Males and Females) in each of the Four Quarters of 1864, ... 80–89

Deaths registered in each of the Four Quarters of 1864 (distinguishing Males and Females), in Divisions and Superintendent Registrars' Districts, also in Provinces and Counties, 90–99

Deaths of Males and Females at different Ages registered in 1864, in Divisions and Superintendent Registrars' Districts, also in Provinces and Counties, ... 100–107

Causes of Death of Males and Females in Ireland, at different periods of life, in 1864, . 108–115

Supplementary Table of Causes of Death of Males and Females, at different periods of life, in 1864, ... 116–119

Causes of Death of Males and Females in Ireland, and in each of the Divisions in 1864, . 120–127

Page

Deaths from several Zymotic and other Causes in 1864, in the Divisions and Superintendent Registrars' Districts, and in the Provinces and Counties, . . . 128–131

APPENDIX.

Letter to the Registrar-General on the Causes of Death in Ireland in 1864, from William M. Burke, Esq., F.C.P.I., ... 135–138

A.—Circular Letter from the Registrar-General to the Magistracy, Clergy, Editors of Papers, and others requesting their co-operation in carrying out the provisions of the Registration Acts; also Copy of a Notice enclosed therein, stating the Acts required to be done for the purpose of registering Births, Deaths, and Marriages, ... 139–144

B.—Notice to Captains and Commanding Officers of British Vessels, regarding Registry of Births and Deaths at Sea, ... 144–145

C.—General Specification for a Register Office and Strong Closet, ... 146

D.—General Rule respecting the Qualifications of Superintendent Registrars of Births, Deaths, and Marriages, ... 146–147

E.—General Rule respecting the Qualifications of Registrars of Births, Deaths, and Marriages, 147–148

F.—Circular Letter from the Registrar-General to the Chairman and Board of Guardians of each Union in Ireland, enclosing Copies of Circulars to the Clerk of each Union, and to the Medical Officer of each Dispensary District, requesting them to state whether they intended to accept the Office of Superintendent Registrar, and of Registrar of Births, Deaths, and Marriages, respectively; also enclosing Copies of the General Rules, and soliciting their aid and co-operation in carrying out the provisions of the Registration Acts, ... 148–149

G.—Circular Letter from the Registrar-General to the Registrars of Births, Deaths, and Marriages, directing them to furnish blank Forms of Certificate of Marriage to those Parish Priests who should make application for them, ... 149

Index of Superintendent Registrars' Districts, and of Registrars' Districts, . . . 150–156

REPORT

TO

His Excellency JOHN POYNTZ, EARL SPENCER, K.G., &c., &c.,

Lord Lieutenant-General and General Governor of Ireland.

MAY IT PLEASE YOUR EXCELLENCY,—

As directed by the provisions of the 26 Vic., cap. 11, sec. 49; the 26 & 27 Vic., cap. 90, sec. 16; and the 7 & 8 Vic., cap. 81, sec. 56, I have the honour to transmit to your Excellency, in order that the same may be laid before Parliament, General Abstracts relating to the Births, Deaths, and Marriages registered in Ireland during the year 1864, being my first Report under the Acts for the Registration of Births, Deaths, and Roman Catholic Marriages, and my fifteenth Report under the 7 & 8 Vic., cap. 81, for the Registration of Protestant Marriages of every denomination.

A General Abstract of the number of Births, Deaths, and Marriages, registered in the year 1864, was presented to Parliament in the Session of 1865, in accordance with the Acts referred to. The Report now submitted contains detailed Tables of the ages and condition of persons married, of Births, distinguishing legitimate from illegitimate; and of Deaths, and their causes.

The Acts for the Registration of Births and Deaths, and Roman Catholic Marriages, came into operation on the 1st of January, 1864, but that for the Registration of Protestant Marriages has been in force since the 1st of April, 1845.

In order to give publicity to the requirements of the 26 Vic., cap. 11, and 26 & 27 Vic., cap. 90, it was provided that "a Notice," setting forth the acts required to be done for the purpose of registering Births, Deaths, and Marriages, should be prepared by the Registrar-General, and furnished by him to all Boards of Guardians, for publication throughout the several Poor Law Unions. This notice was prepared and furnished as directed by the Statutes. With a view to increase the publicity to be given to this Notice, I had, with the approval of the Inspector-General of Constabulary, and the Commissioners of Metropolitan Police, copies of it displayed for a considerable period at all the police stations throughout Ireland. I also had the Notice* printed in the form of a pamphlet, and copies sent by Post to every magistrate, to the clergy of all denominations, to medical practitioners, to editors of papers, and to many other persons of influence, who were requested by me to make known to the people in their respective localities, the great importance and advantage of complying with the new enactments, and it is very satisfactory to me to state that my request was very favourably received and generally acted upon.

With the object of having the Births and Deaths of the military carefully registered, the Deputy Adjutant-General was furnished with a sufficient supply of these Notices for use at the several stations of the army serving in Ireland. To secure the Registration of Births and Deaths of the Irish occurring at sea, I communicated with the Lords

* A copy of the Notice is given at page 139.

of the Admiralty on the subject, furnishing copies of a special notice* for distribution to the captains and other persons in command or in charge of British vessels, which notices their Lordships were so good as to cause to be distributed and published in such manner as to them seemed best for carrying out the law. I was also assisted by the Commissioners of Customs in this matter.

For the purposes of Registration, the country has been divided under the Act, into Superintendent Registrars' Districts—co-extensive with the well defined boundaries of the Poor Law Unions—and into Registrars' Districts —co-extensive with the Dispensary Districts formed under the Medical Charities Act. These districts the Registrar-General, with the approval of the Lord Lieutenant, has the power of altering should it be found necessary.

The Clerks of Poor Law Unions, in virtue of their office, may become the Superintendent Registrars, and the Medical Officers of Dispensary Districts the Registrars of Births, Deaths and Marriages. These officers hold their appointments during the pleasure of the Registrar-General. The number of Superintendent Registrars' Districts in 1864 was 163, and of Registrars' Districts, 770. In some cases two or more medical officers were acting in one Dispensary District. In these Districts, with a few exceptions, a portion of the District was allotted for registration purposes to each of the medical officers. One District (Ballinrobe) was formed into two, the new District being called "Cappaghduff." This division became necessary for the convenience of the inhabitants, who would otherwise have had to travel a considerable distance to register the Births and Deaths occurring in their families, owing to the original District being intersected by a large lake.

Although there were 770 Districts there were only 756 Registrars. In 20 instances one medical officer had charge of two adjoining Districts. 698 of the Medical officers of Dispensaries accepted the office of Registrar of Births, Deaths and Marriages, and 6 that of Registrar of Births and Deaths only. 26 Registrars of Births, Deaths and Marriages, and 6 Registrars of Marriages were appointed by the Guardians on the refusal of the Medical Officers of the Dispensary Districts to act as Registrars. Of the 32 Registrars appointed by the Guardians, 4 belonged to the Medical profession; 8 were Relieving Officers, 1 was a Poor-rate Collector, 5 were farmers, 4 were in trade; 2 were described as teachers; 6 were returned as clerks, agents, or other occupations; and 2 were stated to have had no occupation.

With a view to the safe custody of the Registers when filled, the 26 Vic., cap. 11, sec. 20, enacted that the Guardians of each Union should provide and uphold, out of the Rates, a Register Office according to a plan to be approved of by the Registrar-General, which Register Office might be made in some part of the existing Poorhouse. To carry out this provision I placed myself in communication with the Poor Law Commissioners, in order that a general plan for an office might be prepared "which, while the principal requirements should, as far as possible, be uniform in all, such modifications might be admitted in detail as the peculiarities of structure of the several workhouses, or other circumstances, might render necessary." Accordingly a plan and specification† were obligingly prepared by the Commissioners, and approved of by me, the general features of the plan requiring that the Register Office should be isolated from the rest of the Workhouse buildings, and that it should consist of two rooms, one to be used by the

* For copy of this notice, see page 144.

† For copy of the general specification, see page 146.

public, the other as a fireproof Strong Closet, shelved for the reception of the Registers and Indexes. A plan and specification of each office, having the features of this general plan, were then either prepared or sanctioned by the Commissioners.

As soon as each plan had been approved of by me, the Poor Law Commissioners required the Guardians of the Union to provide the office in accordance therewith, so that within a reasonable time Register Offices were provided in every Union in Ireland, except one—Cahersiveen—in which Union the Workhouse is a considerable distance from the town, rendering it more convenient to the public that the office should, for the present, be held in the town in a place provided by the Guardians, the Registers being kept in an iron box, until a suitable site for a Register Office can be procured.

The Registers of Births, Deaths and Marriages in the custody of the District Registrars are preserved in iron boxes furnished to them under the provisions of the Act, so that due precautions have been taken for the safety of these important records whilst in the hands of the Registrars, as also after they come into the custody of the Superintendent Registrars.

Register Books, printed forms, ink, and other requisites, were furnished to the Superintendent Registrars and Registrars some time before the Acts came into operation, to enable these officers to be fully prepared to discharge their duties. Coroners have also been supplied with printed forms of Certificate of Finding of Jury, to enable them to return, in a uniform manner, for insertion in the Registers, the particulars relating to the deaths of persons upon whom inquests are held.

In order to secure uniformity in the registry of the causes of death, I furnished to each Registrar and medical practitioner in Ireland a copy of Dr. Farr's Nosology, at present used in connexion with the Registration of deaths in England and Wales; and, with a view to procure the co-operation of the medical profession throughout the country, I communicated with the Presidents of the King and Queen's College of Physicians, and of the Royal College of Surgeons, also with the Governor of the Apothecaries' Hall of Ireland, soliciting their assistance, and I am happy to state that I received assurances on the part of each of these bodies of their willingness to aid me in attaining accurate and uniform returns of the causes of death.

For public information and guidance, each Registrar has been required by the Act to affix on some conspicuous place, on or near the outer door of his known place of business (generally the Dispensary of the district), a notice setting forth the district for which he acts as Registrar, his name and that of his deputy, and the days and hours during which he will attend at such place on Registration business. Each Superintendent Registrar has been required to place a like notice on or near the outer door of his office. I have also, as directed by the Statute, caused every Superintendent Registrar to publish extensively in his district a list of the names, places of abode, and the known places of business, of every Registrar of Births, Deaths, and Marriages under his superintendence, and also his own name and place of business.

With respect to Roman Catholic Marriages, the 26 & 27 Vic., cap. 90 directs that parties about to contract marriage shall produce to the clergyman celebrating the marriage a certificate, to be procured by the husband from the Registrar, and filled up, as far as possible by that officer with the particulars required to be registered, which certificate the

parties married, the witnesses, and the officiating clergymanare required to sign. When so filled up the certificate is to be returned within three days to the Registrar by the husband, under a penalty of ten pounds.

With a view to facilitate the registration of marriages under the Act referred to, I, at the special request of several dignitaries of the Roman Catholic Church, and with the approval of the Law Officers of the Crown —(who at that time were the Right Hon. Thomas O'Hagan, M.P., and James A. Lawson, esq., Q.C.)—instructed the District Registrars to furnish each parish priest, who should apply for them, with blank forms of certificate to be duly filled, signed, and forwarded to the Registrar on the occasion of a marriage, thus saving the husband the trouble and inconvenience of procuring from the Registrar a form of certificate *previous* to his marriage, as required by the Statute.* I also furnished the Roman Catholic clergymen in Ireland with copies of the Act relating to the Registration of marriages celebrated by them, in order that the requirements of the law might be known to them previous to the Act coming into operation.

GENERAL SUMMARY.

The *estimated* population in the middle of 1864 was 5,675,307; the number of persons whose marriages were registered, 54,812; of marriages, 27,406; of children born alive, whose births were registered, 136,414; of deaths registered, 93,144. The emigrants from Ireland during the year amounted to 114,169.

MARRIAGES.

The marriages of 27,406 men and 27,406 women were registered during 1864; being in the proportion of 0·48 marriages to every 100 persons, or of 1 marriage to every 207 persons, of the *estimated* population.

1,032 men and 4,976 women contracted marriage before they had attained their twenty-first year. The proportion of males married under age was 3·77; of females, 18·16 per cent. The proportions in England and Wales in 1864 were—males, 6·62, and females, 20·09 per cent. In Scotland the proportions were 7·46 males and 21·99 per cent. females.

Of widowers, 2,941 were re-married, and of widows, 1,556; the proportion being 10·73 per cent. of widowers, and 5·68 per cent. of widows, to the total marriages. The like proportions in England and Wales were 13·84 widowers, and 9·07 per cent. widows. In Scotland the proportions were, widowers, 11·38 and widows, 5·02 per cent.

According to the provisions of the Registration Acts, every registry of a marriage is required to be signed by the parties married, two witnesses, and the officiating clergyman. A test of the elementary education of the persons contracting marriage is thus afforded by comparing the number who write their names in the registers, with the number who only make a mark. Of 54,812 persons married, 24,352 (10,574 men and 13,778 women) signed the register with marks; this is in the proportion of 44·4 per cent., or 1 in every 2·59 of the males, and 1 in every 1·99 of the females married.

* For copy of Circular issued on this subject, see page 149.

The like rates in England and Wales for the same year were 1 in 4·3 males, and 1 in 3·09 females; and in Scotland 1 in 8·72 males and 1 in 4·19 females.

The marriage registers contain a column in which the age of each of the persons married is required to be inserted; but as it is sufficient to state whether the parties are "of full age" or "minors," the precise age at marriage is not generally inserted in the entries. The exact ages of both parties were specified in 12,582 instances. Of these 11,291 were bachelors and 11,913 spinsters. 1,291 were widowers and 669 widows. The largest number of wives were married between 21 and 30—the number being 7,550, or more than one-half of the whole number whose ages are recorded. The largest number of husbands—7,770—is also found to have been married between 21 and 30 years of age.

Three hundred and forty-nine bachelors were married to widows, both of whose ages at the time of marriage are recorded. Of these 191 of the widows and 165 of the bachelors married between 25 and 35 years of age. Of 971 widowers who married spinsters, 475 of the latter were between 25 and 35 years of age; whilst the largest number of the widowers on their re-marriages ranged chiefly between 30 and 45.

Of widowers and widows married, whose ages at the time of marriage are stated, there were 320 couples. Of these the largest number of widows appears to have been between 40 and 50, and of widowers between 45 and 55. Sixteen widowers and four widows were married when they were above 70 years old.

The proportion per cent. of marriages to the estimated population, and of persons married who wrote their names in the registers; also of minors, widowers, and widows, for the several registration divisions are given in the following table:—

TABLE I.—*The Proportional Number of Marriages in the Eight Divisions of Ireland during the year* 1864, *of Persons who Signed their Names, of Persons not of Full Age, and of Re-marriages.*

Registration Divisions.		Marriages to 100 of the Estimated Population in 1864.	Signed their Names in Writing.		Persons not of Full Age.		Re-marriages.	
							Widowers.	Widows.
			Of 100 Men Married.	Of 100 Women Married.	Of 100 Men Married.	Of 100 Women Married.	Of 100 Men Married.	Of 100 Women Married.
No.	Ireland.	·483	61·4	49·7	3·77	18·16	10·73	5·68
1	North-Eastern Division,	·572	64·6	49·8	4·00	14·81	10·90	4·42
2	North-Western, „	·405	53·5	41·7	4·87	20·67	10·18	4·17
3	Eastern, . . „	·602	73·0	63·3	3·89	16·54	10·91	7·22
4	North Midland, „	·364	66·3	54·7	3·41	19·46	10·24	4·88
5	South Midland, „	·406	63·8	53·1	2·59	15·73	10·89	5·96
6	Western, . „	·397	49·7	41·5	2·81	24·09	10·03	5·90
7	South-Eastern, „	·500	54·8	42·3	3·92	14·89	10·73	5·30
8	South-Western, „	·501	56·8	44·8	4·05	21·63	11·27	6·89

The extent and position of each of these divisions are specified at pages 18 to 20.

Of the total number of marriages registered (27,406) 18,819 were celebrated by Roman Catholic clergymen, and entered in the registers by the Registrars in accordance with the 26th and 27th Vic., cap. 90; and 8,587

marriages were of the Protestant persuasions. Of these 4,761 were in churches and chapels of the Established Church, 2,514 in Presbyterian Meeting-houses, 192 in "Registered Buildings," 1,109 in the Registrars' offices, 10 according to the usages of the Society of Friends; and 1 marriage was of members of the Jewish persuasion. Of the entire number of marriages in 1864 there were contracted in the quarter ending the last day of March, 9,602; of June, 6,023; of September, 5,512; of December, 6,269.

The following table gives a statement showing in continuation of the return in my report for 1863, the number of marriages solemnized in Ireland under the Marriages Act of 1844, distinguishing the mode of celebration:—

TABLE II.—*The Number of Marriages (registered under 7 & 8 Vic., c. 81), in each Year, from 1st April, 1845, to 31st December, 1864, and the Mode in which the Marriages were solemnized.*

Years ended 31st December	Marriages. According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						Total Marriages.
	Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	Total.	In Registered Presbyterian Meeting-houses.	In Registered Buildings.	In the Registrars' Offices.	Society of Friends.	Jews.	Total.	
1845 (9 last months).*	4	2,630	732	40	712	4,118	1,586	39	358	11	2	1,996	6,114
1846, .	5	3,910	992	74	779	5,760	2,712	67	797	8	–	3,584	9,344
1847, .	6	2,897	925	66	427	4,321	1,777	62	772	10	1	2,622	6,943
1848, .	8	3,529	1,257	118	401	5,313	2,313	87	1,320	14	1	3,735	9,048
1849, .	2	3,572	1,384	108	258	5,324	2,440	67	1,647	13	2	4,169	9,493
1850, .	1	3,710	1,431	108	137	5,387	2,504	85	1,789	16	–	4,394	9,781
1851, .	4	3,719	1,341	64	73	5,201	2,517	80	1,527	13	1	4,138	9,339
1852, .	4	3,946	1,312	39	64	5,365	2,547	92	1,475	8	–	4,122	9,487
1853, .	6	4,173	1,260	47	76	5,562	2,890	100	1,626	19	–	4,635	10,197
1854, .	8	4,095	1,015	25	45	5,188	2,701	77	1,447	11	2	4,238	9,426
1855, .	6	3,867	1,002	20	27	4,922	2,435	79	1,316	12	1	3,843	8,765
1856, .	11	4,224	1,025	23	36	5,319	2,551	83	1,580	12	2	4,228	9,547
1857, .	7	4,271	1,019	16	30	5,343	2,847	75	1,660	15	–	4,597	9,940
1858, .	12	3,887	1,009	9	24	4,941	2,477	86	1,444	11	1	4,019	8,960
1859, .	7	3,974	972	13	13	4,979	2,686	90	1,498	7	1	4,282	9,261
1860, .	4	3,942	967	13	30	4,956	2,680	109	1,427	11	2	4,229	9,185
1861, .	6	3,749	990	14	20	4,779	2,621	95	1,403	11	2	4,132	8,911
1862, .	12	3,551	967	17	17	4,564	2,489	79	1,287	8	3	3,866	8,430
1863, .	13	3,443	1,023	14	21	4,514	2,362	101	1,200	11	–	3,674	8,188
1864, .	16	3,662	1,058	12	13	4,761	2,514	192	1,109	10	1	3,826	8,587

There is not any return made to me of the places of worship belonging to Roman Catholics in which marriages are celebrated; but under the 7th & 8th Vic., cap. 81, I am enabled to state as regards other religious persuasions, that there were 1,451 Churches and Chapels of the Established Church, 573 registered Presbyterian Meeting-houses, and 188 Registered Buildings belonging to various denominations, in which marriages might lawfully be solemnized, on the 31st December, 1864. During the year 1864

* The 7 & 8 Vic., c. 81, came into operation 1st April, 1845.

there was an increase of ten in the number of such places in the Established Church; of 10 in the Presbyterian Church, and of 15 in other religious communities. The "Registered Buildings" belong to the following denominations:—

Denominations.	Number of Places of Worship.
Wesleyan Methodists,	96
Reformed Presbyterians,	33
Independents,	21
Baptists,	11
Seceders,	9
United Presbyterians,	5
Moravians or United Brethren,	5
Methodists New Connexion,	5
Church Methodists,	1
Covenanters,	1
Evangelical Union,	1
Total,	188

The following Table shows by Divisions and Registrars' Districts the number of places of worship in which marriages (under the 7 & 8 Vic., cap. 81) may be solemnized in each District or Union, distinguishing the religious denominations:—

TABLE III.—*The Number of Churches and Chapels of the Established Church, of Registered Presbyterian Meeting Houses, and of Registered Buildings, by Divisions and Registrars' Districts:—*

Registrars' Districts.	Churches and Chapels of the Established Church.	Registered Presbyterian Meeting-houses (sec. 7).	Registered Buildings (sec. 27).	Total.	Registrars' Districts.	Churches and Chapels of the Established Church.	Registered Presbyterian Meeting-houses (sec. 7).	Registered Buildings (sec. 27).	Total.
I.—North Eastern Division.					**II.—North Western Division.**				
Antrim,	8	24	3	35	Ballyshannon,	8	1	1	10
Armagh,	21	21	4	46	Castlederg,	4	3	1	8
Ballycastle,	8	6	1	15	Donegal,	8	2	4	14
Ballymena,	9	22	5	36	Dunfanaghy,	5	1	.	6
Ballymoney,	8	20	6	34	Enniskillen,	14	3	1	18
Banbridge,	13	25	6	44	Glenties,	8	.	1	9
Belfast,	17	36	12	65					
Castleblayney,	6	14	2	22					
Coleraine,	14	20	5	39	Gortin,	2	5	.	7
Cookstown,	8	11	3	22	Inishowen,	9	6	.	15
Downpatrick,	23	22	3	48	Irvinestown,	6	2	1	9
Dungannon,	13	13	4	30	Letterkenny,	5	5	1	11
					Londonderry,	13	18	5	36
Kilkeel,	5	5	2	12	Manorhamilton,	8	1	1	10
Larne,	10	17	7	34					
Lisburn,	16	23	7	46					
Lurgan,	12	9	5	26					
Magherafelt,	14	14	6	34	Milford,	6	8	2	16
Newry,	16	22	6	44	Omagh,	13	13	1	27
					Sligo,	11	2	3	16
Newtownards,	11	32	9	52	Strabane,	9	21	4	34
Newtownlimavady,	9	14	1	24	Stranorlar,	4	4	1	9

TABLE III.—*continued.*

REGISTRARS' DISTRICTS.	Churches and Chapels of the Established Church.	Registered Presbyterian Meeting-houses (sec. 7).	Registered Buildings (sec. 27).	Total.
III.—Eastern Division.				
Ardee,	12	1	.	13
Bailieborough,	6	4	.	10
Balrothery,	11	.	.	11
Baltinglass,	11	.	.	11
Carrickmacross,	4	1	.	5
Celbridge,	12	.	1	13
Drogheda,	12	1	1	14
Dublin, North,	17	4	4	25
Dublin, South,	23	6	5	34
Dundalk,	12	1	1	14
Dunshaughlin,	11	.	.	11
Gorey,	11	.	1	12
Kells,	9	1	.	10
Naas,	18	1	1	20
Navan,	13	.	.	13
Rathdown,	13	2	2	17
Rathdrum,	12	1	3	16
Shillelagh,	14	.	2	16
Trim,	10	1	.	11
IV.—North Midland Division.				
Athlone,	8	1	2	11
Ballymahon,	8	1	.	9
Bawnboy,	9	.	1	10
Carrick-on-Shannon,	8	.	1	9
Cavan,	17	4	1	22
Clogher,	7	5	1	13
Clones,	6	4	1	11
Cootehill,	11	7	3	21
Delvin,	5	.	.	5
Granard,	9	1	.	10
Lisnaskea,	7	2	1	10
Longford,	10	2	.	12
Mohill,	4	1	.	5
Monaghan,	11	9	1	21
Mullingar,	19	2	.	21
Oldcastle,	9	2	.	11
Roscommon,	7	.	.	7
Strokestown,	4	.	.	4
V.—South Midland Division.				
Abbeyleix,	9	1	.	10
Athy,	14	1	.	15
Borrisokane,	11	.	1	12
Carlow,	23	1	.	24
Cashel,	10	1	.	11
Castlecomer,	3	.	.	3
Donaghmore,	5	.	.	5
Edenderry,	9	.	.	9
Kilkenny,	12	1	1	14
Mountmellick,	12	1	1	14
Nenagh,	12	.	1	13
Parsonstown,	14	1	1	16
Roscrea,	9	.	.	9
Thurles,	10	.	.	10
Tipperary,	12	1	.	13
Tullamore,	11	1	2	14
Urlingford,	5	.	.	5
VI.—Western Division.				
Ballina,	3	2	2	7
Ballinasloe,	9	1	.	10
Ballinrobe,	6	1	.	7
Ballyvaghan,	1	.	.	1
Belmullet,	2	.	.	2
Boyle,	8	2	.	10
Castlebar,	4	1	1	6
Castlereagh,	6	.	.	6
Claremorris,	3	.	.	3
Clifden,	7	1	1	9
Corrofin,	2	.	.	2
Dromore, West,	6	1	.	7
Ennis,	5	1	.	6
Ennistimon,	3	.	.	3
Galway,	5	1	1	7
Glennamaddy,	2	.	.	2
Gort,	4	.	.	4
Killadysert,	3	.	.	3
Killala,	3	1	.	4
Kilrush,	3	1	.	4
Loughrea,	5	.	.	5
Mountbellew,	3	.	.	3
Newport,	4	1	.	5
Oughterard,	2	.	.	2

TABLE III.—*continued.*

REGISTRARS' DISTRICTS.	Churches and Chapels of the Established Church.	Registered Presbyterian Meeting-houses (sec. 7).	Registered Buildings (sec. 27).	Total.
VI.—Western Division—*continued.*				
Portumna,	3	.	.	3
Scarriff,	5	.	.	5
Swineford,	3	.	.	3
Tobercurry,	4	.	.	4
Tuam,	5	.	.	5
Tulla,	3	.	.	3
Westport,	7	1	1	9
VII.—South-Eastern Division.				
Callan,	9	.	.	9
Carrick-on-Suir,	8	1	.	9
Clogheen,	6	.	.	6
Clonmel,	8	1	.	9
Dungarvan,	3	.	.	3
Enniscorthy,	18	.	1	19
Fermoy,	15	1	1	17
Kilmacthomas,	5	.	.	5
Lismore,	6	1	.	7
Middleton,	17	.	.	17
Mitchelstown,	7	.	.	7
New Ross,	14	1	1	16
Thomastown,	10	.	.	10
Waterford,	14	2	2	18
Wexford,	16	1	1	18
Youghal,	9	.	1	10

REGISTRARS' DISTRICTS.	Churches and Chapels of the Established Church.	Registered Presbyterian Meeting-houses (sec. 7).	Registered Buildings (sec. 27).	Total.
VIII.—South-Western Division.				
Bandon,	14	2	1	17
Bantry,	3	.	.	3
Cahersiveen,	2	.	.	2
Castletown,	2	.	.	2
Clonakilty,	10	1	1	12
Cork,	26	4	3	33
Croom,	8	.	.	8
Dingle,	6	.	.	6
Dunmanway,	5	.	1	6
Glin,	4	.	.	4
Kanturk,	8	.	.	8
Kenmare,	4	.	.	4
Killarney,	8	.	.	8
Kilmallock,	9	.	.	9
Kinsale,	12	.	1	13
Limerick,	19	1	2	22
Listowel,	7	.	.	7
Macroom,	12	.	.	12
Mallow,	11	1	.	12
Millstreet,	1	.	.	1
Newcastle,	5	.	.	5
Rathkeale,	9	.	.	9
Skibbereen,	11	.	1	12
Skull,	5	.	.	5
Tralee,	11	2	1	14
Total,	1,451	573	188	2,212

During the year 1864 there were issued by the Registrars 691 Licences for Marriage in Registered Buildings, and in the Registrars' offices by civil contract.

The number of Marriage Licences issued by the several Presbyterian bodies is given in the following summary :—

Presbytery or Synod.	Number of Licensing Ministers on 31st December, 1864.	Number of Registered Meeting-houses on 31st December, 1864.	Number of Licences issued.
1. General Assembly of the Presbyterian Church in Ireland,	114	532	2,472
2. Remonstrant Synod of Ulster,	8	22	53
3. Presbytery of Antrim,	4	10	32
4. United Presbytery or Synod of Munster,	4	4	–
5. Northern Presbytery of Antrim,	1	5	12
Total,	131	573	2,569

BIRTHS.

The births registered in Ireland during 1864, amounted to 136,414. Of these, 70,075 were males, and 66,339 females, being in the proportion of 105·6 boys to every 100 girls. In England, in the same year, the like number of males to 100 females was 104·2; and in Scotland 104·4.

The rate per cent. of births to the *estimated* population was 2·404. In England the rate was 3·564, and in Scotland 3·634.

There were 5,180 illegitimate births, of which 2,631 were those of males, and 2,549 females. The proportion to the total number of births being 3·8 in every 100. The rate in England was 6·4, and in Scotland 9·9 per cent. The highest rates, 6·2 and 5·1, of illegitimate children in every 100 born, occurred in the North Eastern and South Eastern Divisions respectively.

The following table shows the proportion of legitimate and illegitimate births registered in each of the eight Divisions in 1864.

TABLE IV.—*The Per-centage of Legitimate and Illegitimate Births registered in Ireland during the year* 1864, *by Divisions.*

Divisions.	Proportion per cent. of Legitimate Births.	Illegitimate Births.	Divisions.	Proportion per cent. of Legitimate Births.	Illegitimate Births.
North-Eastern, .	93·8	6·2	South Midland, .	95·7	4·3
North-Western, .	96·4	3·6	Western, . .	98·1	1·9
Eastern, . .	96·6	3·4	South-Eastern, .	94·9	5·1
North Midland, .	97·3	2·7	South Western, .	97·6	2·4

30,179 births were registered during the quarter ended 31st March; 38,715 during that ended 30th June; 33,877 during that ended 30th September; and 33,643 during that ended 31st December.

DEATHS.

The deaths registered in 1864 numbered 93,144, of which 46,346 were males, and 46,798 females, being in the proportion of 1·641 per cent. of the *estimated* population, or in a ratio of 1 registered death to every 61 persons. The proportion in England for the same year was 2·386 per cent., or 1 in 42; and in Scotland 2·386 per cent., or 1 in 42.

The following table shows the per-centage of mortality at different ages:—

TABLE V.—*The Mortality per Cent. at each Age-period, according to the Registration of Deaths in Ireland, during the Year* 1864, *by Sexes.*

Sexes.	Ages.											
	0—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwards
Males, . . .	28·65	4·23	2·32	7·57	6·19	5·78	7·76	11·51	12·30	10·11	2·97	·61
Females, . . .	25·20	4·28	2·37	6·90	6·55	6·03	7·80	11·81	13·74	11·23	3·36	·73
Males and Females, .	26·92	4·25	2·34	7·24	6·37	5·91	7·78	11·66	13·02	10·68	3·16	·67

Of the total persons whose deaths were registered during the year 26·92 in every 100 were children under 5 years old—of these 28·65 per cent. were boys, and 25·20 per cent. girls. 13·69 per cent. of the men, and 15·32 per cent. of the women, whose deaths were registered had passed their 75th year. 61 males and 73 females in every 10,000 of the persons whose deaths were registered were stated in the returns to be over 95 years of age.

EMIGRATION.

During the year 1864 the number of persons who left the ports of Ireland amounted to 114,169; of these 60,692 were males and 53,477 females. Of the whole number 19,790, or 17·3 per cent., were from Leinster; 48,397, or 42·4 per cent., from Munster; 19,853, or 17·4 per cent., from Ulster; and 18,121, or 15·9 per cent., from Connaught: 8,008 persons, or 7·0 per cent., did not state the county or province to which they belonged.

METEOROLOGY.

The following meteorological observations, taken at the Ordnance Survey office,* Phœnix Park, Dublin, during the year 1864, have been furnished by Captain Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.

The mean value of the barometrical readings during the year 1864, was 29·763 inches; for the first quarter it was 29·725 inches, for the second quarter 29·838 inches, for the third 29·804 inches, and for the fourth quarter it was 29·686 inches. The highest reading during the year (30·587 inches) occurred on the 6th November, at 9.30 A.M., the wind at the time blowing from the S.E.; the lowest reading also occurred in November—the instrument on the 13th of that month, at 9.30 P.M., marking only 28·390 inches; the wind blowing from the same point.

The mean temperature of the air for the year was 49·0°; the mean for the first quarter was 40·2°, for the second 53·6°, for the third 57·8°, and for the fourth quarter 44·4°. The maximum registered by the thermometer was 81·4°, which occurred in August; and the minimum reading was 14·8°, registered in January; geraniums, calceolarias, &c., &c., which remained out of doors were killed by the frost on the 4th of this month, up to which date they were fresh and green, and in many cases in bloom; the frost was more intense during this month than it had been since December, 1859. On the afternoon of the 19th March a large yellow butterfly was seen flying about the garden attached to the Ordnance Survey Office, Phœnix Park.

The nights during the latter part of the month of May were unusually cold. On the 21st of August the minimum temperature on grass was 28·7°, nearly 3½ degrees below freezing point; the maximum in the sun's rays was 84·2°, showing a range for the day of 55·5°. During the month of December the temperature on the grass was below 32° on 16 nights, viz., 7th, 8th, 9th, 15th, 16th, 18th, 19th, 20th, 21st, 23rd, 24th, 25th, 26th, 27th, 30th, and 31st.

* Latitude, 53° 21′ 44″·65 North. Longitude, 6° 21′ 6″·35 West. Height above the sea, 158·8 feet.

The rainfall during the year measured only 25·487 inches; of which quantity 5·227 fell during the first quarter, 4·083 during the second, 4·137 during the third, and 12·040 during the last quarter. The greatest rainfall in 24 hours was 1·696 inches, which occurred in October. The wind blew from the east during the year much more frequently than usual, viz., 69 days. It blew on 21 days from N., 31 days from N.E., 21 days from S.E., 23 days from S., 93 days from S.W., 79 days from W., and 24 days from N.W., at 9.30 A.M.*

As regards the working of the measures for the Registration of Births, Deaths, and Marriages in Ireland, judging from the number of each of these events recorded in 1864, I consider that many Births, Deaths, and Marriages have not been registered.

In several instances prosecutions have been resorted to with some advantage; but notwithstanding the exertions made to induce a general compliance with the law throughout the country, numerous cases of neglect to register births and deaths have been reported to me by the District Registrars, but frequently at too late a period after their occurrence to allow of the parties being proceeded against at the Petty Sessions.

I regret to add that the registration of marriages under the 26th & 27th Vic., cap. 90, is not at all satisfactory in some Districts, owing to the Clergy who have celebrated the marriages having declined to sign the necessary certificates.

The marriages solemnized under the provisions of the 7th & 8th Vic., cap. 81, which came into operation in 1845, are, I believe, all registered.

The following are the ratios of Births, Deaths, and Marriages to population in different countries compared with the ratio in Ireland in 1864:—

Countries.	Ratio to Population.		
	Births.	Deaths.	Marriages.
IRELAND,	1 in 42	1 in 61	1 in 207
England,	1 „ 28	1 „ 42	1 „ 116
Scotland,	1 „ 28	1 „ 42	1 „ 137
Sweden,	1 „ 30	1 „ 50	1 „ 145
Prussia (Old Provinces),	1 „ 24	1 „ 38	1 „ 116
Hanover,	1 „ 30	1 „ 44	1 „ 124
Wurtemburg,	1 „ 23	1 „ 31	1 „ —
Hanse Towns: Bremen,	1 „ 28	1 „ 37	1 „ 105
Holland,	1 „ 30	1 „ 42	1 „ 127
France,	1 „ 38	1 „ 44	1 „ 127
Spain,	1 „ 26	1 „ 32	1 „ 127
Austria (exclusive of Hungary),	1 „ 25	1 „ 31	1 „ 121

It will be seen from the foregoing figures, compiled from the Statistical

* Two days each in the months of January and February, and one day in June, were returned as "calm." See the Meteorological Table, page 39.

Tables published by the Board of Trade, how incomplete was Registration in Ireland in 1864, and comparing the number of Births, Deaths, and Marriages recorded in that year with those since annually registered, I regret to state that there appears but little improvement in the subsequent years:—

Registered.	1864.	1865.	1866.	1867.	1868.
Births,	136,414	145,227	146,237	144,318	146,108
Deaths,	93,144	93,738	93,598	93,911	86,803
Marriages,	27,406	30,684	30,151	29,796	27,753

COMPULSORY VACCINATION.

I beg to say that I have supplied the necessary registers and forms to the District Registrars in accordance with the provisions of the Act, 26th and 27th Vic., cap. 52—the operation of which Act has been so very successful under the superintendence of the Poor Law Commissioners.

Following this Report are summaries of the Quarterly Reports issued in 1864, and in the Appendix a letter addressed to me by Dr. Burke, the Superintendent of Medical Statistics, respecting the causes of death—to which I beg to refer.

I am much indebted to the Poor Law Commissioners, and also to the Registrars-General of England and Scotland, for their valuable aid on all occasions when I sought their co-operation and advice regarding the various measures referred to.

I greatly regret that it has not been in my power to submit this Report at an earlier period, but the many difficulties which attend the introduction of new measures, more especially of those so extensive in their provisions and operation as the Registration of the Births, Deaths, and Marriages of a numerous population, will, I hope, in some degree plead my apology for the delay.

I have the honour to be

Your Excellency's

Very faithful servant,

WILLIAM DONNELLY,

Registrar-General.

GENERAL REGISTER OFFICE,

Dublin, 31st March, 1869.

Quarterly Reports.

First Quarter.

SUMMARY OF THE QUARTERLY REPORTS, 1864.

First Quarter—January, February, March.

The Superintendent Registrars' Districts or Unions have, for statistical purposes, been grouped into eight divisions, which may be briefly described as follows:—

No. I. The North-Eastern Division—is situated altogether in the province of Ulster, and contains 20 Unions or Superintendent Registrars' Districts, extending over an area of 2,328,305 statute acres, or 3,638 square miles; its population by the Census in 1861, amounted to 1,124,041, or 309 persons to the square mile.

This division may be topographically described by a line passing southward from Lough Foyle through the Counties of Londonderry, Tyrone, and Armagh, to Lough Bawn, in the County of Monaghan, and thence eastward to Carlingford Lough, the north and east being on the seaboard.

This division comprises the whole of the Counties of Antrim and Down, and portions of the Counties of Londonderry, Tyrone, Armagh, and Monaghan. It contains Belfast and other manufacturing towns.

The number of births registered in this division during the first quarter of the year 1864 amounted to 5,821, being equal to an annual ratio of 1 in 48, estimated on the population of 1861; and the number of deaths registered during the same period amounted to 6,075, being equal to an annual mortality of 1 in every 46 of the population in 1861, varying from 1 in 31 in the Union of Belfast to 1 in 59 in that of Castleblayney.

No. II. The North-Western Division—is bounded on the east by the division last described, from Lough Foyle to a point a little south of Six Mile Cross, in the County of Tyrone, and may be described by a line drawn thence S.W. through the County of Fermanagh to the south of Enniskillen, embracing that portion of the north-west angle of the County of Cavan belonging to the Enniskillen Union, into the County of Leitrim, crossing Lough Allen, thence into the County of Sligo, to a point situated to the southward of the town of Ballymote, and thence extending north to Ballysadare Bay; the remainder of the division is bounded by the sea. It contains Loughs Erne and Derg, and part of Lough Allen, and large portions of it are mountainous.

This division is situated partly in Ulster and partly in Connaught, and includes the entire of the County of Donegal, portions of the Counties of Cavan, Fermanagh, Londonderry, and Tyrone, in the province of Ulster; and parts of Leitrim and Sligo, in the province of Connaught. It contains 17 Superintendent Registrars' Districts or Unions, covering an area of 2,392,501 statute acres, or 3,738 square miles. In 1861 the population amounted to 574,745, or 154 persons to the square mile.

The number of births registered in this division during the quarter ending the 31st March amounted to 2,502, or an annual ratio of 1 in 57 of the population just mentioned. The number of deaths registered was 2,540, affording a similar ratio. The highest rate of mortality was in the Union of Londonderry—it amounted to 1 in 38 of the population in 1861.

No. III. The Eastern Division—is situated in the provinces of Leinster and Ulster; it extends along the Irish Sea and St. George's Channel, from Warrenspoint, in the County of Down, to the south of Cahore Point, in the County of Wexford, stretching inland about 25 miles, and embracing the Counties of Louth, Dublin, and Wicklow, and portions of the Counties of Carlow, Cavan, Kildare, Meath, and Wexford; together with small portions of the Counties of Armagh and Monaghan. It contains 19 Unions or Superintendent Registrars' Districts, and covers an area of 1,993,016 statute acres, or 3,114 square miles; and in 1861 had a population of 829,569, or 266 persons to the square mile.

The number of births registered in this division during the quarter ending March 31st, was 4,269, representing an annual ratio of 1 in 49, estimated on the popula-

tion in 1861. The number of deaths registered during the same period amounted to 4,694, or an annual mortality of 1 in 44, varying from 1 in 36 in the North Dublin and South Dublin Unions, to 1 in 66 in the Union of Rathdrum, and 1 in 67 in that of Kells.

Quarterly Reports.

First Quarter.

No. IV. The North Midland Division—is situated in the provinces of Leinster, Ulster, and Connaught, and extends southward from its junction with the "North-Western" division near Six Mile Cross, in the County of Tyrone, to Tyrrellspass, in the County of Westmeath. Virginia, in the County of Cavan, is situated on its eastern border, and Tulsk, in the County of Roscommon, on its western. It embraces the County of Longford, and portions of the Counties of Cavan, Fermanagh, Leitrim, Meath, Monaghan, Roscommon, and Westmeath; that part of the County of Tyrone included in the Clogher Union, and a very small portion of the County of Galway, situated in the Roscommon Union, and amounting to 4,689 statute acres.

There are 18 Unions or Superintendent Registrars' Districts in this division, extending over an area of 2,019,408 statute acres, or 3,155 square miles; and the population in 1861 was 575,289, or 182 persons to the square mile.

The number of births registered during the quarter amounted to 2,694, being equal to an annual ratio of 1 in 53, calculated on the population of 1861. The number of deaths registered during the same period was 2,455, or an annual mortality of 1 in 59, varying from 1 in 46 in the Union of Athlone to 1 in 70 in that of Oldcastle.

No. V. The South Midland Division—situated in the provinces of Leinster and Munster, extends from the Hill of Down, in the county of Meath, southward to Borris, in the County of Carlow. Its southern boundary may be described by a line drawn thence to New Birmingham, in the County of Tipperary, and from that point south to Fethard, in the same County, thence westward to the northern base of the Galty mountains, and extending thence in a north-westerly direction to Pallasgreen, in the County of Limerick. On the east it is bounded by the "Eastern" division, and on the west by the "Western" and the "South Western" divisions. It embraces the King's and Queen's Counties, and portions of the Counties of Carlow, Kildare, Kilkenny, Limerick, Meath, Tipperary, and Westmeath. It contains 17 Unions or Superintendent Registrars' Districts, occupying an area of 2,361,709 statute acres, or 3,690 square miles; the population, in 1861, was 515,272, or 140 persons to the square mile.

The number of births registered in this division during the quarter ending 31st March amounted to 2,672, or an annual ratio of 1 in 48, estimated on the population in 1861, being similar to the average in the North-Eastern division. The number of deaths registered during the same period was 2,493, affording an annual mortality of 1 in 52, varying from 1 in 39 in the Union of Kilkenny to 1 in 86 in the Union of Borrisokane.

No. VI. The Western Division.—This Division extends southwards from Sligo and Killala Bays to the northern bank of the River Shannon, lying westward of Limerick, the extreme points, north and south, being Benwee Head, in the County of Mayo, and Loop Head, in the County of Clare, a distance in or about 120 miles, which, however, does not represent the extent of seaboard, the western coast being indented by numerous bays and inlets. This division has been extended much more inland than the eastern division, as from its exposure to the Atlantic Ocean, and the prevalence of westerly winds (which blow for nearly three-fourths of the year), the climate must be affected for a considerable distance inland; the Unions situated on the extreme east are Boyle, Castlereagh, Glennamaddy, Mountbellew, Ballinasloe, and Portumna.

This division embraces nearly the whole of the province of Connaught, and almost the whole of the County of Clare, in the province of Munster. It contains 31 Unions or Superintendent Registrars' Districts, covering an area of 4,088,459

Quarterly Reports.

First Quarter.

statute acres, or 6,388 square miles; and the population in 1861 was 822,878, or 129 persons to the square mile.

The number of births registered in this division during the quarter amounted to 3,669, being equal to an annual ratio of 1 in 56, estimated on the population in 1861. The number of deaths registered during the same period amounted to 2,937, or 1 in 70, varying from 1 in 48 in the Union of Ballinasloe to 1 in 122 in the Union of Belmullet.

No. VII. The South-Eastern Division.—This division extends from its junction with the "Eastern" division southward of Cahore Point, in the County of Wexford, along the eastern and southern coasts to the east of Cork Harbour, and is bounded on the north by the South Midland division. It embraces the County of Waterford; nearly the whole of the County of Wexford; parts of the counties of Carlow, Kilkenny, and Tipperary; that portion of the County of Limerick (38,550 acres) comprised in the Mitchelstown Union, and a portion of the eastern side of Cork County. It contains 16 Unions or Superintendent Registrars' Districts, extending over an area of 1,826,172 statute acres, or 2,853 square miles; and its population in 1861 amounted to 500,957, or 176 persons to the square mile.

The number of births registered in this division during the quarter ending 31st March amounted to 2,947, affording an annual ratio of 1 in 42, estimated on the number of inhabitants in 1861; and the number of deaths registered during the same period was very similar, viz., 2,926, representing an annual mortality of 1 in 43, ranging from 1 in 35 in the Union of Carrick-on-Suir to 1 in 68 in that of Mitchelstown.

No. VIII. The South-Western Division—extends along the southern and western coasts from Cork Harbour to the River Shannon, and embraces the County of Kerry, nearly the whole of the Counties of Cork and Limerick, and a small portion of the County of Clare, comprised in the Limerick Union.

The south-western division contains 25 Unions or Superintendent Registrars Districts, covering 3,313,071 statute acres, or 5,177 square miles; and the population in 1861 was 855,813, or 165 persons to the square mile.

The number of births registered in this division during the quarter ending 31st March last, amounted to 5,605, being equal to an annual ratio of 1 in 38, estimated on the population in 1861; and the number of deaths registered during the same period was 3,923, affording an annual mortality of 1 in 55, calculated on the population in 1861, varying from 1 in 45 in the Union of Limerick to 1 in 95 in the Union or Superintendent Registrar's District of Cahersiveen.

SUMMARY OF IRELAND.

Population.—The area of Ireland (exclusive of the larger rivers, lakes, and tideways) amounts, according to the Ordnance Survey, to 20,322,641 statute acres, and the population by the Census in 1861 being 5,798,967, the number of persons to the square mile at that period was, therefore, 183; varying considerably in the eight divisions into which the country has been divided in the following tables. The two divisions most densely populated are the "North-Eastern," (309 persons to the square mile) and the "Eastern," (266); the former containing the only large manufacturing district in Ireland, and the latter, the Metropolis; the other divisions range as follows with regard to the number of persons to the square mile—the "North Midland," 182; the "South-Eastern," 176; the "South-Western," 165; the "North-Western," 154; the "South Midland," 140; and the "Western," 129.

Marriages.—The number of marriages *registered* in Ireland during the three months ending 31st March amounted to 9,602, being equal to an annual ratio of 1 in every 151 of the population in 1861.

Quarterly Reports.

First Quarter.

Births.—The total number of births registered in Ireland during the quarter ending the 31st March, amounted to 30,179, being at the annual rate of 1 in 48, estimated on the population in 1861. The division in which the largest number of births, in proportion to the population, was registered was the "South-Western," the ratio being 1 in 38; the other divisions range in the following order—the "South-Eastern," 1 in 42; the "South Midland," and the "North-Eastern," each, 1 in 48; the "Eastern," 1 in 49; the "North Midland," 1 in 53; the "Western," 1 in 56; and the "North-Western," 1 in 57.

Deaths.—The total number of deaths registered in Ireland during that quarter of the year 1864 at present under consideration, amounted to 28,043, which is equal to an annual mortality of 1 in 52, estimated on the number of inhabitants in 1861. The divisions in which the mortality was greatest, in comparison with their population, were the "South-Eastern," and "Eastern," which afforded returns respectively equal to 1 in 43 and 1 in 44 of their inhabitants in 1861; the other divisions follow thus—the "North-Eastern," 1 in 46; the "South Midland," 1 in 52; the "South-Western," 1 in 55; the "North-Western," 1 in 57; the "North Midland," 1 in 59; and the "Western," 1 in 70.

The following statement presents at a glance the order in which the eight divisions range with regard to density of population, and comparative number of births and of deaths to the population in 1861:—

Divisions.	Number of Persons to the Square Mile.	Annual Ratio to Population in 1861. Births.	Deaths.
1. North-Eastern,	309	South-Western, 1 in 38	South-Eastern, 1 in 43
2. Eastern,	266	South-Eastern, ,, 42	Eastern, ,, 44
3. North Midland,	182	South Midland, ,, 48	North-Eastern, ,, 46
4. South-Eastern,	176	North-Eastern, ,, 48	South Midland, ,, 52
5. South-Western,	165	Eastern, ,, 49	South-Western, ,, 55
6. North-Western,	154	North Midland, ,, 53	North-Western, ,, 57
7. South Midland,	140	Western, ,, 56	North Midland, ,, 59
8. Western,	129	North-Western, ,, 57	Western, ,, 70

From this it will be seen that the "North-Eastern" division which ranks *first* with respect to density of population, comes *fourth* as regards the comparative number of births to the population, and *third* as regards the number of deaths; that the "South-Western" division, which ranks *first* with regard to the number of births in proportion to its population, comes *fifth* both as to density of population and number of deaths registered during the quarter in comparison with its population; and that the "South-Eastern" division, which ranks *first* with regard to the number of deaths registered when compared with the number of its inhabitants, comes *fourth* as to density of population, and *second* with regard to the comparative number of births to its population.

Second Quarter.—April, May, June.

Second Quarter.

Marriages.—The number of marriages *registered* in Ireland during the three months ending the 30th of June, amounted to 6,023, being equal to an annual rate of 1 marriage to every 241 of the population. The number returned during the previous quarter amounted to 9,602, which afforded an annual ratio of 1 in every 151 of the population.* Although it is probable that many marriages may not have been *registered* during either period, still the great disproportion between the numbers in each quarter may be, in some degree, accounted for by the fact that a large proportion of Roman Catholic marriages takes place before Lent.

Births.—That the number of births *registered* during the second quarter—ending June 30th—should much exceed the number *registered* during the previous quarter, is a result which was anticipated; for although every effort was made

* According to the Census of 1861.

Quarterly Reports.

Second Quarter.

to inform the public that the Registration Act would come into operation on the 1st of January, it could not be expected that *all* the births which occurred during the *first* quarter would be registered within it. Many, perhaps from ignorance, failed to register the births; while others, though aware of the existence of the Act, either from negligence or to avoid trouble, did not comply with its provisions. As the time allowed to intervene from the birth of a child previous to notice being given to the Registrar is *twenty-one days*, it may be assumed that a moiety of the births which occur during the last twenty-one days of the quarter, instead of being then registered, appear on the register of the following quarter.

The number of births *registered* during the three months ending on the last day of March, amounted to 30,179, which afforded an annual ratio of 1 birth in every 48 of the population;* the number *registered* during the following three months, ending on June 30th, amounted to 38.715; showing an increase of 8,536 on the previous quarter, and affording an annual ratio of 1 birth in every 37 of the population.*

If the numbers registered during the two quarters be added together, the sum of the births registered during the six months will afford an annual ratio of 1 in every 42 of the population;* but in reference to this calculation it must be borne in mind that very many of the births which occurred during the last twenty-one days of the second quarter, were not registered before the commencement of the third quarter, and are, therefore, not included.

The number of births registered in each of the eight Divisions into which the country has been divided, for statistical purposes, will be subsequently noticed.

Deaths.—The number of deaths *registered* during the quarter ending March 31st was 28,043, which afforded an annual ratio of 1 in every 52, of the population.* The number *registered* during the quarter ending June 30th amounted to 24,155, showing a decrease of 3,888, and affording an annual ratio of 1 in every 60 of the population.* The decrease of the mortality during the second quarter may be attributed to the mildness of the season. During the first three months of the year the weather was very severe, and the mortality amongst the aged and infirm was consequently great. This accords with the returns of the Registrars-General England and Scotland.

Taking the number of deaths *registered* during the two quarters, it is found to yield an annual ratio of 1 death in every 56 of the population.*

The number of deaths *registered* in the several Divisions will be noticed in the following pages.

METEOROLOGICAL OBSERVATIONS.

The months of April, May, and June were of a mild character.

The mean height of the barometer during the quarter, at the Ordnance Survey Office, Phœnix Park, Dublin, was 29·838 inches, the mean maximum was 30·135, and the mean minimum 29·376. The mean temperature of the air was 53·6°, the mean maximum having been 73·9°, and the mean minimum 31·3°. The mean of the dry bulb during the quarter was 54·5°. The average monthly rain-fall was 1·361 inches.

NUMBER OF BIRTHS AND DEATHS REGISTERED IN EACH DIVISION.

No. I. North-Eastern Division.—The number of births registered in this division during the quarter ending the 30th of June amounted to 8,235, being equal to an annual ratio of 1 in every 34 of the population;* the number registered during the previous quarter was 5,821, thus showing an increase of 2,414 for the second quarter.

* According to the Census of 1861.

Quarterly Reports.

Second Quarter.

The Union or Superintendent Registrar's District of Belfast had the largest number of births registered during the quarter, and also the greatest relative proportion, the annual ratio afforded being 1 in 25; in the Unions of Larne, Lisburn, and Newtownards, the ratio was 1 in 31; in Banbridge, 1 in 32; in Lurgan, 1 in 33; and in the other unions of this division the ratio was greater than 1 in 40, with the exception of Ballymoney, in which it was 1 in 44; Cookstown and Dungannon, 1 in 43 each; and Newtownlimavady, where the birth-rate was as low as 1 in 52.

The number of deaths registered in this division during the second quarter amounted to 5,369, affording an annual ratio of 1 in 52 of the population,* and being a decrease of 706 when compared with the number registered during the previous quarter.

The populous Union of Belfast, as a matter of course, had the largest number of deaths registered during the quarter; but when compared with the population, the mortality did not equal that which occurred in the Union of Newtownards. In the latter Union the number of deaths registered was equal to an annual ratio of 1 in every 38 of the inhabitants, and in Belfast it was 1 in 39.

No. II. North-Western Division.—The births registered in this division during the quarter ending 30th June amounted to 3,259, affording an annual ratio of 1 in 44 of the population.* The number registered during the previous quarter amounted to 2,502, thus showing an increase of 757.

In proportion to the population, the greatest number of births was registered in the Union of Castlederg, the annual ratio being 1 in 33; in Ballyshannon the ratio was 1 in 37; the number of births registered in the Unions of Manorhamilton and Sligo afforded an annual ratio of 1 in 38 each; in the Unions of Dunfanaghy, Omagh, Strabane, and Stranorlar, the annual ratio afforded in each was 1 in 39; in the Unions or Superintendent Registrars' Districts of Donegal and Glenties, the number of births *registered* during the quarter afforded an annual ratio of only 1 in 61 each; and in the Union of Millford the number *registered* only yielded an annual ratio of 1 in 64 of the inhabitants.*

The number of deaths registered during the quarter amounted to 2,339, affording an annual ratio of 1 in 61; the number registered during the previous quarter amounted to 2,540, thus showing a decrease of 201 between the first and second quarters. The Union of Omagh afforded the highest rate of mortality, the number of deaths registered during the quarter affording an annual ratio of 1 in 46; next follows the union of Strabane, the annual ratio being 1 in 47; then Castlederg, 1 in 52; Letterkenny and Londonderry, 1 in 53 each; Inishowen, 1 in 56; Gortin and Stranorlar, 1 in 57; Dunfanaghy, 1 in 59, &c.

No. III. Eastern Division.—The number of births (5,731) registered in this division during the quarter was 1,462 in excess of that registered during the previous quarter, and afforded an annual ratio of 1 in 36 of the population therein.* The Union of Dublin North afforded the highest birth-rate, being equal to 1 in 32 per annum; in the Unions of Bailieborough and Balrothery the number registered was equal to 1 in 33 each; in Gorey, Rathdown, and Shillelagh, 1 in 34 each; and in Dublin South and Rathdrum, 1 in 35 each; the other Unions in this division ranged from this rate to 1 in 46, with the exception of Dunshaughlin, where the number of births *registered* during the quarter would only give an annual ratio of 1 in every 61 of the population.*

The number of deaths registered during the quarter amounted to 3,812, yielding an annual ratio of 1 in 54 of the inhabitants.* The number registered during the previous quarter was 4,694, thus showing a decrease of 882 between the two quarters. The highest rate of mortality was in the Metropolitan Unions or Superintendent Registrars' Districts of North and South Dublin, both of which yielded an annual ratio of 1 in 45; in Drogheda the ratio was 1 in 50. In the

* According to the Census of 1861.

Quarterly Reports.

Second Quarter.

Union or Superintendent Registrar's District of Dunshaughlin, the number of deaths *registered* during the quarter was only equal to an annual ratio of 1 in 86.

No. IV. North Midland Division.—The number of births registered in this division during the quarter amounted to 3,514, being equal to an annual ratio of 1 in 41 of its inhabitants.* The number registered during the previous quarter was 2,694, evidencing an increase of 820 between the first and second quarters.

The Union or Superintendent Registrar's District of Athlone had the largest number of births registered, in proportion to its population,* the annual ratio afforded being 1 in 31, and the Union of Clones had the least number of births registered, in comparison with its inhabitants,* the number registered yielding only an annual ratio of 1 in 51. The last-named union had also the least proportionate number of births registered in the division during the preceding quarter.

The number of deaths registered during the quarter was 1,940, affording a death-rate of only 1 in every 74 of the population.* The number registered during the previous quarter was 2,455, thus showing a decrease of 515 between the first and second quarters. The number of deaths *registered* in all the Superintendent Registrars' Districts constituting this division was *very low*, in comparison with the population, with the exception of Athlone, in which, however, the mortality equalled only 1 in 56.

No. V. South Midland Division.—The number of births registered in this division during the quarter ending 31st of March was 2,672. The number registered during the quarter at present under consideration amounted to 3,138, thus showing an increase of 466 on the quarter, and yielding an annual ratio of 1 in every 41 of the inhabitants.*

The Union or Superintendent Registrar's District of Castlecomer had, comparatively with its population, the largest number of births registered, the annual ratio afforded being 1 in 33. The births *registered* in the Union of Donaghmore only equalled 1 in 61.

The deaths registered in this division during the quarter ending on the 30th of June amounted to 2,113, affording an annual ratio of 1 in 61 of the population.* The number registered during the previous quarter was 2,493. The decrease, therefore, amounted to 380.

In the Union or Superintendent Registrar's District of Kilkenny the number of deaths registered during the quarter afforded an annual ratio as high as 1 in 43—being the highest rate of mortality in any Union in Ireland with the exception of Carrick-on-Suir, Belfast, and Newtownards. The number of deaths *registered* in the Superintendent Registrar's District of Borrisokane afforded an annual ratio of only 1 in 101; and in that of Roscrea only 1 in 93.

No. VI. Western Division.—The number of births registered in this division during the quarter amounted to 4,860, affording an annual ratio of 1 in 42 of the population.* The number registered during the previous quarter was 3,669. The increase, therefore, between the births registered in the first and second quarters of the year was 1,191.

The Superintendent Registrars' Districts or Unions comprised in this division vary considerably in the density of their population, and a striking difference is observable in the ratios afforded by the number of births registered in the several unions or Superintendent Registrars' Districts. For instance, in five Unions the birth-rate exceeded 1 in 35; in two Unions it was 1 in 35; in five Unions it was between 1 in 35 and 1 in 40; and in the remainder it varied from that ratio to 1 in 71—which was the annual ratio represented by the births *registered* in the Union of Glennamaddy.

The number of deaths registered in this division during the quarter amounted to 2,609, yielding an annual ratio of 1 in 79 of the inhabitants,* and being 328 less than the number registered during the previous quarter. The number of deaths

* According to the Census of 1861.

registered in the following Unions afforded very low annual ratios, viz.:—Swineford, 1 in 115; Ballyvaghan, 1 in 114; Castlebar, 1 in 109; Glennamaddy, 1 in 108; Tobercurry, 1 in 106; and Ballinrobe, 1 in 101.

No. VII. South-Eastern Division.—The number of births registered in the "South-Eastern" Division during the quarter ending the 30th June amounted to 3,437, being an increase of 490 when compared with the number registered during the previous quarter, and yielding an annual ratio of 1 in 36 of its inhabitants.*

In the Superintendent Registrar's District of Kilmacthomas the birth-rate was as high as 1 in 25, and in Enniscorthy, 1 in 31; while in the Union of Callan it was as low as 1 in 47.

The number of deaths registered in this division during the quarter amounted to 2,421, being a decrease of 505 on the previous quarter, but affording an annual ratio of 1 in 52 of the inhabitants.*

The number of deaths registered in the Union or Superintendent Registrar's District of Carrick-on-Suir afforded the annual ratio of 1 in 37, being the highest mortality in any Union in Ireland during the second quarter of 1864. The deaths *registered* in the Union or Superintendent Registrar's District of Mitchelstown afforded a ratio of only 1 in 72.

No. VIII. South-Western Division.—The number of births registered in this division during the quarter amounted to 6,541, affording an annual ratio of 1 in 33 of the population.* The number registered during the previous quarter was 5,605, or 936 less than the number registered during the second quarter. The number of births registered in the several Superintendent Registrars' Districts of this Division was remarkably uniform when compared with the population in each.

The number of deaths registered in this division during the quarter ending the 30th of June amounted to 3,552, being a decrease of 371 when compared with the number registered during the previous quarter, and yielding an annual ratio of 1 in 60 of its inhabitants in 1861.

In the Union or Superintendent Registrar's District of Newcastle the annual ratio was 1 in 49, and in Cork it was 1 in 51; whereas in the Union of Bantry the number of deaths *registered* during the quarter afforded only an annual ratio of 1 in 95; in Cahersiveen and Dingle the ratio was 1 in 90 each; and in Clonakilty, 1 in 83.

COMPARISON OF RESULTS BY DIVISIONS.

Births.—Comparing one division with another, as regards the number of births registered during the quarter ending 30th June, in proportion to the number of inhabitants, it is found that the "South-Western" had the highest birth-rate—1 in 33, annually. The other divisions follow thus:—The "North-Eastern," 1 in 34; the "Eastern," 1 in 36; the "South-Eastern," 1 in 36; the "North Midland," 1 in 41; the "South Midland," 1 in 41; the "Western," 1 in 42; and the "North-Western," 1 in 44. The following statement shows the annual birth-rate and the order of the several Divisions for the quarters ending 31st March and 30th June respectively:—

Quarter ending 31st March, 1864.	Quarter ending 30th June, 1864.	Quarter ending 31st March, 1864.	Quarter ending 30th June, 1864.
1. South-Western, 1 in 38	South-Western, 1 in 33	5. Eastern, . . 1 in 49	North Midland, 1 in 41
2. South-Eastern, „ 42	North-Eastern, „ 34	6. North Midland, „ 53	South Midland, „ 41
3. South Midland, „ 43	Eastern, . . „ 36	7. Western, . . „ 56	Western, . . „ 42
4. North-Eastern, „ 48	South-Eastern, „ 36	8. North-Western, „ 57	North-Western, „ 44

* According to the Census of 1861.

Quarterly Reports.

Second Quarter.

From this it will be observed that the "South-Western" Division had the highest birth-rate during both quarters, and that the "Western" and the "North-Western" came in the same numerical order on both occasions.

Deaths.—Comparing the divisions with regard to the number of deaths registered during the months of April, May, and June, in proportion to the population, the "South-Eastern" appears as having the highest rate of mortality, the annual ratio afforded being 1 in 52. The other divisions come in the following order:—The "North-Eastern," 1 in 52; the "Eastern," 1 in 54; the "South-Western," 1 in 60; the "South Midland," 1 in 61; the "North-Western," 1 in 61; the "North Midland," 1 in 74; and the "Western," 1 in 79. The numerical order of the divisions as regards rate of mortality, during the quarters ending March 31st and June 30th, respectively, was as follows:—

Quarter ending 31st March, 1864.	Quarter ending 30th June, 1864.	Quarter ending 31st March, 1864.	Quarter ending 30th June, 1864.
1. South-Eastern, 1 in 43	South-Eastern, 1 in 52	5. South-Western, 1 in 55	South Midland, 1 in 61
2. Eastern, . . „ 44	North-Eastern, „ 52	6. North-Western, „ 57	North-Western, „ 61
3. North-Eastern, „ 46	Eastern, . . „ 54	7. North Midland, „ 59	North Midland, „ 74
4. South Midland, „ 52	South-Western, „ 60	8. Western, . . „ 70	Western, . . „ 79

PROVINCES.

The following Table shows by Provinces, the number of births and deaths registered during the first and second quarters of the year, and the number registered during the six months, together with the annual ratio to the population:—

Registration Provinces.	Quarter ending 31st March, 1864.				Quarter ending 30th June, 1864.				Half-year ending 30th June, 1864.			
	Births.		Deaths.		Births.		Deaths.		Births.		Deaths.	
	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in
Leinster, .	7,281	49	7,667	47	9,462	38	6,434	56	16,743	43	14,101	51
Munster, .	9,467	40	7,332	52	10,999	35	6,308	61	20,466	37	13,640	56
Ulster, .	9,269	52	9,631	50	12,784	38	8,518	57	22,053	44	18,149	53
Connaught, .	4,162	55	3,413	67	5,470	42	2,895	78	9,632	47	6,308	72

From the above Table it will be seen that during the quarter ending 30th June there were registered in the province of Munster 10,999 births, affording an annual ratio of 1 in 35 of the population;* in Ulster 12,784 births were registered, and in Leinster 9,462—in both instances representing an annual ratio of 1 in 38 of the inhabitants;* and in Connaught the number registered was 5,470, being equal to an annual birth-rate of 1 in 42 of its inhabitants.*

Taking the total number of births registered during the six months, the annual ratio to the population afforded by Munster appears to be 1 in 37; by Leinster 1 in 43; by Ulster, 1 in 44; and by Connaught, 1 in 47. When considering the number registered during the six months, it must be borne in mind, as before stated, that many of the births which occurred during the last twenty-one days of the second quarter are not included.

The number of deaths registered in Leinster during the three months which ended on 30th June, amounted to 6,434, being equal to an annual ratio of 1 in 56 of the inhabitants;* the number registered in Ulster was 8,518, or 1 in 57; in Munster, 6,308, or 1 in 61; and in Connaught, 2,895, or 1 in 78.

The number of deaths *registered* in the province of Leinster, during the six months, equalled an annual ratio of 1 in 51 of the population therein;* in Ulster, 1 in 53; in Munster, 1 in 56; and in Connaught, 1 in 72.

* According to the Census of 1861.

Third Quarter—July, August, September.

Quarterly Reports.

Third Quarter.

Marriages.—The marriages *registered* during the three months ending September 30th, 1864, amounted to 5,512, being equal to an annual ratio of 1 marriage to every 263 of the population of Ireland.* In the first quarter the number amounted to 9,602, during the second quarter the number *registered* was 6,023, making for the nine months a total of 21,137, equal to an annual ratio of 1 in 206.

Births.—The number of births *registered* during the quarter ending September the 30th was 33,877, representing an annual ratio of 1 in 43 of the population.* The number returned during the first quarter of the year amounted to 30,179, or an annual ratio of 1 in 48 of the population;* and the number returned during the second quarter amounted to 38,715 or an annual birth-rate of 1 in 37.

The total number of births *registered* in Ireland during the first three quarters of the year amounted to 102,771, yielding an annual ratio of 1 in 42 of the population.*

Deaths.—The number of deaths *registered* during the quarter ending the 30th of September was 19,191, or an annual ratio of 1 death in every 76 of the population.* The number *registered* during the first quarter of the year amounted to 28,043, or an annual death-rate of 1 in 52; and the number *registered* during the quarter ending the 30th of June amounted to 24,155, or 1 in 60 per annum.

The total number of deaths *registered* during the nine months from the 1st of January to the 30th of September 1864, amounted to 71,389, being equal to an annual ratio of 1 in every 61 of the population.*

METEOROLOGICAL OBSERVATIONS.

The following meteorological observations were taken at the Ordnance Survey Office, Phœnix Park, Dublin, during the months of July, August, and September, 1864.

The mean height of the barometer for the quarter was 29·804 inches; the highest reading was 30·371 inches, which occurred on August 15th, at 9·30 A.M., the wind E.S.E.; the minimum reading (29·081 inches) was on September 16th, at 3·30 P.M., with a southerly wind blowing at the time.

The mean temperature during the three months was 57·8°; the maximum height of the mercury (81·4°) was on August 14th, and the minimum (33·0°) was on August 21st. The mean of the dry bulb for the quarter was 58·8°; the mean for the month of July being 61·6°; for August 58·7°; and for September 56·2°. The rainfall during the quarter measured only 4·137 inches, being nearly one-half less than the fall during the corresponding quarter of 1863, which was 7·591 inches. The prevailing winds during the three months were westerly and south-westerly.

During the three months the wind blew on 7 days from the north, 11 days from the north-east, 10 days from the east, 1 day from the south-east, 6 days from the south, 27 days from the south-west, 24 days from the west, and 6 days from the north-west.

July.—During this month the mean height of the barometer was 29·796 inches; the highest reading (30·097 inches) occurred on the 7th at 9·30 P.M., the wind N.W.; the lowest reading (29·304 inches) was on the 2nd at 3.30 P.M., the wind at the time blowing from the west. The mean temperature of the month was 60·6° (80·9° to 40·5°); the 18th was the warmest day, and the 13th was the coldest night. The greatest rainfall in 24 hours (·272 inch) was on the 2nd. Rain fell on 9 days. The greatest amount of ozone (·7) was on the 2nd, and the least amount (·1) was on the 19th and 26th; the mean ozone for the month was ·2.

* According to the Census of 1861.

Quarterly Reports.

Third Quarter.

August.—The mean height of the barometer during the month of August was 29·936 inches; the maximum reading (30·371 inches) was on the 15th at 9.30 A.M., the wind E.S.E.; the minimum (29·383) was on the 30th at 9.30 P.M., the wind S.W. The mean height of the thermometer was 57·1°, varying from 81·4° to 33°; the warmest day was on the 14th, and the coldest night was on the 21st. The greatest rainfall in 24 hours (·314 inch) was on the 27th; it rained on 13 days. The greatest amount of ozone (·9) was on the 27th; the least amount (0) was on the 11th; the mean for the month was ·3.

On the 21st, the minimum temperature on the grass was 28·7° (nearly 3½ degrees of frost), and the maximum in the sun's rays was 84·2°, thus showing a range for the day of 55·5°.

September.—The mean height of the barometer during this month was 29·679 inches; the highest reading (30·240 inches) was on the 28th at 9·30 P.M., it being at the time "calm;" the lowest reading (29·081 inches) was on the 16th, at 3·30 P.M., the wind blowing from the south. The mean temperature was 55·8°, varying from 71·2° to 37·4°; the warmest day was on the 6th, and the coldest night was on the 15th; the maximum heat in the sun (90·5°) was on the 26th, and the minimum on the grass (33·3°) was on the 15th. The greatest rainfall in 24 hours (·379 of an inch) was on the 5th; it rained on 22 days. The maximum amount of ozone was ·8; the minimum was ·2, and the mean for the month was ·4.

NUMBER OF MARRIAGES, BIRTHS, AND DEATHS REGISTERED IN EACH OF THE EIGHT DIVISIONS.

No. I. North-Eastern Division.—The number of marriages registered in this division during the quarter ending 30th September amounted to 1,447, being equal to an annual ratio of 1 marriage in every 194 of the population.*

The number of births *registered* in this division during the quarter ending the 30th September was 7,017; the number *registered* during the first quarter of the year amounted to 5,821, and during the second quarter to 8,235. The total number *registered* during the three quarters amounted to 21,073, affording an annual ratio of 1 birth in every 40 of the population* of the division.

The deaths *registered* during the months of July, August, and September, amounted to 4,114; the number *registered* during the first quarter of the year was 6,075, and during the second quarter, 5,369; the total number *registered* during the nine months was 15,558, being equal to an annual ratio of 1 death in every 54 of the population.*

No. II. North-Western Division.—The marriages registered in this division during the third quarter amounted to 384, or an annual ratio of 1 marriage in every 374 of the population.*

The number of births *registered* in this division during the quarter ending the 30th of September amounted to 2,943; the number *registered* during the first quarter of the year amounted to 2,502, and during the second quarter to 3,259; the total number *registered* during the nine months amounted to 8,704, which is equal to an annual ratio of 1 birth to every 50 of the population.*

The deaths *registered* during the quarter ending the 30th of September numbered 1,738; the number *registered* during the first three months of the year was 2,540; and during the second quarter, 2,339; the total number *registered* during the nine months being 6,617, yielding an annual ratio of 1 in 65 of the population* in this division.

No. III. Eastern Division.—The marriages registered in this division during the third quarter amounted to 1,233, or an annual ratio of 1 marriage in every 168 of the population.*

* According to the Census of 1861.

Quarterly Reports.

Third Quarter.

The number of births *registered* during the quarter ending the 30th of September amounted to 5,320; the number *registered* during the first quarter of the year was 4,269, and during the second quarter, 5,731; the total number *registered* during the three quarters amounted to 15,320, or an annual ratio of 1 in 41 of the population.*

The number of deaths *registered* during the third quarter was 3,235; during the first quarter of the year the number *registered* was 4,694, and during the second quarter it was 3,812. The total number of deaths *registered* during the nine months was 11,741, affording an annual ratio of 1 death in every 53 of the population.*

No. IV. North Midland Division.—The marriages registered in this division during the third quarter amounted to 378, or an annual ratio of 1 marriage in every 380 of the population.*

The number of births *registered* during the third quarter of the year amounted to 3,085; the number *registered* during the first quarter was 2,694, and during the second quarter, 3,514; making together for the nine months 9,293, and yielding an annual ratio of 1 birth in every 46 of the population.*

The number of deaths *registered* during the quarter amounted to 1,550; the number *registered* during the first quarter of the year was 2,455, and during the second, 1,940; making a total of 5,945 deaths *registered* during the nine months, and affording an annual ratio of 1 death in every 73 of the population.*

No. V. South Midland Division.—The marriages registered in this division during the third quarter amounted to 408, or an annual ratio of 1 marriage in every 316 of the population.*

The number of births *registered* during the quarter ending 30th September was 2,684; the number *registered* during the first three months of the year amounted to 2,672, and the number *registered* during the second three months was 3,138; making a total for the nine months of 8,494, the annual ratio being 1 in every 45 of the population.*

The number of deaths *registered* during the third quarter was 1,753; the number *registered* during the first quarter of the year amounted to 2,493, and during the second quarter the deaths *registered* amounted to 2,113. The total number *registered* during the three quarters amounted to 6,359, yielding an annual ratio of 1 death in every 61 of the population.*

No. VI. Western Division.—The marriages registered in this division during the third quarter amounted to 386, or an annual ratio of 1 marriage in every 533 of the population.*

The number of births *registered* during the quarter ending September 30th amounted to 4,816; the number *registered* during the quarter ending 31st of March was 3,669, and during that ending 30th June, 4,860, making the total number *registered* during the three quarters 13,345, being equal to an annual ratio of 1 birth to every 46 of the population.*

The number of deaths *registered* during the quarter was 2,061; the number *registered* during the first quarter of the year was 2,937, and during the second quarter, 2,609; making the total number of deaths *registered* during the nine months 7,607, or an annual ratio of 1 death in every 81 of the population.*

No. VII. South-Eastern Division.—The marriages registered in this division during the third quarter amounted to 514, or an annual ratio of 1 marriage in every 244 of the population.*

The births *registered* in this division during the quarter ending September the 30th numbered 2,861; the number *registered* during the first quarter of the year

* According to the Census of 1861.

Quarterly Reports. — Third Quarter.

was 2,947, and during the second quarter, 3,437; during the nine months there were *registered* 9,245 births, yielding an annual ratio of 1 birth to every 41 of the population.*

The deaths *registered* during the quarter amounted to 1,859; the number of deaths *registered* during the first quarter of the year was 2,926, and during the second quarter, 2,421; making the total number of deaths *registered* during the first three quarters of the year, 7,206, affording an annual ratio of 1 death in every 52 of the population* of this division.

No. VIII. South-Western Division.—The marriages registered in this division during the third quarter amounted to 762, or an annual ratio of 1 marriage in every 281 of the population.*

The number of births *registered* in this division during the quarter ending 30th September amounted to 5,151; the number *registered* during the first quarter of the year was 5,605; and during the second quarter, 6,541. The total number of births *registered* during the nine months amounted to 17,297, yielding an annual ratio of 1 birth to every 37 of the population.*

The number of deaths *registered* during the quarter was 2,881; the number *registered* during the first quarter of the year was 3,923; during the second quarter 3,552; and the total number *registered* during the three quarters amounted to 10,356, which affords an annual ratio of 1 death to every 62 of the population.*

COMPARISON OF RESULTS BY DIVISIONS.

Births.—Comparing one division with another as to the number of births *registered* in proportion to their population,* the following is the result for the quarter of the year ending 30th September:—The "Eastern" division ranks first, with an annual ratio of 1 in 39; the other divisions come in the following order:—the "North-Eastern," 1 in 40; the "South-Western," 1 in 42; the "Western," 1 in 43; the "South-Eastern," 1 in 44; the "North Midland," 1 in 47; the "South Midland," 1 in 48; and the "North-Western," 1 in 49.

Taking the number of births *registered* during the nine months ending 30th September, the divisions range thus as to annual birth-rate:—the "South-Western," 1 in 37; the "North-Eastern," 1 in 40; the "Eastern" and the "South-Eastern," 1 in 41 each; the "South Midland," 1 in 45; the "North Midland," and the "Western," 1 in 46 each; and the "North-Western," 1 in 50.

The following statement shows the annual birth-rate and the order of the Eight Divisions for the quarters ending 31st March, 30th June, and 30th September, respectively, and for the three quarters taken together:—

Quarter ending 31st March, 1864.	Quarter ending 30th June, 1864.	Quarter ending 30th Sept., 1864.	Nine Months ending 30th Sept., 1864.
1. South-Western, 1 in 38	South-Western, 1 in 33	Eastern, . . 1 in 39	South-Western, 1 in 37
2. South-Eastern, „ 42	North-Eastern, „ 34	North-Eastern, „ 40	North-Eastern, „ 40
3. South Midland, „ 48	Eastern, . . „ 36	South-Western, „ 42	Eastern, . . „ 41
4. North-Eastern, „ 48	South-Eastern, „ 36	Western, . . „ 43	South-Eastern, . „ 41
5. Eastern, . . „ 49	North Midland, „ 41	South-Eastern, . „ 44	South Midland, „ 45
6. North Midland, „ 53	South Midland, „ 41	North Midland, „ 47	Western, . . „ 46
7. Western, . . „ 56	Western, . . „ 42	South Midland, „ 48	North Midland, „ 46
8. North-Western, „ 57	North-Western, „ 44	North-Western, „ 49	North-Western, „ 50

From the above it will be observed that the "South-Western" Division, which had the largest number of births registered in proportion to its population,* during the first and second quarters of the year, held third place as to the number registered during the third quarter, and that there is but one division which held the same position for the three quarters—namely, the "North-Western," which ranked eighth upon each occasion.

* According to the Census of 1861.

Quarterly Reports.

Third Quarter.

Deaths.—Comparing the divisions with regard to the number of deaths registered in each during the quarter ending 30th September 1864, in proportion to the population therein,* the following is the result:—The "Eastern" ranks first, with an annual ratio of 1 in 64; the others follow thus:—the "South-Eastern," 1 in 67; the "North-Eastern," 1 in 68; the "South Midland," 1 in 73; the "South-Western," 1 in 74; the "North-Western," 1 in 83; the "North Midland," 1 in 93; and the "Western," 1 in 100.

During the nine months ending 30th September, 1864, the number of deaths *registered* in each division afforded the following annual ratios:—the "South-Eastern," 1 in 52; the "Eastern," 1 in 53; the "North-Eastern," 1 in 54; the "South Midland," 1 in 61; the "South-Western," 1 in 62; the "North-Western, 1 in 65; the "North Midland," 1 in 73; and the "Western," 1 in 81.

The numerical order of the EIGHT DIVISIONS as regards annual rate of mortality is shown by the following statement:—

Quarter ending 31st March, 1864.	Quarter ending 30th June, 1864.	Quarter ending 30th Sept., 1864.	Nine Months ending 30th Sept., 1864.
1. South-Eastern, 1 in 43	South-Eastern, 1 in 52	Eastern, . . 1 in 64	South-Eastern, 1 in 52
2. Eastern, . . „ 44	North-Eastern, „ 52	South-Eastern, „ 67	Eastern, . . „ 53
3. North-Eastern, . „ 46	Eastern, . „ 54	North-Eastern, „ 68	North-Eastern, „ 54
4. South Midland, „ 52	South-Western, „ 60	South Midland, „ 73	South Midland, „ 61
5. South-Western, „ 55	South Midland, „ 61	South-Western, „ 74	South-Western, „ 62
6. North-Western, „ 57	North-Western, „ 61	North-Western, „ 83	North-Western, „ 65
7. North Midland, „ 59	North Midland, „ 74	North Midland, „ 93	North Midland, „ 73
8. Western, . . „ 70	Western, . . „ 79	Western, . . „ 100	Western, . . „ 81

Thus it will be seen that the three divisions touching on the eastern coast had the largest number of deaths *registered*, in proportion to their population, during each of the three quarters; that the "South Midland" stood fourth, and the "South-Western" fifth in the first and third quarters, and changed places in the second quarter; and that the "North-Western," the "North-Midland," and the "Western," came respectively sixth, seventh, and eighth upon each occasion.

PROVINCES.

The following table shows, by provinces, the number of births and deaths *registered* during the first, second, and third quarters of the year, together with the annual ratio to the population:—

Registration Provinces.	Quarter ending 31st March, 1864.				Quarter ending 30th June, 1864.				Quarter ending 30th Sept., 1864.			
	Births.		Deaths.		Births.		Deaths.		Births.		Deaths.	
	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in	Number.	Ratio, 1 in
LEINSTER, .	7,281	49	7,667	47	9,462	38	6,434	56	8,521	42	5,269	68
MUNSTER, .	9,467	40	7,332	52	10,999	35	6,308	61	8,714	44	5,105	75
ULSTER, . .	9,269	52	9,631	50	12,784	38	8,518	57	11,113	43	6,486	74
CONNAUGHT, .	4,162	55	3,413	67	5,470	42	2,895	78	5,529	41	2,331	97

Births.—It will be seen from the above table that during the first quarter of the year there were *registered* in the province of LEINSTER 7,281 births; during the second quarter, 9,462; and during the third quarter, 8,521; making a total for the nine months of 25,264 births, or an annual ratio of 1 in every 42 of the population of the province.* In the province of MUNSTER, 9,467 births were *registered* during the first quarter, 10,999 during the second, and 8,714 during the third quarter; making together 29,180 births *registered* during the nine months, which is equal to an annual ratio of 1 in every 39 of its population.* In the province of ULSTER there were *registered* during the first quarter 9,269 births, 12,784 during

* According to the Census of 1861.

Quarterly Reports.

Third Quarter

the second, and 11,113 during the third quarter; making a total for the nine months of 33,166, yielding an annual ratio of 1 in every 44 of the inhabitants.* In the province of CONNAUGHT there were *registered* during the first quarter 4,162 births, 5,470 during the second, and 5,529 during the third quarter; making a total of 15,161 births *registered* during the nine months ending 30th September, 1864, a number equal to an annual ratio of 1 in every 45 of its population.*

Thus it is found that, as regards the number of births *registered* in proportion to the population, during the nine months, the provinces range as follows:—Munster first, with 1 in 39 per annum; Leinster second, with 1 in 42; Ulster third, with 1 in 44; and Connaught fourth, with 1 in 45.

Deaths.—There were *registered* in the province of LEINSTER during the first quarter of the year, 7,667 deaths, 6,434 during the second, and 5,269 during the third quarter; making a total for the nine months of 19,370 deaths, equal to an annual ratio of 1 death in every 55 of its population.* In the province of MUNSTER 7,332 deaths were *registered* during the first quarter, 6,308 during the second, and 5,105 during the third; making a total for the nine months of 18,745, which affords an annual ratio of 1 in every 61 of the inhabitants.* In the province of ULSTER 9,631 deaths were *registered* during the first three months, 8,518 during the second, and 6,486 during the third; making a total of 24,635 deaths *registered* during the nine months, which is equal to an annual ratio of one in every 59 of its inhabitants.* In the province of CONNAUGHT there were *registered* during the first quarter 3,413 deaths, 2,895 during the second, and 2,331 during that ending on 30th September; making a total of 8,639 deaths *registered* during the nine months, and being equal to an annual ratio of 1 in every 79 of the population.*

The provinces rank as follows, with regard to the number of deaths *registered* during the nine months in proportion to the population:*—Leinster first, with an annual ratio of 1 in 55; Ulster second, 1 in 59; Munster third, 1 in 61; and Connaught last—the number of deaths *registered* in that province affording an annual ratio of only 1 in every 79 of its population.*

Fourth Quarter.

Fourth Quarter.—October, November, December.

Marriages.—The marriages *registered* during the last quarter of 1864 amounted to 6,269, being equal to an annual ratio of 1 marriage to every 231 of the population.*

Births.—The births *registered* in the quarter ending December 31st, 1864, amounted to 33,643, affording an annual ratio of 1 birth to every 43 of the population.* The number during the first quarter was 30,179, giving a yearly ratio of 1 in 48; the number in the second quarter amounted to 38,715, equal to 1 in 37; and the number *registered* during the third quarter was 33,877, or 1 in 43 of the population.*

Deaths.—The deaths *registered* during the quarter ending December 31st were 21,755, being equivalent to an annual ratio of 1 death in every 67 of the population.* The number *registered* in the first quarter amounted to 28,043, or 1 in 52; in the second quarter to 24,155, or 1 in 60; and during the third quarter the number *registered* was 19,191, giving an annual ratio of 1 in 76 of the population.*

METEOROLOGICAL OBSERVATIONS.

During the last quarter of the year the mean height of the barometer at the Ordnance Survey Office, Phœnix Park, Dublin, was 29·686 inches; the highest reading (30·587 inches) occurred on the 6th November, at 9.30 A.M., wind S.E.; the minimum reading (28·390 inches) was on the 13th of the same month, at 9.30 P.M., the wind at the time blowing from the same point.

* According to the Census of 1861.

Quarterly Reports.

Fourth Quarter.

The mean temperature of the air during the last quarter was 44·4°; the maximum registered by the thermometer was 61·1°; and the minimum was 17·2°.

The rainfall during the quarter measured 12·040 inches; of this quantity, 6·167 inches, or more than one-half, fell during the month of October.

There was an unusual prevalence of easterly winds during the quarter, it having blown from that point on 24 days, viz., on 14 days in October, 5 in November, and 5 in December.

October.—The mean height of the barometer during this month was 29·706 inches; the highest reading (30·333 inches) was on the 11th, at 9.30 A.M., the wind blowing from the north; and the lowest reading (28·724 inches) was on the 19th, at 3.30 P.M., wind N.W. The mean temperature of the air for the month was 49·3°, the maximum being 61·1°, and the minimum 33·0°; the 16th was the warmest day, and the 20th the coldest night. The mean of the dry bulb was 49·2°, and of the wet bulb, 47·0°. The maximum heat in sun was 74·2°, and the minimum on grass was 28·6°. The number of days on which rain or snow fell was 17. The rainfall measured 6·167 inches; the greatest amount in 24 hours was 1·696 inches. The maximum ozone was 1·0; the minimum, ·0; and the mean ·5. On 14 days during the month the wind blew from the east at 9.30 A.M.

November.—The mean height of the barometer during the month of November was 29·556 inches; the highest reading (30·587 inches) was on the 6th, at 9·30 A.M., the wind at the time blowing from the south-east; the lowest reading (28·390 inches) was on the 13th, at 9.30 P.M., the wind S.E. The mean temperature in air was 43·5°; the maximum registered during the month was 60·0°, and the minimum, 27·8°; the 17th was the warmest day, and the 23rd was the coldest night. The mean of the dry bulb was 43·6°, and of the wet bulb, 42·0°. The maximum heat in sun was 66·2°, and the minimum on grass was 23·0°. The rain which fell during this month measured 3·311 inches; the greatest rainfall in 24 hours was ·646 of an inch; the number of days on which rain or snow fell was 22. The maximum ozone was 1·0, the minimum ·1, and the mean ·6. The wind blew on 6 days from the west, on 8 days from south-west, on 3 days from north-west, and on 5 days from the east, at 9.30 A.M.

December.—During this month the mean height of the barometer was 29·796 inches; the maximum reading (30·463 inches) was on the 24th at 9.30 A.M., wind W.; the minimum reading (29·118) occurred on the 11th at 9.30 A.M., wind S.S.W. The mean temperature of the air was 40·4°; the maximum being 55·2°, and the minimum 17·2°. The mean of the dry bulb was 39·9°, and of the wet bulb 38·0°; the maximum heat in sun was 60·2°, and the minimum on grass was 16·2°. The 3rd was the warmest day, and the 19th was the coldest night. The rainfall during the month measured 2·562 inches; the greatest quantity of rain in 24 hours was ·681 of an inch. The maximum ozone was 1·0, the minimum ·0, and the mean ·4. The prevailing winds were westerly and south-westerly; the wind was easterly on 5 days, at 9.30 A.M.

NUMBER OF MARRIAGES, BIRTHS, AND DEATHS, REGISTERED IN EACH OF THE EIGHT DIVISIONS.

No. I. North-Eastern Division.—The number of marriages *registered* in this division during the quarter ending December 31st, amounted to 1,858, being equal to an annual ratio of 1 marriage in every 151 of the population.

The number of births *registered* in this division in the first quarter of the year was 5,821; during the second quarter, 8,235; in the third quarter, 7,017, and during the fourth quarter, 7,330; making a total for the year of 28,403, being equal to a ratio of 1 in every 39·6 of the population. The Union or Superintendent Registrar's District of Belfast had the largest number of births *registered* during the year

Quarterly Reports.

Fourth Quarter.

in proportion to the population, the ratio afforded being as high as 1 in 31·0. In the Union of Newtownlimavady, the ratio was 1 in 51·7, and in Ballymoney, 1 in 50·2.

The number of deaths *registered* in this division during the first quarter of the year amounted to 6,075; in the second quarter, to 5,369; during the third quarter, to 4,114; and during the fourth quarter, to 4,696; making a total for the year of 20,254, affording a ratio of 1 in every 55·5 of the population.* The rate of mortality in Belfast Union during the year was equal to 1 in every 38·2 of the population.* In Newtownards the death-rate was 1 in 46·7, while in the Union of Ballymoney the number of deaths *registered* afforded a ratio of only 1 in 71·3; in Kilkeel, 1 in 65·9; in Ballymena, 1 in 65·9; in Magherafelt, 1 in 65·6; and in Castleblayney, 1 in 65·5.

In this division, fever, chiefly typhus, was very prevalent during the last quarter of the year. The Registrar of the Draperstown District, Magherafelt Union observed:—"Among the deaths were 3 from typhus fever, which disease was imported from Scotland."

No. II. North-Western Division.—The number of marriages *registered* in this division during the quarter ending December 31st, was 599, being equal to an annual ratio of 1 marriage to every 240 of the population.*

During the first quarter of the year, the number of births *registered* in this division, amounted to 2,502; during the second quarter, to 3,259; during the third quarter, to 2,943; and during the fourth quarter, to 3,027; making a total for the year of 11,731, affording a ratio of 1 in 49·0 of the population.* In the Union or Superintendent Registrar's District of Castlederg, the birth-rate was 1 in 38·8, whereas in *Donegal and Glenties the birth-rate was respectively only* 1 *in* 66·6 *and* 1 *in* 62·1.

The number of deaths *registered* in this division during the first quarter of the year amounted to 2,540; during the second quarter to 2,339; during the third quarter to 1,738; and during the fourth quarter, to 1,813; making a total of 8,430, equal to a ratio of 1 in 68·2 of the population.*

Typhus fever was prevalent in this division during the fourth quarter, especially in Londonderry, where scarlatina also was prevalent.

No. III. Eastern Division.—The number of marriages *registered* in this division during the quarter ending December 31st amounted to 1,164, affording an annual ratio of 1 marriage in every 178 of the population.*

The number of births *registered* during the first quarter of the year amounted to 4,269; during the second quarter, to 5,731; during the third quarter, to 5,320; and during the fourth quarter, to 5,022; making a total of 20,342 births *registered* during the year, affording a ratio of 1 in 40·8 of the population.* The Union or Superintendent Registrar's District of Dublin North, had the greatest number of births *registered* in proportion to population, the ratio being 1 in 34·2. The union in which the smallest number of births in proportion to the population was *registered* was Dunshaughlin, the ratio being only 1 in 58·8.

The number of deaths *registered* in this division in the first quarter of the year amounted to 4,694; in the second, to 3,812: in the third quarter, to 3,235; and during the fourth quarter, to 3,762; making a total for the year of 15,503, or 1 in every 53·5 of the population.* The Union or Superintendent Registrar's District of Dublin South, had the largest number of deaths in proportion to the population, the ratio afforded being 1 in every 43·3; the number registered in the Union of Dublin North, was equal to 1 in 44·2. The number of deaths *registered* in the Kells Union amounted to only 1 in 83·6; in Rathdrum Union, to 1 in 75·1; in Navan, to 1 in 74·3; in Dunshaughlin, to 1 in 73·9; and in Bailieborough, to 1 in 72·6.

Fever (chiefly typhus) was prevalent in many of the districts of the "Eastern" division during the fourth quarter.

* According to the Census of 1861.

Quarterly Reports.

Fourth Quarter.

No. IV. North Midland Division.—The number of marriages *registered* in this division during the quarter ending December 31st was 470, or an annual ratio of 1 marriage to 306 of the population.*

The number of births *registered* in the first quarter of the year amounted to 2,694 ; during the second quarter, to 3,514 ; in the third, to 3,085 ; and during the fourth quarter, to 2,985 ; making a total of 12,278 births registered during the year, being equal to a ratio of 1 birth to every 46·9 of the population.* The number of births registered during the year in the Union of Athlone was equal to 1 in 39·9 of the population ;* in Oldcastle, to 1 in 42·2 ; and in Roscommon, to 1 in 42·7 ; while the number *registered* in Clones equalled only 1 in 56·1 ; Mullingar, 1 in 54·6 ; Bawnboy, 1 in 53·7 ; Lisnaskea, 1 in 52·3 ; and in Clogher, 1 in 51·6.

The number of deaths *registered* in the first quarter of the year amounted to 2,455 ; during the second quarter, to 1,940 ; in the third quarter, to 1,550 ; and during the fourth quarter, to 1,766 ; making a total of 7,711 deaths *registered* during the year, and affording a ratio of 1 in 74·6 of the population.* The highest death-rate (1 in 57·8) in any of the districts in this division was in Athlone ; in Mohill the number of deaths *registered* equalled only 1 in every 93·8 of the population.*

No. V. South Midland Division.—The number of marriages *registered* in this division during the quarter ending December 31st amounted to 463, being equal to an annual ratio of 1 in 278 of the population.*

The number of births *registered* in the first quarter of the year was 2,672 ; during the second quarter, 3,138 ; in the third quarter, 2,684 ; and during the fourth quarter, 2,504 ; making a total of 10,998 births *registered* during the year, and affording a ratio of 1 in 46·9 of the population.* In the Unions of Castlecomer and Tipperary the number of births registered in proportion to the population* was the same, viz., 1 in 39·4. In the Union or Superintendent Registrar's District of *Borrisokane, the number of births registered during the year affords a ratio of only* 1 *in* 61·9 *of the population.**

The number of deaths *registered* in the first quarter of the year was 2,493 ; during the second quarter, 2,113 ; in the third quarter, 1,753 ; and during the fourth quarter, 1,909 ; making a total of 8,268 deaths *registered* during the year, and yielding a ratio of 1 death in every 62·3 of the population.* In the Union of Kilkenny the number of deaths registered during the year afforded a ratio of 1 in 46·1 of the population ;* whereas in the Union of Borrisokane the *ratio was only* 1 *in* 92·8.

The prevailing epidemics in the "South Midland" division, during the fourth quarter, were fever, scarlatina, and whooping cough.

No. VI. Western Division.—The number of marriages *registered* in this division during the quarter ending December 31st amounted to 457, affording an annual ratio of 1 in 450 of the population.*

The number of births *registered* in the first quarter of the year amounted to 3,669, during the second quarter to 4,860, in the third quarter to 4,816, and during the fourth quarter to 5,140 ; making a total of 18,485 births *registered* in this division during the year, and affording a ratio of 1 birth to every 44·5 of the population.* In the Unions of Oughterard and Clifden the number of births registered during the year afforded the very remarkable ratio of 1 birth to every 29·6 and 30·9 of the population* respectively. As this birth-rate is so very high, in comparison with the other unions in this division, it has been thought desirable to give a detailed statement of the number of births registered in each Registrar's district of the two unions, which is as follows :—

Oughterard Union.				Clifden Union.			
Registrars' Districts.	Population in 1861.	No. of Births registered in 1864.	Ratio to Population.	Registrars' Districts.	Population in 1861.	No. of Births registered in 1864.	Ratio to Population.
Cloonbur, .	5,749	178	1 in 32·3	Clifden, . .	12,087	388	1 in 31·1
Oughterard, .	6,070	172	„ 35·3	Rinvyle, . .	4,791	157	„ 30·5
Lettermore, .	6,653	254	„ 26·2	Roundstone, .	8,122	265	„ 30·6

* According to the Census of 1861.

Quarterly Reports.

Fourth Quarter.

It will be seen from the foregoing that the birth-rate in the Clifden Union, although high, is very uniform, whereas in the Union of Oughterard the high rate is made up by the very unusual ratio in the Registrar's District of Lettermore, where the birth-rate during the year was 1 in 26·2 of the population.*

The number of deaths *registered* in the Western Division in the first quarter of the year was 2,937 ; during the second quarter, 2,609 ; in the third quarter, 2,061 ; and during the fourth quarter, 2,345 ; making a total of 9,952 deaths registered during the year, and affording a ratio of 1 in 82·7 of the population.* With the exception of the Unions of Galway and Mountbellew, in each of the unions forming this division, the death-rate was less than 1 in 60 of the population.* In four Unions—Castlebar, Glennamaddy, Swineford, and Tobercurry—the number of deaths *registered* during the year did *not amount to* 1 in every 100 *of the population.**

The "Zymotic" diseases most prevalent in this division, during the fourth quarter, were scarlatina, fever, and measles. Whooping cough from which the Island of Inishmore, in the district of Arran, had been free for nine years, appeared during the fourth quarter, and became epidemic.

No. VII. South-Eastern Division.—The number of marriages *registered* in this division during the quarter ending December 31st, amounted to 565, affording an annual ratio of 1 in every 222 of the population.*

The number of births *registered* in the first quarter of the year was 2,947 ; during the second quarter, 3,437 ; in the third quarter, 2,861 ; and during the fourth quarter, 2,626 ; making a total of 11,871 births *registered* during the year, and yielding a ratio of 1 in 42·2 of the population,* varying from 1 in 34·1 in the Union of Kilmacthomas, to 1 in 48·1 in the Union of Callan.

The number of deaths *registered* in the first quarter of the year was 2,926 ; during the second quarter, 2,421 ; in the third, 1,859 ; and during the fourth, 2,166 ; making a total of 9,372 deaths registered during the year, and affording a ratio of 1 in 53·5 of the population.* The number of deaths registered during the year in the Union of Carrick-on-Suir exceeded the number of births, and yielded a ratio of 1 in 41·3 ; in the Union of Clonmel, the ratio was 1 in 45·1 ; while in the Unions of Mitchelstown, Fermoy, and Clogheen, the death-rate was only 1 in 74·3, 1 in 63·0, and 1 in 62·3 respectively.

Fever and scarlatina were prevalent during the fourth quarter, throughout the "South-Eastern" division.

No. VIII. South-Western Division.—The number of marriages *registered* in this division during the quarter ending December 31st amounted to 693, affording an annual ratio of 1 marriage to every 309 of the population.*

During the first quarter of the year the number of births *registered* was 5,605 ; in the second quarter, 6,541 ; during the third quarter, 5,151 ; and in the fourth quarter, 5,009 ; making a total of 22,306 births registered during the year, and yielding a ratio of 1 to 38·4 of the population,* ranging from 1 in 31·3 in Millstreet Union, and 1 in 32·4 in Newcastle Union, to 1 in 48·2 in the Union of Croom, and 1 in 48·4 in that of Rathkeale.

The number of deaths *registered* in the first quarter of the year was 3,923 ; in the second quarter, 3,552 ; in the third quarter, 2,881, and in the fourth quarter, 3,298, making a total of 13,654 deaths registered during the year, and being equal to a ratio of 1 in every 62·7 of the population.* In the Union or Superintendent Registrar's District of Cork the number of deaths registered during the year afforded a ratio of 1 in 53·5 ; in Limerick the ratio afforded was 1 in 56·2. *In the following four unions, viz., Bantry, Cahersiveen, Croom, and Listowel, the ratio was respectively* 1 *in* 90·2, 1 *in* 102·9, 1 *in* 83·0, *and* 1 *in* 83·2.

Fever and scarlatina were prevalent in the "South-Western" division during the fourth quarter.

* According to the Census of 1861.

Quarterly Reports.

Fourth Quarter.

COMPARISON OF RESULTS BY DIVISIONS.

Births.—Comparing one division with another, as to the number of births registered in proportion to their population, during the quarter ending December 31st, 1864, it is found that the North-Eastern division ranks first, the ratio being 1 in 38; the other divisions follow thus:—the Western, 1 in 40; the Eastern, 1 in 41; the South-Western, 1 in 43; the North-Western, 1 in 47; the South-Eastern, 1 in 48; the North Midland, 1 in 48; and the South Midland, 1 in 51.

The numerical order of the EIGHT DIVISIONS *as regards the annual Rate represented by the Number of Births registered during each quarter of the year* 1864, *is shown in the following statement*:—

Quarter ending 31st March, 1864.		Quarter ending 30th June, 1864.		Quarter ending 30th Sept., 1864.		Quarter ending 31st Dec., 1864.	
1. South-Western,	1 in 38	South-Western,	1 in 33	Eastern, . .	1 in 39	North-Eastern,	1 in 38
2. South-Eastern,	„ 42	North-Eastern,	„ 34	North-Eastern,	„ 40	Western, . .	„ 40
3. South Midland,	„ 48	Eastern, . .	„ 36	South-Western,	„ 42	Eastern, . .	„ 41
4. North-Eastern,	„ 48	South-Eastern,	„ 36	Western, . .	„ 43	South-Western,	„ 43
5. Eastern, . .	„ 49	North Midland,	„ 41	South-Eastern,	„ 44	North-Western,	„ 47
6. North Midland,	„ 53	South Midland,	„ 41	North Midland,	„ 47	South-Eastern, .	„ 48
7. Western, . .	„ 56	Western, . .	„ 42	South Midland,	„ 48	North Midland,	„ 48
8. North-Western,	„ 57	North-Western,	„ 44	North-Western,	„ 49	South Midland,	„ 51

From the foregoing it will be observed that the South-Western division, which ranked first in the first and second quarters of the year, occupied the third place in the third quarter, and the fourth place in the last quarter; while the Western division which occupied the seventh place in the first and second quarters, rose to the fourth place for the third quarter, and to the second place for the last quarter. The North-Western division, which held the last place during the first, second, and third quarters, ranked fifth in the last quarter. Taking the total number of births registered during the year, the divisions rank as follows:—

1. South-Western, ...	1 in 38·4	5. Western, ...	1 in 44·5
2. North-Eastern, ...	„ 39·6	6. South Midland	„ 46·9
3. Eastern, ...	„ 40·8	7. North Midland, . . .	„ 46·9
4. South-Eastern, ...	„ 42·2	8. North-Western, ...	„ 49·0

Deaths.—Comparing the divisions, with regard to the number of deaths registered in each during the quarter ending December 31st, the following is the result:—The "Eastern" ranks first, with an annual ratio of 1 in 55; the others follow thus:—the "South-Eastern," 1 in 58; the "North-Eastern," 1 in 60; the "South-Western," 1 in 65; the "South Midland," 1 in 67; the "North-Western," 1 in 79; the "North Midland," 1 in 81; and the "Western," 1 in 88.

The following Statement shows the EIGHT DIVISIONS, *arranged according to the annual Rate of Mortality represented by the number of deaths registered in each quarter of the year* 1864—

Quarter ending 31st March, 1864.		Quarter ending 30th June, 1864.		Quarter ending 30th Sept., 1864.		Quarter ending 31st Dec., 1864.	
1. South-Eastern,	1 in 43	South-Eastern,	1 in 52	Eastern, . .	1 in 64	Eastern, . .	1 in 55
2. Eastern, . .	„ 44	North-Eastern,	„ 52	South-Eastern, .	„ 67	South-Eastern, .	„ 58
3. North-Eastern,	„ 46	Eastern, . .	„ 54	North-Eastern,	„ 68	North-Eastern,	„ 60
4. South Midland,	„ 52	South-Western,	„ 60	South Midland,	„ 73	South-Western,	„ 65
5. South-Western,	„ 55	South Midland,	„ 61	South-Western,	„ 74	South Midland,	„ 67
6. North-Western,	„ 57	North-Western,	„ 61	North-Western,	„ 83	North-Western,	„ 79
7. North Midland,	„ 59	North Midland,	„ 74	North Midland,	„ 93	North Midland,	„ 81
8. Western, . .	„ 70	Western, . .	„ 79	Western, . .	„ 100	Western, . .	„ 88

From the above it may be observed that the mortality in proportion to the population, in each of the four quarters of the year, was highest in the three divisions situated on the eastern coast. Little change took place in the numerical order of the divisions during the four quarters; the South-Western held the fifth place in the first and third quarters, and the South Midland the fourth place in the first and third quarters; in the second and fourth quarters the order was reversed, the South-Western holding the fifth place, the South

* According to the Census of 1861.

Quarterly Reports.

Fourth Quarter.

Midland the fourth. In the third and fourth quarters the divisions ranked the same with regard to mortality, in proportion to the population,* except the South-Western and South Midland which changed places. It will be observed that in each of the divisions the rate of mortality was greater during the last quarter than it had been during the third quarter of the year. With regard to the total number of deaths registered in each of the divisions during the year, the numerical order is as follows :—

1. South-Eastern, ... 1 in 53·5	5. South-Western, ... 1 in 62·7
2. Eastern, ... „ 53·5	6. North-Western, ... „ 68·2
3. North-Eastern, ... „ 55·5	7. North Midland, ... „ 74·6
4. South Midland, ... „ 62·3	8. Western, ... „ 82·7

PROVINCES.

The following tables show, by quarterly periods, the number of births and deaths *registered* in each of the four PROVINCES during the year 1864, and the ratio to the population :—

Table showing by Provinces and Quarterly Periods the number of Births registered in Ireland during the year 1864, *and the Ratio to the Population.**

REGISTRATION PROVINCES.	Quarter ending								Total, Year 1864.	
	31st Mar., 1864.		30th June, 1864.		30th Sept., 1864.		31st Dec., 1864.			
	Number.	Ratio.	Number.	Ratio.	Number.	Ratio.	Number.	Ratio.	Number.	Ratio.
LEINSTER, . . .	7,281	1 in 49	9,462	1 in 38	8,521	1 in 42	7,818	1 in 46	33,082	1 in 43·2
MUNSTER, ...	9,467	40	10,999	35	8,714	44	8,616	44	37,796	40·5
ULSTER, . . .	9,269	52	12,784	38	11,113	43	11,740	41	44,906	43·0
CONNAUGHT, . .	4,162	55	5,470	42	5,529	41	5,469	42	20,630	44·0

Table showing by Provinces and Quarterly Periods the number of Deaths registered in Ireland during the year 1864, *and the Ratio to the Population.**

REGISTRATION PROVINCES.	Quarter ending								Total, Year 1864.	
	31st Mar., 1864.		30th June, 1864.		30th Sept., 1864.		31st Dec., 1864.			
	Number.	Ratio.	Number.	Ratio.	Number.	Ratio.	Number.	Ratio.	Number.	Ratio.
LEINSTER, . . .	7,667	1 in 47	6,434	1 in 56	5,269	1 in 68	6,070	1 in 59	25,440	1 in 56·2
MUNSTER, . . .	7,332	52	6,308	61	5,105	75	5,791	66	24,536	62·3
ULSTER, . . .	9,631	50	8,518	57	6,486	74	7,225	67	31,860	60·6
CONNAUGHT, . . .	3,413	67	2,895	78	2,331	97	2,669	85	11,308	80·4

Births.—From the foregoing tables it will be seen that the number of births registered during the year in the province of Leinster, amounted to 33,082, or 1 in 43·2 of the population ;* in the province of Munster the number of births registered during the year amounted to 37,796, or 1 in every 40·5 of the population ;* in Ulster there were registered 44,906, or 1 in every 43·0 ; and in Connaught, 20,630, or 1 in 44·0 of the population.*

Deaths.—The number of deaths registered during the year in the province of Leinster amounted to 25,440, or 1 in 56·2 of the population ;* in the province of Munster, 24,536, or 1 in every 62·3 ; in Ulster, 31,860, or 1 in every 60·6 ; and in Connaught, 11,308, or 1 in 80·4 of the population.*

* According to the Census of 1861.

METEOROLOGICAL OBSERVATIONS taken at the Ordnance Survey Office, Phœnix Park, Dublin.

1864. MONTHS.	BAROMETER.			THERMOMETER.			Mean of Dry Bulb.	Rain-fall.
	Maximum.	Minimum.	Mean.	Maximum.	Minimum.	Mean.		
	Inches.	Inches.	Inches.	°	°	°	°	Inches.
January,	30·404	29·328	29·910	52·8	14·8	40·1	39·9	1·438
February,	30·386	29·011	29·755	57·6	19·5	37·7	37·5	·971
March,	30·064	28·742	29·509	58·7	26·8	42·7	42·5	2·818
Mean,	30·285	29·030	29·725	56·4	20·4	40·2	40·0	Total. 5·227
April,	30·166	29·425	29·895	69·1	29·0	50·1	51·1	·792
May,	30·113	29·562	29·870	79·0	31·8	54·4	55·1	1·730
June,	30·126	29·202	29·749	73·7	33·2	50·4	57·2	1·561
Mean,	30·135	29·376	29·838	73·9	31·3	53·6	54·5	Total. 4·083
July,	30·097	29·301	29·796	80·9	40·5	60·6	61·6	·964
August,	30·371	29·383	29·956	81·4	33·0	57·1	58·7	1·301
September,	30·240	29·081	29·679	71·2	37·4	55·8	56·2	1·872
Mean,	30·236	29·256	29·804	77·8	37·0	57·8	58·8	Total. 4·137
October,	30·333	28·724	29·766	61·1	33·0	49·3	49·2	6·167
November,	30·587	28·390	29·556	60·0	27·8	43·5	43·6	3·311
December,	30·463	29·118	29·796	55·2	17·2	40·4	39·9	2·562
Mean,	30·461	28·744	29·686	58·8	26·0	44·4	44·2	Total. 12·040
Mean of year 1864,	30·279	29·102	29·763	66·7	28·7	49·0	49·4	Total. 25·487

1864. MONTHS.	DIRECTION OF THE WIND AT 9·30 A.M. Number of Days the Wind blew from the							
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
January,*	–	–	2	7	5	10	5	–
February,*	2	2	6	2	–	8	3	4
March,	2	4	10	1	–	7	5	2
Total, 1st Quarter,	4	6	18	10	5	25	13	6
April,	1	4	8	–	2	6	7	2
May,	3	2	8	2	1	5	5	5
June,*	3	–	1	1	1	10	13	–
Total, 2nd Quarter,	7	6	17	3	4	21	25	7
July,	2	7	1	–	3	6	10	2
August,	4	3	7	–	2	6	6	3
September,	1	1	2	1	1	15	8	1
Total, 3rd Quarter,	7	11	10	1	6	27	24	6
October,	2	5	14	2	–	2	4	2
November,	1	–	5	3	4	8	6	3
December,	–	3	5	2	4	10	7	–
Total, 4th Quarter,	3	8	24	7	8	20	17	5
Total of year 1864,	21	31	69	21	23	93	79	24

* Two days each in the months of January and February, and one day in June, were returned as "calm."

POPULATION OF IRELAND (including Army, Navy, and Merchant Seamen on shore and in port) *estimated* to the middle of each of the Years 1801 to 1864 :—

Middle of the Years	Estimated POPULATION.			Middle of the Years	Estimated POPULATION.			Middle of the Years	Estimated POPULATION.		
	Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
1801	5,216,329	2,591,758	2,624,571	1823	6,984,809	3,427,971	3,556,838	1844	8,276,627	4,074,467	4,202,160
1802	5,285,994	2,624,911	2,661,083	1824	7,078,140	3,471,820	3,606,320	1845	8,295,061	4,083,043	4,212,018
1803	5,356,594	2,658,488	2,698,106	1825	7,172,722	3,516,230	3,656,492	1846	8,287,848	4,078,789	4,209,059
1804	5,428,135	2,692,494	2,735,641	1826	7,268,570	3,561,209	3,707,361	1847	8,025,274	3,943,938	4,081,336
1805	5,500,636	2,726,936	2,773,700	1827	7,365,700	3,606,763	3,758,937	1848	7,639,800	3,746,427	3,893,373
1806	5,574,105	2,761,818	2,812,287	1828	7,464,131	3,652,899	3,811,232	1849	7,256,314	3,551,244	3,705,070
1807	5,648,558	2,797,146	2,851,412	1829	7,563,878	3,699,625	3,864,253	1850	6,877,549	3,361,009	3,516,540
1808	5,724,008	2,832,927	2,891,081	1830	7,664,964	3,746,950	3,918,014	1851	6,514,473	3,181,353	3,333,120
1809	5,800,464	2,869,164	2,931,300	1831	7,767,401	3,794,880	3,972,521	1852	6,336,889	3,095,135	3,241,754
1810	5,877,946	2,905,865	2,972,081	1832	7,809,578	3,818,515	3,991,063	1853	6,198,984	3,031,226	3,167,758
1811	5,956,466	2,943,037	3,013,429	1833	7,851,988	3,842,296	4,009,692	1854	6,083,183	2,976,928	3,106,255
1812	6,036,034	2,980,683	3,055,351	1834	7,894,634	3,866,227	4,028,407	1855	6,014,665	2,946,068	3,068,597
1813	6,116,668	3,018,811	3,097,857	1835	7,937,516	3,890,306	4,047,210	1856	5,972,851	2,926,173	3,046,678
1814	6,198,381	3,057,426	3,140,955	1836	7,980,637	3,914,535	4,066,102	1857	5,919,454	2,897,924	3,021,530
1815	6,281,188	3,096,536	3,184,652	1837	8,023,995	3,938,914	4,085,081	1858	5,890,814	2,881,994	3,008,820
1816	6,365,103	3,136,146	3,228,957	1838	8,067,596	3,963,447	4,104,149	1859	5,861,711	2,865,930	2,995,781
1817	6,450,141	3,176,263	3,273,878	1839	8,111,438	3,988,132	4,123,306	1860	5,820,960	2,845,121	2,975,839
1818	6,536,316	3,216,892	3,319,424	1840	8,155,521	4,012,970	4,142,551	1861	5,788,415	2,831,783	2,956,632
1819	6,623,645	3,258,041	3,365,604	1841	8,199,853	4,037,964	4,161,889	1862	5,784,527	2,828,357	2,956,170
1820	6,712,144	3,299,717	3,412,427	1842	8,220,926	4,047,879	4,173,047	1863	5,739,569	2,801,963	2,937,606
1821	6,801,827	3,341,926	3,459,901	1843	8,239,832	4,056,704	4,183,128	1864	5,675,307	2,765,504	2,909,803
1822	6,892,708	3,384,674	3,508,034								

NOTE.—This table has been constructed for the years 1801 to 1831—By adopting the rates of increase of the male and female population between 1821 and 1831, as shown by the Irish Census Reports of 1831—the first complete Census of Ireland having been taken in 1821.

1832 to 1841—By adopting the rate of increase between the population of 1831 and 1841, according to the Irish Census Report of 1841.

1842 to 1846—By taking the English average birth-rate of 1 in 31, and death-rate of 1 in 45, and deducting the annual emigration from Ireland according to the returns received from the Emigration Commissioners in England.

1847 to 1851—The English birth-rate, as above, was used, deducting the number of deaths and the number of emigrants in each year, as given in the Irish Census Reports of 1851 ; the difference between the number arrived at by this computation and the *actual* number by the Census of 1851 was divided over the intervening years in proportion to the number of recorded deaths and the number of emigrants.

1852 to 1861—The English birth and death rates, as above, were used, deducting the number of emigrants according to the returns obtained by the Registrar-General for Ireland, and apportioning the difference as explained for the last period.

1862 to 1864—The English birth and death rates, as above, were employed in the calculations for each year, deducting the number of emigrants according to the returns received by the Registrar-General for Ireland.

ANNUAL ABSTRACTS

OF

MARRIAGES, BIRTHS, AND DEATHS.

1864.

ABSTRACT OF MARRIAGES.—Marriages *registered* in Ireland, pursuant to the

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES, Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	Not according to the Rites of the Established Church. In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.
IRELAND,	20,322,641	†5,798,967	27,406	16	3,662	1,058	12	13	4,761	2,514	192	1,109	10	1	8,587
No. DIVISIONS.															
I. North-Eastern,	2,328,305	1,124,041	6,294	2	1,603	351	.	1	1,957	2,010	135	603	3	.	4,708
II. North-Western,	2,392,501	574,745	2,279	.	452	23	.	.	475	299	22	90	.	.	886
III. Eastern, . .	1,993,016	829,569	4,886	12	613	369	8	2	1,004	57	17	257	3	1	1,339
IV. North Midland,	2,019,408	575,289	2,050	1	344	37	.	4	386	93	3	30	.	.	512
V. South Midland,	2,361,709	515,272	2,047	.	163	45	3	2	213	9	.	26	.	.	248
VI. Western, . .	4,088,459	822,878	3,201	.	111	22	.	2	135	9	2	9	.	.	155
VII. South-Eastern,	1,826,172	500,957	2,452	.	123	63	.	2	188	15	5	19	3	.	230
VIII. South-Western,	3,313,071	855,813	4,197	1	253	148	1	.	403	22	8	75	1	.	509
I.—NORTH-EASTERN DIVISION.—															
No.															
1 Antrim, . . .	117,119	39,652	204	.	10	1	.	.	11	137	9	24	.	.	181
2 Armagh, . .	154,253	80,810	410	.	166	5	.	.	171	55	4	16	.	.	246
3 Ballycastle, .	102,197	19,653	74	.	27	.	.	.	27	18	.	.	.	.	45
4 Ballymena, . .	161,161	74,597	386	.	19	9	.	.	28	234	5	82	.	.	349
5 Ballymoney, . .	127,518	41,583	186	.	27	3	.	.	30	85	10	18	.	.	143
6 Banbridge, . .	124,928	71,918	415	.	124	4	.	.	128	144	7	45	1	.	325
7 Belfast, . .	47,812	144,629	1,170	.	343	219	.	1	563	357	35	110	2	.	1,067
8 Castleblayney, .	94,213	41,812	250	.	29	5	.	.	34	27	4	3	.	.	68
9 Coleraine, . .	112,396	40,562	197	.	38	4	.	.	42	84	4	46	.	.	176
10 Cookstown, . .	96,720	37,953	170	.	57	2	.	.	59	39	4	10	.	.	112
11 Downpatrick, .	147,361	57,969	330	1	78	3	.	.	82	124	1	32	.	.	239
12 Dungannon, . .	102,548	51,892	257	.	71	1	.	.	72	53	1	7	.	.	133
13 Kilkeel, . .	81,829	22,614	109	1	34	.	.	.	35	27	.	3	.	.	65
14 Larne, . . .	117,784	35,087	235	.	24	4	.	.	28	165	13	4	.	.	210
15 Lisburn, . .	119,843	66,882	349	.	114	74	.	.	188	90	6	46	.	.	330
16 Lurgan, . . .	79,464	73,930	394	.	215	6	.	.	221	43	5	37	.	.	306
17 Magherafelt, .	156,721	63,852	307	.	87	1	.	.	88	56	10	15	.	.	169
18 Newry, . . .	137,875	74,311	444	.	63	1	.	.	64	73	4	33	.	.	174
19 Newtownards, .	93,851	53,428	309	.	60	6	.	.	66	150	13	72	.	.	301
20 Newtownlimavady,	152,712	30,907	98	.	17	3	.	.	20	49	.	.	.	.	69
II.—NORTH-WESTERN DIVISION.—															
21 Ballyshannon, .	132,353	32,181	113	.	12	1	.	.	13	.	.	3	.	.	16
22 Castlederg, . .	91,785	17,478	45	.	10	.	.	.	10	15	2	.	.	.	27
23 Donegal, . .	160,411	31,258	100	.	29	1	.	.	30	4	2	9	.	.	45
24 Dunfanaghy, .	125,650	17,326	71	.	11	1	.	.	12	1	.	3	.	.	16
25 Enniskillen, . .	203,628	49,715	200	.	57	3	.	.	60	8	4	38	.	.	110
26 Glenties, . .	257,430	39,899	163	.	13	.	.	.	13	.	.	1	.	.	14
27 Gortin, . . .	111,261	16,626	30	.	6	.	.	.	6	6	.	.	.	.	12
28 Inishowen, . .	159,408	37,222	122	.	23	1	.	.	24	10	.	.	.	.	34
29 Irvinestown, .	75,927	22,728	78	.	44	.	.	.	44	.	5	4	.	.	53
30 Letterkenny, .	101,207	18,932	68	.	11	.	.	.	11	21	.	3	.	.	35
31 Londonderry, .	143,996	59,392	327	.	66	5	.	.	71	89	5	15	.	.	180
32 Manorhamilton, .	144,847	33,443	126	.	17	2	.	.	19	.	.	1	.	.	20
33 Millford, . .	111,335	28,226	115	.	13	3	.	.	16	15	1	1	.	.	33
34 Omagh, . . .	174,217	52,836	173	.	59	2	.	.	61	34	.	.	.	.	95
35 Sligo, . . .	143,523	53,901	241	.	30	1	.	.	31	3	1	5	.	.	40
36 Strabane, . .	134,372	43,604	203	.	42	2	.	.	44	75	2	5	.	.	126
37 Stranorlar, . .	121,151	19,978	104	.	9	1	.	.	10	18	.	2	.	.	30

* The *Divisions* consist of groups of Superintendent Registrars' Districts, which Districts, 163 in number, are co-

† Including 403 persons (Seamen

Acts 7 & 8 Vic., c. 81, and 26 & 27 Vic., c. 90, in the Year ending 31st December, 1864.

Roman Catholic Marriages under the 26 & 27 Vic., c. 90.	MARRIAGES, Registered in the Quarter ending the last day of: March.	June.	September.	December.	Of Persons not of full Age. Men.	Women.	Of Widowers.	Widows.	Signed the Marriage Register with Marks. Men.	Women.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
18,819	9,602	5,023	5,512	6,269	1,032	4,976	2,941	1,556	10,574	13,778	**IRELAND.**
											DIVISIONS.
1,586	1,632	1,357	1,447	1,858	252	932	686	278	2,230	3,161	**North-Eastern.**
1,393	834	462	384	599	111	471	232	95	1,060	1,328	**North-Western.**
3,547	1,124	1,365	1,233	1,164	190	808	533	353	1,318	1,795	**Eastern.**
1,538	725	477	378	470	70	399	210	100	690	928	**North Midland.**
1,799	672	504	408	463	53	322	223	122	742	960	**South Midland.**
3,046	1,849	509	386	457	90	771	321	189	1,611	1,872	**Western.**
2,222	851	522	514	565	96	365	263	130	1,109	1,416	**South-Eastern.**
3,688	1,915	827	762	693	170	908	473	289	1,814	2,318	**South-Western.**
MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.											
23	45	45	49	65	8	43	19	7	55	66	ANTRIM.
164	105	91	78	136	17	47	36	23	169	222	ARMAGH.
29	24	13	14	23	2	8	12	2	17	33	BALLYCASTLE.
37	104	84	86	112	14	49	41	16	132	207	BALLYMENA.
43	48	39	37	62	8	27	17	5	68	100	BALLYMONEY.
90	114	94	86	121	21	65	49	18	146	211	BANBRIDGE.
103	289	238	296	347	37	177	133	82	346	522	BELFAST.
182	81	61	40	68	19	52	10	4	136	164	CASTLEBLAYNEY.
21	59	41	44	53	7	25	19	2	53	80	COLERAINE.
58	37	36	39	58	8	32	21	8	72	105	COOKSTOWN.
91	74	76	89	91	13	41	37	13	84	111	DOWNPATRICK.
124	76	57	55	69	8	27	28	10	99	143	DUNGANNON.
44	25	24	23	37	2	10	11	5	28	43	KILKEEL.
25	66	45	51	73	9	39	30	7	40	68	LARNE.
19	69	75	112	93	12	48	34	12	124	176	LISBURN.
88	88	87	100	119	20	86	48	18	179	271	LURGAN.
138	84	73	61	89	13	38	38	9	140	179	MAGHERAFELT.
270	137	86	93	128	18	64	43	15	194	274	NEWRY.
8	83	69	72	85	10	42	53	19	116	152	NEWTOWNARDS.
29	24	23	22	29	6	12	7	3	32	34	NEWTOWNLIMAVADY.
MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.											
97	28	24	20	41	7	18	8	7	49	56	BALLYSHANNON.
18	5	12	10	18	3	5	2	3	17	25	CASTLEDERG.
55	56	9	14	21	8	26	8	4	55	62	DONEGAL.
55	49	5	3	14	6	25	4	3	48	47	DUNFANAGHY.
90	56	48	41	55	7	20	27	7	70	107	ENNISKILLEN.
149	109	11	18	25	7	34	16	5	130	135	GLENTIES.
18	13	8	5	4	1	7	.	1	9	15	GORTIN.
88	61	13	23	25	.	32	10	2	61	81	INISHOWEN.
25	28	15	15	20	5	17	6	4	28	43	IRVINESTOWN.
33	14	14	14	26	1	11	13	1	28	34	LETTERKENNY.
147	67	93	81	86	14	59	38	12	131	182	LONDONDERRY.
106	48	24	20	34	5	32	12	12	42	64	MANORHAMILTON.
82	65	22	8	20	8	32	12	1	63	72	MILLFORD.
78	53	37	33	50	9	29	14	8	64	84	OMAGH.
201	94	50	32	65	7	57	29	18	118	148	SLIGO.
77	53	57	31	62	15	34	24	3	86	105	STRABANE.
74	35	20	16	33	8	23	9	4	61	68	STRANORLAR.

terminous with the Poor Law Unions of the same names. For topographical description of the Divisions, see page 18.
and others) at Sea on Census Night.

III.—EASTERN DIVISION.—

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES, Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	Total.	Not according to the Rites of the Established Church. In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.
38	Ardee,	96,211	25,284	88	2	5	1	.	.	8	.	.	1	.	.	9
39	Bailieborough,	65,909	23,079	86	.	17	7	1	.	25	16	.	1	.	.	42
40	Balrothery,	75,139	22,016	104	.	4	1	.	.	5	.	.	.	.	.	5
41	Baltinglass,	139,108	22,032	127	.	5	2	2	.	9	.	.	3	.	.	12
42	Carrickmacross,	60,664	22,354	61	.	8	.	.	.	8	2	.	.	.	.	10
43	Celbridge,	86,838	19,580	85	.	8	4	.	.	12	.	.	1	.	.	13
44	Drogheda,	99,045	39,821	175	.	14	.	.	.	14	1	1	1	.	.	17
45	Dublin, North,	40,769	134,755	1,078	1	124	95	.	.	220	29	6	80	.	.	335
46	Dublin, South,	48,089	201,963	1,582	4	239	186	4	.	433	7	8	129	3	1	581
47	Dundalk,	104,434	46,850	202	.	25	2	.	1	28	1	.	1	.	.	30
48	Dunshaughlin,	108,339	14,109	51	.	3	.	.	.	3	.	.	.	.	.	3
49	Gorey,	129,705	24,857	113	.	14	4	.	.	18	.	1	3	.	.	22
50	Kells,	108,982	24,482	48	.	6	1	.	.	7	.	.	.	.	.	7
51	Naas,	216,622	47,598	251	1	22	37	.	.	60	.	1	1	.	.	62
52	Navan,	94,466	21,988	79	.	3	.	.	1	4	.	.	2	.	.	6
53	Rathdown,	61,514	53,298	346	4	70	20	1	.	95	.	.	26	.	.	121
54	Rathdrum,	227,541	43,402	215	.	29	4	.	.	33	.	.	6	.	.	39
55	Shillelagh,	110,122	19,183	109	.	8	5	.	.	13	.	.	2	.	.	15
56	Trim,	119,519	22,918	86	.	9	.	.	.	9	1	.	.	.	.	10

IV.—NORTH MIDLAND DIVISION.—

57	Athlone,	150,768	39,323	178	.	15	13	.	.	28	4	.	5	.	.	37
58	Ballymahon,	100,126	22,089	76	.	4	1	.	1	6	2	.	.	.	.	8
59	Bawnboy,	104,504	26,808	70	.	9	1	.	.	10	.	.	.	.	.	10
60	Carrick-on-Shannon,	100,736	31,677	98	.	10	1	.	.	11	.	.	.	.	.	11
61	Cavan,	160,662	58,662	214	.	46	4	.	.	50	3	1	2	.	.	56
62	Clogher,	101,679	27,753	130	.	35	2	.	.	37	17	.	.	.	.	54
63	Clones,	73,502	26,699	88	.	41	.	.	1	42	8	.	4	.	.	54
64	Cootehill,	105,848	38,961	157	.	31	5	.	.	36	29	2	5	.	.	72
65	Delvin,	74,775	13,561	60	.	3	1	.	.	4	.	.	.	.	.	4
66	Granard,	134,003	36,043	118	.	6	2	.	.	8	.	.	.	.	.	8
67	Lisnaskea,	98,745	25,832	100	.	54	2	.	.	56	3	.	3	.	.	62
68	Longford,	109,961	32,757	118	.	15	3	.	1	19	3	.	2	.	.	24
69	Mohill,	92,955	30,191	95	.	5	.	.	.	5	.	.	1	.	.	6
70	Monaghan,	112,739	45,674	154	.	42	1	.	.	43	22	.	4	.	.	69
71	Mullingar,	208,401	42,703	98	.	16	.	.	.	16	1	.	2	.	.	19
72	Oldcastle,	85,912	23,657	98	.	8	.	.	.	8	1	.	2	.	.	11
73	Roscommon,	114,056	26,504	114	1	4	1	.	.	6	.	.	.	.	.	6
74	Strokestown,	90,036	26,395	84	.	.	.	.	1	1	.	.	.	.	.	1

V.—SOUTH MIDLAND DIVISION.—

75	Abbeyleix,	107,167	22,400	84	.	4	2	.	.	6	1	.	1	.	.	8
76	Athy,	160,254	33,210	136	.	11	1	.	1	13	.	.	2	.	.	15
77	Borrisokane,	81,850	13,740	30	.	3	.	.	.	3	.	.	.	.	.	3
78	Carlow,	185,857	51,802	302	.	27	8	2	.	37	.	.	5	.	.	42
79	Cashel,	156,822	33,527	143	.	9	1	.	.	10	.	.	.	.	.	10
80	Castlecomer,	57,820	15,937	92	.	2	1	.	.	3	.	.	.	.	.	3
81	Donaghmore,	51,060	9,504	26	.	2	1	.	.	3	.	.	.	.	.	3
82	Edenderry,	172,407	23,384	89	.	6	1	.	.	7	.	.	1	.	.	8
83	Kilkenny,	110,943	35,499	139	.	9	7	.	.	16	2	.	1	.	.	19
84	Mountmellick,	200,633	42,184	134	.	17	1	.	.	18	1	.	7	.	.	26

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.

MARRIAGES,											
Roman Catholic Marriages under the 26 & 27 Vic., c. 90.	Registered in the Quarter ending the last day of				Of Persons not of full Age.		Of		Signed the Marriage Register with Marks.		DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.	Men.	Women.	Widowers.	Widows.	Men.	Women.	
79	16	27	19	26	2	13	5	1	34	41	ARDEE.
44	27	22	18	19	3	25	8	7	24	31	BAILIEBOROUGH.
99	26	32	20	26	2	19	12	3	43	47	BALROTHERY.
115	26	40	28	33	3	13	9	6	56	60	BALTINGLASS.
51	23	15	15	8	2	11	7	3	24	37	CARRICKMACROSS.
72	23	24	18	20	2	12	9	4	31	37	CELBRIDGE.
158	27	56	47	45	11	41	17	10	70	89	DROGHEDA.
743	234	278	303	263	50	206	134	118	221	346	DUBLIN, NORTH.
1,001	355	446	427	354	70	233	198	138	334	518	DUBLIN, SOUTH.
172	49	54	41	58	13	36	17	6	105	133	DUNDALK.
48	15	16	11	9	.	4	6	1	10	2	DUNSHAUGHLIN.
91	27	25	27	34	2	12	4	2	39	43	GOREY.
41	26	9	7	6	4	7	3	.	14	17	KELLS.
189	55	77	66	53	3	50	18	16	87	113	NAAS.
73	25	25	10	19	4	17	8	2	18	24	NAVAN.
225	74	117	86	69	12	45	36	17	72	95	RATHDOWN.
176	40	55	50	70	3	37	22	10	85	100	RATHDRUM.
94	29	23	22	35	3	19	8	2	42	51	SHILLELAGH.
76	27	24	18	17	1	8	12	7	9	11	TRIM.

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.

141	60	48	38	32	6	35	14	9	55	98	ATHLONE.
68	20	19	20	17	.	14	9	1	36	44	BALLYMAHON.
60	29	17	10	14	2	16	5	3	32	36	BAWNBOY.
87	50	19	10	19	5	23	9	2	33	44	CARRICK-ON-SHANNON.
158	68	58	41	47	7	67	23	12	84	108	CAVAN.
76	53	31	14	32	4	23	15	5	31	48	CLOGHER.
34	23	20	15	30	2	10	9	3	26	38	CLONES.
85	56	30	24	47	8	20	18	7	34	42	COOTEHILL.
56	19	15	14	12	3	11	4	2	13	18	DELVIN.
110	38	25	26	29	6	19	8	5	31	37	GRANARD.
38	23	37	17	23	1	17	13	6	32	42	LISNASKEA.
94	37	28	23	30	7	22	15	11	49	60	LONGFORD.
89	40	16	18	21	4	15	11	6	27	41	MOHILL.
85	57	27	37	33	2	24	12	3	42	66	MONAGHAN.
79	31	26	23	18	5	22	9	3	25	28	MULLINGAR.
87	31	25	17	25	6	17	11	9	34	50	OLDCASTLE.
108	49	18	21	26	1	25	14	5	55	70	ROSCOMMON.
83	41	18	10	15	1	19	11	8	51	58	STROKESTOWN.

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.

76	23	17	16	28	1	12	6	4	28	36	ABBEYLEIX.
121	21	44	36	35	.	16	15	6	60	65	ATHY.
27	10	5	6	9	2	1	2	3	11	18	BORRISOKANE.
260	85	78	62	77	6	45	39	16	125	154	CARLOW.
133	60	28	25	30	6	32	20	12	51	82	CASHEL.
89	35	21	21	15	3	12	11	2	40	44	CASTLECONER.
23	14	7	3	2	.	1	.	2	13	16	DONAGHMORE.
81	19	32	14	24	1	12	3	4	35	43	EDENDERRY.
120	46	36	32	25	3	18	15	7	47	64	KILKENNY.
108	35	36	27	36	1	16	11	3	50	66	MOUNTMELLICK.

V.—SOUTH MIDLAND DIVISION.—

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES, Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	Total	No according to the Rites of the Established Church. In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.
85	Nenagh,	183,088	38,277	135	.	7	1	.	.	8	.	.	.	.	.	8
86	Parsonstown,	220,437	39,350	166	.	23	11	.	.	34	3	.	5	.	.	42
87	Roscrea,	118,488	24,666	111	.	23	1	.	.	24	.	.	1	.	.	25
88	Thurles,	143,351	36,152	144	.	6	9	1	.	16	.	.	2	.	.	18
89	Tipperary,	179,088	47,298	136	.	4	.	.	1	5	1	.	.	.	.	6
90	Tullamore,	155,395	33,087	129	.	10	.	.	.	10	1	.	.	.	.	11
91	Urlingford,	76,149	15,255	51	.	.	.	.	.	.	.	.	1	.	.	1

VI.—WESTERN DIVISION.—

92	Ballina,	150,415	32,693	135	.	8	.	.	.	8	1	1	3	.	.	13
93	Ballinasloe,	160,507	28,222	119	.	12	4	.	.	16	1	.	1	.	.	18
94	Ballinrobe,	144,804	31,558	93	.	4	.	.	.	4	.	.	.	.	.	4
95	Ballyvaghan,	71,063	6,819	20	.	1	.	.	.	1	.	.	.	.	.	1
96	Belmullet,	177,933	17,096	53	.	2	.	.	.	2	.	.	.	.	.	2
97	Boyle,	159,696	47,758	172	.	12	.	.	.	12	2	.	1	.	.	15
98	Castlebar,	140,998	31,780	131	.	1	1	.	1	3	2	.	.	.	.	5
99	Castlereagh,	162,363	46,783	182	.	2	.	.	.	2	.	.	.	.	.	2
100	Claremorris,	110,788	32,070	157	.	2	.	.	.	2	.	.	.	.	.	2
101	Clifden,	192,965	25,000	108	.	7	2	.	.	9	.	.	.	.	.	9
102	Corrofin,	61,386	7,866	42	.	2	.	.	.	2	.	.	.	.	.	2
103	Dromore, West,	96,985	18,608	109	.	9	.	.	.	9	.	.	.	.	.	9
104	Ennis,	112,505	30,097	130	.	2	.	.	.	2	.	.	.	.	.	2
105	Ennistimon,	99,281	25,028	86	.	3	1	.	1	5	.	.	.	.	.	5
106	Galway,	197,467	50,821	153	.	10	1	.	.	11	2	.	2	.	.	15
107	Glennamaddy,	100,319	22,469	32	.	.	.	.	.	.	.	.	.	.	.	.
108	Gort,	107,919	20,501	63	.	1	.	.	.	1	.	.	.	.	.	1
109	Killadysert,	62,319	13,265	62	.	2	1	.	.	3	.	.	.	.	.	3
110	Killala,	104,882	11,829	45	.	4	.	.	.	4	.	.	.	.	.	4
111	Kilrush,	136,788	41,130	130	.	4	2	.	.	6	1	.	1	.	.	8
112	Loughrea,	198,832	29,139	97	.	4	1	.	.	5	.	.	.	.	.	5
113	Mountbellew,	102,383	19,936	73	.	2	.	.	.	2	.	.	.	.	.	2
114	Newport,	170,413	16,660	90	.	.	6	.	.	6	.	.	.	.	.	6
115	Oughterard,	172,745	18,472	93	.	.	.	.	.	.	.	.	.	.	.	.
116	Portumna,	77,046	14,939	60	.	1	.	.	.	1	.	.	.	.	.	1
117	Scarriff,	86,320	15,611	66	.	3	.	.	.	3	.	.	.	.	.	3
118	Swineford,	152,594	52,004	328	.	.	1	.	.	1	.	.	.	.	.	1
119	Tobercurry,	125,774	27,657	93	.	4	.	.	.	4	.	.	.	.	.	4
120	Tuam,	190,649	44,440	118	.	4	.	.	.	4	.	.	.	.	.	4
121	Tulla,	84,723	15,759	42	.	.	.	.	.	.	.	.	.	.	.	.
122	Westport,	175,507	26,868	119	.	5	2	.	.	7	.	1	1	.	.	9

VII.—SOUTH-EASTERN DIVISION.—

123	Callan,	104,011	24,969	110	.	7	.	.	.	7	.	.	.	.	.	7
124	Carrick-on-Suir,	112,630	30,294	84	.	.	1	.	.	1	1	.	1	.	.	3
125	Clogheen,	118,427	25,249	119	.	6	1	.	.	7	.	.	.	.	.	7
126	Clonmel,	86,810	28,039	126	.	6	.	.	.	6	4	.	3	1	.	14
127	Dungarvan,	94,044	24,346	101	.	1	.	.	.	1	.	.	.	.	.	1
128	Enniscorthy,	196,689	42,886	208	.	15	6	.	1	22	.	.	3	1	.	26
129	Fermoy,	148,268	37,960	225	.	7	27	.	.	34	7	3	1	.	.	45
130	Kilmacthomas,	64,478	15,494	78	.	3	3	.	.	6	.	.	1	.	.	7
131	Lismore,	97,140	20,845	99	.	5	.	.	.	5	.	.	.	.	.	5
132	Middleton,	109,266	34,086	218	.	10	2	.	1	13	.	.	2	.	.	15

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS—*continued.*

MARRIAGES,											
Roman Catholic Marriages under the 26 & 27 Vic., c. 90.	Registered in the Quarter ending the last day of				Of Persons not of full Age.		Of		Signed the Marriage Register with Marks.		DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.	Men.	Women.	Widowers.	Widows.	Men.	Women.	
127	61	26	21	27	4	37	12	11	50	67	NENAGH.
124	44	47	35	40	6	37	20	10	53	73	PARSONSTOWN.
86	26	26	27	32	4	21	12	9	30	38	ROSCREA.
126	72	27	22	23	5	24	18	10	41	52	THURLES.
130	70	25	17	24	5	13	18	11	35	56	TIPPERARY.
118	30	36	34	29	6	24	15	9	43	54	TULLAMORE.
50	21	13	10	7	.	1	6	3	30	32	URLINGFORD.

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.

122	74	25	19	17	5	37	10	6	71	86	BALLINA.
101	53	19	20	27	3	24	20	14	51	67	BALLINASLOE.
89	44	20	13	16	5	33	7	.	42	48	BALLINROBE.
19	11	5	4	.	.	4	.	1	6	9	BALLYVAGHAN.
51	47	2	3	1	1	16	6	4	44	46	BELMULLET.
157	99	29	18	26	5	42	14	3	66	96	BOYLE.
126	93	15	8	15	4	27	11	1	79	95	CASTLEBAR.
180	129	26	8	19	7	42	17	7	80	100	CASTLEREAGH.
155	99	30	11	17	.	28	13	4	52	65	CLAREMORRIS.
99	34	13	28	33	4	26	19	11	66	76	CLIFDEN.
40	26	6	7	3	1	8	8	4	24	30	CORROFIN.
100	73	10	8	18	3	21	5	2	60	73	DROMORE, WEST.
128	47	27	28	28	1	30	12	12	49	63	ENNIS.
81	49	9	18	10	.	19	13	8	52	53	ENNISTIMON.
138	61	38	35	19	9	48	16	17	89	93	GALWAY.
32	20	6	1	5	.	10	1	1	16	15	GLENNAMADDY.
62	33	8	7	15	3	11	4	6	31	38	GORT.
59	34	14	5	9	.	16	4	5	18	21	KILLADYSERT.
41	17	15	5	8	.	18	1	2	28	27	KILLALA.
122	80	19	18	13	5	34	16	15	64	66	KILRUSH.
92	43	22	23	9	4	29	5	8	41	44	LOUGHREA.
71	39	10	10	14	5	18	15	4	36	45	MOUNTBELLEW.
84	72	8	2	8	7	46	6	7	24	27	NEWPORT.
93	51	15	14	13	5	21	15	4	68	72	OUGHTERARD.
59	22	10	12	16	.	9	10	6	37	44	PORTUMNA.
63	43	9	10	4	1	10	11	10	18	18	SCARRIFF.
327	240	41	16	31	2	53	17	6	212	243	SWINEFORD.
89	58	17	7	11	2	17	13	2	41	43	TOBERCURRY.
114	66	15	13	24	3	29	14	6	74	84	TUAM.
42	26	6	4	6	.	9	6	5	15	26	TULLA.
110	66	20	11	22	5	36	12	8	57	59	WESTPORT.

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.

103	40	20	22	28	5	13	15	6	47	65	CALLAN.
81	26	15	18	25	5	12	9	2	26	40	CARRICK-ON-SUIR.
112	60	22	20	17	4	19	16	14	62	75	CLOGHEEN.
112	37	34	27	28	3	17	21	8	52	76	CLONMEL.
100	45	12	22	22	5	13	9	4	49	52	DUNGARVAN.
182	60	43	59	46	6	19	18	11	82	81	ENNISCORTHY.
180	75	52	43	55	5	52	20	10	90	140	FERMOY.
71	26	18	14	20	3	17	8	4	37	43	KILMACTHOMAS.
94	46	19	17	17	3	9	12	5	56	66	LISMORE.
203	68	43	47	60	4	30	16	10	121	146	MIDDLETON.

VII.—SOUTH-EASTERN DIVISION.—

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES, Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	Total.	Not according to the Rites of the Established Church. In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.
133	Mitchelstown,	86,957	22,747	83	.	1	1	.	.	2	.	.	.	.	.	2
134	New Ross,	177,231	44,141	176	.	5	1	.	.	6	.	.	1	.	.	7
135	Thomastown,	107,577	21,405	97	.	3	1	.	.	4	.	.	.	.	.	4
136	Waterford,	125,719	60,068	365	.	23	14	.	.	37	2	1	5	1	.	46
137	Wexford,	126,301	43,727	258	.	23	3	.	.	26	1	1	2	.	.	30
138	Youghal,	70,624	24,701	105	.	8	3	.	.	11	.	.	.	.	.	11

VIII.—SOUTH-WESTERN DIVISION.—

139	Bandon,	101,345	27,256	160	.	17	6	.	.	23	3	1	1	.	.	28
140	Bantry,	106,855	15,964	100	.	4	.	.	.	4	.	.	3	.	.	7
141	Cahersiveen,	197,545	25,204	107	.	1	.	.	.	1	.	.	.	.	.	1
142	Castletown,	73,445	15,076	86	.	.	1	.	.	1	.	.	.	.	.	1
143	Clonakilty,	80,465	28,268	142	.	8	2	1	.	11	2	1	.	.	.	14
144	Cork,	169,732	147,572	979	.	100	90	.	.	190	10	3	55	1	.	259
145	Croom,	83,324	21,172	60	.	7	2	.	.	9	.	.	.	.	.	9
146	Dingle,	125,279	20,539	92	.	2	2	.	.	4	.	.	.	.	.	4
147	Dunmanway,	103,917	17,426	87	.	7	1	.	.	8	.	.	.	.	.	8
148	Glin,	60,666	15,750	54	.	2	.	.	.	2	.	.	.	.	.	2
149	Kanturk,	186,524	34,480	153	.	.	.	.	.	.	.	.	1	.	.	1
150	Kenmare,	198,152	18,757	73	.	1	.	.	.	1	.	.	.	.	.	1
151	Killarney,	251,287	43,987	202	.	5	1	.	.	6	.	.	2	.	.	8
152	Kilmallock,	140,357	39,539	149	.	4	.	.	.	4	.	.	.	.	.	4
153	Kinsale,	79,651	23,837	139	.	12	8	.	.	20	.	.	1	.	.	21
154	Limerick,	177,951	90,756	525	.	26	17	.	.	43	4	.	1	.	.	48
155	Listowel,	151,208	36,531	128	.	2	.	.	.	2	.	.	1	.	.	3
156	Macroom,	179,108	31,090	180	.	4	.	.	.	4	.	.	.	.	.	4
157	Mallow,	154,358	35,751	132	.	5	11	.	.	16	.	.	2	.	.	18
158	Millstreet,	74,906	14,797	53	.	.	1	.	.	1	.	.	.	.	.	1
159	Newcastle,	143,024	31,624	115	.	2	.	.	.	2	.	.	.	.	.	2
160	Rathkeale,	79,932	22,055	71	.	5	2	.	.	7	.	.	.	.	.	7
161	Skibbereen,	115,024	32,412	160	.	19	1	.	.	20	.	.	4	.	.	24
162	Skull,	57,169	13,902	61	.	5	2	.	.	7	.	.	.	.	.	7
163	Tralee,	221,847	52,068	189	1	15	1	.	.	17	3	3	4	.	.	27

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS—*continued*.

MARRIAGES.											
Roman Catholic Marriages under the 26 & 27 Vic., c. 90.	Registered in the Quarter ending the last day of				Of Persons not of full Age.		Of		Signed the Marriage Register with Marks.		DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
	March.	June.	September.	December.	Men.	Women.	Widowers.	Widows.	Men.	Women.	
81	53	11	11	8	3	7	11	6	25	36	MITCHELSTOWN.
169	61	35	29	51	5	16	16	10	71	91	NEW ROSS.
93	34	24	18	21	4	11	10	5	46	62	THOMASTOWN.
319	96	96	80	93	23	79	38	17	149	216	WATERFORD.
228	76	60	68	54	16	37	29	13	136	155	WEXFORD.
94	48	18	19	20	2	14	15	5	60	72	YOUGHAL.

MARRIAGES in the Year 1864—in SUPERINTENDENT REGISTRARS' DISTRICTS.

132	71	30	35	24	2	32	21	11	81	90	BANDON.
93	66	21	11	2	4	24	12	4	57	68	BANTRY.
106	74	11	11	11	2	30	5	8	63	68	CAHERSIVEEN.
85	56	11	9	10	5	24	9	4	62	74	CASTLETOWN.
128	95	16	13	18	3	23	14	6	92	90	CLONAKILTY.
720	258	265	243	213	32	205	120	69	328	490	CORK.
51	31	5	13	11	.	10	6	3	17	19	CROOM.
88	70	10	6	6	6	34	11	2	50	57	DINGLE.
79	47	16	12	12	.	20	9	7	38	40	DUNMANWAY.
52	26	12	6	10	8	13	9	7	27	33	GLIN.
152	93	25	19	16	3	22	16	11	67	88	KANTURK.
72	55	8	5	5	5	29	6	3	20	28	KENMARE.
194	125	35	18	24	7	44	13	13	56	71	KILLARNEY.
145	71	25	29	24	5	20	22	18	60	75	KILMALLOCK.
118	45	36	28	30	6	33	14	7	72	83	KINSALE.
477	142	114	158	111	44	97	61	53	203	301	LIMERICK.
125	58	35	14	21	6	30	12	8	58	78	LISTOWEL.
176	107	32	15	26	4	30	21	9	100	117	MACROOM.
114	55	25	23	29	4	34	14	9	45	54	MALLOW.
52	31	6	10	6	1	8	7	4	24	36	MILLSTREET.
113	72	16	15	12	5	19	16	8	46	70	NEWCASTLE.
64	27	16	20	8	4	14	9	2	26	29	RATHKEALE.
136	108	21	12	19	6	37	18	10	99	102	SKIBBEREEN.
54	37	8	6	10	.	25	7	4	38	45	SKULL.
162	95	28	31	35	8	51	21	9	85	112	TRALEE.

ABSTRACT OF MARRIAGES.—Marriages *registered* in Ireland, pursuant to the

No.	PROVINCES AND COUNTIES.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES, Registered under the Act 7 & 8 Vic., c. 81. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Registrar's Certificate.	Not stated by which of the foregoing Forms.	TOTAL.	Not according to the Rites of the Established Church. In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	TOTAL Registered under the Act 7 & 8 Vic., c. 81.
	IRELAND, .	20,322,641	5,798,967†	27,406	16	3,662	1,058	12	13	4,761	2,514	192	1,109	10	1	8,587
No.	PROVINCES.															
I.	LEINSTER, .	4,703,640	1,430,029	7,406	12	796	413	9	6	1,236	54	18	289	4	1	1,602
II.	MUNSTER, .	6,005,406	1,528,877	7,077	1	392	216	2	3	614	38	12	92	3	.	759
III.	ULSTER, . .	5,402,600	1,930,921	9,364	2	2,299	393	1	2	2,697	2,407	159	708	3	.	5,974
IV.	CONNAUGHT, .	4,210,995	908,737	3,559	1	175	36	.	2	214	15	3	20	.	.	252
	I.—PROVINCE OF LEINSTER.—															
1	CARLOW, . .	185,857	51,802	302	.	27	8	2	.	37	.	.	5	.	.	42
2	DUBLIN, . . .	225,511	412,032	3,110	9	437	302	5	.	753	36	14	235	3	1	1,042
3	KILDARE, . .	463,714	100,388	472	1	41	42	.	1	85	.	1	4	.	.	90
4	KILKENNY, . .	456,500	113,065	489	.	21	9	.	.	30	2	.	2	.	.	34
5	KING'S, . .	548,239	95,821	384	.	39	12	.	.	51	4	.	6	.	.	61
6	LONGFORD, . .	344,090	90,889	312	.	25	6	.	2	33	5	.	2	.	.	40
7	LOUTH, . . .	299,690	111,955	465	2	44	3	.	1	50	2	1	3	.	.	56
8	MEATH, . . .	431,306	83,497	264	.	21	1	.	1	23	1	.	2	.	.	26
9	QUEEN'S, . .	358,860	74,088	244	.	23	4	.	.	27	2	.	8	.	.	37
10	WESTMEATH, . .	283,176	56,264	158	.	19	1	.	.	20	1	.	2	.	.	23
11	WEXFORD, . .	629,926	155,611	755	.	57	14	.	1	72	1	2	9	1	.	85
12	WICKLOW, . .	476,771	84,617	451	.	42	11	2	.	55	.	.	11	.	.	66
	II.—PROVINCE OF MUNSTER.—															
13	CLARE, . . .	714,385	155,575	578	.	17	4	.	1	22	1	.	1	.	.	24
14	CORK, . . .	1,897,614	557,325	3,063	.	207	156	1	1	365	22	8	70	1	.	466
15	KERRY, . . .	1,145,318	197,086	791	1	26	4	.	.	31	3	3	7	.	.	44
16	LIMERICK, . .	685,254	220,896	974	.	46	21	.	.	67	4	.	1	.	.	72
17	TIPPERARY, . .	1,068,824	246,948	944	.	64	13	1	1	79	5	.	6	1	.	91
18	WATERFORD, . .	494,011	151,047	727	.	32	18	.	.	50	3	1	7	1	.	62
	III.—PROVINCE OF ULSTER.—															
19	ANTRIM, . . .	673,591	355,201	2,255	.	450	236	.	1	687	996	72	238	2	.	1,995
20	ARMAGH, . . .	371,592	229,051	1,248	.	444	12	.	.	456	171	13	86	.	.	726
21	CAVAN, . . .	522,835	171,167	625	.	111	17	1	.	129	49	3	10	.	.	191
22	DONEGAL, . .	1,163,945	225,022	856	.	121	8	.	.	129	69	3	22	.	.	223
23	DOWN, . . .	567,812	272,811	1,512	2	410	87	.	.	499	535	27	198	1	.	1,260
24	FERMANAGH, . .	378,300	98,275	378	.	155	5	.	.	160	11	9	45	.	.	225
25	LONDONDERRY, .	565,825	194,713	929	.	208	13	.	.	221	278	19	76	.	.	594
26	MONAGHAN, . .	311,118	136,539	553	.	120	6	.	1	127	59	4	11	.	.	201
27	TYRONE, . .	812,582	218,142	1,008	.	280	9	.	.	289	239	9	22	.	.	559
	IV.—PROVINCE OF CONNAUGHT.—															
28	GALWAY, . . .	1,500,832	273,939	916	.	41	8	.	.	49	3	.	3	.	.	55
29	LEITRIM, . . .	338,538	95,311	319	.	32	3	.	.	35	.	.	2	.	.	37
30	MAYO, . . .	1,328,424	252,558	1,151	.	26	10	.	1	37	3	2	4	.	.	46
31	ROSCOMMON, . .	676,919	186,763	730	1	33	14	.	1	49	6	.	6	.	.	61
32	SLIGO, . . .	366,282	100,166	443	.	43	1	.	.	44	3	1	5	.	.	53

* The *Registration Counties* consist of groups of Superintendent Registrars' Districts or Poor Law Unions. Whenever a population is located; hence all the *Registration* Counties differ more or less

Acts 7 & 8 Vic., c. 81, and 26 & 27 Vic., c. 90, in the year ending 31st December, 1864.

MARRIAGES,								Signed the Marriage Register with Marks.		PROVINCES AND COUNTIES.
Roman Catholic Marriages under the 26 & 27 Vic., c. 90.	Registered in the Quarter ending the last day of				Of Persons not of full Age.		Of			
	March.	June.	September.	December.	Men.	Women.	Widowers.	Widows.	Men.	Women.	
18,819	9,602	6,023	5,512	6,269	1,032	4,976	2,941	1,556	10,574	13,778	**IRELAND.**
											PROVINCES.
5,804	1,863	1,990	1,792	1,761	269	1,150	792	476	2,330	3,015	**LEINSTER.**
6,318	3,110	1,399	1,292	1,276	264	1,435	800	490	3,005	3,879	**MUNSTER.**
3,390	2,714	2,027	1,987	2,636	388	1,544	998	401	3,493	4,775	**ULSTER.**
3,307	1,915	607	441	596	111	847	351	189	1,746	2,109	**CONNAUGHT.**
MARRIAGES in the Year 1864—in Registration Counties.											
260	85	78	62	77	6	45	39	16	125	154	Carlow.
2,068	689	873	836	712	134	503	380	276	670	1,006	Dublin.
382	99	145	120	108	5	78	42	26	178	215	Kildare.
455	176	114	103	96	15	55	57	23	210	267	Kilkenny.
323	93	115	83	93	13	73	38	23	131	170	King's.
272	95	72	69	76	13	55	32	17	116	141	Longford.
409	92	137	107	129	26	90	39	17	209	263	Louth.
238	93	74	46	51	9	36	29	10	51	54	Meath.
207	72	60	46	66	2	29	17	9	91	118	Queen's.
135	50	41	37	30	8	33	13	5	38	46	Westmeath.
670	224	163	183	185	29	84	67	36	328	370	Wexford.
385	95	118	100	138	9	69	39	18	183	211	Wicklow.
MARRIAGES in the Year 1864—in Registration Counties.											
554	316	95	94	73	8	130	70	60	246	286	Clare.
2,597	1,313	636	556	558	84	620	344	186	1,399	1,771	Cork.
747	477	127	85	102	34	218	68	43	332	414	Kerry.
902	369	188	241	176	66	173	123	91	379	527	Limerick.
853	396	193	165	190	33	164	119	78	332	464	Tipperary.
665	239	160	151	177	39	130	76	32	317	417	Waterford.
MARRIAGES in the Year 1864—in Registration Counties.											
260	576	464	533	682	78	343	252	119	658	996	Antrim.
522	330	264	271	383	55	197	127	56	542	767	Armagh.
434	211	152	110	152	26	145	65	38	208	267	Cavan.
633	417	118	116	205	45	201	80	27	495	555	Donegal.
252	365	338	382	427	58	206	184	67	498	693	Down.
153	107	100	73	98	13	64	46	17	130	192	Fermanagh.
335	234	230	208	257	40	134	102	26	356	475	Londonderry.
352	184	123	107	139	25	97	38	13	228	305	Monaghan.
449	290	238	187	293	48	157	104	38	378	525	Tyrone.
MARRIAGES in the Year 1864—in Registration Counties.											
861	422	156	163	175	36	225	119	77	509	578	Galway.
282	138	59	48	74	14	70	32	20	102	149	Leitrim.
1,105	752	176	88	135	29	294	83	38	609	696	Mayo.
669	378	139	95	118	20	163	70	32	307	422	Roscommon.
390	225	77	47	94	12	95	47	22	219	264	Sligo.

District or Union extends into more than one County, it is assigned wholly to that County in which the greater portion of the from the Counties *Proper*.

† See note (†) page 42.

Ages of 25,164 Persons who were Married in Ireland in the Year 1864.

The Total Number of Marriages registered in Ireland in the Year 1864 was 27,406; the precise Ages of both Parties were specified in 12,582 instances.

Ages of 12,582 Men and 12,582 Women married in Ireland in the Year 1864.

——	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Men, . .	.	2	7	70	192	482	3,717	4,053	1,856	837	533	286	283	117	102	26	14	4	1	12,582
Women, .	16	60	211	604	777	1,598	4,823	2,727	872	348	293	108	99	21	19	2	1	3	.	12,582

Ages of 11,291 Bachelors and 11,913 Spinsters married in 1864.

——	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Bachelors, .	.	2	7	70	192	480	3,692	3,941	1,682	668	312	118	85	20	15	4	3	.	.	11,291
Spinsters, .	16	60	210	604	775	1,597	4,782	2,619	729	255	177	39	39	3	8	.	.	.	.	11,913

Ages of 1,291 Widowers and 669 Widows married in 1864.

——	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total.
Widowers, .	.	.	.	.	.	2	25	112	174	169	221	168	198	97	87	22	11	4	1	1,291
Widows, .	.	.	1	.	2	1	41	108	143	93	116	69	60	18	11	2	1	3	.	669

Ages of 12,582 Husbands and their Wives, in combination in 1864.

AGES OF HUSBANDS. YEARS.	AGES OF WIVES. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Husbands.	AGES OF HUSBANDS.
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	16—
17—	1	.	1	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	7	17—
18—	.	2	12	22	3	10	13	7	.	.	1	.	.	.	.	.	.	.	.	70	18—
19—	2	5	14	35	42	29	47	15	3	.	.	.	.	.	.	.	.	.	.	192	19—
20—	4	7	13	60	95	129	117	45	10	1	1	.	.	.	.	.	.	.	.	482	20—
21—	4	24	79	227	322	643	1,883	447	69	14	5	.	.	.	.	.	.	.	.	3,717	21—
25—	4	14	61	184	221	541	1,801	1,031	159	23	9	2	3	.	.	.	.	.	.	4,053	25—
30—	1	7	23	48	61	163	641	639	215	39	27	1	.	1	.	.	.	.	.	1,856	30—
35—	.	1	4	18	22	45	206	291	145	73	23	3	4	.	1	.	.	1	.	837	35—
40—	.	.	.	4	7	23	75	146	122	78	65	9	3	.	1	.	.	.	.	533	40—
45—	.	.	2	4	1	6	19	66	61	50	42	25	6	3	.	.	.	1	.	286	45—
50—	.	.	1	1	2	4	12	31	54	37	67	36	32	5	1	.	.	.	.	283	50—
55—	.	.	.	.	1	1	2	11	18	14	22	19	19	6	3	1	.	.	.	117	55—
60—	.	.	.	.	.	1	3	6	13	14	23	8	24	3	7	.	.	.	.	102	60—
65—	.	.	.	.	.	.	1	.	2	5	2	4	4	4	3	1	.	.	.	26	65—
70—	.	.	.	.	.	.	1	.	1	.	5	1	3	.	2	.	1	.	.	14	70—
75—	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	1	.	4	75—
80—	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	80—
																				12,582	Husbands
TotalWives,	16	60	211	604	777	1,598	4,823	2,727	872	348	293	108	99	21	19	2	1	3	.	12,582	Wives.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands when married :—Thus, of 1,598 *Wives* of the age 20 and under 21 years *Two* married Husbands aged 17; *Ten* married Husbands aged 18; *Twenty-nine* married Husbands aged 19 years, &c.
Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives when married :—Thus, of 482 *Husbands* of the age 20 and under 21 years *Four* married Wives aged 15; *Seven* married Wives aged 16 years, &c.

Ages of 10,942 Bachelors and 10,942 Spinsters who intermarried in 1864.

AGES OF BACHELORS. YEARS.	AGES OF SPINSTERS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	AGES OF BACHELORS.
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	16—
17—	1	.	1	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	7	17—
18—	.	2	12	22	3	10	13	7	.	.	1	.	.	.	.	.	.	.	.	70	18—
19—	2	5	14	35	42	29	47	15	3	.	.	.	.	.	.	.	.	.	.	192	19—
20—	4	7	11	60	95	129	116	43	8	1	1	.	.	.	.	.	.	.	.	475	20—
21—	4	24	78	226	318	640	1,848	417	51	10	1	.	.	.	.	.	.	.	.	3,617	21—
25—	4	14	60	175	213	533	1,762	952	116	15	8	1	2	.	.	.	.	.	.	3,855	25—
30—	1	6	21	45	53	151	584	555	152	25	9	1	.	.	.	.	.	.	.	1,608	30—
35—	.	1	4	18	18	37	174	226	101	36	7	.	1	.	1	.	.	.	.	624	35—
40—	.	.	.	3	6	12	52	83	58	37	29	1	2	.	.	.	.	.	.	283	40—
45—	.	.	1	3	1	6	11	31	18	21	6	3	2	.	.	.	.	.	.	103	45—
50—	.	.	.	.	.	1	3	10	15	9	18	7	7	.	.	.	.	.	.	75	50—
55—	.	.	.	.	.	.	1	4	3	4	1	1	1	.	2	.	.	.	.	17	55—
60—	.	.	.	.	.	.	.	3	1	3	1	1	3	.	.	.	.	.	.	12	60—
65—	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	4	65—
70—	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	3	70—
75—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75—
80—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80—
																				10,942	Bachelors
Total Spinsters,	16	59	203	588	749	1,550	4,619	2,347	526	161	85	16	19	1	3	.	.	.	.	10,942	Spinsters.

Ages of 349 Bachelors and 349 Widows who intermarried in 1864.

Ages of Bachelors	Ages of Widows: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	Ages of Bachelors
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16—
17—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17—
18—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	18—
19—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19—
20—	.	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	5	20—
21—	.	.	1	.	1	1	22	27	16	4	4	.	.	.	.	.	.	.	.	75	21—
25—	.	.	1	.	.	.	7	37	31	8	1	1	.	.	.	.	.	.	.	86	25—
30—	.	.	.	.	1	.	7	16	33	9	13	.	.	.	.	.	.	.	.	79	30—
35—	.	.	.	.	.	.	.	5	12	17	6	1	2	.	.	.	.	1	.	44	35—
40—	.	.	.	.	.	.	.	4	4	7	10	3	1	.	.	.	.	.	.	29	40—
45—	.	.	.	.	.	.	.	.	1	2	5	3	2	1	.	.	.	1	.	15	45—
50—	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.	.	.	.	.	10	50—
55—	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	3	55—
60—	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	3	60—
65—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65—
70—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70—
75—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	75—
80—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80—
																				349	Bachelors.
Total Widows,	.	.	1	.	2	1	37	91	100	48	43	13	9	2	.	.	.	2	.	349	Widows.

Ages of 971 Widowers and 971 Spinsters who intermarried in 1864.

Ages of Widowers	Ages of Spinsters: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	Ages of Widowers
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16—
17—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17—
18—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	18—
19—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19—
20—	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	20—
21—	.	.	1	1	3	2	12	3	1	.	.	.	.	.	.	.	.	.	.	23	21—
25—	.	.	.	9	8	8	32	41	11	.	.	.	.	.	.	.	.	.	.	109	25—
30—	.	1	2	3	7	12	49	54	23	3	1	.	.	.	1	.	.	.	.	156	30—
35—	.	.	.	4	8	8	32	54	27	10	3	1	1	.	.	.	.	.	.	140	35—
40—	.	.	.	1	1	11	23	56	45	21	17	2	.	.	.	.	.	.	.	177	40—
45—	.	.	1	1	.	.	8	33	33	20	18	3	1	.	.	.	.	.	.	118	45—
50—	.	.	1	1	2	3	3	20	36	19	23	4	5	.	.	.	.	.	.	117	50—
55—	.	.	.	.	1	1	1	7	13	7	16	7	4	.	.	.	.	.	.	57	55—
60—	.	.	.	.	.	1	2	3	11	9	12	4	5	1	2	.	.	.	.	50	60—
65—	.	.	.	.	.	.	1	.	2	5	.	2	.	1	.	.	.	.	.	11	65—
70—	.	.	.	.	.	.	.	.	1	.	1	.	3	.	2	.	.	.	.	7	70—
75—	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	3	75—
80—	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	80—
																				971	Widowers.
Total Spinsters,	.	1	7	16	26	47	163	272	203	94	92	23	20	2	5	.	.	.	.	971	Spinsters.

Ages of 320 Widowers and 320 Widows who intermarried in 1864.

Ages of Widowers	Ages of Widows: 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	Ages of Widowers
15—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15—
16—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	16—
17—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	17—
18—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	18—
19—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	19—
20—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	20—
21—	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	2	21—
25—	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	3	25—
30—	.	.	.	.	.	.	1	4	7	2	4	.	.	.	.	.	.	.	.	18	30—
35—	.	.	.	.	.	.	.	6	5	10	7	1	.	.	.	.	.	.	.	29	35—
40—	.	.	.	.	.	.	.	3	15	13	9	3	.	.	1	.	.	.	.	44	40—
45—	.	.	.	.	.	.	.	2	9	7	13	16	1	2	.	.	.	.	.	50	45—
50—	.	.	.	.	.	.	1	1	3	8	23	22	17	5	1	.	.	.	.	81	50—
55—	.	.	.	.	.	.	.	.	2	3	5	9	13	6	1	1	.	.	.	40	55—
60—	.	.	.	.	.	.	1	.	.	2	9	3	16	1	5	.	.	.	.	37	60—
65—	.	.	.	.	.	.	.	.	.	.	1	1	3	2	3	1	.	.	.	11	65—
70—	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	.	.	4	70—
75—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	75—
80—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	80—
																				320	Widowers.
Total Widows,	.	.	.	.	.	.	4	17	43	45	73	56	51	16	11	2	1	1	.	320	Widows.

MARRIAGES, BIRTHS, and **DEATHS** *registered* in the Year 1864.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	IRELAND, .	20,322,641	5,798,967*	27,406	136,414	93,144	70,075	66,339	2,631	2,549	46,346	46,798	43,270
	DIVISIONS.												
I.	North-Eastern,	2,328,305	1,124,041	6,294	28,403	20,254	14,625	13,778	894	875	9,929	10,325	8,149
II.	North-Western,	2,392,501	574,745	2,279	11,731	8,430	6,052	5,679	213	211	4,124	4,306	3,301
III.	Eastern, . .	1,993,016	829,569	4,886	20,342	15,503	10,326	10,016	338	355	7,764	7,739	4,839
IV.	North Midland,	2,019,408	575,289	2,050	12,278	7,711	6,280	5,998	167	163	3,864	3,847	4,567
V.	South Midland,	2,361,709	515,272	2,047	10,998	8,268	5,748	5,250	249	224	4,249	4,019	2,730
VI.	Western, . .	4,088,459	822,878	3,201	18,485	9,952	9,635	8,850	183	173	4,974	4,978	8,533
VII.	South-Eastern,	1,826,172	500,957	2,452	11,871	9,372	6,025	5,846	335	269	4,546	4,826	2,499
VIII.	South-Western,	3,313,071	855,813	4,197	22,306	13,654	11,384	10,922	252	279	6,896	6,758	8,652

I.—NORTH-EASTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—SUPERINTENDENT REGISTRARS' DISTRICTS.

No.													
1	ANTRIM, . . .	117,119	39,652	204	964	686	490	474	53	42	339	347	278
2	ARMAGH, . . .	154,253	80,810	410	1,934	1,455	994	940	54	70	720	735	479
3	BALLYCASTLE, . .	102,197	19,653	74	421	306	213	208	8	7	154	152	115
4	BALLYMENA, . .	161,161	74,597	386	1,964	1,132	1,013	951	74	60	535	597	832
5	BALLYMONEY, . .	127,518	41,583	186	828	583	392	436	23	29	297	286	245
6	BANBRIDGE, . .	124,928	71,918	415	1,856	1,172	953	903	49	53	614	558	684
7	BELFAST, . . .	47,812	144,629	1,170	4,659	3,788	2,336	2,323	131	114	1,864	1,924	871
8	CASTLEBLAYNEY, .	94,213	41,812	250	1,029	638	503	526	19	23	317	321	391
9	COLERAINE, . .	112,396	40,562	197	939	657	503	436	25	38	329	328	282
10	COOKSTOWN, . .	96,720	37,953	170	909	626	431	478	22	30	306	320	283
11	DOWNPATRICK, .	147,361	57,969	330	1,286	1,108	673	613	49	33	526	582	178
12	DUNGANNON, . .	102,548	51,892	257	1,172	797	617	555	26	30	403	394	375
13	KILKEEL, . .	81,829	22,614	109	488	343	282	206	10	5	180	163	145
14	LARNE, . . .	117,784	35,087	235	1,007	538	550	457	43	39	257	281	469
15	LISBURN, . . .	119,843	66,882	349	1,719	1,325	902	817	62	53	624	701	394
16	LURGAN, . . .	79,464	73,930	394	1,947	1,276	1,030	917	81	89	611	665	671
17	MAGHERAFELT, .	156,721	63,852	307	1,466	973	763	703	48	30	484	489	493
18	NEWRY, . . .	137,875	74,311	444	1,741	1,216	893	848	28	40	593	623	525
19	NEWTOWNARDS, .	93,851	53,428	309	1,476	1,144	791	685	80	71	541	603	332
20	NEWTOWNLIMAVADY,	152,712	30,907	98	598	491	296	302	9	19	235	256	107

II.—NORTH-WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—SUPERINTENDENT REGISTRARS' DISTRICTS.

21	BALLYSHANNON, .	132,353	32,181	113	617	396	328	289	10	9	197	199	221
22	CASTLEDERG, . .	91,785	17,478	45	451	261	241	210	6	7	131	130	190
23	DONEGAL, . .	160,411	31,258	100	469	306	233	236	9	5	145	161	163
24	DUNFANAGHY, . .	125,650	17,326	71	409	266	218	191	2	.	114	152	143
25	ENNISKILLEN, . .	203,628	49,715	200	931	707	470	461	37	28	346	361	224
26	GLENTIES, . .	257,430	39,899	163	642	470	327	315	4	4	259	211	175
27	GORTIN, . . .	111,261	16,626	30	290	201	147	143	1	3	83	118	84
28	INISHOWEN, . .	159,408	37,222	122	818	582	442	376	4	8	286	296	230

Note.—Wherever the minus sign is prefixed to the number in the column headed "Excess of Births over Deaths," it deno that the Births in the Superintendent Registrar's District, instead of exceeding the Deaths, were, in fact, *less than the Deaths,* the extent stated.

* See note (†) page 42.

II.—NORTH-WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—SUPERINTENDENT REGISTRARS' DISTRICTS—*continued.*

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
29	IRVINESTOWN,	75,927	22,728	78	430	308	219	211	18	17	144	164	122
30	LETTERKENNY,	101,207	18,932	68	320	270	150	170	5	8	128	142	50
31	LONDONDERRY,	143,996	59,392	327	1,351	1,153	707	644	35	30	569	584	198
32	MANORHAMILTON,	144,847	33,443	126	761	361	388	373	6	10	162	199	400
33	MILLFORD,	111,335	28,226	115	489	417	238	251	10	5	214	203	72
34	OMAGH,	174,217	52,836	173	1,134	918	581	553	28	35	472	446	216
35	SLIGO,	143,523	53,901	241	1,196	782	611	585	11	10	371	411	414
36	STRABANE,	134,372	43,604	203	1,011	747	534	477	23	28	358	389	264
37	STRANORLAR,	121,151	19,978	104	412	285	218	194	4	4	145	140	127

III.—EASTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—SUPERINTENDENT REGISTRARS' DISTRICTS.

38	ARDEE,	96,211	25,284	88	504	394	255	249	8	7	187	207	110
39	BAILIEBOROUGH,	65,909	23,079	86	602	318	296	306	9	8	160	158	284
40	BALROTHERY,	75,139	22,016	104	567	359	304	263	6	10	177	182	208
41	BALTINGLASS,	139,108	22,032	127	476	343	233	243	8	10	175	168	133
42	CARRICKMACROSS,	60,664	22,354	61	459	329	234	225	6	8	156	173	130
43	CELBRIDGE,	86,838	19,580	85	475	326	238	237	6	9	165	161	149
44	DROGHEDA,	99,045	39,821	175	880	794	457	423	16	19	406	388	86
45	DUBLIN, NORTH,	40,769	134,755	1,078	3,935	3,051	2,024	1,911	52	46	1,501	1,550	884
46	DUBLIN, SOUTH,	48,089	201,963	1,582	5,135	4,668	2,559	2,576	77	85	2,297	2,371	467
47	DUNDALK,	104,434	46,850	202	1,118	730	534	584	21	22	384	346	388
48	DUNSHAUGHLIN,	108,339	14,109	51	240	191	125	115	4	5	91	100	49
49	GOREY,	129,705	24,857	113	556	361	274	282	9	14	189	172	195
50	KELLS,	108,982	24,482	48	485	293	262	223	12	12	157	136	192
51	NAAS,	216,622	47,598	251	1,061	757	548	513	28	31	403	354	304
52	NAVAN,	94,466	21,988	79	445	296	227	218	6	7	160	136	149
53	RATHDOWN,	61,514	53,298	346	1,402	1,052	722	680	28	22	501	551	350
54	RATHDRUM,	227,541	43,402	215	1,060	578	556	504	25	26	324	254	482
55	SHILLELAGH,	110,122	19,183	109	477	298	228	249	9	8	150	148	179
56	TRIM,	119,519	22,918	86	465	365	250	215	8	6	181	184	100

IV.—NORTH MIDLAND DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—SUPERINTENDENT REGISTRARS' DISTRICTS.

57	ATHLONE,	150,768	39,323	178	985	680	505	480	15	10	354	326	305
58	BALLYMAHON,	100,126	22,089	76	490	276	267	223	3	2	133	143	214
59	BAWNBOY,	104,504	26,808	70	499	307	239	260	6	7	157	150	192
60	CARRICK-ON-SHANNON,	100,736	31,677	98	665	368	372	293	3	2	177	191	297
61	CAVAN,	160,662	58,662	214	1,356	795	675	681	18	21	396	399	561
62	CLOGHER,	101,679	27,753	130	538	400	266	272	15	11	210	190	138
63	CLONES,	73,502	26,699	88	476	336	242	234	6	12	183	153	140
64	COOTEHILL,	105,848	38,961	157	826	561	412	414	10	23	284	277	265
65	DELVIN,	74,775	13,561	60	302	175	143	159	3	2	68	107	127
66	GRANARD,	134,003	36,043	118	823	527	437	386	10	5	269	258	296
67	LISNASKEA,	98,745	25,832	100	494	336	248	246	12	8	163	173	158
68	LONGFORD,	109,961	32,757	118	677	366	367	310	10	8	186	180	311
69	MOHILL,	92,955	30,191	95	662	322	349	313	6	4	156	166	340
70	MONAGHAN,	112,739	45,674	154	919	664	470	449	23	18	333	331	255
71	MULLINGAR,	208,401	42,703	98	782	596	400	382	10	11	299	297	186
72	OLDCASTLE,	85,912	23,657	98	560	273	275	285	7	6	130	143	287
73	ROSCOMMON,	114,056	26,504	114	621	403	312	309	8	8	205	198	218
74	STROKESTOWN,	90,036	26,395	84	603	326	301	302	2	5	161	165	277

V.—SOUTH MIDLAND DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—
SUPERINTENDENT REGISTRARS' DISTRICTS.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
75	ABBEYLEIX,	107,167	22,400	84	479	341	270	209	8	8	195	146	138
76	ATHY,	160,254	33,210	136	714	562	371	343	18	16	293	269	152
77	BORRISOKANE,	81,850	13,740	30	222	148	110	112	4	4	77	71	74
78	CARLOW,	185,857	51,802	302	1,069	877	575	494	27	26	430	447	192
79	CASHEL,	156,822	33,527	143	791	576	389	402	20	27	280	296	215
80	CASTLECOMER,	57,820	15,937	92	405	269	204	201	5	12	133	136	136
81	DONAGHMORE,	51,060	9,504	26	165	106	76	89	1	1	51	55	59
82	EDENDERRY,	172,407	23,384	89	506	367	278	228	19	7	195	172	139
83	KILKENNY,	110,943	35,499	139	809	770	423	386	29	19	383	387	39
84	MOUNTMELLICK,	200,633	42,184	134	837	668	444	393	30	27	351	317	169
85	NENAGH,	183,088	38,277	135	779	554	402	377	9	15	283	271	225
86	PARSONSTOWN,	220,437	39,350	166	732	594	353	379	12	10	319	275	138
87	ROSCREA,	118,488	24,666	111	418	317	225	193	14	3	155	162	101
88	THURLES,	143,351	36,152	144	842	612	443	399	15	19	310	302	230
89	TIPPERARY,	179,988	47,298	136	1,200	719	649	551	24	14	392	327	481
90	TULLAMORE,	155,395	33,087	129	701	565	362	339	11	15	294	271	136
91	URLINGFORD,	76,149	15,255	51	329	223	174	155	3	1	108	115	106

VI.—WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—
SUPERINTENDENT REGISTRARS' DISTRICTS.

92	BALLINA,	150,415	32,693	135	680	365	365	315	3	3	183	182	315
93	BALLINASLOE,	160,507	28,222	119	532	413	281	251	11	9	211	202	119
94	BALLINROBE,	144,894	31,558	93	637	332	348	289	4	5	166	166	305
95	BALLYVAGHAN,	71,063	6,819	20	106	65	54	52	3	4	21	44	41
96	BELMULLET,	177,933	17,096	53	363	207	191	172	5	3	101	106	156
97	BOYLE,	159,696	47,758	172	1,067	566	561	506	7	3	282	284	501
98	CASTLEBAR,	140,998	31,780	131	574	300	309	265	.	1	138	162	274
99	CASTLEREAGH,	162,363	46,783	182	1,054	480	547	507	7	7	257	223	574
100	CLAREMORRIS,	110,788	32,070	157	771	381	415	356	7	6	190	191	390
101	CLIFDEN,	192,965	25,000	108	810	327	431	379	8	12	158	169	483
102	CORROFIN,	61,386	7,866	42	183	99	96	87	4	5	48	51	84
103	DROMORE, WEST,	96,985	18,608	109	533	270	290	243	.	3	125	145	263
104	ENNIS,	112,505	30,097	130	605	414	306	299	13	8	201	213	191
105	ENNISTIMON,	99,281	25,028	86	600	288	315	285	12	12	146	142	312
106	GALWAY,	197,467	50,821	153	1,122	848	582	540	15	13	435	413	274
107	GLENNAMADDY,	100,319	22,469	32	468	215	227	241	3	3	114	101	253
108	GORT,	107,919	20,501	63	403	242	198	205	3	5	135	107	161
109	KILLADYSERT,	62,319	13,265	62	317	160	166	151	6	4	76	84	157
110	KILLALA,	104,882	11,829	45	240	149	122	118	.	1	70	79	91
111	KILRUSH,	136,788	41,130	130	842	486	453	389	12	13	246	240	356
112	LOUGHREA,	198,832	29,139	97	650	421	319	331	7	6	199	222	229
113	MOUNTBELLEW,	102,383	19,936	73	460	331	233	227	7	4	149	182	129
114	NEWPORT,	170,413	16,660	90	427	174	218	209	2	5	90	84	253
115	OUGHTERARD,	172,745	18,472	93	604	302	311	293	3	6	153	149	302
116	PORTUMNA,	77,046	14,939	60	283	189	136	147	9	3	99	90	94
117	SCARRIFF,	86,320	15,611	66	362	181	187	175	5	4	83	98	181
118	SWINEFORD,	152,594	52,004	328	1,327	475	702	625	6	5	243	232	852
119	TOBERCURRY,	125.774	27,657	93	689	263	370	319	3	3	138	125	426
120	TUAM,	190,649	44,440	118	784	450	398	386	6	11	223	227	334
121	TULLA,	84,723	15,759	42	333	193	178	155	7	5	106	87	140
122	WESTPORT,	175,507	26,868	119	659	366	326	333	5	1	188	178	293

VII.—SOUTH-EASTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—SUPERINTENDENT REGISTRARS' DISTRICTS.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
123	CALLAN,	104,011	24,969	110	519	435	280	239	17	7	213	222	84
124	CARRICK-ON-SUIR,	112,630	30,294	84	728	734	368	360	28	13	370	364	—6
125	CLOGHEEN,	118,427	25,249	119	627	405	304	323	10	8	203	202	222
126	CLONMEL,	86,810	28,039	126	698	622	373	325	32	27	287	335	76
127	DUNGARVAN,	94,044	24,346	101	644	436	313	331	16	9	206	230	208
128	ENNISCORTHY,	196,689	42,886	208	1,060	824	552	508	20	29	400	424	236
129	FERMOY,	148,268	37,960	225	926	603	454	472	11	16	307	296	323
130	KILMACTHOMAS,	64,478	15,494	78	454	285	211	243	9	22	140	145	169
131	LISMORE,	97,140	20,845	99	437	395	241	196	9	7	209	186	42
132	MIDDLETON,	109,266	34,086	218	774	620	405	369	24	10	291	329	154
133	MITCHELSTOWN,	86,957	22,747	83	537	306	277	260	13	13	148	158	231
134	NEW ROSS,	177,231	44,141	176	929	787	461	468	28	28	376	411	142
135	THOMASTOWN,	107,577	21,405	97	460	390	224	236	14	16	181	209	70
136	WATERFORD,	125,719	60,068	365	1,486	1,174	764	722	60	45	571	603	312
137	WEXFORD,	126,301	43,727	258	1,013	866	498	515	26	12	418	448	147
138	YOUGHAL,	70,624	24,701	105	579	490	300	279	18	7	226	264	89

VIII.—SOUTH-WESTERN DIVISION.—MARRIAGES, BIRTHS, AND DEATHS, 1864—SUPERINTENDENT REGISTRARS' DISTRICTS.

139	BANDON,	101,345	27,256	160	742	381	385	357	8	5	173	208	361
140	BANTRY,	106,855	15,964	100	373	177	189	184	3	4	92	85	196
141	CAHERSIVEEN,	197,545	25,204	107	617	245	344	273	6	3	117	128	372
142	CASTLETOWN,	73,445	15,076	86	445	258	236	209	2	2	119	139	187
143	CLONAKILTY,	80,465	28,268	142	757	449	402	355	10	7	218	231	308
144	CORK,	169,732	147,572	979	3,643	2,756	1,878	1,765	43	38	1,436	1,320	887
145	CROOM,	83,324	21,172	60	439	255	239	200	6	3	137	118	184
146	DINGLE,	125,279	20,539	92	587	258	300	287	7	2	126	132	329
147	DUNMANWAY,	103,917	17,426	87	490	248	243	247	1	7	120	128	242
148	GLIN,	60,666	15,750	54	425	213	212	223	3	6	102	111	222
149	KANTURK,	186,524	34,480	153	973	582	519	454	15	19	300	282	391
150	KENMARE,	198,152	18,757	73	533	307	280	253	10	4	168	139	226
151	KILLARNEY,	251,287	43,987	202	1,314	693	670	644	10	13	346	347	621
152	KILMALLOCK,	140,357	30,539	149	918	659	460	458	19	22	333	326	259
153	KINSALE,	79,651	23,837	139	566	374	268	298	4	10	187	187	192
154	LIMERICK,	177,951	90,756	525	2,240	1,614	1,123	1,117	32	33	830	784	626
155	LISTOWEL,	151,208	36,531	128	837	439	429	408	13	14	207	232	398
156	MACROOM,	179,108	31,090	180	911	478	453	458	8	13	231	247	433
157	MALLOW,	154,358	35,751	132	873	585	427	446	12	20	289	296	288
158	MILLSTREET,	74,906	14,797	53	473	226	242	231	7	10	121	105	247
159	NEWCASTLE,	143,024	31,624	115	975	533	496	479	12	18	273	260	442
160	RATHKEALE,	79,932	22,055	71	456	326	211	245	4	5	151	175	130
161	SKIBBEREEN,	115,024	32,412	160	875	509	448	427	4	6	267	242	366
162	SKULL,	57,169	13,902	61	377	183	183	194	2	3	89	94	194
163	TRALEE,	221,847	52,068	189	1,457	906	747	710	11	12	464	442	551

MARRIAGES, BIRTHS, AND DEATHS in each PROVINCE and COUNTY in Ireland, registered in the Year 1864.

No.	PROVINCES AND COUNTIES.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	IRELAND,	20,322,641	5,798,967†	27,406	136,414	93,144	70,075	66,339	2,631	2,549	46,346	46,798	43,270
	PROVINCES.												
I.	**LEINSTER,**	4,703,640	1,430,029	7,406	33,082	25,440	16,955	16,127	627	601	12,743	12,697	7,642
II.	**MUNSTER,**	6,005,406	1,528,877	7,077	37,796	24,536	19,367	18,429	630	593	12,278	12,258	13,260
III.	**ULSTER,**	5,402,600	1,930,921	9,364	44,906	31,860	23,035	21,871	1,202	1,188	15,692	16,168	13,046
IV.	**CONNAUGHT,**	4,210,995	908,737	3,559	20,630	11,308	10,718	9,912	172	167	5,633	5,675	9,322
	I.—PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS, AND DEATHS, 1864— REGISTRATION COUNTIES.												
No.													
1	CARLOW,	185,857	51,802	302	1,069	877	575	494	27	26	430	447	192
2	DUBLIN,	225,511	412,032	3,110	11,039	9,130	5,609	5,430	163	163	4,476	4,654	1,909
3	KILDARE,	463,714	100,388	472	2,250	1,645	1,157	1,093	52	56	861	784	605
4	KILKENNY,	456,500	113,065	489	2,522	2,087	1,305	1,217	68	55	1,018	1,069	435
5	KING'S,	548,239	95,821	384	1,939	1,526	993	946	42	32	808	718	413
6	LONGFORD,	344,090	90,889	312	1,990	1,169	1,071	919	23	15	588	581	821
7	LOUTH,	299,690	111,955	465	2,502	1,918	1,246	1,256	45	48	977	941	584
8	MEATH,	431,366	83,497	264	1,635	1,145	864	771	30	30	589	556	490
9	QUEEN'S	358,860	74,088	244	1,481	1,115	790	691	39	36	597	518	366
10	WESTMEATH,	283,176	56,264	158	1,084	771	543	541	13	13	367	404	313
11	WEXFORD,	629,926	155,611	755	3,558	2,838	1,785	1,773	83	83	1,383	1,455	720
12	WICKLOW,	476,771	84,617	451	2,013	1,219	1,017	996	42	44	649	570	794
	II.—PROVINCE OF MUNSTER.—MARRIAGES, BIRTHS, AND DEATHS, 1864— REGISTRATION COUNTIES.												
13	CLARE,	714,385	155,575	578	3,348	1,886	1,755	1,593	62	55	927	959	1,462
14	CORK,	1,897,614	557,325	3,063	14,314	9,225	7,309	7,005	185	190	4,614	4,611	5,089
15	KERRY,	1,145,318	197,086	791	5,345	2,848	2,770	2,575	57	48	1,428	1,420	2,497
16	LIMERICK,	685,254	220,896	974	5,463	3,600	2,741	2,722	76	87	1,826	1,774	1,863
17	TIPPERARY,	1,068,824	246,948	944	5,577	3,953	2,895	2,682	128	117	1,987	1,966	1,624
18	WATERFORD,	494,011	151,047	727	3,749	3,024	1,897	1,852	122	96	1,496	1,528	725
	III.—PROVINCE OF ULSTER.—MARRIAGES, BIRTHS, AND DEATHS, 1864— REGISTRATION COUNTIES.												
19	ANTRIM,	673,591	355,201	2,255	9,843	7,033	4,994	4,849	332	291	3,446	3,587	2,810
20	ARMAGH,	371,592	229,051	1,248	5,622	3,947	2,917	2,705	163	199	1,924	2,023	1,675
21	CAVAN,	522,835	171,167	625	3,843	2,254	1,897	1,946	50	65	1,127	1,127	1,589
22	DONEGAL,	1,168,945	225,022	856	4,176	2,992	2,154	2,022	48	43	1,488	1,504	1,184
23	DOWN,	567,812	272,811	1,512	6,825	5,092	3,601	3,224	250	215	2,485	2,607	1,733
24	FERMANAGH,	378,300	98,275	378	1,855	1,351	937	918	67	53	653	698	504
25	LONDONDERRY,	565,825	194,713	929	4,354	3,274	2,269	2,085	117	117	1,617	1,657	1,080
26	MONAGHAN,	341,118	136,539	553	2,883	1,967	1,442	1,434	54	61	989	978	916
27	TYRONE,	812,582	248,142	1,008	5,505	3,950	2,817	2,688	121	144	1,963	1,987	1,555
	IV.—PROVINCE OF CONNAUGHT.—MARRIAGES, BIRTHS, AND DEATHS, 1864— REGISTRATION COUNTIES.												
28	GALWAY,	1,500,832	273,939	916	6,116	3,738	3,116	3,000	72	72	1,876	1,862	2,378
29	LEITRIM,	338,538	95,311	319	2,088	1,051	1,109	979	15	16	495	556	1,037
30	MAYO,	1,328,424	252,558	1,151	5,678	2,749	2,996	2,682	32	30	1,369	1,380	2,929
31	ROSCOMMON,	676,919	186,763	730	4,330	2,455	2,226	2,104	39	33	1,259	1,196	1,875
32	SLIGO,	366,282	100,166	443	2,418	1,315	1,271	1,147	14	16	634	681	1,103

* The *Registration Counties* consist of groups of Superintendent Registrars' Districts or Poor Law Unions. Whenever a District or Union extends into more than one County, it is assigned wholly to that County in which the greater portion of the population is located; hence all the *Registration* Counties differ more or less from the Counties *Proper.*

† See note (†) page 42.

I.—NORTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	1. ANTRIM.											
1	Antrim, *W.*	14,578	6,253	173	161	86	87	17	14	79	82	12
2	Crumlin,	23,848	5,743	154	114	78	76	9	8	56	58	40
3	Templepatrick,	21,173	5,692	116	44	58	58	2	2	22	22	72
4	Doagh,	15,292	6,940	186	145	97	89	13	9	78	67	41
5	Connor,	21,610	5,975	139	79	71	68	6	2	42	37	60
6	Randalstown,	20,618	9,049	196	143	100	96	6	7	62	81	53
	2. ARMAGH.											
1	Armagh, *W.*	13,764	14,684	419	450	194	225	25	33	195	255	—31
2	Blackwatertown,	16,819	8,276	183	128	98	85	4	6	69	59	55
3	Caledon,	7,669	2,482	46	38	33	13	1	2	18	20	8
4	Tynan,	19,762	7,386	136	113	61	77	.	4	55	58	25
5	Keady,	35,931	16,047	411	270	222	189	6	4	132	138	141
6	Markethill,	25,362	11,652	277	180	141	136	8	6	95	85	97
7	Rich Hill,	16,889	9,398	185	127	96	89	7	4	71	56	58
8	Loughgall,	18,057	10,885	275	149	149	126	3	11	85	64	126
	3. BALLYCASTLE.											
1	Ballycastle, *W.*	45,206	8,421	187	141	89	93	3	4	70	71	46
2	Croagh,	22,665	6,557	140	99	81	59	1	2	52	47	41
3	Cushendall,	34,326	4,675	94	66	43	51	4	1	32	34	28
	4. BALLYMENA.											
1	Ballymena, *W.*	8,282	11,630	393	332	201	192	25	22	152	180	61
2	Galgorm,	15,898	11,196	290	157	158	132	6	6	87	70	133
3	Ahoghill,	14,360	9,959	293	147	153	140	17	11	64	83	146
4	Portglenone,	17,205	10,056	258	136	140	118	6	7	61	75	122
5	Clogh,	26,924	7,993	188	97	88	100	1	3	49	48	91
6	Broughshane,	30,066	7,978	240	108	125	115	11	2	54	54	132
7	Glenwhirry,	32,711	7,155	168	80	83	85	2	7	37	43	88
8	Toome,	15,715	8,630	134	75	65	69	6	2	31	44	59
	5. BALLYMONEY.											
1	Ballymoney, *W.*	21,634	10,043	226	189	100	126	11	10	81	108	37
2	Dervock,	20,719	5,901	102	82	51	51	4	6	45	37	20
3	Castle Quarter,	35,831	6,510	90	78	46	44	1	2	41	37	12
4	Dirraw,	26,972	9,460	210	114	109	101	6	9	70	44	96
5	Kilrea,	22,362	9,669	200	120	86	114	1	2	60	60	80
	6. BANBRIDGE.											
1	Banbridge, *W.*	24,690	21,547	648	474	344	304	22	22	258	216	174
2	Dromore,	15,002	10,749	285	147	155	130	7	15	74	73	138
3	Crossgar,	16,269	6,087	143	85	68	75	6	4	40	45	58
4	Ballyward,	24,731	11,431	286	159	160	126	6	3	67	92	127
5	Loughbrickland,	26,447	11,584	279	163	124	155	4	7	88	75	116
6	Tanderagee,	17,789	10,520	215	144	102	113	4	2	87	57	71
	7. BELFAST.											
1	Belfast, *W.*	5,089	112,567	3,611	3,149	1,808	1,803	109	97	1,559	1,590	462
2	Shankill,	26,246	14,408	431	290	216	215	15	11	137	153	141
3	Ballymacarrett,	5,207	10,912	428	230	229	199	4	4	110	120	198
4	Holywood,	11,270	6,742	189	119	83	106	3	2	58	61	70
	8. CASTLEBLAYNEY.											
1	Castleblayney, *W.*	32,142	13,600	314	229	159	155	9	8	112	117	85
2	Ballybay,	31,542	14,021	367	202	182	185	3	7	107	95	165
3	Crossmaglen,	30,529	14,191	348	207	162	186	7	3	98	109	141

NOTE.—The Registrars' Districts are sub-divisions of the Unions or Superintendent Registrars' Districts, and are identical with the Dispensary Districts of the same names.

The letter *W* denotes that the Registrar's District contains within its limits the Workhouse belonging to the Union or Superintendent Registrar's District.

Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births in the Registrar's District, instead of exceeding the deaths, were, in fact, *less than the deaths*, to the extent stated.

I.—NORTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	9. COLERAINE.											
1	Coleraine, *W.*	13,862	10,780	279	224	145	134	13	20	105	119	55
2	Bushmills,	21,341	8,217	177	140	97	80	3	4	74	66	37
3	Articlave,	24,073	5,280	124	84	75	49	5	5	44	40	40
4	Aghadowey,	28,040	8,858	201	119	99	102	3	7	60	59	82
5	Garvagh,	25,080	7,427	158	90	87	71	1	2	46	44	68
	10. COOKSTOWN.											
1	Cookstown, *W.*	32,979	14,129	300	254	142	158	4	10	122	132	46
2	Pomeroy,	36,524	9,897	225	133	110	115	3	4	67	66	92
3	Coagh,	11,180	6,110	166	105	85	81	2	6	57	48	61
4	Stewartstown,	16,037	7,817	218	134	94	124	13	10	60	74	84
	11. DOWNPATRICK.											
1	Downpatrick, *W.*	18,706	8,925	184	292	98	86	12	5	139	153	—108
2	Clough,	23,858	8,850	217	177	105	112	3	3	81	96	40
3	Ballynahinch,	28,234	10,492	212	153	123	89	4	2	84	69	59
4	Killyleagh,	25,666	11,463	315	217	166	149	18	14	102	115	98
5	Killough,	17,309	6,117	109	90	57	52	4	2	43	47	19
6	Strangford,	17,556	4,861	90	59	40	50	4	4	29	30	31
7	Portaferry,	16,032	7,261	159	120	84	75	4	3	48	72	39
	12. DUNGANNON.											
1	Dungannon, *W.*	22,169	15,553	340	247	178	162	17	17	116	131	93
2	Benburb,	17,359	7,754	156	98	88	68	2	1	53	45	58
3	Coal Island,	20,322	13,648	320	252	168	152	4	5	131	121	68
4	Clonavaddy,	31,575	11,654	298	160	147	151	1	6	81	79	138
5	Ballymagran,	11,123	3,283	58	40	36	22	2	1	22	18	18
	13. KILKEEL.											
1	Kilkeel, *W.*	47,383	13,070	316	198	180	136	6	4	102	96	118
2	Bryansford,	21,420	6,162	107	74	61	46	4	1	38	36	33
3	Rostrevor,	12,526	3,382	65	71	41	24	.	.	40	31	—6
	14. LARNE.											
1	Glenarm,	36,211	5,952	145	83	74	71	1	9	38	45	62
2	Larne, *W.*	30,366	9,119	295	155	170	125	14	11	73	82	140
3	Ballynure,	20,307	5,634	151	83	82	69	12	5	42	41	68
4	Ballycarry,	14,198	4,960	144	70	86	58	6	8	37	33	74
5	Carrickfergus,	16,702	9,422	272	147	138	134	10	6	67	80	125
	15. LISBURN.											
1	Lisburn, *W.*	11,037	14,671	460	484	232	228	28	26	229	255	—24
2	Hillsborough,	13,777	11,347	280	183	147	133	6	3	90	93	97
3	Knocknadona,	16,525	6,763	165	93	95	70	5	2	43	50	72
4	Glenavy,	19,173	6,812	126	90	70	56	5	1	49	41	36
5	Dunmurry,	12,051	7,848	224	148	117	107	4	4	61	87	76
6	Ballylesson,	12,083	6,107	132	117	66	66	.	6	51	66	15
7	Saintfield,	12,568	5,411	130	94	72	58	11	5	48	46	36
8	Annahilt,	17,629	7,923	202	116	103	99	3	6	53	63	86
	16. LURGAN.											
1	Lurgan, *W.*	15,450	20,540	622	506	318	304	42	59	235	271	116
2	Aghalee,	12,317	6,283	130	84	75	55	2	2	41	43	46
3	Moira,	13,903	8,599	244	137	141	103	10	5	64	73	107
4	Waringstown,	11,857	11,074	225	134	121	104	5	3	65	69	91
5	Portadown,	11,940	15,876	420	266	221	199	12	12	131	135	154
6	Tartaraghan,	13,997	11,558	306	149	154	152	10	8	75	74	157

I.—NORTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS —*continued.*

No.	REGISTRARS' DISTRICTS	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	17. MAGHERAFELT.											
1	Magherafelt, *W.*	22,497	12,943	311	232	163	148	19	7	113	119	79
2	Bellaghy,	26,353	15,374	292	172	156	136	6	6	86	86	120
3	Maghera,	34,799	13,965	350	252	187	163	14	10	131	121	98
4	Draperstown,	41,065	9,890	251	138	115	136	2	1	73	65	113
5	Moneymore,	32,007	11,680	262	179	142	120	7	6	81	98	83
	18. NEWRY.											
1	Newry, *W.*	16,480	19,759	556	466	277	279	20	23	216	250	90
2	Warrenspoint,	13,169	6,917	147	116	78	69	.	1	56	60	31
3	Rathfriland,	27,850	11,868	196	126	97	99	1	2	63	63	70
4	Mullaghglass,	16,130	9,163	237	155	124	113	1	6	79	76	82
5	Mountnorris,	17,868	6,349	93	89	47	46	2	1	44	45	4
6	Meigh,	13,849	6,955	221	89	113	108	2	.	46	43	132
7	Forkill,	11,490	5,196	130	62	65	65	1	2	30	32	68
8	Donaghmore,	13,533	4,843	95	62	61	34	1	1	33	29	33
9	Pointz Pass,	7,506	3,261	66	51	31	35	.	4	26	25	15
	19. NEWTOWNARDS.											
1	Newtownards, *W.*	17,316	15,906	522	451	275	247	34	34	207	244	71
2	Comber,	16,641	6,918	175	124	86	89	8	6	70	54	51
3	Kilmood,	14,595	5,738	148	122	87	61	7	5	58	64	26
4	Grey Abbey,	18,679	9,345	232	152	127	105	8	7	70	82	80
5	Donaghadee,	9,593	7,499	218	154	116	102	14	12	81	73	64
6	Bangor,	17,027	8,022	181	141	100	81	9	7	55	86	40
	20. N.T.LIMAVADY.											
1	Newtownlimavady, *W.*	24,371	7,415	159	151	73	86	5	8	79	72	8
2	Ballykelly,	30,330	7,384	134	77	66	68	1	4	30	47	57
3	Bellarena,	26,040	5,303	122	83	57	65	1	2	41	42	39
4	Dungiven,	42,318	6,931	109	112	57	52	2	1	55	57	—3
5	Feeny,	29,653	3,874	74	68	43	31	.	4	30	38	6

II.—NORTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS.

	21. BALLYSHANNON.											
1	Ballyshannon, *W.*	34,356	12,089	252	145	131	121	8	7	75	70	107
2	Ballintra,	7,163	2,357	48	36	22	26	.	1	20	16	12
3	Belleek,	31,690	6,779	146	93	84	62	2	1	43	50	53
4	Church Hill,	26,727	2,804	36	24	20	16	.	.	13	11	12
5	Kinlough,	32,417	8,152	135	98	71	64	.	.	46	52	37
	22. CASTLEDERG.											
1	Castlederg, *W.*	23,762	7,477	218	128	117	101	6	3	67	61	90
2	Killeter,	45,289	6,392	145	93	72	73	.	3	42	51	52
3	Drumquin,	22,734	3,609	88	40	52	36	.	1	22	18	48
	23. DONEGAL.											
1	Pettigoe,	36,006	3,568	93	48	41	52	3	1	21	27	45
2	Laghy,	29,475	5,756	118	77	61	57	2	1	37	40	41
3	Donegal, *W.*	43,440	7,767	29	49	11	18	1	2	19	30	—20
4	Mountcharles,	33,929	8,215	123	67	67	56	1	.	36	31	56
5	Dunkineely,	17,561	5,952	106	65	53	53	2	1	32	33	41
	24. DUNFANAGHY.											
1	Dunfanaghy, *W.*	32,212	5,767	165	105	80	85	1	.	42	63	60
2	Crossroads,	93,438	11,559	244	161	138	106	1	.	72	89	83

II.—NORTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS —*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	25. ENNISKILLEN.											
1	Enniskillen, *W.*	30,641	13,621	332	296	170	162	25	18	144	152	36
2	Tempo,	30,914	8,593	132	114	66	66	4	4	55	59	18
3	Lisbellaw,	10,634	2,791	57	30	27	30	1	2	8	22	27
4	Ely,	40,261	6,895	106	86	54	52	3	2	40	46	20
5	Holywell,	49,600	9,215	155	88	73	82	2	1	49	39	67
6	Florencecourt,	41,578	8,600	149	93	80	69	2	1	50	43	56
	26. GLENTIES.											
1	Dungloe,	72,221	12,828	261	153	138	123	1	1	87	66	108
2	Glenties, *W.*	72,326	7,064	117	123	57	60	1	2	59	64	—6
3	Carrick,	55,494	9,124	60	34	24	36	.	.	19	15	26
4	Ardara,	44,764	7,324	133	108	71	62	1	.	60	48	25
5	Killybegs,	12,625	3,559	71	52	37	34	1	1	34	18	19
	27. GORTIN.											
1	Gortin, *W.*	55,596	9,138	140	97	67	73	1	2	39	58	43
2	Plumb Bridge,	55,665	7,433	150	104	80	70	.	1	44	60	46
	28. INISHOWEN.											
1	Carndonagh, *W.*	35,326	6,431	148	130	78	70	1	2	60	70	18
2	Clonmany,	23,376	5,668	142	91	77	65	.	.	42	49	51
3	Moville,	38,689	10,329	218	151	125	93	3	3	88	63	67
4	Malin,	26,399	8,100	176	109	94	82	.	2	54	55	67
5	Buncrana,	35,618	6,694	134	101	68	66	.	1	42	59	33
	29. IRVINESTOWN.											
1	Irvinestown, *W.*	36,135	11,711	234	196	119	115	9	16	89	107	38
2	Ederney,	31,825	8,730	156	89	76	80	5	1	41	48	67
3	Clonelly,	7,967	2,287	40	23	24	16	4	.	14	9	17
	30. LETTERKENNY.											
1	Letterkenny, *W.*	22,459	7,451	123	144	62	61	3	4	70	74	—21
2	Manorcunningham,	18,612	4,650	112	72	55	57	1	2	34	38	40
3	Church Hill,	60,136	6,831	85	54	33	52	1	2	24	30	31
	31. LONDONDERRY.											
1	City of Londonderry,	5,060	20,366	419	334	232	187	.	2	177	157	85
2	Glendermot, *W.*	16,805	8,673	244	333	121	123	19	13	158	175	—89
3	Eglinton,	25,290	6,630	143	99	78	65	4	3	52	47	44
4	Claudy,	30,303	7,182	167	140	88	79	2	.	66	74	27
5	Kilderry,	28,237	7,137	141	100	72	69	6	2	48	52	41
6	Burt,	19,931	4,361	82	63	41	41	2	3	35	28	19
7	Killea,	18,370	5,043	155	84	75	80	2	7	33	51	71
	32. MANORHAMILTON.											
1	Manorhamilton, *W.*	36,701	10,163	229	125	119	110	4	4	56	69	104
2	Lurganboy,	45,800	6,895	134	60	60	74	.	1	31	29	74
3	Drumahaire,	31,386	8,490	227	84	114	113	1	3	32	52	143
4	Drumkeeran,	30,960	7,895	171	92	95	76	1	2	43	49	79
	33. MILLFORD.											
1	Rathmelton,	19,568	6,268	142	89	68	74	6	.	45	44	53
2	Rathmullan,	11,835	3,383	59	53	27	32	1	.	32	21	6
3	Kilmacrenan and Millford, *W.*	28,655	5,977	105	115	54	51	1	4	55	60	—10
4	Fannett,	26,813	7,015	118	107	58	60	2	.	52	55	11
5	Rosguill,	24,464	5,563	65	53	31	34	.	1	30	23	12

II.—NORTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS *—continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	34. OMAGH.											
1	Omagh, *W.*	46,106	16,098	402	388	220	182	14	19	203	185	14
2	Fintona,	27,162	9,385	194	179	102	92	4	4	89	90	15
3	Dromore,	22,145	6,126	140	93	75	65	3	5	52	41	47
4	Drumquin,	20,699	5,224	105	56	52	53	2	.	31	25	49
5	Sixmilecross,	58,105	16,003	293	202	132	161	5	7	97	105	91
	35. SLIGO.											
1	Carney,	44,554	12,995	319	162	160	159	1	.	75	87	157
2	Sligo, *W.*	30,835	20,493	438	418	229	209	8	8	202	216	20
3	Collooney,	25,443	7,059	106	49	56	50	.	.	22	27	57
4	Ballymote,	19,139	6,724	152	69	67	85	1	2	31	38	83
5	Riverstown,	23,552	6,630	131	84	99	82	1	.	41	43	97
	36. STRABANE.											
1	Dunnamanagh,	32,091	7,692	164	115	104	60	1	3	46	69	49
2	Strabane, *W.*	19,972	11,260	290	269	141	149	13	15	127	142	21
3	Newtownstewart,	29,265	8,045	212	132	111	101	4	2	62	70	80
4	Castlefinn,	28,549	8,875	175	110	94	81	3	2	67	43	65
5	Raphoe,	24,495	7,732	170	121	84	86	2	6	56	65	49
	37. STRANORLAR.											
1	Killygordon,	36,758	6,130	93	49	47	46	1	.	26	23	44
2	Stranorlar, *W.*	30,426	7,567	171	154	92	79	2	3	75	79	17
3	Cloghan,	53,967	6,281	148	82	79	69	1	1	44	38	66

III.—EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS.

	38. ARDEE.											
1	Ardee, *W.*	27,947	9,174	218	188	109	109	4	4	83	105	30
2	Drumconrath,	23,809	4,214	84	59	40	44	2	1	29	30	25
3	Collon,	13,432	2,850	54	41	31	23	.	.	21	20	13
4	Dunleer,	16,791	4,745	81	54	32	49	.	.	26	28	27
5	Castlebellingham,	14,232	4,301	67	52	43	24	2	2	28	24	15
	39. BAILIEBOROUGH.											
1	Bailieborough, *W.*	31,514	10,956	279	169	136	143	6	4	81	88	110
2	Shercock,	11,275	4,125	96	51	52	44	1	.	27	24	45
3	Kingscourt,	13,107	4,550	111	54	54	57	2	.	27	27	57
4	Crossbane,	5,213	1,788	71	27	37	34	.	4	15	12	44
5	Termon,	4,800	1,660	45	17	17	28	.	.	10	7	28
	40. BALROTHERY.											
1	Balbriggan,	18,250	5,772	123	56	61	62	2	1	27	29	67
2	Holmpatrick, *W.*	7,123	3,737	111	111	61	50	4	6	57	54	.
3	Lusk,	12,050	3,917	112	68	59	53	.	.	39	29	44
4	Swords,	13,974	3,721	111	58	63	48	.	1	24	34	53
5	Kilsallaghan,	16,243	2,027	44	28	22	22	.	1	13	15	16
6	Malahide,	7,499	2,842	66	38	38	28	.	1	17	21	28
	41. BALTINGLASS.											
1	Baltinglass, *W.*	28,570	6,573	141	122	70	71	3	8	62	60	19
2	Kiltegan,	44,643	5,765	119	67	58	61	.	1	30	37	52
3	Dunlavin,	43,835	6,131	122	96	53	69	1	1	53	43	26
4	Rathvilly,	22,060	3,563	94	58	52	42	4	.	30	28	36

III.—EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*con.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		Births.				Deaths.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	42. CARRICKMACROSS.											
1	Carrickmacross, *W.*	22,720	9,268	183	167	91	92	5	6	84	83	16
2	Donaghmoyne,	20,357	6,847	127	82	62	65	.	.	32	50	45
3	Raferagh,	17,587	6,239	149	80	81	68	1	2	40	40	69
	43. CELBRIDGE.											
1	Lucan,	11,839	3,843	109	56	49	60	2	.	27	29	53
2	Celbridge, *W.*	16,639	4,769	128	108	63	65	2	8	50	58	20
3	Maynooth,	15,670	3,266	80	49	38	42	.	.	23	26	31
4	Rathcoole,	16,937	3,370	60	57	32	28	.	.	33	24	3
5	Kilcock,	25,753	4,332	98	56	56	42	2	1	32	24	42
	44. DROGHEDA.											
1	Stamullen,	21,389	3,669	78	70	49	29	.	.	49	21	8
2	Duleek,	20,704	3,832	65	48	33	32	1	.	23	25	17
3	St. Mary's, *W.*	9,733	7,344	172	216	94	78	13	11	107	109	—44
4	Drogheda,	10,086	15,198	340	290	164	176	1	5	139	151	50
5	Termonfeckin,	19,222	6,205	153	107	76	77	1	1	54	53	46
6	Monasterboice,	17,911	3,573	72	63	41	31	.	2	34	29	9
	45. DUBLIN, NORTH.											
1	North City, *W.*	1,697	109,143	3,466	2,667	1,793	1,673	47	42	1,307	1,360	799
2	Blanchardstown and Castleknock,	13,246	7,894	124	78	65	59	3	.	38	40	46
3	Finglas and Glasnevin,	12,868	6,045	102	83	56	46	2	1	47	36	19
4	Clontarf and Howth,	5,799	5,297	64	65	31	33	.	2	32	33	—1
5	Coolock & Drumcondra,	7,159	6,376	179	158	79	100	.	1	77	81	21
	46. DUBLIN, SOUTH.											
1	South City, *W.*	1,895	145,665	3,865	3,631	1,893	1,972	70	78	1,788	1,843	224
2	Donnybrook,	1,945	18,756	458	396	247	211	3	3	203	193	62
3	Rathmines,	1,400	15,747	336	277	164	172	1	2	134	143	59
4	Rathfarnham,	11,933	8,358	234	171	122	112	2	1	77	94	63
5	Tallaght,	21,407	3,749	71	57	41	30	.	1	26	31	14
6	Clondalkin,	5,902	2,832	59	55	33	26	1	.	26	29	4
7	Palmerston,	3,607	6,856	112	81	59	53	.	.	43	38	31
	47. DUNDALK.											
1	Dundalk, *W.*	17,123	16,438	447	315	219	228	16	10	171	144	132
2	Louth,	20,065	6,888	142	85	71	71	2	4	48	37	57
3	Barronstown,	18,863	7,108	159	96	82	77	.	2	44	52	63
4	Dromiskin,	10,579	3,102	51	45	33	18	1	1	20	25	6
5	Ravensdale,	17,819	5,282	131	77	57	74	1	3	38	39	54
6	Carlingford,	19,985	8,032	188	112	72	116	1	2	63	49	76
	48. DUNSHAUGHLIN.											
1	Dunboyne,	32,522	3,611	70	44	40	30	.	.	24	20	26
2	Ratoath, *W.*	28,801	3,692	71	74	30	41	2	4	34	40	—3
3	Killeen,	22,970	3,412	34	15	21	13	.	.	6	9	19
4	Garristown,	24,046	3,394	65	58	34	31	2	1	27	31	7
	49. GOREY.											
1	Gorey, *W.*	31,578	8,324	204	160	95	109	6	8	89	71	44
2	Coolgreany,	30,009	4,560	99	54	55	44	.	2	28	26	45
3	Camolin,	33,045	5,253	114	64	58	56	2	3	30	34	50
4	Killenagh and Wells,	35,073	6,720	139	83	66	73	1	1	42	41	56

III.—EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*con.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	50. KELLS.											
1	Kells, *W.* . . .	27,063	7,230	154	125	84	70	8	9	63	62	29
2	Moynalty, . . .	26,181	6,665	114	46	60	54	2	1	24	22	68
3	Kilskeer, . . .	25,460	4,891	83	50	41	42	.	.	29	21	33
4	Nobber, . . .	30,278	5,696	134	72	77	57	2	2	41	31	62
	51. NAAS.											
1	Blessington and Ballymore, . . .	60,729	6,760	167	114	91	76	2	5	54	60	53
2	Robertstown and Kilmeage, . . .	20,471	4,219	88	62	41	47	1	2	31	31	26
3	Rathmore, . . .	19,094	2,841	58	34	30	28	2	.	21	13	24
4	Kilcullen, . . .	29,734	11,967	108	77	53	55	.	.	37	40	31
5	Naas and Carragh, *W.*	24,455	6,800	175	181	91	84	13	15	95	86	—6
6	Clane and Timahoe, North, . . .	28,668	4,649	109	85	62	47	5	1	39	46	24
7	Newbridge & Kildare,	33,471	10,362	356	204	180	176	5	8	126	78	152
	52. NAVAN.											
1	Navan, *W.* . .	37,087	12,113	240	158	127	113	3	3	85	73	82
2	Painestown, . .	27,649	4,718	100	60	44	56	1	.	29	31	40
3	Castletown, . .	29,730	5,157	105	78	56	49	2	4	46	32	27
	53. RATHDOWN.											
1	Dundrum & Glencullen,	11,828	6,396	184	129	98	86	1	1	69	60	55
2	Blackrock & Stillorgan,	4,073	10,444	235	157	111	124	2	.	57	100	78
3	Killiney, . . .	4,797	4,241	94	68	43	51	.	.	30	38	26
4	Kingstown, . .	1,647	18,080	447	309	236	211	7	3	159	150	138
5	Bray & Rathmichael, *W.*	8,341	8,338	315	312	163	152	16	14	150	162	3
6	Powerscourt, . .	22,338	2,813	75	39	44	31	1	2	21	18	36
7	Delgany, . . .	8,490	2,986	52	38	27	25	1	2	15	23	14
	54. RATHDRUM.											
1	Newcastle, . .	23,585	5,081	117	75	62	55	1	.	41	34	42
2	Ashford, . . .	24,725	8,499	133	79	78	55	.	.	49	30	54
3	Annamoe, . . .	59,593	4,794	147	57	71	76	.	.	32	25	90
4	Dunganstown, . .	23,185	3,544	80	35	39	41	4	2	18	17	45
5	Arklow, . . .	16,794	7,758	265	132	136	129	.	3	69	63	133
6	Newbridge, . .	18,327	5,484	97	45	49	48	.	.	26	19	52
7	Rathdrum, *W.* . .	36,965	5,518	136	119	71	65	19	21	67	52	17
8	Aughrim, . . .	24,367	2,724	85	36	50	35	1	.	22	14	49
	55. SHILLELAGH.											
1	Coolattin and Clonegall, *W.* . . .	38,366	6,780	159	108	78	81	3	5	56	52	51
2	Coolkenna & Hacketstown, . . .	31,128	6,626	158	105	70	88	3	2	53	52	53
3	Tinahely, . . .	40,628	5,777	160	85	80	80	3	1	41	44	75
	56. TRIM.											
1	Athboy, . . .	37,046	7,392	169	129	87	82	1	2	66	63	40
2	Trim, *W.* . . .	26,593	6,462	138	131	69	69	6	4	61	70	7
3	Summerhill, . .	30,763	5,095	88	67	55	33	1	.	32	35	21
4	Innfield, . . .	25,117	3,969	70	38	39	31	.	.	22	16	32

IV.—NORTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	57. ATHLONE.											
1	Athlone, *W.*	27,613	13,924	382	293	186	196	9	9	152	141	89
2	Brideswell,	38,339	6,834	176	89	93	83	2	.	49	40	87
3	Kiltoom,	27,562	5,507	160	115	83	77	1	.	62	53	45
4	Glassan,	24,601	5,438	97	69	57	40	.	.	37	32	28
5	Moate,	32,653	7,620	170	114	86	84	3	1	54	60	56
	58. BALLYMAHON.											
1	Abbeyshrule,	30,734	7,163	151	83	85	66	1	.	36	47	68
2	Ballymahon, *W.*	38,933	9,064	204	114	111	93	2	1	57	57	90
3	Ballymore,	30,459	5,862	135	79	71	64	.	1	40	39	56
	59. BAWNBOY.											
1	Ballyconnell, *W.*	30,700	7,718	131	120	60	71	4	6	61	59	11
2	Ballinamore,	26,499	7,894	156	84	72	84	1	.	39	45	72
3	Swanlinbar,	28,900	5,922	135	62	69	66	1	.	36	26	73
4	Newtowngore,	18,405	5,274	77	41	38	39	.	1	21	20	36
	60. CARRICK-ON-SHANNON.											
1	Drumshambo,	33,787	8,970	201	114	116	85	.	.	62	52	87
2	Leitrim,	23,119	7,957	184	71	102	82	1	1	32	39	113
3	Jamestown, *W.*	21,974	8,728	199	134	107	92	2	1	64	70	65
4	Aughrim,	21,856	6,022	81	49	47	34	.	.	19	30	32
	61. CAVAN.											
1	Arvagh,	17,072	6,294	141	83	69	72	3	2	40	43	58
2	Bellananagh,	16,683	6,139	167	68	83	84	.	1	29	39	99
3	Ballyhaise,	19,792	7,659	173	94	87	86	.	1	46	48	79
4	Belturbet,	21,550	7,670	125	79	67	58	3	4	38	41	46
5	Cavan, *W.*	26,252	10,625	255	217	123	132	11	11	111	106	38
6	Killeshandra,	16,958	5,559	124	64	69	55	.	1	30	34	60
7	Kilnaleck,	21,111	7,770	210	98	102	108	1	.	50	48	112
8	Stradone,	21,244	6,946	161	92	75	86	.	1	52	40	69
	62. CLOGHER.											
1	Fivemiletown,	25,596	5,126	96	65	54	42	3	.	32	33	31
2	Clogher, *W.*	31,018	8,297	180	150	84	96	7	7	74	76	30
3	Ballygawley,	22,495	6,843	131	83	60	71	2	3	52	31	48
4	Aughnacloy,	22,570	7,487	131	102	68	63	3	1	52	50	29
	63. CLONES.											
1	Clones, *W.*	22,030	11,298	205	170	102	103	5	9	99	71	35
2	Newtownbutler,	24,159	7,332	129	91	60	69	1	2	44	47	38
3	Rosslea,	27,313	7,569	142	75	80	62	.	1	40	35	67
	64. COOTEHILL.											
1	Cootehill, *W.*	27,031	11,888	256	208	111	145	6	13	107	101	48
2	Dawson Grove,	22,425	7,643	176	84	92	84	.	0	41	43	92
3	Drum,	29,738	10,488	226	150	118	108	3	3	74	76	76
4	Tullyvin,	26,654	8,942	168	119	91	77	1	1	62	57	49
	65. DELVIN.											
1	Castlepollard,	23,490	5,280	141	75	71	70	1	.	26	49	66
2	Delvin, *W.*	27,683	4,123	95	59	44	51	2	2	23	36	36
3	Clonmellon,	23,602	4,158	66	41	28	38	.	.	19	22	25

IV.—NORTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	66. GRANARD.											
1	Granard, *W.*	26,824	8,121	193	190	112	81	4	2	101	89	3
2	Street,	29,527	6,314	97	49	56	41	1	.	23	26	48
3	Ballinalee,	22,070	6,014	183	86	91	92	2	.	39	47	97
4	Scrabby,	21,566	7,521	160	93	93	67	.	1	47	46	67
5	Finnea,	22,495	6,084	155	87	67	88	2	2	50	37	68
6	Coole,	11,521	1,989	35	22	18	17	1	.	9	13	13
	67. LISNASKEA.											
1	Brookeborough,	35,197	7,676	142	99	68	74	3	4	43	56	43
2	Lisnaskea, *W.*	25,433	6,704	128	127	71	57	5	4	61	66	1
3	Derrylin,	26,984	7,870	159	78	71	88	3	.	43	35	81
4	Maguiresbridge,	11,131	3,582	65	32	38	27	1	.	16	16	33
	68. LONGFORD.											
1	Longford, *W.*	34,306	13,569	301	197	166	135	10	7	95	102	104
2	Drumlish,	35,839	11,828	228	96	123	105	.	.	51	45	132
3	Killashee,	39,816	7,360	148	73	78	70	.	1	40	33	75
	69. MOHILL.											
1	Mohill, *W.*	26,258	9,637	218	137	125	93	3	3	73	64	81
2	Rinn,	29,105	8,718	201	69	97	104	.	.	30	39	132
3	Rowan,	19,052	5,590	133	62	73	60	1	1	26	36	71
4	Carrigallen,	18,540	6,246	110	54	54	56	2	.	27	27	56
	70. MONAGHAN.											
1	Monaghan, *W.*	17,684	10,998	177	180	93	84	11	10	99	81	—3
2	Glaslough,	23,324	8,525	158	119	84	74	3	5	57	62	39
3	Castleshane,	23,848	9,667	224	122	112	112	3	1	57	65	102
4	Scotstown,	29,559	9,049	194	122	104	90	3	1	63	59	72
5	Kilmore,	18,324	7,435	166	121	77	89	3	1	57	64	45
	71. MULLINGAR.											
1	Mullingar, *W.*	31,787	11,816	197	148	111	86	7	4	87	61	49
2	Multyfarnham,	22,302	4,124	87	63	45	42	2	.	29	34	24
3	Ballynacarrigy,	34,441	6,237	112	82	61	51	.	2	43	39	30
4	Castletown Geoghegan,	35,225	5,797	99	84	48	51	.	2	37	47	15
5	Tyrrellspass,	31,181	5,873	106	93	47	59	.	.	48	45	13
6	Milltown,	27,492	3,820	68	60	32	36	1	2	25	35	8
7	Killucan,	25,973	5,036	113	66	56	57	.	1	30	36	47
	72. OLDCASTLE.											
1	Crossakeel,	19,569	3,010	60	31	22	38	.	.	17	14	29
2	Oldcastle, *W.*	24,855	5,667	133	92	71	62	6	2	44	48	41
3	Virginia,	22,439	7,773	195	72	88	107	1	4	30	42	123
4	Ballyjamesduff,	19,049	7,207	172	78	94	78	.	.	39	39	94
	73. ROSCOMMON.											
1	Athleague,	36,367	7,252	162	83	85	77	1	.	43	40	79
2	Roscommon, *W.*	36,494	9,492	232	210	112	120	6	8	111	99	22
3	Ballyleague,	41,195	9,760	227	110	115	112	1	.	51	59	117
	74. STROKESTOWN.											
1	Strokestown, *W.*	31,614	10,488	251	162	125	126	1	4	77	85	89
2	Roosky,	33,271	9,346	190	87	92	98	.	.	47	40	103
3	Elphin,	25,151	6,561	162	77	84	78	1	1	37	40	85

V.—SOUTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	75. ABBEYLEIX.											
1	Abbeyleix, *W.*	18,878	5,365	133	129	68	65	4	5	73	56	4
2	Ballyroan,	20,012	3,947	78	34	39	39	.	1	21	13	44
3	Durrow,	24,044	5,169	121	70	75	46	3	1	41	29	51
4	Castletown,	18,631	3,327	66	53	36	30	1	1	33	20	13
5	Ballinakill,	25,602	4,592	81	55	52	29	.	.	27	28	26
	76. ATHY.											
1	Athy, *W.*	30,531	8,748	230	198	114	116	11	8	111	87	32
2	Monasterevin,	31,710	6,654	122	85	67	55	1	.	40	45	37
3	Fontstown,	26,280	3,751	59	53	35	24	1	3	28	25	6
4	Castledermot,	23,714	4,140	97	79	48	49	1	2	38	41	18
5	Stradbally,	26,261	5,340	102	83	56	46	2	2	41	42	19
6	Ballylynan,	21,758	4,577	104	64	51	53	2	1	35	29	40
	77. BORRISOKANE.											
1	Terryglass,	29,745	4,514	29	23	15	14	.	.	13	10	6
2	Borrisokane, *W.*	25,143	4,869	90	64	46	44	2	2	38	26	26
3	Cloghjordan,	26,962	4,357	103	61	49	54	2	2	26	35	42
	78. CARLOW.											
1	Carlow, *W.*	28,075	13,955	293	292	146	147	8	15	139	153	1
2	Tullow,	33,134	8,082	165	144	104	61	3	2	87	57	21
3	Borris,	26,335	6,571	129	99	60	69	3	.	41	58	30
4	Fennagh and Myshall,	31,682	6,146	115	93	59	56	2	2	42	51	22
5	Leighlinbridge,	20,105	5,101	125	88	73	52	1	2	35	53	37
6	Bagenalstown,	16,854	5,011	120	97	72	48	10	3	46	51	23
7	Ballickmoyler and Newtown,	29,672	6,936	122	64	61	61	.	2	40	24	58
	79. CASHEL.											
1	Kilpatrick,	31,850	5,965	168	66	83	85	.	.	33	33	102
2	Cashel, *W.*	32,836	9,646	243	238	119	124	13	18	112	126	5
3	Tullamain,	33,954	5,035	118	45	72	46	.	1	22	23	73
4	Fethard,	29,670	6,908	145	113	66	79	1	4	55	58	32
5	Killenaule,	28,512	5,923	117	114	49	68	6	4	58	56	3
	80. CASTLECOMER.											
1	Castlecomer, *W.*	39,265	11,372	302	208	154	148	4	10	103	105	94
2	Ballyragget,	18,555	4,565	103	61	50	53	1	2	30	31	42
	81. DONAGHMORE.											
1	Borris-in-Ossory,	23,710	3,791	67	35	30	37	.	1	14	21	32
2	Rathdowney, *W.*	27,350	5,713	98	71	46	52	1	.	37	34	27
	82. EDENDERRY.											
1	Johnstown,	19,270	2,754	47	36	23	24	.	1	18	18	11
2	Carbury,	34,051	3,265	68	42	28	40	1	.	22	20	26
3	Rathangan,	28,188	3,965	104	52	63	41	2	.	28	24	52
4	Edenderry, *W.*	39,312	5,723	135	123	80	55	15	6	58	65	12
5	Rhode,	29,692	3,827	77	54	40	37	1	.	29	25	23
6	Ballyboggan,	21,894	3,850	75	60	44	31	.	.	40	20	15
	83. KILKENNY.											
1	Kilkenny, *W.*	28,415	19,563	476	543	255	221	22	14	264	279	—67
2	Gowran,	22,368	5,076	93	66	45	48	3	2	37	29	27
3	Tiscoffin,	22,762	4,141	86	49	38	48	.	.	24	25	37
4	Freshford,	18,382	4,063	90	70	46	44	4	1	36	34	20
5	Tullaroan,	18,996	2,656	64	42	39	25	.	2	22	20	22

V.—SOUTH MIDLAND DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS —*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	84. MOUNTMELLICK.											
1	Mountmellick, *W.*	27,460	8,531	241	209	144	97	25	21	106	103	32
2	Clonaslee,	36,339	4,727	85	63	50	35	2	.	35	28	22
3	Coolrain,	28,968	2,712	64	43	28	36	.	.	18	25	21
4	Mountrath,	25,986	6,820	121	91	61	60	.	1	49	42	30
5	Maryborough,	23,750	7,302	115	105	54	61	1	2	61	44	10
6	Emo,	32,534	5,773	99	70	54	45	.	.	42	28	29
7	Clonygowan,	25,596	6,319	112	87	53	59	2	3	40	47	25
	85. NENAGH.											
1	Nenagh, *W.*	35,509	12,909	259	296	124	135	8	14	151	145	—37
2	Newport,	44,900	7,799	147	70	85	62	.	.	40	30	77
3	Portroe,	30,435	6,240	156	79	88	68	1	.	42	37	77
4	Silvermines,	30,740	4,664	111	56	51	60	.	1	29	27	55
5	Toomyvara,	41,504	6,665	106	53	54	52	.	.	21	32	53
	86. PARSONSTOWN.											
1	Parsonstown, *W.*	11,327	9,777	238	230	109	129	6	6	116	114	8
2	Killyon,	17,111	2,325	23	15	11	12	.	.	10	5	8
3	Kinnitty,	33,361	3,186	39	47	19	20	.	.	22	25	—8
4	Frankford,	28,668	3,930	68	53	37	31	1	2	24	29	15
5	Banagher,	40,024	7,884	124	111	59	65	3	1	68	43	13
6	Ferbane,	62,518	8,723	192	102	94	98	1	.	55	47	90
7	Riverstown,	27,428	3,525	48	36	24	24	1	1	24	12	12
	87. ROSCREA.											
1	Roscrea, *W.*	45,873	11,576	188	178	101	87	11	3	90	88	10
2	Shinrone,	37,196	7,218	127	68	69	58	3	.	34	34	59
3	Bourney,	35,419	5,872	103	71	55	48	.	.	31	40	32
	88. THURLES.											
1	Thurles, *W.*	20,490	8,812	197	188	103	94	6	9	94	94	9
2	Holycross,	18,895	4,176	99	53	55	44	2	3	24	29	46
3	Littleton,	33,451	4,570	95	74	49	46	2	1	35	39	21
4	Moyne,	25,729	5,071	86	85	40	46	.	1	38	47	1
5	Templemore,	12,722	6,259	147	102	81	66	3	1	61	41	45
6	Borrisoleigh,	32,064	7,264	218	110	115	103	2	4	58	52	108
	89. TIPPERARY.											
1	Bansha,	41,772	6,890	185	93	94	91	.	1	44	49	92
2	Golden,	22,679	4,529	90	50	55	35	.	.	27	23	40
3	Tipperary, *W.*	22,609	12,077	352	292	193	159	18	11	149	143	60
4	Cappagh,	41,942	9,287	243	103	133	110	3	1	70	33	140
5	Grean,	26,323	7,704	198	102	101	97	3	.	58	44	96
6	Emly,	24,663	6,811	132	79	73	59	.	1	44	35	53
	90. TULLAMORE.											
1	Killoughy,	42,913	6,725	123	92	61	62	1	1	43	49	31
2	Philipstown,	33,631	5,377	110	87	52	58	1	1	48	39	23
3	Kilbeggan,	21,691	4,559	79	52	46	33	1	1	35	17	27
4	Clara,	23,963	6,140	142	88	83	59	1	1	37	51	54
5	Tullamore, *W.*	33,197	10,286	247	246	120	127	7	11	131	115	1
	91. URLINGFORD.											
1	Balleen,	17,991	3,017	53	50	30	23	1	1	25	25	3
2	Johnstown,	20,852	3,598	88	43	41	47	.	.	20	23	45
3	Urlingford, *W.*	19,050	4,332	86	65	47	39	2	.	25	40	21
4	Kilcooly,	18,256	4,303	102	65	56	46	.	.	38	27	37

VI.—WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	92. BALLINA.											
1	Ballina, *W.*	73,848	23,369	483	267	259	224	2	2	137	130	216
2	Crossmolina,	76,567	9,324	197	98	106	91	1	1	46	52	99
	93. BALLINASLOE.											
1	Ahascragh,	17,321	2,479	42	34	23	19	.	.	15	19	8
2	Ballinasloe, *W.*	19,173	7,234	163	169	84	79	8	7	76	93	—6
3	Killaan,	27,618	3,841	82	55	32	50	.	1	29	26	27
4	Creagh,	36,626	6,305	87	82	54	33	.	.	50	32	5
5	Laurencetown,	31,850	4,131	64	19	35	29	.	.	10	9	45
6	Kiltormer,	27,919	4,232	94	54	53	41	3	1	31	23	40
	94. BALLINROBE.											
1	Ballinrobe, *W.*	36,469	10,982	224	142	124	100	3	3	73	69	82
2	Cong,	31,561	7,553	166	107	84	82	1	1	53	54	59
3	Hollymount,	41,086	9,310	231	77	131	100	.	1	38	39	154
4	Cappaghduff,*	35,778	3,713	16*	6*	9	7	.	.	2	4	10
	95. BALLYVAGHAN.											
1	Ballyvaghan, *W.*	71,063	6,819	106	65	54	52	3	4	21	44	41
	96. BELMULLET.											
1	Binghamstown, *W.*	31,092	8,075	193	106	96	97	4	2	51	55	87
2	Bangor,	146,841	9,021	170	101	95	75	1	1	50	51	69
	97. BOYLE.											
1	Boyle, *W.*	52,043	16,375	322	229	164	158	5	2	126	103	93
2	Ballinameen,	28,769	8,108	225	93	117	108	.	.	43	50	132
3	Gurteen,	32,749	10,610	236	109	135	101	.	.	44	65	127
4	Keadue,	21,369	7,107	150	54	78	72	2	.	27	27	96
5	Ballyfarnan,	24,766	5,558	134	81	67	67	.	1	42	39	53
	98. CASTLEBAR.											
1	Castlebar, *W.*	79,485	17,536	338	176	181	157	.	1	82	94	162
2	Balla,	61,513	14,244	236	124	128	108	.	.	56	68	112
	99. CASTLEREAGH.											
1	Ballaghaderreen,	46,228	16,032	342	113	168	174	2	.	61	52	229
2	Frenchpark,	36,700	10,285	242	108	137	105	.	4	55	53	134
3	Castlereagh, *W.*	51,012	15,943	364	214	188	176	5	3	119	95	150
4	Castleplunket,	28,423	4,523	106	45	54	52	.	.	22	23	61
	100. CLAREMORRIS.											
1	Claremorris, *W.*	34,941	9,821	268	126	150	118	5	4	63	63	142
2	Ballindine,	34,551	9,442	187	97	104	83	1	1	50	47	90
3	Ballyhaunis,	41,296	12,807	316	158	161	155	1	1	77	81	158
	101. CLIFDEN.											
1	Clifden, *W.*	43,893	12,087	388	184	209	179	4	6	89	95	204
2	Rinvyle,	44,754	4,791	157	45	90	67	.	2	20	25	112
3	Roundstone,	104,318	8,122	265	98	132	133	4	4	49	49	167

* The District of Cappaghduff was formed at the close of the third quarter of the year 1864, by the severance of electoral divisions from the Districts of Ballinrobe and Cong; the numbers given for Cappaghduff, therefore, represent the registration during the fourth quarter of the year only.

VI.—WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*con.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	102. CORROFIN.											
1	Corrofin, *W.*	61,386	7,866	183	99	96	87	4	5	48	51	84
	103. DROMORE, WEST.											
1	Easky, *W.*	42,291	8,472	242	124	130	112	.	2	61	63	118
2	Skreen,	32,734	6,291	190	96	103	87	.	1	39	57	94
3	Castleconor,	21,960	3,845	101	50	57	44	.	.	25	25	51
	104. ENNIS.											
1	Ennis, *W.*	25,268	13,465	248	261	128	120	10	7	131	130	—13
2	Crusheen,	24,816	4,572	125	35	60	65	1	.	14	21	90
3	Killanniv,	33,230	4,843	125	45	64	61	.	.	26	19	80
4	Newmarket,	29,191	7,217	107	73	54	53	2	1	30	43	34
	105. ENNISTIMON.											
1	Roadford,	30,197	7,107	168	63	87	81	.	.	36	27	105
2	Ennistimon, *W.*	33,863	8,728	232	153	120	112	8	12	70	83	79
3	Milltown Malbay,	35,221	9,193	200	72	108	92	4	.	40	32	128
	106. GALWAY.											
1	Galway, *W.*	21,358	24,890	440	545	238	202	14	9	284	261	—105
2	Oranmore,	30,311	6,319	172	93	93	79	1	3	46	47	79
3	Turloughmore,	46,256	7,688	171	60	78	93	.	.	32	28	111
4	Western,	88,254	8,625	245	105	121	124	.	.	49	56	140
5	Arran,	11,288	3,299	94	45	52	42	.	1	24	21	49
	107. GLENNAMADDY.											
1	Dunmore,	17,357	3,027	64	14	31	33	.	1	10	4	50
2	Glennamaddy, *W.*	40,162	8,914	188	118	100	88	3	1	62	56	70
3	Williamstown,	42,800	10,528	216	83	96	120	.	1	42	41	133
	108. GORT.											
1	Gort, *W.*	54,938	10,339	225	147	113	112	3	5	85	62	78
2	Ballinderreen,	52,981	10,162	178	95	85	93	.	.	50	45	83
	109. KILLADYSERT.											
1	Labasheeda,	26,023	5,849	116	69	66	50	.	.	33	36	47
2	Ballynacally, *W.*	36,296	7,416	201	91	100	101	6	4	43	48	110
	110. KILLALA.											
1	Killala, *W.*	25,198	5,318	107	77	53	54	.	1	34	43	30
2	Ballycastle,	79,684	6,511	133	72	69	64	.	.	36	36	61
	111. KILRUSH.											
1	Kilrush, *W.*	20,540	9,904	211	167	115	96	6	9	84	83	44
2	Kilmihil,	31,923	6,478	165	74	77	88	.	1	38	36	91
3	Craggaknock,	37,310	9,699	185	91	104	81	2	.	43	48	94
4	Kilkee,	24,416	8,530	164	72	95	69	1	3	41	31	92
5	Carrigaholt,	22,599	6,529	117	82	62	55	3	.	40	42	35
	112. LOUGHREA.											
1	Loughrea, *W.*	29,641	7,299	148	111	76	72	6	4	56	55	37
2	Bullaun,	55,815	6,108	160	92	76	84	1	1	41	51	68
3	Athenry,	56,431	8,799	192	131	94	98	.	1	61	70	61
4	Woodford,	56,945	6,933	150	87	73	77	.	.	41	46	63

VI.—WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	113. MOUNTBELLEW.											
1	Killeroran,	31,924	6,694	157	105	80	77	1	1	53	52	52
2	Clonbrock,	29,957	5,816	129	79	62	67	1	1	32	47	50
3	Mountbellew, *W.*	40,502	7,426	174	147	91	83	5	2	64	83	27
	114. NEWPORT.											
1	Newport, *W.*	63,989	8,462	212	84	108	104	2	4	46	38	128
2	Ballycroy,	51,883	2,161	67	25	37	30	.	.	14	11	42
3	Achill,	54,541	6,037	148	65	73	75	.	1	30	35	83
	115. OUGHTERARD.											
1	Cloonbur,	58,806	5,749	178	98	93	85	.	3	47	51	80
2	Oughterard, *W.*	69,639	6,070	172	131	87	85	3	2	70	61	41
3	Lettermore,	44,300	6,653	254	73	131	123	.	1	36	37	181
	116. PORTUMNA.											
1	Portumna, *W.*	45,628	8,761	206	145	96	110	8	3	80	65	61
2	Eyrecourt,	31,418	6,178	77	44	40	37	1	.	19	25	33
	117. SCARRIFF.											
1	Mountshannon, *W.*	32,274	5,557	149	84	76	73	3	4	38	46	65
2	Feakle,	34,820	5,453	119	51	66	53	1	.	30	21	68
3	Annacarriga,	19,226	4,601	94	46	45	49	1	.	15	31	48
	118. SWINEFORD.											
1	Swineford, *W.*	30,695	11,924	306	109	167	139	3	3	65	44	197
2	Foxford,	21,914	7,452	121	50	69	52	1	.	26	24	71
3	Kiltamagh,	22,700	8,689	193	94	103	90	.	.	47	47	99
4	Lowpark,	35,954	11,362	352	116	186	166	1	2	56	60	236
5	Kilkelly,	41,331	12,577	355	106	177	178	1	.	49	57	249
	119. TOBERCURRY.											
1	Tobercurry, *W.*	82,634	20,058	499	165	261	238	2	2	86	79	334
2	Coolaney,	43,140	7,599	190	98	109	81	1	1	52	46	92
	120. TUAM.											
1	Tuam, *W.*	73,236	19,389	367	216	190	177	5	11	106	110	151
2	Dunmore,	36,442	9,706	171	92	85	86	.	.	52	40	79
3	Headford,	46,490	9,393	156	85	76	80	.	.	43	42	71
4	Abbey,	34,481	5,952	90	57	47	43	1	.	22	35	33
	121. TULLA.											
1	Tulla, *W.*	38,063	6,539	139	97	70	69	3	4	48	49	42
2	Quin,	25,464	4,755	100	45	56	44	2	1	29	16	55
3	Kilkishen,	21,196	4,465	94	51	52	42	2	.	29	22	43
	122. WESTPORT.											
1	Westport, *W.*	42,070	12,324	319	227	162	157	4	1	117	110	92
2	Louisburgh,	100,859	8,219	197	84	101	96	1	.	37	47	113
3	Islandeady,	32,578	6,325	143	55	63	80	.	.	34	21	88

VII.—SOUTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	123. CALLAN.											
1	Ballingarry,	20,379	5,562	126	82	74	54	.	.	41	41	46
2	Mullinahone,	21,484	5,183	83	72	42	41	1	1	39	33	11
3	Kilmaganny,	30,309	6,144	123	69	68	55	.	.	35	34	54
4	Callan, *W.*	31,839	8,080	185	212	96	89	16	6	98	114	−27
	124. CARRICK-ON-SUIR.											
1	Carrick-on-Suir, *W.*	23,243	12,116	318	426	148	170	24	10	215	211	−108
2	Garrangibbon,	9,061	1,552	27	25	12	15	.	1	13	12	2
3	Whitechurch,	32,120	7,313	140	116	72	68	2	1	54	62	24
4	Rathgormuck,	37,008	4,342	84	53	45	39	.	.	34	19	31
5	Portlaw,	11,198	4,971	159	114	91	68	2	1	54	60	45
	125. CLOGHEEN.											
1	Caher,	33,699	8,812	204	137	92	112	3	.	69	68	67
2	Ardfinnan,	42,560	7,986	206	116	105	101	1	.	59	57	90
3	Clogheen, *W.*	42,168	8,451	217	152	107	110	6	8	75	77	65
	126. CLONMEL.											
1	Clonmel, *W.*	6,369	13,280	343	393	174	169	24	23	192	201	−50
2	Marlfield,	12,240	3,498	75	37	42	33	1	1	18	19	38
3	Kiltinan,	11,139	1,631	25	17	11	14	1	.	6	11	8
4	Kilsheelan,	31,010	4,589	111	96	68	43	3	2	38	58	15
5	St. Mary's,	9,977	2,509	80	38	40	40	.	1	11	27	42
6	Ballymacarbry,	16,075	2,532	64	41	38	26	3	.	22	19	23
	127. DUNGARVAN.											
1	Ringville,	22,477	4,395	111	62	46	65	.	1	20	42	49
2	Seskinan,	30,493	3,681	80	34	44	36	1	.	18	16	46
3	Whitechurch,	17,633	4,380	108	59	50	58	.	1	33	26	49
4	Dungarvan, *W.*	23,441	11,890	345	281	173	172	15	7	135	146	64
	128. ENNISCORTHY.											
1	Newtownbarry,	31,102	6,033	151	75	78	73	3	.	46	29	76
2	Killann,	34,378	5,429	127	66	60	67	.	2	29	37	61
3	Ferns,	23,663	4,134	88	81	49	39	4	2	39	42	7
4	Enniscorthy, *W.*	35,783	12,404	351	334	187	164	10	19	169	165	17
5	Oulart,	36,481	8,541	196	163	95	101	3	2	73	90	33
6	Clonroche,	35,282	6,345	147	105	83	64	.	4	44	61	42
	129. FERMOY.											
1	Fermoy, *W.*	19,029	12,990	320	295	154	166	8	12	154	141	25
2	Rathcormack,	32,503	5,114	108	57	58	50	3	1	26	31	51
3	Ballyhooly,	32,026	6,543	155	67	84	71	.	1	40	27	88
4	Kilworth,	31,652	7,048	184	77	82	102	.	1	34	43	107
5	Ballynoe,	33,058	6,265	159	107	76	83	.	1	53	54	52
	130. KILMACTHOMAS.											
1	Kilmacthomas, *W.*	40,839	7,350	200	135	39	111	8	17	62	73	65
2	Bunmahon,	23,639	8,144	254	150	122	132	1	5	78	72	104

VII.—SOUTH-EASTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	131. LISMORE.											
1	Ballyduff,	28,764	3,920	80	25	45	35	.	1	12	13	55
2	Cappoquin,	26.210	6,186	110	113	53	57	2	1	58	55	—3
3	Lismore, *W.*	26,022	6,240	144	170	83	61	5	4	94	76	—26
4	Tallow,	16,144	4,499	103	87	60	43	2	1	45	42	16
	132. MIDDLETON.											
1	Middleton, *W.*	27,449	10,572	267	287	154	113	16	7	139	148	—20
2	Walshtownmore, East,	26,161	3,838	90	42	51	39	2	2	18	24	48
3	Castlemartyr,	20,583	4,838	106	87	46	60	1	1	41	46	19
4	Aghada,	19,046	7,492	182	114	87	95	5	.	49	65	68
5	Cloyne,	16,027	7,346	129	90	67	62	.	.	44	46	39
	133. MITCHELSTOWN.											
1	Mitchelstown, *W.*	36,832	9,682	243	162	122	121	12	9	81	81	81
2	Kildorrery,	24,532	6,098	148	67	72	76	.	4	25	42	81
3	Galbally,	25,593	6,967	146	77	83	63	1	.	42	35	69
	134. NEW ROSS.											
1	New Ross, *W.*	4,400	7,845	193	294	88	105	18	18	142	152	—101
2	Old Ross,	31,546	5,745	105	69	54	51	5	2	37	32	36
3	Dysartmoon,	28,479	5,786	118	99	62	56	2	5	46	53	19
4	St. Mullins,	25,135	5,336	116	61	61	55	1	2	29	32	55
5	Templeludigan,	17,218	3,154	56	35	23	33	.	.	16	19	21
6	Carrickbyrne,	36,092	6,474	144	102	64	80	1	1	47	55	42
7	Fethard,	34,361	9,801	197	127	109	88	1	.	59	68	70
	135. THOMASTOWN.											
1	Graigue,	28,184	5,966	136	98	65	71	2	.	43	55	38
2	Inistioge,	25,186	4,100	94	74	43	51	.	.	33	41	20
3	Thomastown, *W.*	25,850	5,891	139	134	71	68	12	14	71	63	5
4	Knocktopher,	28,357	5,448	91	84	45	46	.	2	34	50	7
	136. WATERFORD.											
1	Waterford, *W.*	17,209	30,570	812	661	440	372	50	33	325	336	151
2	Ullid,	24,399	7,813	200	149	92	108	2	1	73	76	51
3	Kilmakevoge,	30,770	6,542	147	143	84	63	2	3	70	73	4
4	Woodstown,	20,996	6,356	123	101	49	74	.	3	45	56	22
5	Tramore,	13,135	4,796	106	81	46	60	2	2	42	39	25
6	Kilmeadan,	19,210	3,991	98	39	53	45	4	3	16	23	59
	137. WEXFORD.											
1	Wexford, *W.*	10,323	15,250	422	361	212	210	13	5	182	179	61
2	Broadway,	21,611	5,710	112	97	51	61	3	1	46	51	15
3	Bridgetown,	28,262	7,787	169	127	90	79	4	2	52	75	42
4	Bannow,	24,245	5,503	110	101	54	56	2	1	54	47	9
5	Taghmon and Glynn,	25,688	4,945	110	118	43	67	.	3	61	57	—8
6	Crossabeg,	16,172	4,532	90	62	48	42	4	.	23	39	28
	138. YOUGHAL.											
1	Youghal, *W.*	4,831	8,378	200	250	93	107	9	4	113	137	—50
2	Killeagh,	18,795	5,889	124	64	66	58	2	.	30	34	60
3	Templemichael,	21,229	2,923	68	60	45	23	2	.	28	32	8
4	Ardmore,	13,275	3,497	89	61	44	45	2	3	33	28	28
5	Clashmore,	12,494	4,014	98	55	52	46	3	.	22	33	43

VIII.—SOUTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS.

No.	REGISTRARS' DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	139. BANDON.											
1	Bandon, *W.*	21,143	10,791	300	171	150	150	5	3	82	89	129
2	Inishannon,	17,108	3,730	100	50	58	42	.	1	25	25	50
3	Templemartin,	24,598	4,763	127	45	64	63	1	1	18	27	82
4	Murragh,	22,402	4,675	131	60	61	70	1	.	23	37	71
5	Kilbrittain,	16,094	3,297	84	55	52	32	1	.	25	30	29
	140. BANTRY.											
1	Bantry, *W.*	24,400	6,834	126	95	67	59	2	3	50	45	31
2	Glengarriff,	58,316	4,762	132	46	67	65	.	.	23	23	86
3	Durrus and Kilcrohane,	24,139	4,368	115	36	55	60	1	1	19	17	79
	141. CAHERSIVEEN.											
1	Caher, *W.*	46,741	7,232	149	92	72	68	2	3	47	45	48
2	Glanbehy,	50,460	3,595	133	26	82	56	.	.	3	23	112
3	Valencia,	10,451	3,205	89	52	50	39	.	.	24	28	37
4	Emlagh,	65,160	7,226	157	48	97	60	2	.	25	23	109
5	Darrynane,	24,733	3,946	93	27	43	50	2	.	18	9	66
	142. CASTLETOWN.											
1	Castletown, *W.*	39,623	6,822	205	115	99	106	2	2	50	65	90
2	Kilcatherine,	33,822	8,254	240	143	137	103	.	.	69	74	97
	143. CLONAKILTY.											
1	Rosscarbery,	27,354	9,086	249	113	129	120	3	.	54	59	136
2	Clonakilty, *W.*	28,602	10,002	252	195	131	121	4	5	93	102	57
3	Timoleague,	24,509	9,180	256	141	142	114	3	2	71	70	115
	144. CORK.											
1	Dripsey,	18,231	4,722	124	65	71	53	.	.	35	30	59
2	Blarney,	22,448	3,898	99	54	42	57	1	.	28	26	45
3	Carrignavar,	42,333	8,334	198	91	110	88	2	.	33	58	107
4	Whitechurch,	15,311	4,470	127	51	68	59	.	2	25	26	76
5	Cork, *W.*	13,816	93,389	2,329	1,993	1,190	1,139	34	34	1,037	956	336
6	Carrigaline,	8,853	6,706	151	91	75	76	3	1	50	41	60
7	Douglas,	10,081	2,860	54	38	30	24	.	.	23	15	16
8	Ballygarvan,	13,928	2,868	82	34	43	39	.	.	22	12	48
9	Ballincollig,	17,718	5,718	168	82	89	79	2	.	46	36	86
10	Queenstown,	7,013	14,607	311	257	160	151	1	1	137	120	54
	145. CROOM.											
1	Croom, *W.*	29,911	8,336	151	118	84	67	3	2	59	59	33
2	Castletown,	28,162	6,901	135	64	75	60	1	.	35	29	71
3	Adare,	25,251	5,935	153	73	80	73	2	1	43	30	80
	146. DINGLE.											
1	Dingle, *W.*	48,844	10,457	257	146	128	129	3	2	72	74	111
2	Castlegregory,	41,050	5,374	182	62	99	83	1	.	33	29	120
3	Anascaul,	35,385	4,708	148	50	75	75	3	.	21	29	98

VIII.—SOUTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	147. DUNMANWAY.											
1	Dunmanway, *W.*	28,883	5,838	147	121	64	83	1	4	60	61	26
2	Coolmountain,	46,842	5,653	155	62	80	75	.	1	37	25	93
3	Ballineen,	28,192	5,935	188	65	99	89	.	2	23	42	123
	148. GLIN.											
1	Shanagolden,	21,956	5,930	179	81	96	83	1	2	32	49	98
2	Tarbert, *W.*	38,710	9,820	256	132	116	140	2	4	70	62	124
	149. KANTURK.											
1	Newmarket,	63,498	7,997	237	111	131	106	2	2	67	44	126
2	Kanturk, *W.*	47,821	11,380	296	262	150	146	7	12	122	140	34
3	Milford,	40,053	8,210	208	109	115	93	3	4	57	52	99
4	Boherboy,	35,152	6,893	232	100	123	109	3	1	54	46	132
	150. KENMARE.											
1	Kenmare, *W.*	31,688	5,200	106	103	56	50	7	2	54	49	3
2	Kilgarvan,	52,381	3,677	116	52	62	54	1	.	32	20	64
3	Tuosist,	55,727	4,310	129	64	67	62	.	1	33	31	65
4	Sneem,	58,356	5,570	182	88	95	87	2	1	49	39	94
	151. KILLARNEY.											
1	Killarney, *W.*	56,421	12,321	363	261	174	189	7	9	121	140	102
2	Molahiffe,	38,743	7,774	229	92	115	114	1	.	39	53	137
3	Milltown,	25,071	6,601	219	90	110	109	1	3	45	45	129
4	Killorglin,	53,836	9,119	218	119	114	104	.	.	68	51	99
5	Coom,	77,316	8,172	285	131	157	128	1	1	73	58	154
	152. KILMALLOCK.											
1	Kilmallock, *W.*	19,575	6,193	174	198	92	82	13	16	89	109	—24
2	Bruff,	20,721	6,905	142	101	76	66	1	2	56	45	41
3	Hospital,	18,926	6,145	165	87	85	80	3	.	46	41	78
4	Kilfinnane,	37,490	9,052	212	106	104	108	2	1	58	48	106
5	Charleville,	20,616	6,492	138	108	68	70	.	2	54	54	30
6	Bruree,	23,029	4,752	87	59	35	52	.	1	30	29	28
	153. KINSALE.											
1	Courceys,	1 3,495	3,375	94	38	45	49	1	.	16	22	56
2	Kinsale, *W.*	1 2,511	8,335	200	159	96	104	3	6	82	77	41
3	Ballymartle,	1 9,112	3,347	68	50	26	42	.	.	27	23	18
4	Carrigaline,	1 5,078	4,431	102	63	59	43	.	2	30	33	39
5	Ballyfeard,	1 9,455	4,349	102	64	42	60	.	2	32	32	38
	154. LIMERICK.											
1	Clarina,	2 2,880	6,832	147	83	72	75	.	.	46	37	64
2	Caherconlish,	2 7,543	6,965	158	75	89	69	.	.	45	30	83
3	Annacotty,	2 2,273	7,376	168	60	85	83	2	.	36	24	108
4	Moroe,	2 8,046	6,542	147	76	65	82	.	3	26	50	71
5	City of Limerick, *W.*	8,509	50,068	1,349	1,178	668	681	30	30	602	576	171
6	Bridgetown,	4 1,155	7,823	178	78	94	84	.	.	41	37	100
7	Coolacasey,	2 7,545	5,150	93	64	50	43	.	.	34	30	29

VIII.—SOUTH-WESTERN DIVISION.—BIRTHS AND DEATHS, 1864—REGISTRARS' DISTRICTS—*continued.*

No.	REGISTRARS' DISTRICTS.	AREA in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	155. LISTOWEL.											
1	Ballylongford,	45,699	11,098	300	112	152	148	5	6	55	57	188
2	Listowel, *W.*	66,195	14,961	332	204	172	160	8	8	95	109	128
3	Ballyduff,	39,314	10,472	205	123	105	100	.	.	57	66	82
	156. MACROOM.											
1	Macroom, *W.*	39,416	9,728	270	201	143	127	7	6	95	106	69
2	Clonmoyle,	35,354	6,579	179	85	84	95	1	4	44	41	94
3	Slievereagh,	45,438	5,444	190	68	91	99	.	1	27	41	122
4	Inchigeelagh,	32,257	4,186	132	55	75	57	.	2	26	29	77
5	Cannaway,	26,643	5,153	140	69	60	80	.	.	39	30	71
	157. MALLOW.											
1	Kilshannig,	37,650	6,708	144	66	70	74	.	2	38	28	78
2	Mallow, *W.*	12,780	7,456	219	238	111	108	8	13	116	122	—19
3	Rahan,	23,467	3,970	93	44	49	44	1	.	17	27	49
4	Buttevant,	33,774	8,551	208	102	95	113	3	5	54	48	106
5	Ballyclogh,	16,904	3,122	59	46	33	26	.	.	22	24	13
6	Doneraile,	29,783	5,944	150	89	69	81	.	.	42	47	61
	158. MILLSTREET.											
1	Cullen,	28,393	6,193	214	87	105	109	1	3	43	44	127
2	Millstreet, *W.*	46,513	8,604	259	139	137	122	6	7	78	61	120
	159. NEWCASTLE.											
1	Ardagh,	30,173	5,296	192	90	102	90	3	.	56	34	102
2	Abbeyfeale,	36,885	8,151	319	122	163	156	5	1	63	59	197
3	Newcastle, *W.*	17,896	6,578	154	183	76	78	4	12	87	96	—29
4	Feenagh,	20,913	4,851	120	70	68	52	.	4	35	35	50
5	Broadford,	37,157	6,748	190	68	87	103	.	1	32	36	122
	160. RATHKEALE.											
1	Askeaton,	22,183	5,703	112	64	46	66	.	.	31	33	48
2	Pallaskenry,	19,945	5,703	130	89	66	64	2	3	33	56	41
3	Rathkeale, *W.*	37,804	10,649	214	173	99	115	2	2	87	86	41
	161. SKIBBEREEN.											
1	Skibbereen, *W.*	23,627	9,629	291	199	141	150	3	3	109	90	92
2	Unionhall,	27,293	8,381	224	117	119	105	1	1	59	58	107
3	Dromdaleague,	43,125	7,050	188	93	98	90	.	1	49	44	95
4	Tullagh,	20,979	7,352	172	100	90	82	.	1	50	50	72
	162. SKULL.											
1	Skull, *W.*	34,281	7,956	232	116	115	117	2	1	52	64	116
2	Goleen,	22,888	5,946	145	67	68	77	.	2	37	30	78
	163. TRALEE.											
1	Tralee, *W.*	46,236	21,818	532	524	280	252	7	6	273	251	8
2	Castleisland,	36,325	6,790	208	106	102	106	.	2	57	49	102
3	Kilgobban,	40,111	5,790	173	62	82	91	.	.	29	33	111
4	Brosna,	60,422	7,628	260	82	146	114	3	2	38	44	178
5	Ardfert,	38,753	10,042	284	132	137	147	1	2	67	65	152

REFORM CLUB
PALL MALL

TABLES SHOWING THE NUMBER

OF

BIRTHS

AND

DEATHS

REGISTERED IN EACH OF THE FOUR QUARTERS OF THE YEAR;

ALSO

DEATHS AT DIFFERENT AGES,

AND

CAUSES OF DEATH;

IN 1864.

Note.—The Number of Marriages *Registered in each Quarter of the Year* 1864 *will be found stated in the Abstract of Marriages, Page* 42.

BIRTHS registered in Ireland in the Four Quarters ending
(*Exclusive of*

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	AREA in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	*5,798,967	136,414	30,179	33,715	33,877	33,643
	DIVISIONS.							
I.	North-Eastern,	2,328,305	1,124,041	28,403	5,821	8,235	7,017	7,330
II.	North-Western,	2,392,501	574,745	11,731	2,502	3,259	2,943	3,027
III.	Eastern,	1,993,016	829,569	20,342	4,269	5,731	5,320	5,022
IV.	North Midland,	2,019,408	575,289	12,278	2,694	3,514	3,085	2,985
V.	South Midland,	2,361,709	515,272	10,998	2,672	3,138	2,684	2,504
VI.	Western,	4,088,459	822,878	18,485	3,669	4,860	4,816	5,140
VII.	South-Eastern,	1,826,172	500,957	11,871	2,947	3,437	2,861	2,626
VIII.	South-Western,	3,313,071	855,813	22,306	5,605	6,541	5,151	5,009
	I.—NORTH-EASTERN.							
1	ANTRIM,	117,119	39,652	964	194	287	246	237
2	ARMAGH,	154,253	80,810	1,934	402	545	488	499
3	BALLYCASTLE,	102,197	19,653	421	81	124	106	110
4	BALLYMENA,	161,161	74,597	1,964	412	553	499	500
5	BALLYMONEY,	127,518	41,583	828	177	236	200	215
6	BANBRIDGE,	124,928	71,918	1,856	393	564	453	446
7	BELFAST,	47,812	144,629	4,659	908	1,441	1,108	1,202
8	CASTLEBLAYNEY,	94,213	41,812	1,029	209	288	251	281
9	COLERAINE,	112,396	40,562	939	193	262	213	271
10	COOKSTOWN,	96,720	37,953	909	203	223	256	227
11	DOWNPATRICK,	147,361	57,969	1,286	294	371	287	334
12	DUNGANNON,	102,548	51,892	1,172	248	303	298	323
13	KILKEEL,	81,829	22,614	488	96	145	111	136
14	LARNE,	117,784	35,087	1,007	201	286	268	252
15	LISBURN,	119,843	66,882	1,719	366	532	402	419
16	LURGAN,	79,464	73,930	1,947	370	565	499	513
17	MAGHERAFELT,	156,721	63,852	1,466	306	437	347	376
18	NEWRY,	137,875	74,311	1,741	344	499	477	421
19	NEWTOWNARDS,	93,851	53,428	1,476	287	426	356	407
20	NEWTOWNLIMAVADY,	152,712	30,907	598	137	148	152	161
	II.—NORTH-WESTERN.							
21	BALLYSHANNON,	132,353	32,181	617	95	216	140	166
22	CASTLEDERG,	91,785	17,478	451	105	134	104	108
23	DONEGAL,	160,411	31,258	469	81	129	125	134
24	DUNFANAGHY,	125,650	17,326	409	74	110	105	120
25	ENNISKILLEN,	203,628	49,715	931	196	226	245	264
26	GLENTIES,	257,430	39,899	642	154	163	165	160
27	GORTIN,	111,261	16,626	290	58	90	58	84
28	INISHOWEN,	159,408	37,222	818	159	212	220	227
29	IRVINESTOWN,	75,927	22,728	430	80	133	110	107
30	LETTERKENNY,	101,207	18,932	320	44	81	105	90
31	LONDONDERRY,	143,996	59,392	1,351	302	335	346	368

* See note (†) page 42.

March 31st, June 30th, September 30th, and December 31st, 1864.
Still-born.)

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
15,614	19,848	17,311	17,302	70,075	66,339	14,565	18,867	16,566	16,341	**IRELAND.**
										DIVISIONS.
2,978	4,222	3,632	3,793	14,625	13,773	2,843	4,013	3,385	3,537	**North-Eastern.**
1,338	1,655	1,505	1,554	6,052	5,679	1,164	1,604	1,438	1,473	**North-Western.**
2,183	2,947	2,663	2,533	10,326	10,016	2,086	2,784	2,657	2,489	**Eastern.**
1,379	1,811	1,575	1,515	6,280	5,998	1,315	1,703	1,510	1,470	**North Midland.**
1,426	1,627	1,382	1,313	5,748	5,250	1,246	1,511	1,302	1,191	**South Midland.**
1,946	2,519	2,506	2,664	9,635	8,850	1,723	2,341	2,310	2,476	**Western.**
1,486	1,732	1,450	1,357	6,025	5,846	1,461	1,705	1,411	1,269	**South-Eastern.**
2,878	3,335	2,598	2,573	11,384	10,922	2,727	3,206	2,553	2,436	**South-Western.**
										I.—NORTH-EASTERN.
106	141	129	114	490	474	88	146	117	123	ANTRIM.
208	274	251	261	994	940	194	271	237	238	ARMAGH.
37	62	55	59	213	208	44	62	51	51	BALLYCASTLE.
204	278	268	263	1,013	951	208	275	231	237	BALLYMENA.
84	110	93	105	392	436	93	126	107	110	BALLYMONEY.
195	298	237	223	953	903	198	266	216	223	BANBRIDGE.
460	703	544	629	2,336	2,323	448	738	564	573	BELFAST.
114	135	123	131	503	526	95	153	128	150	CASTLEBLAYNEY.
100	153	110	140	503	436	93	109	103	131	COLERAINE.
95	103	125	108	431	478	108	120	131	119	COOKSTOWN.
152	175	162	184	673	613	142	196	125	150	DOWNPATRICK.
124	157	152	184	617	555	124	146	146	139	DUNGANNON.
57	87	62	76	282	206	39	58	49	60	KILKEEL.
116	157	147	130	550	457	85	129	121	122	LARNE.
195	286	211	210	902	817	171	246	191	209	LISBURN.
192	301	271	266	1,030	917	178	264	228	247	LURGAN.
156	235	188	184	763	703	150	202	159	192	MAGHERAFELT.
169	268	238	218	893	848	175	231	239	203	NEWRY.
152	226	188	225	791	685	135	200	168	182	NEWTOWNARDS.
62	73	78	83	296	302	75	75	74	78	NEWTOWNLIMAVADY.
										II.—NORTH-WESTERN.
56	115	79	78	328	289	39	101	61	88	BALLYSHANNON.
56	73	58	54	241	210	49	61	46	54	CASTLEDERG.
39	64	60	70	233	236	42	65	65	64	DONEGAL.
34	61	57	66	218	191	40	49	48	54	DUNFANAGHY.
104	115	117	134	470	461	92	111	128	130	ENNISKILLEN.
81	82	83	81	327	315	73	81	82	79	GLENTIES.
31	40	32	44	147	143	27	50	26	40	GORTIN.
91	111	120	120	442	376	68	101	100	107	INISHOWEN.
37	69	61	52	219	211	43	64	49	55	IRVINESTOWN.
21	38	48	43	150	170	23	43	57	47	LETTERKENNY.
157	178	178	194	707	644	145	157	168	174	LONDONDERRY.

BIRTHS registered in Ireland in the Four Quarters ending

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	II.—NORTH-WESTERN— *continued.*							
32	Manorhamilton,	144,847	33,443	761	197	218	187	159
33	Millford,	111,335	28,226	489	92	111	125	161
34	Omagh,	174,217	52,836	1,134	250	342	281	261
35	Sligo,	143,523	53,901	1,196	289	355	290	262
36	Strabane,	134,372	43,604	1,011	250	276	228	257
37	Stranorlar,	121,151	19,978	412	76	128	109	99
	III.—EASTERN.							
38	Ardee,	96,211	25,284	504	136	137	122	109
39	Bailieborough,	65,909	23,079	602	129	174	130	169
40	Balrothery,	75,139	22,016	567	124	169	152	122
41	Baltinglass,	139,108	22,032	476	104	144	115	113
42	Carrickmacross,	60,664	22,354	459	90	121	120	128
43	Celbridge,	86,838	19,580	475	115	135	124	101
44	Drogheda,	99,045	39,821	880	197	235	244	204
45	Dublin, North,	40,769	134,755	3,935	809	1,044	995	1,087
46	Dublin, South,	48,089	201,963	5,135	992	1,436	1,373	1,334
47	Dundalk,	104,434	46,850	1,118	205	311	290	312
48	Dunshaughlin,	108,339	14,109	240	66	58	71	45
49	Gorey,	129,705	24,857	556	105	181	130	140
50	Kells,	108,982	24,482	485	107	151	108	119
51	Naas,	216,622	47,598	1,061	235	325	271	230
52	Navan,	94,466	21,988	445	93	137	137	78
53	Rathdown,	61,514	53,298	1,402	311	393	382	316
54	Rathdrum,	227,541	43,402	1,060	220	306	314	220
55	Shillelagh,	110,122	19,183	477	117	143	119	98
56	Trim,	119,519	22,918	465	114	131	123	97
	IV.—NORTH MIDLAND.							
57	Athlone,	150,768	39,323	985	187	313	275	210
58	Ballymahon,	100,126	22,089	490	118	152	129	91
59	Bawnboy,	104,504	26,808	499	114	144	106	135
60	Carrick-on-Shannon,	100,736	31,677	665	126	181	176	182
61	Cavan,	160,662	58,662	1,356	291	366	355	344
62	Clogher,	101,679	27,753	538	106	154	128	150
63	Clones,	73,502	26,699	476	94	130	127	125
64	Cootehill,	105,848	38,961	826	163	240	216	207
65	Delvin,	74,775	13,561	302	78	91	66	67
66	Granard,	134,003	36,043	823	176	239	217	191
67	Lisnaskea,	98,745	25,832	494	121	136	115	122
68	Longford,	109,961	32,757	677	167	200	163	147
69	Mohill,	92,955	30,191	662	165	204	169	124
70	Monaghan,	112,739	45,674	919	172	235	215	297
71	Mullingar,	208,401	42,703	782	173	237	190	182
72	Oldcastle,	85,912	23,657	560	152	163	118	127
73	Roscommon,	114,056	26,504	621	151	161	170	139
74	Strokestown,	90,036	26,395	603	140	163	150	145

March 31st, June 30th, September 30th, and December 31st, 1864—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										II.—NORTH-WESTERN *—continued.*
112	111	96	69	388	373	85	107	91	90	Manorhamilton.
48	51	61	78	238	251	44	60	64	83	Millford.
143	172	133	133	581	553	107	170	148	128	Omagh.
149	180	147	135	611	585	140	175	143	127	Sligo.
140	135	110	149	534	477	110	141	118	108	Strabane.
39	60	65	54	218	194	37	68	44	45	Stranorlar.
										III.—EASTERN.
73	76	52	54	255	249	63	61	70	55	Ardee.
70	83	60	83	296	306	59	91	70	86	Bailieborough.
65	90	84	65	304	263	59	79	68	57	Balrothery.
51	71	52	59	233	243	53	73	63	54	Baltinglass.
34	65	67	68	234	225	56	56	53	60	Carrickmacross.
62	64	61	51	238	237	53	71	63	50	Celbridge.
94	130	123	110	457	423	103	105	121	94	Drogheda.
432	530	513	549	2,024	1,911	377	514	482	538	Dublin, North.
503	737	669	650	2,559	2,576	489	699	704	684	Dublin, South.
106	154	137	137	534	584	99	157	153	175	Dundalk.
36	28	39	22	125	115	30	30	32	23	Dunshaughlin.
49	86	65	74	274	282	56	95	65	66	Gorey.
55	84	55	68	262	223	52	67	53	51	Kells.
121	179	136	112	548	513	114	146	135	118	Naas.
47	67	72	41	227	218	46	70	65	37	Navan.
164	193	191	174	722	680	147	200	191	142	Rathdown.
112	165	160	119	556	504	108	141	154	101	Rathdrum.
52	74	58	44	228	249	65	69	61	54	Shillelagh.
57	71	69	53	250	215	57	60	54	44	Trim.
										IV.—NORTH MIDLAND.
96	150	158	101	505	480	91	163	117	109	Athlone.
68	78	67	54	267	223	50	74	62	37	Ballymahon.
55	66	46	72	239	260	59	78	60	63	Bawnboy.
76	98	97	101	372	293	50	83	79	81	Carrick-on-Shannon.
146	180	185	164	675	681	145	186	170	180	Cavan.
52	75	66	73	266	272	54	79	62	77	Clogher.
55	60	63	64	242	234	39	70	64	61	Clones.
76	124	103	109	412	414	87	116	113	98	Cootehill.
30	45	35	33	143	159	48	46	31	34	Delvin.
82	134	120	101	437	386	94	105	97	90	Granard.
54	78	56	58	246	246	67	58	57	64	Lisnaskea.
90	115	84	78	367	310	77	85	79	69	Longford.
92	114	78	65	349	313	73	90	91	59	Mohill.
95	118	106	151	470	449	77	117	109	146	Monaghan.
94	126	92	88	400	382	79	111	98	94	Mullingar.
74	80	54	67	275	285	78	83	64	60	Oldcastle.
78	82	88	64	312	309	73	79	82	75	Roscommon.
66	88	75	72	301	302	74	80	75	73	Strokestown.

BIRTHS registered in Ireland in the Four Quarters ending

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	V.—SOUTH MIDLAND.							
75	ABBEYLEIX,	107,167	22,400	479	102	154	114	109
76	ATHY,	160,254	33,210	714	156	208	202	148
77	BORRISOKANE,	81,850	13,740	222	55	64	42	61
78	CARLOW,	185,857	51,802	1,069	234	303	252	280
79	CASHEL,	156,822	33,527	791	210	222	191	168
80	CASTLECOMER,	57,820	15,937	405	108	121	95	81
81	DONAGHMORE,	51,060	9,504	165	44	39	49	33
82	EDENDERRY,	172,407	23,384	506	125	150	119	112
83	KILKENNY,	110,943	35,499	809	195	234	197	183
84	MOUNTMELLICK,	200,633	42,184	837	206	217	208	206
85	NENAGH,	183,088	38,277	779	214	240	167	158
86	PARSONSTOWN,	220,437	39,350	732	144	236	193	159
87	ROSCREA,	118,488	24,666	418	109	111	97	101
88	THURLES,	143,351	36,152	842	213	224	215	190
89	TIPPERARY,	179,988	47,298	1,200	307	342	278	273
90	TULLAMORE,	155,395	33,087	701	171	184	180	166
91	URLINGFORD,	76,149	15,255	329	79	89	85	76
	VI.—WESTERN.							
92	BALLINA,	150,415	32,693	680	132	157	194	197
93	BALLINASLOE,	160,507	28,222	532	118	157	144	113
94	BALLINROBE,	144,894	31,558	637	149	138	173	177
95	BALLYVAGHAN,	71,063	6,819	106	33	32	21	20
96	BELMULLET,	177,933	17,096	363	40	127	79	117
97	BOYLE,	159,696	47,758	1,067	238	298	255	276
98	CASTLEBAR,	140,998	31,780	574	151	148	107	168
99	CASTLEREAGH,	162,363	46,783	1,054	149	255	307	343
100	CLAREMORRIS,	110,788	32,070	771	94	165	252	260
101	CLIFDEN,	192,965	25,000	810	120	287	216	187
102	CORROFIN,	61,386	7,866	183	43	51	40	49
103	DROMORE, WEST,	96,985	18,608	533	128	158	112	135
104	ENNIS,	112,505	30,097	605	125	182	138	160
105	ENNISTIMON,	99,281	25,028	600	138	130	127	205
106	GALWAY,	197,467	50,821	1,122	233	304	276	309
107	GLENNAMADDY,	100,319	22,469	468	95	79	145	149
108	GORT,	107,919	20,501	403	114	95	104	90
109	KILLADYSERT,	62,319	13,265	317	87	99	60	71
110	KILLALA,	104,832	11,829	240	44	64	57	75
111	KILRUSH,	136,788	41,130	842	168	283	176	215
112	LOUGHREA,	198,832	29,139	650	165	187	155	143
113	MOUNTBELLEW,	102,383	19,936	460	101	120	115	124
114	NEWPORT,	170,413	16,660	427	78	110	128	111
115	OUGHTERARD,	172,745	18,472	604	93	212	158	141
116	PORTUMNA,	77,046	14,939	283	73	73	71	66
117	SCARRIFF,	86,320	15,611	362	75	111	77	99
118	SWINEFORD,	152,594	52,004	1,327	222	201	452	452
119	TOBERCURRY,	125,774	27,657	689	95	142	250	202
120	TUAM,	190,649	44,440	784	160	200	206	218
121	TULLA,	84,723	15,759	333	93	102	65	73
122	WESTPORT,	175,507	26,868	659	115	193	156	195

March 31st, June 30th, September 30th, and December 31st, 1864—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH MIDLAND.
60	82	64	64	270	209	42	72	50	45	Abbeyleix.
79	109	98	85	371	343	77	99	104	63	Athy.
30	30	20	30	110	112	25	34	22	31	Borrisokane.
137	154	137	147	575	494	97	149	115	133	Carlow.
102	108	102	77	389	402	108	114	89	91	Cashel.
47	69	45	43	204	201	61	52	50	38	Castlecomer.
21	21	19	15	76	89	23	18	30	18	Donaghmore.
71	83	72	52	278	228	54	67	47	60	Edenderry.
106	122	99	96	423	386	89	112	98	87	Kilkenny.
109	125	103	107	444	393	97	92	105	99	Mountmellick.
124	115	77	86	402	377	90	125	90	72	Nenagh.
74	118	84	77	353	379	70	118	109	82	Parsonstown.
57	62	56	50	225	193	52	49	41	51	Roscrea.
114	113	115	101	443	399	99	111	100	89	Thurles.
160	181	166	142	649	551	147	161	112	131	Tipperary.
91	87	84	100	362	339	80	97	96	66	Tullamore.
44	48	41	41	174	155	35	41	44	35	Urlingford.
										VI.—WESTERN.
67	85	100	113	365	315	65	72	94	84	Ballina.
69	77	71	64	281	251	49	80	73	49	Ballinasloe.
82	67	100	99	348	289	67	71	73	78	Ballinrobe.
17	15	11	11	54	52	16	17	10	9	Ballyvaghan.
15	63	47	61	191	172	25	59	32	56	Belmullet.
129	166	133	133	561	506	109	132	122	143	Boyle.
88	84	52	85	309	265	63	64	55	83	Castlebar.
76	142	151	178	547	507	73	113	156	165	Castlereagh.
49	88	143	135	415	356	45	77	109	125	Claremorris.
66	152	111	102	431	379	54	135	105	85	Clifden.
27	21	22	26	96	87	16	30	18	23	Corrofin.
73	89	55	73	290	243	55	69	57	62	Dromore, West.
70	96	70	70	306	299	55	86	68	90	Ennis.
76	63	67	109	315	285	62	67	60	96	Ennistimon.
114	164	145	159	582	540	119	140	131	150	Galway.
47	36	78	66	227	241	48	43	67	83	Glennamaddy.
52	45	54	47	198	205	62	50	50	43	Gort.
40	44	37	45	166	151	47	55	23	26	Killadysert.
28	33	30	31	122	118	16	31	27	44	Killala.
89	156	91	117	453	389	79	127	85	98	Kilrush.
79	93	70	77	319	331	86	94	85	66	Loughrea.
51	63	63	56	233	227	50	57	52	68	Mountbellew.
37	57	70	54	218	209	41	53	58	57	Newport.
46	110	84	71	311	293	47	102	74	70	Oughterard.
34	31	36	35	136	147	39	42	35	31	Portumna.
33	63	40	51	187	175	42	48	37	48	Scarriff.
129	99	231	243	702	625	93	102	221	209	Swineford.
56	79	128	107	370	319	39	63	122	95	Tobercurry.
87	92	105	114	398	386	73	108	101	104	Tuam.
58	52	30	38	178	155	35	50	35	35	Tulla.
62	89	81	94	326	333	53	104	75	101	Westport.

BIRTHS registered in Ireland in the Four Quarters ending

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	VII.—SOUTH-EASTERN.							
123	Callan,	104,011	24,969	519	112	134	150	123
124	Carrick-on-Suir,	112,630	30,294	728	162	220	185	161
125	Clogheen,	118,427	25,249	627	136	193	160	138
126	Clonmel,	86,810	28,039	698	170	213	163	152
127	Dungarvan,	94,044	24,346	644	168	178	141	157
128	Enniscorthy,	196,689	42,886	1,060	258	348	246	208
129	Fermoy,	148,263	37,960	926	229	267	209	221
130	Kilmacthomas,	64,478	15,494	454	116	152	93	93
131	Lismore,	97,140	20,345	437	105	124	104	104
132	Middleton,	109,266	34,086	774	239	188	168	179
133	Mitchelstown,	86,957	22,747	537	146	161	131	99
134	New Ross,	177,231	44,141	929	235	264	216	214
135	Thomastown,	107,577	21,405	460	100	134	127	99
136	Waterford,	125,719	60,068	1,486	366	391	395	334
137	Wexford,	126,301	43,727	1,013	250	292	253	218
138	Youghal,	70,624	24,701	579	155	178	120	126
	VIII.—SOUTH-WESTERN.							
139	Bandon,	101,345	27,256	742	166	201	185	190
140	Bantry,	106,855	15,964	373	70	117	68	118
141	Cahersiveen,	197,545	25,204	617	157	203	142	115
142	Castletown,	73,445	15,076	445	120	117	115	93
143	Clonakilty,	80,465	28,268	757	173	217	171	196
144	Cork,	169,732	147,572	3,643	910	982	874	877
145	Croom,	83,324	21,172	439	124	123	105	87
146	Dingle,	125,279	20,539	587	129	182	125	151
147	Dunmanway,	103,917	17,426	490	128	150	99	113
148	Glin,	60,666	15,750	435	123	125	92	95
149	Kanturk,	186,524	34,480	973	236	290	232	215
150	Kenmare,	198,152	18,757	533	158	161	101	113
151	Killarney,	251,287	43,987	1,314	367	372	297	278
152	Kilmallock,	140,357	39,539	918	243	288	215	172
153	Kinsale,	79,651	23,837	566	143	181	128	114
154	Limerick,	177,951	90,756	2,240	515	650	569	506
155	Listowel,	151,208	36,531	837	198	272	217	150
156	Macroom,	179,108	31,090	911	226	283	189	213
157	Mallow,	154,358	35,751	873	227	262	208	176
158	Millstreet,	74,906	14,797	473	126	131	120	96
159	Newcastle,	143,024	31,624	975	265	299	197	214
160	Rathkeale,	79,932	22,055	456	110	141	97	108
161	Skibbereen,	115,024	32,412	875	237	255	172	211
162	Skull,	57,169	13,902	377	86	121	100	70
163	Tralee,	221,847	52,068	1,457	368	418	333	338

March 31st, June 30th, September 30th, and December 31st, 1864—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										VII.—SOUTH-EASTERN.
55	78	82	65	280	239	57	56	68	58	CALLAN.
87	97	94	90	368	360	75	123	91	71	CARRICK-ON-SUIR.
65	98	68	73	304	323	71	95	92	65	CLOGHEEN.
90	121	85	77	373	325	80	92	78	75	CLONMEL.
82	81	74	76	313	331	86	97	67	81	DUNGARVAN.
139	182	126	105	552	508	119	166	120	103	ENNISCORTHY.
106	132	106	110	454	472	123	135	103	111	FERMOY.
59	66	47	39	211	243	57	86	46	54	KILMACTHOMAS.
61	81	45	54	241	196	44	43	59	50	LISMORE.
129	93	82	101	405	369	110	95	86	78	MIDDLETON.
74	75	69	59	277	260	72	86	62	40	MITCHELSTOWN.
108	120	120	113	461	468	127	144	96	101	NEW ROSS.
40	67	61	56	224	236	60	67	66	43	THOMASTOWN.
189	202	202	171	764	722	177	189	193	163	WATERFORD.
122	146	122	108	498	515	128	146	131	110	WEXFORD.
80	93	67	60	300	279	75	85	53	66	YOUGHAL.
										VIII.-SOUTH-WESTERN
98	104	91	92	385	357	68	97	94	98	BANDON.
31	59	39	60	189	184	39	58	29	58	BANTRY.
79	124	79	62	344	273	78	79	63	53	CAHERSIVEEN.
67	56	73	40	236	209	53	61	42	53	CASTLETOWN.
93	104	89	116	402	355	80	113	82	80	CLONAKILTY.
473	508	447	450	1,878	1,765	437	474	427	427	CORK.
72	57	66	44	239	200	52	66	39	43	CROOM.
63	94	65	78	300	287	66	88	60	73	DINGLE.
64	70	50	59	243	247	64	80	49	54	DUNMANWAY.
61	68	44	39	212	223	62	57	48	56	GLIN.
117	161	127	114	519	454	119	129	105	101	KANTURK.
83	94	50	53	280	253	75	67	51	60	KENMARE.
191	191	138	150	670	644	176	181	159	128	KILLARNEY.
121	144	111	84	460	458	122	144	104	88	KILMALLOCK.
75	78	56	59	268	298	68	103	72	55	KINSALE.
266	329	273	255	1,123	1,117	249	321	296	251	LIMERICK.
108	133	100	88	429	408	90	139	117	62	LISTOWEL.
109	138	89	117	453	458	117	145	100	96	MACROOM.
111	127	97	92	427	446	116	135	111	84	MALLOW.
66	74	59	43	242	231	60	57	61	53	MILLSTREET.
136	152	102	106	496	479	129	147	95	108	NEWCASTLE.
48	68	49	46	211	245	62	73	48	62	RATHKEALE.
117	133	89	109	448	427	120	122	83	102	SKIBBEREEN.
44	59	45	35	183	194	42	62	55	35	SKULL.
185	210	170	182	747	710	183	208	163	156	TRALEE.

BIRTHS registered in each PROVINCE and COUNTY in Ireland in the Four Quarters (*Exclusive of*

No.	PROVINCES AND COUNTIES.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	†5,798,967	136,414	30,179	38,715	33,877	33,643
No.	PROVINCES.							
I.	**LEINSTER,**	4,703,640	1,430,029	33,082	7,281	9,462	8,521	7,818
II.	**MUNSTER,**	6,005,406	1,528,877	37,796	9,467	10,999	8,714	8,616
III.	**ULSTER,**	5,402,600	1,930,921	44,906	9,269	12,784	11,113	11,740
IV.	**CONNAUGHT,**	4,210,995	908,737	20,630	4,162	5,470	5,529	5,469
	I.—PROVINCE OF LEINSTER—							
No.								
1	CARLOW,	185,857	51,802	1,069	234	303	252	280
2	DUBLIN,	225,511	412,032	11,039	2,236	3,042	2,902	2,859
3	KILDARE,	463,714	100,388	2,250	506	668	597	479
4	KILKENNY,	456,500	113,065	2,522	594	712	654	562
5	KING'S,	548,239	95,821	1,939	440	570	492	437
6	LONGFORD,	344,090	90,389	1,990	461	591	509	429
7	LOUTH,	299,690	111,955	2,502	538	683	656	625
8	MEATH,	431,306	83,497	1,635	380	477	439	339
9	QUEEN'S,	358,860	74,088	1,481	352	410	371	348
10	WESTMEATH,	283,176	56,264	1,084	251	328	256	249
11	WEXFORD,	629,926	155,611	3,558	848	1,085	845	780
12	WICKLOW,	476,771	84,617	2,013	441	593	548	431
	II.—PROVINCE OF MUNSTER—							
13	CLARE,	714,385	155,575	3,348	762	990	704	892
14	CORK,	1,897,614	557,325	14,314	3,617	4,101	3,289	3,307
15	KERRY,	1,145,318	197,086	5,345	1,377	1,608	1,215	1,145
16	LIMERICK,	685,254	220,896	5,463	1,380	1,626	1,275	1,182
17	TIPPERARY,	1,068,824	246,948	5,577	1,414	1,609	1,313	1,241
18	WATERFORD,	494,011	151,047	3,749	917	1,065	918	849
	III.—PROVINCE OF ULSTER—							
19	ANTRIM,	673,591	355,201	9,843	1,973	2,927	2,427	2,516
20	ARMAGH,	371,592	229,051	5,622	1,116	1,609	1,464	1,433
21	CAVAN,	522,835	171,167	3,843	849	1,037	925	982
22	DONEGAL,	1,168,945	225,022	4,176	775	1,150	1,094	1,157
23	DOWN,	567,812	272,811	6,825	1,436	2,038	1,609	1,742
24	FERMANAGH,	378,300	98,275	1,855	397	495	470	493
25	LONDONDERRY,	565,825	194,713	4,354	938	1,182	1,058	1,176
26	MONAGHAN,	341,118	136,539	2,883	565	774	713	831
27	TYRONE,	812,582	248,142	5,505	1,220	1,522	1,353	1,410
	IV.—PROVINCE OF CONNAUGHT—							
28	GALWAY,	1,500,632	273,939	6,116	1,272	1,714	1,590	1,540
29	LEITRIM,	338,536	95,311	2,088	488	603	532	465
30	MAYO,	1,328,424	252,558	5,678	1,025	1,303	1,598	1,752
31	ROSCOMMON,	676,919	186,763	4,330	865	1,195	1,157	1,113
32	SLIGO,	366,282	100,166	2,418	512	655	652	599

* The *Registration Counties* consist of groups of Superintendent Registrars' Districts or Poor Law Unions. Whenever a population is located; hence all the *Registration* Counties differ more or less from the Counties *Proper*.

ending March 31st, June 30th, September 30th, and December 31st, 1864.
Still-born.)

MALES.					FEMALES.					PROVINCES AND COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
15,614	19,843	17,311	17,302	70,075	66,339	14,565	18,867	16,566	16,341	**IRELAND.**
										Provinces.
3,746	4,908	4,291	4,010	16,955	16,127	3,535	4,554	4,230	3,808	**LEINSTER.**
4,897	5,593	4,441	4,436	19,367	18,429	4,570	5,406	4,273	4,180	**MUNSTER.**
4,766	6,515	5,702	6,052	23,035	21,871	4,503	6,269	5,411	5,688	**ULSTER.**
2,205	2,832	2,877	2,804	10,718	9,912	1,957	2,638	2,652	2,665	**CONNAUGHT.**
Registration Counties.										
137	154	137	147	575	494	97	149	115	133	Carlow.
1,164	1,550	1,457	1,433	5,609	5,430	1,072	1,492	1,445	1,421	Dublin.
262	352	295	248	1,157	1,093	244	316	302	231	Kildare.
292	334	328	301	1,305	1,217	302	328	326	261	Kilkenny.
236	288	240	229	993	946	204	282	252	208	King's.
240	327	271	233	1,071	919	221	264	238	196	Longford.
273	360	312	301	1,246	1,256	265	323	344	324	Louth.
195	250	235	184	864	771	185	227	204	155	Meath.
190	228	186	186	790	691	162	182	185	162	Queen's.
124	171	127	121	543	541	127	157	129	128	Westmeath.
418	534	433	400	1,785	1,773	430	551	412	380	Wexford.
215	310	270	222	1,017	996	226	283	278	209	Wicklow.
Registration Counties.										
410	510	368	467	1,755	1,593	352	480	336	425	Clare.
1,854	2,064	1,675	1,716	7,309	7,005	1,763	2,037	1,614	1,591	Cork.
709	846	602	613	2,770	2,575	668	762	613	532	Kerry.
704	818	645	574	2,741	2,722	676	808	630	608	Limerick.
742	828	689	636	2,895	2,682	672	781	624	605	Tipperary.
478	527	462	430	1,897	1,852	439	538	456	419	Waterford.
Registration Counties.										
1,007	1,451	1,236	1,300	4,994	4,849	966	1,476	1,191	1,216	Antrim.
569	843	760	745	2,917	2,705	547	766	704	688	Armagh.
421	533	448	495	1,897	1,946	423	554	477	487	Cavan.
409	582	573	590	2,154	2,022	366	568	521	567	Donegal.
751	1,072	860	918	3,601	3,224	685	966	749	824	Down.
195	262	236	244	937	918	202	233	234	249	Fermanagh.
475	639	554	601	2,269	2,085	463	543	504	575	Londonderry.
298	378	359	414	1,449	1,434	267	396	354	417	Monaghan.
641	755	676	745	2,817	2,688	579	767	677	665	Tyrone.
Registration Counties.										
645	863	817	791	3,116	3,000	627	851	773	749	Galway.
280	323	271	235	1,109	979	208	280	261	230	Leitrim.
557	670	854	915	2,996	2,682	468	633	744	837	Mayo.
445	628	605	548	2,226	2,104	420	567	552	565	Roscommon.
278	348	330	315	1,271	1,147	234	307	322	284	Sligo.

District or Union extends into more than one County, it is assigned wholly to that County in which the greater portion of the

† See note (†), page 42.

DEATHS registered in Ireland in the Four Quarters ending

	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	*5,798,967	93,144	28,043	24,155	19,191	21,755
No.	DIVISIONS.							
I.	North-Eastern,	2,328,305	1,124,041	20,254	6,075	5,369	4,114	4,696
II.	North-Western,	2,392,501	574,745	8,430	2,540	2,339	1,738	1,813
III.	Eastern,	1,993,016	829,569	15,503	4,694	3,812	3,235	3,762
IV.	North Midland,	2,019,408	575,289	7,711	2,455	1,940	1,550	1,766
V.	South Midland,	2,361,709	515,272	8,268	2,493	2,113	1,753	1,909
VI.	Western,	4,088,459	822,378	9,952	2,937	2,609	2,061	2,345
VII.	South-Eastern,	1,826,172	500,957	9,372	2,926	2,421	1,859	2,166
VIII.	South-Western,	3,313,071	855,813	13,654	3,923	3,552	2,881	3,298
	I.—NORTH-EASTERN.							
1	Antrim,	117,119	39,652	686	180	207	146	153
2	Armagh,	154,253	80,810	1,455	467	417	257	314
3	Ballycastle,	102,197	19,653	306	110	79	46	71
4	Ballymena,	161,161	74,597	1,132	325	312	201	294
5	Ballymoney,	127,518	41,583	583	179	159	109	136
6	Banbridge,	124,928	71,918	1,172	330	333	228	281
7	Belfast,	47,812	144,629	3,788	1,157	938	834	859
8	Castleblayney,	94,213	41,812	638	177	190	128	143
9	Coleraine,	112,396	40,562	657	221	160	136	140
10	Cookstown,	96,720	37,953	626	214	152	135	125
11	Downpatrick,	147,361	57,969	1,108	330	295	230	253
12	Dungannon,	102,548	51,892	797	230	184	171	212
13	Kilkeel,	81,829	22,614	343	101	95	76	71
14	Larne,	117,784	35,087	538	182	143	98	115
15	Lisburn,	119,843	66,882	1,325	386	305	282	352
16	Lurgan,	79,464	73,930	1,276	390	326	238	322
17	Magherafelt,	156,721	63,852	973	288	290	186	209
18	Newry,	137,875	74,311	1,216	331	311	281	293
19	Newtownards,	93,851	53,428	1,144	300	351	235	258
20	Newtownlimavady,	152,712	30,907	491	177	1[illegible]	97	95
	II.—NORTH-WESTERN.							
21	Ballyshannon,	132,353	32,181	396	117	107	76	96
22	Castlederg,	91,785	17,478	261	69	84	59	49
23	Donegal,	160,411	31,258	306	80	76	79	71
24	Dunfanaghy,	125,650	17,326	266	68	74	64	60
25	Enniskillen,	203,628	49,715	707	234	184	147	142
26	Glenties,	257,430	39,899	470	148	126	107	89
27	Gortin,	111,261	16,626	201	54	73	36	38
28	Inishowen,	159,408	37,222	582	156	167	124	135
29	Irvinestown,	75,927	22,728	308	105	87	63	53
30	Letterkenny,	101,207	18,932	270	63	89	61	57
31	Londonderry,	143,996	59,392	1,153	389	282	220	262

* See note (†), page 42.

March 31st, June 30th, September 30th, and December 31st, 1864.

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
13,533	12,086	9,789	10,938	46,346	46,798	14,510	12,069	9,402	10,817	**IRELAND.**
										DIVISIONS.
2,947	2,624	2,059	2,299	9,929	10,325	3,128	2,745	2,055	2,397	**North-Eastern.**
1,215	1,151	859	899	4,124	4,306	1,325	1,138	879	914	**North-Western.**
2,219	1,934	1,660	1,951	7,764	7,739	2,475	1,873	1,575	1,811	**Eastern.**
1,195	981	802	886	3,864	3,847	1,260	959	748	880	**North Midland.**
1,285	1,080	891	993	4,249	4,019	1,208	1,033	862	916	**South Midland.**
1,435	1,299	1,044	1,196	4,974	4,978	1,502	1,310	1,017	1,149	**Western.**
1,338	1,212	940	1,056	4,546	4,826	1,588	1,209	919	1,110	**South-Eastern.**
1,899	1,805	1,534	1,658	6,896	6,758	2,024	1,747	1,347	1,640	**South-Western.**
										I.—NORTH-EASTERN.
95	97	69	78	339	347	85	110	77	75	ANTRIM.
215	207	135	163	720	735	252	210	122	151	ARMAGH.
54	39	25	36	154	152	56	40	21	35	BALLYCASTLE.
160	147	85	143	535	597	165	165	116	151	BALLYMENA.
95	72	56	74	297	286	84	87	53	62	BALLYMONEY.
133	177	124	125	614	558	142	156	104	156	BANBRIDGE.
538	460	427	439	1,864	1,924	619	478	407	420	BELFAST.
82	95	59	81	317	321	95	95	69	62	CASTLEBLAYNEY.
106	84	71	68	329	328	115	76	65	72	COLERAINE.
115	68	58	65	306	320	99	84	77	60	COOKSTOWN.
154	136	124	112	526	582	176	159	106	141	DOWNPATRICK.
112	97	89	105	403	394	118	87	82	107	DUNGANNON.
60	47	34	39	180	163	41	48	42	32	KILKEEL.
84	69	51	53	257	281	98	74	47	62	LARNE.
176	147	144	157	624	701	210	158	138	195	LISBURN.
189	167	105	150	611	665	201	159	133	172	LURGAN.
131	150	100	103	484	489	157	140	86	106	MAGHERAFELT.
162	149	137	145	593	623	169	162	144	148	NEWRY.
151	160	114	116	541	603	149	191	121	142	NEWTOWNARDS.
80	56	52	47	235	256	97	66	45	48	NEWTOWNLIMAVADY.
										II.—NORTH-WESTERN.
52	52	41	52	197	199	65	55	35	44	BALLYSHANNON
35	35	30	31	131	130	34	49	29	18	CASTLEDERG.
37	35	39	34	145	161	43	41	40	37	DONEGAL.
29	31	28	26	114	152	39	43	36	34	DUNFANAGHY.
103	101	77	65	346	361	131	83	70	77	ENNISKILLEN.
80	66	59	54	259	211	68	60	48	35	GLENTIES.
23	32	12	16	83	118	31	41	24	22	GORTIN.
73	84	65	64	286	296	83	83	59	71	INISHOWEN.
51	42	29	22	144	164	54	45	34	31	IRVINESTOWN.
36	40	27	25	128	142	27	49	34	32	LETTERKENNY.
183	138	115	133	569	584	206	144	105	129	LONDONDERRY.

DEATHS registered in Ireland in the Four Quarters ending

	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	II.—NORTH-WESTERN— *continued.*							
32	Manorhamilton,	144,847	33,443	361	110	93	73	85
33	Millford,	111,335	28,226	417	130	94	86	107
34	Omagh,	174,217	52,836	918	257	286	193	182
35	Sligo,	143,523	53,901	782	263	197	143	179
36	Strabane,	134,372	43,604	747	209	233	148	157
37	Stranorlar,	121,151	19,978	285	88	87	59	51
	III.—EASTERN.							
38	Ardee,	96,211	25,284	394	134	88	80	92
39	Bailieborough,	65,909	23,079	318	109	87	66	56
40	Balrothery,	75,139	22,016	359	108	93	83	75
41	Baltinglass,	139,108	22,032	343	104	103	58	78
42	Carrickmacross,	60,664	22,354	329	98	70	79	82
43	Celbridge,	86,838	19,580	326	95	90	83	58
44	Drogheda,	99,045	39,821	794	250	200	169	175
45	Dublin, North,	40,769	134,755	3,051	929	741	653	728
46	Dublin, South,	48,089	201,963	4,668	1,386	1,119	909	1,254
47	Dundalk,	104,434	46,850	730	232	182	137	179
48	Dunshaughlin,	108,339	14,109	191	65	41	37	48
49	Gorey,	129,705	24,857	361	95	113	80	73
50	Kells,	108,982	24,482	293	92	81	54	66
51	Naas,	216,622	47,598	757	221	201	152	183
52	Navan,	94,466	21,988	296	84	69	73	70
53	Rathdown,	61,514	53,298	1,052	329	231	239	253
54	Rathdrum,	227,541	43,402	578	164	149	129	136
55	Shillelagh,	110,122	19,183	298	86	72	74	66
56	Trim,	119,519	22,918	365	113	82	80	90
	IV.—NORTH MIDLAND.							
57	Athlone,	150,768	39,323	680	213	177	148	142
58	Ballymahon,	100,126	22,089	276	88	67	67	54
59	Bawnboy,	104,504	26,808	307	101	89	51	66
60	Carrick-on-Shannon,	100,736	31,677	368	129	84	64	91
61	Cavan,	160,662	58,662	795	261	174	154	206
62	Clogher,	101,679	27,753	400	121	114	74	91
63	Clones,	73,502	26,699	336	121	100	48	67
64	Cootehill,	105,848	38,961	561	167	158	122	114
65	Delvin,	74,775	13,561	175	53	47	27	48
66	Granard,	134,003	36,043	527	158	124	123	122
67	Lisnaskea,	98,745	25,832	336	115	81	65	75
68	Longford,	109,961	32,757	366	141	80	72	73
69	Mohill,	92,955	30,191	322	111	76	70	65
70	Monaghan,	112,739	45,674	664	212	171	129	152
71	Mullingar,	208,401	42,703	596	168	165	118	145
72	Oldcastle,	85,912	23,657	273	84	56	62	71
73	Roscommon,	114,056	26,504	403	108	99	88	108
74	Strokestown,	90,036	26,395	326	104	78	68	76

March 31st, June 30th, September 30th, and December 31st, 1864—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	une.	Sept.	Dec.	
										II.—NORTH-WESTERN *—continued.*
55	41	33	33	162	199	55	52	40	52	Manorhamilton.
67	52	43	52	214	203	63	42	43	55	Millford.
124	157	92	99	472	446	133	129	101	83	Omagh.
121	87	71	92	371	411	142	110	72	87	Sligo.
105	109	62	82	358	389	104	124	86	75	Strabane.
41	49	36	19	145	140	47	38	23	32	Stranorlar.
										III.—EASTERN.
65	37	40	45	187	207	69	51	40	47	Ardee.
56	37	34	33	160	153	53	50	32	23	Bailieborough.
49	51	39	38	177	182	59	42	44	37	Balrothery.
45	53	32	45	175	168	59	50	26	33	Baltinglass.
40	33	43	40	156	173	58	37	36	42	Carrickmacross.
46	46	42	31	165	161	49	44	41	27	Celbridge.
130	106	88	82	406	388	120	94	81	93	Drogheda.
414	381	337	369	1,501	1,550	515	360	316	359	Dublin, North.
657	574	444	622	2,297	2,371	729	545	465	632	Dublin, South.
119	97	65	103	384	346	113	85	72	76	Dundalk.
30	16	20	25	91	100	35	25	17	23	Dunshaughlin.
51	57	41	40	189	172	44	56	39	33	Gorey.
49	42	32	34	157	136	43	39	22	32	Kells.
113	102	86	102	403	354	108	99	66	81	Naas.
44	32	41	43	160	136	40	37	32	27	Navan.
143	111	120	127	501	551	136	120	119	126	Rathdown.
80	81	78	85	324	254	84	68	51	51	Rathdrum.
38	36	40	36	150	148	48	36	34	30	Shillelagh.
50	42	38	51	181	184	63	40	42	39	Trim.
										IV.—NORTH MIDLAND.
98	94	84	78	354	326	115	83	64	64	Athlone.
43	29	38	23	133	143	45	38	29	31	Ballymahon.
54	44	22	37	157	150	47	45	29	29	Bawnboy.
52	38	36	51	177	191	77	46	28	40	Carrick-on-Shannon.
137	88	81	90	396	399	124	86	73	116	Cavan.
59	62	36	53	210	190	62	52	38	38	Clogher.
70	54	29	30	183	153	51	46	19	37	Clones.
81	84	66	53	284	277	86	74	56	61	Cootehill.
19	19	10	20	68	107	34	23	17	23	Delvin.
81	63	70	55	269	258	77	61	53	67	Granard.
51	42	32	38	163	173	64	30	33	37	Lisnaskea.
74	40	37	35	186	180	67	40	35	38	Longford.
49	40	37	30	156	166	62	36	33	35	Mohill.
109	85	59	80	333	331	103	86	70	72	Monaghan.
83	75	62	79	299	297	85	90	56	66	Mullingar.
41	27	27	35	130	143	43	29	35	36	Oldcastle.
49	55	42	59	205	198	59	44	46	49	Roscommon.
45	42	34	40	161	165	59	36	34	36	Strokestown.

DEATHS registered in Ireland in the Four Quarters ending

	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	V.—SOUTH MIDLAND.							
75	Abbeyleix,	107,167	22,400	341	117	89	70	65
76	Athy,	160,254	33,210	562	176	162	103	121
77	Borrisokane,	81,850	13,740	148	40	34	34	40
78	Carlow,	185,857	51,802	877	247	243	187	200
79	Cashel,	156,822	33,527	576	192	127	128	129
80	Castlecomer,	57,820	15,937	269	79	53	69	63
81	Donaghmore,	51,060	9,504	106	33	30	20	23
82	Edenderry,	172,407	23,384	367	109	101	80	77
83	Kilkenny,	110,943	35,499	770	225	208	169	168
84	Mountmellick,	200,633	42,184	668	199	132	172	165
85	Nenagh,	183,088	38,277	554	194	145	100	115
86	Parsonstown,	220,437	39,350	594	141	169	139	145
87	Roscrea,	118 488	24,666	317	122	66	68	61
88	Thurles,	142,351	36,152	632	154	160	147	151
89	Tipperary,	179,988	47,208	719	220	189	110	200
90	Tullamore,	155,395	33,087	565	167	143	115	140
91	Urlingford,	76,149	15,255	223	73	57	42	46
	VI.—WESTERN.							
92	Ballina,	150,415	32,693	365	103	87	67	108
93	Ballinasloe,	160,507	28,222	413	146	118	68	81
94	Ballinrobe,	144,894	31,558	332	108	78	79	67
95	Ballyvaghan,	71,063	6,819	65	21	15	14	15
96	Belmullet,	177,933	17,096	207	35	73	42	57
97	Boyle,	159,696	47,758	566	164	125	126	151
98	Castlebar,	140,998	31,780	300	96	73	48	83
99	Castlereagh,	162,363	46,783	480	151	120	99	110
100	Claremorris,	110,788	32,070	381	117	90	68	106
101	Clifden,	192,965	25,600	327	79	106	61	81
102	Corrofin,	61,386	7,866	99	39	22	17	21
103	Dromore, West,	96,985	18,608	270	79	79	54	58
104	Ennis,	112,505	30,097	414	129	130	88	67
105	Ennistimon,	99,281	25,028	288	92	73	55	68
106	Galway,	197,467	50,821	848	214	235	204	195
107	Glennamaddy,	100,319	22,469	215	77	52	43	43
108	Gort,	107,919	20,501	242	77	68	40	57
109	Killadysert,	62,319	13,265	160	44	45	37	34
110	Killala,	104,882	11,829	149	52	37	27	33
111	Kilrush,	136,788	41,130	486	141	126	98	121
112	Loughrea,	198,832	29,139	421	136	98	78	109
113	Mountbellew,	102,383	19,936	331	102	93	57	79
114	Newport,	170,413	16,660	174	59	45	37	33
115	Oughterard,	172,745	18,472	302	84	85	69	64
116	Portumna,	77,046	14,939	189	58	38	50	43
117	Scarriff,	86,320	15,611	181	53	54	32	42
118	Swineford,	152,594	52,004	475	122	113	105	135
119	Tobercurry,	125,774	27,657	263	76	65	64	58
120	Tuam,	190,649	44,440	450	107	125	119	99
121	Tulla,	84,723	15,759	193	43	53	43	54
122	Westport,	175,507	26,868	366	123	88	72	73

March 31st, June 30th, September 30th, and December 31st. 1864—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH MIDLAND.
74	52	36	33	195	146	43	37	34	32	ABBEYLEIX.
83	90	59	61	293	269	93	72	44	60	ATHY.
18	19	15	25	77	71	22	15	19	15	BORRISOKANE.
127	111	90	102	430	447	120	132	97	98	CARLOW.
97	71	56	56	280	296	95	56	72	73	CASHEL.
37	27	40	29	133	136	42	31	29	34	CASTLECOMER.
16	13	9	13	51	55	17	17	11	10	DONAGHMORE.
59	62	41	33	195	172	50	39	39	44	EDENDERRY.
103	103	86	91	383	387	122	105	83	77	KILKENNY.
101	63	102	85	351	317	98	69	70	80	MOUNTMELLICK.
105	70	49	59	283	271	89	75	51	56	NENAGH.
86	87	70	76	319	275	55	82	69	69	PARSONSTOWN.
58	33	34	30	155	162	64	33	34	31	ROSCREA.
87	74	68	81	310	302	67	86	79	70	THURLES.
116	96	63	117	392	327	104	93	47	83	TIPPERARY.
85	76	53	80	294	271	82	67	62	60	TULLAMORE.
33	33	20	22	108	115	45	24	22	24	URLINGFORD.
										VI.—WESTERN.
43	45	39	56	183	192	60	42	28	52	BALLINA.
70	63	38	40	211	202	76	55	30	41	BALLINASLOE.
49	38	37	42	166	166	59	40	42	25	BALLINROBE.
7	3	5	6	21	44	14	12	9	9	BALLYVAGHAN.
18	36	21	26	101	106	17	37	21	31	BELMULLET.
76	67	62	77	282	284	88	58	64	74	BOYLE.
45	37	18	38	138	162	51	36	30	45	CASTLEBAR.
83	70	51	53	257	223	68	50	48	57	CASTLEREAGH.
61	43	36	50	190	191	56	47	32	56	CLAREMORRIS.
44	49	34	31	158	169	35	57	27	50	CLIFDEN.
17	11	9	11	48	51	22	11	8	10	CORROFIN.
38	38	16	33	125	145	41	41	38	25	DROMORE, WEST.
64	59	47	31	201	213	65	71	41	36	ENNIS.
51	38	28	29	146	142	41	35	27	39	ENNISTIMON.
119	106	107	103	435	413	95	129	97	92	GALWAY.
33	31	28	22	114	101	44	21	15	21	GLENNAMADDY.
34	41	28	32	135	107	43	27	12	25	GORT.
22	20	16	18	76	84	22	25	21	16	KILLADYSERT.
22	16	11	21	70	79	30	21	16	12	KILLALA.
76	52	42	76	246	240	65	74	56	45	KILRUSH.
62	44	32	61	199	222	74	54	46	48	LOUGHREA.
52	39	21	37	149	182	50	54	36	42	MOUNTBELLEW.
29	22	26	13	90	84	30	23	11	20	NEWPORT.
33	46	43	31	153	149	51	39	26	33	OUGHTERARD.
27	19	27	26	99	90	31	19	23	17	PORTUMNA.
22	30	16	15	83	98	31	24	16	27	SCARRIFF.
63	58	48	74	243	232	59	55	57	61	SWINEFORD.
37	32	39	30	138	125	39	33	25	28	TOBERCURRY.
48	64	60	51	223	227	59	61	59	48	TUAM.
23	33	22	28	106	87	20	20	21	26	TULLA.
67	49	37	35	188	178	66	39	35	38	WESTPORT.

DEATHS registered in Ireland in the Four Quarters ending

	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	VII.—SOUTH-EASTERN.							
123	CALLAN,	104,011	24,969	435	117	104	99	115
124	CARRICK-ON-SUIR,	112,630	30,294	734	214	203	170	147
125	CLOGHEEN,	118,427	25,249	405	123	109	84	89
126	CLONMEL,	86,810	28,039	622	178	151	147	146
127	DUNGARVAN,	94,044	24,346	436	149	105	79	103
128	ENNISCORTHY,	196,689	42,886	824	275	239	124	186
129	FERMOY,	148,268	37,960	603	210	153	114	126
130	KILMACTHOMAS,	64,478	15,494	285	94	75	44	72
131	LISMORE,	97,140	20,845	395	129	93	87	86
132	MIDDLETON,	109,266	34,086	620	193	145	110	172
133	MITCHELSTOWN,	86,957	22,747	306	84	79	61	82
134	NEW ROSS,	177,231	44,141	787	235	227	139	186
135	THOMASTOWN,	107,577	21,405	390	110	106	73	101
136	WATERFORD,	125,719	60,068	1,174	390	262	259	263
137	WEXFORD,	126,301	43,727	866	264	228	171	203
138	YOUGHAL,	70,624	24,701	490	161	142	98	89
	VIII.—SOUTH-WESTERN.							
139	BANDON,	101,345	27,256	381	108	117	74	82
140	BANTRY,	106,855	15,964	177	53	42	39	43
141	CAHERSIVEEN,	197,545	25,204	245	66	70	58	51
142	CASTLETOWN,	73,445	15,076	258	59	52	59	88
143	CLONAKILTY,	80,465	28,268	449	144	85	109	111
144	CORK,	169,732	147,572	2,756	799	727	543	687
145	CROOM,	83,324	21,172	255	85	73	55	42
146	DINGLE,	125,279	20,539	258	66	57	66	69
147	DUNMANWAY,	103,917	17,426	248	80	67	42	59
148	GLIN,	60,666	15,750	213	54	58	61	40
149	KANTURK,	186,524	34,480	582	144	164	132	142
150	KENMARE,	198,152	18,757	307	99	78	59	71
151	KILLARNEY,	251,287	43,987	693	177	187	153	176
152	KILMALLOCK,	140,357	39,539	659	195	165	133	166
153	KINSALE,	79,651	23,837	374	124	102	72	76
154	LIMERICK,	177,951	90,756	1,614	502	414	340	358
155	LISTOWEL,	151,208	36,531	439	123	121	98	97
156	MACROOM,	179,108	31,090	478	145	118	90	125
157	MALLOW,	154,358	35,751	585	186	143	117	139
158	MILLSTREET,	74,906	14,797	226	61	69	44	52
159	NEWCASTLE,	143,024	31,624	533	117	162	121	133
160	RATHKEALE,	79,932	22,055	326	78	81	67	100
161	SKIBBEREEN,	115,024	32,412	509	168	116	101	124
162	SKULL,	57,169	13,902	183	71	54	23	35
163	TRALEE,	221,847	52,068	906	219	230	225	232

March 31st, June 30th, September 30th, and December 31st, 1864—*continued.*

MALES.					FEMALES.					DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										VII.—SOUTH-EASTERN.
50	57	43	63	213	222	67	47	56	52	Callan.
113	99	86	72	370	364	101	104	84	75	Carrick-on-Suir.
54	56	42	51	203	202	69	53	42	38	Clogheen.
75	73	70	69	287	335	103	78	77	77	Clonmel.
69	45	42	50	206	230	80	60	37	53	Dungarvan.
126	121	68	85	400	424	149	118	56	101	Enniscorthy.
100	87	57	63	307	296	110	66	57	63	Fermoy.
40	39	26	35	140	145	54	36	18	37	Kilmacthomas.
57	56	54	42	209	186	72	37	33	44	Lismore.
80	69	59	83	291	329	113	76	51	89	Middleton.
41	38	28	41	148	158	43	41	33	41	Mitchelstown.
115	105	73	83	376	411	120	122	66	103	New Ross.
49	47	33	52	181	209	61	59	40	49	Thomastown.
167	137	138	129	571	603	223	125	121	134	Waterford.
124	115	78	101	418	448	140	113	93	102	Wexford.
78	68	43	37	226	264	83	74	55	52	Youghal.
										VIII.-SOUTH-WESTERN
49	48	37	39	173	208	59	69	37	43	Bandon.
26	24	19	23	92	85	27	18	20	20	Bantry.
35	30	28	24	117	128	31	40	30	27	Cahersiveen.
26	27	31	35	119	139	33	25	28	53	Castletown.
71	38	55	54	218	231	73	47	54	57	Clonakilty.
392	387	283	374	1,436	1,320	407	340	260	313	Cork.
42	42	27	26	137	118	43	31	28	16	Croom.
31	26	37	32	126	132	35	31	29	37	Dingle.
42	35	16	27	120	128	38	32	26	32	Dunmanway.
29	27	30	16	102	111	25	31	31	24	Glin.
72	80	74	74	300	282	72	84	58	68	Kanturk.
47	43	38	40	168	139	52	35	21	31	Kenmare.
80	94	80	92	346	347	97	93	73	84	Killarney.
88	88	79	78	333	326	107	77	54	88	Kilmallock.
56	58	38	35	187	187	68	44	34	41	Kinsale.
255	211	183	181	830	784	247	203	157	177	Limerick.
60	53	44	50	207	232	63	68	54	47	Listowel.
66	52	52	61	231	247	79	66	38	64	Macroom.
88	74	61	66	289	296	98	69	56	73	Mallow.
23	39	31	23	121	105	33	30	13	29	Millstreet.
56	72	71	74	273	260	61	90	50	59	Newcastle.
34	41	25	51	151	175	44	40	42	49	Rathkeale.
91	57	59	60	267	242	77	59	42	64	Skibbereen.
37	23	12	17	89	94	34	31	11	18	Skull.
98	136	124	106	464	442	121	94	101	126	Tralee.

DEATHS registered in each Province and County in Ireland in the Four Quarters

	PROVINCES AND COUNTIES.*	Area in Statute Acres, exclusive of the larger Rivers, Lakes, and Tideways.	Population, 1861.	MALES AND FEMALES.				
				TOTAL.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	IRELAND,	20,322,641	5,798,967†	93,144	28,043	24,155	19,191	21,755
No.	PROVINCES.							
I.	**LEINSTER,**	4,703,640	1,430,029	25,440	7,667	6,434	5,269	6,070
II.	**MUNSTER,**	6,005,406	1,528,877	24,536	7,332	6,303	5,105	5,791
III.	**ULSTER,**	5,402,600	1,930,921	31,860	9,631	8,518	6,486	7,225
IV.	**CONNAUGHT,**	4,210,995	908,737	11,308	3,413	2,895	2,331	2,669
	I.—PROVINCE OF LEINSTER.—							
No.								
1	CARLOW,	185,857	51,802	877	247	243	187	200
2	DUBLIN,	225,511	412,032	9,130	2,752	2,184	1,834	2,310
3	KILDARE,	463,714	100,388	1,645	492	453	338	362
4	KILKENNY,	456,500	113,065	2,087	609	533	452	493
5	KING'S,	548,239	95,821	1,526	417	413	334	362
6	LONGFORD,	344,090	90,889	1,169	387	271	262	249
7	LOUTH,	299,690	111,955	1,918	616	470	386	446
8	MEATH,	431,306	83,497	1,145	354	273	244	274
9	QUEEN'S,	358,860	74,063	1,115	349	251	262	253
10	WESTMEATH,	283,176	56,264	771	221	212	145	193
11	WEXFORD,	629,926	155,611	2,838	869	807	514	648
12	WICKLOW,	476,771	84,617	1,219	354	324	261	280
	II.—PROVINCE OF MUNSTER.—							
13	CLARE,	714,385	155,575	1,386	562	518	384	422
14	CORK,	1,897,614	557,325	9,225	2,790	2,375	1,828	2,232
15	KERRY,	1,145,318	197,086	2,848	750	743	659	696
16	LIMERICK,	685,254	220,896	3,600	1,031	953	777	839
17	TIPPERARY,	1,068,824	246,948	3,953	1,223	981	818	931
18	WATERFORD,	494,011	151,047	3,024	976	738	639	671
	III.—PROVINCE OF ULSTER.—							
19	ANTRIM,	673.591	355,201	7,033	2,133	1,838	1,434	1,628
20	ARMAGH,	371.592	229,051	3,947	1,188	1,054	776	929
21	CAVAN,	522,835	171,167	2,254	722	564	455	513
22	DONEGAL,	1,168,945	225,022	2,992	850	820	656	666
23	DOWN,	567,812	272,811	5,092	1,447	1,379	1,051	1,215
24	FERMANAGH,	378,300	98,275	1,351	454	352	275	270
25	LONDONDERRY,	565,825	194,713	3,274	1,075	854	639	706
26	MONAGHAN,	341,118	136,539	1,967	608	531	384	444
27	TYRONE,	812,582	248,142	3,950	1,154	1,126	816	854
	IV.—PROVINCE OF CONNAUGHT.—							
28	GALWAY,	1,500,832	273,939	3,738	1,080	1,018	789	851
29	LEITRIM,	338,538	95,311	1,051	350	253	207	241
30	MAYO,	1,328,424	252,558	2,749	825	684	545	695
31	ROSCOMMON,	676,919	186,763	2,455	740	599	529	587
32	SLIGO,	366,282	100,166	1,315	418	341	261	295

* The *Registration Counties* consist of groups of Superintendent Registrars' Districts or Poor Law Unions. Whenever a
population is located; hence all the *Registration* Counties differ more or less

ending March 31st, June 30th, September 30th, and December 31st, 1864.

MALES.					FEMALES.					
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				PROVINCES AND COUNTIES.
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
13,533	12,086	9,789	10,938	46,346	46,798	14,510	12,069	9,402	10,817	**IRELAND.**
										PROVINCES.
3,691	3,252	2,701	3,099	12,743	12,697	3,976	3,182	2,568	2,971	**LEINSTER.**
3,536	3,181	2,649	2,912	12,278	12,258	3,796	3,127	2,456	2,879	**MUNSTER.**
4,684	4,203	3,243	3,562	15,692	16,168	4,947	4,315	3,243	3,663	**ULSTER.**
1,622	1,450	1,196	1,365	5,633	5,675	1,791	1,445	1,135	1,304	**CONNAUGHT.**
REGISTRATION COUNTIES.										
127	111	90	102	430	447	120	132	97	98	CARLOW.
1,263	1,117	940	1,156	4,476	4,654	1,489	1,067	944	1,154	DUBLIN.
242	238	187	194	861	784	250	215	151	168	KILDARE.
272	267	222	257	1,018	1,069	337	266	230	236	KILKENNY.
230	225	164	189	808	718	187	188	170	173	KING'S.
198	132	145	113	588	581	189	139	117	136	LONGFORD.
314	240	193	230	977	941	302	230	193	216	LOUTH.
173	132	131	153	589	556	181	141	113	121	MEATH.
191	123	147	131	597	518	158	123	115	122	QUEEN'S.
102	94	72	99	367	404	119	118	73	94	WESTMEATH.
416	393	260	309	1,383	1,455	453	409	254	339	WEXFORD.
163	170	150	166	649	570	191	154	111	114	WICKLOW.
REGISTRATION COUNTIES.										
282	246	185	214	927	959	280	272	199	208	CLARE.
1,343	1,204	955	1,112	4,614	4,611	1,447	1,171	873	1,120	CORK.
351	382	351	344	1,428	1,420	399	361	308	352	KERRY.
504	481	415	426	1,826	1,774	527	472	362	413	LIMERICK.
610	492	397	488	1,987	1,966	613	489	421	443	TIPPERARY.
446	376	346	328	1,496	1,528	530	362	293	343	WATERFORD.
REGISTRATION COUNTIES.										
1,026	884	713	823	3,446	3,587	1,107	954	721	805	ANTRIM.
566	523	377	458	1,924	2,023	622	531	399	471	ARMAGH.
269	280	230	248	1,127	1,127	353	284	225	265	CAVAN.
415	409	338	326	1,488	1,504	435	411	318	340	DONEGAL.
729	667	540	549	2,485	2,607	718	712	511	666	DOWN.
205	185	138	125	653	698	249	167	137	145	FERMANAGH.
500	428	338	351	1,617	1,657	575	426	301	355	LONDONDERRY.
301	267	190	231	989	978	307	264	194	213	MONAGHAN.
573	560	379	451	1,963	1,987	581	566	437	403	TYRONE.
REGISTRATION COUNTIES.										
522	502	418	434	1,876	1,862	558	516	371	417	GALWAY.
156	119	106	114	495	556	194	134	101	127	LEITRIM.
397	344	273	355	1,369	1,380	423	340	272	340	MAYO.
351	328	273	307	1,259	1,196	389	271	256	280	ROSCOMMON.
196	157	126	155	634	681	222	184	135	140	SLIGO.

District or Union extends into more than one County, it is assigned wholly to that County in which the greater portion of the from the Counties *Proper*.

† See note (†), page 42.

IRELAND.—**DEATHS** at different AGES registered in the year 1864—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	MALES. Total Births.	Total Deaths.	Ages at Death. Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
	IRELAND,*	70075	46346	7379	2556	1518	1029	776	13258	1956	1073	1475	2030	2867	2673	3590	5325	5690	4678	1372	284
	DIVISIONS.																				
I.	North-Eastern,	14625	9929	1583	651	379	256	203	3072	506	284	395	451	600	565	662	905	1108	1032	282	57
II.	North-Western,	6052	4124	559	238	186	104	64	1151	176	107	143	216	260	172	256	468	478	477	183	32
III.	Eastern,	10326	7764	1317	401	203	160	123	2204	322	169	244	343	615	564	656	900	886	675	156	17
IV.	North Midland,	6280	3864	548	189	108	53	41	939	117	76	104	154	210	186	293	495	562	525	157	42
V.	South Midland,	5748	4249	656	173	100	76	54	1059	148	80	119	161	237	259	362	561	634	463	127	31
VI.	Western,	9635	4974	841	285	189	103	87	1505	216	102	127	190	267	256	421	607	621	460	155	36
VII.	South-Eastern,	6025	4546	699	203	121	93	78	1194	182	109	135	210	264	250	372	563	639	440	143	34
VIII.	South-Western,	11384	6896	1176	416	232	184	126	2134	289	146	208	305	414	421	568	826	762	606	169	35
	I.—NORTH-EASTERN.																				
1	Antrim,	490	339	48	21	19	17	9	114	20	18	10	21	11	21	13	25	26	48	10	2
2	Armagh,	994	720	106	37	23	17	13	196	38	26	24	33	41	34	52	75	99	61	27	4
3	Ballycastle,	213	154	16	8	5	2	1	32	3	2	9	8	7	9	10	13	28	24	8	1
4	Ballymena,	1,013	535	97	38	29	12	10	186	20	14	6	23	33	38	29	47	62	67	7	2
5	Ballymoney,	392	297	31	15	5	7	4	62	10	7	13	15	19	13	16	42	32	53	14	1
6	Banbridge,	953	614	100	33	20	17	7	177	23	20	33	22	32	22	38	60	87	73	23	3
7	Belfast,	2,336	1,864	380	183	92	61	51	767	128	54	83	96	108	121	157	136	122	77	14	1
8	Castleblayney,	503	317	43	13	15	3	8	82	9	9	17	11	18	16	21	39	44	36	13	2
9	Coleraine,	503	329	53	19	13	3	6	94	15	7	10	9	22	18	16	43	43	38	11	3
10	Cookstown,	431	306	39	14	11	7	8	79	10	6	15	14	18	14	21	20	44	45	10	9
11	Downpatrick,	673	526	57	34	15	14	9	129	29	8	10	29	30	32	51	43	63	78	21	3
12	Dungannon,	617	403	47	27	15	9	14	112	20	13	12	13	28	20	26	38	42	62	13	4
13	Kilkeel,	282	180	19	11	2	10	2	44	13	8	1	6	14	10	10	13	31	21	7	2
14	Larne,	550	257	38	17	7	4	8	74	19	14	8	14	15	9	15	20	24	33	9	1
15	Lisburn,	902	624	101	35	21	17	10	184	24	21	30	25	41	40	30	69	77	70	10	3
16	Lurgan,	1,030	611	118	37	28	15	15	213	25	15	31	34	34	33	42	52	69	36	24	2
17	Magherafelt,	763	484	84	25	13	13	6	141	18	7	15	17	34	24	28	48	73	57	16	5
18	Newry,	893	593	80	38	22	6	12	158	32	14	25	27	47	48	45	63	55	59	14	4
19	Newtownards,	791	541	98	39	17	17	8	179	35	18	32	23	30	32	39	41	57	43	18	2
20	Newtownlimavady,	296	235	28	7	7	5	2	49	15	3	11	11	15	11	12	14	30	48	13	3
	II.—NORTH-WESTERN.																				
21	Ballyshannon,	328	197	23	11	3	3	3	43	3	10	8	16	16	11	7	28	32	16	7	.
22	Castlederg,	241	131	18	10	4	5	3	40	5	7	3	5	5	4	9	12	12	15	12	2
23	Donegal,	233	145	15	6	4	2	2	33	6	1	7	9	7	6	14	13	14	26	9	.
24	Dunfanaghy,	218	114	18	9	7	3	3	40	4	2	3	3	4	2	5	14	15	14	7	1
25	Enniskillen,	470	346	51	21	9	4	1	86	12	11	14	23	22	17	21	38	40	46	25	1
26	Glenties,	327	259	46	20	22	9	5	102	15	11	5	15	11	8	14	27	17	24	4	3
27	Gortin,	147	83	8	2	0	1	1	18	7	1	2	4	5	1	5	11	10	12	7	.
28	Inishowen,	442	286	37	17	21	9	2	86	16	8	8	7	26	10	18	31	38	27	7	3
29	Irvinestown,	219	144	18	7	6	8	2	41	7	2	6	6	7	7	7	17	15	17	9	2
30	Letterkenny,	150	128	10	2	4	2	3	21	2	3	9	10	8	6	7	11	25	18	7	1
31	Londonderry,	707	569	79	28	23	14	10	154	22	13	16	37	30	33	41	63	57	65	19	8
32	Manorhamilton,	388	162	20	3	7	5	5	40	5	4	2	7	7	6	11	27	19	22	12	.
33	Millford,	238	214	24	22	13	4	3	66	12	4	10	10	13	10	18	22	21	18	9	1
34	Omagh,	581	472	60	32	18	9	6	125	21	14	11	29	26	17	29	57	54	68	15	4
35	Sligo,	611	371	63	19	16	11	5	114	18	11	15	14	23	16	19	45	42	40	12	2
36	Strabane,	534	358	45	17	14	11	5	92	16	4	21	17	26	14	24	46	50	32	13	3
37	Stranorlar,	218	145	20	12	9	4	.	45	5	1	3	10	10	4	7	16	17	17	9	1
	III.—EASTERN.																				
38	Ardee,	255	187	15	6	4	2	5	32	7	2	7	10	15	6	16	22	33	28	8	1
39	Baileborough,	296	160	26	9	3	6	1	45	3	2	5	6	13	9	8	24	23	19	3	.
40	Balrothery,	304	177	24	7	9	5	4	49	5	3	8	11	8	8	7	24	27	17	8	.
41	Baltinglass,	233	175	22	5	4	2	1	34	10	6	2	8	7	7	13	27	22	33	6	.
42	Carrickmacross,	234	156	22	8	2	3	4	39	5	3	6	4	9	6	9	23	28	19	5	.

* The *Causes of Death* in Ireland in combination with the Ages at Death are given at page 108.

IRELAND.—**DEATHS** at different AGES registered in the year 1864—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	FEMALES.																		
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																
				Under 1 year.	1	2	3	4	Under 5 years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95 and upwards.	Unspecified.
	IRELAND,	66339	46798	6046	2434	1533	1024	738	11775	1998	1108	1466	1758	3059	2819	3645	5521	6422	5250	1569	339	69
	DIVISIONS.																					
I.	**North-Eastern,**	13778	10325	1275	574	382	263	173	2667	552	316	467	465	744	635	680	973	1239	1152	358	60	17
II.	**North-Western,**	5679	4306	462	245	166	108	69	1050	187	103	151	162	303	235	291	410	551	604	209	45	5
III.	**Eastern,**	10016	7739	1074	412	226	147	102	1961	318	156	190	329	578	570	680	1000	999	709	183	50	16
IV.	**North Midland,**	5998	3847	472	161	98	65	48	844	108	84	106	110	256	203	266	540	637	483	163	36	5
V.	**South Midland,**	5250	4019	498	175	96	60	59	888	138	91	113	126	237	214	340	542	643	485	164	34	4
VI.	**Western,**	8850	4978	713	267	190	129	75	1374	206	112	113	192	249	275	423	654	665	528	147	34	6
VII.	**South-Eastern,**	5846	4826	588	196	126	91	77	1078	196	105	132	148	245	271	411	608	826	611	160	30	5
VIII.	**South-Western,**	10922	6758	964	404	249	161	135	1913	293	141	194	220	447	416	554	794	862	678	185	50	11
	I.—NORTH-EASTERN.																					
1	ANTRIM,	474	347	50	20	16	9	3	98	21	7	16	15	27	14	21	29	40	38	17	4	.
2	ARMAGH,	940	735	74	33	24	18	20	169	32	39	23	32	49	49	46	88	98	87	26	6	.
3	BALLYCASTLE,	208	152	10	7	7	2	2	28	8	1	4	2	17	11	9	14	23	26	8	1	.
4	BALLYMENA,	951	597	74	45	20	16	14	169	36	13	23	30	42	47	31	46	75	68	16	1	.
5	BALLYMONEY,	436	286	35	6	8	9	.	58	11	6	8	8	31	14	19	29	38	42	19	3	.
6	BANBRIDGE,	995	558	65	20	20	13	15	133	26	26	31	28	42	38	38	47	66	51	26	6	.
7	BELFAST,	2323	1921	304	157	110	64	31	666	120	59	100	113	162	143	138	152	161	82	18	5	5
8	CASTLEBLAYNEY,	529	321	43	12	10	7	3	75	9	10	9	10	10	16	31	48	56	44	11	4	.
9	COLERAINE,	439	328	33	15	7	7	4	66	17	13	20	19	18	16	16	26	39	53	22	1	2
10	COOKSTOWN,	478	326	45	17	13	8	4	87	10	8	12	14	17	18	15	30	45	38	19	2	1
11	DOWNPATRICK,	613	582	49	18	16	11	7	101	27	13	26	25	47	30	42	72	91	84	22	1	1
12	DUNGANNON,	535	394	34	16	12	12	3	77	28	12	14	10	19	18	31	57	54	51	17	5	1
13	KILKEEL,	206	163	9	6	8	3	2	28	5	2	10	9	8	10	11	13	20	32	9	4	2
14	LARNE,	457	281	36	26	9	5	4	80	15	6	19	12	20	17	14	26	24	33	14	.	1
15	LISBURN,	817	701	93	42	16	22	10	183	36	18	35	30	50	50	46	49	95	82	22	5	.
16	LURGAN,	917	665	91	44	18	19	20	192	45	22	26	34	55	39	40	55	67	75	11	4	.
17	MAGHERAFELT,	703	489	54	24	17	9	7	111	32	19	20	21	24	13	27	55	69	78	16	2	2
18	NEWRY,	848	623	71	29	19	9	7	135	32	25	24	22	41	35	55	68	84	76	20	4	2
19	NEWTOWNARDS,	685	603	81	28	26	12	15	162	38	20	34	26	48	46	33	48	55	65	28	.	.
20	NEWTOWNLIMAVADY,	302	256	24	9	6	8	4	51	4	6	13	5	17	11	23	21	39	47	17	2	.
	II.—NORTH-WESTERN.																					
21	BALLYSHANNON,	289	199	19	10	3	4	3	39	5	4	9	11	15	13	9	13	32	35	10	4	.
22	CASTLEDERG,	210	130	9	2	4	5	.	20	4	1	11	5	11	6	8	11	24	14	14	1	.
23	DONEGAL,	236	161	15	14	6	2	.	37	8	7	7	3	12	10	11	15	22	21	7	.	1
24	DUNFANAGHY,	191	152	16	10	9	9	2	46	6	5	6	7	11	6	8	17	13	19	4	1	.
25	ENNISKILLEN,	461	361	39	17	18	9	5	88	20	10	8	11	25	14	30	35	50	50	13	3	.
26	GLENTIES,	315	211	34	6	10	8	3	61	15	7	6	7	17	12	15	15	22	20	11	3	.
27	GORTIN,	143	118	10	9	6	6	4	35	4	6	3	6	8	5	6	15	9	12	7	2	.
28	INISHOWEN,	376	296	29	17	19	9	4	78	16	1	10	11	19	13	20	18	33	55	20	2	.
29	IRVINESTOWN,	211	164	10	12	4	5	1	32	9	4	5	2	10	5	9	10	29	31	12	6	.
30	LETTERKENNY,	170	142	16	11	6	5	2	40	4	3	5	4	6	5	16	18	18	16	6	1	.
31	LONDONDERRY,	644	584	59	28	20	9	11	127	22	13	19	25	54	41	49	65	74	68	19	4	4
32	MANORHAMILTON,	373	199	21	7	14	6	4	52	8	3	4	6	11	12	17	18	28	28	9	3	.
33	MILLFORD,	251	203	22	23	5	8	2	60	9	3	6	9	8	10	17	12	34	27	8	.	.
34	OMAGH,	553	446	56	31	13	6	9	115	24	12	20	9	35	29	18	44	47	66	20	7	.
35	SLIGO,	585	411	59	24	10	10	5	108	15	7	12	19	23	25	32	49	60	33	21	2	.
36	STRABANE,	477	389	33	20	12	5	12	82	16	8	15	23	26	18	21	39	43	69	25	4	.
37	STRANORLAR,	194	140	15	4	7	2	2	30	2	6	5	4	12	11	5	12	13	35	3	2	.
	III.—EASTERN.																					
38	ARDEE,	249	207	29	10	5	3	3	50	6	5	4	3	17	8	21	29	32	21	8	2	1
39	BAILIEBOROUGH	306	158	15	2	2	4	2	25	8	4	8	5	7	10	17	24	24	21	4	1	.
40	BALROTHERY,	263	182	26	7	3	.	2	38	13	3	8	2	11	12	15	22	22	24	11	1	.
41	BALTINGLASS,	243	168	23	6	6	2	.	37	3	.	6	6	9	10	17	15	31	27	5	1	.
42	CARRICKMACROSS,	225	173	14	8	7	3	3	35	8	5	5	7	14	8	11	29	25	25	1	.	.

IRELAND.—**DEATHS** at different Ages registered in the year 1864—in the Divisions and Superintendent Registrars' Districts—*continued*.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	MALES.																				
		Total Births.	Total Deaths.	Ages at Death.																		
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
III.—EASTERN—*con.*																						
43	Celbridge,	238	165	24	6	3	4	2	39	7	2	3	6	13	16	15	21	17	22	3	1	.
44	Drogheda,	457	436	53	16	12	11	10	102	13	10	16	19	33	22	34	51	48	46	9	2	1
45	Dublin, North,	2,024	1,501	294	82	34	21	21	452	66	36	40	84	136	140	145	175	134	83	8	.	2
46	Dublin, South,	2,559	2,297	458	150	63	50	34	764	99	51	63	81	184	214	208	248	210	132	30	4	3
47	Dundalk,	534	384	49	21	10	10	3	93	18	7	18	14	35	21	25	42	42	55	12	1	1
48	Dunshaughlin,	125	91	6	4	2	2	1	15	7	2	3	3	7	7	9	15	8	12	2	1	.
49	Gorey,	274	189	21	4	6	3	2	36	5	7	3	12	9	11	13	15	43	25	9	1	.
50	Kells,	262	157	18	6	5	2	1	32	3	2	4	10	8	6	15	22	24	23	6	2	.
51	Naas,	548	403	56	15	11	13	14	109	23	12	11	16	44	26	31	39	51	28	11	2	.
52	Navan,	227	160	16	6	4	.	3	29	6	2	4	7	12	6	15	21	35	16	6	.	1
53	Rathdown,	722	501	102	36	17	10	11	176	18	11	15	23	41	24	40	58	49	36	8	.	2
54	Rathdrum,	553	324	59	11	8	4	4	86	18	6	19	12	24	17	21	32	41	36	12	.	.
55	Shillelagh,	228	150	30	7	2	3	1	43	4	.	4	6	6	5	13	13	28	23	4	1	.
56	Trim,	250	181	22	2	4	.	1	29	5	5	8	11	11	13	19	28	23	24	6	1	.
IV.—NORTH MIDLAND.																						
57	Athlone,	595	354	67	15	14	2	7	105	15	8	11	10	20	17	22	40	54	41	8	3	.
58	Ballymahon,	267	133	22	6	.	2	1	31	7	1	5	6	1	4	8	18	21	23	7	1	.
59	Bawnboy,	239	157	16	7	4	2	2	31	5	2	2	7	9	8	13	26	20	23	8	1	.
60	Carrick-on-Shannon,	372	177	27	6	4	4	2	43	6	2	6	6	11	7	18	24	31	13	7	2	.
61	Cavan,	675	396	46	16	5	4	2	73	12	5	11	24	31	15	32	45	56	70	18	4	.
62	Clogher,	266	210	37	6	10	3	1	57	9	5	11	12	11	5	12	21	31	21	12	2	.
63	Clones,	242	183	32	14	4	5	2	57	2	4	4	8	9	7	4	21	27	32	4	4	.
64	Cootehill,	412	284	34	8	9	.	3	54	12	1	8	14	17	13	23	44	46	40	8	4	.
65	Delvin,	143	68	13	.	3	1	2	19	1	5	2	.	3	5	3	11	2	11	6	.	.
66	Granard,	437	269	43	18	8	3	6	78	9	6	6	9	13	13	17	34	39	32	10	3	.
67	Lisnaskea,	248	163	15	5	2	4	2	28	5	4	3	7	8	13	10	22	34	19	7	3	.
68	Longford,	367	186	26	15	5	2	2	50	6	3	10	4	10	15	14	8	24	29	10	3	.
69	Mohill,	349	156	24	9	4	2	1	40	2	3	4	3	8	5	11	24	28	15	12	1	.
70	Monaghan,	470	333	35	22	12	4	5	78	4	7	8	12	18	18	33	44	39	52	12	7	.
71	Mullingar,	400	299	41	10	6	7	1	65	8	8	1	7	16	17	33	43	46	42	11	1	.
72	Oldcastle,	275	130	16	10	2	.	1	29	5	2	3	2	10	5	6	22	19	22	5	.	.
73	Roscommon,	312	205	33	11	6	2	1	53	3	6	5	14	10	11	20	32	24	20	7	.	.
74	Strokestown,	301	161	21	11	10	6	.	48	6	4	4	9	5	8	14	16	21	18	5	3	.
V.—SOUTH MIDLAND.																						
75	Abbeyleix,	270	195	27	7	3	2	2	41	5	3	5	7	16	9	17	27	25	23	8	3	.
76	Athy,	371	293	39	15	4	3	2	63	11	7	7	12	13	18	19	43	58	34	7	1	.
77	Borrisokane,	110	77	12	1	1	.	.	14	4	3	3	3	6	6	5	10	13	7	1	2	.
78	Carlow,	575	430	57	28	11	18	9	123	22	7	9	14	23	19	39	45	66	47	12	4	.
79	Cashel,	389	280	38	14	6	5	4	67	2	6	8	12	21	15	27	46	30	35	10	1	.
80	Castlecomer,	204	133	23	10	2	3	1	39	2	5	2	5	7	5	8	16	25	16	2	.	.
81	Donaghmore,	76	51	5	4	2	1	.	12	3	1	1	1	3	.	2	7	15	4	2	.	.
82	Edenderry,	278	195	29	7	5	4	6	51	10	6	3	7	11	11	12	25	30	24	5	.	.
83	Kilkenny,	423	383	61	16	11	11	10	109	32	5	10	21	13	30	43	47	32	30	5	6	.
84	Mountmellick,	444	351	56	13	9	2	3	83	7	8	5	7	28	17	32	51	57	42	14	.	.
85	Nenagh,	402	283	55	7	14	4	2	82	9	4	9	12	10	18	20	44	36	20	11	2	.
86	Parsonstown,	353	319	27	9	7	7	4	54	6	2	17	12	24	21	3	38	50	48	13	4	.
87	Roscrea,	225	155	19	4	1	1	.	25	2	3	3	7	8	10	10	27	27	23	6	1	.
88	Thurles,	443	310	59	9	6	4	5	83	10	4	10	15	13	33	30	40	37	28	5	1	.
89	Tipperary,	649	392	85	14	9	3	3	114	11	8	10	12	18	28	32	42	60	34	15	4	.
90	Tullamore,	362	294	44	13	6	5	5	71	7	7	11	9	17	17	21	35	52	36	9	2	.
91	Urlingford,	174	108	20	2	3	3	.	28	5	1	6	5	6	2	9	18	17	9	2	.	.
VI.—WESTERN.																						
92	Ballina,	365	183	25	11	5	3	1	45	11	4	5	6	11	13	18	23	18	19	9	1	.
93	Ballinasloe,	281	211	28	6	2	2	1	39	8	8	3	11	14	13	22	33	30	16	11	2	.
94	Ballinrobe,	348	166	28	10	12	2	6	58	11	7	2	5	6	8	12	19	20	15	4	1	.
95	Ballyvaghan,	54	21	3	1	1	1	1	7	.	1	1	2	2	.	.	3	1	4	.	.	.
96	Belmullet,	191	101	31	9	1	2	3	46	1	4	6	7	4	5	4	7	8	6	1	2	.
97	Boyle,	561	282	44	19	11	4	1	79	12	4	13	8	19	12	31	40	28	24	9	2	.
98	Castlebar,	309	138	24	5	2	3	3	37	6	4	3	8	7	7	16	12	21	13	1	1	.
99	Castlereagh,	547	257	44	9	5	8	5	71	7	6	4	9	13	13	27	44	29	21	9	3	.
100	Claremorris,	415	190	31	10	6	6	3	56	9	5	5	8	6	10	14	21	26	23	5	2	.
101	Clifden,	431	158	35	17	9	4	5	70	9	2	5	5	12	4	12	13	14	9	2	1	.

IRELAND.—**DEATHS** at different AGES registered in the year 1864—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS—*continued*.

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.		FEMALES.																			
		Total Births.	Total Deaths.	Ages at Death.																	
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
III.—EASTERN—*con.*																					
No.																					
43	CELBRIDGE,	237	161	27	7	8	3	1	46	7	4	6	7	5	8	16	20	21	17	.	4	.
44	DROGHEDA,	423	388	45	19	10	7	3	84	14	9	13	18	32	26	39	67	38	32	12	2	2
45	DUBLIN, NORTH,	1,911	1,550	206	91	36	29	15	377	55	27	34	86	153	155	141	195	193	93	28	6	2
46	DUBLIN, SOUTH,	2,576	2,371	377	156	87	42	44	706	99	51	48	92	193	177	212	291	268	175	44	7	8
47	DUNDALK,	584	346	44	10	8	9	4	75	16	5	9	15	21	23	24	47	47	47	14	3	.
48	DUNSHAUGHLIN,	115	100	5	6	2	2	.	15	5	.	6	5	5	7	8	24	13	9	2	.	1
49	GOREY,	282	172	20	10	4	1	.	35	8	4	3	7	6	12	15	18	27	26	8	2	1
50	KELLS,	223	136	11	4	3	4	1	23	.	1	.	5	9	11	14	15	24	26	3	5	.
51	NAAS,	513	354	53	25	7	9	8	102	20	12	10	10	26	19	27	44	45	31	5	3	.
52	NAVAN,	218	136	14	2	4	4	.	24	5	2	3	11	5	7	9	21	26	17	3	3	.
53	RATHDOWN,	680	551	92	21	19	12	7	151	26	15	9	25	34	49	42	67	68	43	17	4	1
54	RATHDRUM,	504	254	37	12	8	10	5	72	15	3	8	16	12	11	20	23	36	28	8	2	.
55	SHILLELAGH,	249	148	20	8	4	2	2	36	4	2	1	3	8	8	8	18	31	20	7	2	.
56	TRIM,	215	184	16	8	3	1	2	30	6	3	9	6	11	9	24	31	28	22	3	2	.
IV.—NORTH MIDLAND.																					
57	ATHLONE,	480	326	44	11	9	10	5	79	10	11	7	5	21	13	25	47	50	42	13	3	.
58	BALLYMAHON,	223	143	13	6	1	1	.	21	5	4	3	3	8	8	11	26	28	19	7	.	.
59	BAWNBOY,	260	150	18	6	6	3	.	33	6	2	3	5	11	10	7	19	24	28	2	.	.
60	CARRICK-ON-SHANNON,	293	191	25	6	7	4	5	47	2	2	4	11	6	9	17	31	30	21	9	2	.
61	CAVAN,	681	399	55	16	12	3	3	89	9	11	12	17	29	23	35	39	53	50	23	7	2
62	CLOGHER,	272	190	10	5	8	3	2	28	6	3	6	5	13	10	15	22	35	33	10	4	.
63	CLONES,	234	153	13	6	5	6	1	31	4	4	3	5	15	9	6	20	31	20	4	1	.
64	COOTEHILL,	414	277	33	10	7	5	2	57	4	7	12	7	20	17	19	49	53	24	8	.	.
65	DELVIN,	159	107	18	2	.	2	2	24	5	.	5	3	8	7	8	16	10	15	4	2	.
66	GRANARD,	386	258	44	14	4	5	1	68	8	6	7	8	13	14	13	43	37	25	13	2	1
67	LISNASKEA,	246	173	21	8	2	3	2	36	3	4	1	6	16	3	8	23	39	21	10	3	.
68	LONGFORD,	310	180	22	12	9	1	6	50	4	3	4	3	11	10	7	21	30	23	12	1	1
69	MOHILL,	313	166	13	7	3	1	3	27	2	7	4	7	9	13	13	31	28	18	5	2	.
70	MONAGHAN,	419	331	43	16	6	6	5	76	11	5	10	11	31	18	25	34	55	39	12	3	1
71	MULLINGAR,	382	297	29	17	8	6	5	65	16	8	12	13	11	18	16	32	53	36	16	1	.
72	OLDCASTLE,	285	143	20	7	3	1	1	32	3	2	4	1	11	7	6	16	24	29	5	3	.
73	ROSCOMMON,	309	198	24	7	3	2	1	37	4	3	3	2	13	8	21	47	29	27	3	1	.
74	STROKESTOWN,	302	165	27	5	5	3	4	44	6	2	6	4	10	6	14	24	28	13	7	1	.
V.—SOUTH MIDLAND.																					
75	ABBEYLEIX,	209	146	19	6	3	1	.	29	9	5	5	2	7	7	6	26	22	18	9	1	.
76	ATHY,	343	269	26	12	7	2	5	52	13	8	15	16	23	11	24	36	34	27	9	.	1
77	BORRISOKANE,	112	71	11	2	2	2	.	17	2	2	1	3	4	3	11	14	5	8	1	.	.
78	CARLOW,	494	447	48	24	13	6	6	97	9	13	14	12	30	21	48	49	73	57	22	2	.
79	CASHEL,	402	296	48	9	4	2	4	67	12	8	12	10	20	13	24	46	36	32	16	.	.
80	CASTLECOMER,	201	136	23	6	6	1	1	37	5	2	1	3	4	6	7	13	31	19	6	2	.
81	DONAGHMORE,	89	55	10	1	.	.	.	11	2	.	2	.	3	4	1	12	8	6	6	.	.
82	EDENDERRY,	228	172	16	8	2	4	3	33	6	8	5	4	3	8	13	22	33	22	11	3	1
83	KILKENNY,	386	387	49	17	9	9	11	95	15	7	8	8	26	25	36	43	70	41	10	3	.
84	MOUNTMELLICK,	393	317	31	9	6	5	2	53	9	10	12	17	17	21	26	49	51	36	14	2	.
85	NENAGH,	377	271	30	15	9	5	4	63	8	9	9	4	21	16	20	28	50	35	5	3	.
86	PARSONSTOWN,	379	275	34	6	10	1	5	56	12	3	5	10	12	21	24	31	52	35	12	1	1
87	ROSCREA,	193	162	15	8	3	2	4	32	8	2	5	4	15	7	11	22	22	25	5	4	.
88	THURLES,	399	302	43	12	2	4	6	67	11	5	3	10	18	19	31	45	43	36	9	4	1
89	TIPPERARY,	551	327	52	20	8	10	1	91	5	5	5	11	13	24	23	50	49	34	14	3	.
90	TULLAMORE,	339	271	35	16	10	4	7	72	9	3	8	9	16	3	24	35	43	35	10	4	.
91	URLINGFORD,	155	115	8	4	2	2	.	16	3	1	3	3	5	5	11	21	21	19	5	2	.
VI.—WESTERN.																					
92	BALLINA,	315	182	20	6	8	4	2	40	8	4	6	4	11	14	9	32	27	23	4	.	.
93	BALLINASLOE,	251	202	19	7	2	3	2	33	6	5	2	8	5	15	23	29	35	29	9	3	.
94	BALLINROBE,	289	166	21	9	4	7	3	44	9	5	5	8	8	7	12	22	21	18	7	.	.
95	BALLYVAGHAN,	52	44	3	6	2	2	.	13	.	.	1	.	.	4	6	7	6	5	2	.	.
96	BELMULLET,	172	106	18	9	2	5	1	35	8	1	2	5	8	5	11	6	11	8	5	1	.
97	BOYLE,	506	284	34	17	16	8	4	79	9	10	12	11	13	15	30	44	26	25	8	2	.
98	CASTLEBAR,	265	162	23	6	9	3	2	43	11	4	6	5	7	9	18	19	18	19	2	1	.
99	CASTLEREAGH,	507	223	29	16	14	9	3	71	6	2	6	5	11	19	19	27	31	22	3	.	1
100	CLAREMORRIS,	356	191	31	11	3	6	5	56	8	5	1	11	12	9	16	25	21	20	5	1	1
101	CLIFDEN,	379	169	35	15	8	1	6	65	10	1	3	8	14	10	10	17	15	12	2	2	.

IRELAND.—**DEATHS** at different AGES registered in the year 1864—in the DIVISIONS and SUPERINTENDENT REGISTRARS' DISTRICTS—*continued.*

DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.		MALES.																			
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																	
				Under 1 year.	1	2	3	4	Under 5 years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95 and upwards.	Unspecified.
VI.—WESTERN—*con.*																					
No.																					
102	CORROFIN,	96	48	12	1	.	.	1	14	1	.	2	1	4	1	2	9	7	6	1	.	.
103	DROMORE, WEST,	290	125	27	5	4	1	.	37	3	3	4	6	5	5	9	12	23	15	3	.	.
104	ENNIS,	306	201	28	5	5	2	1	41	4	3	7	5	8	17	27	31	35	15	7	1	.
105	ENNISTIMON,	315	146	31	4	4	1	1	41	6	2	2	7	12	6	9	22	14	16	7	2	.
106	GALWAY,	582	435	71	40	35	20	7	173	35	11	8	9	17	28	33	42	33	35	10	.	1
107	GLENNAMADDY,	227	114	17	10	3	.	2	32	9	.	2	5	5	4	11	18	18	7	3	.	.
108	GORT,	198	135	19	6	3	1	2	31	4	4	1	1	6	4	12	31	25	11	5	.	.
109	KILLADYSERT,	166	76	16	2	.	.	1	19	2	1	1	5	3	4	8	8	12	10	2	1	.
110	KILLALA,	122	70	7	1	3	.	1	12	4	2	2	5	4	5	2	5	11	14	3	1	.
111	KILRUSH,	453	246	37	9	3	10	4	63	10	4	11	12	11	14	21	28	32	24	10	5	1
112	LOUGHREA,	319	199	32	8	5	3	1	49	5	8	1	4	8	10	23	25	25	24	14	1	2
113	MOUNTBELLEW,	233	149	26	10	4	2	3	45	7	4	4	3	11	9	8	17	23	13	5	.	.
114	NEWPORT,	218	90	21	8	6	.	2	37	3	.	5	4	5	5	9	7	6	7	1	1	.
115	OUGHTERARD,	311	153	35	15	14	8	8	80	9	3	7	5	6	5	10	9	8	8	1	2	.
116	PORTUMNA,	136	99	13	3	4	1	.	21	1	1	2	2	7	4	10	12	21	14	4	.	.
117	SCARRIFF,	187	83	15	6	3	.	1	25	1	1	1	4	3	4	7	8	13	13	2	.	1
118	SWINEFORD,	702	243	32	11	9	4	7	63	9	3	9	11	14	9	20	37	37	19	9	3	.
119	TOBERCURRY,	370	138	31	6	6	2	1	46	4	3	2	4	12	7	10	14	18	14	3	.	1
120	TUAM,	398	223	34	20	14	8	9	85	15	2	3	10	16	19	13	26	20	12	.	2	.
121	TULLA,	178	106	18	4	3	2	1	28	3	.	3	8	6	.	6	14	18	14	6	.	.
122	WESTPORT,	326	188	26	14	7	3	5	55	7	2	3	10	10	11	15	17	27	21	8	2	.
VII.—SOUTH-EASTERN.																						
123	CALLAN,	280	213	38	5	15	7	7	72	11	3	3	3	11	4	17	26	27	29	6	1	.
124	CARRICK-ON-SUIR,	368	370	72	21	15	11	6	125	14	10	9	15	19	12	22	43	47	34	13	6	1
125	CLOGHEEN,	304	203	33	12	4	1	2	52	5	3	8	8	12	15	16	28	33	18	4	.	1
126	CLONMEL,	373	287	49	21	7	2	2	81	15	7	11	13	16	17	24	41	33	19	7	3	.
127	DUNGARVAN,	313	206	28	10	3	3	3	47	8	6	8	9	18	12	20	24	28	15	9	2	.
128	ENNISCORTHY,	552	400	56	7	4	4	7	78	6	7	11	20	26	25	24	65	68	51	17	2	.
129	FERMOY,	454	307	51	14	7	6	4	82	11	7	7	3	21	23	32	29	48	32	11	1	.
130	KILMACTHOMAS,	211	140	19	9	6	3	3	40	5	3	1	9	6	7	15	15	18	16	5	.	.
131	LISMORE,	241	209	31	15	6	10	9	71	9	4	6	10	14	10	20	25	18	16	4	2	.
132	MIDDLETON,	405	291	36	17	7	7	8	75	20	9	13	19	16	16	27	23	41	24	6	2	.
133	MITCHELSTOWN,	277	148	25	10	2	3	2	42	1	6	2	9	4	5	13	26	19	16	3	2	.
134	NEW ROSS,	461	376	56	13	7	7	6	89	22	14	12	15	13	20	29	43	64	39	12	1	3
135	THOMASTOWN,	224	181	21	5	10	5	1	42	5	2	4	12	6	5	18	28	27	20	10	2	.
136	WATERFORD,	764	571	90	25	15	11	7	148	31	15	20	26	38	49	44	76	65	37	13	4	5
137	WEXFORD,	498	418	62	9	8	9	4	92	10	9	15	29	30	21	33	34	69	54	19	3	.
138	YOUGHAL,	300	226	32	10	5	4	7	58	9	4	5	10	14	9	18	37	34	20	4	3	1
VIII.—SOUTH-WESTERN																						
139	BANDON,	385	173	24	13	3	6	3	49	10	.	6	7	8	11	10	17	34	16	4	.	1
140	BANTRY,	189	92	9	8	2	5	2	26	3	3	3	2	5	4	7	11	9	17	1	1	.
141	CAHERSIVEEN,	344	117	16	12	2	3	3	36	7	1	6	2	7	3	12	10	17	11	5	.	.
142	CASTLETOWN,	236	119	28	5	5	5	5	48	10	4	3	7	6	3	5	8	8	10	6	1	.
143	CLONAKILTY,	402	218	32	9	9	8	4	62	2	3	4	14	10	9	14	29	28	31	10	2	.
144	CORK,	1,878	1,436	235	84	34	34	24	411	55	27	46	82	118	142	135	184	110	98	24	3	1
145	CROOM,	239	137	27	8	2	2	.	39	4	2	5	4	7	10	12	18	16	17	2	1	.
146	DINGLE,	300	126	17	3	5	6	5	36	4	3	4	5	6	6	9	14	14	21	3	1	.
147	DUNMANWAY,	243	120	23	9	9	1	4	46	7	3	2	6	9	5	6	14	10	7	3	2	.
148	GLIN,	212	102	18	2	5	2	.	27	3	2	1	4	7	9	3	11	13	19	3	.	.
149	KANTURK,	519	300	76	19	12	8	1	116	15	5	10	15	15	9	28	31	25	24	5	1	1
150	KENMARE,	280	168	34	11	8	8	7	68	12	4	5	4	9	8	9	10	15	17	6	1	.
151	KILLARNEY,	670	346	60	32	14	8	6	120	11	10	4	14	24	17	27	34	29	41	14	1	.
152	KILMALLOCK,	460	333	59	19	7	8	2	95	11	6	13	14	18	14	26	49	47	28	10	2	.
153	KINSALE,	268	187	25	11	9	4	5	54	5	.	5	7	16	7	16	23	23	23	6	1	1
154	LIMERICK,	1,123	830	146	31	23	10	8	218	28	16	28	31	44	65	94	119	108	57	13	5	4
155	LISTOWEL,	429	207	32	15	7	4	6	64	7	10	5	8	8	10	17	25	22	20	6	3	2
156	MACROOM,	453	231	40	7	6	7	3	63	8	6	10	10	10	8	14	27	38	28	8	1	.
157	MALLOW,	427	289	52	13	9	8	6	88	13	6	7	4	19	14	27	37	40	25	7	2	.
158	MILLSTREET,	242	121	19	5	5	2	1	32	3	4	5	6	7	7	8	19	12	10	8	.	.
159	NEWCASTLE,	496	273	53	18	9	11	2	93	9	7	6	17	15	10	24	43	28	12	5	2	2
160	RATHKEALE,	211	151	25	7	3	5	4	44	3	1	4	5	6	9	17	17	26	14	4	1	.
161	SKIBBEREEN,	448	267	37	21	12	7	5	82	15	7	2	17	15	12	15	39	29	25	8	1	.
162	SKULL,	183	89	9	10	7	3	3	32	9	4	5	4	4	6	4	4	12	4	1	.	.
163	TRALEE,	747	464	80	44	25	19	17	185	35	12	19	16	21	23	29	33	49	31	7	3	1

IRELAND.—**DEATHS** at different Ages registered in the year 1864—in the Divisions and Superintendent Registrars' Districts—*continued.*

Divisions and Superintendent Registrars' Districts.		Females.																				
		Total Births.	Total Deaths.	Ages at Death.																		
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
VI.—WESTERN—*con.*																						
No.																						
102	Corrofin,	87	51	11	1	2	1	.	15	.	.	1	2	5	1	4	8	6	7	2	.	.
103	Dromore, West,	243	145	22	10	1	3	1	37	5	4	2	2	8	3	6	12	36	22	7	.	1
104	Ennis,	299	213	30	12	6	3	1	52	5	5	3	14	12	10	15	28	33	21	11	4	.
105	Ennistimon,	285	142	19	4	3	.	.	26	5	3	8	7	6	7	20	15	23	16	5	1	.
106	Galway,	540	413	67	32	23	19	13	154	33	7	7	20	23	17	32	44	34	32	8	2	.
107	Glennamaddy,	241	101	13	3	5	1	1	23	.	4	4	.	6	6	8	16	18	11	5	.	.
108	Gort,	205	107	9	5	2	6	1	23	5	1	.	4	5	9	12	11	23	10	3	1	.
109	Killadysert,	151	84	17	2	1	.	1	21	9	2	2	1	1	6	4	13	11	11	2	1	.
110	Killala,	118	79	12	3	2	2	1	20	3	.	3	4	3	3	10	10	10	9	4	.	.
111	Kilrush,	389	240	27	11	5	5	2	50	11	3	8	5	14	12	19	28	39	33	14	4	.
112	Loughrea,	331	222	23	6	7	4	4	44	8	6	3	5	5	14	18	47	36	21	10	4	1
113	Mountbellew,	227	182	33	7	8	2	4	54	1	4	5	5	6	11	16	25	27	23	4	1	.
114	Newport,	209	84	23	5	6	3	.	37	.	2	1	2	4	4	9	8	6	9	2	.	.
115	Oughterard,	293	149	18	12	11	10	7	58	14	3	1	6	9	3	7	19	12	15	2	.	.
116	Portumna,	147	90	9	3	5	1	1	19	4	2	2	1	5	6	3	12	19	14	2	.	1
117	Scarriff,	175	98	12	3	2	.	1	18	.	1	2	5	8	2	7	20	19	15	.	1	.
118	Swineford,	625	232	39	14	8	4	3	68	9	7	3	9	11	15	27	30	23	25	5	.	.
119	Tobercurry,	319	125	21	8	6	2	2	39	2	6	3	9	7	6	9	15	18	9	1	.	1
120	Tuam,	386	227	34	13	7	13	.	67	15	3	6	14	9	17	21	26	27	18	2	2	.
121	Tulla,	155	87	14	4	1	1	.	20	.	1	2	4	1	5	7	16	16	11	4	.	.
122	Westport,	333	178	27	7	11	1	4	50	2	11	3	8	12	11	15	23	18	15	7	3	.
VII.—SOUTH-EASTERN.																						
123	Callan,	239	222	16	13	6	3	7	45	17	4	7	5	7	13	17	31	36	31	7	2	.
124	Carrick-on-Suir,	360	364	56	20	16	7	12	111	19	8	7	9	24	12	36	46	49	37	6	.	.
125	Clogheen,	323	202	29	12	1	3	2	47	5	.	7	6	5	10	22	33	31	29	6	1	.
126	Clonmel,	325	335	47	11	8	3	3	72	10	10	7	11	20	32	22	57	58	27	9	.	.
127	Dungarvan,	331	230	28	12	4	6	3	53	8	1	6	7	11	17	18	30	40	28	10	1	.
128	Enniscorthy,	508	424	53	15	9	5	5	87	9	11	14	12	20	21	34	46	85	71	11	3	.
129	Fermoy,	472	296	34	14	11	9	6	74	10	6	9	7	12	15	27	27	53	43	12	1	.
130	Kilmacthomas,	243	145	20	3	7	6	.	36	9	3	2	2	6	12	10	20	20	23	2	.	.
131	Lismore,	196	186	18	12	9	9	8	56	8	5	5	4	8	10	14	22	23	24	6	1	.
132	Middleton,	369	329	30	14	11	4	9	68	22	9	8	13	20	14	25	41	59	34	13	2	1
133	Mitchelstown,	260	158	22	10	3	1	2	38	4	2	6	7	10	9	12	24	24	16	6	.	.
134	New Ross,	468	411	43	13	9	7	6	78	22	8	9	13	13	22	42	49	71	60	18	4	2
135	Thomastown,	236	209	24	4	3	5	.	36	5	4	3	4	12	8	24	22	44	33	11	3	.
136	Waterford,	722	603	83	17	10	10	4	124	21	19	23	22	37	38	55	79	100	59	21	5	.
137	Wexford,	515	448	48	14	16	6	4	88	19	8	11	20	25	28	34	49	82	63	17	3	1
138	Youghal,	279	264	37	12	3	7	6	65	8	7	8	6	15	10	19	32	51	33	5	4	1
VIII.—SOUTH-WESTERN																						
139	Bandon,	357	208	27	6	7	5	5	50	9	3	7	9	14	8	17	30	26	24	10	1	.
140	Bantry,	184	85	7	6	8	3	2	26	2	2	5	2	2	5	4	17	11	8	1	.	.
141	Cahersiveen,	273	128	23	8	2	3	2	38	7	3	3	2	11	9	6	11	19	14	4	1	.
142	Castletown,	209	139	26	12	8	3	7	56	10	4	2	5	7	8	7	9	16	16	4	1	.
143	Clonakilty,	355	231	29	13	7	1	5	55	9	3	8	5	12	7	12	27	41	38	11	3	.
144	Cork,	1,765	1,320	194	68	49	34	19	364	50	26	45	55	102	108	137	155	144	101	28	3	2
145	Croom,	200	118	14	5	3	.	4	26	4	.	5	2	6	9	13	18	17	15	2	1	.
146	Dingle,	287	132	11	7	7	1	4	30	7	3	3	9	8	10	7	24	22	7	2	.	.
147	Dunmanway,	247	128	17	9	10	2	2	40	8	4	2	5	5	4	9	15	16	15	3	2	.
148	Glin,	223	111	16	8	2	1	.	27	4	.	3	5	9	4	10	15	18	14	1	1	.
149	Kanture,	454	282	41	14	11	9	6	81	12	3	4	5	14	23	32	35	31	30	7	4	1
150	Kenmare,	253	139	24	11	11	5	2	53	16	3	7	2	7	5	4	10	14	13	4	1	.
151	Killarney,	644	347	44	30	16	8	8	106	11	14	5	9	25	13	21	36	52	41	12	2	.
152	Kilmallock,	458	326	41	15	6	5	3	70	10	4	7	11	23	20	30	46	63	33	5	4	.
153	Kinsale,	298	187	22	15	8	6	4	55	6	.	5	3	11	14	16	21	23	30	2	1	.
154	Limerick,	1,117	784	108	31	17	14	10	180	23	15	25	36	67	57	89	92	106	65	21	6	2
155	Listowel,	408	232	40	14	12	7	9	82	8	3	6	9	9	11	17	27	29	25	3	1	2
156	Macroom,	458	247	38	18	6	5	6	73	14	5	6	7	12	15	14	29	31	26	14	1	.
157	Mallow,	446	296	53	16	12	7	2	90	9	11	11	4	13	13	21	40	41	31	11	1	.
158	Millstreet,	231	105	20	7	3	1	2	33	4	2	2	.	8	4	2	15	11	19	5	.	.
159	Newcastle,	479	260	45	16	10	12	7	90	16	7	4	4	20	13	26	24	30	21	3	.	2
160	Rathkeale,	245	175	23	7	3	.	3	36	8	4	9	5	13	7	14	21	24	23	5	5	1
161	Skibbereen,	427	242	31	26	13	6	2	78	11	8	7	10	15	12	9	26	29	27	8	1	1
162	Skull,	194	94	16	3	3	3	1	26	3	3	4	5	6	7	3	6	11	12	5	3	.
163	Tralee,	710	442	54	39	15	20	20	148	32	11	9	11	28	30	34	45	37	36	14	7	.

IRELAND.—**DEATHS** at different AGES registered in the year 1864—in the PROVINCES and COUNTIES.

No.	PROVINCES AND COUNTIES.*	MALES.																				
		Total Births.	Total Deaths.	Ages at Death.																		
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards	Ages unknown
	IRELAND, . .	70075	46346	7379	2556	1518	1029	776	13258	1956	1073	1475	2030	2867	2673	3590	5325	5690	4678	1372	284	75
	PROVINCES.																					
I.	LEINSTER, . .	16955	12743	2035	596	327	257	195	3410	509	274	378	538	883	827	1067	1515	1653	1280	335	54	20
II.	MUNSTER, . .	19367	12278	2070	661	365	278	204	3578	482	260	369	541	717	752	1029	1525	1481	1105	331	80	28
III.	ULSTER, . . .	23035	15692	2338	972	595	375	280	4560	721	411	582	742	965	814	1038	1593	1848	1766	523	112	17
IV.	CONNAUGHT, .	10718	5633	936	327	231	119	97	1710	244	128	146	209	302	280	456	692	708	527	183	38	10
	I.—LEINSTER.																					
1	CARLOW, . . .	575	430	57	28	11	18	9	123	22	7	9	14	23	19	39	45	66	47	12	4	.
2	DUBLIN, . . .	5609	4476	878	275	123	95	70	1441	188	101	131	199	369	386	400	505	420	268	54	4	10
3	KILDARE, . .	1157	861	119	36	18	20	18	211	41	21	21	34	70	60	65	103	126	84	21	4	.
4	KILKENNY, . .	1305	1018	163	38	41	29	19	290	55	16	25	46	43	46	95	135	128	104	25	9	1
5	KING'S, . . .	993	808	100	29	18	16	13	176	23	15	31	28	52	49	63	98	132	108	27	6	.
6	LONGFORD, . .	1071	588	91	39	13	7	9	159	22	10	21	19	24	32	39	60	84	84	27	7	.
7	LOUTH, . . .	1246	977	117	43	26	23	18	227	38	19	41	43	83	49	75	115	123	129	29	4	2
8	MEATH, . . .	864	589	62	18	15	4	6	105	21	11	19	31	38	32	58	86	90	73	20	4	1
9	QUEEN'S . . .	790	597	88	24	14	5	5	136	15	12	11	15	47	26	51	85	101	69	24	3	2
10	WESTMEATH, . .	543	367	54	10	9	8	3	84	9	13	3	7	19	22	36	54	48	53	17	1	1
11	WEXFORD, . .	1785	1383	195	33	25	23	19	295	43	37	41	76	78	77	99	157	244	169	57	7	3
12	WICKLOW, . . ,	1017	649	111	23	14	9	6	163	32	12	25	26	37	29	47	72	91	92	22	1	.
	II.—MUNSTER.																					
13	CLARE, . . .	1755	927	160	32	19	16	11	238	27	12	28	44	49	46	80	123	132	102	35	9	2
14	CORK, . . .	7309	4614	753	265	143	118	87	1366	196	98	135	222	297	290	379	558	520	410	115	23	5
15	KERRY, . .	2770	1428	239	117	61	48	44	509	76	40	43	49	75	67	103	126	146	141	41	9	3
16	LIMERICK, . .	2741	1826	328	85	49	38	16	516	58	34	57	75	97	117	176	257	238	147	37	11	6
17	TIPPERARY, . .	2895	1987	350	82	48	20	18	518	58	38	62	82	104	142	170	278	269	187	59	14	6
18	WATERFORD, . .	1897	1496	240	80	45	38	28	431	67	38	44	69	95	90	121	183	176	118	44	14	6
	III.—ULSTER.																					
19	ANTRIM, . . .	4994	3446	610	282	157	103	83	1235	200	109	129	177	193	211	240	283	294	302	62	8	3
20	ARMAGH, . . .	2917	1924	304	112	73	38	40	567	95	55	80	94	125	115	139	194	223	159	65	10	3
21	CAVAN, . . .	1897	1127	138	50	23	12	9	232	37	12	29	53	80	50	82	161	164	176	42	9	.
22	DONEGAL, . .	2154	1488	197	99	83	36	26	441	63	40	53	74	98	57	90	162	179	160	59	10	2
23	DOWN, . . .	3601	2485	375	152	75	75	36	713	124	75	106	105	147	136	159	226	315	285	79	13	2
24	FERMANAGH, . .	937	653	84	33	17	16	5	155	24	17	23	36	37	37	38	67	89	82	41	6	1
25	LONDONDERRY, .	2269	1617	244	79	56	35	24	438	70	30	52	74	110	86	97	168	203	208	59	19	3
26	MONAGHAN, . .	1449	989	132	57	33	15	19	256	20	23	35	35	54	47	67	127	138	139	34	13	1
27	TYRONE, . . .	2817	1963	254	108	78	45	38	523	88	50	75	94	121	75	126	205	243	255	82	24	2
	IV.—CONNAUGHT.																					
28	GALWAY, . . .	3116	1876	310	135	93	49	38	625	102	43	36	55	102	100	154	226	217	149	55	8	4
29	LEITRIM, . . .	1109	495	71	18	15	11	8	123	13	9	12	16	26	18	40	75	78	50	31	3	1
30	MAYO, . . .	2996	1369	225	79	51	23	31	409	61	31	40	64	67	73	110	148	174	135	41	14	2
31	ROSCOMMON, . .	2226	1259	209	65	46	22	14	356	43	28	37	50	67	61	114	172	156	124	38	11	2
32	SLIGO, . . .	1271	634	121	30	26	14	6	197	25	17	21	24	40	28	38	71	83	69	18	2	1

* The *Registration Counties* consist of groups of Superintendent Registrars' Districts or Poor Law Unions. Whenever a District hence all the *Registration* Counties diff

IRELAND.—**DEATHS** at different Ages registered in the year 1864—in the PROVINCES and COUNTIES.

No.	PROVINCES AND COUNTIES.*	FEMALES.																			
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																	
				Under 1 year.	1	2	3	4	Under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
	IRELAND. . .	66339	46798	6046	2434	1533	1024	738	11775	1998	1108	1466	1758	3059	2819	3645	5521	6422	5250	1569	339	69
I.	LEINSTER, . .	16127	12607	1654	621	350	216	173	3014	504	263	330	485	831	833	1078	1619	1864	1354	408	90	24
II.	MUNSTER, . .	18429	12258	1700	650	382	263	214	3209	493	257	344	394	753	724	1016	1545	1728	1320	371	90	14
III.	ULSTER, . .	21871	16108	1899	872	582	392	254	3999	778	456	666	671	1180	948	1071	1591	2065	1980	616	122	25
IV.	CONNAUGHT, .	9912	5675	793	291	219	153	97	1553	223	132	126	208	295	314	480	766	765	596	174	37	6
	I.—LEINSTER.																					
1	CARLOW, . . .	494	447	48	24	13	6	6	97	9	13	14	12	30	21	48	49	73	57	22	2	.
2	DUBLIN, . . .	5130	4054	701	275	145	83	68	1272	193	96	99	205	391	393	410	575	551	340	100	18	11
3	KILDARE, . . .	1093	734	106	44	22	14	14	200	40	24	31	33	54	38	67	100	100	75	14	7	1
4	KILKENNY, . .	1217	1039	120	44	25	20	19	229	45	18	22	23	54	57	95	130	202	143	39	12	.
5	KING'S, . . .	946	718	85	30	22	9	15	161	27	14	18	23	31	32	61	88	128	92	33	8	2
6	LONGFORD, . .	919	581	79	32	14	7	7	139	17	13	14	14	32	32	31	90	95	67	32	3	2
7	LOUTH, . . .	1256	941	118	39	23	19	10	209	36	19	26	36	70	57	84	143	117	100	34	7	3
8	MEATH, . . .	771	556	46	20	12	11	3	92	16	6	18	27	30	34	55	91	91	74	11	10	1
9	QUEEN'S, . . .	691	518	60	16	9	6	2	93	20	15	19	19	27	32	33	87	81	60	29	3	.
10	WESTMEATH, . .	541	404	47	19	8	8	7	89	21	8	17	16	19	25	24	48	63	51	20	3	.
11	WEXFORD, . . .	1773	1455	164	52	38	19	15	288	58	31	37	52	64	83	125	162	265	220	54	12	4
12	WICKLOW, . . .	996	570	80	26	18	14	7	145	22	6	15	25	29	29	45	58	98	75	20	5	.
	II.—MUNSTER.																					
13	CLARE, . . .	1593	959	133	43	22	12	5	215	30	15	27	38	47	47	82	135	153	119	40	11	.
14	CORK, . . .	7005	4611	644	263	173	106	86	1272	191	98	139	148	278	276	366	549	618	497	145	28	6
15	KERRY, . . .	2575	1420	196	109	63	44	45	457	81	37	33	42	88	78	89	153	173	136	39	12	2
16	LIMERICK, . . .	2722	1774	247	82	41	32	27	429	65	30	53	63	138	110	182	216	258	171	37	17	5
17	TIPPERARY, . .	2682	1966	275	89	37	31	24	456	61	41	49	59	116	124	164	295	294	226	65	15	1
18	WATERFORD, . .	1852	1528	205	64	46	38	27	380	65	36	43	44	86	89	133	197	232	171	45	7	.
	III.—ULSTER.																					
19	ANTRIM, . . .	4849	3587	509	261	170	105	54	1099	211	92	170	180	299	246	232	296	361	289	92	14	6
20	ARMAGH, . . .	2705	2023	236	106	61	46	47	496	109	77	73	88	145	123	141	211	249	239	57	14	2
21	CAVAN, . . .	1946	1127	141	41	30	16	8	236	30	26	39	35	78	67	84	147	178	152	42	11	2
22	DONEGAL, . . .	2022	1504	166	95	65	47	18	391	65	39	54	56	100	80	101	120	187	228	69	13	1
23	DOWN, . . .	3224	2607	297	114	86	61	49	607	132	79	136	118	195	174	170	229	327	314	107	16	3
24	FERMANAGH, . .	918	698	70	37	24	17	8	156	32	18	14	19	51	22	47	72	118	102	35	12	.
25	LONDONDERRY, . .	2085	1657	170	76	50	33	26	355	75	51	72	70	113	81	115	167	221	246	74	9	8
26	MONAGHAN, . .	1434	978	113	42	28	22	10	215	32	24	27	33	70	51	63	131	167	128	28	8	1
27	TYRONE, . . .	2688	1987	197	100	68	45	34	444	92	50	81	72	129	104	118	218	257	283	112	25	2
	IV.—CONNAUGHT.																					
28	GALWAY, . . .	3000	1862	260	103	78	60	39	540	96	36	33	71	87	108	150	246	246	185	47	15	2
29	LEITRIM, . . .	979	556	59	20	24	11	12	126	12	12	12	24	26	34	47	80	86	67	23	7	.
30	MAYO, . . .	2682	1580	214	70	53	35	21	393	58	39	30	56	76	77	127	175	155	146	41	6	1
31	ROSCOMMON, . .	2104	1196	158	56	47	32	17	310	35	28	34	27	68	61	109	189	164	129	34	7	1
32	SLIGO, . . .	1147	681	112	42	17	15	8	184	22	17	17	30	38	34	47	76	114	69	29	2	2

Union extends into more than one County, it is assigned wholly to that County in which the greater portion of the population is located; more or less from the Counties *Proper*.

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1864—MALES.

Class.	CAUSES OF DEATH.	MALES.																		
		ALL AGES.	AGES AT DEATH.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
	ALL CAUSES, . .	46346	7379	2556	1518	1029	776	13258	1956	1073	1475	2030	2867	2673	3590	5325	5690	4678	1372	284	75
	SPECIFIED CAUSES,	42923	6419	2370	1411	963	732	11895	1874	992	1415	1944	2728	2547	3382	4906	5269	4337	1305	276	53
	(CLASSES.)																				
I.	ZYMOTIC DISEASES,	9542	1448	1096	729	545	432	4250	959	353	331	392	465	517	645	719	552	281	62	7	9
II.	CONSTITUTIONAL ,,	8719	554	422	245	166	128	1515	451	331	645	1014	1274	782	772	919	658	304	46	4	4
III.	LOCAL ,,	17397	2845	650	307	190	124	4116	366	231	320	422	822	1087	1777	2894	3135	1926	267	18	16
IV.	DEVELOPMENTAL ,,	5769	1473	122	41	14	4	1654	16	6	4	9	14	18	44	229	834	1772	919	246	4
V.	VIOLENT DEATHS, .	1496	99	80	89	48	44	360	82	71	115	167	153	143	144	145	90	54	11	1	20
	(ORDERS.)																				
I.	1. MIASMATIC DISEASES,	9184	1343	1064	712	536	427	4082	943	349	326	383	436	469	615	694	537	276	61	7	6
	2. ENTHETIC ,,	93	51	6	.	1	.	58	2	.	2	1	9	5	9	5	1	1	.	.	.
	3. DIETIC ,,	217	38	17	10	4	2	71	7	3	3	8	20	43	21	19	14	4	1	.	3
	4. PARASITIC ,,	48	10	9	7	4	3	39	7	1	.	.	.	.	.	1	.	.	.	.	.
II.	1. DIATHETIC ,,	1825	32	24	25	19	18	118	47	23	22	30	94	133	221	438	413	241	41	3	1
	2. TUBERCULAR ,,	6894	522	398	220	147	110	1397	404	308	623	984	1180	649	551	481	245	63	5	1	3
III.	1. DISEASES OF NERVOUS SYSTEM,	4825	1835	226	114	70	49	2294	148	102	102	114	206	240	317	466	437	330	59	3	7
	2. ,, ORGANS OF CIRCULATION, .	1465	9	4	2	1	.	16	10	26	51	50	136	183	215	297	319	131	26	3	2
	3. ,, RESPIRATORY ORGANS, .	7564	791	365	167	101	64	1488	142	56	75	134	251	370	756	1397	1643	1107	129	11	5
	4. ,, DIGESTIVE ORGANS, . .	2534	134	34	17	12	11	208	52	31	57	88	173	222	403	572	506	199	21	.	2
	5. ,, URINARY ORGANS, . .	743	19	3	3	3	.	28	5	4	16	18	37	54	67	131	204	149	29	1	.
	6. ,, ORGANS OF GENERATION,	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
	7. ,, ORGANS OF LOCOMOTION,	117	1	.	1	.	.	2	7	10	16	14	14	12	12	16	7	5	2	.	.
	8. ,, INTEGUMENTARY SYSTEM,	147	56	18	3	3	.	80	2	2	3	3	5	6	7	15	18	5	1	.	.
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN, .	310	241	59	7	2	.	309	.	.	.	1	.	.	.	.	.	.	.	.	.
	2. DEV. DISEASES, ADULTS	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. ,, OLD PEOPLE,	3603	.	.	.	.	.	.	.	.	.	.	.	.	.	.	735	1713	911	244	.
	4. DISEASES OF NUTRITION, . . .	1856	1232	63	34	12	4	1345	16	6	4	8	14	18	44	229	99	59	8	2	4
V.	1. ACCIDENT OR NEGLIGENCE, . . .	1299	52	78	88	47	44	309	79	68	108	95	133	117	125	113	75	50	10	1	16
	3. HOMICIDE, . .	34	5	.	.	1	.	6	.	1	2	4	6	8	2	4	.	.	.	.	1
	4. SUICIDE, . .	64	.	.	.	.	.	.	.	.	2	4	8	8	12	17	10	2	.	.	1
	5. EXECUTION, . .	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	VIOLENT DEATHS NOT CLASSED, . . .	97	42	2	1	.	.	45	3	2	3	4	5	10	5	10	5	2	1	.	2
	SUDDEN DEATHS, CAUSE UNASCERTAINED, .	300	12	2	.	.	.	14	1	9	8	15	15	26	55	59	48	37	8	.	5
	CAUSES NOT SPECIFIED, .	3123	948	184	107	66	44	1349	81	72	52	71	124	100	153	360	373	304	59	8	17

[*continued at page* 110.]

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1864—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.																			
		ALL AGES.	AGES AT DEATH.																		
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
	ALL CAUSES, . .	46798	6046	2434	1533	1024	738	11775	1998	1108	1466	1758	3059	2819	3645	5521	6422	5250	1569	339	69
	SPECIFIED CAUSES,	43215	5210	2227	1406	964	695	10502	1874	1047	1405	1686	2942	2678	3429	5028	5872	4892	1481	332	47
	(CLASSES.)																				
I.	ZYMOTIC DISEASES,	9522	1269	1096	707	573	413	4058	1013	383	358	383	573	518	584	637	604	339	54	9	9
II.	CONSTITUTIONAL, „	9032	447	352	274	164	124	1361	431	413	769	876	1285	898	970	991	694	278	51	8	7
III.	LOCAL, „	16048	2216	575	309	166	119	3385	355	215	255	349	767	962	1713	2975	3092	1711	232	22	15
IV.	DEVELOPMENTAL, „	7899	1196	130	41	12	3	1382	14	9	7	60	284	279	114	381	1424	2517	1131	293	4
V.	VIOLENT DEATHS, .	714	82	74	75	49	36	316	61	27	16	18	33	21	48	44	58	47	13	.	12
	(ORDERS.)																				
I.	1. MIASMATIC DISEASES,	9256	1188	1073	691	562	405	3919	998	378	351	374	544	503	575	625	584	337	54	9	5
	2. ENTHETIC „	86	44	3	1	1	.	49	.	.	.	1	20	8	5	2	.	.	.	.	1
	3. DIETIC „	130	28	10	9	3	5	55	4	3	7	8	9	6	4	10	19	2	.	.	3
	4. PARASITIC „	50	9	10	6	7	3	35	11	2	.	.	.	1	.	.	1	.	.	.	.
II.	1. DIATHETIC „	2240	18	25	26	20	23	112	29	15	24	37	122	187	410	529	488	231	47	8	1
	2. TUBERCULAR „	6792	429	327	248	144	101	1249	402	398	745	839	1163	711	560	462	206	47	4	.	6
III.	1. DISEASES OF NERVOUS SYSTEM,	4027	1442	203	88	51	47	1831	147	81	85	106	199	193	242	363	421	289	55	8	7
	2. „ ORGANS OF CIRCULATION, .	1412	3	2	4	4	2	15	21	32	46	65	116	129	212	339	272	138	22	2	3
	3. „ RESPIRATORY ORGANS, .	7869	620	323	192	92	54	1281	133	54	59	79	212	364	812	1690	1924	1111	138	11	1
	4. „ DIGESTIVE ORGANS, . .	2143	105	23	18	15	13	174	43	32	46	62	169	207	361	494	395	145	15	1	4
	5. „ URINARY ORGANS, . .	217	4	2	.	2	2	10	6	2	6	14	30	27	26	37	42	17	.	.	.
	6. „ ORGANS OF GENERATION,	185	.	1	.	.	.	1	.	1	4	9	31	35	45	33	19	6	1	.	.
	7. „ ORGANS OF LOCOMOTION,	88	3	2	1	1	.	7	3	13	9	13	5	3	9	12	11	3	.	.	.
	7. „ INTEGUMENTARY SYSTEM,	102	39	19	6	1	1	66	2	.	.	1	5	4	6	7	8	2	1	.	.
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN, .	240	164	62	12	1	.	239	1	.	.	.	.	.	.	.	.	.	.	.	.
	2. DEV. DISEASES, ADULTS	618	.	.	.	.	.	.	.	2	5	55	261	255	36	2	1	.	.	.	1
	3. „ OLD PEOPLE,	5155	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1295	2449	1118	292	1
	4. DISEASES OF NUTRITION, . . .	1886	1032	68	29	11	3	1143	13	7	2	5	23	24	78	379	128	68	13	1	2
V.	1. ACCIDENT OR NEGLIGENCE, . . .	643	48	72	74	49	35	278	59	27	16	17	26	15	44	39	54	45	13	.	1
	3. HOMICIDE, . . .	14	8	.	.	.	.	8	.	.	.	.	1	2	.	2	1	.	.	.	
	4. SUICIDE, . . .	20	.	.	.	.	.	.	.	.	.	.	6	4	4	3	1	1	.	.	1
	5. EXECUTION, . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	VIOLENT DEATHS NOT CLASSED, . . .	37	26	2	1	.	1	30	2	.	.	1	.	.	.	.	2	1	.	.	1
	SUDDEN DEATHS, CAUSE UNASCERTAINED, .	202	19	2	1	.	.	22	4	3	3	5	7	18	28	38	43	25	2	.	4
	CAUSES NOT SPECIFIED,	3381	817	205	126	60	43	1251	120	58	58	67	110	123	188	455	507	333	86	7	18

continued at page 111.]

IRELAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—MALES—*continued.*

Class.	CAUSES OF DEATH.	MALES.																		
		ALL AGES.	AGES AT DEATH.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
I.	ORDER 1.																				
	1. Small-pox,	457	113	48	36	27	21	245	51	26	30	59	26	14	2	4	.	.	.	.	.
	2. Measles,	326	64	97	51	26	22	260	43	10	5	3	3	2	.	.	.	.	.	.	.
	3. Scarlatina,	1,366	126	185	160	177	172	820	370	108	34	21	8	1	3	1	.	.	.	.	.
	4. Diphtheria,	321	42	43	37	42	30	194	69	19	9	10	6	5	5	1	1	2	.	.	.
	5. Quinsy,	162	45	23	23	16	5	112	21	8	3	6	4	2	2	4	.	.	.	.	.
	6. Croup,	1,019	222	283	200	117	88	910	101	5	1	1	.	.	.	.	.	.	.	.	1
	7. Whooping-cough,	777	324	209	106	52	32	723	48	6	.	.	.	.	.	.	.	.	.	.	.
	8. Fever,	2,676	42	45	38	42	27	194	175	130	208	231	286	351	446	395	192	53	11	2	2
	9. Erysipelas,	158	25	3	2	3	2	35	4	8	9	6	12	14	16	22	20	9	2	.	1
	10. Metria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Carbuncle,	38	1	.	.	.	.	1	.	1	.	.	2	.	4	8	8	11	3	.	.
	12. Influenza,	135	25	8	7	2	1	43	7	2	1	.	2	1	7	14	24	26	8	.	.
	13. Dysentery,	415	25	15	6	10	5	61	8	2	8	13	31	32	39	83	79	47	10	2	.
	14. Diarrhœa,	980	270	97	42	17	20	446	35	13	7	13	33	26	52	106	144	81	20	3	1
	15. Cholera,	66	15	4	.	1	1	21	6	1	2	2	6	3	10	9	3	3	.	.	.
	16. Ague,	7	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1	.	.	.
	17. Remittent Fever,	6	.	1	.	.	.	1	.	.	1	.	.	1	.	.	1	1	1	.	.
	18. Rheumatism,	230	.	.	.	.	.	.	3	8	5	12	14	12	26	38	63	42	6	.	1
	19. *Other Zymotic Dis.*,	45	4	3	4	4	1	16	2	2	3	4	2	5	3	6	2	.	.	.	1
	ORDER 2.																				
	1. Syphilis,	76	51	6	.	1	.	58	1	.	.	1	8	2	6	.	.	.	.	.	.
	2. Stricture of Urethra,	8	.	.	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	.	.
	3. Hydrophobia,	6	.	.	.	.	.	.	1	.	1	.	1	1	.	2	.	.	.	.	.
	4. Glanders,	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	ORDER 3.																				
	1. Privation,	24	3	1	.	.	.	4	.	.	.	1	.	5	3	1	5	3	.	.	12
	2. Want of Breast-milk,	29	25	3	.	.	.	28	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Purpura and Scurvy,	73	10	13	10	4	2	39	7	3	2	3	3	4	2	7	2	1	.	.	.
	4. Alcohol. { *a* Del. Trem.	44	.	.	.	.	.	.	.	.	.	2	9	21	7	2	3	.	.	.	.
	{ *b* Intemp.	47	.	.	.	.	.	.	.	.	1	2	8	13	9	9	4	.	1	.	.
	ORDER 4.																				
	1. Thrush,	18	15	1	1	1	.	18	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Worms, &c.,	30	1	8	6	3	3	21	7	1	.	.	.	.	.	1	.	.	.	.	.
II.	ORDER 1.																				
	1. Gout,	11	.	.	.	.	.	.	.	.	.	.	.	.	3	3	3	2	.	.	.
	2. Dropsy,	997	12	17	16	16	16	77	39	19	18	24	64	85	114	206	206	124	19	1	.
	3. Cancer,	664	.	1	1	.	1	3	2	1	3	3	22	45	96	210	169	93	17	.	.
	4. Noma,	14	4	2	2	2	.	10	2	.	.	.	.	.	1	1	.	.	.	.	.
	5. Mortification,	139	16	4	6	1	1	28	4	3	1	3	8	3	7	18	35	22	5	2	.
	ORDER 2.																				
	1. Scrofula,	685	62	39	32	14	17	164	52	72	72	100	87	36	39	37	16	9	.	1	.
	2. Tabes Mesenterica,	838	295	208	124	56	23	706	63	33	7	3	8	5	4	3	5	.	.	.	1
	3. Phthisis,	4,740	13	19	14	17	20	83	143	173	536	881	1083	608	508	440	224	54	5	.	2
	4. Hydrocephalus,	631	152	132	50	60	50	444	146	30	8	.	2	.	.	1	.	.	.	.	.
III.	ORDER 1.																				
	1. Cephalitis,	220	18	13	7	8	7	53	38	34	23	12	20	16	11	7	4	2	.	.	.
	2. Apoplexy,	489	1	.	1	.	.	2	4	.	5	18	34	45	71	124	106	66	12	.	2
	3. Paralysis,	957	.	1	5	3	3	12	2	9	11	15	43	64	118	197	221	217	43	3	2
	4. Insanity,	93	.	.	2	.	.	2	.	.	2	9	13	12	14	24	15	1	1	.	.
	5. Chorea,	2	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	6. Epilepsy,	184	6	2	4	3	4	19	7	9	12	20	33	24	19	19	15	7	.	.	.
	7. Convulsions,	2,183	1,772	186	78	41	24	2,101	52	16	5	2	1	2	1	.	1	.	.	.	2
	8. *Brain Disease, &c.*,	697	37	24	17	15	11	104	45	34	44	38	62	77	82	95	75	37	3	.	1

[*continued at page* 112.]

Note.—For the Causes of Death more in detail *see*

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1864—FEMALES—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																	
		All Ages.	Ages at Death.																
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
I.	ORDER 1.																				
	1. Small-pox,	397	89	55	33	22	25	224	53	22	38	26	25	3	4	1	.	1	.	.	.
	2. Measles,	304	54	79	50	35	20	238	39	12	6	3	6	.	.	.	.	.	.	.	.
	3. Scarlatina,	1,239	90	162	163	169	129	713	348	92	39	29	11	1	4	2	.	.	.	.	.
	4. Diphtheria,	340	33	51	38	39	27	188	90	27	6	7	10	5	2	1	2	1	.	.	1
	5. Quinsy,	169	31	33	21	13	16	114	26	8	5	2	3	2	.	5	1	3	.	.	.
	6. Croup,	917	175	269	154	113	74	785	123	6	2	.	1	.	.	.	.	.	.	.	.
	7. Whooping-Cough,	958	369	252	117	84	43	865	73	10	6	.	1	1	.	1	.	.	.	.	1
	8. Fever,	2,476	48	40	50	48	45	231	180	173	217	219	281	302	365	299	152	49	5	.	3
	9. Erysipelas,	141	21	4	7	1	5	38	7	7	5	2	9	12	16	16	19	9	1	.	.
	10. Metria,	273	.	.	.	.	.	.	.	.	9	54	125	76	9	.	.	.	.	.	.
	11. Carbuncle,	22	2	1	.	.	.	3	.	.	.	.	.	2	1	6	5	5	.	.	.
	12. Influenza,	176	22	6	4	3	3	38	3	1	1	2	1	5	13	31	45	31	5	.	.
	13. Dysentery,	410	19	11	12	7	5	54	12	1	2	9	24	31	50	62	95	57	10	3	.
	14. Diarrhœa,	982	222	100	39	25	10	396	31	8	9	14	32	33	61	121	145	110	17	5	.
	15. Cholera,	54	11	4	1	2	.	18	6	1	3	.	3	3	5	7	7	.	1	.	.
	16. Ague,	4	.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	.
	17. Remittent Fever,	8	1	.	1	1	.	3	3	1	.	.	.	1	.	.	.	.	.	.	.
	18. Rheumatism,	364	.	1	1	.	.	2	2	9	3	5	9	22	43	71	111	71	15	1	.
	19. *Other Zymotic Dis.*,	22	1	5	.	.	3	9	1	.	.	2	3	3	2	1	1	.	.	.	.
	ORDER 2.																				
	1. Syphilis,	84	44	3	1	1	.	49	.	.	.	1	19	8	5	1	.	.	.	.	1
	2. Stricture of Urethra,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Hydrophobia,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	4. Glanders,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	ORDER 3.																				
	1. Privation,	32	7	.	1	.	1	9	.	.	.	.	3	.	1	5	10	1	.	.	3
	2. Want of Breast-milk,	17	16	1	.	.	.	17	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Purpura and Scurvy,	70	5	9	8	3	4	29	4	3	7	8	4	2	2	5	5	1	.	.	.
	4. Alcohol. { *a* Del. Trem.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	4. Alcohol. { *b* Intemp.,	10	.	.	.	.	.	.	.	.	.	.	1	4	1	.	4	.	.	.	.
	ORDER 4.																				
	1. Thrush,	13	7	5	1	.	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Worms, &c.,	37	2	5	5	7	3	22	11	2	.	.	.	1	.	.	1	.	.	.	.
II.	ORDER 1.																				
	1. Gout,	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	2. Dropsy,	1,275	8	12	19	12	16	67	23	14	19	27	88	94	192	286	305	137	20	2	1
	3. Cancer,	834	.	3	1	1	1	6	1	.	5	6	30	91	208	228	167	72	19	1	.
	4. Noma,	20	1	7	2	3	3	16	1	.	.	.	.	.	2	1	.	.	.	.	.
	5. Mortification,	107	9	3	4	4	3	23	4	1	.	4	4	2	7	13	15	21	8	5	.
	ORDER 2.																				
	1. Scrofula,	539	52	32	34	15	18	151	50	42	58	46	57	37	38	37	19	4	.	.	.
	2. Tabes Mesenterica,	829	234	202	151	71	22	700	73	25	6	6	7	3	4	2	2	.	.	.	1
	3. Phthisis,	4,995	23	22	21	19	37	122	167	301	678	782	1097	671	518	423	185	43	4	.	4
	4. Hydrocephalus,	429	100	71	42	39	24	276	112	30	3	5	2	.	.	.	.	.	.	.	1
III.	ORDER 1.																				
	1. Cephalitis,	173	13	5	5	5	7	35	29	20	26	22	18	11	4	5	3	.	.	.	.
	2. Apoplexy,	341	.	.	.	.	.	.	1	1	5	8	34	25	55	80	80	42	9	1	2
	3. Paralysis,	951	.	2	1	4	1	8	12	5	5	11	46	52	103	191	260	209	41	7	1
	4. Insanity,	116	.	.	.	.	.	.	.	1	.	4	16	17	22	23	22	9	1	.	1
	5. Chorea,	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	6. Epilepsy,	161	5	2	5	1	2	15	5	6	13	18	26	29	17	13	10	8	1	.	.
	7. Convulsions,	1,798	1,399	176	64	33	23	1,695	58	15	4	4	5	8	3	.	3	1	.	.	2
	8. *Brain Disease, &c.*,	485	25	18	13	8	14	78	42	33	32	39	54	50	40	51	43	19	3	.	1

[*continued at page* 113.]

Supplementary Table of Causes of Death, pp. 116–117.

IRELAND.—CAUSES of **DEATH** at different Periods of Life in the Year 1864—MALES—*continued.*

Class.	CAUSES OF DEATH.	MALES.																		
		All Ages.	Age at Death.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
III.—*con.*	ORDER 2.																				
	1. Pericarditis,	39	1	.	.	.	.	1	2	3	2	1	8	7	6	3	4	2	.	.	.
	2. Aneurism,	65	.	.	.	.	.	.	.	.	i	3	13	16	12	12	5	3	.	.	.
	3. *Heart Disease, &c.*,	1,361	8	4	2	1	.	15	8	23	48	46	115	160	197	282	310	126	26	3	2
	ORDER 3.																				
	1. Laryngitis,	86	12	8	8	9	4	41	11	3	3	2	2	7	5	8	3	1	.	.	.
	2. Bronchitis,	5,104	609	273	120	60	39	1,101	69	23	22	39	96	155	439	915	1209	921	105	9	1
	3. Pleurisy,	207	1	2	1	1	1	6	7	1	8	10	19	17	33	47	38	16	5	.	.
	4. Pneumonia,	1,208	128	69	29	24	18	268	42	20	32	48	85	106	162	218	157	58	8	1	3
	5. Asthma,	479	.	1	.	.	.	1	2	.	.	9	12	32	53	134	155	74	7	.	.
	6. *Lung Disease, &c.*,	480	41	12	9	7	2	71	11	9	10	26	37	53	64	75	81	37	4	1	1
	ORDER 4.																				
	1. Gastritis,	102	6	3	3	1	3	16	2	2	1	2	8	11	14	29	13	3	1	.	.
	2. Enteritis,	346	43	16	3	2	.	64	15	9	13	14	16	22	43	67	59	21	3	.	.
	3. Peritonitis,	144	3	.	1	3	1	8	4	5	8	7	20	12	20	26	22	12	.	.	.
	4. Ascites,	151	.	.	1	.	2	3	7	2	5	7	10	15	24	39	26	11	2	.	.
	5. Ulceration of Intests.	82	4	.	1	.	.	5	.	.	2	2	7	13	14	20	15	4	.	.	.
	6. Hernia,	73	7	.	.	.	1	8	.	.	.	1	2	7	7	13	20	13	2	.	.
	7. Ileus,	259	35	3	1	2	1	42	6	3	4	8	15	19	31	42	62	24	3	.	.
	8. Intussusception,	33	.	.	.	.	.	.	.	.	3	2	4	2	7	4	5	6	.	.	.
	9. Stricture of Intestines,	24	.	.	.	.	.	.	.	.	.	.	1	.	5	11	5	2	.	.	.
	10. Fistula,	10	.	.	.	.	.	.	.	.	.	.	.	1	2	2	2	2	1	.	.
	11. *Stomach Disease, &c.*	609	20	8	3	.	3	34	10	5	7	19	36	40	88	144	160	59	7	.	.
	12. *Pancreas Disease, &c.*	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.
	13. Hepatitis,	89	.	.	1	1	.	2	1	1	1	2	7	12	20	24	14	5	.	.	.
	14. Jaundice,	108	14	4	3	1	.	22	4	2	4	3	9	4	18	12	18	11	1	.	.
	15. *Liver Disease, &c.*	493	2	.	.	2	.	4	3	2	9	18	36	63	108	139	83	25	1	.	2
	16. *Spleen Disease, &c.*	8	.	.	.	.	.	.	.	.	.	2	2	1	2	.	1	.	.	.	.
	ORDER 5.																				
	1. Nephritis,	20	.	1	.	1	.	2	1	.	.	.	2	1	1	1	7	4	1	.	.
	2. Ischuria,	121	14	1	1	1	.	17	.	1	1	1	5	1	4	11	34	40	6	.	.
	3. Nephria,	132	.	.	.	.	.	.	2	1	7	7	8	23	24	32	22	5	1	.	.
	4. Diabetes,	79	.	.	.	.	.	.	1	.	2	5	11	8	14	13	15	10	.	.	.
	5. Stone,	35	3	1	.	.	.	4	1	1	1	1	.	3	3	4	7	9	.	1	.
	6. Cystitis,	43	1	.	.	.	.	1	.	.	1	1	.	1	3	12	16	6	2	.	.
	7. *Kidney Disease, &c.*	313	1	.	2	1	.	4	.	1	4	3	11	17	18	58	103	75	19	.	.
	ORDER 6.																				
	1. Ovarian Dropsy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. *Uterus Disease, &c.*	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
	ORDER 7.																				
	1. Arthritis,	14	.	.	.	.	.	.	1	.	3	.	1	1	1	3	3	1	.	.	.
	2. *Joint Disease, &c.*	103	1	.	1	.	.	2	6	10	13	14	13	11	11	13	4	4	2	.	.
	ORDER 8.																				
	1. Phlegmon,	13	2	1	.	.	.	3	1	.	1	1	1	2	1	2	1	.	.	.	.
	2. Ulcer,	57	10	1	1	.	.	12	1	1	.	1	3	2	6	10	15	5	1	.	.
	3. *Skin Disease, &c.*	77	44	16	2	3	.	65	.	1	2	1	1	2	.	3	2	.	.	.	.
IV.	ORDER 1.																				
	1. Premature Birth,	141	141	.	.	.	.	141	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Cyanosis,	8	8	.	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Spina Bifida,	9	7	1	.	1	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.
	4. Other Malformations,	28	25	2	.	.	.	27	.	.	.	1	.	.	.	.	.	.	.	.	.
	5. Teething,	124	60	56	7	1	.	124	.	.	.	.	.	.	.	.	.	.	.	.	.
	ORDER 2.																				
	1. Paramenia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

[*continued at page* 114.]

IRELAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—FEMALES—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																		
		ALL AGES.	AGES AT DEATH.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
II.—	ORDER 2.																			
con.	1. Pericarditis,	24	.	.	.	.	.	.	6	3	2	2	5	1	2	4	3	1	.	.	.
	2. Aneurism,	21	.	.	.	.	.	.	.	.	.	.	7	3	2	6	3	3	.	.	.
	3. *Heart Disease, &c.*,	1,359	3	2	4	4	2	15	15	29	44	63	104	125	208	329	266	134	22	2	3
	ORDER 3.																			
	1. Laryngitis,	62	7	6	5	9	4	31	4	4	2	1	6	5	2	4	3	.	.	.	.
	2. Bronchitis,	5,825	482	242	142	65	34	965	77	21	19	30	108	206	580	1259	1506	929	114	10	1
	3. Pleurisy,	168	1	1	2	.	.	4	4	6	4	3	9	14	22	47	45	9	1	.	.
	4. Pneumonia,	795	105	65	38	13	12	233	36	14	21	29	50	70	78	114	102	39	9	.	.
	5. Asthma,	595	1	.	.	.	.	1	3	.	1	5	17	35	80	179	171	91	11	1	.
	6. *Lung Disease, &c.*,	424	24	9	5	5	4	47	9	9	12	11	22	34	50	87	97	43	3	.	.
	ORDER 4.																			
	1. Gastritis,	78	6	2	.	1	1	10	2	3	1	3	5	5	15	13	18	3	.	.	.
	2. Enteritis,	266	26	5	6	3	1	41	13	9	5	14	24	20	28	53	44	13	2	.	.
	3. Peritonitis,	126	1	1	1	.	.	3	2	4	9	10	27	18	16	21	12	4	.	.	.
	4. Ascites,	150	.	2	1	1	.	4	4	3	3	2	13	23	36	36	27	13	1	.	1
	5. Ulceration of Intests.,	52	1	1	.	.	1	3	2	3	3	5	4	7	8	9	6	2	.	.	.
	6. Hernia,	56	4	.	.	.	.	4	.	.	.	.	2	8	9	20	11	5	.	.	.
	7. Ileus,	135	32	2	.	.	.	34	2	2	1	3	8	6	23	27	34	14	1	.	.
	8. Intussusception,	15	1	.	.	1	1	3	1	.	1	1	.	2	4	2	.	1	.	.	.
	9. Stricture of Intestines,	19	.	.	.	.	.	.	.	.	.	.	1	1	2	7	7	1	.	.	.
	10. Fistula,	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	11. *Stomach Disease, &c.*,	554	16	7	5	6	6	40	10	6	11	12	40	41	93	136	113	45	7	.	.
	12. *Pancreas Disease, &c.*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	13. Hepatitis,	73	1	1	.	.	1	3	.	1	3	1	3	15	9	21	12	5	.	.	.
	14. Jaundice,	132	14	1	2	3	2	22	4	.	1	4	8	7	21	31	24	7	3	.	.
	15. *Liver Disease, &c.*,	445	3	1	3	.	.	7	3	1	7	7	31	52	94	117	87	31	1	1	3
	16. *Spleen Disease, &c.*,	5	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	.	.	.
	ORDER 5.																				
	1. Nephritis,	8	.	.	.	.	1	1	.	.	.	1	2	1	.	1	2	.	.	.	.
	2. Ischuria,	16	3	.	.	.	.	3	1	.	1	1	.	.	2	2	3	3	.	.	.
	3. Nephria,	78	.	1	.	1	1	3	2	.	1	6	18	7	11	15	13	2	.	.	.
	4. Diabetes,	30	.	.	.	.	.	.	1	2	1	1	1	11	6	4	3	.	.	.	.
	5. Stone,	6	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
	6. Cystitis,	5	.	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.	.
	7. *Kidney Disease, &c.*,	74	1	1	.	1	.	3	2	.	3	3	8	7	7	11	19	11	.	.	.
	ORDER 6.																				
	1. Ovarian Dropsy,	64	.	.	.	.	.	.	.	.	2	6	10	10	12	17	5	2	.	.	.
	2. *Uterus Disease, &c.*,	121	.	1	.	.	.	1	.	1	2	3	21	25	33	16	14	4	1	.	.
	ORDER 7.																				
	1. Arthritis,	11	.	1	.	.	.	1	1	2	1	.	1	.	1	2	2	.	.	.	.
	2. *Joint Disease, &c.*,	77	3	1	1	1	.	6	2	11	8	13	4	3	8	10	9	3	.	.	.
	ORDER 8.																				
	1. Phlegmon,	6	1	.	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	.
	2. Ulcer,	46	9	7	1	.	.	17	.	.	.	.	1	1	5	7	6	2	1	.	.
	3. *Skin Disease, &c.*,	56	25	12	5	1	1	48	2	.	.	1	2	2	1	.	.	.	.	.	.
	ORDER 1.																				
	1. Premature Birth,	105	105	.	.	.	.	105	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Cyanosis,	6	4	1	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Spina Bifida,	8	8	.	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.
	4. Other malformations,	14	9	3	1	.	.	13	1	.	.	.	.	.	.	.	.	.	.	.	.
	5. Teething,	107	38	58	11	.	.	107	.	.	.	.	.	.	.	.	.	.	.	.	.
	ORDER 2.																				
	1. Paramenia,	12	.	.	.	.	.	.	.	2	1	2	.	3	3	.	1	.	.	.	.
	2. Childbirth,	606	.	.	.	.	.	.	.		4	53	261	252	33	2	.	.	.	.	1

[*continued at page* 115.]

IRELAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—MALES—*continued.*

Class.	CAUSES OF DEATH.	MALES.																		
		All Ages.	Ages at Death.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
IV.—*con.*	ORDER 3.																			
	1. Old Age,	3,603	.	.	.	.	.	.	.	.	.	.	.	.	.	.	735	1713	911	244	.
	ORDER 4.																			
	1. Atrophy and Debility,	1,856	1,232	63	34	12	4	1345	16	6	4	8	14	18	44	229	99	59	8	2	4
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																				
	1. Fractures & Contusions	472	3	7	8	2	4	24	18	25	37	36	54	65	67	57	54	27	7	.	1
	2. Gunshot,	22	.	.	.	.	.	.	1	1	5	.	7	1	5	2	.	.	.	.	.
	3. Cut, Stab,	12	.	.	.	.	.	.	.	1	1	2	1	2	.	.	5	.	.	.	.
	4. Burns and Scalds,	285	22	52	64	37	31	206	31	8	2	4	7	3	6	6	2	9	1	.	.
	5. Poison,	14	.	1	1	.	.	2	3	1	2	.	1	2	2	1	.	.	.	.	.
	6. Drowning,	344	5	14	14	8	8	49	21	25	51	36	45	33	34	29	9	2	1	.	9
	7. Suffocation,	48	14	1	.	.	1	16	.	2	4	5	7	1	1	3	2	3	.	.	4
	8. *Otherwise*,	102	8	3	1	.	.	12	5	5	6	12	11	10	10	15	3	9	1	1	2
	ORDER 3. (HOMICIDE.)																				
	1. Murder & Manslaughter,	34	5	.	.	1	.	6	.	1	2	4	6	8	2	4	.	.	.	.	1
	ORDER 4. (SUICIDE.)																				
	1. Gunshot Wounds,	4	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	.	.
	2. Cut, Stab,	18	.	.	.	.	.	.	.	.	1	.	3	.	2	7	3	1	.	.	1
	3. Poison,	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	4. Drowning,	6	.	.	.	.	.	.	.	.	1	.	1	2	.	1	1	.	.	.	.
	5. Hanging,	23	.	.	.	.	.	.	.	.	.	3	.	4	4	8	3	1	.	.	.
	6. *Otherwise*,	11	.	.	.	.	.	.	.	.	.	.	3	1	4	1	2	.	.	.	.
	ORDER 5. (EXECUTION.)																				
	1. Hanging,	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	Other Violent Deaths (not classed),	97	42	2	1	.	.	45	3	2	3	4	5	10	5	10	5	2	1	.	2
	Sudden Deaths (Cause unascertained),	300	12	2	.	.	.	14	1	9	8	15	15	26	55	59	48	37	8	.	5
	Causes not specified or ill-defined,	3,123	948	184	107	66	44	1,349	81	72	52	71	124	100	153	360	373	304	59	8	17

IRELAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—FEMALES—*continued*.

Class.	CAUSES OF DEATH.	FEMALES.																			
		ALL AGES.	AGES AT DEATH.																		
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.	Unspecified.
IV.—*con.*	ORDER 3.																				
	1. Old Age,	5,155	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1295	2449	1118	292	1
	ORDER 4.																				
	1. Atrophy and Debility,	1,886	1,032	68	29	11	3	1,143	13	7	2	5	23	24	78	379	128	68	13	1	2
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																				
	1. Fractures & Contusions	136	1	4	5	3	2	15	6	6	4	4	3	5	14	12	20	27	10	.	1
	2. Gunshot,	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
	3. Cut, Stab,	6	.	.	.	.	.	.	.	1	2	.	2	.	.	1	.	.	.	.	.
	4. Burns and Scalds,	334	16	61	56	44	26	203	43	10	4	5	6	4	9	15	17	13	2	.	3
	5. Poison,	11	2	1	.	.	.	3	2	1	.	.	1	.	2	2	.	.	.	.	.
	6. Drowning,	96	8	3	10	2	7	30	7	3	2	6	12	3	13	7	6	2	1	.	4
	7. Suffocation,	23	12	1	.	.	.	13	1	.	2	1	1	2	2	1	.	.	.	.	.
	8. *Otherwise*,	35	9	2	3	.	.	14	.	4	2	1	1	1	4	1	2	5	.	.	2
	ORDER 3. (HOMICIDE.)																				
	1. Murder & Manslaughter	14	8	.	.	.	.	8	.	.	.	.	1	2	.	2	1	.	.	.	.
	ORDER 4. SUICIDE.)																				
	1. Gunshot Wounds,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Cut, Stab,	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.
	3. Poison,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	4. Drowning,	5	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	1
	5. Hanging,	7	.	.	.	.	.	.	.	.	.	.	1	2	2	1	1	.	.	.	.
	6. *Otherwise*,	3	.	.	.	.	.	.	,	.	.	.	1	2	.	.	.	.	.	.	.
	ORDER 5. (EXECUTION.)																				
	1. Hanging,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Other Violent Deaths (not classed),	37	26	2	1	.	1	30	2	.	.	1	.	.	.	.	2	1	.	.	1
	Sudden Deaths (Cause unascertained),	202	19	2	1	.	.	22	4	3	3	5	7	18	28	38	43	25	2	.	4
	Causes not specified or ill-defined,	3,381	817	205	126	60	43	1,251	120	58	58	67	110	123	188	475	577	333	86	7	18

IRELAND.—SUPPLEMENTARY TABLE of the

[In the foregoing Tables all the Diseases, either having a distinct character, or fatal to any considerable number of persons, are classified under 114 heads; some of which, however, include groups of very distinct diseases.—such as are fatal to only a *few persons*, or *diseases* which are often confounded with other diseases. The rule has been to refer the distinct diseases to heads under which the cases were so numerous that the additional numbers would not interfere with the calculated proportions. Where it is desired, partial correction,

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF MALES.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards	Unspecified.
	TOTAL, . . .	1579	129	58	35	14	7	243	41	42	72	71	122	134	143	254	271	152	31	2	1
Class I.																					
I.—1	Chicken Pox, . .	6	1	2	1	.	.	5	.	.	.	.	.	.	.	1	.	.	.	.	.
4	Cynanche Maligna, .	6	1	2	.	1	1	5	.	1	.	.	.	.	.	.	.	.	.	.	.
11	Boil, ...	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
18	Rheumatism, with Pericarditis, or diseased Heart, . . .	15	.	.	.	.	.	.	1	3	1	.	.	1	5	1	3	.	.	.	.
19	Mumps, . . .	17	4	2	4	3	1	14	.	.	.	.	1	1	.	.	1	.	.	.	.
	Pyæmia, . . .	23	.	.	.	1	.	1	1	2	2	4	1	2	3	6	1	.	.	.	.
III.—2	Inanition of Infancy, .	9	9	.	.	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Rickets, . .	29	6	11	9	1	1	28	1	.	.	.	.	.	.	.	.	.	.	.	.
IV.—2	Scabies, . . .	5	1	1	2	1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
	Hydatid, . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Class II.																					
I.—2	Anæmia, . . .	12	5	1	.	.	.	6	1	.	.	.	1	.	1	1	.	2	.	.	.
	Hydropericardium, .	5	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	.	.
3	Melanosis, . . .	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Fungus Hæmatodes, .	10	.	.	.	.	.	.	.	.	1	1	.	.	1	3	2	2	.	.	.
	Sweep's Cancer, . .	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	Lupus, . . .	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.
	Polypus, . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5	Gangræna senilis, .	46	.	.	.	.	.	.	.	.	.	.	.	.	.	4	18	20	3	1	.
	Bed-sore, . .	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	2	1	.	.
II.—1	Adenitis, . . .	2	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	White Swelling, .	18	.	.	.	1	.	1	1	3	2	.	5	.	2	3	.	1	.	.	.
	Psoas Abscess, . .	53	.	1	1	.	.	2	.	2	9	9	11	7	6	4	3	.	.	.	.
3	Hæmoptysis, . .	112	.	.	.	.	.	.	2	4	9	10	21	17	15	20	9	5	.	.	.
	Pneumothorax, . .	5	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.
Class XI.																					
I.—1	Myelitis, . . .	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
4	Grief, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Melancholy, . .	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
8	Neuralgia, . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Spinal Marrow Disease,	99	.	6	8	3	1	18	9	10	14	12	7	14	4	4	7	.	.	.	.
	Necrencephalus (Softening of Brain), .	97	.	.	.	.	.	.	1	.	4	4	5	14	16	23	21	8	1	.	.
	Ophthalmia, . .	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Otitis, . . .	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	Idiopathic Tetanus,	12	.	.	1	.	.	1	4	1	.	1	1	1	1	2	.	.	.	.	.
II.—1	Carditis, . . .	7	.	.	.	.	.	.	.	.	1	.	3	.	.	.	2	1	.	.	.
	Endocarditis, . .	6	.	.	.	.	.	.	.	.	1	.	3	.	.	1	1	.	.	.	.
3	Angina Pectoris, . .	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	2	.	.
	Syncope, . . .	6	3	.	.	.	.	3	.	.	.	.	.	.	.	2	1	.	.	.	.
	Hypertrophy, . .	12	.	.	.	.	.	.	1	.	.	1	3	2	.	1	1	3	.	.	.
	Phlebitis, . . .	5	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	.

[*continued at page* 118.]

Causes of Death at different Periods of Life, in the Year 1864.

however, can now be made by means of the following Supplementary Tables, containing many of the deaths from distinct diseases, such as mumps, epistaxis, dry gangrene, polypus, rickets, bronchocele, &c., &c., and deaths from other forms of disease, such as softening of the brain (necrencephalus), which are returned in many cases under other heads, as paralysis, &c.

These Tables are an extension of the Tables of Causes of Death in Ireland, pp. 108 to 115.]

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards	Unspecified
	Total, . . .	1354	82	43	24	9	20	178	33	32	44	82	193	188	138	191	158	98	15	4	.
Class I.																					
I.—1	Chicken-pox, . .	6	2	2	1	.	.	5	.	1	.	.	.	.	.	.	.	.	.	.	.
4	Cynanche Maligna, .	3	.	.	.	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
11	Boil, ...	3	2	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
18	Rheumatism, with Pericarditis, or diseased Heart, . . .	19	.	.	1	.	.	1	.	3	1	.	2	2	1	4	3	2	.	.	.
19	Mumps, . . .	9	.	5	.	.	3	8	1	.	.	.	.	.	.	.	.	.	.	.	.
	Pyæmia, . . .	12	1	.	.	.	.	1	.	.	.	2	3	3	1	1	1	.	.	.	.
III.—2	Inanition of Infancy, .	3	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Rickets, . . .	19	2	6	6	1	3	18	1	.	.	.	.	.	.	.	.	.	.	.	.
	Bronchocele, . .	5	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2	.	.	.	.
IV.—2	Porrigo, . . .	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	Scabies. . . .	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Tape Worm, . .	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	Hydatid, . . .	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Class II.																					
I.—2	Anæmia, . . .	12	2	.	.	1	.	3	.	.	2	1	1	1	2	1	.	1	.	.	.
	Hydropericardium, .	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
3	Melanosis, . . .	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	Fungus Hæmatodes, .	16	.	.	.	.	.	.	.	.	1	2	1	3	6	1	1	1	.	.	.
	Lupus, . . .	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	Polypus, . . .	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.
5	Gangræna senilis, .	38	.	.	.	.	.	.	.	.	.	.	.	.	1	5	7	16	5	4	.
	Bed-sore, . .	11	.	.	.	.	.	.	.	.	.	1	.	.	1	3	3	1	2	.	.
II.—1	White Swelling, . .	8	.	.	.	.	1	1	.	1	1	1	2	.	1	1	.	.	.	.	.
	Psoas Abscess, . .	32	1	.	1	.	.	2	.	2	6	6	2	5	4	4	1	.	.	.	.
3	Hæmoptysis, . .	81	.	.	.	.	1	1	2	4	5	5	17	6	12	12	10	7	.	.	.
Class III.																					
I.—1	Myelitis, . . .	3	.	.	.	.	1	1	.	.	.	1	.	.	1	.	.	.	.	.	.
4	Fright, . . .	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Grief, ...	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.
	Melancholy, . .	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
6	Hysteria, . . .	6	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	.	.	.	.
8	Spinal Marrow Disease,	85	6	6	5	3	7	27	7	4	8	12	8	9	3	6	1	.	.	.	.
	Necrencephalus (Softening of Brain), .	50	.	.	.	.	.	.	.	1	1	3	4	2	9	11	12	6	1	.	.
	Otitis, . . .	6	1	1	.	.	.	2	.	3	.	.	.	.	1	.	.	.	.	.	.
	Idiopathic Tetanus, .	9	1	.	.	.	.	1	.	.	1	.	3	1	.	1	2	.	.	.	.
II.—1	Carditis, . . .	3	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.
	Endocarditis, . .	3	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.
3	Angina Pectoris, .	5	.	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Syncope, . . .	8	1	.	.	.	.	1	.	.	.	.	3	2	.	.	1	1	.	.	.
	Hypertrophy, . .	14	.	.	.	.	.	.	.	.	1	.	3	3	2	2	1	2	.	.	.
	Phlebitis, . . .	9	.	.	.	.	.	.	1	1	.	.	2	1	.	1	.	2	1	.	.

[*continued at page* 119.]

IRELAND.—Supplementary Table of the Causes

No. in the Table of Diseases under which the Causes are entered.	CAUSES OF DEATH.	All Ages.	AGES OF MALES.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards	Unspecified.
EXE.—*con.*																					
III.—1	Œdema Glottidis,	3	1	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
	Laryngismus Stridulus,	2	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Empyema,	17	.	.	.	.	.	.	1	.	2	3	2	2	2	3	1	1	.	.	.
	Diaphragmitis,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
5	Emphysema,	19	.	.	.	.	.	.	.	.	.	.	1	1	1	10	3	2	1	.	.
6	Epistaxis,	14	.	.	.	.	.	.	1	3	.	1	.	1	2	3	2	1	.	.	.
	Congestion of Lungs,	79	14	1	1	.	.	16	3	2	1	3	6	9	6	10	15	6	1	.	1
	Pulmonary Apoplexy,	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	.
IV.—2	Stomatitis,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Glossitis,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	Pharyngitis,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
5	Perforation of Intestine,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
6	Femoral Hernia,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Inguinal Hernia,	5	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
7	Obstruction of Bowels,	141	12	2	.	1	.	15	1	1	3	2	10	9	17	26	38	16	3	.	.
11	Dyspepsia,	95	.	.	.	.	1	1	2	1	1	3	2	3	12	29	28	12	1	.	.
	Pyrosis,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Hæmatemesis,	71	1	.	1	.	1	3	2	1	2	6	12	9	8	10	10	8	.	.	.
	Melæna,	8	1	.	.	.	.	1	.	.	.	.	1	.	2	2	1	1	.	.	.
14	Gallstone,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
15	Cirrhosis,	30	.	.	.	.	.	.	.	.	1	1	4	4	8	8	3	1	.	.	.
V.—5	Gravel,	27	3	1	.	.	.	4	.	1	.	.	.	2	3	2	7	7	.	1	.
	Stone,	4	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	1	.	.	.
6	Catarrh of Bladder,	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
7	Prostatic Disease,	91	.	.	.	.	.	.	.	.	1	.	.	1	.	14	39	23	13	.	.
	Bladder Disease,	66	.	.	.	.	.	.	.	.	.	.	2	1	.	14	24	22	3	.	.
VI.—2	Orchitis,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Pelvic Abscess,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
VII.—1	Ostitis,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	Periostitis,	3	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.
2	Exostosis,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Mollities Ossium,	2	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	Caries,	20	1	.	.	.	.	1	2	2	4	1	1	3	1	3	.	1	1	.	.
	Necrosis,	18	.	.	.	.	.	.	1	2	3	.	2	2	2	6	.	.	.	.	.
VIII.—1	Whitlow,	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
3	Urticaria,	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
	Eczema,	6	2	2	1	.	.	5	.	.	.	.	.	.	.	1	.	.	.	.	.
	Herpes,	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	Pemphigus,	37	27	8	.	1	.	36	.	.	1	.	.	.	.	.	.	.	.	.	.
	Impetigo,	1	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	Psoriasis,	2	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
	Lepra,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	Elephantiasis,	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Class IV.																					
I.—4	Anus Imperforatus,	5	5	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
	Cleft Palate,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
NOT SPECIFIED.																					
	Abscess, Tumour,	130	22	16	2	1	1	42	2	3	4	2	11	13	14	24	11	4	.	.	.

of Death at different Periods of Life, in the Year 1864—*continued*.

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																	
			Total under 1 year.	1	2	3	4	Total under 5 years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards	Unspecified
XIX.—*con.*																					
III.—1	Œdema Glottidis,	3	.	1	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.
	Laryngismus Stridulus,	2	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
3	Empyema,	6	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	.	.
	Diaphragmitis,	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.
5	Emphysema,	27	.	.	.	.	.	.	2	.	.	1	2	3	2	8	6	3	.	.	.
6	Epistaxis,	4	.	.	.	.	1	1	.	.	.	.	2	1	.	.	.	.	.	.	.
	Congestion of Lungs,	80	5	2	1	1	1	10	3	1	1	2	4	5	7	13	17	15	2	.	.
	Pulmonary Apoplexy,	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
IV.—2	Stomatitis,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	Œsophagitis,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
6	Femoral Hernia,	5	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	.
	Inguinal Hernia,	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	Umbilical Hernia,	5	2	.	.	.	.	2	.	.	.	.	.	.	.	1	1	1	.	.	.
7	Obstruction of Bowels,	89	6	1	.	.	.	7	2	.	1	.	6	3	19	19	24	7	1	.	.
11	Dyspepsia,	112	.	1	.	.	.	1	.	1	1	.	6	7	17	41	21	16	1	.	.
	Pyrosis,	4	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	Hæmatemesis,	42	2	.	.	.	.	2	.	.	4	3	3	7	9	4	7	2	1	.	.
	Melæna,	7	.	.	.	.	.	.	1	1	.	1	1	.	.	2	.	1	.	.	.
14	Gallstone,	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
15	Cirrhosis,	14	.	.	.	.	.	.	.	.	1	.	1	3	2	5	1	1	.	.	.
V.—5	Gravel,	5	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	Stone,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
7	Bladder Disease,	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
VI.—2	Hysteritis,	18	.	.	.	.	.	.	.	.	1	3	8	4	2	.	.	.	.	.	.
	Hydrocele,	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Pelvic Abscess,	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
VII.—1	Ostitis,	2	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
2	Mollities Ossium,	3	.	1	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.
	Caries,	8	.	.	.	.	.	.	.	1	.	1	.	.	.	2	3	1	.	.	.
	Necrosis,	7	1	.	.	.	.	1	.	1	1	1	.	.	1	.	1	1	.	.	.
VIII.—3	Eczema,	3	2	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.
	Pemphigus,	32	15	10	3	1	1	30	2	.	.	.	.	.	.	.	.	.	.	.	.
	Impetigo,	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Ichthyosis,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Lepra,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	Elephantiasis,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Class IV.																					
I.—4	Anus Imperforatus,	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
	Cleft Palate,	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
II.—1	Chlorosis,	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
2	Miscarriage,	6	.	.		.	.	.	.	.	.	1	2	2	1	.	.	.	.	.	.
	Abortion,	19	.	.	.	.	.	.	.	.	1	2	9	5	2	.	.	.	.	.	.
	Puerperal Mania,	11	.	.	.	.	.	.	.	.	.	3	5	3	.	.	.	.	.	.	.
	Phlegmasia Dolens,	7	.	.	.	.	.	.	.	.	.	1	2	3	.	1	.	.	.	.	.
	Retention of Placenta,	10	.	.	.	.	.	.	.	.	.	1	5	4	.	.	.	.	.	.	.
	Flooding,	104	.	.	.	.	.	.	.	.	.	8	43	48	4	1	.	.	.	.	.
	Puerperal Convulsions,	19	.	.	.	.	.	.	.	.	1	8	4	5	1	.	.	.	.	.	.
	Placenta Prævia,	6	.	.	.	.	.	.	.	.	.	.	2	4	.	.	.	.	.	.	.
	Rupture of Uterus,	53	.	.	.	.	.	.	.	.	.	2	23	26	2	.	.	.	.	.	.
NOT SPECIFIED.																					
	Abscess, Tumour,	112	23	3	3	.	1	30	6	3	2	3	4	9	9	17	24	5	.	.	.

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	IRELAND.		I. North-Eastern.		II. North-Western.		III. Eastern.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ALL CAUSES, ...	46,346	46,798	9,929	10,325	4,124	4,306	7,764	7,739
	SPECIFIED CAUSES, . .	42,923	43,215	9,293	9,637	3,731	3,872	7,492	7,479
	(Classes.)								
I.	ZYMOTIC DISEASES, . .	9,542	9,522	2,247	2,239	851	897	1,390	1,407
II.	CONSTITUTIONAL „ . .	8,719	9,032	2,153	2,503	799	852	1,664	1,695
III.	LOCAL „ . .	17,397	16,048	3,363	3,242	1,365	1,213	3,321	3,194
IV.	DEVELOPMENTAL „ . .	5,769	7,699	1,124	1,506	571	832	847	1,062
V.	VIOLENT DEATHS, . . .	1,496	714	316	147	145	78	270	121
	(Orders.)								
I.	1. Miasmatic Diseases, . .	9,184	9,256	2,183	2,191	820	881	1,327	1,347
	2. Enthetic „ . . .	93	86	19	10	6	5	17	24
	3. Dietic „ . . .	217	130	34	24	21	10	44	27
	4. Parasitic „ . . .	48	50	11	14	4	1	2	9
II.	1. Diathetic „ . . .	1,825	2,240	419	567	209	212	289	420
	2. Tubercular „ . . .	6,894	6,792	1,734	1,936	590	640	1,375	1,275
III.	1. Diseases of Nervous System, .	4,825	4,027	918	762	330	259	1,069	867
	2. „ Organs of Circulation,	1,465	1,412	308	324	111	96	310	300
	3. „ Respiratory Organs, .	7,564	7,869	1,395	1,539	542	572	1,433	1,524
	4. „ Digestive Organs, .	2,534	2,148	503	474	271	222	342	355
	5. „ Urinary Organs, . .	743	217	182	67	73	17	138	63
	6. „ Organs of Generation,	2	185	1	35	.	20	.	40
	7. „ Organs of Locomotion,	117	88	37	25	11	12	13	11
	8. „ Integumentary System,	147	102	19	16	27	15	16	14
IV.	1. Congenital Malformations and Dev. Diseases of Children.	310	240	107	78	28	25	57	36
	2. Dev. Diseases, Adults, . .	.	618	.	93	.	64	.	64
	3. „ Old People, .	3,603	5,155	659	981	390	591	477	635
	4. Diseases of Nutrition, . .	1,856	1,886	358	354	153	152	313	327
V.	1. Accident or Negligence, .	1,299	643	278	134	123	69	229	114
	3. Homicide, ...	34	14	8	1	3	.	4	2
	4. Suicide, ...	64	20	12	5	4	2	21	2
	5. Execution, ...	2	.		.	.	.	.	.
	Violent Deaths not classed, .	97	37	18	7	15	7	16	3
	Sudden Deaths, Cause unascertained.	300	202	37	28	24	20	47	25
	Causes not specified, . .	3,123	3,381	689	660	369	414	225	235

IRELAND, and in each of the EIGHT DIVISIONS, in the Year 1864.

IV. North Midland.		V. South Midland.		VI. Western.		VII. South-Eastern.		VIII. South-Western.		CAUSES OF DEATH.
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
3,864	3,847	4,249	4,019	4,974	4,978	4,546	4,826	6,896	6,758	ALL CAUSES.
3,478	3,418	4,000	3,789	4,588	4,571	4,096	4,310	6,335	6,139	SPECIFIED CAUSES.
										(CLASSES.)
649	619	844	817	1,181	1,183	848	841	1,532	1,519	ZYMOTIC DISEASES.
635	666	777	688	724	691	773	829	1,194	1,108	CONSTITUTIONAL ,,
1,528	1,330	1,673	1,399	1,801	1,575	1,739	1,759	2,607	2,336	LOCAL ,,
554	750	581	818	733	1,048	561	818	798	1,065	DEVELOPMENTAL ,,
112	53	125	67	149	74	175	63	204	111	VIOLENT DEATHS.
										(ORDERS.)
624	595	813	797	1,140	1,160	807	817	1,465	1,468	1. MIASMATIC DISEASES.
6	7	5	2	8	7	10	4	22	27	2. ENTHETIC ,,
15	12	19	15	31	14	23	14	30	14	3. DIETIC ,,
4	5	2	3	2	2	8	6	15	10	4. PARASITIC ,,
172	182	175	164	208	206	131	208	222	281	1. DIATHETIC ,,
463	484	602	524	516	485	642	621	972	827	2. TUBERCULAR ,,
376	311	431	369	562	452	417	420	722	567	1. DISEASES OF NERVOUS SYSTEM.
82	71	171	151	112	110	144	149	227	211	2. ,, ORGANS OF CIRCULATION.
736	691	722	643	731	752	830	949	1,175	1,199	3. ,, RESPIRATORY ORGANS.
239	213	270	195	295	201	256	199	358	289	4. ,, DIGESTIVE ORGANS.
66	9	58	15	64	16	69	12	93	18	5. ,, URINARY ORGANS.
.	19	.	15	.	16	.	12	1	28	6. ,, ORGANS OF GENERATION.
6	7	11	6	14	10	10	9	15	8	7. ,, ORGANS OF LOCOMOTION.
23	9	10	5	23	13	13	9	16	16	8. ,, INTEGUMENTARY SYSTEM.
17	19	21	17	22	13	22	14	36	38	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN.
.	74	.	42	.	130	.	53	.	98	2. DEV. DISEASES, ADULTS.
406	518	295	591	492	648	365	560	419	631	3. ,, OLD PEOPLE.
131	139	165	168	219	257	174	191	343	298	4. DISEASES OF NUTRITION.
98	48	103	65	125	67	157	54	181	92	1. ACCIDENT OR NEGLIGENCE.
2	2	6	.	5	4	2	2	4	3	3. HOMICIDE.
5	.	6	2	6	.	4	1	6	8	4. SUICIDE.
1	.	.	.	.	.	1	.	.	.	5. EXECUTION.
6	3	5	.	13	3	11	6	13	8	VIOLENT DEATHS NOT CLASSED.
26	16	19	16	42	21	43	32	62	44	SUDDEN DEATHS, CAUSE UNASCERTAINED.
360	413	230	214	344	386	407	484	499	575	CAUSES NOT SPECIFIED.

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	IRELAND.		I. North-Eastern.		II. North-Western.		III. Eastern.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ORDER 1.								
I.	1. Small-pox,	457	397	167	151	64	46	54	42
	2. Measles,	326	304	91	74	106	105	11	10
	3. Scarlatina,	1,366	1,239	321	291	65	52	172	155
	4. Diphtheria,	321	340	129	146	40	43	57	62
	5. Quinsy,	162	169	20	21	11	13	20	21
	6. Croup,	1,019	917	276	237	84	83	148	126
	7. Whooping-cough,	777	958	135	168	86	112	105	127
	8. Fever,	2,676	2,476	549	577	223	222	390	378
	9. Erysipelas,	158	141	45	39	14	17	39	26
	10. Metria,	.	273	.	58	.	23	.	60
	11. Carbuncle,	38	22	8	3	4	.	5	4
	12. Influenza,	135	176	41	28	12	17	25	51
	13. Dysentery,	415	410	89	72	20	32	52	52
	14. Diarrhœa,	980	982	237	239	63	59	191	177
	15. Cholera,	66	54	18	15	4	3	13	9
	16. Ague,	7	4	2	.	1	.	.	1
	17. Remittent Fever,	6	8	2	.	.	.	.	3
	18. Rheumatism,	230	364	44	70	22	53	36	37
	19. *Other Zymotic Diseases*,	45	22	9	2	1	1	9	4
	ORDER 2.								
	1. Syphilis,	76	84	17	10	4	5	16	23
	2. Stricture of Urethra,	8	.	1	.	1	.	1	.
	3. Hydrophobia,	6	1	.	.	.	.	.	1
	4. Glanders,	3	1	1		1	.	.	.
	ORDER 3.								
	1. Privation,	24	32	2	7	1	2	5	9
	2. Want of Breast-milk,	29	17	7	3	3	2	3	3
	3. Purpura and Scurvy,	73	70	14	14	12	6	13	9
	4. Alcoholism { Del. Trem.	44	1	7	.	1	.	12	1
	4. Alcoholism { Intemp.	47	10	4	.	4	.	11	5
	ORDER 4.								
	1. Thrush,	18	13	4	2	1	.	2	4
	2. Worms, &c.,	30	37	7	12	3	1	.	5
II.	ORDER 1.								
	1. Gout,	11	4	1	.	1	.	4	3
	2. Dropsy,	997	1,275	234	334	129	126	146	227
	3. Cancer,	664	834	136	198	56	70	117	168
	4. Noma,	14	20	4	7	1	2	3	2
	5. Mortification,	139	107	44	28	22	14	19	20
	ORDER 2.								
	1. Scrofula,	685	539	173	145	89	64	102	84
	2. Tabes Mesenterica,	838	829	253	263	74	61	149	122
	3. Phthisis,	4,740	4,995	1,149	1,415	399	487	957	976
	4. Hydrocephalus,	631	429	159	113	28	28	167	93

RELAND, and in each of the EIGHT DIVISIONS, in the Year 1864—*continued*.

IV. North Midland.		V. South Midland.		VI. Western.		VII. South-Eastern.		VIII. South-Western.		CAUSES OF DEATH.
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
										ORDER 1.
43	39	19	26	54	42	15	17	41	34	1. Small-pox.
17	10	5	5	80	78	3	7	13	15	2. Measles.
37	32	110	98	178	159	166	158	317	294	3. Scarlatina.
14	16	21	25	32	14	17	21	11	13	4. Diphtheria.
19	15	35	25	26	34	16	16	15	24	5. Quinsy.
62	47	72	75	145	138	84	76	148	133	6. Croup.
95	108	65	71	61	97	32	35	198	240	7. Whooping-cough.
176	149	281	247	351	291	272	236	434	376	8. Fever.
10	6	9	7	7	18	16	11	18	17	9. Erysipelas.
.	19	.	23	.	29	.	22	.	39	10. Metria.
2	2	5	.	2	3	3	3	9	7	11. Carbuncle.
25	23	9	10	4	17	5	12	14	18	12. Influenza.
32	27	32	49	82	85	45	41	63	52	13. Dysentery.
63	56	106	79	84	104	95	117	141	151	14. Diarrhœa.
.	1	13	4	2	5	7	7	9	10	15. Cholera.
.	.	.	.	3	.	1	1	.	2	16. Ague.
1	.	1	.	.	1	2	2	.	2	17. Remittent Fever.
28	42	28	51	25	38	21	35	26	38	18. Rheumatism.
.	3	7	2	4	7	7	.	8	3	19. *Other Zymotic Diseases.*
										ORDER 2.
2	7	4	2	7	6	9	4	17	27	1. Syphilis.
2	.	.	.	1	.	.	.	2	.	2. Stricture of Urethra.
1	.	1	.	.	.	1	.	3	.	3. Hydrophobia.
1	.	.	.	.	1	.	.	.	.	4. Glanders.
										ORDER 3.
3	2	2	5	7	5	4	.	.	2	1. Privation.
.	.	3	1	7	1	2	5	4	2	2. Want of Breast-milk.
5	10	2	7	7	7	11	8	9	9	3. Purpura and Scurvy.
3	.	5	.	6	.	2	.	8	.	4. Alcoholism { Del.Trem.
4	.	7	2	4	1	4	1	9	1	{ Intemp.
										ORDER 4.
2	2	1	1	1	1	2	2	5	1	1. Thrush,
2	3	1	2	1	1	6	4	10	9	2. Worms, &c.
										ORDER 1.
1	.	.	.	.	.	1	.	3	1	1. Gout.
106	110	90	92	109	107	64	120	119	159	2. Dropsy.
55	65	74	67	90	86	56	81	80	99	3. Cancer.
1	2	2	1	1	2	2	2	.	2	4. Noma.
9	5	9	4	8	11	8	5	20	20	5. Mortification.
										ORDER 2.
61	35	49	37	56	50	43	58	112	66	1. Scrofula.
42	69	67	61	50	55	80	93	123	105	2. Tabes Mesenterica.
339	360	449	384	371	355	447	418	629	600	3. Phthisis.
21	20	37	42	39	25	72	52	108	56	4. Hydrocephalus.

DEATHS of Males and Females from different Causes registered

Class.	CAUSES OF DEATH.	IRELAND.		I. North-Eastern.		II. North-Western.		III. Eastern.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
III.	ORDER 1.								
	1. Cephalitis,	220	173	82	60	15	14	46	33
	2. Apoplexy,	489	341	97	75	35	13	126	87
	3. Paralysis,	957	951	214	238	100	95	148	123
	4. Insanity,	93	116	17	17	9	11	20	18
	5. Chorea,	2	2	.	.	.	1	.	1
	6. Epilepsy,	184	161	31	24	10	20	33	26
	7. Convulsions,	2,183	1,798	301	230	103	69	511	469
	8. *Brain Disease, &c.*,	697	485	176	118	53	36	185	130
	ORDER 2.								
	1. Pericarditis,	39	29	5	4	.	6	12	5
	2. Aneurism,	65	24	14	4	5	2	21	8
	3. *Heart Disease, &c.*,	1,361	1,359	289	316	106	88	277	287
	ORDER 3.								
	1. Laryngitis,	86	62	18	15	7	3	16	9
	2. Bronchitis,	5,104	5,825	895	1,099	353	393	1,036	1,232
	3. Pleurisy,	207	168	33	22	13	17	20	14
	4. Pneumonia,	1,208	795	268	203	88	53	214	127
	5. Asthma,	479	595	92	144	52	74	67	69
	6. *Lung Disease, &c.*,	480	424	89	56	29	32	80	73
	ORDER 4.								
	1. Gastritis,	102	78	22	14	6	3	15	18
	2. Enteritis,	346	266	86	77	33	33	37	32
	3. Peritonitis,	144	126	30	38	11	8	23	30
	4. Ascites,	151	166	24	19	15	21	16	22
	5. Ulceration of Intestines,	82	52	18	13	10	4	7	16
	6. Hernia,	73	59	13	11	4	5	16	15
	7. Ileus,	259	155	27	26	25	19	19	14
	8. Intussusception,	33	15	6	2	1	2	2	3
	9. Stricture of Intestines,	24	19	4	1	2	.	1	4
	10. Fistula,	10	3	1	2	.	.	3	.
	11. *Stomach Disease, &c.*,	609	554	133	140	85	73	78	74
	12. *Pancreas Disease, &c.*,	3	.	1	.	.	.	.	.
	13. Hepatitis,	89	73	11	19	11	4	9	11
	14. Jaundice,	108	132	19	18	17	13	16	22
	15. *Liver Disease, &c.*,	493	445	108	93	50	37	98	96
	16. *Spleen Disease, &c.*,	8	5	.	1	1	.	2	.
	ORDER 5.								
	1. Nephritis,	20	8	9	3	3	2	4	2
	2. Ischuria,	121	16	32	4	16	2	16	1
	3. Nephria,	132	78	31	21	7	3	32	32
	4. Diabetes,	79	30	20	15	9	6	7	3
	5. Stone,	35	6	6	2	8	.	3	1
	6. Cystitis,	43	5	7	1	5	1	6	.
	7. *Kidney Disease, &c.*,	313	74	77	21	25	3	70	24
	ORDER 6.								
	1. Ovarian Dropsy,	.	64	.	10	.	8	.	11
	2. *Uterus Disease, &c.*,	2	121	1	25	.	12	.	29
	ORDER 7.								
	1. Arthritis,	14	11	4	1	2	2	2	2
	2. *Joint Disease, &c.*,	103	77	33	24	9	10	11	9

ELAND, and in each of the EIGHT DIVISIONS, in the Year 1864—*continued.*

IV. NORTH MIDLAND.		V. SOUTH MIDLAND.		VI. WESTERN.		VII. SOUTH-EASTERN.		VIII. SOUTH-WESTERN.		CAUSES OF DEATH.
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
										ORDER 1.
21	20	15	11	6	6	14	16	21	13	1. Cephalitis.
30	25	43	30	32	35	36	28	90	48	2. Apoplexy.
90	78	95	100	90	54	86	136	134	127	3. Paralysis.
6	8	13	11	9	13	7	13	12	25	4. Insanity.
.	.	2	.	.	.	.	.	.	.	5. Chorea.
22	9	17	13	31	24	21	21	19	24	6. Epilepsy.
1165	143	192	165	346	275	190	165	372	284	7. Convulsions.
44	28	54	41	48	45	63	41	74	46	8. *Brain Disease &c.*
										ORDER 2.
2	4	3	5	4	1	3	1	10	3	1. Pericarditis.
2	1	10	1	4	.	3	3	6	5	2. Aneurism.
78	66	158	145	104	109	138	145	211	203	3. *Heart Disease, &c.*
										ORDER 3.
7	.	7	8	8	9	11	6	12	12	1. Laryngitis.
490	508	434	452	482	554	575	705	809	882	2. Bronchitis.
16	11	18	16	28	22	21	17	58	49	3. Pleurisy.
112	42	119	71	105	48	120	113	182	138	4. Pneumonia.
66	95	53	42	60	64	46	57	43	50	5. Asthma.
45	35	61	54	48	55	57	51	71	68	6. *Lung Disease, &c.*
										ORDER 4.
7	9	8	6	9	4	10	12	25	12	1. Gastritis.
29	27	40	25	50	17	32	20	39	35	2. Enteritis.
17	11	17	7	18	9	17	15	11	8	3. Peritonitis.
19	17	20	20	23	16	13	21	21	30	4. Ascites.
2	1	14	4	7	5	17	5	7	4	5. Ulceration of Intestines.
10	6	4	3	5	8	6	6	15	7	6. Hernia.
20	13	33	19	44	9	24	21	67	34	7. Ileus.
3	1	7	2	5	1	3	2	6	2	8. Intussusception.
2	2	5	.	2	.	3	9	5	3	9. Stricture of Intestines.
.	.	2	.	2	.	1	1	1	.	10. Fistula.
75	75	56	36	62	60	60	37	60	59	11. *Stomach Disease, &c.*
.	.	1	.	1	.	.	.	.	.	12. *Pancreas Disease, &c.*
5	3	7	8	3	4	15	6	28	18	13. Hepatitis.
12	9	5	15	17	26	8	4	14	25	14. Jaundice.
38	39	50	48	44	42	46	39	59	51	15. *Liver Disease., &c.*
.	.	1	2	3	.	1	1	.	1	16. *Spleen Disease &c.*
										ORDER 5.
2	.	1	.	.	.	.	.	1	1	1. Nephritis.
17	3	5	3	11	1	9	1	15	1	2. Ischuria.
12	4	9	3	14	6	13	4	14	5	3. Nephria.
5	.	8	1	9	1	10	2	11	2	4. Diabetes.
4	.	2	1	9	2	1	.	2	.	5. Stone.
10	.	6	.	2	1	4	1	3	1	6. Cystitis
16	2	27	7	19	5	32	4	47	8	7. *Kidney Disease, &c.*
										ORDER 6.
.	3	.	4	.	8	.	6	.	9	1. Ovarian Dropsy.
.	11	.	11	.	8	.	6	1	19	2. *Uterus Disease, &c.*
										ORDER 7.
.	2	.	.	2	1	1	1	3	2	1. Arthritis.
6	5	11	6	12	9	9	8	12	6	2. *Joint Disease, &c.*

DEATHS of Males and Females from different Causes registered i

Class.	CAUSES OF DEATH.	IRELAND.		I. North-Eastern.		II. North-Western.		III. Eastern.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
III.—*con.*	Order 8.								
	1. Phlegmon,	13	6	1	1	1	1	4	3
	2. Ulcer,	57	40	3	10	9	2	8	3
	3. *Skin Disease &c.*,	77	56	15	5	17	12	4	3
IV.	Order 1.								
	1. Premature Birth,	141	105	51	28	11	12	27	17
	2. Cyanosis,	8	6	4	4	.	2	.	.
	3. Spina Bifida,	9	8	3	2	.	1	1	2
	4. Other Malformations,	28	14	8	3	2	1	8	1
	5. Teething,	124	107	41	41	15	9	21	16
	Order 2.								
	1. Paramenia,	.	12	.	5	.	.	.	2
	2. Childbirth,	.	606	.	88	.	64	.	62
	Order 3.								
	1. Old Age,	3,603	5,155	659	931	390	591	477	635
	Order 4.								
	1. Atrophy and Debility,	1,856	1,686	353	354	153	152	313	327
V.	Order 1. (Accident or Negligence.)								
	1. Fractures & Contusions,	472	136	103	30	32	11	66	19
	2. Gunshot,	22	2	7	.	2	.	4	1
	3. Cut, Stab,	12	6	4	1	1	.	1	1
	4. Burns and Scalds,	285	334	52	69	33	37	39	56
	5. Poison,	14	11	5	6	.	.	4	.
	6. Drowning,	344	96	63	20	39	7	73	23
	7. Suffocation,	48	23	11	3	2	4	11	2
	8. Otherwise,	102	35	33	5	14	10	31	12
	Order 3. (Homicide.)								
	1. Murder & Manslaughter,	34	14	8	1	3	.	4	2
	Order 4. (Suicide.)								
	1. Gunshot Wounds,	4	.	.	.	.	.	2	.
	2. Cut, Stab,	18	4	4	.	.	.	7	1
	3. Poison,	2	1	1	.	.	.	.	.
	4. Drowning,	6	5	2	1	.	1	2	1
	5. Hanging,	23	7	2	4	2	.	9	.
	6. Otherwise,	11	3	3	.	2	1	1	.
	Order 5. (Execution.)								
	1. Hanging,	2	.	.	.	.	.	.	.
	Other Violent Deaths (not classed).	97	37	18	7	15	7	16	3
	Sudden Deaths (Cause unascertained).	300	202	37	28	24	20	47	25
	Causes not specified or ill-defined.	3,123	3,381	689	660	369	414	225	235

RELAND, and in each of the EIGHT DIVISIONS, in the Year 1864—*continued.*

IV. North Midland.		V. South Midland.		VI. Western.		VII. South-Eastern.		VIII. South-Western.		CAUSES OF DEATH.
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
										ORDER 8.
.	.	4	.	1	.	2	.	.	1	1. Phlegmon.
9	4	4	1	10	4	7	3	7	8	2. Ulcer.
14	5	2	4	12	14	4	6	9	7	3. *Skin Disease, &c.*
										ORDER 1.
7	10	14	8	8	6	11	7	12	17	1. Premature Birth.
.	.	.	.	.	.	2	.	2	.	2. Cyanosis.
1	1	2	.	.	.	.	.	2	2	3. Spina Bifida.
4	3	2	1	.	.	2	2	2	3	4. Other Malformations.
5	5	3	8	14	7	7	5	18	16	5. Teething.
										ORDER 2.
.	2	.	.	.	.	.	3	.	.	1. Paramenia.
.	72	.	42	.	130	.	50	.	98	2. Childbirth.
										ORDER 3.
406	518	395	591	492	648	365	560	419	631	1. Old Age.
										ORDER 4.
131	139	165	168	219	257	174	191	343	298	1. Atrophy and Debility.
										ORDER 1.
										(ACCIDENT or NEGLIGENCE.)
39	7	46	11	42	17	68	13	85	28	1. Fractures & Contusions.
1	1	3	.	1	.	.	.	4	.	2. Gunshot.
.	2	2	.	1	1	1	1	2	.	3. Cut, Stab.
32	28	22	38	31	29	30	28	46	49	4. Burns and Scalds.
.	1	.	1	1	2	2	.	2	1	5. Poison.
24	8	23	7	43	15	44	8	35	8	6. Drowning.
5	1	6	4	4	2	4	4	5	3	7. Suffocation.
6	.	6	4	2	1	8	.	2	3	8. Otherwise.
										ORDER 3.
										(HOMICIDE.)
2	2	6	.	5	4	2	2	4	3	1. Murder & Manslaughter.
										ORDER 4.
										(SUICIDE.)
1	.	1	.	.	.	.	.	.	.	1. Gunshot Wounds.
2	.	.	1	2	.	2	.	1	2	2. Cut, Stab.
.	.	.	.	.	.	.	.	1	1	3. Poison.
.	.	1	1	.	.	.	.	1	1	4. Drowning.
2	.	3	.	1	.	2	1	2	2	5. Hanging.
.	.	1	.	3	.	.	.	1	2	6. Otherwise.
										ORDER 5.
										(EXECUTION.)
1	.	.	.	.	.	1	.	.	.	1. Hanging.
6	3	5	.	13	3	11	6	13	8	Other Violent Deaths (not classed).
26	16	19	16	42	21	43	32	62	44	Sudden Deaths (Cause unascertained).
360	413	230	214	344	386	407	484	499	575	Causes not specified or ill-defined.

POPULATION, 1861, ANNUAL RATE of MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES in the Year 1864, in the DIVISIONS and DISTRICTS of IRELAND.

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Population, 1861.	Annual Rate of Mortality from all Causes to every 1,000 of the Population.†	DEATHS FROM SEVERAL CAUSES IN 1864. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	IRELAND,	5,798,967*	16	854	630	2605	661	1735	5152	299	273	606	311	825	1962	120	9735	15433	2210
	DIVISIONS.																		
I.	North-Eastern,	1,124,041	18	318	165	612	275	303	1126	84	58	88	69	161	476	33	2564	2934	463
II.	North-Western,	574,745	15	110	211	117	83	198	445	31	23	64	29	52	122	7	886	1114	223
III.	Eastern,	829,569	19	96	21	327	119	232	768	65	60	62	76	104	368	22	1933	2957	391
IV.	North Midland,	575,289	13	82	27	69	30	203	325	16	19	72	48	59	119	1	699	1427	165
V.	South Midland,	515,272	16	45	10	208	46	136	528	16	23	42	19	81	185	17	833	1365	192
VI.	Western,	822,878	12	96	158	337	46	158	642	25	29	130	21	167	188	7	726	1483	223
VII.	South-Eastern,	500,957	19	32	10	324	38	67	508	27	22	50	17	86	212	14	865	1779	238
VIII.	South-Western,	855,813	16	75	28	611	24	438	810	35	39	98	32	115	292	19	1229	2374	315
	I.—NORTH-EASTERN.																		
1	ANTRIM,	39,652	17	8	.	18	14	24	21	.	5	5	3	2	14	1	77	55	19
2	ARMAGH,	80,810	18	43	3	67	17	6	67	8	6	6	1	7	16	1	172	296	25
3	BALLYCASTLE,	19,653	16	.	2	.	4	6	11	1	.	6	3	3	7	.	32	34	4
4	BALLYMENA,	74,597	15	4	3	39	14	6	70	4	1	7	9	2	53	4	164	125	17
5	BALLYMONEY,	41,583	14	.	9	5	17	5	37	.	.	2	3	8	5	.	84	83	13
6	BANBRIDGE,	71,918	16	2	7	36	8	12	82	10	3	7	4	6	29	2	191	160	30
7	BELFAST,	144,629	26	105	94	138	51	143	264	13	13	8	1	49	118	15	528	560	101
8	CASTLEBLAYNEY,	41,812	15	11	.	11	7	2	32	1	2	3	1	1	9	.	44	162	18
9	COLERAINE,	40,562	16	4	1	5	17	1	37	4	2	4	.	1	12	1	80	81	15
10	COOKSTOWN,	37,953	16	17	11	11	5	3	10	2	.	6	2	3	16	.	47	107	16
11	DOWNPATRICK,	57,960	19	7	3	18	13	5	63	4	6	.	4	8	17	1	160	153	22
12	DUNGANNON,	51,892	15	11	2	43	7	1	29	4	2	4	2	7	15	1	63	99	15
13	KILKEEL,	22,614	15	.	1	38	2	.	14	2	.	.	3	3	5	.	36	62	12
14	LARNE,	35,087	15	7	2	3	20	12	26	5	2	4	3	1	10	.	57	62	13
15	LISBURN,	66,882	20	16	2	15	25	24	79	7	2	7	5	8	40	2	177	193	26
16	LURGAN,	73,930	17	25	6	48	6	16	85	6	6	6	4	4	20	3	149	202	37
17	MAGHERAFELT,	63,852	15	10	14	10	12	2	44	4	1	2	2	10	13	.	93	134	21
18	NEWRY,	74,311	16	7	.	69	8	21	94	5	2	8	14	10	17	1	126	141	24
19	NEWTOWNARDS,	53,428	21	38	4	36	23	4	44	1	4	1	2	25	48	1	211	135	20
20	NEWTOWNLIMAVADY,	30,907	16	3	1	2	5	10	17	3	1	2	3	3	12	.	73	90	15
	II.—NORTH-WESTERN.																		
21	BALLYSHANNON,	32,181	12	.	9	6	4	5	22	.	3	6	.	3	6	1	63	38	13
22	CASTLEDERG,	17,478	15	1	14	6	.	2	17	3	.	2	.	1	5	.	17	31	8
23	DONEGAL,	31,258	10	.	1	3	2	6	16	2	.	4	3	.	1	.	20	27	9
24	DUNFANAGHY,	17,326	15	11	.	.	1	21	17	.	.	3	.	.	3	.	13	40	4
25	ENNISKILLEN,	49,715	14	4	2	20	3	13	38	2	2	3	1	5	12	1	63	102	21
26	GLENTIES,	39,899	12	8	10	12	12	21	27	1	2	4	2	4	8	.	51	37	27
27	GORTIN,	16,626	12	3	.	3	7	9	19	3	1	1	.	1	2	.	24	32	1
28	INISHOWEN,	37,222	16	8	18	5	13	9	20	1	1	6	.	2	8	.	52	105	9
29	IRVINESTOWN,	22,728	14	.	7	6	5	8	18	.	.	.	5	2	5	.	23	31	9
30	LETTERKENNY,	18,932	14	18	2	.	.	5	12	1	.	1	.	4	3	.	14	41	7
31	LONDONDERRY,	59,392	19	17	19	24	3	21	82	7	4	5	8	13	15	.	139	130	38
32	MANORHAMILTON,	33,443	11	2	3	1	3	2	19	2	1	3	1	1	3	.	41	50	6
33	MILLFORD,	28,226	15	5	3	10	5	34	19	2	.	5	.	3	10	.	41	52	13
34	OMAGH,	52,836	17	15	43	11	6	8	36	1	3	6	4	3	11	1	116	125	15
35	SLIGO,	53,901	15	4	27	7	8	8	40	1	4	5	.	6	16	4	91	135	20
36	STRABANE,	43,604	17	11	39	2	9	18	39	4	1	7	2	3	11	.	82	92	18
37	STRANORLAR,	19,978	14	3	14	1	2	8	4	1	1	3	3	1	3	.	36	46	5
	III.—EASTERN.																		
38	ARDEE,	25,284	16	9	2	3	3	13	11	1	.	5	1	6	5	.	34	78	5
39	BAILIEBOROUGH,	23,079	14	25	.	.	.	1	18	1	1	.	1	3	8	.	32	96	8
40	BALROTHERY,	22,016	16	.	.	5	3	2	13	.	.	1	7	6	5	3	48	63	10
41	BALTINGLASS,	22,032	16	.	.	9	1	6	10	2	.	1	.	2	6	.	46	54	2
42	CARRICKMACROSS,	22,354	15	4	1	.	.	8	19	3	1	3	2	2	2	.	30	108	7
43	CELBRIDGE,	19,580	17	.	.	4	2	17	23	.	1	.	3	.	7	.	40	64	11
44	DROGHEDA,	39,821	20	1	.	3	5	23	78	3	.	2	8	4	13	2	116	131	24
45	DUBLIN, NORTH,	134,755	23	18	5	58	14	24	148	16	29	6	4	23	66	4	404	628	68

NOTE.—The total Deaths from ALL CAUSES in each Division, Superintendent Registrar's District, Province, and County, of which the under *each* cause in the Divisions of Ireland see pp. 120 to 127.

* See note (†) page 42.

POPULATION, 1861, ANNUAL RATE of MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES in the Year 1864, in the DIVISIONS and DISTRICTS of IRELAND—*continued.*

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Population, 1861.	Annual Rate of Mortality from all Causes to every 1,000 of the Population.†	DEATHS FROM SEVERAL CAUSES IN 1864.														
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	III.—EASTERN—*con.*																	
46	DUBLIN, SOUTH,	201,963	23	25	10	95	29	58	246	23	14	12	23	24	147	8	570	954	126
47	DUNDALK,	46,850	16	3	1	33	9	5	12	4	1	5	1	5	22	1	76	125	19
48	DUNSHAUGHLIN,	14,109	14	.	1	4	1	3	8	.	1	.	1	.	4	.	38	27	4
49	GOREY,	24,857	15	.	.	1	.	2	16	1	.	1	2	2	4	.	46	53	9
50	KELLS,	24,482	12	8	.	.	.	5	10	1	2	5	5	2	3	.	28	47	8
51	NAAS,	47,598	16	1	1	60	18	15	39	3	3	4	1	3	14	2	73	114	17
52	NAVAN,	21,988	13	.	.	2	.	8	8	.	1	2	2	3	6	.	37	59	4
53	RATHDOWN,	53,298	20	.	.	28	17	15	60	3	4	7	6	9	34	2	134	186	30
54	RATHDRUM,	43,402	13	1	.	17	12	2	24	3	.	7	6	9	10	.	81	60	28
55	SHILLELAGH,	19,183	16	.	.	1	5	15	5	1	1	1	3	.	9	.	30	50	7
56	TRIM,	22,918	16	1	.	4	.	10	20	.	1	.	.	1	3	.	70	60	4
	IV.—NORTH MIDLAND.																		
57	ATHLONE,	39,323	17	.	.	25	3	17	25	3	3	4	.	2	23	.	59	117	15
58	BALLYMAHON,	22,089	12	.	.	.	.	6	20	.	.	3	1	6	11	.	17	60	4
59	BAWNBOY,	26,808	11	.	.	.	.	17	11	1	1	1	2	1	.	.	25	62	9
60	CARRICK-ON-SHANNON,	31,677	12	4	.	.	4	7	18	1	.	3	8	1	9	.	29	73	11
61	CAVAN,	58,662	14	4	.	2	.	11	62	.	1	4	4	6	5	.	58	125	14
62	CLOGHER,	27,753	14	.	3	4	.	1	16	1	.	3	.	1	4	.	35	63	6
63	CLONES,	26,699	13	16	1	1	.	6	11	.	.	8	.	2	5	.	41	77	10
64	COOTEHILL,	38,961	14	11	.	6	7	13	20	.	2	3	.	4	4	.	50	141	11
65	DELVIN,	13,561	13	.	.	7	.	1	3	.	.	3	.	1	5	1	20	28	3
66	GRANARD,	36,043	15	3	8	.	1	43	16	.	.	8	1	2	4	.	40	98	9
67	LISNASKEA,	25,832	13	1	1	1	4	5	13	.	1	4	15	2	4	.	35	48	3
68	LONGFORD,	32,757	11	6	10	.	.	9	5	1	.	3	4	1	7	.	57	29	11
69	MOHILL,	30,191	11	.	1	.	1	7	20	1	1	4	.	4	3	.	30	93	12
70	MONAGHAN,	45,674	15	9	.	7	.	5	19	5	2	5	1	3	15	.	61	159	20
71	MULLINGAR,	42,703	14	.	2	6	8	22	25	.	3	3	3	4	4	.	64	62	12
72	OLDCASTLE,	23,657	12	2	.	2	2	1	22	.	2	4	5	1	2	.	23	54	4
73	ROSCOMMON,	26,504	15	7	1	1	.	16	9	2	.	5	1	16	11	.	32	95	6
74	STROKESTOWN,	26,395	12	19	.	7	.	16	10	1	3	4	3	2	3	.	23	43	5
	V.—SOUTH MIDLAND.																		
75	ABBEYLEIX,	22,400	15	.	.	8	6	3	28	.	.	4	2	.	6	1	24	77	7
76	ATHY,	33,210	17	1	1	23	6	3	29	4	2	4	2	11	19	.	66	93	17
77	BORRISOKANE,	13,740	11	.	.	1	.	5	7	1	.	2	.	3	3	.	20	23	1
78	CARLOW,	51,802	17	.	.	39	3	10	63	2	4	2	3	7	20	1	101	112	18
79	CASHEL,	33,527	17	.	.	19	.	.	53	.	3	2	3	13	10	1	57	121	12
80	CASTLECOMER,	15,937	17	.	.	12	.	1	17	2	1	1	.	3	4	1	20	57	2
81	DONAGHMORE,	9,504	11	.	.	1	1	3	4	.	.	.	.	.	3	1	9	20	1
82	EDENDERRY,	23,384	16	2	.	21	2	8	25	.	.	1	.	.	6	.	41	42	5
83	KILKENNY,	35,499	22	3	2	58	6	1	45	.	3	3	1	1	21	3	63	118	14
84	MOUNTMELLICK,	42,184	16	5	5	6	3	13	57	2	.	2	2	2	22	1	63	73	17
85	NENAGH,	38,277	14	16	.	8	2	22	28	.	2	5	2	3	14	.	48	65	10
86	PARSONSTOWN,	39,350	15	1	.	3	.	20	25	1	1	3	2	2	5	.	81	79	27
87	ROSCREA,	24,666	13	9	.	1	1	10	32	.	1	3	1	.	2	4	32	59	6
88	THURLES,	36,152	17	1	1	3	1	6	51	1	3	3	.	4	15	3	61	105	14
89	TIPPERARY,	47,298	15	6	.	.	1	13	31	.	2	2	1	29	18	.	66	168	16
90	TULLAMORE,	33,087	17	.	1	1	11	17	25	2	.	4	.	.	8	.	60	94	20
91	URLINGFORD,	15,255	15	1	.	4	3	1	8	1	1	1	.	3	9	1	21	59	5
	VI.—WESTERN.																		
92	BALLINA,	32,693	11	23	3	7	.	3	19	.	3	6	1	1	16	.	24	87	5
93	BALLINASLOE,	28,222	15	.	2	6	3	3	23	.	1	3	.	5	8	1	30	71	8
94	BALLINROBE,	31,558	11	.	2	44	.	.	14	.	.	6	.	2	.	.	23	24	10
95	BALLYVAGHAN,	6,819	10	.	.	.	.	.	4	.	.	.	.	.	1	.	3	7	3
96	BELMULLET,	17,096	12	7	.	17	.	4	9	1	1	4	.	6	1	.	9	36	6
97	BOYLE,	47,758	12	13	22	1	1	18	33	4	2	5	1	1	8	.	57	92	8
98	CASTLEBAR,	31,780	9	9	4	14	.	2	23	.	.	4	3	2	5	.	19	47	12
99	CASTLEREAGH,	46,783	10	10	9	1	8	4	38	1	1	5	.	3	8	.	38	103	9
100	CLAREMORRIS,	32,070	12	.	2	11	2	6	19	1	5	9	5	12	1	.	16	29	8
101	CLIFDEN,	25,000	13	.	1	3	4	5	27	.	2	1	3	16	17	2	27	50	7
102	CORROFIN,	7,866	13	.	.	.	.	.	3	.	.	3	1	1	4	.	9	15	2
103	DROMORE, WEST,	18,608	15	3	1	2	1	6	18	1	3	6	3	4	10	.	14	44	5

mbers here given form a part, will be found at pages 54–58. For Tables showing the number of Deaths of Males and Females

† According to the Census of 1861.

POPULATION, 1861, ANNUAL RATE of MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES in the Year 1864, in the DIVISIONS and DISTRICTS of IRELAND—*continued.*

No.	DIVISIONS AND SUPERINTENDENT REGISTRARS' DISTRICTS.	Population, 1861.	ANNUAL RATE of MORTALITY from all Causes to every 1,000 of the Population.*	DEATHS FROM SEVERAL CAUSES IN 1864.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	VI.—WESTERN—*con.*																		
104	ENNIS,	30,097	14	1	.	.	1	.	42	1	.	2	.	31	12	.	33	60	14
105	ENNISTIMON,	25,028	12	3	.	.	.	3	15	.	.	2	.	3	15	2	23	63	8
106	GALWAY,	50,821	17	.	45	109	3	20	52	3	2	9	.	5	8	.	60	58	12
107	GLENNAMADDY,	22,469	10	2	5	2	.	.	9	.	.	2	.	.	1	.	25	22	4
108	GORT,	20,501	12	2	2	.	.	.	29	.	.	4	.	6	4	.	9	35	8
109	KILLADYSERT,	13,265	12	4	.	.	1	.	17	1	.	1	.	1	2	.	19	24	2
110	KILLALA,	11,829	13	.	8	.	.	4	4	2	.	2	.	3	4	.	9	23	3
111	KILRUSH,	41,130	12	.	.	.	10	.	22	2	3	3	.	14	8	.	39	92	11
112	LOUGHREA,	29,139	14	1	10	10	.	1	21	1	3	5	.	3	3	.	21	64	10
113	MOUNTBELLEW,	19,936	17	2	9	6	.	6	16	1	.	8	.	6	10	.	18	74	5
114	NEWPORT,	16,660	10	.	.	.	.	2	7	.	.	2	.	1	7	.	11	39	10
115	OUGHTERARD,	18,472	16	.	2	47	.	12	17	.	1	2	.	7	7	.	17	42	9
116	PORTUMNA,	14,939	13	.	.	8	.	1	2	2	.	1	1	2	1	.	14	33	5
117	SCARRIFF,	15,611	12	.	.	.	1	3	8	.	.	5	3	1	2	.	6	47	4
118	SWINEFORD,	52,004	9	3	3	15	2	18	65	1	.	13	.	7	4	.	38	80	13
119	TOBERCURRY,	27,657	10	10	3	1	.	24	16	.	.	5	.	2	.	.	33	20	4
120	TUAM,	44,440	10	2	25	29	3	.	27	1	1	7	.	15	11	2	44	46	5
121	TULLA,	15,759	12	1	.	.	.	3	12	.	.	2	.	3	2	.	11	12	5
122	WESTPORT,	26,868	14	.	.	4	6	10	31	2	1	3	.	4	8	.	27	44	8
	VII.—SOUTH-EASTERN.																		
123	CALLAN,	24,969	17	.	.	20	8	.	20	.	1	2	.	5	5	.	28	62	13
124	CARRICK-ON-SUIR,	30,294	24	4	.	32	1	1	63	2	1	1	.	6	25	.	63	114	14
125	CLOGHEEN,	25,249	16	5	.	.	3	1	18	.	1	4	2	1	11	.	31	76	8
126	CLONMEL,	28,039	22	11	.	8	.	.	40	2	1	5	.	2	47	3	80	118	17
127	DUNGARVAN,	24,346	18	1	1	10	.	.	28	1	.	3	.	10	14	.	34	98	5
128	ENNISCORTHY,	42,886	19	.	.	16	1	5	65	3	2	7	3	12	8	3	75	171	13
129	FERMOY,	37,960	16	2	1	12	.	9	27	2	.	2	2	7	6	1	63	136	14
130	KILMACTHOMAS,	15,494	18	.	.	22	1	.	7	.	1	2	.	2	2	1	20	56	5
131	LISMORE,	20,845	19	6	7	59	.	15	30	1	.	1	3	.	5	1	37	64	5
132	MIDDLETON,	34,086	18	.	.	57	5	1	39	1	3	5	.	16	6	2	50	139	10
133	MITCHELSTOWN,	22,747	13	.	.	.	.	1	15	.	.	5	.	1	7	.	25	70	9
134	NEW ROSS,	44,141	18	1	.	18	4	2	29	1	1	3	1	4	12	1	58	175	27
135	THOMASTOWN,	21,405	18	.	.	3	3	2	23	3	1	2	.	4	15	1	26	109	18
136	WATERFORD,	60,068	20	2	.	7	8	8	41	8	7	4	1	3	35	.	123	158	33
137	WEXFORD,	43,727	20	.	1	23	.	21	36	2	1	3	5	9	8	.	125	139	21
138	YOUGHAL,	24,701	20	.	.	37	4	1	27	1	2	1	.	4	6	1	27	94	11
	VIII.—SOUTH-WESTERN.																		
139	BANDON,	27,256	14	3	.	14	1	2	16	3	1	4	.	.	8	.	30	84	3
140	BANTRY,	15,964	11	1	.	16	.	1	9	.	.	3	.	4	2	.	15	33	1
141	CAHERSIVEEN,	25,204	10	.	1	24	.	4	22	3	2	5	.	2	7	.	12	35	1
142	CASTLETOWN,	15,076	17	.	2	27	1	30	6	1	.	3	.	2	5	.	28	52	1
143	CLONAKILTY,	28,268	16	9	.	25	.	17	8	2	.	3	1	10	4	.	21	66	1
144	CORK,	147,572	19	19	8	48	5	80	217	8	8	12	2	16	62	7	346	424	6
145	CROOM,	21,172	12	1	.	2	1	1	11	.	1	3	1	.	5	.	17	57	.
146	DINGLE,	20,539	13	2	.	23	.	1	16	1	.	1	2	10	14	.	20	55	.
147	DUNMANWAY,	17,426	14	1	.	26	.	.	5	.	.	1	1	3	4	.	22	37	.
148	GLIN,	15,750	14	.	.	5	.	7	10	.	1	.	.	1	6	.	18	58	.
149	KANTURK,	34,480	17	3	.	36	1	23	15	1	4	3	2	6	15	1	39	114	1
150	KENMARE,	18,757	16	.	6	57	1	26	10	1	1	4	.	1	5	.	21	35	.
151	KILLARNEY,	43,987	16	1	1	27	2	35	37	1	2	6	1	8	26	3	60	101	2
152	KILMALLOCK,	39,539	17	1	.	8	.	3	21	2	3	4	4	7	31	2	52	186	1
153	KINSALE,	23,837	16	1	.	3	.	25	12	2	1	3	1	4	4	.	34	65	.
154	LIMERICK,	90,756	18	.	.	.	7	16	147	2	.	14	3	9	39	2	175	299	4
155	LISTOWEL,	36,531	12	.	.	21	.	36	21	3	1	4	5	5	1	1	23	39	.
156	MACROOM,	31,090	15	.	1	20	2	12	18	.	3	3	.	3	1	.	34	65	.
157	MALLOW,	35,751	16	.	7	2	.	26	41	.	1	1	2	11	11	2	36	139	1
158	MILLSTREET,	14,797	15	2	.	1	1	11	11	.	1	1	3	.	6	.	14	52	.
159	NEWCASTLE,	31,624	17	1	.	25	.	26	51	.	2	3	.	4	12	1	48	86	1
160	RATHKEALE,	22,055	15	5	1	11	1	9	10	2	2	2	.	1	5	.	35	63	.
161	SKIBBEREEN,	32,412	16	10	.	44	.	20	16	1	1	7	4	3	5	.	41	102	1
162	SKULL,	13,902	13	11	.	18	.	5	8	.	1	1	.	.	1	.	21	26	.
163	TRALEE,	52,068	17	4	1	128	1	22	72	2	3	7	.	5	13	.	67	101	1

* According to the Census of 1861.

POPULATION, 1861, ANNUAL RATE of MORTALITY from ALL CAUSES, and DEATHS from SEVERAL CAUSES in the Year 1864, in the PROVINCES and COUNTIES* of IRELAND.

No.	PROVINCES AND COUNTIES.*	Population, 1861.	Annual Rate of Mortality from all Causes to every 1,000 of the Population.‡	DEATHS FROM SEVERAL CAUSES IN 1864. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Fever.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	IRELAND,	†5,798,967	16	854	630	2605	661	1735	5152	299	273	606	311	825	1962	120	9735	15433	2210
	PROVINCES.																		
I.	**LEINSTER,**	1,460,029	18	90	50	596	185	414	1299	85	79	121	103	176	560	37	2930	4510	640
II.	**MUNSTER,**	1,528,877	16	147	38	887	64	540	1470	59	69	166	51	273	564	38	2209	4358	569
III.	**ULSTER,**	1,930,921	16	494	352	744	360	559	1723	123	87	179	127	231	628	36	3708	4796	752
IV.	**CONNAUGHT,**	908,737	12	123	190	378	52	222	660	32	38	140	30	145	210	9	888	1769	249
	I.—PROVINCE OF LEINSTER.—REGISTRATION COUNTIES.																		
1	CARLOW,	51,802	17	.	.	39	3	10	63	2	4	2	3	7	20	1	101	112	18
2	DUBLIN,	412,032	22	43	15	186	63	99	467	42	47	26	40	62	252	17	1156	1831	234
3	KILDARE,	100,388	16	2	2	87	26	35	91	7	6	8	6	14	40	2	179	271	45
4	KILKENNY,	113,065	18	4	2	97	20	5	113	6	7	9	1	16	54	6	158	405	49
5	KING'S,	95,821	16	3	1	25	13	45	75	3	1	8	2	2	19	.	182	215	52
6	LONGFORD,	90,889	13	9	18	.	1	58	41	1	.	14	6	9	22	.	114	187	24
7	LOUTH,	111,955	17	13	3	39	17	41	101	8	1	12	10	15	40	3	226	334	48
8	MEATH,	83,497	14	9	1	10	1	26	46	1	5	7	8	6	16	.	173	193	20
9	QUEEN'S,	74,088	15	5	5	15	10	19	89	2	.	6	4	2	31	3	96	170	25
10	WESTMEATH,	56,264	14	.	2	13	8	23	28	.	3	6	3	5	9	1	84	90	15
11	WEXFORD,	155,611	18	1	1	58	5	30	146	7	4	14	11	27	32	4	304	538	73
12	WICKLOW,	84,617	14	1	.	27	18	28	39	6	1	9	9	11	25	.	157	164	37
	II.—PROVINCE OF MUNSTER.—REGISTRATION COUNTIES.																		
13	CLARE,	155,575	12	9	.	.	13	9	123	4	3	18	4	54	46	2	143	320	49
14	CORK,	557,325	17	62	19	386	20	264	490	22	26	58	18	90	153	14	846	1698	218
15	KERRY,	197,086	14	7	9	280	4	124	178	11	9	27	8	31	66	4	203	366	64
16	LIMERICK,	220,896	16	8	1	51	9	62	250	6	9	26	8	22	98	5	345	749	86
17	TIPPERARY,	246,948	16	48	1	40	8	57	260	4	13	26	9	55	120	11	395	735	84
18	WATERFORD,	151,047	20	13	8	130	10	24	169	12	9	11	4	21	81	2	277	490	68
	III.—PROVINCE OF ULSTER.—REGISTRATION COUNTIES.																		
19	ANTRIM,	355,201	20	124	110	203	120	196	429	23	21	32	22	65	207	20	942	919	167
20	ARMAGH,	229,051	17	75	9	184	31	43	246	19	14	20	19	21	53	5	447	639	86
21	CAVAN,	171,167	13	42	.	10	9	43	133	2	7	12	12	15	19	.	188	478	46
22	DONEGAL,	225,022	13	53	57	37	39	109	137	8	7	32	8	17	42	1	290	386	87
23	DOWN,	272,811	19	63	17	143	71	45	282	24	15	15	18	50	139	6	775	703	110
24	FERMANAGH,	98,275	14	5	10	27	12	26	69	2	3	7	21	9	21	1	121	181	33
25	LONDONDERRY,	194,713	17	34	35	41	37	34	180	18	8	13	13	27	52	1	385	435	89
26	MONAGHAN,	136,539	14	40	2	19	7	21	81	9	5	19	4	8	31	.	176	506	55
27	TYRONE,	248,142	16	58	112	80	34	42	166	18	7	29	10	19	64	2	384	549	79
	IV.—PROVINCE OF CONNAUGHT.—REGISTRATION COUNTIES.																		
28	GALWAY,	273,939	14	9	101	220	13	48	223	8	10	42	4	65	70	5	265	495	73
29	LEITRIM,	95,311	11	6	4	1	8	16	57	4	2	10	9	6	15	.	100	216	29
30	MAYO,	252,558	11	42	22	112	10	49	191	7	10	49	9	38	46	.	176	409	75
31	ROSCOMMON,	186,763	13	49	32	35	12	71	115	11	9	23	5	24	53	.	209	450	43
32	SLIGO,	100,166	13	17	31	10	9	38	74	2	7	16	3	12	26	4	138	199	29

The *Registration Counties* consist of groups of Superintendent Registrars' Districts or Poor Law Unions. Whenever a District or Union extends into more than one County, it is assigned wholly to that County in which the greater portion of the population is located; hence all the *Registration* Counties differ more or less from the Counties *Proper*.

See note (†) page 42.

‡ According to the Census of 1861.

END OF THE ABSTRACTS.

APPENDIX

TO

REGISTRAR-GENERAL'S REPORT

1864.

CONTENTS.

Page

LETTER to the REGISTRAR-GENERAL on the CAUSES of DEATH in IRELAND in 1864, from WILLIAM M. BURKE, Esq., F.C.P.I., ... 135–138

A.—Circular Letter from the Registrar-General to the Magistracy, Clergy, Editors of Papers, and others requesting their co-operation in carrying out the provisions of the Registration Acts; also Copy of a Notice enclosed therein, stating the Acts required to be done for the purpose of registering Births, Deaths, and Marriages, ... 139–144

B.—Notice to Captains and Commanding Officers of British Vessels, regarding Registry of Births and Deaths at Sea, ... 144–145

C.—General Specification for a Register Office and Strong Closet, ... 146

D.—General Rule respecting the Qualifications of Superintendent Registrars of Births, Deaths, and Marriages, ... 146–147

E.—General Rule respecting the Qualifications of Registrars of Births, Deaths, and Marriages, 147–148

F.—Circular Letter from the Registrar-General to the Chairman and Board of Guardians of each Union in Ireland, enclosing Copies of Circulars to the Clerk of each Union, and to the Medical Officer of each Dispensary District, requesting them to state whether they intended to accept the office of Superintendent Registrar, and of Registrar of Births, Deaths, and Marriages, respectively; also enclosing Copies of the General Rules, and soliciting their aid and co-operation in carrying out the provisions of the Registration Acts, ... 148–149

G.—Circular Letter from the Registrar-General to the Registrars of Births, Deaths, and Marriages, directing them to furnish Blank Forms of Certificate of Marriage to those Parish Priests who should make application for them, ... 149

Index of Superintendent Registrars' Districts, and of Registrars' Districts, . . . 150–156

Letter to the Registrar-General on the Causes of Death in Ireland, from William M. Burke, f.c.p.i.

Year 1864.

Sir,

I have the honour of submitting to you some brief observations on the assigned causes of the deaths *registered* in Ireland during the year 1864.

I think it advisable to italicise the word "registered," for there can be no doubt that the number of deaths registered very imperfectly represents the total deaths which occurred during the year.

I. Zymotic Diseases.

The number of deaths resulting from zymotic diseases amounted to 19,064, or 1 in every 4·9 of the total deaths, and showing a mortality of 3·4 in every 1,000 of the estimated population.* Fever proved fatal in 5,152 instances, being in the proportion of 1 in every 18·1 of the total deaths. Typhus, typhoid fever or typhia, relapsing fever or typhinia, and infantile remittent fever, are all tabulated under the head of fever. The forms of fever most prevalent during the year were typhus and typhoid, the former proving most fatal. The relapsing fever or typhinia, which was so general during the famine years, has not been frequently observed of late. Of the persons whose deaths were ascribed to fever, 2,676 were males, and 2,476 females.

Scarlatina, a disease which chiefly attacks young people, and frequently proves rapidly fatal, caused 2,605 deaths, being in the proportion of 1 in every 35·8 of all the deaths registered. Epidemics of scarlatina were reported from various districts. Amongst those which suffered most were the Unions of Galway, Oughterard, and Ballinrobe, in the western division; and Tralee and Kenmare in the south-western division.

Diarrhœa killed 1,962 persons, or 1 in every 47·5 of the total deaths. Croup was the cause of 1,936 deaths—1,019 males and 917 females; this disease appears to be more fatal in Ireland than in England or Scotland, since 1 in every 48·1 of the total deaths resulted from croup; whereas, according to the Reports of the Registrars-General of England and Scotland for the year 1864, the proportional number of deaths from croup were, in England, 1 in every 73, and in Scotland 1 in every 53. The deaths from whooping cough numbered 1,735—777 males and 958 females. Diphtheria caused 661 deaths; it was very prevalent in the north-eastern division.

Small-pox proved fatal in 854 instances. Of the deaths from small-pox 318 occurred in the north-eastern division (of which number 105 occurred in the Union of Belfast); 110 in the north-western; the remainder being distributed throughout the other divisions.

Hydrophobia caused 7 deaths—6 males and 1 female.

Three men and 1 woman died from glanders.

* The population of Ireland in the middle of the year 1864 is estimated as 5,675,307.

II. Constitutional Diseases.

The number of deaths referred to constitutional diseases amounted to 17,751, or 1 in every 5·2 of the total deaths registered, and 3·1 to every 1,000 of the estimated population.

The number of persons who fell victims to phthisis, or pulmonary consumption, amounted to 9,735—4,740 males and 4,995 females. In both sexes the majority of deaths from phthisis occurred between the ages of 15 and 35 years.

2,272 deaths—997 males and 1,275 females—were tabulated under the head of dropsy, which is generally a secondary affection, depending on some visceral disease, and not a disease *per se*.

Of the deaths from cancer (1,498), 664 were of males, and 834 of females; between the ages of 55 and 75 cancer proved most fatal to males, and to females between 45 and 65.

Tabes mesenterica proved fatal to 1,667 persons, the majority of whom were under 5 years of age.

Hydrocephalus, another scrofulous disease, chiefly affecting children, furnished 1,060 deaths.

1,224 deaths were returned simply as from scrofula.

III. Local Diseases.

To this class of diseases 33,445 deaths were referred, being in the proportion of 1 in every 2·8 of the total deaths, and affording a ratio of 5·9 deaths to 1,000 of the estimated population.

From diseases of the nervous system there died 8,852 persons—4,825 males, and 4,027 females; of these nearly one-half the number (3,981) were ascribed to convulsions, the majority of the victims being children under 1 year old.

The deaths from apoplexy of males exceeded those of females by 148. The proportional number of deaths from apoplexy to the total deaths was 1 in every 112·2.

Paralysis proved equally fatal to males and females.

Of the deaths from diseases of the nervous system 1,182 were returned under the head of brain disease unspecified.

Diseases affecting the organs of circulation contributed 2,877 deaths; 39 males, and 29 females died from pericarditis or inflammation of the covering of the heart; aneurism caused 89 deaths—65 males, and 24 females; the remaining deaths from diseases of the organs of circulation were equally distributed between males and females—the deaths of men being only 2 more than those of women.

15,433 deaths—7,564 males, and 7,869 females—were attributed to diseases of the respiratory organs.

One in every 8·5 of the deaths registered was assigned to bronchitis, which disease killed 10,929 persons—5,104 males, and 5,825 females—thus showing the mortality among the latter as greater by 721 than in the former.

Pneumonia, or inflammation of the lungs, proved more fatal to men than to women, the respective numbers being 1,208 and 795.

1,074 deaths were returned as caused by asthma; 375 by pleurisy; 148 by laryngitis; and 904 were referred to lung disease unspecified.

The various diseases of the organs of digestion terminated fatally in 4,682 instances—2,534 males, and 2,148 females. Though gastritis, or inflammation of the stomach is not often met with in practice, yet 180 deaths were attributed to that disease. Inflammation of the bowels (enteritis) was the cause of 612 deaths. 270 deaths were referred to peritonitis, or inflammation of the serous covering of the intestines.

The deaths of 259 males and 155 females, were ascribed to ileus, under which heading deaths from obstruction of the bowels, constipation, &c., were included.

1,163 deaths were vaguely returned as caused by stomach diseases unspecified. Hepatitis or inflammation of the liver is stated to have been the cause of 162 deaths; jaundice of 240; and liver disease, unspecified, of 938.

The mortality from diseases of the urinary organs was more than three-fold greater among men than women; the deaths of males numbering 743 against 217 females.

Of the above number, 210 were caused by nephria or Bright's disease; 28 by nephritis or inflammation of the kidneys; 109 by diabetes.

Two males and 185 females died from diseases of the organs of generation.

Diseases of the organs of locomotion caused 205 deaths—117 males and 88 females.

Two hundred and forty-nine deaths were attributed to diseases affecting the integumentary system; of these, 19 were referred to phlegmon, 97 to ulcer, and the remainder to skin diseases unspecified.

IV. Developmental Diseases.

Under the above heading were tabulated 13,668, or 1 in every 6·8 of the total deaths, and representing a rate of mortality of 2·4 to 1,000 of the estimated population.

Two hundred and forty-six children who were prematurely born, died; 14 died from cyanosis, none having survived the fifth year. Spina bifida caused 17 deaths; the deaths of 42 children were returned under the head of other malformations; and 231 children were cut off during the period of dentition.

Twelve deaths were ascribed to paramenia or disordered menstruation.

The deaths from childbirth amounted to 606; and if the deaths from metria, or puerperal fever, be added, the total deaths resulting from child-bearing, will have been 879, so that for every 155 births registered, one mother died.

Eight thousand seven hundred and fifty-eight persons were said to have died of old age—3,603 men, and 5,155 women.

To atrophy and debility 3,742 deaths were attributed.

V. Violent Deaths.

The deaths of 4 persons in every 10,000 of the estimated population resulted from violence. The total number registered under the head of violent deaths was 2,210 or 1 in every 42·1 of all the deaths returned.

One thousand nine hundred and forty-two of the violent deaths were ascribed to accidental causes; 608 from fractures and contusions; 24 from gunshot wounds; 18 from cuts or stabs; 619 persons lost their lives by burns or scalds—285 males

and 334 females; 1 in every 150·5 of the total deaths registered, was from the effects of fire.

Accidental poisoning was the cause of 25 deaths.

The deaths from accidental drowning amounted to 440—344 males and 96 females.

71 deaths were caused by suffocation.

A man aged 38, and a woman aged 75, were killed by lightning.

The particular kind of accident was not specified in 137 instances.

Forty-eight deaths, including 13 cases of infanticide, were tabulated under the head of murder and manslaughter, 25 being referred to the former.

The deaths from suicide amounted to 84—64 males and 20 females; the number of persons who died by self-destruction was 15 to 1,000,000 of the estimated population.

The suicidal means resorted to were—gunshot wounds, 4 males; cuts or stabs, 18 males and 4 females; poison, 2 males and 1 female; drowning, 6 males and 5 females; hanging, 23 males and 7 females; and in the instances of 11 males and 3 females, the means adopted to commit suicide were not stated in the returns.

Two men were executed during the year.

One hundred and thirty-six of the violent deaths were not classed.

In 502 instances of sudden death, the cause was not ascertained.

The cause of death was unspecified, or so ill-defined as not to admit of classification in 6,504 instances, being equal to 1 in 14·3, or nearly 7 per cent. of the total deaths.

The non-specification of the cause of death varied in the returns from the eight divisions. In the North Midland Division the cause of death was ill-defined in 1 in 10; in the South-Eastern, 1 in 10·5; North-Western, 1 in 10·8; South-Western, 1 in 12·7; Western, 1 in 13·6; North-Eastern, 1 in 15; South-Midland, 1 in 18·6; while in the Eastern Division in only 1 in 33·7 of the deaths was the cause unspecified or ill-defined.

I have the honour to be,

Sir,

Your obedient servant,

W. M. BURKE.

To

The Registrar-General.

Appendix A.

Circular Letter from the Registrar-General to the Magistracy, the Clergy of all Denominations, the Members of the Public Press, and also to all other Subjects of Her Most Gracious Majesty in Ireland of every Rank and Class :—

My Lords and Gentlemen,

I venture, on public grounds, respectfully to solicit your valuable and friendly aid in carrying out the provisions of the very important measures referred to in the accompanying Notice.

If now honoured by your generous support,—as I have been on so many occasions during the last nineteen years,—I confidently trust that Ireland will fully participate in the numerous advantages resulting from a general system of Registration of the Births, Deaths, and Marriages of her population, which experience has already shown to be of such incalculable value in England and Scotland,—and the great National importance of which, both in a Social and Sanitary point of view, it is scarcely possible to over estimate.

I have the honour to be,
My Lords and Gentlemen,
Your faithful and obliged Servant,

William Donnelly,
Registrar General.

General Register Office, Dublin,
December 7th, 1863.

Notice by the Registrar-General of Births, Deaths, and Marriages: Furnished under the provisions of the Act 26th Vic., cap. 11, for the Registration of Births and Deaths;—the Act 26th and 27th Vic., cap. 90, to provide for the Registration of Marriages celebrated by the Roman Catholic Clergy;—and the Act 26th and 27th Vic., cap. 52, to make Compulsory the practice of Vaccination in Ireland.

Acts required to be done for the purpose of Registering any Birth or Death, occurring in Ireland, on and after the First day of January, 1864.

REGISTRATION OF BIRTHS AND DEATHS—26th Vic. Cap. 11.

Districts.

Registration Districts.—On and after the First day of January, 1864, each Dispensary District of a Poor Law Union will be a Registrar's District for the Registration of Births and Deaths, until the same shall be sub-divided by the Registrar-General, in case it be found necessary for public convenience to make any sub-division. In the event of any alteration being made in a District, such alteration shall be published by the Registrar-General within the Union in which the District is situated, and elsewhere, as may be deemed expedient. The several Dispensary Districts which comprise a Poor Law Union will form a Superintendent Registrar's District, except in such cases as the Boundaries may be altered by the Registrar-General, with the approval of the Lord Lieutenant, of which due notice will be given.

Registrars.

Registrars of Births and Deaths.—The Medical Officer of each Dispensary District will be the Registrar of Births and Deaths within the said District. In the event of the Medical Officer declining to act as Registrar, the Guardians of the Union in which such District is situated shall appoint a fit person to the Office of Registrar. Notice of all Changes in the Office of Registrar will be given by advertisement in some Newspaper circulating in the County in which the District is situated. The Registrar is required to cause his name, with the addition of Registrar of Births and Deaths, and the Days and Hours at which he will attend his Residence or place of Business, to be fixed in some conspicuous position on or near the Outer-door of his Dwelling-house or known place of business. A list of the Names and Residences, or known place of Business of every Registrar of Births and Deaths under his superintendence shall be printed and published by the Superintendent Registrar. Births and Deaths may be Registered at a Dispensary Station or Vaccination Station, or at the place of Residence of the person or persons giving information to the Registrar of the District.

Registration of Births.

Information to be given respecting Births.—The persons required to give Information as to the Birth of any Child born in Ireland, on and after the First day of January, 1864, are the following:—

1. The Parents or Parent; or,
   In case of the death or inability of the Parents or Parent,
2. The Occupier of the House or Tenement in which, to his or her knowledge, such Child was born; or,
3. The Nurse; or,
4. Any person present at the Birth of such Child.

The particulars required to be stated to the Registrar are—

1. The Date and Place of Birth.
2. The Name (if any).
3. The Sex.
4. The Name and Surname, and Dwelling-place of Father.
5. The Name and Surname, and Maiden Surname of Mother.
6. The Rank, Profession, or Occupation of Father.

Each entry in the Register of Births must be signed by the Informant and the Registrar, and must show the qualification and residence of the person by whom the Information is given, and also the date of Registry.

Notices of all Births must be given to the Registrar of the District *within twenty-one days next after the Birth.* All persons required by this Act failing to give Notice of any Birth *within twenty-one days* will be liable to a penalty of *Twenty Shillings.* Information must be given to the Registrar of the several particulars required to be Registered upon the personal or written requisition of the Registrar at some Dispensary Station or Vaccination Station in his District, or at the Residence of the Parents or Persons giving Information, *within Three Calendar Months,* under a Penalty of *Forty Shillings.*

The Name given in Baptism may be Registered *within Six Calendar Months after Registration of the Birth,* by the Parent or Guardian of such Child, or other person procuring such Name to be given, on the delivery to the Registrar or Superintendent Registrar of the District in whose custody the Register of the Birth of the Child may then happen to be, of a Certificate according to Form C. in the said Act, signed by the Clergyman, Minister, or Officiating person who shall have performed the Rite of Baptism.

In the case of the Parents of any child not recognizing the Sacrament of Baptism, or Infant Baptism, when a Name shall have been given to such Child by its Parents or Guardians other than that by which it may have been Registered, such Parents or Guardians, *within Six Months after the Birth shall have been Registered.* may

deliver to the Registrar or Superintendent Registrar in whose custody the Register of the Birth of the Child may then happen to be, a Certificate according to Form F. to the said Act annexed, signed by such Parents or Guardians.

A Fee of *One Shilling* is payable to the Clergyman or other person from whom the Certificate as aforesaid is procured, and a Fee of *One Shilling* to the Registrar or Superintendent Registrar for Registering the Name of the Child.

After Six Calendar Months such Certificate as aforesaid shall be delivered to the Registrar or Superintendent Registrar, only with the written authority of one or more Justice or Justices of the Peace presiding at the Petty Sessions of the District in which such Parents or Guardians reside, or in the Police District of Dublin Metropolis, of one or more Divisional Justice or Justices within the said District A fee of *One Shilling* is payable to the Registrar or Superintendent Registrar on Registering the Name of such Child from the said Certificate.

Registry of Births after Three Months.—When the Birth of a Child shall not have been Registered within Three Months from the time it was Born, the person present at the Birth of the Child, or the Father or Mother, or Guardian thereof, may, *within* Six Calendar Months next after the Birth of such Child, make, before the Superintendent Registrar, a Declaration, in writing, of the particulars required to be known touching the Birth of such Child, according to the best of his or her knowledge and belief, and the Registrar shall, in the presence of the Superintendent Registrar, Register the Birth of such Child, on payment of a Fee of 2*s.* 6*d.* to the Superintendent Registrar, and of 2*s.* 6*d.* to the Registrar, unless the delay in the Registry of such Birth shall have been occasioned by default of the Registrar.

Limitation of the Time of Registry of Births.—After the expiration of Six Months following the Birth of any Child, no Registrar is authorized to Register the Birth of such Child.

New-born Children found Exposed.—Any person finding exposed any New-born Child is required to give Notice thereof to the Registrar.

Children Born at Sea.—The Births of Children, of Irish Parents, Born at Sea, are required to be notified to the Registrar-General, Dublin, by the Captain or Commanding Officer of every British Vessel, in which such Birth may take place, whereupon it will be entered in a book called "*The Marine Register Book of Births*," kept in the Office of the Registrar-General.

Children Born in Foreign Countries.—The Births of Children, of Irish Parents, which shall take place in Foreign Countries, if certified in the prescribed Form by the British Consul of the Country or District in which such Birth shall take place, will be entered in a book to be called "*The Foreign Register*," kept for the purpose by the Registrar-General.

Improper Registry of Birth after Six Months.—Persons knowingly causing to be Registered in any other way than is by the Act required, after the expiration of Three Months following the Birth, or after the expiration of Six Months from the Birth of the Child, except in the case of Children Born at Sea, or in a Foreign Country, shall be liable to a Penalty of *Five Pounds*.

Registration of Deaths.

Information to be given respecting Deaths.—On and after the First day of January, 1864, Information as to every Death which shall take place in Ireland is required to be given to the Registrar of the District in which the death has occurred, by the following persons:—

1. Some person present at the Death; or,
2. In attendance during the last illness of the person deceased; or,
3. The Occupier of the house or Tenement in which the Death took place; or. If the Occupier be the person who shall have died—then,
4. Some one or more persons residing in the house where the Death has occurred; or, if the Death has not happened in a house; then, by
5. Any person present at, or having a knowledge of, the circumstances attending such Death.

Notice of the Death must be delivered to the Registrar *within Seven Days next after its occurrence*, under a penalty of *Twenty Shillings*, in case of failure to give such Notice. The particulars to be Registered concerning such Death must be communicated to the Registrar, upon his personal or written Requisition, *within Fourteen Days after the day of the Death*, under a Penalty of *Forty Shillings* in case of failure.

The Registrar will attend, personally, to receive the necessary Information at some Dispensary or Vaccination Station within his District, or at the Residence of the person giving the Information.

The following are the particulars to be Registered —

1. The Date and Place of Death.
2. The Name and Surname of the Deceased.
3. The Sex.
4. The Condition as to Marriage, *i.e.*, Bachelor, Spinster, Widower, or Widow.
5. His or Her Age, last Birth-day.
6. The Rank, Profession, or Occupation.
7. The Certified cause of Death, and the Duration of Illness.

Each entry in the Register of Deaths must be signed by the Informant and the Registrar, and must show the qualification and residence of the person by whom the Information is given, and also the date of Registry.

Medical Certificate of Death.—Every duly qualified Medical Practitioner is required to forward to the Registrar, *within Seven Days after the Death* of the person whom he shall have attended in his last Illness, a Certificate setting forth the cause of Death. Forms of Certificate will be supplied by the Registrars of Births and Deaths.

Dead Bodies found Exposed.—The Coroner, in every case of a Dead Body found Exposed, shall give Notice to the Registrar of the District where the same was found, and if an Inquest is held on such Dead Body, the Jury shall inquire as to the particulars to be Registered concerning the Death, and the Coroner shall communicate the Finding of the Jury to the Registrar.

Deaths at Sea.—The Deaths of Her Majesty's *Irish* Subjects Dying at Sea, on Board of British Vessels, must be communicated to the Registrar-General, Dublin, by the Captains or Commanding Officers of Vessels on board of which such Deaths shall happen, the Deaths are then Registered by the Registrar-General, in "*The Marine Register Book of Deaths.*"

Deaths in Foreign Countries.—The Deaths of *Natives of Ireland*, which shall take place in Foreign Countries, if intimated to the Registrar-General within Twelve Months, duly Certified by the British Consul of the Country or District in which such Death has taken place, will be entered in a book kept in the General Register Office, to be called "*The Foreign Register.*"

*** *False Information.*—Every person wilfully giving False Information, touching any of the particulars required to be known and Registered, as to any Birth or Death, shall be subject to the same Pains and Penalties as if Guilty of Perjury—Sec. 55.

REGISTRATION OF MARRIAGES

Celebrated in Ireland by the Roman Catholic Clergy on and after the First day of January, 1864—26th and 27th Vic., cap. 90.

On and after the First day of January, 1864, any person whose Marriage is to be Celebrated by a Roman Catholic clergyman, is required to procure from the Registrar of the District, and to produce to the Clergyman by whom the Marriage

may be solemnized, a Certificate in which shall be inserted the following particulars;—

1. The Date when Married.
2. The Name and Surname of each of the parties Married.
3. Their respective ages.
4. Their condition, *i.e.*, whether Bachelor, Spinster, Widower, or Widow.
5. Their Rank, Profession, or Occupation.
6. The Residence of each of the parties at the time of their Marriage.
7. The Name and Surname of the Father of each of the parties.
8. The Rank, Profession, or Occupation, of the Father of each of the parties Married.

Every such Certificate must state the place in which the Marriage was solemnized, and be *signed by the officiating Clergyman, and also by the parties Married, and by two Witnesses.*

Every person whose Marriage has been celebrated by a Roman Catholic Clergyman, must, *within three days after his or her Marriage*, deliver, or send by Post, the Certificate containing the necessary particulars, to the Registrar of the District wherein the Marriage was solemnized. In case of failure to deliver or send such Certificate to the Registrar, the Husband shall be liable to a Penalty not exceeding *Ten Pounds.* Persons having their Marriage Registered as aforesaid, may obtain a Certified Copy of the Registry, on payment of the Fee of *Three Shillings and Sixpence.*

COMPULSORY VACCINATION—26TH AND 27TH VIC., CAP. 52.

Registration of all Children Successfully Vaccinated on and after the First day of January, 1864.

On and after the 1st day of January, 1864, each Registrar of Births and Deaths is required to Register every case of successful Vaccination occurring within his District. To enable him so to do, the Medical Practitioner by whom the *Vaccination* shall have been *successfully performed*, shall transmit to such Registrar a Certificate to that effect. Search may be made in the Register Book, and a Certified Copy of any Entry therein may be obtained on payment of *One Shilling for each Search*, and *Sixpence* for each Certificate.

Every Registrar of Births and Deaths is required to give Notice to the Father or Mother, or in the event of the Death, Illness, Absence, or Inability from Sickness or otherwise, of the Father or Mother, to the person having the care, nurture, or custody, of any Child whose Birth has been Registered, but whose successful Vaccination has not been Registered as aforesaid, requiring that the said Child shall be Vaccinated, and stating the days, hours, and places at which the Medical Officer will attend for the purpose of Vaccination. If, after such Notice, the Father, Mother, or person having the care of the said Child, shall not cause it to be Vaccinated, the party offending shall forfeit a sum not exceeding *Ten Shillings.*

Every Registrar failing to Register any case of successful Vaccination duly certified to him, or who shall Register the Vaccination of a Child which shall not have been successfully Vaccinated, shall forfeit a sum not exceeding *Twenty Shillings* for each such case.

PENALTIES REFERRED TO IN THE FOREGOING NOTICE.

BIRTHS AND DEATHS—26 VIC., CAP. 11.

1. Any person failing to give notice of a Birth *within Twenty-one days*, or of a *Death within Seven days*, after these events, respectively, is liable to a Penalty of *Twenty Shillings.*—Sec. 60.

2. Any person failing to give the necessary information on being required so to do, by the Registrar of Births and Deaths, as to *Births within Three Months*, and as to *Deaths within Fourteen Days*, is liable to a Penalty of *Forty Shillings.*—Sec. 61.

3. Any person failing to give notice of finding exposed any New-born Child, or Dead Body, is liable to a Penalty of *Twenty Shillings.*—Sec. 62.

4. Any person wilfully giving, or causing to be given, any false information to the Registrar respecting any Birth or Death, will be subject to the *same pains and penalties* as if Guilty of Perjury.—Sec. 55.

5. Any person improperly procuring the Registry of the Birth of a Child after Six Months from its Birth, is liable to a Penalty of *Five Pounds.*—Sec. 59.

6. Persons are not liable to the Penalty of *Twenty Shillings* for Non-service of notice on the Registrar of Births and Deaths, if the Notice shall have been sent, properly addressed, through the Post Office.—Sec. 63.

MARRIAGES.—26 AND 27 VIC., CAP. 90.

1. Every Husband failing to deliver to the Registrar of Marriages a Certificate of his Marriage, *within three days* after its celebration, will be liable to a Penalty of *Ten Pounds.*—Sec. 11.

2. Any person inserting or causing to be inserted in any Certificate of Marriage any false entry relating thereto, will be subject to the *same Pains and Penalties* as if Guilty of Perjury.—Sec. 22.

COMPULSORY VACCINATION.—26 AND 27 VIC., CAP. 52.

1. All persons having the care of Infants are required to have them Vaccinated *within Six Months after Birth*, under Penalty of *Ten Shillings.*—Sec. 8.

2. Every Registrar failing to Register any case of successful Vaccination certified to him, or who shall Register the Vaccination of any Child who has not been *successfully Vaccinated*, shall forfeit a sum not exceeding *Twenty Shillings.*

☞ Copies of all Forms and Certificates referred to in the foregoing Notice, may be procured from the Registrars of Births, Deaths, and Marriages, of the several Districts.

WILLIAM DONNELLY,
Registrar-General.

General Register Office, Dublin,
30th November, 1863.

APPENDIX B.

NOTICE to all CAPTAINS and COMMANDING OFFICERS of British Vessels, regarding REGISTRY of BIRTHS and DEATHS at SEA.

The Registrar-General of Births, Deaths, and Marriages in Ireland, hereby begs to direct the attention of all Captains or Commanding Officers of British Vessels to the following Provisions of the Act of the 26th Vic., cap. 11, intitled "An Act for the Registration of Births and Deaths in Ireland," namely—

In the 39th Section it is enacted, that—

"If any child of an *Irish* parent shall be born at sea after the Thirty-first day of *December*, One Thousand Eight Hundred and Sixty-three, on board of a *British* vessel, the Captain or Commanding Officer of such vessel shall forthwith make a minute in the log book or otherwise of the several particulars hereby required to be registered touching the Birth of such child, so far as the same may be known, and of the name of the vessel in which the Birth took place, and shall on the arrival of such vessel in any port of the United Kingdom, or by any other earlier opportunity, send a certified copy of such minute through the Post Office to the Registrar-General in *Dublin*, who shall

file the same, and shall cause a true and correct copy thereof, verified by his own signature, to be entered in a book to be kept for that purpose in the General Register Office, to be called the 'Marine Register Book of Births;' and the Registrar-General shall keep such book with the other Registers according to the provisions of this Act."

In the 40th Section of the same Act it is enacted, that—

"If any of Her Majesty's *Irish* subjects shall die at sea on board of a *British* vessel after the said Thirty-first day of *December*, One Thousand Eight Hundred and Sixty-three, the Captain or Commanding Officer of the vessel on board of which such Death shall have happened shall forthwith make a minute in the log book or otherwise of the several particulars herein required to be inserted in the Register touching such Death, so far as the same may be known, and of the name of the vessel wherein such Death took place, and shall, on the arrival of such vessel in any port of the United Kingdom, or by any other earlier opportunity, send a certified copy of such minute through the Post Office to the Registrar-General in *Dublin*, who shall file the same, and shall cause a true and correct copy thereof to be entered in a book to be kept for that purpose in the General Register Office, to be called the 'Marine Register Book of Deaths;' and the Registrar-General shall keep such book with the other Registers according to the provisions of this Act."

The following are the Schedules containing the particulars required to be inserted in the Register, so far as the same may be known :

186 , Birth of a Child at Sea, on Board of *

Date and Place of Birth.	Name (if any).	Sex.	Name and Surname and Dwelling-place of Father.	Name and Surname and Maiden Surname of Mother.	Rank or Profession of Father.	Signature of the Captain or Commanding Officer of the Vessel.

186 , Death at Sea, on Board of *

Date and Place of Death.	Name and Surname.	Sex.	CONDITION (Whether Married, Bachelor, Spinster, Widower, or Widow).	Age last Birthday.	Rank, Profession, or Occupation.	Cause of Death and Duration of Illness.	Signature of the Captain or Commanding Officer of the Vessel.

The Minute should be made without delay, in the Ship's log, of all cases of Birth or Death which may occur in the Vessel, and a copy of such Minute, certified in the following manner, or to the like effect, must, on the arrival of such Vessel in any port in the United Kingdom, or by any other earlier opportunity, be sent through the Post Office, addressed to "The Registrar-General of Births, Deaths, and Marriages, General Register Office, Dublin."

"I hereby certify that this is a true copy of the Minute made in the log of * on the day of 186 .

"Witness my hand, this day of 186 .

{ *Captain or Commanding Officer*

of * ."

NOTE.—The word "*Irish*" includes only natives of Ireland; the word "*British*" includes vessels belonging to all parts of the British Empire.

* Here state the name of the Vessel.

Appendix C.

GENERAL SPECIFICATION for a "REGISTER OFFICE," &c., to be "made in some part of the existing Poorhouse."

Register Office.—One of the Probationary Wards is to be appropriated entirely to the purposes of a Register Office; and of one portion of the room a Strong Closet is to be built off and strengthened with additional walling, as shown in the accompanying plan.

The fittings in the Probationary Ward are to be all removed, and replaced by fittings suitable to the purposes of the office.

A new boarded floor is to be laid down, the walls to be cleaned of the white-wash, and plastered, a deal skirting to be fixed round the room, the ceiling to be lathed and plastered.

A plain stone chimney-piece and hearthstone, and a plain strong half-register fire-grate are to be provided for the fire-place.

The window to have inch-ledged shutters and fastenings, and a deal window-board.

Strong Closet.—The Strong Closet is to have a flagged floor, and to be arched over, one window with iron frame and iron casement (to open), stone sill, jamb and head inch round iron bars outside, very securely fixed in head and sill of opening, the casement to have secure fastening. The inside is to be fitted up with three rows of iron shelving fixed securely on strong iron bearers.

The doorway to the Strong Closet is to have a strong iron door and frame, and strong closet door lock and two keys. Three openings, twelve inches by six inches, are to be formed in the wall between the "Register Office" and Strong Closet, and two iron perforated plates in each, one in each face of the wall for ventilation. The walling and arching to be plastered.

Appendix D.

General Register Office, Dublin.

GENERAL RULE respecting the QUALIFICATIONS of SUPERINTENDENT REGISTRARS of BIRTHS and DEATHS, and also of MARRIAGES, under the Acts 26 Vic., cap. 11; and 26 & 27 Vic., cap. 90.

WHEREAS by an Act passed in the 26th year of the Reign of Her present Majesty, intituled "An Act for the Registration of Births and Deaths in Ireland," it is enacted "that the Clerk of the Union for the time being shall, if he shall think fit to accept such office, and have such qualifications as the Registrar-General may by any General Rule declare to be necessary, be the Superintendent Registrar thereof, and that in the event of his refusal or disqualification to act in that capacity, the Guardians of the Union shall appoint a person, with such qualifications as the Registrar-General may by any General Rule declare to be necessary, to be the Superintendent Registrar." And whereas by an Act passed in the 26th and 27th years of the reign of Her present Majesty, cap. 90, intituled "An Act to provide for the Registration of Marriages in Ireland," it is enacted that the Superintendent Registrar of Births and Deaths appointed, and acting from time to time, shall, if he think fit so accept the office, be the Superintendent Registrar of Marriages under said Act. Therefore, in pursuance of the provisions of the said Acts, and by virtue of the power and authority vested in me as Registrar-General, I do hereby declare the following General Rule, as necessary to be observed touching the qualifications of all and

every person who shall accept, or be appointed to the office of Superintendent Registrar of Births and Deaths, or of Superintendent Registrar of Marriages, under the provisions of the said Acts, that is to say—

General Rule.—1. Every Superintendent Registrar shall reside, or have a known place of business within the district for which he is appointed, and shall not be a member of any Board of Guardians by which he shall be appointed Superintendent Registrar, unless upon a representation to be made in writing, and signed by two-thirds of the members of such Board, it shall be made to appear to my satisfaction—to be signified under my hand—that there is no person resident within the district capable and willing to undertake the said office of Superintendent Registrar; and he shall not be engaged in any profession or occupation which may be considered by the Registrar-General as incompatible with the discharge of his duties.

2. Every Superintendent Registrar shall be above the age of twenty-three years, and shall not be an uncertified bankrupt, or have applied for, or obtained within twelve calendar months before his acceptance of, or appointment to, the office of Superintendent Registrar, the benefit of any Act or Acts of Parliament for the Relief of Insolvent Debtors.

3. Every Superintendent Registrar shall be prepared to comply with the regulations which may from time to time be made and approved for the discharge of his duties, under the provisions of the said Acts.

And I do hereby reserve to myself as Registrar-General, as aforesaid, the power of revoking, altering, or varying this General Rule, or any portion thereof, and of substituting any other in place thereof, as it may hereafter appear to me to be necessary for the interests of the public service.

In witness whereof I have hereunto set my hand, this Twenty-first day of November, in the year of our Lord 1863.

WILLIAM DONNELLY, *Registrar-General.*

APPENDIX E.

General Register Office, Dublin.

GENERAL RULE respecting the QUALIFICATIONS of REGISTRARS of BIRTHS and DEATHS, and also of MARRIAGES, under the Acts 26 Vic., cap. 11; and 26 & 27 Vic., cap. 90.

WHEREAS by an Act passed in the 26th year of the Reign of Her present Majesty, intituled "An Act for the Registration of Births and Deaths in Ireland," it is enacted that "the Medical Officer for the time being of each Dispensary District not subdivided, as aforesaid, shall, if he shall think fit to accept such office, and have such qualifications as the Registrar-General may by any General Rule declare to be necessary, be the Registrar of the said district," and that, "in the event of his refusal or disqualification to act in that capacity, the Guardians of the Union in which such Dispensary District is situated shall appoint a person with such qualifications as the Registrar-General may by any General Rule declare to be necessary, to be the Registrar of such district." And whereas by an Act passed in the 26th and 27th years of the reign of Her present Majesty, cap. 90, intituled "An Act to provide for the Registration of Marriages in Ireland," it is enacted that the Registrar of Births and Deaths appointed, and acting from time to time, shall, if he shall think fit to accept the office, be the Registrar of Marriages under said Act. Therefore, in accordance with the provisions of the said Acts, and by virtue of the authority given to me as Registrar-

General, I hereby declare the following General Rule, as necessary to be observed regarding the qualifications of every person who shall accept or be appointed to the office of Registrar of Births and Deaths, or of Registrar of Marriages, under the said Acts, that is to say—

General Rule.—1. Every Registrar shall reside or have a known place of business within the district for which he is appointed Registrar, and shall not be a member of any Board of Guardians by which he shall be appointed Registrar, unless upon a representation to be made in writing, and signed by two-thirds of the members of such Board, it shall be made to appear to my satisfaction—to be signified under my hand—that there is no person resident within the district capable and willing to undertake the said office of Registrar; and he shall not be engaged in any profession or occupation which may be considered by the Registrar-General as incompatible with the discharge of his duties as Registrar.

2. Every Registrar shall be above the age of twenty-three years, and shall not be an uncertificated bankrupt, or have applied for, or obtained, within twelve calendar months before his acceptance of, or appointment to, the office of Registrar, the benefit of any Act or Acts of Parliament for the Relief of Insolvent Debtors.

3. Every Registrar shall be prepared to comply with the Regulations made and approved for the discharge of his duties, under the provisions of the said Acts.

And I do hereby reserve to myself, as Registrar-General, the power of revoking or altering this General Rule, or any portion thereof, and of substituting any other, as may hereafter appear to me to be necessary for the interests of the public service.

In witness whereof I have hereunto set my hand, this Twenty-first day of November, in the year of our Lord 1863.

WILLIAM DONNELLY, *Registrar-General.*

APPENDIX F.

General Register Office, Dublin,
23*rd November*, 1863.

GENTLEMEN,

I beg to enclose the copy of a circular to the Clerk of your Board, in which I request him to inform me whether it is his intention to accept the office of Superintendent Registrar of Births and Deaths, and also that of Superintendent Registrar of Marriages, under the option given to him by the Acts for the Registration of Births and Deaths, 26 Vic., cap. 11, and for the Registration of Marriages, 26 & 27 Vic., cap. 90.

I also enclose the copy of a circular addressed by me to the Medical Officer of each Dispensary District within your Union, in which I request these gentlemen to inform me whether it is their intention to accept the office of Registrar of Births and Deaths, and also of Marriages, under the option given to them by the Acts above named.

In case it may become necessary for the Guardians to elect a Superintendent Registrar, or a Registrar of Births and Deaths, or of Marriages for any district, I herewith send copies of the "General Rules" declared by me under the provisions of the said Acts, setting forth the qualifications requisite in persons holding the office of Superintendent Registrar, and that of Registrar of Births and Deaths, and Marriages; and I beg to inform you that no person accepting, or appointed to such offices, will be entitled to hold the same, unless he shall possess the qualifications required by said Rules, or by any future "General Rules" which may be declared by me to be necessary for the interests of the public service.

I venture, on public grounds, to solicit your valuable aid and co-operation in carrying out the important provisions of the Acts for the Registration of Births and Deaths, and Marriages, above referred to, which will come into operation on the 1st January, 1864, and of which I herewith forward copies—the receipt of which I beg you will be so good as to acknowledge.

I have the honour to be, gentlemen, your faithful servant,

WILLIAM DONNELLY, *Registrar-General.*

The Chairman and Board of Guardians
of the Union of ———

APPENDIX G.

REGISTRATION of MARRIAGES celebrated by the ROMAN CATHOLIC CLERGY, 26 and 27 Vic., cap. 90.

General Register Office, Dublin,
31st *December*, 1863.

SIR,

I request you will furnish each Parish Priest within your District—who may apply to you for the same—with *six blank* Forms of Certificates of Marriage, which you will carefully take from the Certificate Book forwarded to you, and also with *six* of the printed Envelopes, addressed to "The Registrar of Births, Deaths, and Marriages."

By this course—which has been strongly recommended to me by many Dignitaries of the Roman Catholic Church, and approved of by the Law Officers of the Crown—the convenience of the Catholic Population, especially those of the poorer classes, will be greatly promoted in regard to the Registration of their Marriages.

A *further supply* of Certificates *will be forwarded on your application*—from which *blank Forms* will be furnished by you, from time to time, to those Parish Priests within your District who may require them. You will request each Rev. Gentleman obtaining the Certificates to give you a receipt for them, (on the accompanying Forms), in order that you may be able to account to me for all the Certificates entrusted to your care; and you will furnish me, at the end of each month, with the Names and Addresses of those Clergymen to whom you supply them. You will observe they are on *Water-marked* paper, with the words "Certificate of Marriage" printed thereon.

I beg to say that I feel assured you will discharge the duties of your office with zeal, discretion, and courtesy, and thus largely contribute to the success of the very Important Measures, in the carrying out of which you have so readily undertaken to assist by accepting the office of Registrar.

I am, Sir,

Your obedient Servant,

WILLIAM DONNELLY,
Registrar-General.

To

The Registrar of
Births, Deaths, and Marriages.

INDEX OF SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the *Number* of each Superintendent Registrar's District in the Topographical Arrangement adopted in the Tables of Abstracts contained in the Report, the numbers running consecutively from 1 to 163.*]

A.

Abbeyleix, ... 75
Antrim, ... 1
Ardee, ... 38
Armagh, ... 2
Athlone, . . . 57
Athy, . 76

B.

Bailieborough, . . . 39
Ballina, ... 92
Ballinasloe, . . . 93
Ballinrobe, ... 94
Ballycastle, . . . 3
Ballymahon, . . . 58
Ballymena, ... 4
Ballymoney, . . . 5
Ballyshannon, . . . 21
Ballyvaghan, . . . 95
Balrothery, . . . 40
Baltinglass, . . . 41
Banbridge, ... 6
Bandon, ... 139
Bantry, ... 140
Bawnboy, ... 59
Belfast, ... 7
Belmullet, ... 96
Borrisokane, . . . 77
Boyle, ... 97

C.

Cahersiveen, . . . 141
Callan, ... 123
Carlow, ... 78
Carrickmacross, . . . 42
Carrick-on-Shannon, . . 60
Carrick-on-Suir, . . . 124
Cashel, ... 79
Castlebar, ... 98
Castleblayney, . . . 8
Castlecomer, . . . 80
Castlederg, ... 22
Castlereagh, . . . 99
Castletown, . . . 142
Cavan, ... 61
Celbridge, ... 43
Claremorris, . . . 100
Clifden, ... 101
Clogheen, ... 125
Clogher, ... 62
Clonakilty, ... 143
Clones, ... 63
Clonmel, ... 126
Coleraine, ... 9
Cookstown, ... 10
Cootehill, ... 64
Cork, ... 144
Corrofin, ... 102
Croom, ... 145

D.

Delvin, ... 65
Dingle, ... 146
Donaghmore, . . . 81
Donegal, ... 23
Downpatrick, . . . 11
Drogheda, ... 44
Dromore West, . . . 103
Dublin North, . . . 45
Dublin South, . . . 46
Dundalk, ... 47
Dunfanaghy, . . . 24
Dungannon, . . . 12
Dungarvan, . . . 127
Dunmanway, . . . 147
Dunshaughlin, . . . 48

E.

Edenderry, ... 82
Ennis, ... 104
Enniscorthy, . . . 128
Enniskillen, . . . 25
Ennistimon, . . . 105

F.

Fermoy, ... 129

G.

Galway, ... 106
Glennamaddy, . . . 107
Glenties, ... 26
Glin, ... 148
Gorey, ... 49
Gort, ... 108
Gortin, ... 27
Granard, ... 66

I.

Inishowen, ... 28
Irvinestown, . . . 29

K.

Kanturk, ... 149
Kells, ... 50
Kenmare, ... 150
Kilkeel, ... 13
Kilkenny, ... 83
Killadysert, . . . 109
Killala, ... 110
Killarney, ... 151
Kilmacthomas, . . . 130
Kilmallock, . . . 152
Kilrush, ... 111
Kinsale, ... 153

L.

Larne, ... 14
Letterkenny, . . . 30
Limerick, ... 154
Lisburn, ... 15
Lismore, ... 131
Lisnaskea, ... 67
Listowel, ... 155
Londonderry, . . . 31
Longford, ... 68
Loughrea, ... 112
Lurgan, ... 16

M.

Macroom, ... 156
Magherafelt, . . . 17
Mallow, ... 157
Manorhamilton, . . . 32
Middleton, ... 132
Millford, ... 33
Millstreet, ... 158
Mitchelstown, . . . 133
Mohill, ... 69
Monaghan, ... 70
Mountbellew, . . . 113
Mountmellick, . . . 84
Mullingar, ... 71

N.

Naas, ... 51
Navan, ... 52
Nenagh, ... 85
Newcastle, ... 159
Newport, ... 114
New Ross, ... 134
Newry, ... 18
Newtownards, . . . 19
Newtownlimavady, . . 20

O.

Oldcastle, ... 72
Omagh, ... 34
Oughterard, . . . 115

P.

Parsonstown, . . . 87
Portumna, ... 116

R.

Rathdown, ... 53
Rathdrum, ... 54
Rathkeale, ... 160
Roscommon, . . . 73
Roscrea, ... 87

S.

Scarriff, ... 117
Shillelagh, ... 55
Skibbereen, . . . 161
Skull, ... 162
Sligo, ... 35
Strabane, ... 36
Stranorlar, ... 37
Strokestown, . . . 74
Swineford, ... 118

T.

Thomastown, . . . 135
Thurles, ... 88
Tipperary, ... 89
Tobercurry, . . . 119
Tralee, ... 163
Trim, ... 56
Tuam, ... 120
Tulla, ... 121
Tullamore, ... 90

U.

Urlingford, ... 91

W.

Waterford, ... 136
Westport, ... 122
Wexford, ... 137

Y.

Youghal, ... 138

* Thus, the number of Marriages in the Abbeyleix Superintendent Registrar's District may at once be ascertained by referring in the "*Abstract of Marriages*" to the Superintendent Registrar's District, numbered 75 (*see* page 44), and in like manner the number of Births and Deaths, of Deaths at different ages, &c., will be found by referring to the same Superintendent Registrar's District Number in the appropriate Tables.

INDEX OF REGISTRARS' DISTRICTS.

[The Number against each Registrar's District in the Third Column refers to the order in which it appears in the Arrangement of the Districts in the Tables of Abstracts; thus Abbey (120 : 4) is the 4th Registrar's District of the Tuam Superintendent Registrar's District, No. 120.]

Registrars' Districts.	Superintendent Registrars' Districts.	No.
A.		
Abbey,	Tuam,	120 : 4
Abbeyfeale,	Newcastle,	159 : 2
Abbeyleix,	Abbeyleix,	75 : 1
Abbeyshrule,	Ballymahon,	58 : 1
Achill,	Newport,	114 : 3
Adare,	Croom,	145 : 3
Aghada,	Middleton,	132 : 4
Aghadowey,	Coleraine,	9 : 4
Aghalee,	Lurgan,	16 : 2
Ahascragh,	Ballinasloe,	93 : 1
Ahoghill,	Ballymena,	4 : 3
Anascaul,	Dingle,	146 : 3
Annacarriga,	Scarriff,	117 : 3
Annacotty,	Limerick,	154 : 3
Annahilt,	Lisburn,	15 : 8
Annamoe,	Rathdrum,	54 : 3
Antrim,	Antrim,	1 : 1
Ardagh,	Newcastle,	159 : 1
Ardara,	Glenties,	26 : 4
Ardee,	Ardee,	38 : 1
Ardfert,	Tralee,	163 : 5
Ardfinnan,	Clogheen,	125 : 2
Ardmore,	Youghal,	138 . 4
Arklow,	Rathdrum,	51 : 5
Armagh,	Armagh,	2 : 1
Arran,	Galway,	106 : 5
Articlave,	Coleraine,	9 : 3
Arvagh,	Cavan,	61 : 1
Ashford,	Rathdrum,	54 : 2
Askeaton,	Rathkeale,	160 : 1
Athboy,	Trim,	56 : 1
Athenry,	Loughrea,	112 : 3
Athleague,	Roscommon,	73 : 1
Athlone, No. 1, } „ No. 2, }	Athlone,	57 : 1
Athy,	Athy,	76 : 1
Aughnacloy,	Clogher,	62 : 4
Aughrim,	Carrick-on-Shannon	60 : 4
Aughrim,	Rathdrum,	54 : 8
B.		
Bagenalstown,	Carlow,	78 : 6
Bailieborough,	Bailieborough,	39 : 1
Balbriggan,	Balrothery,	40 : 1
Balla,	Castlebar,	98 : 2
Ballaghaderreen,	Castlereagh,	99 : 1
Balleen,	Urlingford,	91 : 1
Ballickmoyler and Newtown,	Carlow,	78 : 7
Ballina,	Ballina,	92 : 1
Ballinakill,	Abbeyleix,	75 : 5
Ballinalee,	Granard,	66 : 3
Ballinameen,	Boyle,	97 : 2
Ballinamore,	Bawnboy,	59 : 2
Ballinasloe,	Ballinasloe,	93 : 2
Ballincollig,	Cork,	144 : 9
Ballinderreen,	Gort,	108 : 2
Ballindine,	Claremorris,	100 : 2
Ballineen,	Dunmanway,	147 : 3
Ballingarry,	Callan,	123 : 1
Ballinrobe,	Ballinrobe,	94 : 1
Ballintra,	Ballyshannon,	21 : 2
Ballybay,	Castleblayney,	8 : 2
Ballyboggan,	Edenderry,	82 : 6
Ballycarry,	Larne,	14 : 4
Ballycastle,	Ballycastle,	3 : 1
Ballycastle,	Killala,	110 : 2
Ballyclogh,	Mallow,	157 : 5
Ballyconnell,	Bawnboy,	59 : 1
Ballycroy,	Newport,	114 : 2
Ballyduff,	Lismore,	131 : 1
Ballyduff,	Listowel,	155 : 3
Ballyfarnan,	Boyle,	97 : 5
Ballyfeard,	Kinsale,	153 : 5
Ballygarvan,	Cork,	144 : 8
Ballygawley,	Clogher,	62 : 3
Ballyhaise,	Cavan,	61 : 3
Ballyhaunis,	Claremorris,	100 : 3
Ballyhooly,	Fermoy,	129 : 3
Ballyjamesduff,	Oldcastle,	72 : 4
Ballykelly,	Newtownlimavady,	20 : 2
Ballyleague,	Roscommon,	73 : 3
Ballylesson,	Lisburn,	15 : 6
Ballylongford,	Listowel,	155 : 1
Ballylynan,	Athy,	76 : 6
Ballymacarbry,	Clonmel,	126 : 6
Ballymacarrett,	Belfast,	7 : 3
Ballymagran,	Dungannon,	12 : 5
Ballymahon,	Ballymahon,	58 : 2
Ballymartle,	Kinsale,	153 : 3
Ballymena,	Ballymena,	4 : 1.
Ballymoney,	Ballymoney,	5 : 1
Ballymore,	Ballymahon,	58 : 3
Ballymore (*see* "Blessington and Ballymore.")		
Ballymote,	Sligo,	35 : 4
Ballynacally,	Killadysert,	109 : 2
Ballynacarrigy,	Mullingar,	71 : 3
Ballynahinch,	Downpatrick,	11 : 3
Ballynoe,	Fermoy,	129 : 5
Ballynure,	Larne,	14 : 3
Ballyragget,	Castlecomer,	80 : 2
Ballyroan,	Abbeyleix,	75 : 2
Ballyshannon,	Ballyshannon,	21 : 1
Ballyvaghan,	Ballyvaghan,	95 : 1
Ballyward,	Banbridge,	6 : 4
Baltinglass,	Baltinglass,	41 : 1
Banagher,	Parsonstown,	86 : 5
Banbridge,	Banbridge,	6 : 1
Bandon,	Bandon,	139 : 1
Bangor,	Belmullet,	96 · 2
Bangor,	Newtownards,	19 : 6
Bannow,	Wexford,	137 : 4
Bansha,	Tipperary,	89 : 1
Bantry,	Bantry,	140 : 1
Barronstown,	Dundalk,	47 : 3
Belfast, No. 1, „ No. 2, „ No. 3, „ No. 4, „ No. 5, „ No. 6,	Belfast,	7 : 1
Bellaghy,	Magherafelt,	17 : 2
Bellananagh,	Cavan,	61 : 2
Bellarena,	Newtownlimavady,	20 : 3

Registrars' Districts.	Superintendent Registrars' Districts.	No.
Belleek,	Ballyshannon,	21 : 3
Belturbet,	Cavan,	61 : 4
Benburb,	Dungannon,	12 : 2
Binghamstown,	Belmullet,	96 : 1
Blackrock & Stillorgan, No. 1,	Rathdown,	53 : 2
„ No. 2,		
Blackwatertown,	Armagh,	2 : 2
Blanchardstown & Castleknock,	Dublin North,	45 : 2
Blarney,	Cork,	144 : 2
Blessington & Ballymore,	Naas,	51 : 1
Boherboy,	Kanturk,	149 : 4
Borris,	Carlow,	78 : 3
Borris-in-Ossory,	Donaghmore,	81 : 1
Borrisokane,	Borrisokane,	77 : 2
Borrisoleigh,	Thurles,	88 : 6
Bourney,	Roscrea,	87 : 3
Boyle, No. 1,	Boyle,	97 : 1
„ No. 2,		
Bray and Rathmichael, No. 1,	Rathdown,	53 : 5
„ No. 2,		
Brideswell,	Athlone,	57 : 2
Bridgetown,	Limerick.	154 : 6
Bridgetown,	Wexford,	137 : 3
Broadford,	Newcastle,	159 : 5
Broadway,	Wexford,	137 : 2
Brookeborough,	Lisnaskea,	67 : 1
Brosna,	Tralee,	163 : 4
Broughshane,	Ballymena,	4 : 6
Bruff,	Kilmallock,	152 : 2
Bruree,	Kilmallock,	152 : 6
Bryansford,	Kilkeel,	13 : 2
Bullaun,	Loughrea,	112 : 2
Buncrana,	Inishowen,	28 : 5
Bunmahon,	Kilmacthomas,	130 : 2
Burt,	Londonderry,	31 : 6
Bushmills,	Coleraine,	9 : 2
Buttevant,	Mallow,	157 : 4
C.		
Caher,	Cahersiveen,	141 : 1
Caher,	Clogheen,	125 : 1
Caherconlish,	Limerick,	154 : 2
Caledon,	Armagh,	2 : 3
Callan,	Callan,	123 : 4
Camolin,	Gorey,	49 : 3
Cannaway,	Macroom,	156 : 5
Cappagh,	Tipperary,	89 : 4
Cappaghduff,	Ballinrobe,	94 : 4
Cappoquin,	Lismore,	131 : 2
Carbury,	Edenderry,	82 : 2
Carlingford,	Dundalk,	47 : 6
Carlow,	Carlow,	78 : 1
Carndonagh,	Inishowen,	28 : 1
Carney, No. 1,	Sligo,	35 : 1
„ No. 2,		
Carragh (*see* "Naas and Carragh.")		
Carrick,	Glenties,	26 : 3
Carrickbyrne,	New Ross,	134 : 6
Carrickfergus,	Larne,	14 : 5
Carrickmacross,	Carrickmacross,	42 : 1
Carrick-on-Suir,	Carrick-on-Suir,	124 : 1
Carrigaholt,	Kilrush,	111 : 5
Carrigaline,	Cork,	144 : 6
Carrigaline,	Kinsale,	153 : 4
Carrigallen,	Mohill,	69 : 4
Carrignavar, No. 1,	Cork,	144 : 3
„ No. 2,		
Cashel,	Cashel,	79 : 2
Castlebar,	Castlebar,	98 : 1
Castlebellingham,	Ardee,	38 : 5
Castleblayney,	Castleblayney,	8 : 1
Castlecomer,	Castlecomer,	80 : 1
Castleconor,	Dromore West,	103 : 3
Castlederg,	Castlederg,	22 : 1
Castledermot,	Athy,	76 ; 4
Castlefin,	Strabane,	36 : 4
Castlegregory,	Dingle,	146 : 2
Castleisland,	Tralee.	163 : 2
Castleknock (*see* "Blanchardstown and Castleknock.")		
Castlemartyr,	Middleton,	132 : 3
Castleplunket,	Castlereagh,	99 : 4
Castlepollard,	Delvin,	65 : 1
Castlequarter,	Ballymoney,	5 : 3
Castlereagh,	Castlereagh,	99 : 3
Castleshane,	Monaghan,	70 : 3
Castletown,	Abbeyleix,	75 : 4
Castletown,	Castletown,	142 : 1
Castletown,	Croom,	145 : 2
Castletown,	Navan,	52 : 3
Castletown Geoghegan,	Mullingar,	71 : 4
Cavan,	Cavan,	61 : 5
Celbridge,	Celbridge,	43 : 2
Charleville,	Kilmallock,	152 : 5
Church Hill,	Ballyshannon,	21 : 4
Church Hill,	Letterkenny,	30 : 3
Clane and Timahoe North,	Naas,	51 : 6
Clara,	Tullamore,	90 : 4
Claremorris,	Claremorris,	100 : 1
Clarina,	Limerick,	154 : 1
Clashmore,	Youghal,	138 : 5
Claudy,	Londonderry,	31 : 4
Clifden, No. 1,	Clifden,	101 : 1
„ No. 2,		
Clogh,	Ballymena,	4 : 5
Cloghan,	Stranorlar,	37 : 3
Clogheen,	Clogheen,	125 : 3
Clogher,	Clogher,	62 : 2
Cloghjordan,	Borrisokane,	77 : 3
Clonakilty,	Clonakilty,	143 : 2
Clonaslee,	Mountmellick,	84 : 2
Clonavaddy,	Dungannon,	12 : 4
Clonbrock,	Mountbellew,	113 : 2
Clondalkin,	Dublin South,	46 : 6
Clonegal (*see* "Coolattin and Clonegal.")		
Clonelly,	Irvinestown,	29 : 3
Clones,	Clones,	63 : 1
Clonmany,	Inishowen,	28 : 2
Clonmel,	Clonmel,	126 : 1
Clonmellon,	Delvin,	65 : 3
Clonmoyle,	Macroom,	156 : 2
Clonroche,	Enniscorthy,	128 : 6
Clontarf and Howth, No. 1,	Dublin North,	45 : 4
„ No. 2,		
Clonygowan,	Mountmellick,	84 : 7
Cloonbur,	Oughterard,	115 : 1
Clough,	Downpatrick,	11 : 2
Cloyne,	Middleton,	132 : 5
Coagh,	Cookstown,	10 : 3
Coal Island,	Dungannon,	12 : 3
Coleraine,	Coleraine,	9 : 1
Collon,	Ardee,	38 : 3
Collooney,	Sligo,	35 : 3
Comber,	Newtownards,	19 : 2
Cong,	Ballinrobe,	94 : 2
Connor,	Antrim,	1 : 5
Cookstown,	Cookstown,	10 : 1
Coolacasey,	Limerick,	154 : 7
Coolaney,	Tobercurry,	119 : 2

Registrars' Districts.	Superintendent Registrars' Districts.	No.
Coolattin and Clonegall,	Shillelagh,	55 : 1
Coole,	Granard,	66 : 6
Coolgreany,	Gorey,	49 : 2
Coolkenna & Hacketstown,	Shillelagh,	55 : 2
Coolmountain,	Dunmanway,	147 : 2
Coolock & Drumcondra, No. 1,	Dublin North,	45 : 5
„ No. 2,		
Coolrain,	Mountmellick,	84 : 3
Coom,	Killarney,	151 : 5
Cootehill,	Cootehill,	64 : 1
Cork, No. 1,	Cork,	144 : 5
„ No. 2,		
„ No. 3,		
„ No. 4,		
„ No. 5,		
„ No. 6,		
„ No. 7,		
„ No. 8,		
„ No. 9,		
Corrofin,	Corrofin,	102 : 1
Courceys,	Kinsale,	153 : 1
Cragaknock,	Kilrush,	111 : 3
Creagh,	Ballinasloe,	93 : 4
Croagh,	Ballycastle,	3 : 2
Croom,	Croom,	145 : 1
Crossgar,	Banbridge,	6 : 3
Crossabeg,	Wexford,	137 : 6
Crossakeel,	Oldcastle,	72 : 1
Crossbane,	Bailieborough,	39 : 4
Crossmaglen,	Castleblayney,	8 : 3
Crossmolina,	Ballina,	92 : 2
Crossroads,	Dunfanaghy,	24 : 2
Crumlin,	Antrim,	1 : 2
Crusheen,	Ennis,	104 : 2
Cullen,	Millstreet,	158 : 1
Cushendall,	Ballycastle,	3 : 3
D.		
Darrynane,	Cahersiveen,	141 : 5
Dawson Grove,	Cootehill,	64 : 2
Delgany,	Rathdown,	53 : 7
Delvin,	Delvin,	65 : 2
Derrylin,	Lisnaskea,	67 : 3
Dervock,	Ballymoney,	5 : 2
Dingle,	Dingle,	146 : 1
Dirraw,	Ballymoney,	5 : 4
Doagh,	Antrim,	1 : 4
Donaghadee,	Newtownards,	19 : 5
Donaghmore,	Newry,	18 : 8
Donaghmoyne,	Carrickmacross,	42 : 2
Donegal,	Donegal,	23 : 3
Doneraile,	Mallow,	157 : 6
Donnybrook,	Dublin South,	46 : 2
Douglas,	Cork,	144 : 7
Downpatrick,	Downpatrick,	11 : 1
Draperstown,	Magherafelt,	17 : 4
Dripsey,	Cork,	144 : 1
Drogheda, No. 1, (East Ward),	Drogheda,	44 : 4
„ No. 2, (West Ward),		
Dromdaleague,	Skibbereen,	161 : 3
Dromiskin,	Dundalk,	47 : 4
Dromore,	Banbridge,	6 : 2
Dromore,	Omagh,	34 : 3
Drum,	Cootehill,	64 : 3
Drumahaire,	Manorhamilton,	32 : 3
Drumcondra (*see* "Coolock & Drumcondra.")		
Drumconrath,	Ardee,	38 : 2
Drumkeeran,	Manorhamilton,	32 : 4
Drumlish,	Longford,	68 : 2
Drumquin,	Castlederg,	22 : 3
Drumquin,	Omagh,	34 : 4
Drumshambo,	Carrick-on-Shannon,	60 : 1
Dublin : — North City, No. 1,	Dublin North,	45 : 1
„ No. 2,		
„ No. 3,		
Dublin : — South City, No. 1,	Dublin South,	46 : 1
„ No. 2,		
„ No. 3,		
„ No. 4,		
Duleek,	Drogheda,	44 : 2
Dunboyne,	Dunshaughlin,	48 : 1
Dundalk,	Dundalk,	47 : 1
Dundrum & Glencullen, No. 1,	Rathdown,	53 : 1
„ No. 2,		
Dunfanaghy,	Dunfanaghy,	24 : 1
Dungannon,	Dungannon,	12 : 1
Dunganstown,	Rathdrum,	54 : 4
Dungarvan,	Dungarvan,	127 : 4
Dungiven,	Newtownlimavady,	20 : 4
Dungloe,	Glenties,	26 : 1
Dunkineely,	Donegal,	23 : 5
Dunlavin,	Baltinglas,	41 : 3
Dunleer,	Ardee,	38 : 4
Dunmanway,	Dunmanway,	147 : 1
Dunmore,	Glennamaddy,	107 : 1
Dunmore,	Tuam,	120 : 2
Dunmurry,	Lisburn,	15 : 5
Dunnamanagh,	Strabane,	36 : 1
Durrow,	Abbeyleix,	75 : 3
Durrus & Kilcrohane,	Bantry,	140 : 3
Dysartmoon,	New Ross,	134 : 3
E.		
Easky,	Dromore West,	103 : 1
Edenderry,	Edenderry,	82 : 4
Ederney,	Irvinestown,	29 : 2
Eglinton,	Londonderry,	31 : 3
Elphin,	Strokestown,	74 : 3
Ely,	Enniskillen,	25 : 4
Emlagh,	Cahersiveen,	141 : 4
Emly,	Tipperary,	89 : 6
Emo,	Mountmellick,	84 : 6
Ennis, No. 1,	Ennis,	104 : 1
„ No. 2,		
Enniscorthy, No. 1,	Enniscorthy,	128 : 4
„ No. 2,		
Enniskillen,	Enniskillen,	25 : 1
Ennistimon,	Ennistimon,	105 : 2
Eyrecourt,	Portumna,	116 : 2
F.		
Fannett,	Millford,	33 : 4
Feakle,	Scarriff,	117 : 2
Feenagh,	Newcastle,	159 : 4
Feeny,	Newtownlimavady,	20 : 5
Fennagh & Myshall,	Carlow,	78 : 4
Ferbane,	Parsonstown,	86 : 6
Fermoy,	Fermoy,	129 : 1
Ferns,	Enniscorthy,	128 : 3
Fethard,	Cashel,	79 : 4
Fethard, No. 1,	New Ross,	134 : 7
„ No. 2,		
Finglas & Glasnevin,	Dublin North,	45 : 3
Finnea,	Granard,	66 : 5
Fintona,	Omagh,	34 : 2
Fivemiletown,	Clogher,	62 : 1
Florencecourt,	Enniskillen,	25 : 6
Fontstown,	Athy,	76 : 3
Forkhill,	Newry,	18 : 7
Foxford,	Swineford,	118 : 2

Registrars' Districts.	Superintendent Registrars' Districts.	No.
Frankford,	Parsonstown,	86 : 4
Frenchpark,	Castlereagh,	99 : 2
Freshford,	Kilkenny,	83 : 4
G.		
Galbally,	Mitchelstown,	133 : 3
Galgorm,	Ballymena,	4 : 2
Galway,	Galway,	106 : 1
Garrangibbon,	Carrick-on-Suir,	124 : 2
Garristown,	Dunshaughlin,	48 : 4
Garvagh,	Coleraine,	9 : 5
Glanbehy,	Cahersiveen,	141 : 2
Glasnevin (*see* "Finglas and Glasnevin.")		
Glassan,	Athlone,	57 : 4
Glasslough,	Monaghan,	70 : 2
Glenarm,	Larne,	14 : 1
Glenavy,	Lisburn,	15 : 4
Glencullen (*see* "Dundrum&Glencullen.")		
Glendermot,	Londonderry,	31 : 2
Glengarriff,	Bantry,	140 : 2
Glennamaddy,	Glennamaddy,	107 : 2
Glenties,	Glenties,	26 : 2
Glenwhirry,	Ballymena,	4 : 7
Glynn (*see* "Taghmon and Glynn.")		
Golden,	Tipperary,	89 : 2
Goleen,	Skull,	162 : 2
Gorey,	Gorey,	49 : 1
Gort,	Gort,	108 : 1
Gortin,	Gortin,	27 : 1
Gowran,	Kilkenny,	83 : 2
Graigue,	Thomastown,	135 : 1
Granard,	Granard,	66 : 1
Grean,	Tipperary,	89 : 5
Grey Abbey,	Newtownards,	19 : 4
Gurteen,	Boyle,	97 : 3
H.		
Hacketstown (*see* "Coolkenna and Hacketstown.")		
Headford,	Tuam,	120 : 3
Hillsborough,	Lisburn,	15 : 2
Hollymount,	Ballinrobe,	94 : 3
Holmpatrick,	Balrothery,	40 : 2
Holycross,	Thurles,	88 : 2
Holywell,	Enniskillen,	25 : 5
Holywood,	Belfast,	7 : 4
Hospital,	Kilmallock,	152 : 3
Howth (*see* "Clontarf and Howth.")		
I.		
Inchigeelagh,	Macroom,	156 : 4
Inishannon,	Bandon,	139 : 2
Inistioge,	Thomastown,	135 : 2
Innfield,	Trim,	56 : 4
Irvinestown, No. 1,	Irvinestown,	29 ; 1
" No. 2,		
Islandeady,	Westport,	122 : 3
J.		
Jamestown,	Carrick-on-Shannon,	60 : 3
Johnstown,	Edenderry,	82 : 1
Johnstown,	Urlingford,	91 : 2
K.		
Kanturk,	Kanturk,	149 : 2
Keadue,	Boyle,	97 : 4
Keady,	Armagh,	2 : 5
Kells,	Kells,	50 : 1
Kenmare,	Kenmare,	150 : 1
Kilbeggan,	Tullamore,	90 : 3
Kilbrittain,	Bandon,	139 : 5
Kilcatherine,	Castletown,	142 : 2
Kilcock,	Celbridge,	43 : 5
Kilcooly,	Urlingford,	91 : 4
Kilcrohane (*see* "Durrus & Kilcrohane.")		
Kilcullen,	Naas,	51 : 4
Kildare (*see* "Newbridge and Kildare.")		
Kilderry,	Londonderry,	31 : 5
Kildorrery,	Mitchelstown,	133 : 2
Kilfinane,	Kilmallock,	152 : 4
Kilgarvan,	Kenmare,	150 : 2
Kilgobban,	Tralee,	163 : 3
Kilkee,	Kilrush,	111 : 4
Kilkeel,	Kilkeel,	13 : 1
Kilkelly,	Swineford,	118 : 5
Kilkenny, No. 1,	Kilkenny,	83 : 1
" No. 2,		
Kilkishen,	Tulla,	121 : 3
Killaan,	Balliuasloe,	93 : 3
Killala,	Killala,	110 : 1
Killann,	Enniscorthy,	128 : 2
Killanniv,	Ennis,	104 : 3
Killarney, No. 1,	Killarney,	151 : 1
" No. 2,		
Killashee,	Longford,	68 : 3
Killea,	Londonderry,	31 : 7
Killeagh,	Youghal,	138 : 2
Killeen,	Dunshaughlin,	48 : 3
Killenagh & Wells,	Gorey,	49 : 4
Killenaule,	Cashel,	79 : 5
Killeroran,	Mountbellew,	113 : 1
Killeshandra,	Cavan,	61 : 6
Killeter,	Castlederg,	22 : 2
Killiney,	Rathdown,	53 : 3
Killorglin,	Killarney,	151 : 4
Killough,	Downpatrick,	11 : 5
Killoughy,	Tullamore,	90 : 1
Killucan,	Mullingar,	71 : 7
Killybegs,	Glenties,	26 : 5
Killygordon,	Stranorlar,	37 : 1
Killyleagh,	Downpatrick,	11 : 4
Killyon,	Parsonstown,	86 : 2
Kilmacrenan and Millford,	Millford,	33 : 3
Kilmacthomas,	Kilmacthomas,	130 : 1
Kilmaganny,	Callan,	123 : 3
Kilmakevoge,	Waterford,	136 : 3
Kilmallock,	Kilmallock,	152 : 1
Kilmeadan,	Waterford,	136 : 6
Kilmeague (*see* Robertstown and Kilmeague.")		
Kilmihil,	Kilrush,	111 : 2
Kilmood,	Newtownards,	19 : 3
Kilmore,	Monaghan,	70 : 5
Kilnaleck,	Cavan,	61 : 7
Kilpatrick,	Cashel,	79 : 1
Kilrea,	Ballymoney,	5 : 5
Kilrush,	Kilrush,	111 : 1
Kilsallaghan,	Balrothery,	40 : 5
Kilshannig,	Mallow,	157 : 1
Kilsheelan,	Clonmel,	126 : 4
Kilskeer,	Kells,	50 : 3
Kiltamagh,	Swineford,	118 : 3
Kiltegan,	Baltinglass,	41 : 2
Kiltinan,	Clonmel,	126 : 3
Kiltoom,	Athlone,	57 : 3
Kiltormer,	Ballinasloe,	93 : 6
Kilworth,	Fermoy,	129 : 4
Kingscourt,	Bailieborough,	39 : 3
Kingstown, No. 1,	Rathdown,	53 : 4
" No. 2,		
Kinlough,	Ballyshannon,	21 : 5
Kinnitty,	Parsonstown,	86 : 3
Kinsale,	Kinsale,	153 : 2
Knocknadona,	Lisburn,	15 : 3
Knocktopher,	Thomastown,	135 : 4
L.		
Labasheeda,	Killadysert,	109 : 1
Lahy,	Donegal,	23 : 2

Registrars' Districts.	Superintendent Registrars' Districts.	No.
Larne,	Larne,	14 : 2
Laurencetown,	Ballinasloe,	93 : 5
Leighlinbridge,	Carlow,	78 : 5
Leitrim,	Carrick-on-Shannon,	60 : 2
Letterkenny,	Letterkenny,	30 : 1
Lettermore,	Oughterard,	115 : 3
Limerick: No. 1 (St. Mary's) No. 2 (St. Munchin's) No. 3 (St. John's) No. 4 (St. Michael's)	Limerick,	154 : 5
Lisbellaw,	Enniskillen,	25 : 3
Lisburn,	Lisburn,	15 : 1
Lismore,	Lismore,	131 : 3
Lisnaskea,	Lisnaskea,	67 : 2
Listowel,	Listowel,	155 : 2
Littleton,	Thurles,	88 : 3
Londonderry,	Londonderry,	31 : 1
Longford,	Longford,	68 : 1
Loughbrickland,	Banbridge,	6 : 5
Loughgall,	Armagh,	2 : 8
Loughrea,	Loughrea,	112 : 1
Louisburgh,	Westport,	122 : 2
Louth,	Dundalk,	47 : 2
Lowpark,	Swineford,	118 : 5
Lucan,	Celbridge,	43 : 1
Lurgan, No. 1, No. 2,	Lurgan,	16 : 1
Lurganboy,	Manorhamilton,	32 : 2
Lusk,	Balrothery,	40 : 3
M.		
Macroom,	Macroom,	156 : 1
Maghera,	Magherafelt,	17 : 3
Magherafelt,	Magherafelt,	17 : 1
Maguiresbridge,	Lisnaskea,	67 : 4
Malahide,	Balrothery,	40 : 6
Malin,	Inishowen,	28 : 4
Mallow,	Mallow,	157 : 2
Manorcunningham,	Letterkenny,	30 : 2
Manorhamilton,	Manorhamilton,	32 : 1
Markethill,	Armagh,	2 : 6
Marlfield,	Clonmel,	126 : 2
Maryborough,	Mountmellick,	84 : 5
Maynooth,	Celbridge,	43 : 3
Meigh,	Newry,	18 : 6
Middleton, No. 1, No. 2,	Middleton,	132 : 1
Milford,	Kanturk,	149 : 3
Millford (*see* "Kilmacrenan and Millford.")		
Millstreet,	Millstreet,	158 : 2
Milltown,	Killarney,	151 : 3
Milltown,	Mullingar,	71 : 6
Miltown Malbay,	Ennistimon,	105 : 3
Mitchelstown,	Mitchelstown,	133 : 1
Moate,	Athlone,	57 : 5
Mohill,	Mohill,	69 : 1
Moira,	Lurgan,	16 : 3
Molahiffe,	Killarney,	151 : 2
Monaghan,	Monaghan,	70 : 1
Monasterboice,	Drogheda,	44 : 6
Monasterevin,	Athy,	76 : 2
Moneymore,	Magherafelt,	17 : 5
Moroe,	Limerick,	154 : 4
Mountbellew,	Mountbellew,	113 : 3
Mountcharles,	Donegal,	23 : 4
Mountmellick,	Mountmellick,	84 : 1
Mountnorris,	Newry,	18 : 5
Mountrath,	Mountmellick,	84 : 4
Mountshannon,	Scarriff,	117 : 1
Moville,	Inishowen,	28 : 3
Moynalty,	Kells,	50 : 2
Moyne,	Thurles,	88 : 4
Mullaghglass,	Newry,	18 : 4
Mullinahone,	Callan,	123 : 2
Mullingar,	Mullingar,	71 : 1
Multyfarnham,	Mullingar,	71 : 2
Murragh.	Baudon,	139 : 4
Myshall (*see* "Fennagh and Myshall.")		
N.		
Naas and Carragh,	Naas,	51 : 5
Navan,	Navan,	52 : 1
Nenagh,	Nenagh,	85 : 1
Newbridge,	Rathdrum,	54 : 6
Newbridge & Kildare	Naas,	51 : 7
Newcastle,	Newcastle,	159 : 3
Newcastle,	Rathdrum,	54 : 1
Newmarket,	Ennis,	104 : 4
Newmarket,	Kanturk,	149 : 1
Newport,	Nenagh,	85 : 2
Newport,	Newport,	114 : 1
New Ross,	New Ross,	134 : 1
Newry, No. 1, No. 2,	Newry,	18 : 1
Newtown (*see* "Ballickmoyler and Newtown.")		
Newtownards,	Newtownards,	19 : 1
Newtownbarry,	Enniscorthy,	128 : 1
Newtownbutler,	Clones,	63 : 2
Newtowngore,	Bawnboy,	59 : 4
Newtownlimavady,	Newtownlimavady,	20 : 1
Newtownstewart,	Strabane,	36 : 3
Nobber,	Kells,	50 : 4
O.		
Oldcastle,	Oldcastle,	72 : 2
Old Ross,	New Ross,	134 : 2
Omagh,	Omagh,	34 : 1
Oranmore,	Galway,	106 : 2
Oughterard,	Oughterard,	115 : 2
Oulart,	Enniscorthy,	128 : 5
P.		
Painestown,	Navan,	52 : 2
Pallaskenry,	Rathkeale,	160 : 2
Palmerston,	Dublin South,	46 : 7
Parsonstown,	Parsonstown,	86 : 1
Pettigoe,	Donegal,	23 : 1
Philipstown,	Tullamore,	90 : 2
Plumb Bridge,	Gortin,	27 : 2
Pointzpass,	Newry,	18 : 9
Pomeroy,	Cookstown,	10 : 2
Portadown,	Lurgan,	16 : 5
Portaferry,	Downpatrick,	11 : 7
Portglenone,	Ballymena,	4 : 4
Portlaw,	Carrick-on-Suir,	124 : 5
Portroe,	Nenagh,	85 : 3
Portumna, No. 1, No. 2,	Portumna,	116 : 1
Powerscourt,	Rathdown,	53 : 6
Q.		
Queenstown,	Cork,	144 : 10
Quin,	Tulla,	121 : 2
R.		
Raferagh,	Carrickmacross,	42 : 3
Rahan,	Mallow,	157 : 3
Randalstown,	Antrim,	1 : 6
Raphoe,	Strabane,	36 : 5
Rathangan,	Edenderry,	82 : 3
Rathcoole,	Celbridge,	43 : 4
Rathcormack,	Fermoy,	129 : 2
Rathdowney,	Donaghmore,	81 : 2

Registrars' Districts.	Superintendent Registrars' Districts.	No.
Rathdrum,	Rathdrum,	54 : 7
Rathfarnham,	Dublin South,	46 : 4
Rathfriland,	Newry,	18 : 3
Rathgormuck,	Carrick-on-Suir,	124 : 4
Rathkeale, No. 1, „ No. 2,	Rathkeale,	160 : 3
Rathmelton,	Millford,	33 : 1
Rathmichael (*see* "Bray & Rathmichael.")		
Rathmines,	Dublin South,	46 : 3
Rathmore,	Naas,	51 : 3
Rathmullan,	Millford,	33 : 2
Rathvilly,	Baltinglass,	41 : 4
Ratoath,	Dunshaughlin,	48 : 2
Ravensdale,	Dundalk,	47 : 5
Rhode,	Edenderry,	82 : 5
Rich Hill,	Armagh,	2 : 7
Ringville,	Dungarvan,	127 : 1
Rinn,	Mohill,	69 : 2
Rinvyle,	Clifden,	101 : 2
Riverstown,	Parsonstown,	86 : 7
Riverstown,	Sligo,	35 : 5
Roadford,	Ennistimon,	105 : 1
Robertstown and Kilmeage,	Naas,	51 : 2
Roosky,	Strokestown,	74 : 2
Roscommon,	Roscommon,	73 : 2
Roscrea, No. 1, „ No. 2,	Roscrea,	87 : 1
Rosguill,	Millford,	33 : 5
Rosscarbery,	Clonakilty,	143 : 1
Rosslea,	Clones,	63 : 3
Rostrevor,	Kilkeel,	13 : 3
Roundstone,	Clifden,	101 : 3
Rowan,	Mohill,	69 : 3
S.		
Saintfield,	Lisburn,	15 : 7
St. Mary's,	Clonmel,	126 : 5
St. Mary's,	Drogheda,	44 : 3
St. Mullin's,	New Ross,	134 : 4
Scotstown,	Monaghan,	70 : 4
Scrabby,	Granard,	66 : 4
Seskinan,	Dungarvan,	127 : 2
Shanagolden,	Glin,	148 : 1
Shankill, No. 1, „ No. 2, „ No. 3,	Belfast,	7 : 2
Shercock,	Bailieborough,	39 : 2
Shinrone, No. 1, „ No. 2,	Roscrea,	87 : 2
Silvermines,	Nenagh,	85 : 4
Sixmile Cross,	Omagh,	34 : 5
Skibbereen,	Skibbereen,	161 : 1
Skreen,	Dromore West,	103 : 2
Skull,	Skull,	162 : 1
Slievereagh,	Macroom,	156 : 3
Sligo, No. 1, „ No. 2,	Sligo,	35 : 2
Sneem,	Kenmare,	150 : 4
Stamullen,	Drogheda,	44 : 1
Stewartstown,	Cookstown,	10 : 4
Stillorgan (*see* "Blackrock & Stillorgan.")		
Strabane,	Strabane,	36 : 2
Stradbally,	Athy,	76 : 5
Stradone,	Cavan,	61 : 8
Strangford,	Downpatrick,	11 : 6
Stranorlar,	Stranorlar,	37 : 2
Street,	Granard,	66 : 2
Strokestown,	Strokestown,	74 : 1
Summerhill,	Trim,	56 : 3
Swanlinbar,	Bawnboy,	59 : 3
Swineford,	Swineford,	118 : 1
Swords,	Balrothery,	40 : 4
T.		
Taghmon and Glynn,	Wexford,	137 : 5
Tallaght,	Dublin South,	46 : 5
Tallow,	Lismore,	131 : 4
Tanderagee,	Banbridge,	6 : 6
Tarbert,	Glin,	148 : 2
Tartaraghan,	Lurgan,	16 : 6
Templeludigan,	New Ross,	134 : 5
Templemartin,	Bandon,	139 : 3
Templemichael,	Youghal,	138 : 3
Templemore,	Thurles,	88 : 5
Templepatrick,	Antrim,	1 : 3
Tempo,	Enniskillen,	25 : 2
Termon,	Bailieborough,	39 : 5
Termonfeckin,	Drogheda,	44 : 5
Terryglass,	Borrisokane,	77 : 1
Thomastown,	Thomastown,	135 : 3
Thurles,	Thurles,	88 : 1
Timahoe North (*see* "Clane and Timahoe North.")		
Timoleague,	Clonakilty,	143 : 3
Tinahely,	Shillelagh,	55 : 3
Tipperary,	Tipperary,	89 : 3
Tiscoffin,	Kilkenny,	83 : 3
Tobercurry,	Tobercurry,	119 : 1
Toome,	Ballymena,	4 : 8
Toomyvara,	Nenagh,	85 : 5
Tralee, No. 1, „ No. 2,	Tralee,	163 : 1
Tramore,	Waterford,	136 : 5
Trim,	Trim,	56 : 2
Tuam, No. 1, „ No. 2,	Tuam,	120 : 1
Tulla,	Tulla,	121 : 1
Tullagh,	Skibbereen,	161 : 4
Tullamain,	Cashel,	79 : 3
Tullamore,	Tullamore,	90 : 5
Tullaroan,	Kilkenny,	83 : 5
Tullow,	Carlow,	78 : 2
Tullyvin,	Cootehill,	64 : 4
Tuosist,	Kenmare,	150 : 3
Turloughmore,	Galway,	106 : 3
Tynan,	Armagh,	2 : 4
Tyrrellspass,	Mullingar,	71 : 5
U.		
Ullid,	Waterford.	136 : 2
Union Hall,	Skibbereen,	161 : 2
Urlingford,	Urlingford,	91 : 3
V.		
Valencia,	Cahersiveen,	141 : 3
Virginia,	Oldcastle,	72 : 3
W.		
Walshtownmore E.,	Middleton,	132 : 2
Waringstown,	Lurgan,	16 : 4
Warrenspoint	Newry,	18 : 2
Waterford,	Waterford,	136 : 1
Wells (*see* "Killenagh and Wells.")		
Western, No. 1, „ No. 2,	Galway,	106 : 4
Westport,	Westport,	122 : 1
Wexford,	Wexford,	137 : 1
Whitechurch,	Carrick-on-Suir,	124 : 3
Whitechurch,	Cork,	144 : 4
Whitechurch,	Dungarvan,	127 : 3
Williamstown,	Glennamaddy,	107 : 3
Woodford,	Loughrea,	112 : 4
Woodstown,	Waterford,	136 : 4
Y.		
Youghal,	Youghal,	138 : 1

Dublin : Printed by Alexander Thom, 87 & 88, Abbey-street,
For Her Majesty's Stationery Office.